BELLSOUTH® / CLEC Agreement

Customer Name: Access Point, Inc.

| Access Point, Inc. | 2 |
|---|-----|
| TOC | 3 |
| TS+CS_1 | 5 |
| ATT01RES_1 | 25 |
| ATT01Rates_1 | 56 |
| Attachment 2 w/SL1 language | 57 |
| Attachment 2 Rates/w SL1 | 139 |
| ATT03LI_1 | 229 |
| ATT03Rates_1 | 259 |
| ATT04PHC_1 | 266 |
| ATT04PHC(RS)_1 | 328 |
| ATT05INP_1 | 376 |
| ATT05Rates_1 | 386 |
| ATT06ORDPRO_1 | 387 |
| ATT07BILL_1 | 394 |
| ATT07Rates_1 | 409 |
| ATT08ROW_1 | 410 |
| ATT09PM_1 | 412 |
| ATT10AIT_1 | 414 |
| ATT11_1 | 422 |
| ATT12BFR_1 | 433 |
| Access Point, IncReplace Attach 2 Rates | 436 |
| Access Point-Add Unbundled Remote Call Forwarding | 767 |

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND ACCESS POINT, INC.

TABLE OF CONTENTS

General Terms and Conditions

- 1. Definitions
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Bona Fide Request/New Business Request Process for Further Unbundling
- 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 8. Liability and Indemnification
- 9. Intellectual Property Rights and Indemnification
- 10. Proprietary and Confidential Information
- 11. Assignments
- 12. Resolution of Disputes
- 13. Taxes
- 14. Force Majeure
- 15. Adoption of Agreements
- 16. Modification of Agreement
- 17. Non-waiver of Legal Rights
- 18. Severability
- 19. Waivers
- 20. Governing Law
- 21. Arm's Length Negotiations
- 22. Notices
- 23. Rule of Construction
- 24. Headings of No Force or Effect
- 25. Multiple Counterparts
- 26. Implementation of Agreement
- 27. Filing of Agreement
- 28. Compliance with Applicable Law
- 29. Necessary Approvals
- 30. Good Faith Performance
- 31. Nonexclusive Dealings
- 32. Survival
- 33. Entire Agreement

Attachment 1 - Resale

- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering and Provisioning, Maintenance and Repair
- **Attachment 7 Billing and Billing Accuracy Certification**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**

Attachment 10- Agreement Implementation Template

Attachment 11- BellSouth Disaster Recovery Plan

Attachment 12 – Bona Fide Request/New Business Request Process

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Access Point, Inc., ("API"), a North Carolina corporation, and shall be deemed effective as of the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or API or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, API is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, API wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and the Parties wish to interconnect their facilities and exchange traffic pursuant to sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and API agree as follows:

1. **Definitions**

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine-state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

2. Term of the Agreement

- 2.1 The term of this Agreement shall be two years, beginning on the Effective Date and_shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.3 below.
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date of this Agreement.
- 2.3.1 Except as set forth in Section 2.3.2 below, Notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this

Agreement as provided above, BellSouth shall continue to offer services to API pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to API pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.

2.3.2 Notwithstanding Section 2.3 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.2 above, and (2) API either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.

3. Operational Support Systems

API shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

When API purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to API shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of API shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by API.

5. White Pages Listings

- 5.1 BellSouth shall provide API and their customers access to white pages directory listings under the following terms:
- 5.2. <u>Listings</u>. API shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include API residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between API and BellSouth subscribers.
- 5.2.1 Rates. So long as API provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to API one (1) primary White Pages listing per API subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting API Subscriber Information are found in The BellSouth Business Rules for Local Ordering.
- 5.3.1 Notwithstanding any provision(s) to the contrary, API shall provide to BellSouth, and BellSouth shall accept, API's Subscriber Listing Information (SLI) relating to API's customers in the geographic area(s) covered by this Interconnection Agreement. API authorizes BellSouth to release all such API SLI provided to BellSouth by API to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such API SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.
- 5.3.2 No compensation shall be paid to API for BellSouth's receipt of API SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of API's SLI, or costs on an ongoing basis to administer the release of API SLI, API shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.
- 5.3.3 BellSouth shall not be liable for the content or accuracy of any SLI provided by API under this Agreement. API shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to

reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate API listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to API any complaints received by BellSouth relating to the accuracy or quality of API listings.

- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. API will be required to provide to BellSouth the names, addresses and telephone numbers of all API customers that wish to be omitted from directories.
- 5.5 <u>Inclusion of API Customers in Directory Assistance Database</u>. BellSouth will include and maintain API subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and API shall provide such Directory Assistance listings at no recurring charge. BellSouth and API will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.
- 5.6 <u>Listing Information Confidentiality</u>. BellSouth will accord API's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to API's customer proprietary confidential directory information to those BellSouth employees or agents who are involved in the preparation of listings or directories.
- 5.7 <u>Optional Listings</u>. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery</u>. BellSouth or its agent shall deliver White Pages directories to API subscribers at no charge or as specified in a separate BAPCO agreement.

6. Bona Fide Request/New Business Request Process for Further Unbundling

- BellSouth shall, upon request of API, provide to API access to its network elements at any technically feasible point for the provision of API's telecommunications service where such access is necessary and failure to provide access would impair the ability of API to provide services that it seeks to offer. Any request by API for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request (BFR/NBR), and shall be submitted to BellSouth pursuant to the BFR/NBR process.
- API shall submit any BFR/NBR in writing to API's Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the

request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include API's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 7.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for API, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to API end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for API end users for the same length of time it maintains such information for its own end users.
- 5.2 Subpoenas Directed to API. Where BellSouth is providing to API telecommunications services for resale or providing to API the local switching function, then API agrees that in those cases where API receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to API end users, and where API does not have the requested information, API will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.
- 7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

8. Liability and Indemnification

- 8.1 <u>API Liability</u>. In the event that API consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of API under this Agreement.
- 8.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to API for any act or omission of another telecommunications company providing services to API.

8.3 <u>Limitation of Liability</u>

8.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorney's fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort,

shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.

- 8.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third Party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 8.3.3 Neither BellSouth nor API shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 8.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 8.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- 8.4 <u>Indemnification for Certain Claims</u>. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the

content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.

8.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

9. Intellectual Property Rights and Indemnification

- 9.1 <u>No License.</u> No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. API is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, API may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.
- 9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 9.3 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.

- 9.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 9.5 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

10. Proprietary and Confidential Information

10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and API, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the

time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

- 10.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 10.3 Exceptions. Recipient will not have an obligation to protect any portion of the Information which:
 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement;
 (b) is lawfully obtained by Recipient from any source other than Discloser;
 (c) is previously known to Recipient without an obligation to keep it confidential;
 (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 10.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the Federal Communications Commission or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 10.5 Recipient agrees not to publish or use the Information for any advertising, sales promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, or application which is now or may hereafter be owned by the Discloser.
- 10.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

11. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of API, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

12. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

13. Taxes

- Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 13.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.

- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney

fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

14. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

15. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to API any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such Agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same

states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement which was adopted.

Modification of Agreement

- If API changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of API to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of API or BellSouth to perform any material terms of this Agreement, API or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.
- Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

17. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

18. Severability

If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

19. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

20. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

21. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

22. Notices

Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

Account Team 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Access Point, Inc.

Richard E. Brown-CEO 1100 Crescent Green, Suite 109 Cary, NC 27511

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 22.3 Notwithstanding the foregoing, BellSouth may provide API notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

23. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

24. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

25. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

26. Implementation of Agreement

If API is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, presales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

27. Filing of Agreement

- Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, API shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by API. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as API is duly certified as a local exchange carrier in such state, except as otherwise required by a state Commission.
- For electronic filing purposes in the State of Louisiana, the CLEC Louisiana Certification Number is required and must be provided by API prior to filing of the Agreement. The CLEC Louisiana Certification Number for API is

28. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

29. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

30. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

31. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to API as a requesting carrier under the Act).

32. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

33. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement may include attachments with provisions for the following services:

Network Elements and Other Services Local Interconnection Resale Collocation

The following services are included as options for purchase by API. API may elect to purchase said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

| BellSouth Telecommunications, Inc. | Access Point, Inc. |
|------------------------------------|------------------------|
| | |
| By: on file | By: on file |
| Name: Christine Boltz | Name: Richard E. Brown |
| Title: Managing Director | Title: CEO |
| Date: 05/03/01 | Date: 4/19/01 |

Attachment 1

Resale

Version 3Q00: 11/28/00

TABLE OF CONTENTS

| 1. | DISCOUNT RATES | 3 |
|-----|---|------------|
| 2. | DEFINITION OF TERMS | 3 |
| 3. | GENERAL PROVISIONS | 3 |
| 4. | BELLSOUTH'S PROVISION OF SERVICES TO API | 7 |
| 5. | MAINTENANCE OF SERVICES | 8 |
| 6. | ESTABLISHMENT OF SERVICE | 9 |
| 7. | PAYMENT AND BILLING ARRANGEMENTS | 10 |
| 8. | DISCONTINUANCE OF SERVICE | 12 |
| 9. | LINE INFORMATION DATABASE (LIDB) | 14 |
| 10. | . RAO HOSTING | 14 |
| 11. | OPTIONAL DAILY USAGE FILE (ODUF) | 14 |
| 12. | . ENHANCED OPTIONAL DAILY USAGE FILE (EODUF) | 14 |
| Ex | hibit A – Applicable Discounts/OSS Rates | 16 |
| Ex | hibit B – Resale Restrictions | 19 |
| Ex | chibit C – Line Information Database (LIDB) Storage Agreement | 20 |
| Ex | chibit D – Optional Daily Usage File (ODUF) | 25 |
| Ex | hibit E – Enhanced Option Daily Usage File (EODUF) | 29 |
| Fvl | hibit F _ ODUF/FODUF/CMDS Rates | Rate Table |

RESALE

1. Discount Rates

The discount rates applied to API purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit A. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as API, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to API for resale

those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customer who are not telecommunications carriers. Such services shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement.

- 3.2 API may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 API must resell services to other End Users.
- 3.2.2 API must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
- 3.2.3 API cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 API will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from API for said services.
- API will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of API. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of API. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of API or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and API will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or API to the other Party until such time that the order for service has been completed.

- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right—to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 For the purpose of the resale of BellSouth's telecommunications services by API, BellSouth will provide API with on line access to telephone numbers for reservation on a first come first served basis. Until December 1, 2000, such reservations of telephone numbers, on a pre-ordering basis shall be for a period of ninety (90) days. After December 1, 2000, BellSouth shall provide number reservation pursuant to the appropriate FCC rules and regulations. API acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request that API cancel its reservations of numbers. API shall comply with such request.
- Further, upon API's request, and for the purpose of the resale of BellSouth's telecommunications services by API, BellSouth will reserve up to 100 telephone numbers per CLLIC, for API's sole use. Until December 1, 2000, such telephone number reservations shall be valid for ninety (90) days from the reservation date. After December 1, 2000, BellSouth shall provide number reservation pursuant to the appropriate FCC rules and regulations. API acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of API's reasonable need in that particular CLLIC.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to API's End Users, pursuant to Section 7 of the General Terms and Conditions.
- 3.13 If API or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described

in BellSouth's retail tariffs, API has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.

- Facilities and/or equipment utilized by BellSouth to provide service to API remain the property of BellSouth.
- 3.15 White page directory listings for API End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. In addition, API shall provide to BellSouth access to customer record information including electronic access where available. Otherwise, upon request by BellSouth API shall provide paper copies of customer record information within a reasonable period of time. Customer Record Information is equivalent to but not limited to the type of customer specific information contained in CRIS and RSAG. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that API and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.
- 3.17 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from CLECs who utilize the interfaces. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this Attachment.
- 3.18 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

3.19 BellSouth shall provide branding for, or shall unbrand, voice mail services for API per the Bona Fide Request/New Business Request process as set forth in Section 6 of the General Terms and Conditions.

- 3.20 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.21 In the event API acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to API that Special Assembly at the wholesale discount at API's option. API shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.22 BellSouth shall provide 911/E911 for API customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate API customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the API customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.23 BellSouth shall bill, and API shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.24 Pursuant to 47 CFR Section 51.617, BellSouth will bill to API, and API shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to API

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by API to establish authenticity of use. Such audit shall not occur more than once in a calendar year. API shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by API for purposes of such audit shall be

deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.

- 4.2 Subject to Exhibit B hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 API may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

5. Maintenance of Services

- API will adopt and adhere to the standards contained in the applicable BellSouth Operational Understanding regarding maintenance of service. The BellSouth Operational Understanding can be accessed via the internet @ http://www.interconnection.bellsouth.com.
- 5.2 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- API or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- API accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.5 API will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, API shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.7 BellSouth will bill API for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.8 BellSouth reserves the right to contact API's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, API will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for API's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, as described in Section 6.6 below, BellSouth will begin taking orders for the resale of service.
- 6.2 Service orders will be in a standard format designated by BellSouth.
- API shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that API will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for API's End User customer. API must, however, be able to demonstrate End User authorization upon request.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from API to BellSouth or will accept a request from another CLEC for conversion of the End User's service from API to such other CLEC. Upon completion of the conversion BellSouth will notify API that such conversion has been completed.
- 6.5 If BellSouth is informed that an unauthorized change in local service to API has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess API as the CLEC initiating the alleged unauthorized change, the unauthorized change charge described in FCC Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff, will also be assessed to API. In accordance with FCC Slamming Liability Rules, the relevant governmental agency will determine if an unauthorized change has occurred. Resolution of all relevant issues shall be handled directly with the authorized CLEC and API.
- BellSouth reserves the right to secure the account with a suitable form of security deposit, unless satisfactory credit has already been established.
- Such security deposit shall take the form of cash for cash equivalent, an irrevocable Letter of Credit or other forms of security acceptable to BellSouth. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.

- 6.6.2 If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
- 6.6.3 Such security deposit shall be two months' estimated billing.
- 6.6.4 The fact that a security deposit has been made in no way relieves API from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
- 6.6.5 BellSouth reserves the right to increase the security deposit requirements when, in its reasonable judgment, changes in API's financial status so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
- In the event service to API is terminated due to API's default on its account, any security deposits held will be applied to API's account.
- 6.6.7 Interest on a cash or cash equivalent security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

7. Payment And Billing Arrangements

- Prior to submitting orders to BellSouth for local service, a master account must be established for API. API is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 7.2 BellSouth shall bill API on a current basis all applicable charges and credits.
- Payment of all charges will be the responsibility of API. API shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by API from API's End User. BellSouth will not become involved in billing disputes that may arise between API and its End User. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an End User's account.
- 7.4 BellSouth will render bills each month on established bill days for each of API's accounts.
- 7.5 BellSouth will bill API in advance for all services to be provided during the ensuing billing period except charges associated with service usage, which will be

billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill API, and API will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.

- 7.6 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 7.6.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in section 7.8 following, shall apply.
- 7.6.2 If API requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to API.
- 7.6.3 Billing Disputes
- 7.6.3.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:
- 7.6.3.2 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution
- 7.6.3.3 If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.
- 7.6.3.4 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the

disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has authority pursuant to its tariffs.

- Upon proof of tax exempt certification from API, the total amount billed to API will not include any taxes due from the End User to reflect the tax exempt certification and local tax laws. API will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to API's End User.
- If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff or Section B2 of the Private Line Service Tariff, as applicable. API will be charged a fee for all returned checks as set forth in Section to A2 of the General Subscriber Services Tariff or in applicable state law.
- 7.9 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth.
- 7.10 BellSouth will not perform billing and collection services for API as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 7.11 In general, BellSouth will not become involved in disputes between API and API's End User customers relating to resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, API shall contact the designated Service Center for resolution. BellSouth will assist in the resolution of the dispute and will work with API to resolve the matter in as timely a manner as possible. API may be required to submit documentation to substantiate the claim.

8. Discontinuance of Service

8.1 The procedures for discontinuing service to an End User are as follows:

- 8.1.1 BellSouth will deny service to API's End User on behalf of, and at the request of, API. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of API.
- 8.1.2 At the request of API, BellSouth will disconnect a API End User customer.
- 8.1.3 All requests by API for denial or disconnection of an End User for nonpayment must be in writing.
- 8.1.4 API will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise API when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by API and/or the End User against any claim, loss or damage arising from providing this information to API. It is the responsibility of API to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)
- 8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an End User or an End User's CLEC at the same address served by the denied facility.
- 8.2 The procedures for discontinuing service to API are as follows:
- 8.2.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by API of the rules and regulations of BellSouth's Tariffs.
- 8.2.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to API, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, provide written notice to the person designated by API to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to API, if payment is not received by the thirtieth day following the date of the notice.
- 8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and API's noncompliance continues, nothing

contained herein shall preclude BellSouth's right to discontinue the provision of the services to API without further notice.

- 8.2.5 Upon discontinuance of service on a API's account, service to API's End Users will be denied. BellSouth will also reestablish service at the request of the End User or API upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. API is solely responsible for notifying the End User of the proposed disconnection of the service.
- 8.2.6 If within fifteen days after an End User's service has been denied no contact has been made in reference to restoring service, the End User's service will be disconnected.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.
- 9.2 BellSouth will provide LIDB Storage upon written request to API's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

- 11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for ODUF are as set forth in Exhibit F of this Attachment.
- BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for EODUF are as set forth in Exhibit F of this Attachment.

BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by API for the purposes of resale to API End Users shall be available at the following discount off of the retail rate. If API cancels an order for telecommunications services for the purpose of resale, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with the applicable sections of the GSST and the PLST.

DISCOUNT*

| <u>STATE</u> | RESIDENCE | BUSINESS | CSAs*** |
|----------------|-----------|-----------------|---------|
| ALABAMA | 16.3% | 16.3% | |
| FLORIDA | 21.83% | 16.81% | |
| GEORGIA | 20.3% | 17.3% | |
| KENTUCKY | 16.79% | 15.54% | |
| LOUISIANA | 20.72% | 20.72% | 9.05% |
| MISSISSIPPI | 15.75% | 15.75% | |
| NORTH CAROLINA | 21.5% | 17.6% | |
| SOUTH CAROLINA | 14.8% | 14.8% | 8.98% |
| TENNESSEE** | 16% | 16% | |

- * When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- ** In Tennessee, if API provides its own operator services and directory services, the discount shall be 21.56%. API must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- *** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

BellSouth has developed and made available the following mechanized systems by which API may submit LSRs electronically.

| LENS | Local Exchange Navigation System |
|------|-----------------------------------|
| EDI | Electronic Data Interchange |
| TAG | Telecommunications Access Gateway |

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

| OPERATIONAL | Electronic | Manual Per LSR received from the CLEC by means other than one of the OSS interactive interfaces | | | | |
|-----------------------------------|---|--|--|--|--|--|
| SUPPORT SYSTEMS (OSS) RATES | Per LSR received from the CLEC by one of the OSS interactive interfaces | | | | | |
| OSS LSR Charge | \$3.50 | \$19.99 | | | | |
| USOC | SOMEC | SOMAN | | | | |

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event API provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

API will incur an OSS charge for an accepted LSR that is later canceled by API.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Threshold Billing Plan

API will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

| Year | Ratio: Mechanized/Total LSRs |
|------|------------------------------|
| 2000 | 80% |
| 2001 | 90% |

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs for the following quarter will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

Exclusions and Limitations On Services Available for Resale

| | T | A | L |] | FL | | GA | I | KY | | LA | I | MS | 1 | NC | | SC | TN | |
|----|--|---|-----------|------------|-------------|----------|---------------|-----------|--------------|------------|-------------|-----------|------------|----------|---------------|-----------|-------------|---------------|----------|
| | Type of Service | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount |
| | | | | | | | | | | | | | | | | | | | |
| 1 | Grandfathered | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | Services (Note 1) | | | | | | | | | | | | | | | | | | |
| 2 | Promotions - > 90 | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Note 3 |
| 3 | Days(Note 2) Promotions - < 90 | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Days (Note 2) | 168 | NO | 168 | NO | 168 | NO | 168 | NO | 168 | NO | 168 | NO | 1 68 | NO | 108 | NO | 108 | NO |
| 4 | Lifeline/Link Up | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Note 4 | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | Services | | | | | | | | | | | | | | | | | | |
| | 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | N11 Services | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes |
| 7 | MemoryCall [®] Servic | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | e | *7 | 2.7 | X 7 | N | * 7 | N.T. | *** | N.T. | X 7 | N.T. | * 7 | 27 | 3.7 | N.T. | *** | 2.7 | *7 | N.T. |
| | Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 9 | Federal Subscriber Line Charges | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 10 | Non-RecurCharges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| | End User Line Chg- | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Number Portability | | | | - 1.0 | | - 1.0 | | | | | | | | | | | | |
| 12 | Public Telephone | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes |
| | Access Svc(PTAS) | | | | | | | | | | | | | | | | | | |
| 13 | Inside Wire Maint | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Service Plan | . | | | | | | | | | | | | | | | | | |
| | Applicable No. | | og oon ho | magald a | nlv. to ovi | tina aul | a a milhama a | f tha and | an dfath and | d comic | | | | | | | | | |
| | 2. Where availab | | | | _ | | | | | | | fied for | the promo | tion had | lit been n | rovided | by RelISo | uth dire | ctly |
| | | | | | | | | | | | | | | | i it occii pi | IOVIGCG | by Beliso | utii uiic | Ctry. |
| | | In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates: (a) the stated tariff rate, less the wholesale discount; | | | | | | | | | | | | | | | | | |
| | (b) the proi | | | | | | v PoliCov | th will r | ot be disc | ounted t | further by | tho who | Jasala dia | ount ro | to) | | | | |
| | 4. Lifeline/Link | | | | | | | | | | | | | | | hece cor | vices as s | et forth | in |
| | Sections A3 a | | | | | | | | a the crite | ria illal | Densoull | Currell | ту аррпев | io suosc | 110C18 01 l | 11636 361 | vices as st | or 101 till 1 | 111 |
| | | | | | | | | | e not avail | able in | certain cer | ntral off | ices and a | reas. | | | | | |
| | 5. Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas. | | | | | | | | | | | | | | | | | | |

LINE INFORMATION DATA BASE (LIDB)

STORAGE AGREEMENT

I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of API and pursuant to which BellSouth, its LIDB customers and API shall have access to such information. API understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of API, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to API's account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum is hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. LIDB is accessed for the following purposes:
 - 1. Billed Number Screening
 - 2. Calling Card Validation
 - 3. Fraud Control
- C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify API of fraud alerts so that API may take action it deems appropriate. API understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by API pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to API for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

API understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. API further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from End Users. Additionally, API understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on API's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its supporting systems the means to differentiate API's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) API agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for API's End User accounts which are resident in LIDB pursuant to this Agreement. API authorizes BellSouth to place such charges on API's bill from BellSouth and agrees that it shall pay all such charges. Charges for which API hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- (c) API shall have the responsibility to render a billing statement to its End Users for these charges, but API's obligation to pay BellSouth for the charges billed shall be independent of whether API is able or not to collect from API's End Users.
- (d) BellSouth shall not become involved in any disputes between API and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to API. It shall be the responsibility of API and the other entity to negotiate and arrange for any appropriate adjustments.

II. FEES FOR SERVICE AND TAXES

- A. API will not be charged a fee for storage services provided by BellSouth to API, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by API in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

III. MISCELLANEOUS

- A. It is understood and agreed to by the Parties that BellSouth may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.
- C. This LIDB Storage Agreement constitutes the entire Agreement between API and BellSouth with respect to the subject matter hereof and supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to LIDB Storage.

RESALE ADDENDUM

TO LINE INFORMATION DATA BASE (LIDB)

STORAGE AGREEMENT

I. GENERAL

This Addendum sets forth the terms and conditions for API's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by API, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four digit security code assigned by BellSouth which is added to a billing number to compose a fourteen digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by API.

- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by API.

III. RESPONSIBILITIES OF PARTIES

- A. BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. API will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- B. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of API. BellSouth will not issue line-based calling cards in the name of API's individual End Users. In the event that API wants to include calling card numbers assigned by API in the BellSouth LIDB, a separate agreement is required.
- C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BellSouth is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:
- 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.
- 2. Determine whether API has identified the billing number as one which should not be billed for collect or third number calls, or both.

Optional Daily Usage File

- 1. Upon written request from API, BellSouth will provide the Optional Daily Usage File (ODUF) service to API pursuant to the terms and conditions set forth in this section.
- 2. API shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3. The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a API customer.
 - Charges for delivery of the Optional Daily Usage File will appear on API's monthly bills. The charges are as set forth in Exhibit F to this Attachment.
- 4. The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in API's billing system will be the responsibility of API. If, however, API should encounter significant volumes of errored messages that prevent processing by API within its systems, BellSouth will work with the to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the Optional Daily Usage Feed.
- 6.1 <u>Usage To Be Transmitted</u>
- 6.1.1 The following messages recorded by BellSouth will be transmitted to API:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to API.
- 6.1.4 In the event that API detects a duplicate on Optional Daily Usage File they receive from BellSouth, API will drop the duplicate message (API will not return the duplicate to BellSouth).
- 6.2 Physical File Characteristics
- 6.2.1 The Optional Daily Usage File will be distributed to API via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) may be required between BellSouth and API for the purpose of data transmission. Where a dedicated line is required, API will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. API will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to API.

Additionally, all message toll charges associated with the use of the dial circuit by API will be the responsibility of API. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on API end for the purpose of data transmission will be the responsibility of API.

6.3 <u>Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to API which BellSouth RAO is sending the message. BellSouth and API will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by API and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 <u>Pack Rejection</u>

API will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. API will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to API by BellSouth.

6.5 Control Data

API will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate API received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by API for reasons stated in the above section.

6.6 Testing

Upon request from API, BellSouth shall send test files to API for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that API set up a production (LIVE) file. The live test may consist of API's employees making test calls for the types of services API requests on the Optional Daily Usage File. These test calls are logged by API, and the logs are provided to BellSouth. These logs will be used to

Attachment 1 Page 28 EXHIBIT D

verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from API, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to API pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. API shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on API's monthly bills. The charges are as set forth in Exhibit F to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of API will be the responsibility of API. If, however, API should encounter significant volumes of errored messages that prevent processing by API within its systems, BellSouth will work with API to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the Optional Daily Usage Feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to API:

Customer usage data for flat rated local call originating from API's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to API.
- 7.1.3 In the event that API detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, API will drop the duplicate message (API will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The Enhanced Optional Daily Usage Feed will be distributed to API over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among API's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and API for the purpose of data transmission. Where a dedicated line is required, API will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. API will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to API. Additionally, all message toll charges associated with the use of the dial circuit by API will be the responsibility of API. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on API's end for the purpose of data transmission will be the responsibility of API.

- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to API which BellSouth RAO is sending the message. BellSouth and API will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by API and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

BELLSOUTH/API RATES ODUF/EODUF

RATES BY STATE

| DESCRIPTION | usoc | AL | FL | GA | кү | LA | MS | NC | sc | TN |
|---|------|-----------|---------|-------------|-------------|-----------|-------------|-----------|-------------|---------|
| ODUF/EODUF/CMDS | | | | | | | | | | |
| ODUF: Recording, per message | N/A | \$0.0002 | \$0.008 | \$0.0001275 | \$0.0008611 | \$0.00019 | \$0.0001179 | \$0.0003 | \$0.0002862 | \$0.008 |
| ODUF: Message Processing, per message | N/A | \$0.0033 | \$0.004 | \$0.0082548 | \$0.0032357 | \$0.0024 | \$0.0032089 | \$0.0032 | \$0.0032344 | \$0.004 |
| EODUF: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.0034555 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| ODUF: Message Processing, per magnetic tape provisioned | N/A | \$55.19 | \$54.95 | \$28.85 | \$55.68 | \$47.30 | \$54.62 | \$54.61 | \$54.72 | \$54.95 |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.00004 | \$0.001 | \$0.0000434 | \$0.0000365 | \$0.00003 | \$0.0000354 | \$0.00004 | \$0.0000357 | \$0.001 |
| * Volume and term arrangements are also available. | | | | | | | | | | |
| | | | | | | | | | | |

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

| ı. | INTRODUCTION | |
|-----|---|----------|
| -• | | |
| 2. | UNBUNDLED LOOPS, INTEGRATED DIGITAL LOOP CARRIERS, NETV | VORK |
| | INTERFACES DEVICE, UNBUNDLED LOOP CONCENTRATION (ULC) | |
| | SYSTEM, SUB LOOPS AND DARK FIBER ERROR! BOOKMARK NOT DI | EFINED. |
| 3. | HIGH FREQUENCY SPECTRUM NETWORK ELEMENT | 24 |
| J. | | |
| 4. | SWITCHING | 28 |
| 5. | UNBUNDLED NETWORK ELEMENT COMBINATIONS | 37 |
| | | |
| 6. | TRANSPORT, CHANNELIZATION AND DARK FIBER | 44 |
| 7. | BELLSOUTH SWA 8XX TOLL FREE DIALING TEN DIGIT SCREENING | |
| | SERVICE | 51 |
| 8 | | 50 |
| ð | LINE INFORMATION DATABASE (LIDB) | 54 |
| 9 | SIGNALING | 55 |
| 10. | OPERATOR CALL PROCESSING, INWARD OPERATOR SERVICES ANI |) |
| 10. | DIRECTORY ASSISTANCE SERVICES | |
| | | |
| 11. | CALLING NAME (CNAM) DATABASE SERVICE | 70 |
| 12. | BASIC 911 AND E911 | 71 |
| | | |
| 13. | . TRUE-UP | 72 |
| LII | DB Storage AgreementE | xhibit A |
| | | |
| UN. | NAM Database Service E | xnibit B |
| Rat | ites E | xhibit C |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1. Introduction

- 1.1 This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to CLEC-1 in accordance with its obligations under Section 251(c)(3) of the Act. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements are consistent with the requirements of the FCC 51.319 rule. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.2.1 Except as otherwise required by law, BellSouth shall not impose limitation restrictions or requirements or request for the use of the network elements or combinations that would impair the ability of CLEC-1 to offer telecommunications service in the manner CLEC-1 intends.
- 1.2.2 Except upon request by CLEC-1, BellSouth shall not separate requested network elements that BellSouth currently combines.
- 1.2.2.1 Unless otherwise ordered by an appropriate state or federal regulatory agency, currently combined Network Elements are defined as elements that are already combined within BellSouth's network to a given location.
- 1.3 BellSouth shall, upon request of CLEC-1, and to the extent technically feasible, provide to CLEC-1 access to its network elements for the provision of CLEC-1's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 CLEC-1 may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner CLEC-1 chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by CLEC-1 for combining to the designated CLEC-1

collocation space. The network elements shall be provided as set forth in this Attachment.

- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.
- In the event that any effective legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- 1.7 CLEC-1 will adopt and adhere to the standards contained in the applicable BellSouth Operational Understanding regarding maintenance of service.
- 1.8 Standards for Network Elements
- 1.8.1 BellSouth shall comply with the requirements set forth in the technical references, as well as any performance or other requirements identified in this Agreement, to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.
- 1.8.2 If one or more of the requirements set forth in this Agreement are in conflict, the Parties shall mutually agree on which requirement shall apply. If the Parties cannot reach agreement, the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, shall apply.
- 1.9 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

1.10 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

2. Unbundled Loops, Network Interfaces Device, Unbundled Loop Concentration (ULC) System, Sub loops and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled loops.

2.1 **Unbundled Loops**

2.1.1 <u>Definition</u>

- 2.1.2 The local loop network element ("Loop(s)") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop network element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.3 The provisioning of service to a CLEC's collocation space will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment. These cross-connects are a separate component, that are not considered a part of the loop, and thus, have a separate charge.
- 2.1.4 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" (OC) and "Order Coordination Time Specific" (OC-TS).
- 2.1.5 "Order Coordination" refers to standard BellSouth service order coordination involving the reuse of facilities where CLEC-1 is requesting that their loop order be provisioned over an existing circuit that is currently providing service to the end user. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and CLEC-1 will be advised. OC will be provided as a standard item on SL2 voice grade loops and all Unbundled Digital Loops (UDLs). OC will be provided as a chargeable option on SL1 voice grade loops, and all Unbundled Copper Loops.
- 2.1.6 "Order Coordination Time Specific" refers to service order coordination in which CLEC-1 requests a specific time for a service order conversion to take place. BellSouth will make every effort to accommodate CLEC-1's specific conversion time request. However, BellSouth reserves the right to negotiate with CLEC-1 a conversion time based on load and appointment control when necessary. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. CLEC-1 may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If

CLEC-1 specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

If CLEC-1 requests work to be done for any UNE loop that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|---------------------------|-------------------------------|--|------------------------------------|--|---|
| SL-1 | Chargeable option | Chargeable Option* | Not available | available Chargeable Option – inside & out Office Engineering Information Document | |
| SL-2 | Included | Chargeable Option* | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop | Included | Chargeable Option* (except on Universal Digital Channel) | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop | Chargeable Option | Not available Included Included | | Charged for Dispatch outside Central Office | |

2.1.7 Where facilities are available, BellSouth will install loops in compliance with BellSouth's Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 14 or more loops, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by CLEC-1, expedite charges will apply for intervals less than 5 days. The charges

^{*}Order Coordination-Time Specific charge for orders due on same day at same location will be applied on a per LSR basis. For UVL-SL1, CLEC-1 must order OC when requesting OC-TS.

outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply. If CLEC-1 cancels an order for network elements and other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.

- 2.1.8 If CLEC-1 modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by CLEC-1.
- 2.1.9 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.1.10 SL1 loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by CLEC-1. CLEC-1 may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers.
- 2.1.11 SL2 loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a design layout record provided to CLEC-1. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow CLEC-1 to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.1.12 BellSouth will also offer Unbundled Digital Loops (UDL) to CLEC-1.
- 2.1.12.1 UDLs are service specific and will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service. The UDL loops are as follows:
- 2.1.12.2 UDC/IDSL. Due to technical limitations associated with certain Digital Loop Carrier (DLC) systems, some ISDN-capable loops that are provisioned using DLC systems may not support Integrated Digital Subscriber Line (IDSL) service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.

- 2.1.12.3 Instead, BellSouth agrees to offer the Universal Digital Channel (UDC), which may also be referred to as an IDSL-capable loop as part of its UDL offerings. The UDC loop is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.1.12. 4 Like the ISDN-capable loop, the UDC may be provisioned on copper or through a DLC system. However, when UDCs are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.1.12.5 HDSL-capable. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.1.12.6 ADSL-capable. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.1.12.7 DS1. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.
- 2.1.12.8 DS0. These are designed 4-wire loops that may configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- As a chargeable option on all loops except the Universal Digital Channel (UDC) and all Unbundled Copper Loops (UCL), BellSouth will offer OC-TS. This will allow CLEC-1 the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- 2.1.14 In addition to the UVLs and UDLs, BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL will be offered in two versions Short and Long. A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 ohms of resistance. The long UCL (beyond 18kft) will be any dry copper pair longer than 18kft and may have up to 12kft of bridged tap and up to 2800 ohms of resistance. Unbundled Loop Modifications (ULM) may be used when a CLEC wants to condition copper loops by removing load coils and

other intervening equipment. In almost every case, the UCL long will require ULM to remove load coils. BellSouth will only ensure electrical continuity and balance relative to tip and ring on UCLs.

- 2.1.15 The UCL is a designed circuit, is provisioned with a test point and comes standard with a DLR. OC will be offered as a chargeable option on all UCL loops. OC is required on UCLs where a reuse of existing facilities has been requested by CLEC-1. Order Coordination Time Specific (OC-TS) will not be offered on UCLs.
- 2.1.16 The UCL is a dry copper loop and is not intended to support any particular telecommunications service. CLEC-1 may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of CLEC-1's choosing. CLEC-1 will determine the type of service that will be provided over the loop.
- 2.1.17 Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC-1 agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.
- 2.1.18 All UNE loops offered by BellSouth shall be provided to CLEC-1 in accordance with BellSouth's Technical Reference 73600.
- 2.1.19 CLEC-1 will be responsible for testing and isolating troubles on the loops. Once CLEC-1 has isolated a trouble to the BellSouth provided loop, CLEC-1 will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- 2.1.20 If CLEC-1 reports a trouble on SL1 loops and no trouble actually exists, BellSouth will charge CLEC-1 for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.
- 2.1.21 CLEC must test and isolate trouble to the BellSouth portion of the SL2 loop before reporting repair to UNE Center. At the time of the trouble report, CLEC-1 will be required to provide the results of the CLEC test which indicate a problem on the BellSouth provided loop. If CLEC-1 reports a trouble on SL2 loops and no trouble actually exists, BellSouth will charge CLEC-1 for any dispatching and testing, (outside the CO) required by BellSouth in order to confirm the loop's working status.
- 2.1.22 Technical Requirements

- 2.1.22.1 To the extent available within BellSouth's Network at a particular location, BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). If a requested loop type is not available, then the CLEC can use the Special Construction process to request that BellSouth place facilities or otherwise modify facilities in order to meet CLEC-1's request.
- 2.1.22.2 CLEC-1 will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.1.22.3 The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.1.2 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by CLEC-1 will be consistent with industry standards and BellSouth's TR73600.
- 2.1.22.4 CLEC-1 may utilize the unbundled loops to provide any telecommunication service it wishes. However, BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered. For example, if CLEC-1 orders an ISDN-capable loop but wants to use the loop for a service other than ISDN, BellSouth will only support that the loop is capable of providing ISDN service. For non-service specific loops (e.g. UCL, loops modified by CLEC-1 using the Special Construction process), BellSouth will only support that the loop has copper continuity and balanced tip-and-ring.
- 2.1.22.5 In some instances, CLEC-1 will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that CLEC-1 can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. CLEC-1 will determine the type of service that will be provided over the loop. In some cases, CLEC-1 may be required to pay additional charges for the removal of certain types of equipment. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of these activities.
- 2.1.22.6 In those cases where CLEC-1 has requested that BellSouth modify a loop so that it no longer meets the technical parameters of the original loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified loop will be ordered and maintained as a UCL.
- 2.1.22.7 The loop shall be provided to CLEC-1 in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

2.2 **Unbundled Loop Modifications (Line Conditioning)**

- 2.2.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by CLEC-1, whether or not BellSouth offers advanced services to the End User on that loop.
- 2.2.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridge taps, low pass filters, and range extenders.
- 2.2.3 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of equipment on loops equal to or less than 18kft; 2) removal of equipment of loops longer than 18kft; and 3) removal of bridged-taps on loops of any length.
- 2.2.4 BellSouth shall recover the cost of line conditioning requested by CLEC-1 through a recurring charge and/or nonrecurring charge(s) in accordance with the FCC's forward-looking pricing principles promulgated pursuant to Section 252 (d) (1) of the Act and in compliance with FCC Rule 52.507 (e).

2.3 **Integrated Digital Loop Carriers**

Where BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local loop and BellSouth has a suitable alternate facility available, BellSouth will make arrangements to permit CLEC-1 to order a contiguous local loop. To the extent it is technically feasible, these arrangements will provide CLEC-1 with the capability to serve end users at a level that is at parity with the level of service BellSouth provides its customers. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. CLEC-1 will then have the option of paying the SC rates to place the loop facilities or CLEC-1 may chose some other method of providing service to the end-user (e.g., Resale, private facilities, etc.).

2.4 **Network Interface Device**

2.4.1 Definition

The NID is defined as any means of interconnection of end-user customer inside wire to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a

protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.4.2 BellSouth shall permit CLEC-1 to connect CLEC-1's loop facilities the end-user's inside wire through the BellSouth NID or at any other technically feasible point.
- 2.4.3 Access to Network Interface Device (NID)
- 2.4.3.1 Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), CLEC-1 may access the end user's wire by any of the following means: 1) BellSouth shall allow CLEC-1 to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premise. It is the responsibility of CLEC-1 to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID; 2) Where an adequate length of the end user's inside wire is present and environmental conditions permit, either Party may remove the inside wire from the other Party's NID and connect that wire to that Party's own NID; 3) Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the inside wiring through a suitable "punch-out" hole of such NID enclosures; or 4)Request BellSouth to make other rearrangements to the inside wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., CLEC-1, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.
- 2.4.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be the CLEC's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally- recognized-testinglaboratory-listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored. If CLEC does not wish to accept these responsibilities, other options exist in which BellSouth installs a NID for the CLEC as a chargeable option. 2.4.3.3In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.2.4.3.4In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures. **Technical Requirements**

- 2.4.3.3 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.4.3.4 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to CLEC-1's NID
- 2.4.3.5 Where a BellSouth NID exists, it is provided in its "as is" condition. CLEC-1 may request BellSouth do additional work to the NID on a time and material basis.. When CLEC-1 deploys its own local loops with respect to multiple-line termination devices, CLEC-1 shall specify the quantity of NIDs connections that it requires within such device.

2.4.4 <u>Interface Requirements</u>

2.4.4.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

2.5 Unbundled Loop Concentration (ULC) System

- 2.5.1 BellSouth will provide to CLEC-1 Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to CLEC-1 at CLEC-1's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

2.6 **Sub-loop Elements**

2.6.1 Where facilities permit and subject to applicable and effective FCC rules and orders, BellSouth shall offer access to its Unbundled Sub Loop (USL) and Unbundled Sub-loop Concentration (USLC) System. BellSouth shall provide non-discriminatory access, in accordance with FCC Rule 51.311 and Section 251(c) (3) of the Act, to the sub-loop on an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment.

- 2.6.2 Sub-loop components include but are not limited to the following:
- 2.6.2.1 Unbundled Sub-Loop Distribution;
- 2.6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and
- 2.6.2.3 Unbundled Sub-Loop Feeder.
- 2.7 **Unbundled Sub-Loop (distribution facilities)**
- 2.7.1 Definition
- 2.7.1.1 Subject to applicable and effective FCC rules and orders, the unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. Following are the current sub-loop distribution offerings:
- 2.7.1.1.1 Voice grade Unbundled Sub-Loop Distribution (USL-D) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises.
- 2.7.1.1.2 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the voice grade Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services.
- 2.7.1.1.3 Unbundled Copper Sub-Loop (UCSL) is a non-loaded copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation.
- 2.7.1.1.3.1 If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.7.2 If CLEC-1 requests a UCSL and a non-loaded pair is not available, CLEC-1 may order Unbundled Sub-Loop Modification to remove load coils and/or bridge tap from an existing sub-loop facility. If load coils are removed from an existing sub-loop, that sub-loop will be classified as a UCSL. CLEC-1 may order Loop Make-up to determine what loop modifications will be required.
- 2.7.3 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USL-D and UCSL, CLEC-1 would be required to deliver a cable to the BellSouth remote terminal or cross-box in the field to provide continuity to

CLEC-1's feeder facilities. This cable would be connected, by a BellSouth technician, within the BellSouth RT/cross-box during the set-up process. CLEC-1's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.7.4 Unbundled Sub-Loop Intrabuilding Network Cable (USL-INC) (a.k.a. riser cable) is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.7.4.1 In a scenario that requires connection in a building equipment room, BellSouth will install a cross connect panel for the purpose of accessing USL-INC pairs. The cross-connect panel will function as a single point of interconnection (SPOI) for USL-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for CLEC-1's use on this cross-connect panel. CLEC-1 will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.7.5 BellSouth will provide Unbundled Sub-Loops where possible. Through the firm order Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where CLEC-1 has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in Section 2.7.6. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.7) to accommodate CLEC-1's request for Unbundled Sub-Loops, CLEC-1 may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. CLEC-1 will have the option of paying the SC charges to modify the BellSouth facilities.
- 2.7.6 Set-up work must be completed before CLEC-1 can order sub-loop pairs. During the set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross-connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.7.6.1 Once the set-up is complete, the CLEC will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when CLEC-1 requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by CLEC-1 for sub-loop pairs, expedite charges will apply for intervals less than 5 days.

- 2.7.6.2 Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.
- 2.7.6.3 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8 Unbundled Network Terminating Wire (UNTW)

2.8.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to CLEC-1 pursuant to the following terms and conditions at rates as set forth in this Attachment.

2.8.2 Definition

2.8.2.1 Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation. UNTW is the final portion of the loop owned by BellSouth.

2.8.3 Requirements

- 2.8.3.1 On a multi-unit premises where Provisioning Party owns the network terminating wire, and by request of Requesting Party, Provisioning Party will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.2 In new construction where possible, both Parties may at their option and with the property owner's agreement install their own Network Terminating Wire (NTW). In existing construction, the Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3 Upon notice from the Requesting Party to the Provisioning Party that the Requesting Party desires access to the Provisioning Party's UNTW pairs in a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for Access Terminal installation, location and addresses of the Access Terminals and to discuss an estimated completion date. Upon completion of site visit, the Requesting Party will submit a Service Inquiry (SI) to the person or organization designated by the Provisioning Party to receive the SI. The SI will initiate the work for the Provisioning Party to begin the Access Terminal installation. In multi-tenant unit (MTU) scenarios, Provisioning Party will provide access to UNTW pairs on an Access Terminal(s). By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet on the requested MTU. All the UNTW pairs served by a Garden Terminal/Wiring Closet

will be made available on the Access Terminals. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal unless the Provisioning Party or another service provider is using the pair to concurrently provide service. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.4 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.5 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, CLEC-1 will be responsible for costs associated with removing Access Terminals and restoring property to original state prior to Access Terminals being installed.
- 2.8.3.6 Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). CLEC-1 will report use of the UNTW pairs on a Local Service Request (LSR) form submitted to BellSouth's Local Carrier Service Center (LCSC).
- 2.8.3.7 Requesting Party will isolate and report repair problems to the UNE center. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.8 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.9 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting such usage to BellSouth, the following charges shall apply in addition to any fines which may be established by state commissions and any other remedies at law or in equity available to the Provisioning Party:
- 2.8.3.10 If Requesting Party issued a LSR to disconnect an end-user from BellSouth in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.

2.8.3.11 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.9 Unbundled Sub-Loop Concentration System (USLC)

- 2.9.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide CLEC-1 with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into CLEC-1's collocation space. TR-008 and TR303 interface standards are available.
- USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of CLEC-1's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of CLEC-1's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- 2.9.3 In these scenarios CLEC-1 would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth RT. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow CLEC-1's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

2.10 **Unbundled Sub-Loop Feeder**

- 2.10.1 Definition
- 2.10.1.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and its cross-box (or other access point) that serves an end user location.
- 2.10.2 USLF is intended to be utilized for voice traffic and can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).

- 2.10.3 USLF can also be utilized for digital traffic and can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C) facilities: 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.10.4 USLF will provide the facilities needed to provision a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of CLEC-1's loop distribution elements onto BellSouth's feeder system.

2.10.5 Requirements

- 2.10.5.1 CLEC-1 will extend its compatible cable to BellSouth's cross-box. The cable will then be connected to a panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, BellSouth will utilize its Special Construction process to determine the costs to provide the sub-loop feeder element to CLEC-1. CLEC-1 will then have the option of paying the special construction charges or canceling the order.
- 2.10.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.10.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.

2.11 Dark Fiber

2.11.1 Definition

2.11.1.1 Dark Fiber is optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber is unused strands of optical fiber. It may be strands of optical fiber existing in aerial or underground structure. No line terminating elements terminated to such strands to operationalize its transmission capabilities will be available.

2.11.2 Requirements

2.11.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two –year planning period, there is no requirement to provide said fiber to CLEC-1.

- 2.11.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at CLEC-1's request subject to time and materials charges.
- 2.11.2.3 CLEC-1 may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- 2.11.2.4 BellSouth shall use its best efforts to provide to CLEC-1 information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records-based answer and twenty (20) business days for a field-based answer, after receiving a request from CLEC-1 ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to one hundred and twenty (120) days after Confirmation, BellSouth shall hold such requested Dark Fiber for CLEC-1's use and may not allow any other Party to use such media, including BellSouth. If a Dark Fiber firm order is not received within the one hundred and twenty day period, the fiber will revert to BellSouth's Dark Fiber inventory.
- 2.11.2.5 BellSouth shall use its best efforts to make Dark Fiber available to CLEC-1 within thirty (30) business days after it receives written confirmation from CLEC-1 that the Dark Fiber previously deemed available by BellSouth is wanted for use by CLEC-1. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable CLEC-1 to connect or splice CLEC-1 provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.
- 2.11.2.6 Dark Fiber shall meet the manufacturer's design specifications.
- 2.11.2.7 CLEC-1 may splice and test Dark Fiber obtained from BellSouth using CLEC-1 or CLEC-1 designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

2.12 **Rates**

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

2.13 Operational Support Systems (OSS)

2.13.1 BellSouth has developed and made available the following electronic interfaces by which CLEC-1 may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

2.13.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

| OPERATIONAL SUPPORT SYSTEMS | AL, GA, LA, MS, NC, SC | FL, KY, TN |
|---|---------------------------|------------|
| OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces | \$3.50 | \$3.50 |
| | SOMEC | SOMEC |
| Incremental charge per LSR received from the CLEC by means other than one of the OSS interactive interfaces | See applicable rate | \$19.99 |
| | element | SOMAN |

2.13.3 <u>Denial/Restoral OSS Charge</u>

2.13.3.1 In the event CLEC-1 provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

2.13.4 <u>Cancellation OSS Charge</u>

2.13.4.1 CLEC-1 will incur an OSS charge for an accepted LSR that is later canceled by CLEC-1.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

2.13.5 Network Elements and Other Services Manual Additive

2.13.5.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit C.

2.14 **Preordering Loop Makeup (LMU)**

2.14.1 Description of Service

- 2.14.1.1 BellSouth shall make available to CLEC-1 loop makeup (LMU) data for BellSouth's network facilities. This section addresses LMU as a *preordering* transaction, distinct from CLEC-1 ordering any other service(s). Loop Makeup *Service Inquiries (LMUSI) for preordering loop makeup* are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.14.1.2 BellSouth will provide CLEC-1 with loop makeup information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the loop, including but not limited to digital loop carrier or other remote concentration devises, feeder/distribution interfaces, bridge taps, load coils, pair-gain devices; the loop length; and the wire gauge. The LMUSI may be utilized by CLEC-1 for the purpose of determining whether the loop requested is capable of supporting DSL service or other advanced data services. The determination shall be made solely by CLEC-1 and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said loop.
- 2.14.1.3 BellSouth's LMU information is provided to CLEC-1 as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.14.1.4 BellSouth offers LMU information for the sole purpose of allowing CLEC-1 to determine whether, in CLEC-1's judgment, BellSouth's loops will support the specific services that CLEC-1 wishes to provide over those loops. CLEC-1 may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth loop; however, such configurations may not match BellSouth's or the industry's standards and specifications for the intended type and level of service. Accordingly, CLEC-1 shall be responsible for insuring that the specific loop type (ADSL, HDSL, or otherwise) ordered on the LSR matches the LMU of the facility requested. CLEC-1 bears full responsibility for being knowledgeable of BellSouth's technical standards and the specifications of BellSouth's loops. CLEC-1 bears full responsibility for making the appropriate ordering decisions of matching BellSouth loops with CLEC-1's equipment for accomplishing CLEC-1's end goal for the intended service it wishes to provide its end-user(s). CLEC-1 is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.
- 2.14.2 <u>Submitting Loop Makeup Service Inquiries</u>
- 2.14.2.1 CLEC-1 will be able to obtain LMU information by submitting a LMUSI mechanically or manually. **Mechanized** LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the resulting loop data from the mechanized LMUSI process, if CLEC-1 determines that it needs further loop data information in order to make a determination of loop service capability, CLEC-1 may initiate a separate manual SI for a separate

nonrecurring charge as set forth in Section 2.14.3. Mechanized LMU has been made available for limited deployment to those CLECs that have effective X-Digital Subscriber Line (xDSL) Beta Test Agreements in place with BellSouth. CLECs will be notified once a successful Beta Test has been completed, and mechanized LMU shall then be available to CLEC-1.

- 2.14.2.2 **Manual** LMUSIs shall be submitted on the preordering manual LMUSI form by means of fax or electronic-mail to BellSouth's Complex Resale Support Group (CRSG)/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The standard service interval for the return of a Loop Makeup Manual Service Inquiry is seven business days. This service interval is distinct from the interval applied to the subsequent service order. Manual LMUSIs are not subject to expedite requests.
- 2.14.3 <u>LMUSI Types and Associated Charges</u>

CLEC-1 may request LMU information by submitting LMUSIs in accordance with the rate elements in Exhibit C.

- 2.14.3.1 CLEC-1 will be assessed a nonrecurring charge for each facility queried as specified in Exhibit C. Rates for all states are interim and subject to true-up pending approval of final rates by the respective State Commissions. True-ups will be retroactive to the effective date of this Agreement.
- 2.14.3.2 CLEC-1 may reserve facilities for up to four (4) days in connection with a LMUSI. Reserved facilities for which CLEC-1 does not plan to place a UNE local service request (LSR) should be cancelled by CLEC-1. Should CLEC-1 wish to cancel a reservation on a spare facility, the cancellation will require a facility reservation number (RESID/FRN).
- 2.14.3.3 The reservation holding timeframe is a maximum of four days from the time that BellSouth's LMU data is returned to CLEC-1 for the facility queried. During this holding time and prior to CLEC-1's placing an LSR, the reserved facilities are rendered unavailable to other customers, whether for CLEC(s) or for BellSouth. Notwithstanding the foregoing, BellSouth does not guarantee that a reservation will assure CLEC-1's ability to order the exact facility reserved.
- 2.14.3.4 If CLEC-1 does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.14.3.5 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.
- 2.14.4 Ordering of Other UNE Services

- 2.14.4.1 Whenever CLEC-1 has reserved a facility through BellSouth's preordering LMU service, should CLEC-1 seek to place a subsequent UNE LSR on a reserved facility, CLEC-1 shall provide BellSouth the RESID/FRN of the single spare facility on the appropriate UNE LSR., CLEC-1 will be billed the appropriate rate element for the specific type UNE loop ordered by CLEC-1 as set forth in this Attachment. CLEC-1 will not be billed any additional Loop Makeup charges for the loop so ordered. Should CLEC-1 choose to place a UNE LSR having previously submitted a request for *preordering LMU* without a reservation, CLEC-1 will be billed the appropriate rate element for the specific UNE loop ordered as well as additional Loop Makeup charges as set forth in this Attachment. Rates are provided in Exhibit C in this Attachment.
- 2.14.4.2 Where CLEC-1 submits an LSR to order facilities reserved during the LMUSI process, BellSouth will use its best efforts to assign to CLEC-1 the facility reserved as indicated on the return of the LMU. Multi-facility reservations per single RESID/FRN as provided with the mechanized LMUSI process are less likely to result in the specific assignment requested by CLEC-1. For those occasions when BellSouth cannot assign the specific facility reserved by CLEC-1 during the LMU pre-ordering transaction, due to incomplete or incorrect information provided by CLEC-1 during the ordering process, BellSouth will assign to CLEC-1, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type loop as ordered by CLEC-1. If the ordered loop type is not available, CLEC-1 may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the loop type ordered.

2.15 **Rates**

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

2.16 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

3. High Frequency Spectrum Network Element

3.1 General

- 3.1.1 BellSouth shall provide CLEC-1 access to the high frequency portion of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide CLEC-1 with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow CLEC-1 the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 CFR Section 51.230, including, but not limited to, ADSL, HDSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. CLEC-1 shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. CLEC-1 shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.
- 3.1.3 The following loop requirements are necessary for CLEC-1 to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. BellSouth will provide CLEC-1 access to the Unbundled Loop Modification (Line Conditioning), in accordance with Section 2.2 of this Agreement. BellSouth is not required to condition a loop for access to the high frequency spectrum if conditioning of that loop significantly degrades BellSouth's voice service. If CLEC-1 requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly degrades the voice services on the loop, CLEC-1 shall pay for the loop to be restored to its original state.
- 3.1.4 CLEC-1's termination point is the point of termination for CLEC-1 on the toll main distributing frame in the central office ("Termination Point"). BellSouth will use jumpers to connect CLEC-1's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to CLEC-1's xDSL equipment in CLEC-1's collocation space.
- 3.1.5 CLEC-1 shall have access to the splitter for test purposes, irrespective of where the splitter is placed in the BellSouth premises.
- 3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide CLEC-1 with access to the High Frequency Spectrum as follows:
- 3.2.1.1 BellSouth will install splitters within forty-two (42) calendar days of CLEC-1's submission of such order to the BellSouth Complex Resale Support Group; provided, however, that in the event BellSouth did not have reasonable notice that a particular central office was to have a splitter installed therein, the forty-two (42) day interval shall not apply. Collocation itself or an application for collocation will serve as reasonable notice.
- 3.2.1.2 Once a splitter is installed on behalf of CLEC-1 in a central office, CLEC-1 shall be entitled to order the High Frequency Spectrum on lines served out of that central office.
- 3.2.1.2.1 BellSouth will bill and CLEC-1 shall pay the SOMAN and SOMEC charges as described in Section 2.13 of this Agreement when CLEC-1 orders High Frequency Spectrum for end-user service.
- 3.2.1.3 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide CLEC-1 access to data ports on the splitter. At least 30 days before making a change in splitter suppliers, BellSouth will provide CLEC-1 with a carrier notification letter, informing CLEC-1 of change. CLEC-1 shall purchase ports on the splitter as set forth more fully below.
- 3.2.1.4 BellSouth will install the splitter in (i) a common area close to the CLEC-1 collocation area, if possible; or (ii) in a BellSouth relay rack as close to the CLEC-1 DS0 termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified CLEC-1 DS0 at such time that a CLEC-1 end user's service is established.
- 3.2.1.5 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and CLEC-1 desires to continue providing xDSL service on such loop, CLEC-1 shall be required to purchase a full stand-alone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and CLEC-1 desires to continue providing xDSL service on such loop, CLEC-1 shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. To the extent commercially practicable, BellSouth shall give CLEC-1 notice in a reasonable time prior to disconnect, which notice shall give CLEC-1 an adequate opportunity to notify BellSouth of its intent to purchase such loop. In those cases in which BellSouth no longer provides voice service to the end user and CLEC-1 purchases the full stand-alone loop, CLEC-1 may elect the type of loop it will purchase.

CLEC-1 will pay the appropriate recurring and non-recurring rates for such loop as set forth in Exhibit C to this Attachment. In the event CLEC-1 purchases a voice grade loop, CLEC-1 acknowledges that such loop may not remain xDSL compatible.

- 3.2.1.6 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 3.3 Ordering
- 3.3.1 To order High Frequency Spectrum on a particular loop, CLEC-1 must have a DSLAM collocated in the central office that serves the end-user of such loop. CLEC-1 may order splitters in a central office once it has installed its Digital Subscriber Line Access Multiplexer ("DSLAM") in that central office. BellSouth will install these splitters within the interval provided in paragraph 3.2.1.1.
- 3.3.2 BellSouth will devise a splitter order form that allows CLEC-1 to order splitter ports in increments of 24 ports.
- 3.3.2.1 BellSouth will provide CLEC-1 the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.3.3 BellSouth will provide access to the High Frequency Spectrum within the following target intervals: BellSouth will return a manual Firm Order Confirmation ("FOC") in no more than two (2) business days after receipt of a valid, error free manual LSR. When CLEC-1 submits an electronic LSR for High Frequency Spectrum, BellSouth will return a FOC in four (4) hours ninety-five percent (95%) of the time, or, for orders that do not flow-through, in two (2) business days. BellSouth will provide CLEC-1 with access to the High Frequency Spectrum at the following target intervals:
- 3.3.3.1 For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.
- 3.3.4 BellSouth will provide to CLEC-1 BellSouth's Loop Qualification System that BellSouth uses to qualify loops for its own ADSL offering as described below.
- 3.3.5 BellSouth will provide CLEC-1 access to the Preordering Loop Makeup (LMU), in accordance with Section 2.14 of this Agreement. BellSouth shall bill and CLEC-1 shall pay the rates for such services, as described in Exhibit C.
- 3.4 Maintenance and Repair
- 3.4.1 CLEC-1 shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. CLEC-1 may access

the loop at the point where the combined voice and data signal exits the central office splitter.

- 3.4.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point of demarcation in the central office. CLEC-1 will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.4.3 CLEC-1 shall inform its end users to direct data problems to CLEC-1, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.4.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the loop.
- 3.4.5 In the event CLEC-1's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify CLEC-1 and allow twenty-four (24) hours to cure the trouble. If CLEC-1 fails to resolve the trouble, BellSouth may discontinue CLEC-1's access to the High Frequency Spectrum on such loop.

3.5 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

3.6 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

4. Switching

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of local and tandem switching.

4.1 **Local Switching**

4.1.1 BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 4.1.3.3 to CLEC-1 for the provision of a

telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to CLEC-1 for the provision of a telecommunications service only in the limited circumstance described below in Section 4.4.

4.1.2 Except as otherwise provided herein, BellSouth shall not impose any restrictions on CLEC-1 regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other telecommunication carrier.

4.1.3 Local Circuit Switching Capability, including Tandem Switching Capability

4.1.3.1 <u>Definition</u>

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

- 4.1.3.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for CLEC-1 when CLEC-1 serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.1.3.3 In the event that CLEC-1 orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more 2-wire voice-grade loops from a BellSouth central office in an MSA listed above, BellSouth shall charge CLEC-1 the market based rate in Exhibit C for use of the local circuit switching functionality for the affected facilities.

- 4.1.3.4 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by CLEC-1. Any features that are not currently then capable but are technically feasible through the switch can be requested through the NBR/BFR process.
- 4.1.3.5 BellSouth will provide to CLEC-1 customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 10 of Attachment 2; (iii) for CLEC-1's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by CLEC-1. CLEC-1 customers may use the same dialing arrangements as BellSouth customers.
- 4.1.3.6 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.
- 4.1.3.7 Switching Capability will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g. call forwarding) and Centrex capabilities.
- 4.1.3.8 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to CLEC-1 purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. CLEC-1 customers may use the same dialing arrangements as BellSouth customers, but obtain a CLEC-1 branded service.
- 4.1.4 Technical Requirements
- 4.1.4.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 4.1.4.2 Local Switching shall be equal to or better than the requirements for Local Switching set forth in the applicable industry standard technical references.
- 4.1.4.3 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 4.1.4.4 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by CLEC-1 will be made pursuant to the BFR/NBR Process as set forth in General Terms and Conditions.
- 4.1.4.5 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.

- 4.1.4.6 BellSouth shall activate service for CLEC-1 customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to CLEC-1's services without loss of switch feature functionality as defined in this Agreement.
- 4.1.4.7 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.1.4.8 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 4.1.4.9 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.1.4.10 BellSouth shall perform manual call trace and permit customer originated call trace.
- 4.1.4.11 Special Services provided by BellSouth will include the following:
- 4.1.4.11.1 Telephone Service Prioritization;
- 4.1.4.11.2 Related services for handicapped;
- 4.1.4.11.3 Soft dial tone where required by law; and
- 4.1.4.11.4 Any other service required by law.
- 4.1.4.12 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.1.4.13 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 4.1.4.14 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to CLEC-1, upon a reasonable request from CLEC-1. CLEC-1 will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 4.1.4.15 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party.

- 4.1.4.16 BellSouth shall offer to CLEC-1 all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services
- 4.1.4.17 Where capacity exists, BellSouth shall assign each CLEC-1 customer line the class of service designated by CLEC-1 (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from CLEC-1 customers to CLEC-1 directory assistance operators at CLEC-1's option.
- 4.1.4.18 Where capacity exists, BellSouth shall assign each CLEC-1 customer line the class of services designated by CLEC-1 (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from CLEC-1 customers to CLEC-1 operators at CLEC-1's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to CLEC-1 Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
- 4.1.4.19 Local Switching shall be offered in accordance with the technical specifications set forth in the applicable industry standard references.
- 4.1.5 <u>Interface Requirements.</u> BellSouth shall provide the following interfaces to loops:
- 4.1.5.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.1.5.2 Coin phone signaling;
- 4.1.5.3 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
- 4.1.5.4 Two-wire analog interface to PBX;
- 4.1.5.5 Four-wire analog interface to PBX;
- 4.1.5.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.1.5.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 4.1.5.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.1.5.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.1.6 BellSouth shall provide access to the following but not limited to:
- 4.1.6.1 SS7 Signaling Network or Multi-Frequency trunking if requested by CLEC-1;

- 4.1.6.2 Interface to CLEC-1 operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 4.1.6.3 Interface to CLEC-1 Directory Assistance Services through the CLEC-1 switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other CLEC-1 required access to interexchange carriers as requested through appropriate trunk interfaces.

4.2 **Tandem Switching**

4.2.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

4.2.2 <u>Technical Requirements</u>

Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:

- 4.2.2.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.2.2.2 Tandem Switching will provide screening as jointly agreed to by CLEC-1 and BellSouth;
- 4.2.2.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.2.2.4 Tandem Switching shall provide access to Toll Free number portability database as designated by CLEC-1;
- 4.2.2.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 4.2.2.6 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.2.2.7 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 4.2.3 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.

- 4.2.4 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLECs (e.g., between a CLEC end office and the end office of another CLEC).
- 4.2.5 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 4.2.6 Tandem Switching shall record billable events and send them to the area billing centers designated by CLEC-1. Tandem Switching will provide recording of all billable events as jointly agreed to by CLEC-1 and BellSouth.
- 4.2.7 Upon a reasonable request from CLEC-1, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to CLEC-1.
- 4.2.8 BellSouth shall maintain CLEC-1's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 4.2.9 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.2.10 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth's switching network shall be mutually agreed to by CLEC-1 and BellSouth.
- 4.2.11 Tandem Switching shall process originating toll-free traffic received from CLEC-1's local switch.
- 4.2.12 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.2.13 Interface Requirements
- 4.2.13.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 4.2.13.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 4.2.13.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.

- 4.2.13.4 Tandem Switching shall interconnect with CLEC-1's switch, using two-way trunks, for traffic that is transiting via BellSouth's network to interLATA or intraLATA carriers. At CLEC-1's request, Tandem Switching shall record and keep records of traffic for billing.
- 4.2.13.5 Tandem Switching shall provide an alternate final routing pattern for CLEC-1's traffic overflowing from direct end office high usage trunk groups.
- 4.2.13.6 Tandem Switching shall be equal to or better than the requirements for Tandem Switching set forth in the applicable technical references.
- 4.3 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers
- 4.3.1 BellSouth will provide AIN Selective Carrier Routing at the request of CLEC-1. AIN Selective Carrier Routing will provide CLEC-1 with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.3.2 CLEC-1 shall order AIN Selective Carrier Routing through its Account Team.
 AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 4.3.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.3.4 Where AIN Selective Carrier Routing is utilized by CLEC-1, the routing of CLEC1's end user calls shall be pursuant to information provided by CLEC-1 and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database.

 AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.3.5 Upon ordering of AIN Selective Carrier Routing Regional Service, CLEC-1 shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit C of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit C of this Attachment. For each CLEC-1 end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit C of this Attachment, payable to BellSouth pursuant to the terms of the General Terms and Conditions, incorporated herein by this reference. CLEC-1 shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit C of this Attachment.
- 4.3.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required

forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to the client's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to the client, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.3.7 The non-recurring End Office Establishment Charge will be billed to the client following BellSouth's normal monthly billing cycle for this type of order.
- 4.3.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to the client following BellSouth's normal monthly billing cycle for this type of order.
- 4.3.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to the client following the normal billing cycle for per query charges.
- 4.3.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.4 Packet Switching Capability

4.4.1 Definition

The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.

- 4.4.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.4.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.4.2.2 There are no spare copper loops capable of supporting the xDSL services CLEC-1 seeks to offer;

- 4.4.2.3 BellSouth has not permitted CLEC-1 to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has CLEC-1 obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.4.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.4.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.5 **Interoffice Transmission Facilities**

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to CLEC-1 for the provision of a telecommunications service.

4.6 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

4.7 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

5. Unbundled Network Element Combinations

- 5.1. Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) UNE Loops/Special Access Combinations; 3) Loop/Port Combinations; and 4) Transport Combinations.
- 5.2. For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

5.3. Enhanced Extended Links (EELs)

Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.

- 5.3.2 Subject to Section 5.3.3 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.4 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to CLEC-1's POP serving wire center. The circuit must be connected to CLEC-1's switch for the purpose of provisioning telephone exchange service to CLEC-1's end-user customers. The EEL will be connected to CLEC-1's facilities in CLEC-1's collocation space at the POP SWC, or CLEC-1 may purchase BellSouth's access facilities between CLEC-1's POP and CLEC-1's collocation space at the POP SWC.
- 5.3.3 BellSouth shall provide EEL combinations to CLEC-1 in Georgia regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to CLEC-1 those EEL combinations described in Section 5.3.4 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available EEL combinations to CLEC-1 in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs regardless of whether or not such EELs are Currently Combined. Except as stated above, EELs will be provided to CLEC-1 only to the extent such network elements are Currently Combined.
- 5.3.4 EEL Combinations
- 5.3.4.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.3.4.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.3.4.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.3.4.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.3.4.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.3.4.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.3.4.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.3.4.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.3.4.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.4.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.3.4.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.3.4.12 4wire VG Interoffice Channel + 4-wire VG Local Loop

- 5.3.4.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.3.4.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- 5.3.5 EEL combinations for DS1 level and above will be available only when CLEC-1 provides and handles at least one third of the end user's local traffic over the facility provided. In addition, on the DS1 loop portion of the combination, at least fifty (50) percent of the activated channels must have at least five (5) percent local voice traffic individually and, for the entire DS1 facility, at least ten (10) percent of the traffic must be local voice traffic.
- 5.3.6 When combinations of loop and transport network elements include multiplexing, each of the individual DS1 circuits must meet the above criteria.
- 5.3.7 Special Access Service Conversions
- 5.3.7.1 CLEC-1 may not convert special access services to combinations of loop and transport network elements, whether or not CLEC-1 self-provides its entrance facilities (or obtains entrance facilities from a third party), unless CLEC-1 uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent CLEC-1 requests to convert any special access services to combinations of loop and transport network elements at UNE prices, CLEC-1 shall provide to BellSouth a letter certifying that CLEC-1 is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option CLEC-1 seeks to qualify for conversion of special access circuits. CLEC-1 shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.7.1.1 CLEC-1 certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at CLEC-1's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, CLEC-1 is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. CLEC-1 can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.7.1.2 CLEC-1 certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes

multiplexing, each of the individual DS1 circuits must meet this criteria. The loop-transport combination must terminate at CLEC-1's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

- 5.3.7.1.3 CLEC-1 certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. CLEC-1 does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- In addition, there may be extraordinary circumstances where CLEC-1 is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.7.1. In such case, CLEC-1 may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon CLEC-1's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.7.3 BellSouth may at its sole discretion audit CLEC-1 records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and CLEC-1 shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, CLEC-1 shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that CLEC-1 is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from CLEC-1.
- 5.3.7.4 CLEC-1 may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.
- 5.3.8 Rates

- 5.3.8.1 Georgia
- 5.3.8.2 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.4, whether Currently Combined or new, are as set forth in Exhibit C of this Attachment.
- 5.3.8.3 On an interim basis, for combinations of loop and transport network elements not set forth in Section 5.3.4, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination. These interim rates shall be subject to true-up based on the Commission's review of BellSouth's cost studies.
- 5.3.8.4 To the extent that CLEC-1 seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, CLEC-1, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.3.8.5 All Other States
- 5.3.8.5.1 Subject to Section 5.3.2 and 5.3.3 preceding, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 5.3.4 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit C of this Attachment.
- 5.3.8.6 Multiplexing
- 5.3.8.6.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.
- 5.4 Other Network Element Combinations
- 5.4.1.1 In the state of Georgia, BellSouth shall make available to CLEC-1, in accordance with Section 5.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to CLEC-1, in accordance with Section 5.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.
- 5.4.2 Rates

- 5.4.2.1 Georgia
- 5.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit C of this Attachment.
- On an interim basis, for Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination. These interim rates shall be subject to true-up based on the Commission's review of BellSouth's cost studies.
- 5.4.2.1.3 To the extent that CLEC-1 seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, CLEC-1, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.4.2.2 All Other States
- 5.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit C of this Attachment.
- 5.5 **UNE/Special Access Combinations**
- Additionally, BellSouth shall make available to CLEC-1 a combination of an unbundled loop and tariffed special access interoffice facilities. To the extent CLEC-1 will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 5.3.7.
- 5.5.2 Rates
- 5.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit C and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.
- 5.6 **Port/Loop Combinations**
- 5.6.1 At CLEC-1's request, BellSouth shall provide access to combinations of port and loop network elements, as set forth in Section 5.6.3 below, that are Currently

Combined in BellSouth's network except as specified in Sections 5.6.1.1 and 5.6.1.2 below.

- 5.6.1.1 BellSouth shall not provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- In accordance with effective and applicable FCC rules, BellSouth shall not be required to provide circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to CLEC-1 if CLEC-1's customer has 4 or more DS0 equivalent lines.
- 5.6.2 Combinations of port and loop network elements provide local exchange service for the origination or termination of calls. BellSouth shall make available the following loop and port combinations at the terms and at the rates set forth below:
- 5.6.2.1 In Georgia, BellSouth shall provide to CLEC-1 combinations of port and loop network elements to CLEC-1 on an unbundled basis regardless of whether or not such combinations are Currently Combined except in those locations where BellSouth is not required to provide circuit switching, as set forth in Section 5.6.1.2 above. The rates for such combinations shall be the cost based rates set forth in Exhibit C of this Attachment.
- In all other states, BellSouth shall provide to CLEC-1 combinations of port and loop network elements on an unbundled basis if such combinations are Currently Combined, except in those locations where BellSouth is not required to provide unbundled circuit switching, as set forth in Sections 5.6.1.1 and 5.6.1.2 above. The rates for such combinations shall be the cost based rates set forth in Exhibit C of this Attachment.
- 5.6.2.3 In all states other than Georgia, except in those locations where BellSouth is not required to provide unbundled circuit switching, as set forth in Sections 5.6.1.1 and 5.6.1.2, BellSouth shall provide to CLEC-1 combinations of port and loop network elements that are not Currently Combined. The rates for such combinations shall be negotiated by the Parties.
- 5.6.2.4 In those locations where BellSouth is not required to provide unbundled circuit switching, as set forth in Sections 5.6.1.1 and 5.6.1.2, BellSouth shall provide to CLEC-1 combinations of port and loop network elements whether or not such combinations are Currently Combined. The rates for Currently Combined combinations are the market based rates as set forth in Exhibit C. The rates for not Currently Combined combinations shall be negotiated by the Parties.
- 5.6.3 Combination Offerings

- 5.6.3.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.2 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.3 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.4 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.5 2-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.3.6 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.7 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

5.8 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

6. Transport, Channelization and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled transport and dark fiber.

6.1 **Transport**

6.1.1 Interoffice transmission facility network elements include:

- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and CLEC-1.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.
- 6.2 BellSouth shall:
- 6.2.1 Provide CLEC-1 exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities that CLEC-1 could use to provide telecommunications services;
- 6.2.3 Permit, to the extent technically feasible, CLEC-1 to connect such interoffice facilities to equipment designated by CLEC-1, including but not limited to, CLEC-1's collocated facilities; and
- 6.2.4 Permit, to the extent technically feasible, CLEC-1 to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.
- 6.3 Common (Shared) Transport
- 6.3.1 <u>Definition of Common (Shared) Transport</u>
- 6.3.1.1 Common (Shared) Transport is an interoffice transmission path between two BellSouth end-offices, BellSouth end-office and a local tandem, or between two local tandems. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Common (Shared) Transport.
- 6.3.2 <u>Technical Requirements of Common (Shared) Transport</u>
- 6.3.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.

6.3.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards. 6.3.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport. 6.3.2.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standard technical references. 6.4 **Dedicated Transport** 6.4.1 **Definitions** 6.4.2 Dedicated Transport is defined as BellSouth transmission facilities dedicated to a particular customer or carrier that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers. 6.4.3 **Unbundled Local Channel** 6.4.4 Unbundled Local Channel is the dedicated transmission path between CLEC-1's Point of Presence and the BellSouth Serving Wire Center's collocation. 6.4.5 Unbundled Interoffice Channel. 6.4.6 Unbundled Interoffice Channel is the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.4.7 BellSouth shall offer Dedicated Transport in each of the following ways: 6.4.7.1 As capacity on a shared UNE facility. 6.4.7.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to CLEC-1. This circuit shall consist of an Unbundled Local Channel or an Unbundled Interoffice Channel or both. 6.4.8 When Dedicated Transport is provided it shall include: 6.4.8.1 Transmission equipment such as, line terminating equipment, amplifiers, and regenerators; 6.4.8.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable. 6.4.9 Rates for Dedicated Transport are listed in this Attachment. For those states that

do not contain rates in this Attachment the rates in the applicable State Access

Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true up, and the Parties will amend the Agreement to reflect the new rates.

- 6.4.10 <u>Technical Requirements</u>
- 6.4.10.1 This Section sets forth technical requirements for all Dedicated Transport.
- When BellSouth provides Dedicated Transport, the entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to CLEC-1 designated traffic.
- 6.4.10.3 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, (1) DS0, DS1 and DS3 transport services, and (2) SONET at available transmission bit rates.
- For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 6.4.10.5 Where applicable, for DS3, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.
- 6.4.10.6 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.4.10.6.1 DS0 Equivalent;
- 6.4.10.6.2 DS1;
- 6.4.10.6.3 DS3;
- 6.4.10.6.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.4.10.6.5 When Dedicated Transport is provided, BellSouth shall design it according to BellSouth's network infrastructure to allow for the termination points specified by CLEC-1.
- 6.4.11 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.4.11.1 BellSouth Technical References:
- 6.4.11.2 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

- 6.4.11.3 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.4.11.4 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- Provided that the facility is used to transport a significant amount of local exchange services CLEC-1 shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

6.5 **Unbundled Channelization**

- 6.5.1 BellSouth agrees to offer access to Unbundled Channelization when available pursuant to following terms and conditions and at the rates set forth in the Attachment. Channelization will be offered with both the high and the low speed sides to be connected to collocation.
- 6.5.2 Definition
- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. This can be accomplished through the use of a standalone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, CLEC-1 can have channels activated on an as-needed basis by having BellSouth connect lower level UNEs via Central Office Channel Interfaces (COCIs).
- 6.5.3 Channelization capabilities will be as follows:
- 6.5.3.1 DS3 Channelization System: An element that channelizes a DS3 signal into 28 DS1s/STS-1s.
- DS1 Channelization System: An element that channelizes a DS1 signal into 24 DS0s.
- 6.5.3.3 Central Office Channel Interfaces (COCI): Elements that can be activated on a channelization system.
- DS1 Central Office Channel Interface elements can be activated on a DS3 Channelization System.
- Voice Grade and Digital Data Central Office Channel Interfaces can be activated on a DS1 Channelization System.

- 6.5.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.5.7 COCI will be billed on the lower level UNE order that is interfacing with the UC arrangement and will have to be compatible with those UNEs.
- 6.5.8 Technical Requirements
- 6.5.8.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, the customer's channelization equipment must adhere strictly to form and protocol standards. Separate standards exist for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for subrate digital access.
- 6.5.8.2 DS0 to DS1 Channelization
- The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions. DS0 to DS1 Channelization requirements are essential the same as defined in BellSouth Technical Reference 73525, MegaLink® Service, MegaLink® Channel Service, MegaLink® Plus Service, and MegaLink® Light Service Interface and Performance Specification.
- 6.5.8.3 DS1 to DS3 Channelization
- 6.5.8.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. DS1 to DS3 Channelization requirements are essentially the same as defined in BellSouth Technical Reference 73501, LightGate® Service Interface and Performance Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.5.8.4 DS1 to STS Channelization
- 6.5.8.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings. DS1 to STS Channelization requirements are essentially the same as defined in BellSouth Technical Reference TR 73501, LightGate® Service Interface and Performance Specifications.
- 6.6 **Dark Fiber**
- 6.6.1 Definition
- Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's

network. Dark Fiber is unused strands of optical fiber. It may be strands of optical fiber existing in aerial or underground structure. No line terminating elements terminated to such strands to operationalize its transmission capabilities will be available.

6.6.3 <u>Requirements</u>

- BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two-year period, there is no requirement to provide said fiber to CLEC-1.
- 6.6.3.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at CLEC-1's request subject to time and materials charges.
- 6.6.3.3 CLEC-1 may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- BellSouth shall use its best efforts to provide to CLEC-1 information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from CLEC-1 ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to one hundred and twenty (120) days after Confirmation, BellSouth shall hold such requested Dark Fiber for CLEC-1's use and may not allow any other Party to use such media, including BellSouth. If a Dark Fiber firm order is not received within the one hundred and twenty day period, the Dark Fiber will revert to BellSouth's Dark Fiber inventory.
- 6.6.3.5 BellSouth shall use its best efforts to make Dark Fiber available to CLEC-1 within thirty (30) business days after it receives written confirmation from CLEC-1 that the Dark Fiber previously deemed available by BellSouth is wanted for use by CLEC-1. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable CLEC-1 to connect or splice CLEC-1 provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.
- Dark Fiber shall meet the manufacturer's design specifications.
- 6.6.3.7 CLEC-1 may splice and test Dark Fiber obtained from BellSouth using CLEC-1 or CLEC-1 designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

6.7 Rates

6.7.1 The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

.

6.8 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

7. BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of 8XX Access Ten Digit Screening Services.

- 7.1 BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database
- 7.1.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (herein known as 8XX SCP) is a SCP that contains customer record information and functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (herein know as 8XX TFD), utilizes the 8XX SCP to provide identification and routing of the 8XX calls, based on the ten digits dialed. 8XX TFD is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by CLEC-1. BellSouth shall provide 8XX TFD in accordance with the following:

7.1.2 Technical Requirements

- 7.1.2.1 BellSouth shall provide CLEC-1 with access to the 8XX record information located in the 8XX SCP. The 8XX SCP contains current records as received from the national SMS and will provide for routing 8XX originating calls based on the dialed ten digit 8XX number.
- 7.1.2.2 The 8XX SCP is designated to receive and respond to queries using the American National Standard Specification of Signaling System Seven (SS7) protocol. The 8XX SCP shall determine the carrier identification based on all ten digits of the dialed number and route calls to the carrier, POTS number, dialing number and/or other optional feature selected by CLEC-1.
- 7.1.2.3 The SCP shall also provide, at CLEC-1's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:

- 7.1.2.3.1 Network Management;
- 7.1.2.3.2 Customer Sample Collection; and
- 7.1.2.3.3 Service Maintenance.

7.2 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. . If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

7.3 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

8 Line Information Database (LIDB)

- 8.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of LIDB.
- 8.2 BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

8.2.1 Definition

8.2.2 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

8.2.3 <u>Technical Requirements</u>

- 8.2.4 BellSouth will offer to CLEC-1 any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.4.1 BellSouth shall process CLEC-1's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

BellSouth shall indicate to CLEC-1 what additional functions (if any) are performed by LIDB in the BellSouth network.

- Within two (2) weeks after a request by CLEC-1, BellSouth shall provide CLEC-1 with a list of the customer data items, which CLEC-1 would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.4.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.4.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.4.6 All additions, updates and deletions of CLEC-1 data to the LIDB shall be solely at the direction of CLEC-1. Such direction from CLEC-1 will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.4.7 BellSouth shall provide priority updates to LIDB for CLEC-1 data upon CLEC-1's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.4.8 BellSouth shall provide LIDB systems such that no more than 0.01% of CLEC-1 customer records will be missing from LIDB, as measured by CLEC-1 audits. BellSouth will audit CLEC-1 records in LIDB against DBAS to identify record mismatches and provide this data to a designated CLEC-1 contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to CLEC-1 within one business day of audit. Once reconciled records are received back from CLEC-1, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact CLEC-1 to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.4.9 BellSouth shall perform backup and recovery of all of CLEC-1's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs

backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 8.2.4.10 BellSouth shall provide CLEC-1 with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between CLEC-1 and BellSouth.
- 8.2.4.11 BellSouth shall prevent any access to or use of CLEC-1 data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by CLEC-1 in writing.
- 8.2.4.12 BellSouth shall provide CLEC-1 performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by CLEC-1 at least at parity with BellSouth Customer Data. BellSouth shall obtain from CLEC-1 the screening information associated with LIDB Data Screening of CLEC-1 data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to CLEC-1 under the BFR/NBR as set forth in General Terms and Conditions.
- 8.2.4.13 BellSouth shall accept queries to LIDB associated with CLEC-1 customer records, and shall return responses in accordance with industry standards.
- 8.2.4.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.4.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.2.5 Interface Requirements
- 8.2.6 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.2.6.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.2.6.2 The CCS interface to LIDB shall be the standard interface described herein.
- 8.2.6.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

8.4 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

9. Signaling

- 9.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Signaling Transport Services.
- 9.2 BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.3 **Signaling Link Transport**

- 9.3.1 Definition Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.
- 9.3.2 <u>Technical Requirements</u>
- 9.3.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 9.3.3 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 9.3.3.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 9.3.3.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 9.3.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.3.4.1 An A-link layer shall consist of two links.
- 9.3.4.2 A B-link layer shall consist of four links.

9.3.5 A signaling link layer shall satisfy a performance objective such that: 9.3.5.1 There shall be no more than two minutes down time per year for an A-link layer; and 9.3.5.2 There shall be negligible (less than 2 seconds) down time per year for a B-link 9.3.5.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that: 9.3.5.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and 9.3.5.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end). 9.3.5.4 **Interface Requirements** 9.3.5.4.1 There shall be a DS1 (1.544 Mbps) interface at the CLEC-1 designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface. 9.4 **Signaling Transfer Points (STPs)** 9.4.1 Definition - Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches. 9.4.2 **Technical Requirements** 9.4.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include: 9.4.2.1.1 BellSouth Local Switching or Tandem Switching; 9.4.2.1.2 BellSouth Service Control Points/DataBases: 9.4.2.1.3 Third-party local or tandem switching; 9.4.2.1.4 Third-party-provided STPs. 9.4.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This explicitly

includes the use of the BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transient messages). When the BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.4.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between a CLEC-1 local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between CLEC-1 local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.4.2.4 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a CLEC-1 or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a CLEC-1 database, then CLEC-1 agrees to provide BellSouth with the Destination Point Code for the CLEC-1 database.
- 9.4.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 9.4.2.6.1 MTP Routing Verification Test (MRVT); and
- 9.4.2.6.2 SCCP Routing Verification Test (SRVT).
- 9.4.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a CLEC-1 or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7

network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by CLEC-1 and BellSouth.

- 9.4.2.8 STPs shall be on parity with BellSouth.
- 9.4.2.9 SS7 Advanced Intelligent Network (AIN) Access
- 9.4.2.9.1 When technically feasible and upon request by CLEC-1, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the CLEC-1 SS7 network to exchange TCAP queries and responses with a CLEC-1 SCP.
- 9.4.2.9.2 SS7 AIN Access shall provide CLEC-1 SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and CLEC-1 SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the CLEC-1 SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STPs options to connect CLEC-1 or CLEC-1-designated local switching systems or STPs to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from CLEC-1 local switching systems; and,
- 9.4.3.1.2 A B-link interface from CLEC-1 local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting CLEC-1 local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and CLEC-1 will work jointly to establish mutually acceptable SPOIs.

- 9.4.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and CLEC-1 will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.3.6 Message Screening
- 9.4.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from CLEC-1 local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the CLEC-1 switching system has a legitimate signaling relation.
- 9.4.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from CLEC-1 local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the CLEC-1 switching system has a legitimate signaling relation.
- 9.4.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from CLEC-1 from any signaling point or network interconnected through BellSouth's SS7 network where the CLEC-1 SCP has a legitimate signaling relation.
- 9.4.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the applicable industry standard technical references.

9.5 Service Control Points/Databases

9.5.1 Definition

- 9.5.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

9.5.3 Technical Requirements for SCPs/Databases

- 9.5.3.1 Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to CLEC-1 in accordance with the following requirements.
- 9.5.3.2 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.3 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.4 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.5.4 <u>Database Availability</u>

- 9.5.4.1 Call processing databases shall have a maximum unscheduled unavailability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers, which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.
- 9.5.4.2 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for CLEC-1 customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

9.6 **Local Number Portability Database**

9.6.1 <u>Definition</u>

9.6.2 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

9.7.1 Definition.

- 9.7.2 SS7 Network Interconnection is the interconnection of CLEC-1 local Signaling Transfer Point Switches (STP) and CLEC-1 local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), CLEC-1 local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.3 <u>Technical Requirements</u>
- 9.7.3.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 9.7.3.1.1 BellSouth local or tandem switching systems;
- 9.7.3.1.2 BellSouth DBs; and
- 9.7.3.1.3 Other third-party local or tandem switching systems.
- 9.7.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and CLEC-1 or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.5 If traffic is routed based on dialed or translated digits between a CLEC-1 local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the CLEC-1 local STPs and BellSouth or other third-party local switch.
- 9.7.6 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 9.7.7 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 9.7.7.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.7.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.7.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.8 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In

particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a CLEC-1 local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of CLEC-1 local STPs, and shall not include SCCP Subsystem Management of the destination.

- 9.7.9 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 9.7.10 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.11 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 9.7.12 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 9.7.12.1 MTP Performance, as specified in ANSI T1.111.6;
- 9.7.12.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 9.7.12.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 9.7.13 <u>Interface Requirements</u>
- 9.7.13.1 BellSouth shall offer the following SS7 Network Interconnection options to connect CLEC-1 or CLEC-1-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 9.7.13.1.1 A-link interface from CLEC-1 local or tandem switching systems; and
- 9.7.13.1.2 B-link interface from CLEC-1 STPs.
- 9.7.13.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting CLEC-1 local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of

BellSouth STPs. BellSouth and CLEC-1 will work jointly to establish mutually acceptable SPOI.

- 9.7.13.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and CLEC-1 will work jointly to establish mutually acceptable SPOI.
- 9.7.13.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.13.5 BellSouth shall set message screening parameters to accept messages from CLEC-1 local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the CLEC-1 switching system has a legitimate signaling relation.
- 9.7.13.6 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the applicable industry standard technical references.

9.8 Rates

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

9.9 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

10. Operator Call Processing, Inward Operator Services and Directory Assistance Services

10.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Operator Call Processing, Inward Operator Services and Directory Assistance Services.

10.2 **Operator Systems**

10.2.1 <u>Definition.</u> Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

| 10.3 | Operator Service |
|-------------|--|
| 10.3.1 | <u>Definition</u> . Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes. |
| 10.3.2 | Requirements |
| 10.3.2.1 | When CLEC-1 requests BellSouth to provide Operator Services, the following requirements apply: |
| 10.3.2.1.1 | BellSouth shall complete 0+ and 0- dialed local calls. |
| 10.3.2.1.2 | BellSouth shall complete 0+ intraLATA toll calls. |
| 10.3.2.1.3 | BellSouth shall process calls that are billed to CLEC-1 end user's calling card that can be validated by BellSouth. |
| 10.3.2.1.4 | BellSouth shall complete person-to-person calls. |
| 10.3.2.1.5 | BellSouth shall complete collect calls. |
| 10.3.2.1.6 | BellSouth shall provide the capability for callers to bill to a third party and complete such calls. |
| 10.3.2.1.7 | BellSouth shall complete station-to-station calls. |
| 10.3.2.1.8 | BellSouth shall process emergency calls. |
| 10.3.2.1.9 | BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests. |
| 10.3.2.1.10 | BellSouth shall process emergency call trace, as it does for its own end users prior to the Effective Date. Call must originate from a 911 provider. |
| 10.3.2.1.11 | BellSouth shall process operator-assisted directory assistance calls. |
| 10.3.2.1.12 | BellSouth shall adhere to equal access requirements, providing CLEC-1 local end users the same IXC access as provided to BellSouth end users. |
| 10.3.2.1.13 | BellSouth shall exercise at least the same level of fraud control in providing Operator Service to CLEC-1 that BellSouth provides for its own operator service. |
| 10.3.2.1.14 | BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls. |

- 10.3.2.1.15 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by CLEC-1.
- 10.3.2.1.16 BellSouth shall provide a feed of customer call records in "EMI" format to CLEC-1 in accordance with CLEC ODUF standards specified in Attachment 7.

10.3.3 <u>Interface Requirements</u>

10.3.3.1 With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of CLEC-1, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

10.4 **Directory Assistance Service**

10.4.1 <u>Definition.</u> Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.

10.4.2 <u>Requirements</u>

Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by CLEC-1's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, CLEC-1 may request such requirement pursuant to the BFR/NBR Process as set forth in General Terms and Conditions.

10.4.4 <u>Directory Assistance Service Updates</u>

- 10.4.4.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.4.4.1.1 New end user connections: BellSouth will provide service to CLEC-1 that is equal to the service it provides to itself and its end users;
- 10.4.4.1.2 End user disconnections: BellSouth will provide service to CLEC-1 that is equal to the service it provides to itself and its end users; and
- 10.4.4.1.3 End user address changes: BellSouth will provide service to CLEC-1 that is equal to the service it provides to itself and its end users;
- 10.4.4.1.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 10.4.5 Branding for Operator Call Processing and Directory Assistance

- 10.4.5.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to CLEC-1 end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows CLEC-1 to have its calls custom branded with CLEC-1's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 10.4.5.2 BellSouth offers four service levels of branding to CLEC-1 when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.5.2.1 Service Level 1 BellSouth Branding
- 10.4.5.2.2 Service Level 2 Unbranded
- 10.4.5.2.3 Service Level 3 Custom Branding
- 10.4.5.2.4 Service Level 4 Self Branding (applicable only to CLEC-1 for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
- 10.4.6 For Resellers and Use with an Unbundled Port
- 10.4.6.1 BellSouth Branding is the Default Service Level.
- 10.4.6.2 Unbranding, Custom Branding, and Self Branding require CLEC-1 to order selective routing for each originating BellSouth end office identified by CLEC-1. Rates for Selective Routing are set forth in this Attachment.
- 10.4.6.3 Custom Branding and Self Branding require CLEC-1 to order dedicated trunking from each BellSouth end office identified by CLEC-1, to either the BellSouth Traffic Operator Position System (TOPS) or CLEC-1 Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by CLEC-1 to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.7 For Facilities Based Carriers
- 10.4.7.1 All Service Levels require CLEC-1 to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

- 10.4.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, Interactive Voice Subsystem (IVS) and Network Applications Vehicle (NAV) equipment for which CLEC-1 requires service.
- 10.4.8 Directory Assistance customized branding uses:
- 10.4.8.1 the recording of the name;
- 10.4.8.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.9 Operator Call Processing customized branding uses:
- 10.4.9.1 the recording of the name;
- the front-end loading of the DRAM in the TOPS Switch;
- the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.9.5 BellSouth will provide to CLEC-1 purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. CLEC-1 end users may use the same dialing arrangements as BellSouth end users, but obtain a CLEC-1 branded service.
- 10.5 **Directory Assistance Database Service (DADS)**
- BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to CLEC-1 end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). CLEC-1 agrees that DADS will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, CLEC-1 agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, CLEC-1 authorizes the inclusion of CLEC-1 Directory Assistance listings in the BellSouth Directory Assistance products.
- BellSouth shall provide CLEC-1 initially with a base file of subscriber listings which reflect all listing change activity occurring since CLEC-1's most recent

update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by CLEC-1 and BellSouth. CLEC-1 agrees to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.

- 10.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to CLEC-1 on a Business, Residence, or combined Business and Residence basis. CLEC-1 agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after CLEC-1 receives the Base File.
- 10.5.4 BellSouth is authorized to include CLEC-1 Directory Assistance Listing Information in its DADS. Any other use by BellSouth of CLEC-1 Directory Assistance Listing Information is not authorized and with the exception of a request for DADS, BellSouth shall refer any request for such information to CLEC-1.
- 10.5.5 Rates for DADS are as set forth in this Attachment.

10.6 Direct Access to Directory Assistance Service

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide CLEC-1's directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow CLEC-1 to utilize its own switch, operator workstations and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

10.7 Automatic Location Identification/Data Management System (ALI/DMS)

10.7.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

10.7.2 Technical Requirements

10.7.2.1 BellSouth shall offer CLEC-1 a data link to the ALI/DMS database or permit CLEC-1 to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to CLEC-1 immediately after CLEC-1 inputs information into the ALI/DMS database. Alternately, CLEC-1

may utilize BellSouth, to enter end user information into the database on a demand basis, and validate end user information on a demand basis.

- 10.7.2.2 The ALI/DMS database shall contain the following end user information:
- 10.7.2.2.1 Name:
- 10.7.2.2.2 Address:
- 10.7.2.2.3 Telephone number; and
- 10.7.2.2.4 Other information as appropriate (e.g., whether an end user is blind or deaf or has another disability).
- 10.7.2.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless CLEC-1 requests otherwise and shall be updated if CLEC-1 requests, provided CLEC-1 supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 10.7.2.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 10.7.3 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for CLEC-1 end users shall meet industry standards.

10.8 **Rates**

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

10.9 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

11. Calling Name (CNAM) Database Service

- All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of CNAM.
- The Agreement for CNAM with standard pricing is included as Exhibit B to this Attachment. CLEC-1 must provide to its account manager a written request with a requested activation date to activate this service. If CLEC-1 is interested in requesting CNAM with volume and term pricing, CLEC-1 must contact its account manager to request a separate CNAM volume and term Agreement.
- 11.3 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the applicable industry standard technical references.
- 11.4 Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- 11.4.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide CLEC-1 the capability that will allow CLEC-1 and other third parties to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to CLEC-1. Scheduling procedures shall provide CLEC-1 equivalent priority to these resources.
- BellSouth SCP shall partition and protect CLEC-1 service logic and data from unauthorized access, execution or other types of compromise.
- When CLEC-1 selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable CLEC-1 to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- When CLEC-1 selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. CLEC-1 access will be provided via remote data connection (e.g., dial-in, ISDN).
- When CLEC-1 selects SCE/SMS AIN Access, BellSouth shall allow CLEC-1 to download data forms and/or tables to BellSouth SCP via BellSouth SMS without

intervention from BellSouth (e.g., service customization and end user subscription).

11.5 **Rates**

The prices that CLEC-1 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment. If CLEC-1 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

11.6 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.13 of this Attachment.

12. Basic 911 and E911

- All of the negotiated terms and conditions set forth in this Section pertain to the provision of Basic 911 and E911.
- 12.2 If CLEC-1 orders network elements and other services, then CLEC-1 is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

12.3 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

12.5 <u>Requirements</u>

Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to CLEC-1 a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. CLEC-1 will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. CLEC-1 will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, CLEC-1 will be required to discontinue the Basic 911 procedures and being using E911 procedures.

- 12.5.2 E911 Service Provisioning. For E911 service, CLEC-1 will be required to install a minimum of two dedicated trunks originating from the CLEC-1 serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. CLEC-1 will be required to provide BellSouth daily updates to the E911 database. CLEC-1 will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, CLEC-1 will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. CLEC-1 shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 12.5.3 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on CLEC-1 beyond applicable charges for BellSouth trunking arrangements.
- 12.5.4 Basic 911 and E911 functions provided to CLEC-1 shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 12.5.5 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and CLEC-1 to follow in providing 911/E911 services.

13. True-Up

This section applies only to Tennessee and other rates that are interim or expressly subject to true-up under this attachment.

- The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual

volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
 - (a) 13.4An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and CLEC-1 specifically or upon all carriers generally, such as a generic cost proceeding.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

STORAGE AGREEMENT

I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of CLEC-1 and pursuant to which BellSouth, its LIDB customers and CLEC-1 shall have access to such information. CLEC-1 understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of CLEC-1, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to CLEC-1's account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum is hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. LIDB is accessed for the following purposes:
 - 1.Billed Number Screening
 - 2. Calling Card Validation
 - 3.Fraud Control
- C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify CLEC-1 of fraud alerts so that CLEC-1 may take action it deems appropriate. CLEC-1 understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by CLEC-1 pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to CLEC-1 for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Version 3Q00: 10/19/00

CLEC-1 understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses. CLEC-1 further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, CLEC-1 understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on CLEC-1's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its supporting systems the means to differentiate CLEC-1's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) CLEC-1 agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for CLEC-1's end user accounts which are resident in LIDB pursuant to this Agreement. CLEC-1 authorizes BellSouth to place such charges on CLEC-1's bill from BellSouth and agrees that it shall pay all such charges. Charges for which CLEC-1 hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- (c) CLEC-1 shall have the responsibility to render a billing statement to its end users for these charges, but CLEC-1's obligation to pay BellSouth for the charges billed shall be independent of whether CLEC-1 is able or not to collect from CLEC-1's end users.
- (d) BellSouth shall not become involved in any disputes between CLEC-1 and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to CLEC-1. It shall be the responsibility of CLEC-1 and the other entity to negotiate and arrange for any appropriate adjustments.

II. FEES FOR SERVICE AND TAXES

- A. CLEC-1 will not be charged a fee for storage services provided by BellSouth to CLEC-1, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by

CLEC-1 in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

III. MISCELLANEOUS

- A. It is understood and agreed to by the Parties that BellSouth may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.
- C. This LIDB Storage Agreement constitutes the entire Agreement between CLEC-1 and BellSouth with respect to the subject matter hereof and supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to LIDB Storage.

FACILITIES BASED ADDENDUM

TO LINE INFORMATION DATA BASE (LIDB)

STORAGE AGREEMENT

| A | This is a Facilities Based Addendum to the Line Information Data Base Storage |
|----------|---|
| | nunications, Inc. ("BellSouth"), and |
| I. | GENERAL |
| | This Addendum sets forth the terms and conditions for CLEC-1's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by CLEC-1, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement. |
| II. | DEFINITIONS |
| A. | Billing number - a number that CLEC-1 creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number. |
| В. | Line number - a ten digit number that identifies a telephone line administered by CLEC-1. |
| C. | Special billing number - a ten-digit number that identifies a billing account established by CLEC-1. |
| D. | Calling Card number - a billing number plus PIN number. |
| E. | PIN number - a four-digit security code assigned by CLEC-1 which is added to a billing number to compose a fourteen-digit calling card number. |
| F. | Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by CLEC-1. |

- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by CLEC-1.

III. RESPONSIBILITIES OF PARTIES

- A. CLEC-1 will provide its billing number information to BellSouth's LIDB each business day by a method that has been mutually agreed upon by both Parties.
- B. BellSouth will store in its LIDB the billing number information provided by CLEC-1. Under normal operating conditions, BellSouth shall include CLEC-1's billing number information in its LIDB no later than two business days following BellSouth's receipt of such billing number information, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of CLEC-1's working telephone numbers.
- C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BellSouth is authorized to use the billing number information provided by CLEC-1 to perform the following functions for authorized users on an on-line basis:
 - 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by CLEC-1, and where the last four digits (PIN) are a security code assigned by CLEC-1.
 - 2. Determine whether CLEC-1 or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.
- E. CLEC-1 will provide its own billing number information to BellSouth for storage and to be used for Billed Number Screening and Calling Card Validation. CLEC-1 will arrange and pay for transport of updates to BellSouth.

IV. COMPLIANCE

Unless expressly authorized in writing by CLEC-1, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

EXHIBIT B

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1. Definitions

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides CLEC-1 the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (**SCPs**) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2. Attachment

- 2.1 This Attachment contains the terms and conditions where BellSouth will provide to CLEC-1 access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.2 CLEC-1 shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to CLEC-1's access to

Version 3Q00: 10/19/00

BellSouth's CNAM Database Services and shall be addressed to CLEC-1's Account Manager.

3. Physical Connection and Compensation

- 3.1 BellSouth's provision of CNAM Database Services to CLEC-1 requires interconnection from CLEC-1 to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.2 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, CLEC-1 shall provide its own CNAM SSP. CLEC-1's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.3 If CLEC-1 elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that CLEC-1 desires to query.

3.4 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

4. CNAM Record Initial Load and Updates

- 4.1 The mechanism to be used by CLEC-1 for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by CLEC-1 in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of CLEC-1 to provide accurate information to BellSouth on a current basis.
- 4.2 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

4.3 CLEC-1 CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

| | • | AND OTHER S | ERVICES | | | | | | | | |
|---|---------|----------------|----------|----------|----------|----------|----------|----------|----------|----------|---|
| | | RATES BY STATE | | | | | | | | | |
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | |
| NIDs | | | | _ | | | | | | | |
| NID to NID Cross Connect, 2-Wire or 4-Wire, NRC | UNDC2 | \$11.63 | \$6.15 | NA | \$11.79 | \$11.72 | NA | \$11.68 | NA | NA | |
| NID to NID Cross Connect, 2-Wire or 4-Wire, NRC | UNDC4 | \$11.63 | \$6.15 | NA | \$11.79 | \$11.72 | NA | \$11.68 | NA | NA | |
| NID, 1-2 lines, per month | UND12 | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| NRC - 1st | UND12 | TBD | \$94.50 | TBD | \$94.56 | \$93.90 | TBD | TBD | TBD | TBD | |
| NRC - Add'l | UND12 | TBD | \$57.22 | TBD | \$57.28 | \$56.67 | TBD | TBD | TBD | TBD | |
| NRC - Disconnect Charge - 1st | UND12 | TBD | NA | TBD | NA | NA | TBD | TBD | TBD | TBD | |
| NRC - Disconnect Charge - Add'l | UND12 | TBD | NA | TBD | NA | NA | TBD | TBD | TBD | TBD | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | NA | \$3.50 | \$3.50 | NA | \$3.50 | NA | TBD | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | NA | TBD | TBD | TBD | TBD | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | NA | TBD | TBD | TBD | TBD | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | NA | TBD | TBD | TBD | TBD | |
| NID, 1-6 lines, per month | UND16 | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| NRC - 1st | UND16 | TBD | \$136.75 | TBD | \$136.91 | \$135.29 | TBD | TBD | TBD | TBD | |
| NRC - Add'l | UND16 | TBD | \$99.47 | TBD | \$99.63 | \$98.07 | TBD | TBD | TBD | TBD | |
| NRC - Disconnect Charge - 1st | UND16 | TBD | NA NA | TBD | NA | NA NA | TBD | TBD | TBD | TBD | |
| NRC - Disconnect Charge - Add'l | UND16 | TBD | NA | TBD | NA | NA | TBD | TBD | TBD | TBD | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | NA | \$3.50 | \$3.50 | NA | \$3.50 | NA | TBD | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA NA | \$0.42 | NA NA | NA | NA | NA | NA | NA NA | TBD | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA NA | \$21.56 | NA NA | \$29.24 | NA. | NA NA | NA NA | NA NA | TBD | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$3.84 | NA | \$3.94 | NA NA | NA | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | \$21.56 | TBD | NA | NA NA | TBD | TBD | TBD | TBD | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA NA | TBD | NA NA | NA | TBD | TBD | TBD | TBD | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | \$3.84 | TBD | NA NA | NA NA | TBD | TBD | TBD | TBD | |
| | JOINAIN | 100 | ψ5.04 | 100 | INA | INA | 100 | 100 | 100 | 100 | |
| Nonrecurring Charge - customer transfer, feature additions, changes (1) | | \$5.00 | NA | NA | NA | NA | \$5.00 | NA | NA | NA | |
| LOOP, EXCLUDING NID | | φ5.00 | INA | INA | INA | INA | \$5.00 | INA | INA | INA | |
| 2-Wire Analog VG Loop (Standard), per month | | NA | NA | NA | \$18.20 | NA | NA | NA | NA | NA | |
| NRC - 1st | | NA NA | NA NA | NA NA | \$86.08 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| NRC - Add'l | | NA NA | NA NA | NA NA | \$58.57 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| 2-Wire Analog VG Loop (Customized), per month | | NA NA | NA NA | NA NA | \$21.41 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| NRC - 1st | | NA NA | NA NA | NA NA | \$236.75 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| NRC - Add'l | | NA NA | NA NA | NA NA | \$177.10 | NA NA | NA | NA | NA | NA NA | |
| 4-Wire Analog VG Loop (Standard), per month | | NA NA | NA NA | NA NA | \$26.38 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| NRC - 1st | | NA NA | NA NA | NA NA | \$457.14 | NA NA | NA | NA NA | NA NA | NA NA | |
| NRC - Add'l | | NA NA | NA NA | NA NA | \$348.83 | NA NA | NA | NA NA | NA NA | NA NA | |
| 2-Wire ISDN Digital Grade Loop (Standard), per month | | NA NA | NA NA | NA NA | \$29.65 | NA NA | NA NA | NA NA | NA NA | NA NA | _ |
| NRC - 1st | | NA NA | NA NA | NA NA | \$541.28 | NA NA | NA NA | NA NA | NA NA | NA NA | _ |
| NRC - Add'l | | NA NA | NA NA | NA NA | \$431.61 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| 2-Wire ADSL Loop (Standard), per month | + | NA NA | NA NA | NA NA | \$10.63 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| NRC - 1st | | NA NA | NA NA | NA NA | \$713.50 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| NRC - Add'l | | NA NA | NA NA | NA NA | \$609.44 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| | | NA NA | NA NA | NA NA | \$7.40 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| 2-Wire HDSL Loop (Standard), per month NRC - 1st | + | NA NA | NA NA | NA NA | | NA NA | NA NA | NA NA | NA NA | NA NA | |
| | + | NA NA | | NA NA | \$713.50 | | NA NA | NA NA | NA NA | NA NA | |
| NRC - Add'l | | | NA | | \$609.44 | NA | | | | | |
| 4-Wire HDSL Loop (Standard), per month | _ | NA | NA | NA NA | \$9.70 | NA | NA | NA | NA | NA NA | |
| NRC - 1st | | NA | NA | NA | \$748.93 | NA | NA | NA | NA | NA | |
| NRC - Add'l | | NA | NA | NA | \$646.17 | NA | NA | NA | NA | NA | |

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS

| | | AND OTHER S | ERVICES | | | | | | | | | |
|--|----------------|-------------|----------|----------|----------|---------|----------|----------|----------|----------|--|--|
| | RATES BY STATE | | | | | | | | | | | |
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
| LOOP, INCLUDING NID | | | | | | | | | | | | |
| 2-Wire Analog VG Loop-SL1 | | | | | | | | | | | | |
| RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | \$15.88 | NA | NA | | |
| RC - Zone 1, per month (Note 2) | UEAL2 | \$15.24 | \$13.75 | \$14.21 | \$14.79 | \$14.96 | \$15.58 | TBD | \$18.48 | \$15.92 | | |
| RC - Zone 2, per month (Note 2) | UEAL2 | \$24.75 | \$20.13 | \$16.41 | \$27.68 | \$25.69 | \$20.65 | TBD | \$27.87 | \$20.79 | | |
| RC - Zone 3, per month (Note 2) | UEAL2 | \$44.85 | \$44.40 | \$26.08 | \$47.78 | \$52.47 | \$29.51 | TBD | \$36.91 | \$27.18 | | |
| RC - Zone 4, per month (Note 2) | UEAL2 | NA | NA | NA | NA | NA | \$38.94 | NA | NA | NA | | |
| NRC - 1st | UEAL2 | \$59.03 | \$83.20 | \$42.54 | \$86.08 | \$40.69 | \$59.25 | \$57.99 | \$70.44 | \$78.93 | | |
| NRC - Add'l | UEAL2 | \$43.14 | \$35.12 | \$31.33 | \$58.57 | \$29.96 | \$43.67 | \$42.37 | \$44.05 | \$50.98 | | |
| NRC - Disconnect Charge - 1st | UEAL2 | \$15.21 | \$55.97 | NA | NA | \$11.48 | \$16.35 | NA | NA | NA | | |
| NRC - Disconnect Charge - Add'l | UEAL2 | \$3.22 | \$10.35 | NA | NA | \$3.36 | \$4.06 | NA | NA | NA | | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.22 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| NRC - Incremental Charge - Order Coordination for SL1 loops (per loop) | UEAMC | \$51.29 | \$23.24 | \$36.46 | \$16.31 | \$34.90 | \$50.29 | \$61.38 | \$62.10 | \$36.46 | | |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$34.22 | | |
| NRC - Engineering Information (EI) - interim rates until cost study is prepare | ed | | | | | | | | | | | |
| based on inputs that reflect the work required to extract the Engineering | | | | | | | | | | | | |
| Information. | UEANM | \$25.00 | \$40.00 | \$20.00 | \$40.00 | \$20.00 | \$25.00 | \$20.00 | \$25.00 | \$40.00 | | |
| 2-Wire Analog VG Loop-SL2 w/loop or ground start signaling | | 41% | 38% | 41% | 36% | 41% | 41% | 41% | 40% | 41% | | |
| RC - Statewide, per month | UEAL2 | NA | NA | NA | NA | NA | NA | \$19.50 | NA | NA | | |
| RC - Zone 1, per month (Note 2) | UEAL2 | \$17.95 | \$18.48 | \$16.84 | \$17.27 | \$17.65 | \$18.35 | TBD | \$21.57 | \$15.92 | | |
| RC - Zone 2, per month (Note 2) | UEAL2 | \$29.16 | \$22.43 | \$19.45 | \$32.32 | \$30.32 | \$24.33 | TBD | \$32.53 | \$20.79 | | |
| RC - Zone 3, per month (Note 2) | UEAL2 | \$52.84 | \$27.87 | \$30.92 | \$55.78 | \$61.93 | \$34.77 | TBD | \$43.08 | \$27.18 | | |
| RC - Zone 4, per month (Note 2) | UEAL2 | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA | | |
| NRC - 1st | UEAL2 | \$145.46 | \$218.96 | \$104.17 | \$236.75 | \$99.69 | \$144.01 | \$142.97 | \$178.12 | \$192.97 | | |
| NRC - Add'l | UEAL2 | \$108.40 | \$136.44 | \$78.10 | \$177.10 | \$74.73 | \$107.70 | \$106.56 | \$128.80 | \$140.72 | | |
| NRC - Disconnect Charge - 1st | UEAL2 | \$40.31 | \$113.41 | NA | NA | \$28.73 | \$40.98 | NA | NA | NA | | |
| NRC - Disconnect Charge - Add'l | UEAL2 | \$26.01 | \$20.58 | NA | NA | \$18.87 | \$26.95 | NA | NA | NA | | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$26.95 | NA | NA | NA | | |
| NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$23.24 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 2-Wire Analog VG Loop-SL2 w/ reverse battery signaling | | | | | | | | | | | | |
| RC - Statewide, per month | UEAR2 | NA | NA | NA | NA | NA | NA | \$19.50 | NA | NA | | |
| RC - Zone 1, per month (Note 2) | UEAR2 | \$17.95 | \$18.48 | \$16.84 | \$17.27 | \$17.65 | \$18.35 | TBD | \$21.57 | \$15.92 | | |
| RC - Zone 2, per month (Note 2) | UEAR2 | \$29.16 | \$22.43 | \$19.45 | \$32.32 | \$30.32 | \$24.33 | TBD | \$32.53 | \$20.79 | | |
| RC - Zone 3, per month (Note 2) | UEAR2 | \$52.84 | \$27.87 | \$30.92 | \$55.78 | \$61.93 | \$34.77 | TBD | \$43.08 | \$27.18 | | |
| RC - Zone 4, per month (Note 2) | UEAR2 | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA | | |
| NRC - 1st | UEAR2 | \$145.46 | \$218.96 | \$104.17 | \$236.75 | \$99.69 | \$144.01 | \$142.97 | \$178.12 | \$192.97 | | |
| NRC - Add'l | UEAR2 | \$108.40 | \$136.44 | \$78.10 | \$177.10 | \$74.73 | \$107.70 | \$106.56 | \$128.80 | \$140.72 | | |
| NRC - Disconnect Charge - 1st | UEAR2 | \$40.31 | \$113.41 | NA | NA | \$28.73 | \$40.98 | NA | NA | NA | | |
| NRC - Disconnect Charge - Add'l | UEAR2 | \$26.01 | \$20.58 | NA | NA | \$18.87 | \$26.95 | NA | NA | NA | | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |

Version 3Q00:11/07/00

| | T | 1 | AND OTHER SE | ERVICES | | | | | | | | | |
|-------------------------|---|-------|---------------|----------------|----------------|---------------|----------|----------|----------------|--|--------------|--|--|
| | RATES BY STATE | | | | | | | | | | | | |
| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$26.95 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOCL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| | | | | | | | | · | | | | | |
| 4-Wi | ire Analog VG Loop | | | | | | | | | | | | |
| | RC - Statewide, per month | UEAL4 | NA | NA | NA | NA | NA | NA | \$27.49 | NA | NA | | |
| | RC - Zone 1, per month (Note 2) | UEAL4 | \$24.01 | \$24.26 | \$22.26 | \$20.92 | \$24.36 | \$22.38 | TBD | \$29.47 | \$15.92 | | |
| | RC - Zone 2, per month (Note 2) | UEAL4 | \$39.00 | \$35.51 | \$25.70 | \$39.14 | \$41.85 | \$29.67 | TBD | \$44.44 | \$20.79 | | |
| | RC - Zone 3, per month (Note 2) | UEAL4 | \$70.67 | \$78.35 | \$40.85 | \$67.56 | \$85.47 | \$42.40 | TBD | \$58.85 | \$27.18 | | |
| | RC - Zone 4, per month (Note 2) | UEAL4 | NA | NA | NA | NA | NA | \$55.96 | NA | NA | NA | | |
| | NRC - 1st | UEAL4 | \$293.70 | \$141.00 | \$206.95 | \$457.14 | \$198.10 | \$289.06 | \$288.47 | \$383.39 | \$58.50 | | |
| | NRC - Add'l | UEAL4 | \$241.76 | \$43.00 | \$170.57 | \$348.83 | \$163.26 | \$238.19 | \$237.45 | \$286.77 | \$31.00 | | |
| | NRC - Disconnect Charge - 1st | UEAL4 | \$108.96 | \$122.15 | NA | NA | \$74.27 | \$108.14 | NA | NA | NA | | |
| | NRC - Disconnect Charge - Add'l | UEAL4 | \$57.01 | \$27.42 | NA | NA | \$39.44 | \$57.28 | NA | NA | NA | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 2-Wi | ire ISDN Digital Grade Loop | | | | | | | | | | | | |
| | RC - Statewide, per month | U1L2X | NA | NA | NA | NA | NA | NA | \$24.98 | NA | NA | | |
| | RC - Zone 1, per month (Note 2) | U1L2X | \$23.23 | \$32.34 | \$21.89 | \$23.66 | \$21.15 | \$21.86 | TBD | \$26.68 | \$15.92 | | |
| | RC - Zone 2, per month (Note 2) | U1L2X | \$37.74 | \$47.35 | \$25.27 | \$44.28 | \$36.22 | \$28.97 | TBD | \$40.24 | \$20.79 | | |
| | RC - Zone 3, per month (Note 2) | U1L2X | \$68.38 | \$104.47 | \$40.17 | \$76.42 | \$74.19 | \$41.40 | TBD | \$53.29 | \$27.18 | | |
| | RC - Zone 4, per month (Note 2) | U1L2X | NA | NA | NA | NA | NA | \$54.64 | NA | NA | NA | | |
| | NRC - 1st | U1L2X | \$331.85 | \$306.00 | \$233.38 | \$541.28 | \$223.27 | \$326.38 | \$325.91 | \$423.04 | \$58.50 | | |
| | NRC - Add'l | U1L2X | \$255.87 | \$283.00 | \$180.35 | \$431.61 | \$172.63 | \$252.00 | \$251.31 | \$301.75 | \$31.00 | | |
| | NRC - Disconnect Charge - 1st | U1L2X | \$108.95 | \$111.10 | NA | NA | \$74.27 | \$108.14 | NA | NA | NA | | |
| | NRC - Disconnect Charge - Add'l | U1L2X | \$57.01 | \$18.28 | NA | NA | \$39.44 | \$57.27 | NA | NA | NA | | |
| $\Box \Box$ | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| \Box | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| $\sqcup \!\!\!\! \perp$ | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 2-Wi | ire Universal Digital Carrier (UDC), statewide, per month | UDC2X | NA | NA | NA | NA | NA | NA | \$24.98 | NA | NA | | |
| HH | Zone 1, per month | UDC2X | \$23.23 | \$32.34 | \$21.89 | \$23.66 | \$21.15 | \$21.86 | TBD | \$26.68 | \$15.92 | | |
| | Zone 2, per month | UDC2X | \$37.74 | \$47.35 | \$25.27 | \$44.28 | \$36.22 | \$28.97 | TBD | \$40.24 | \$20.79 | | |
| +++ | Zone 3, per month | UDC2X | \$68.38 | \$104.47 | \$40.17 | \$76.42 | \$74.19 | \$41.40 | TBD | \$53.29 | \$27.18 | | |
| | Zone 4, per month | UDC2X | NA Dood of | NA Table 22 | NA Table 22 | NA 0544.00 | NA | \$54.64 | NA Tools of | NA ************************************ | NA 050.50 | | |
| | NRC - 1st | UDC2X | \$331.85 | \$306.00 | \$233.38 | \$541.28 | \$223.27 | \$326.38 | \$325.91 | \$423.04 | \$58.50 | | |
| ++ | NRC - Add'l | UDC2X | \$255.87 | \$283.00 | \$180.35 | \$431.61 | \$172.63 | \$252.00 | \$251.31 | \$301.75 | \$31.00 | | |
| \Box | NRC - Disconnect Charge - 1st | UDC2X | \$108.95 | \$111.10 | NA | NA | \$74.27 | \$108.14 | NA | NA | NA NA | | |
| | NRC - Disconnect Charge - Add'l | UDC2X | \$57.01 | \$18.28 | NA To To | NA 20.50 | \$39.44 | \$57.27 | NA | NA | NA | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |

Version 3Q00:11/07/00

| | | 1 | AND OTHER SE | ERVICES | | | | | | | | | |
|--|---|-------|--------------|----------|----------------|----------------|----------|----------------------|----------------|----------------|----------------|--|--|
| | RATES BY STATE | | | | | | | | | | | | |
| DE | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
| H | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA NA | NA NA | NA. | NA | NA NA | NA | TBD | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA NA | \$21.56 | NA NA | \$29.24 | NA NA | NA | NA NA | NA NA | \$19.99 | | |
| ++++ | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$3.84 | NA NA | \$3.94 | NA NA | NA | NA | NA | TBD | | |
| HH | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | NA NA | | |
| ++++ | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA NA | \$8.42 | NA NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA NA | | |
| +++ | NRC - Incremental Charge - Manual Service Order - Add 1 | SOMAN | \$17.77 | NA NA | NA | NA NA | \$11.41 | \$16.06 | NA | NA | NA NA | | |
| HH | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| +++ | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | UCUSL | \$45.99 | \$30.18 | \$34.22 | \$30.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| - | tine ADOL Commeditals Loop in al Mary Constraint C. For December | | | | | | | | | | | | |
| | /ire ADSL Compatible Loop incl Man Svc Inquiry & Fac Reservation | UAL2X | NA | NA | NA | NA | NA | NIA | C4400 | NA | NA | | |
| +++ | RC - Statewide, per month | | | | | | | NA Output | \$14.60 | | | | |
| +++ | RC - Zone 1, per month (Note 2) | UAL2X | \$12.09 | \$12.78 | \$11.23 | \$8.79 | \$11.90 | \$10.87 | TBD | \$17.10 | \$15.93 | | |
| +++ | RC - Zone 2, per month (Note 2) | UAL2X | \$19.64 | \$18.72 | \$12.97 | \$16.46 | \$20.43 | \$14.40 | TBD | \$25.79 | \$20.05 | | |
| HH | RC - Zone 3, per month (Note 2) | UAL2X | \$35.59 | \$41.29 | \$20.62 | \$28.40 | \$41.73 | \$20.58 | TBD | \$34.15 | \$28.74 | | |
| +++ | RC - Zone 4, per month (Note 2) | UAL2X | NA | NA | NA | NA | NA | \$27.16 | NA | NA | NA | | |
| +++ | NRC - 1st | UAL2X | \$514.21 | \$113.85 | \$359.73 | \$713.50 | \$343.13 | \$504.82 | \$504.90 | \$600.61 | \$640.79 | | |
| | NRC - Add'l | UAL2X | \$464.58 | \$99.61 | \$325.15 | \$609.44 | \$310.03 | \$456.24 | \$456.17 | \$507.33 | \$541.94 | | |
| | NRC - Disconnect Charge - 1st | UAL2X | \$106.65 | \$154.23 | NA | NA | \$72.54 | \$105.86 | NA | NA | NA | | |
| Ш | NRC - Disconnect Charge - Add'l | UAL2X | \$56.98 | \$35.23 | NA | NA | \$39.42 | \$57.25 | \$26.94 | NA | NA | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$12.76 | \$44.42 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | NA | \$13.55 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 2-W | ire ADSL Compatible Loop without Man Svc Inquiry & Fac Reservation | | | | | | | | | | | | |
| RC | - Statewide, per month | UAL2W | NA | NA | NA | NA | NA | NA | \$14.60 | NA | NA | | |
| | Zone 1, per month | UAL2W | \$12.09 | \$12.78 | \$11.23 | \$8.79 | \$11.90 | \$10.87 | TBD | \$17.10 | \$15.93 | | |
| | Zone 2, per month | UAL2W | \$19.64 | \$18.72 | \$12.97 | \$16.46 | \$20.43 | \$14.40 | TBD | \$25.79 | \$20.05 | | |
| | Zone 3, per month | UAL2W | \$35.59 | \$41.29 | \$20.62 | \$28.40 | \$41.73 | \$20.58 | TBD | \$34.15 | \$28.74 | | |
| | Zone 4, per month | UAL2W | NA | NA | NA | NA | NA | \$27.16 | NA | NA | NA | | |
| | NRC - 1st | UAL2W | \$375.21 | \$258.86 | \$220.73 | \$260.95 | \$255.34 | \$365.82 | \$365.90 | \$461.60 | \$501.79 | | |
| H | NRC - Add'l | UAL2W | \$325.58 | \$175.48 | \$186.15 | \$176.21 | \$170.72 | \$317.24 | \$317.17 | \$368.33 | \$402.94 | | |
| HIII | NRC - Disconnect Charge - 1st | UAL2W | \$106.65 | \$108.29 | NA | \$112.86 | \$112.32 | \$105.86 | NA | NA | NA | | |
| | NRC - Disconnect Charge - Add'l | UAL2W | \$56.98 | \$15.46 | NA | \$15.88 | \$15.81 | \$57.25 | \$26.94 | NA | NA | | |
| \Box | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$12.76 | \$44.42 | NA | | |
| HH | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA NA | \$8.42 | NA NA | \$8.06 | \$11.34 | NA NA | \$13.55 | NA NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 2-W | /ire HDSL Compatible Loop, incl Man Svc Inquiry & Fac Reserv | 00001 | ψ10.00 | Ψ00.10 | ΨΟ 1.22 | Ψ00.10 | Ψ02.77 | ψ10.21 | ψ10.07 | ψ10.10 | \$30.00 | | |
| - | RC - Statewide, per month | UHL2X | NA | NA | NA | NA | NA | NA | \$11.98 | NA | NA | | |
| | RC - Zone 1, per month (Note 2) | UHL2X | \$9.41 | \$9.80 | \$7.88 | \$6.29 | \$8.97 | \$8.50 | TBD | \$12.21 | \$11.62 | | |
| HH | RC - Zone 2, per month (Note 2) | UHL2X | \$15.29 | \$14.35 | \$9.09 | \$11.78 | \$15.41 | \$11.26 | TBD | \$18.41 | \$14.62 | | |
| HH | RC - Zone 3, per month (Note 2) | UHL2X | \$27.70 | \$31.65 | \$14.46 | \$20.33 | \$31.48 | \$16.10 | TBD | \$24.39 | \$20.96 | | |
| +++ | RC - Zone 4, per month (Note 2) | UHL2X | NA | NA | NA | \$20.33 NA | NA | \$21.25 | NA | 924.39 NA | NA | | |
| HH | NRC - 1st | UHL2X | \$514.21 | \$113.85 | \$359.73 | \$713.50 | \$343.13 | \$504.82 | \$504.90 | \$600.61 | \$640.79 | | |
| | NRC - Add'l | UHL2X | \$464.58 | \$99.61 | \$325.15 | \$609.44 | \$310.03 | \$456.24 | \$456.17 | \$507.33 | \$541.94 | | |
| +++ | NRC - Disconnect Charge - 1st | UHL2X | \$106.65 | \$154.23 | \$325.15 NA | \$609.44 NA | \$72.54 | \$456.24 \$105.86 | \$456.17 NA | \$507.33 NA | NA | | |
| HH | NRC - Disconnect Charge - 1st | UHL2X | \$56.98 | | NA NA | NA NA | \$39.42 | | NA NA | NA NA | NA NA | | |
| | INVO - DISCONINECT CHANGE - Add I | UHLZX | \$20.98 | \$35.23 | INA | INA | \$39.4Z | \$57.25 | INA | INA | INA | | |

Version 3Q00:11/07/00

| | | | AND OTHER SE | ERVICES | | | | | | | | | |
|-------|---|----------------|--------------------|--------------------|--------------------|-------------------|--------------------|--------------------|----------------|--------------------|--------------------|--|--|
| | RATES BY STATE | | | | | | | | | | | | |
| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| tt | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| tt | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| tt | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 2-Wi | ire HDSL Compatible Loop, without Man Svc Inquiry & Fac Reserv | | | | | | | | | | | | |
| State | ewide, per month | UHL2W | NA | NA | NA | NA | NA | NA | \$11.98 | NA | NA | | |
| | Zone 1, per month | UHL2W | \$9.41 | \$9.80 | \$7.88 | \$6.29 | \$8.97 | \$8.50 | TBD | \$12.21 | \$11.62 | | |
| | Zone 2, per month | UHL2W | \$15.29 | \$14.35 | \$9.09 | \$11.78 | \$15.41 | \$11.26 | TBD | \$18.41 | \$14.62 | | |
| | Zone 3, per month | UHL2W | \$27.70 | \$31.65 | \$14.48 | \$20.33 | \$31.48 | \$16.10 | TBD | \$24.39 | \$20.96 | | |
| | Zone 4, per month | UHL2W | NA | NA | NA | NA | NA | \$21.25 | NA | NA | NA | | |
| | NRC - 1st | UHL2W | \$375.21 | \$276.19 | \$220.73 | \$278.28 | \$272.64 | \$365.82 | \$365.90 | \$461.60 | \$501.79 | | |
| | NRC - Add'l | UHL2W | \$325.58 | \$192.81 | \$186.15 | \$193.54 | \$188.02 | \$317.24 | \$317.17 | \$368.33 | \$402.94 | | |
| | NRC - Disconnect Charge - 1st | UHL2W | \$106.65 | \$108.29 | NA | \$112.86 | \$112.32 | \$105.86 | NA | NA | NA | | |
| | NRC - Disconnect Charge - Add'l | UHL2W | \$56.98 | \$15.46 | NA | \$15.88 | \$15.81 | \$57.25 | NA | NA | NA | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 4-Wi | ire HDSL Compatible Loop, <u>incl</u> Man Svc Inquiry & Fac Reserv | | | | | | | | | | | | |
| | RC - Statewide, per month | UHL4X | NA | NA | NA | NA | NA | NA | \$13.97 | NA | \$17.91 | | |
| | RC - Zone 1, per month (Note 2) | UHL4X | \$11.52 | \$14.75 | \$10.39 | \$7.68 | \$12.97 | \$10.36 | TBD | \$16.21 | \$15.46 | | |
| | RC - Zone 2, per month (Note 2) | UHL4X | \$18.71 | \$21.59 | \$12.00 | \$14.38 | \$21.76 | \$13.73 | TBD | \$24.45 | \$19.46 | | |
| | RC - Zone 3, per month (Note 2) | UHL4X | \$33.90 | \$47.64 | \$19.07 | \$24.82 | \$44.44 | \$19.62 | TBD | \$32.38 | \$27.88 | | |
| | RC - Zone 4, per month (Note 2) | UHL4X | NA | NA | NA | NA | NA | \$25.90 | NA | NA | NA | | |
| | NRC - 1st | UHL4X | \$541.13 | \$116.91 | \$378.86 | \$748.93 | \$361.45 | \$531.21 | \$531.35 | \$625.11 | \$666.70 | | |
| | NRC - Add'l | UHL4X | \$491.50 | \$101.71 | \$344.28 | \$646.17 | \$328.35 | \$482.63 | \$482.62 | \$532.78 | \$568.86 | | |
| | NRC - Disconnect Charge - 1st | UHL4X | \$106.65 | \$161.19 | NA | NA | \$72.54 | \$105.86 | NA | NA | NA | | |
| | NRC - Disconnect Charge - Add'l | UHL4X | \$56.98 | \$26.10 | NA | NA | \$39.42 | \$57.25 | NA | NA | NA | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | | |
| TT | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | | |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | | |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | | |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | | |
| 4-Wi | 1410 Inciding that of the containation Time openie (per Lort) | | | l . | | | | | | | | | |
| | ire HDSL Compatible Loop, without Man Svc Inquiry & Fac Res | | | | | | | | | | | | |
| State | ire HDSL Compatible Loop, <u>without</u> Man Svc Inquiry & Fac Res | UHL4W | NA | NA | NA | NA | NA | NA | \$13.97 | NA | \$17.91 | | |
| State | | UHL4W UHL4W | NA \$11.52 | NA \$14.75 | NA \$10.39 | NA \$7.68 | NA \$12.97 | NA \$10.36 | \$13.97 TBD | NA \$16.21 | \$17.91 \$15.46 | | |
| State | ire HDSL Compatible Loop, <u>without</u> Man Svc Inquiry & Fac Res ewide, per month | | | | | | | | | | | | |
| State | ire HDSL Compatible Loop, without Man Svc Inquiry & Fac Resewide, per month Zone 1, per month | UHL4W | \$11.52 | \$14.75 | \$10.39 | \$7.68 | \$12.97 | \$10.36 | TBD | \$16.21 | \$15.46 | | |
| State | ire HDSL Compatible Loop, without Man Svc Inquiry & Fac Resewide, per month Zone 1, per month Zone 2, per month | UHL4W UHL4W | \$11.52 \$18.71 | \$14.75 \$21.59 | \$10.39 \$12.00 | \$7.68 \$14.38 | \$12.97 \$21.76 | \$10.36 \$13.73 | TBD TBD | \$16.21 \$24.45 | \$15.46 \$19.46 | | |

Version 3Q00:11/07/00

NIDS-LOOPS

| | | | I | AND OTHER SE | ERVICES | | | | | | | | |
|--------------------------|----------|---|---------|--------------|--------------|------------------|---------------|---------------|---------------|----------|---------------|----------|--|
| | | RATES BY STATE | | | | | | | | | | | |
| DI | ESC | RIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | |
| H | | NRC - Add'I | UHL4W | \$352.50 | \$250.01 | \$205.28 | \$192.02 | \$245.15 | \$343.63 | \$343.62 | \$393.78 | \$429.86 | |
| ++ | | TWO FIGURE | OTILTW | ψ002.00 | Ψ230.01 | Ψ200.20 | Ψ102.02 | Ψ2-10.10 | ψ0+0.00 | ψ0+0.02 | ψ000.70 | ψ-25.00 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | NRC - Disconnect Charge - 1st | UHL4W | \$106.65 | \$114.30 | NA | \$122.17 | \$124.19 | \$105.86 | NA | NA | NA | |
| | | NRC - Disconnect Charge - Add'l | UHL4W | \$56.98 | \$19.58 | NA | \$20.64 | \$20.98 | \$57.25 | NA | NA | NA | |
| | | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | |
| | | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | |
| | | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | |
| | | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.06 | NA | |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA | |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA | |
| h | | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 | |
| 4- | Wir | e DS1 Digital Loop | | | | | | | | | | | |
| ΠĦ | | RC - Statewide, per month | USLXX | NA | NA | NA | NA | NA | NA | \$62.78 | NA | NA | |
| ПП | | RC - Zone 1, per month (Note 2) | USLXX | \$51.74 | \$64.69 | \$55.53 | \$50.26 | \$56.32 | \$50.99 | TBD | \$59.61 | \$57.73 | |
| | | , , | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | RC - Zone 2, per month (Note 2) | USLXX | \$84.05 | \$94.71 | \$64.13 | \$94.06 | \$96.73 | \$67.58 | TBD | \$89.90 | \$75.40 | |
| | | RC - Zone 3, per month (Note 2) | USLXX | \$152.29 | \$208.93 | \$101.93 | \$162.34 | \$197.57 | \$96.58 | TBD | \$119.06 | \$98.59 | |
| | | RC - Zone 4, per month (Note 2) | USLXX | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA | |
| | | NRC - 1st | USLXX | \$610.13 | \$540.00 | \$429.98 | \$849.80 | \$410.38 | \$599.09 | \$714.84 | \$715.77 | \$313.08 | |
| | | NRC - Add'I | USLXX | \$380.26 | \$465.00 | \$268.18 | \$523.27 | \$255.48 | \$373.90 | \$421.47 | \$421.50 | \$219.72 | |
| H | | NRC - Disconnect Charge - 1st | USLXX | \$134.77 | \$82.85 | NA NA | NA | \$92.35 | \$133.53 | NA NA | NA NA | \$96.86 | |
| | | NRC - Disconnect Charge - Add'l | USLXX | \$55.97 | \$21.69 | NA | NA | \$38.44 | \$56.25 | NA | NA | \$40.45 | |
| H | | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | |
| | | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | |
| +++ | | NRC - Service Order submitted Manually, per LSR | SOMAN | NA NA | \$21.56 | NA NA | \$29.24 | NA | NA NA | NA. | NA NA | \$19.99 | |
| HH | + | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$3.84 | NA NA | \$3.94 | NA NA | NA NA | NA NA | NA NA | TBD | |
| H | + | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$43.77 | NA NA | |
| ++ | + | NRC - Incremental Charge - Manual Service Order - Add'I | SOMAN | \$12.97 | NA. | \$8.42 | NA NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA NA | |
| ++ | - | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA NA | NA | NA NA | \$11.41 | \$16.06 | NA | NA | NA NA | |
| ++- | - | INCO - Incremental Charge - Manual Service Order - Disconnect | JOIVIAN | Ψ17.77 | INA | INA | INA | Ψ11.+1 | ψ10.00 | INA | INA | INA | |
| | | | | | | | | | | | | | |
| | | NDO 1 | 0000 | | | | | | | | | | |
| Ш. | <u> </u> | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$49.18 | \$36.18 | \$34.52 | \$36.18 | \$33.05 | \$48.17 | \$45.34 | \$48.47 | \$55.00 | |
| 4- | | e 56 Kbps Dig Grade Loop | | L | | | | | | | | 0.000 | |
| H | | RC - Statewide, per month | UDL56 | NA | NA non no | NA nos. 75 | NA Dos. 00 | NA Totales | NA Pos. 04 | \$32.67 | NA To 4.00 | \$42.23 | |
| Щ. | 1 | RC - Zone 1, per month (Note 2) | UDL56 | \$27.33 | \$39.08 | \$25.75 | \$35.92 | \$27.50 | \$25.61 | TBD | \$34.26 | \$36.45 | |
| Ш | 1 | RC - Zone 2, per month (Note 2) | UDL56 | \$44.40 | \$57.21 | \$29.74 | \$40.32 | \$47.24 | \$33.94 | TBD | \$51.67 | \$45.87 | |
| \coprod | | RC - Zone 3, per month (Note 2) | UDL56 | \$80.45 | \$126.22 | \$47.27 | \$37.90 | \$96.48 | \$48.51 | TBD | \$68.43 | \$65.75 | |
| | | RC - Zone 4, per month (Note 2) | UDL56 | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA | |
| Ш | | NRC - 1st | UDL56 | \$498.05 | \$654.72 | \$348.55 | \$258.62 | \$333.28 | \$489.00 | \$489.04 | \$602.73 | \$643.00 | |
| Щ | <u> </u> | NRC - Add'l | UDL56 | \$343.70 | \$428.45 | \$241.20 | \$176.11 | \$230.50 | \$337.93 | \$337.51 | \$393.50 | \$421.26 | |
| | | NRC - Disconnect Charge - 1st | UDL56 | \$129.62 | \$122.15 | NA | \$127.74 | \$87.99 | \$128.36 | NA | \$44.06 | NA | |
| | | NRC - Disconnect Charge - Add'l | UDL56 | \$64.25 | \$27.42 | NA | \$27.90 | \$44.24 | \$64.35 | NA | \$13.55 | NA | |
| | | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | |
| Ш | | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD | |
| $\Pi \Pi \overline{\Pi}$ | | | | | | | | | | | | | |
| | | | | | | ĺ | | | | | | | |
| | | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 | |
| $\sqcap \vdash$ | 1 | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD | |
| HH | 1 | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA | |
| H | 1 | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA. | \$8.42 | NA. | \$8.06 | \$11.34 | \$12.76 | NA | NA | |
| | 1 | 1 | | , | | ,·· - | | 72.00 | , | , | | | |

Version 3Q00:11/07/00

NIDS-LOOPS

| | | • | AND OTHER SI | ERVICES | | | | | | | , |
|---|---|----------------|---------------|--------------|---------------|---------------|---------------|--------------------|--------------------|--------------------|---------------|
| | | | | | | R/ | ATES BY STA | TE | | | |
| DES | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| TIT | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| +++ | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 4-W | /ire 64 Kbps Dig Grade Loop | | | | * - | | * - | • - | * | , , , | , |
| TTT | RC - Statewide, per month | UDL64 | NA | NA | NA | NA | NA | NA | \$32.67 | \$41.70 | \$42.23 |
| | RC - Zone 1, per month (Note 2) | UDL64 | \$27.33 | \$39.08 | \$25.75 | \$35.92 | \$27.50 | \$25.61 | TBD | \$34.26 | \$36.45 |
| | RC - Zone 2, per month (Note 2) | UDL64 | \$44.40 | \$57.21 | \$29.74 | \$40.32 | \$47.24 | \$33.94 | TBD | \$51.67 | \$45.87 |
| | RC - Zone 3, per month (Note 2) | UDL64 | \$80.45 | \$126.22 | \$47.27 | \$37.90 | \$96.48 | \$48.51 | TBD | \$68.43 | \$65.75 |
| | RC - Zone 4, per month (Note 2) | UDL64 | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| | NRC - 1st | UDL64 | \$498.05 | \$654.72 | \$348.55 | \$258.62 | \$333.28 | \$489.00 | \$489.04 | \$602.73 | \$643.00 |
| | NRC - Add'l | UDL64 | \$343.70 | \$428.45 | \$241.20 | \$176.11 | \$230.50 | \$337.93 | \$337.51 | \$393.50 | \$421.26 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | NRC - Disconnect Charge - 1st | UDL64 | \$129.62 | \$122.15 | NA | \$127.74 | \$87.99 | \$128.36 | NA | \$44.06 | NA |
| | NRC - Disconnect Charge - Add'l | UDL64 | \$64.25 | \$27.42 | NA | \$27.90 | \$44.24 | \$64.35 | NA | \$13.55 | NA |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| $\perp \perp \perp$ | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | NA |
| $\bot \bot \bot$ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| | NRC - Incremental Charge - Order Coordination - Time Specific (per LSR) | OCOSL | \$45.99 | \$36.18 | \$34.22 | \$36.18 | \$32.77 | \$45.27 | \$45.34 | \$45.43 | \$55.00 |
| 2-W | rire Unb Copper Loop/Short(< or = 18kft), incl Man SI & Fac Res* | | | | | | | | | | |
| $\bot \! \! \! \! \! \! \! \bot \! \! \! \! \! \! \! \! \! \! \!$ | RC - Statewide, per month | UCLPB | \$15.11 | NA | \$13.97 | NA | NA | NA | NA | \$20.81 | NA |
| | RC - Zone 1, per month (Note 2) | UCLPB | TBD | \$18.60 | \$19.80 | \$14.94 | \$16.34 | \$16.85 | \$12.27 | \$18.90 | \$19.85 |
| | RC - Zone 2, per month (Note 2) | UCLPB | TBD | \$27.23 | \$22.86 | \$15.15 | \$17.99 | \$22.34 | \$20.63 | \$28.50 | \$24.98 |
| $\bot \! \! \! \! \! \! \! \bot \! \! \! \! \! \! \! \! \! \! \!$ | RC - Zone 3, per month (Note 2) | UCLPB | TBD | \$60.07 | \$36.34 | \$15.73 | \$18.83 | \$31.92 | \$23.88 | \$37.75 | \$35.81 |
| $\bot \! \! \! \! \! \! \! \bot \! \! \! \! \! \! \! \! \! \! \!$ | RC - Zone 4, per month (Note 2) | UCLPB | NA | NA | NA | NA | NA | \$42.13 | NA | NA | NA |
| + | NRC - 1st | UCLPB | \$514.21 | \$389.84 | \$395.16 | \$391.93 | \$386.13 | \$504.82 | \$450.00 | \$600.61 | \$270.01 |
| + | NRC - Add'l | UCLPB | \$464.58 | \$251.26 | \$217.39 | \$251.98 | \$246.38 | \$456.24 | \$390.00 | \$507.33 | \$234.63 |
| + | NRC - Disconnect Charge - 1st | UCLPB | TBD | \$154.23 | \$142.27 | \$160.06 | \$159.29 | \$105.86 | NA | NA | \$74.54 |
| + | NRC - Disconnect Charge - Add'l | UCLPB | TBD | \$35.23 | \$37.86 | \$36.20 | \$36.02 | \$57.25 | NA 10.50 | NA no.50 | \$39.14 |
| + | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| + | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA COO.O.4 | NA | NA | NA NA | NA NA | NA ft40.00 |
| + | NRC - Service Order submitted Manually, per LSR | SOMAN | NA NA | \$21.56 | NA | \$29.24 | NA | NA NA | | | \$19.99 |
| +++ | NRC - Service Order submitted Manually, per LSR, Disconnect NRC - Incremental Charge - Manual Service Order - 1st | SOMAN SOMAN | NA \$47.00 | \$3.84 NA | NA \$18.94 | \$3.94 NA | NA \$18.14 | NA \$25.52 | NA \$26.94 | NA \$47.00 | NA NA |
| +++ | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$47.00 | NA NA | \$18.94 | NA NA | \$18.14 | \$25.52 \$11.34 | \$26.94 \$12.76 | \$47.00 \$25.52 | NA NA |
| +++ | NRC - Incremental Charge - Manual Service Order - Add r | SOMAN | \$21.00 | NA NA | \$142.27 | NA NA | \$11.41 | \$11.34 | \$12.76 NA | \$25.52 | NA NA |
| +++ | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA NA | \$37.86 | NA NA | \$11.41 | \$16.06 | NA NA | \$21.00 | NA NA |
| +++ | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | \$17.77 | \$16.31 | \$37.86 | \$16.31 | \$11.41 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| 2-14/6 | re Unb Copper Loop/Short (< or = 18kft), <u>without</u> Man SI & Fac Res | OCLIVIC | ψ10.00 | ψ10.51 | ψ50.40 | ψ10.51 | Ψυζ.11 | Ψ43.21 | ψ10.00 | ψ+υ.+υ | ψυτ.Δυ |
| | - Statewide, per moth | UCLPW | NA | NA | NA | NA | NA | NA | NA | \$20.81 | NA |
| ĭ | Zone 1, per month | UCLPW | TBD | \$18.60 | \$11.90 | \$14.94 | \$16.34 | \$16.85 | \$12.27 | \$18.90 | \$19.85 |
| 11 1 | Zone 2, per month | UCLPW | TBD | \$27.23 | \$13.74 | \$15.15 | \$17.99 | \$22.34 | \$20.63 | \$28.50 | \$24.98 |
| | Zone 3, per month | UCLPW | TBD | \$60.07 | \$21.83 | \$15.73 | \$18.83 | \$31.92 | \$23.88 | \$37.75 | \$35.81 |
| | Zone 4, per month | UCLPW | NA | NA | NA | NA | NA | \$42.13 | NA | NA | NA |
| | NRC - 1st | UCLPW | \$375.21 | \$257.00 | \$154.13 | \$259.09 | \$253.48 | \$365.82 | \$311.00 | \$461.61 | \$131.01 |
| | NRC - Add'l | UCLPW | \$325.58 | \$173.62 | \$139.75 | \$174.35 | \$168.86 | \$317.24 | \$251.00 | \$368.33 | \$95.63 |
| | NRC - Disconnect Charge - 1st | UCLPW | TBD | \$108.29 | \$140.73 | \$112.86 | \$112.32 | \$105.86 | NA | NA | \$74.54 |
| | NRC - Disconnect Charge - Add'l | UCLPW | TBD | \$15.46 | \$37.45 | \$15.88 | \$15.81 | \$57.25 | NA | NA | \$39.14 |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| +++ | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |

| | | | AND OTHER SE | ERVICES | | | | | | | |
|------------------------|--|----------|--------------|---------------|-----------|---------------|--------------|--------------|--------------|--------------|--------------|
| | | | | | | R.A | TES BY STA | TE | | | |
| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$47.00 | NA | NA | NA | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$21.00 | NA | NA | NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | \$16.00 | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| | | | | | | | | | | | |
| 2-Wi | ire Unb Copper Loop/Long (> 18kft), incl Man SI & Fac Res | | | | | | | | | | |
| | RC - Statewide, per month | UCL2L | \$40.00 | NA | \$41.61 | NA | NA | NA | NA | NA | NA |
| | RC - Zone 1, per month (Note 2) | UCL2L | TBD | \$48.79 | \$19.80 | \$36.19 | \$43.92 | \$16.85 | \$38.66 | \$18.90 | \$19.85 |
| | RC - Zone 2, per month (Note 2) | UCL2L | TBD | \$58.13 | \$22.86 | \$49.31 | \$59.76 | \$22.34 | \$64.03 | \$28.50 | \$24.98 |
| | RC - Zone 3, per month (Note 2) | UCL2L | TBD | \$71.17 | \$36.34 | \$80.78 | \$104.74 | \$31.92 | \$73.89 | \$37.75 | \$35.81 |
| | RC - Zone 4, per month (Note 2) | UCL2L | NA | NA | NA | NA | NA | \$42.13 | NA | NA | NA |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Ш | NRC - 1st | UCL2L | \$514.21 | \$331.86 | \$395.16 | \$333.21 | \$332.73 | \$504.82 | \$450.00 | \$600.61 | \$270.01 |
| Ш | NRC - Add'l | UCL2L | \$464.58 | \$193.27 | \$217.39 | \$193.26 | \$192.99 | \$456.24 | \$390.00 | \$507.33 | \$234.63 |
| | NRC - Disconnect Charge - 1st | UCL2L | NA | \$154.23 | \$142.27 | \$160.06 | \$159.29 | \$105.86 | NA | NA | \$74.54 |
| \coprod | NRC - Disconnect Charge - Add'l | UCL2L | NA | NA | \$37.86 | \$36.20 | \$36.02 | \$57.25 | NA | NA | \$39.14 |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD |
| \Box | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$47.00 | NA | \$18.94 | \$47.00 | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA |
| \Box | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$21.00 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | \$142.27 | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| $\sqcup \sqcup \sqcup$ | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L | SOMAN | \$17.77 | NA | \$37.86 | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| \Box | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | \$16.00 | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| 0.100 | | | 1 | | | | | | | | |
| | ire Unb Copper Loop/Long (> 18kft), without Man SI & Fac Res | 1101 014 | 040.00 | | 007.00 | | | | . | | |
| RC - | Statewide, per month | UCL2W | \$40.00 | NA 0.40.70 | \$37.00 | NA Too. 10 | NA Tables | NA 010.05 | NA Too oo | NA | NA 010.05 |
| +++ | Zone 1, per month | UCL2W | TBD | \$48.79 | TBD | \$36.19 | \$43.92 | \$16.85 | \$38.66 | \$18.90 | \$19.85 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| \coprod | Zone 2, per month | UCL2W | TBD | \$58.13 | TBD | \$49.31 | \$59.76 | \$22.34 | \$64.03 | \$28.50 | \$24.98 |
| \coprod | Zone 3, per month | UCL2W | TBD | \$71.17 | TBD | \$80.78 | \$104.74 | \$31.92 | \$73.89 | \$37.75 | \$35.81 |
| HH | Zone 4, per month | UCL2W | NA | NA | NA | NA | NA | \$42.13 | NA | NA | NA NA |
| HH | NRC - 1st | UCL2W | \$375.21 | \$199.01 | \$154.13 | \$200.37 | \$200.08 | \$365.82 | \$311.00 | \$461.61 | \$131.01 |
| HH | NRC - Add'l | UCL2W | \$325.58 | \$115.63 | \$139.75 | \$115.63 | \$115.46 | \$317.24 | \$251.00 | \$368.33 | \$95.63 |
| HH | NRC - Disconnect Charge - 1st | UCL2W | NA | \$108.29 | TBD | \$112.86 | \$112.32 | \$105.86 | NA | NA | \$74.54 |
| HH | NRC - Disconnect Charge - Add'l | UCL2W | NA Co. FO | \$15.46 | TBD | \$15.88 | \$15.81 | \$57.25 | NA Co.50 | NA To 50 | \$39.14 |
| +++ | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| HH | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA NA | \$0.42 | NA | NA Coo.o.4 | NA | NA | NA | NA | NA ©40.00 |
| HHH | NRC - Service Order submitted Manually, per LSR | SOMAN | NA NA | \$21.56 | NA NA | \$29.24 | NA | NA NA | NA | NA | \$19.99 |
| $\mathbf{H}\mathbf{H}$ | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA C47.00 | \$3.84 | NA TDD | \$3.94 | NA C10.11 | NA COL ED | NA COC O4 | NA ©47.00 | NA NA |
| +++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$47.00 | NA NA | TBD | NA NA | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA NA |
| +++ | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$21.00 | NA NA | TBD | NA NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA NA |
| +++ | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA NA | TBD | NA NA | \$11.41 | \$16.06 | NA NA | \$21.00 | NA NA |
| HH | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L | SOMAN | \$17.77 | NA | TBD | NA | \$11.41 | \$16.06 | INA | \$21.00 | NA |
| ++++ | | | | | | | | | | | |
| | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | \$16.00 | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |

| | | AND OTHER S | ERVICES | | | | | | | |
|---|----------------|-------------|---------------|--------------------|---------------|--------------------|---------------|---------------|---------------|---------------|
| | | | | | R | ATES BY STA | TE | | | |
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| 4-Wire Unb Copper Loop/Short (< or = 18kft), incl Man SI & Fac Res | | | | _ | | | | | | |
| Statewide, per month* | UCL4S | TBD | NA | \$19.34 | NA | NA | NA | NA | NA | NA |
| Zone 1, per month | UCL4S | TBD | \$25.56 | \$16.65 | \$25.26 | \$29.14 | \$25.00 | \$18.49 | \$25.00 | \$25.00 |
| Zone 2, per month | UCL4S | TBD | \$30.53 | \$19.22 | \$23.00 | \$26.62 | \$27.50 | \$29.75 | \$27.50 | \$27.50 |
| Zone 3, per month | UCL4S | TBD | \$32.24 | \$30.55 | \$19.08 | \$28.75 | \$30.00 | \$34.14 | \$30.00 | \$30.00 |
| Zone 4, per month | UCL4S | NA | NA | NA | NA | NA | \$35.00 | NA | NA | NA |
| NRC - 1st | UCL4S | TBD | \$438.27 | \$353.80 | \$440.35 | \$434.49 | \$400.00 | \$400.00 | \$400.00 | \$400.00 |
| NRC - Add'l | UCL4S | TBD | \$299.68 | \$162.61 | \$300.41 | \$294.74 | \$300.00 | \$300.00 | \$300.00 | \$300.00 |
| NRC - Disconnect Charge - 1st | UCL4S | TBD | \$161.19 | \$156.25 | \$171.58 | \$174.43 | \$150.00 | \$150.00 | \$150.00 | \$150.00 |
| NRC - Disconnect Charge - Add'l | UCL4S | TBD | \$39.76 | \$41.96 | \$41.90 | \$42.60 | \$40.00 | \$40.00 | \$40.00 | \$40.00 |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA |
| | | | | | | | | | | |
| | | | | | | | | | | l |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L | SOMAN | | 21221 | | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | TBD | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| 4-Wire Unb Copper Loop/Short (< or = 18kft), without Man SI & Fac Res | 1101 414 | TDD | NIA | # 40.04 | NIA. | N10 | NIA | NIA | NIA | NIA |
| RC - Statewide, per month Zone 1, per month | UCL4W UCL4W | TBD TBD | NA \$25.56 | \$19.34 \$16.65 | NA \$25.26 | NA \$29.14 | NA \$25.00 | NA \$18.49 | NA \$25.00 | NA \$25.00 |
| Zone 2, per month | UCL4W | TBD | \$30.53 | \$10.05 | \$23.00 | | \$25.00 | \$18.49 | \$25.00 | \$25.00 |
| Zone 3, per month | UCL4W | TBD | \$32.24 | \$30.55 | \$19.08 | \$26.62 \$28.75 | \$30.00 | \$34.14 | \$30.00 | \$30.00 |
| Zone 4, per month | UCL4W | NA | Φ32.24 NA | \$30.55 NA | \$19.06 NA | \$20.75 NA | \$35.00 | Φ34.14 NA | \$30.00 NA | \$30.00 NA |
| NRC - 1st | UCL4W | TBD | \$305.43 | \$214.80 | \$307.51 | \$301.83 | \$261.00 | \$261.00 | \$261.00 | \$261.00 |
| NRC - Add'I | UCL4W | TBD | \$222.05 | \$162.61 | \$222.77 | \$217.22 | \$161.00 | \$161.00 | \$161.00 | \$161.00 |
| NRC - Disconnect Charge - 1st | UCL4W | TBD | \$114.30 | \$156.25 | \$122.17 | \$124.19 | \$150.00 | \$150.00 | \$150.00 | \$150.00 |
| NRC - Disconnect Charge - Add'l | UCL4W | TBD | \$19.58 | \$41.96 | \$20.64 | \$20.98 | \$40.00 | \$40.00 | \$40.00 | \$40.00 |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA NA | NA | NA |
| | 0020 | | Ψ0.12 | | | | | | | |
| | | | | | | | | | | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L | SOMAN | | NA | | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | TBD | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| 4-Wire Unb Copper Loop/Long (>18kft), incl Man Svc Inq & Fac Res | | | | | | | | | | |
| Statewide, Per month | UCL4L | TBD | NA | \$55.86 | NA | NA | NA | NA | NA | NA |
| Zone 1, per month | UCL4L | TBD | \$82.70 | \$47.56 | \$61.02 | \$77.94 | \$50.00 | \$54.54 | \$50.00 | \$50.00 |
| Zone 2, per month | UCL4L | TBD | \$119.02 | \$54.92 | \$55.74 | \$115.84 | \$60.00 | \$90.93 | \$60.00 | \$60.00 |
| Zone 3, per month | UCL4L | TBD | \$147.54 | \$87.30 | \$88.97 | \$143.00 | \$90.00 | \$105.09 | \$90.00 | \$90.00 |
| Zone 4, per month | UCL4L | NA | NA | NA | NA | NA | TBD | NA | NA | NA |
| NRC - 1st | UCL4L | TBD | \$380.29 | \$397.06 | \$381.63 | \$381.09 | \$400.00 | \$400.00 | \$400.00 | \$400.00 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| NRC - Add'l | UCL4L | TBD | \$241.70 | \$227.88 | \$241.69 | \$241.35 | \$300.00 | \$300.00 | \$300.00 | \$300.00 |
| NRC - Disconnect Charge - 1st | UCL4L | TBD | \$161.19 | \$156.25 | \$171.58 | \$174.43 | \$150.00 | \$150.00 | \$150.00 | \$150.00 |

| | | | AND OTHER SE | | | | | | | | |
|-----------|--|----------------|--------------|---------------------|---------------------|----------------------|----------------------|---------------------|---------------------|--------------------|--------------------|
| | | | | | | R.A | TES BY STA | TE | | | |
| DE | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Disconnect Charge - Add'l | UCL4L | TBD | \$39.76 | \$41.96 | \$41.90 | \$42.60 | \$40.00 | \$40.00 | \$40.00 | \$40.00 |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | NA | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L | SOMAN | | NA | | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | TBD | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| 4-W | /ire Unb Copper Loop/Long (>18kft), without Man SI & Fac Res_ | | | | | | | | | | |
| | Statewide, Per month | UCL4O | TBD | NA | \$55.86 | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | Zono 1. nor month | LICL 40 | TBD | ¢92.70 | ¢47.56 | ¢61.00 | ¢77.04 | \$50.00 | ΦΕΛ ΕΛ | \$50.00 | \$50.00 |
| +++ | Zone 1, per month | UCL4O UCL4O | TBD | \$82.70 | \$47.56 \$54.92 | \$61.02 | \$77.94 | \$50.00 \$60.00 | \$54.54 \$90.93 | \$50.00 \$60.00 | \$50.00 \$60.00 |
| +++ | Zone 2, per month | | TBD | \$119.02 | | \$55.74 | \$115.84 | | | | |
| | Zone 3, per month Zone 4, per month | UCL40 UCL40 | NA | \$147.54 NA | \$87.30 NA | \$88.97 NA | \$143.00 NA | \$90.00 TBD | \$105.09 NA | \$90.00 NA | \$90.00 NA |
| +++ | NRC - 1st | UCL40 | TBD | \$247.44 | \$397.06 | NA \$248.79 | NA \$248.44 | \$261.00 | \$261.00 | \$261.00 | \$261.00 |
| | NRC - Add'l | UCL40 | TBD | \$247.44 | \$397.06 | \$248.79 \$164.05 | \$248.44 \$163.82 | \$161.00 | \$161.00 | \$261.00 | \$161.00 |
| ++++ | NRC - Add I | UCL4O | TBD | · · | | \$104.05 | | | | \$150.00 | \$150.00 |
| +++ | NRC - Disconnect Charge - 1st | UCL4O | TBD | \$114.30 \$19.58 | \$156.25 \$41.96 | \$20.64 | \$124.19 \$20.98 | \$150.00 \$40.00 | \$150.00 \$40.00 | \$40.00 | \$40.00 |
| +++ | NRC - Service Order submitted Electronically, per LSR | SOMEC | | | | | | | | | |
| ++++ | NRC - Service Order submitted Electronically, per LSR - Disconnect | SOMEC | \$3.50 NA | \$2.75 \$0.42 | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$4.50 NA |
| | NRC - Service Order submitted Electronically, per LSR - Disconnect | SOMAN | NA NA | \$0.42 | NA NA | \$29.24 | NA NA | NA NA | NA NA | NA NA | \$19.99 |
| ++++ | NRC - Service Order submitted Manually, per LSR NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$3.84 | NA NA | \$3.94 | NA NA | NA NA | NA NA | NA NA | NA |
| +++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | φ3.64 NA | NA NA | \$3.94 NA | \$18.14 | \$25.52 | \$26.94 | \$47.00 | NA NA |
| ++-+ | NNO - Incremental Charge - Manual Service Order - 1st | SOWAIN | 100 | INA | INA | INA | φ10.1 4 | φ25.52 | \$20.94 | \$47.00 | INA |
| | | | | | | | | | | | |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | \$11.34 | \$12.76 | \$25.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'L | SOMAN | | NA | NA | NA | \$11.41 | \$16.06 | NA | \$21.00 | NA |
| | NRC - Incremental Charge - Manual Order Coordination - per loop | UCLMC | TBD | \$16.31 | \$36.46 | \$16.31 | \$32.77 | \$45.27 | \$16.00 | \$45.43 | \$34.29 |
| DS: | 3 Local Loop | | | | | | | | | | |
| | DS3 Unbundled Local Loop - per mile | 1L5ND | \$10.85 | \$11.77 | \$8.90 | \$43.69 | \$11.26 | \$54.39 | \$32.53 | \$15.53 | \$30.53 |
| | DS3 Unbundled Local Loop- per Facility Termination | UE3PX | \$419.65 | \$404.58 | \$390.34 | \$436.95 | \$439.59 | \$427.81 | \$387.01 | \$421.60 | \$400.21 |
| \coprod | NRC - Facility Termination - 1st | UE3PX | \$640.54 | \$903.37 | \$639.50 | \$1,091.00 | \$594.70 | \$975.22 | \$964.04 | \$735.42 | \$726.16 |
| +++ | NRC - Facility Termination - Add'l | UE3PX | \$426.82 | \$528.05 | \$426.40 | \$661.23 | \$396.54 | \$549.17 | \$542.73 | \$519.31 | \$411.64 |
| | NRC - Facility Termination - Disconnect - 1st | UE3PX | \$121.72 | \$221.46 | \$122.31 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| +++ | NRC - Facility Termination - Disconnect - Add'l | UE3PX | \$118.54 | \$154.90 | \$119.14 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| +++ | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA Tan Ta | NA | NA |
| +++ | NRC - Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$50.25 | \$34.92 | \$68.62 | \$29.76 | \$54.26 | NA |
| +++ | NRC - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$50.25 | \$34.92 | \$68.62 | \$29.76 | \$54.26 | NA |
| | NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.03 | \$20.94 | \$20.94 | \$28.59 | NA | NA | NA |
| Щ | NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | \$20.94 | \$20.94 | \$28.59 | NA | NA | NA |
| ST | S-1 Local Loop | 41.52.5 | 016.55 | 044 == | 00.00 | 0.40 0.0 | 400.00 | 05/00 | 000 | 045.55 | 000.50 |
| HH | STS-1 Unbundled Local Loop - per mile | 1L5ND | \$10.85 | \$11.77 | \$8.90 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$15.53 | \$30.53 |
| HH | STS-1 Unbundled Local Loop- per Facility Termination | UDLS1 | \$419.65 | \$446.09 | \$421.59 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$431.32 | \$400.21 |
| HH | NRC - STS-1 - Facility Termination - 1st | UDLS1 | \$640.54 | \$903.37 | \$639.50 | \$1,091 | \$709.14 | \$975.22 | \$964.04 | \$735.42 | \$726.16 |
| +++ | NRC - STS-1 - Facility Termination - Add'l | UDLS1 | \$426.82 | \$528.05 | \$426.40 | \$661.23 | \$402.63 | \$549.17 | \$542.73 | \$519.31 | \$411.64 |
| | NRC - STS-1 - Facility Termination - Disconnect - 1st | UDLS1 | \$121.72 | \$221.46 | \$122.31 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |

| | | | AND OTHER S | ERVICES | | | | | | | |
|--|---|-------|-------------|------------|------------|----------|------------|----------|----------|----------|----------|
| | | | | | | R.A | TES BY STA | TE | | | |
| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| NRC - STS-1 - Facility Termination - Dis | connect - Add'l | UDLS1 | \$118.54 | \$154.90 | \$119.14 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| NRC - Manual Svc Order, per LSR | | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disc | onnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR di | sconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| NRC - STS-1 - Incremental ChargeMa | | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$29.76 | \$54.26 | NA |
| NRC - STS-1 - Incremental ChargeMa | | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$29.76 | \$54.26 | NA |
| NRC - STS-1 - Incremental Cost - Man | | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | ual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| OC3- Local Loop | | | | | | | | | | | |
| Local Loop - OC3 - per Mile | | 1L5ND | \$8.23 | \$8.93 | \$6.75 | \$33.15 | \$29.58 | \$41.27 | \$24.69 | \$11.78 | \$23.16 |
| Local Loop - OC3 - per Facility Terminal | ion | | \$691.33 | \$648.60 | \$630.21 | \$713.29 | \$753.65 | \$689.68 | \$611.36 | \$701.71 | \$620.20 |
| NRC - OC3 - Facility Termination - 1st | | | \$949.63 | \$966.45 | \$947.69 | \$1,543 | \$1,025 | \$1,427 | \$1,411 | \$1,044 | \$1,050 |
| NRC - OC3 - Facility Termination - Add' | | | \$413.38 | \$408.85 | \$413.00 | \$661.23 | \$402.63 | \$549.17 | \$542.73 | \$505.88 | \$411.64 |
| NRC - OC3 - Facility Termination - Disc | onnect - 1st | | \$121.72 | \$11.56 | \$122.31 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| NRC - OC3 - Facility Termination - Disc | onnect - Add'l | | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| NRC - Manual Svc Order, per LSR | | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disc | onnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR di | sconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| NRC - OC3 - Incremental ChargeManu | ual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC3 - Incremental ChargeManu | ual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| NRC - OC3 -Incremental Cost - Manual | Svc. Order vs. Elect-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| NRC - OC3 -Incremental Cost - Manual | Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | NA |
| OC -12 Local Loop | | | | | | | | | | | |
| Local Loop - OC12 - per Mile | | 1L5ND | \$10.13 | \$10.99 | \$8.31 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28.51 |
| Local Loop - OC12 - per Facility Termina | ation | | \$2,557 | \$2,053.06 | \$2,109.00 | \$2,457 | \$2,571 | \$2,371 | \$2,122 | \$2,663 | \$2,079 |
| NRC - OC12 - Facility Termination - 1st | | | \$1,165 | \$1,183.46 | \$1,162.00 | \$1,858 | \$1,245 | \$1,742 | \$1,722 | \$1,259 | \$1,276 |
| NRC - OC12 - Facility Termination - Add | 3'1 | | \$413.38 | \$408.85 | \$413.00 | \$661.23 | \$402.63 | \$549.17 | \$542.73 | \$505.88 | \$411.64 |
| NRC - OC12 - Facility Termination - Dis | connect - 1st | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| NRC - OC12 - Facility Termination - Dis | connect - Add'l | | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| NRC - Manual Svc Order, per LSR | | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disc | onnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR di | sconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| NRC -OC12 - Incremental Charge - Mar | nual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$68.62 | \$54.26 | NA |
| NRC - OC12 - Incremental Charge - Ma | | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$68.62 | \$54.26 | NA |
| NRC - OC12 - Incremental Cost-Manua | | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$28.59 | NA | NA |
| NRC - OC12 - Incremental Cost-Manua | Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$28.59 | NA | NA |
| OC - 48 Local Loop | | | | | | | | | | | |
| Local Loop - OC48 - per Mile | | 1L5ND | \$33.22 | \$36.04 | \$27.25 | \$133.84 | \$119.40 | \$166.59 | \$120.02 | \$47.57 | \$93.50 |
| Local Loop - OC48 - per Facility Termina | | | \$1,713 | \$1,685.97 | \$1,598.00 | \$2,129 | \$2,268 | \$1,753 | \$1,677 | \$1,733 | \$1,832 |
| Local Loop - OC12 interface on OC48 F | acility | | \$736.71 | \$587.71 | \$594.80 | \$725.77 | \$723.29 | \$667.00 | \$582.66 | \$773.40 | \$570.54 |
| NRC - OC48 - Facility Termination - 1st | | | \$1,165 | \$1,183.46 | \$1,162.00 | \$1,858 | \$1,245 | \$1,742 | \$1,722 | \$1,259 | \$1,276 |
| NRC - OC48 - Facility Termination - Add | | | \$413.38 | \$408.85 | \$413.00 | \$661.23 | \$402.63 | \$549.17 | \$542.73 | \$505.88 | \$411.64 |
| NRC - OC48 - Interface OC12 on OC48 | | | \$121.72 | \$543.72 | \$539.36 | \$844.21 | \$532.13 | \$729.04 | \$720.81 | \$635.04 | \$544.55 |
| NRC - OC48 - Interface OC12 on OC48 | | | \$118.54 | \$312.05 | \$317.38 | \$516.89 | \$304.90 | \$404.94 | \$400.38 | \$410.02 | \$311.39 |
| NRC - OC48 - Facility Termination - Dis | | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| NRC - OC48 - Facility Termination - Dis | | | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| NRC - OC48- Interface OC12 on OC48 | | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103.36 |
| NRC - OC48 - Interface OC12 on OC48 | - Disconnect - Add'l | · | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100.59 |
| NRC - Manual Svc Order, per LSR | | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disc | onnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |

| | | | AND OTHER SI | ERVICES | | | | | | | |
|-------|--|----------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|--------------------|--------------------|--------------------|
| | | | | | | R/ | TES BY STA | TE | | | |
| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-1s | SOMAN | \$19.03 | NA | \$18.03 | \$93.12 | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-Ad | SOMAN | \$19.03 | NA | \$18.03 | \$93.12 | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC-48 - Incremental ChargeManual Svc Order-1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| | NRC - OC-48 - Incremental ChargeManual Svc Order-Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$69.34 | \$54.26 | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Orde | SOMAN | \$38.48 | NA | \$37.55 | NA | \$50.25 | \$68.62 | \$69.34 | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Orde | SOMAN | \$38.48 | NA | \$37.55 | NA | \$50.25 | \$68.62 | \$69.34 | NA | NA |
| | | | | | | | | | | | |
| Unb | undled Loop Modification/Conditioning | | | | | | | | | | |
| | NRC - Load Coil/Equipment Removal per 2 Wire pair - Loops less than or equal | | | | | | | | | | |
| | to 18kft ** | ULM2L | \$65.23 | \$65.40 | \$69.28 | \$65.40 | \$65.30 | \$80.55 | \$65.49 | \$65.20 | \$65.40 |
| | NRC - Load Coil/Equipment Removal per 2 Wire pair - Loops greater than 18kft - | | 1 | 1 | | | | | | | |
| +++ | 1st ** | ULM2G | \$716.70 | \$710.71 | \$757.04 | \$710.73 | \$709.71 | \$880.00 | \$719.55 | \$716.32 | \$710.71 |
| | NRC - Load Coil/Equipment Removal per 2 Wire pair - Loops greater than 18kft - | | | | | | | | | | |
| +++ | Add'l ** NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops less than or equal | ULM2G | \$23.55 | \$23.77 | \$23.49 | \$23.77 | \$23.74 | \$27.30 | \$23.65 | \$23.54 | \$23.77 |
| | 1 | 111.8441 | #05.00 | ₽05.40 | # 00.00 | COT 40 | #05.00 | #00.55 | ₾ 05.40 | #05.00 | COT 40 |
| +++ | to 18kft ** | ULM4L | \$65.23 | \$65.40 | \$69.28 | \$65.40 | \$65.30 | \$80.55 | \$65.49 | \$65.20 | \$65.40 |
| | NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops greater than 18kft - 1st ** | 111.0440 | C740 70 | ↑ 740.74 | 6757.04 | #740.70 | # 700 74 | # 000 00 | \$740.55 | #740.00 | ↑740.74 |
| +++ | NRC - Load Coil/Equipment Removal per 4 Wire pair - Loops greater than 18kft - | ULM4G | \$716.70 | \$710.71 | \$757.04 | \$710.73 | \$709.71 | \$880.00 | \$719.55 | \$716.32 | \$710.71 |
| | Add'l ** | LILMAC | \$22.55 | # 22.77 | # 22.40 | 600 77 | 600.74 | #07.00 | #22.05 | #22.54 | COO 77 |
| +++ | NRC - Bridge Tap Removal per pair unloaded ** | ULM4G ULMBT | \$23.55 \$65.28 | \$23.77 \$65.44 | \$23.49 \$79.99 | \$23.77 \$65.44 | \$23.74 \$65.35 | \$27.30 \$121.14 | \$23.65 \$65.64 | \$23.54 \$65.24 | \$23.77 \$65.44 |
| +++ | INKC - Bridge Tap Kernovai per pair unioaded | ULIVID I | \$65.26 | Φ05.44 | \$79.99 | φ05.4 4 | φου.ου | Φ121.14 | φ05.04 | \$65.24 | φ05. 44 |
| LINE | BUNDLED SUB-LOOPS | | 1 | | | | | | | | |
| | -LOOP DISTRIBUTION | | | | | | | | | | |
| | cross-Box Set-Up | | | | | | | | | | |
| +++ | NOOD BOX OUT OF | | | | | | | | | | |
| | NRC - Set-Up per Cross Box location in the field - CLEC Feeder Facility set-up | USBSA | \$517.43 | \$711.78 | \$421.08 | \$627.16 | \$639.68 | TBD | \$498.09 | \$510.15 | TBD |
| | NRC - Set-Up per Cross Box location in the field - per 25 pair panel set-up | USBSB | \$44.87 | \$45.28 | \$67.10 | \$45.28 | \$45.22 | TBD | \$45.04 | \$44.84 | TBD |
| | | | | | | | | | | | |
| | NRC - Set-Up per Building Equipment Room - CLEC Feeder Facility set-up | USBSC | \$311.77 | \$333.44 | \$394.74 | \$407.02 | \$289.90 | TBD | \$313.01 | \$311.60 | \$314.09 |
| | NRC - Set-Up per Building Equipment Room - per 25 pair panel set-up | USBSD | \$107.63 | \$109.85 | \$154.57 | \$111.55 | \$104.26 | TBD | \$108.06 | \$108.17 | \$119.07 |
| Loo | p Distribution per 2-Wire Analog VG Sub-Loop, per month | USBN2 | \$9.05 | NA | \$9.12 | NA | NA | TBD | NA | \$8.34 | TBD |
| | Zone 1, per month | USBN2 | TBD | \$9.36 | TBD | \$9.03 | \$10.33 | TBD | \$7.99 | NA | TBD |
| Ш | Zone 2, per month | USBN2 | TBD | \$12.49 | TBD | \$12.25 | \$14.43 | TBD | \$12.63 | NA | TBD |
| Ш | Zone 3, per month | USBN2 | TBD | \$16.13 | TBD | \$16.71 | \$21.11 | TBD | \$14.43 | NA | TBD |
| Ш | Zone 4, per month | USBN2 | NA | NA | NA | NA | NA | TBD | NA | NA | NA |
| | NRC - 1st | USBN2 | \$125.53 | \$139.20 | \$207.01 | \$139.19 | \$138.99 | TBD | \$126.03 | \$195.98 | TBD |
| + + + | NRC - Add'l | USBN2 | \$54.32 | \$61.94 | \$171.32 | \$61.93 | \$61.84 | TBD | \$54.54 | \$63.70 | TBD |
| + + + | NRC - Disconnect Charge - 1st | USBN2 | \$92.45 | \$98.49 | TBD | \$101.18 | \$100.70 | TBD | \$71.13 | NA | TBD |
| | NRC - Disconnect Charge - Add'l | USBN2 | \$13.21 | \$13.08 | TBD | \$13.44 | \$13.37 | TBD | \$10.16 | NA no.50 | TBD |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD TBD |
| | NRC - Service Order submitted Electronically, per LSR - Disconnect | SOMEC | NA NA | \$0.42 | NA NA | NA COO O4 | NA | TBD | NA | NA | |
| +++ | NRC - Service Order submitted Manually, per LSR NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$21.56 | NA NA | \$29.24 | NA | TBD TBD | NA NA | NA NA | TBD TBD |
| +++ | NRC - Service Order submitted Manually, per LSR, Disconnect NRC - Incremental Charge - Manual Service Order - 1st | SOMAN SOMAN | NA TBD | \$3.84 NA | NA \$18.94 | \$3.94 NA | NA \$18.14 | TBD | NA \$26.94 | NA NA | TBD |
| +++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA NA | \$18.94 | NA NA | \$18.14 | TBD | \$26.94 \$12.76 | NA NA | TBD |
| +++ | NRC - Incremental Charge - Manual Service Order - Add I | SOMAN | TBD | NA NA | TBD | NA NA | \$11.41 | TBD | \$12.76 | NA NA | TBD |
| +++ | NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | \$34.22 | \$16.31 | \$11.41 \$16.29 | TBD | \$15.12 \$45.34 | \$45.43 | TBD |
| | · · · · · · · · · · · · · · · · · · · | | | \$16.31 NA | | \$16.31 NA | | TBD | | \$45.43 \$10.22 | NA |
| L00 | p Distribution per 4-Wire Analog VG Sub-Loop, per month | USBN4 | \$10.56 | INA | \$8.32 | INA | NA | IRD | NA | \$1U.ZZ | INA |

| \Box | 1 1 | | | AND OTHER SE | RVICES | | | | | | | |
|-----------|-----|--|-------|--------------|----------|----------|----------|------------|-----|----------|----------|----------|
| | | | | | | | R.A | TES BY STA | TE | | | |
| D | ESC | RIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | | Zone 1, per month | USBN4 | TBD | \$10.12 | TBD | \$10.18 | \$15.67 | TBD | \$9.23 | NA | TBD |
| | | Zone 2, per month | USBN4 | TBD | \$18.29 | TBD | \$9.44 | \$20.35 | TBD | \$14.63 | NA | TBD |
| | | Zone 3, per month | USBN4 | TBD | \$26.09 | TBD | \$13.38 | \$24.93 | TBD | \$16.73 | NA | TBD |
| | | Zone 4, per month | USBN4 | NA | NA | NA | NA | NA | TBD | NA | NA | TBD |
| | | NRC - 1st | USBN4 | \$155.90 | \$165.68 | \$219.35 | \$165.67 | \$165.43 | TBD | \$156.52 | \$232.76 | TBD |
| | | NRC - Add'l | USBN4 | \$79.35 | \$88.42 | \$72.99 | \$88.41 | \$88.29 | TBD | \$79.66 | \$91.92 | TBD |
| | | NRC - Disconnect Charge - 1st | USBN4 | \$107.24 | \$104.31 | \$123.72 | \$109.94 | \$111.76 | TBD | \$78.56 | NA | TBD |
| | | NRC - Disconnect Charge - Add'l | USBN4 | \$18.46 | \$17.15 | \$28.77 | \$18.08 | \$18.38 | TBD | \$13.53 | NA | TBD |
| | | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | |
| | | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | |
| | | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | |
| | | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | TBD | NA | NA | TBD |
| Ш | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | TBD | NA | TBD | TBD |
| | | NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | \$34.22 | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.43 | TBD |
| L | оор | Distribution per 2 Wire Unbundled Copper Sub-Loop, per month | UCS2X | \$6.55 | NA | TBD | NA | NA | TBD | NA | \$6.82 | NA |
| | | Zone 1, per month | UCS2X | TBD | \$7.91 | TBD | \$8.01 | \$8.72 | TBD | \$7.33 | NA | TBD |
| | | Zone 2, per month | UCS2X | TBD | \$10.37 | TBD | \$9.18 | \$11.43 | TBD | \$10.95 | NA | TBD |
| | | Zone 3, per month | UCS2X | TBD | \$12.76 | TBD | \$11.02 | \$14.08 | TBD | \$12.36 | NA | TBD |
| | | Zone 4, per month | UCS2X | NA | NA | NA | NA | NA | TBD | NA | NA | TBD |
| | | NRC - 1st | UCS2X | \$136.55 | \$139.20 | TBD | \$139.19 | \$138.99 | TBD | \$137.10 | \$212.46 | TBD |
| | | NRC - Add'l | UCS2X | \$60.00 | \$61.94 | TBD | \$61.93 | \$61.84 | TBD | \$60.24 | \$70.03 | TBD |
| | | NRC - Disconnect Charge - 1st | UCS2X | \$99.54 | \$98.49 | TBD | \$101.18 | \$100.70 | TBD | \$76.58 | NA | TBD |
| | | NRC - Disconnect Charge - Add'l | UCS2X | \$14.05 | \$13.08 | TBD | \$13.44 | \$13.37 | TBD | \$10.81 | NA | TBD |
| | | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| | | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| | | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| | | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | TBD | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.43 | TBD |
| L | | Distribution per 4 Wire Unbundled Copper Sub-Loop, per month | UCS4X | \$8.06 | NA | TBD | NA | NA | TBD | NA | \$8.86 | NA |
| | | Zone 1, per month | UCS4X | TBD | \$7.11 | TBD | \$10.65 | \$10.48 | TBD | \$7.14 | NA | TBD |
| | | Zone 2, per month | UCS4X | TBD | \$11.26 | TBD | \$9.71 | \$13.52 | TBD | \$11.09 | NA | TBD |
| Ш | | Zone 3, per month | UCS4X | TBD | \$16.92 | TBD | \$8.45 | \$17.66 | TBD | \$12.63 | NA | TBD |
| Ш | | Zone 4, per month | UCS4X | NA | NA | NA | NA | NA | TBD | NA | NA | TBD |
| Ш | | NRC - 1st | UCS4X | \$161.59 | \$165.68 | TBD | \$165.67 | \$165.43 | TBD | \$162.24 | \$238.46 | TBD |
| \coprod | | NRC - Add'l | UCS4X | \$85.04 | \$88.42 | TBD | \$88.41 | \$88.29 | TBD | \$85.38 | \$97.61 | TBD |
| | | NRC - Disconnect Charge - 1st | UCS4X | \$107.24 | \$104.31 | TBD | \$109.94 | \$111.76 | TBD | \$78.56 | NA | TBD |
| | | NRC - Disconnect Charge - Add'l | UCS4X | \$18.46 | \$17.15 | TBD | \$18.08 | \$18.38 | TBD | \$13.53 | NA | TBD |
| \coprod | | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| | | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| H | | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| HL | | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD |
| | | NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | TBD | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.43 | TBD |
| ∐S | | oop-Intrabldg Ntwk Cable (aka riser cable), 2W analog, per mo | USBR2 | \$1.33 | \$3.87 | \$1.61 | \$3.23 | \$1.59 | TBD | \$3.50 | \$1.60 | \$1.47 |
| H | | NRC - 1st | USBR2 | \$113.60 | \$113.62 | \$137.03 | \$113.61 | \$106.11 | TBD | \$114.05 | \$189.52 | \$150.35 |
| | | NRC - Add'l | USBR2 | \$50.44 | \$36.36 | \$41.59 | \$36.35 | \$35.12 | TBD | \$37.20 | \$47.09 | \$45.63 |

| | | | AND OTHER SI | RVICES | | | | | | | |
|------------------------|---|----------------|----------------|----------------------------|-----------------|----------------------|----------------------|------------|--------------------|----------------|------------|
| | | | | | | R/ | TES BY STA | TE | | | |
| DES | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Disconnect Charge - 1st | USBR2 | \$99.54 | \$98.49 | \$115.85 | \$101.18 | \$93.19 | TBD | \$76.58 | NA | \$128.85 |
| | NRC - Disconnect Charge - Add'l | USBR2 | \$14.05 | \$13.08 | \$19.17 | \$13.44 | \$13.92 | TBD | \$10.81 | NA | \$21.32 |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | \$34.22 | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.43 | \$55.00 |
| Sub | p-Loop-Intrabidg Ntwk Cable (aka riser cable), 4W analog, per mo | USBR4 | \$2.17 | \$7.20 | \$2.96 | \$6.29 | \$2.83 | TBD | \$3.75 | \$2.78 | \$2.55 |
| | NRC - 1st | USBR4 | \$127.17 | \$126.10 | \$176.46 | \$126.10 | \$118.69 | TBD | \$127.67 | \$204.20 | \$193.62 |
| | NRC - Add'l | USBR4 | \$50.62 | \$48.84 | \$55.11 | \$48.84 | \$47.70 | TBD | \$50.82 | \$60.40 | \$60.47 |
| | NRC - Disconnect Charge - 1st | USBR4 | \$107.45 | \$104.31 | \$122.17 | \$109.94 | \$101.65 | TBD | \$78.71 | NA | \$135.88 |
| | NRC - Disconnect Charge - Add'l | USBR4 | \$14.59 | \$17.15 | \$19.57 | \$18.08 | \$14.61 | TBD | \$10.69 | NA | \$21.76 |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | \$34.22 | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.43 | \$55.00 |
| | | | | | | | | | | | |
| | 3-LOOP FEEDER | | | | | | | | | | |
| ш | Cross-Box Set-Up | | | | | | | | | | |
| | | | | | | | | | | | |
| \Box | NRC - DS0 Set-Up per Cross Box location - CLEC Distribution Facility set-up | USBFW | 517.43 | 711.78 | \$421.08 | 627.16 | \$639.68 | TBD | 498.09 | 510.15 | TBD |
| $\sqcup \sqcup \sqcup$ | NRC - DS0 Set-Up per Cross Box location - per 25 pair panel set-up | USBFX | 44.87 | 45.28 | \$67.10 | 45.28 | \$45.22 | TBD | 45.04 | 44.84 | TBD |
| | NDO DOMO (11 O D 1 (1 O D) (1 (1 C) D | | | | | | | | | | |
| $\sqcup \sqcup \sqcup$ | NRC - DS1 Set-Up per Cross Box location - CLEC Distribution Facility set-up | USBFY | 517.43 | 711.78 | \$421.08 | 627.16 | \$639.68 | TBD | 498.09 | 510.15 | TBD |
| +++ | NRC - DS1 Set-Up per Cross Box location - per pair panel set-up | USBFZ | 44.87 | 45.28 | \$67.10 | 45.28 | \$45.22 | TBD | 45.04 | 44.84 | TBD |
| Щ | | LIODEA | £40.00 | NIA | #0.50 | NIA | NIA | TDD | NIA. | # 40.00 | NIA . |
| 2-W | /ire Analog VG Ground-Start Unbundled Sub-Loop Feeder, per month | USBFA | \$13.68 | NA C10.75 | \$8.58 | NA C10.20 | NA C11 01 | TBD | NA ©0.00 | \$10.06 | NA TDD |
| HH | Zone 1, per month Zone 2, per month | USBFA | TBD TBD | \$10.75 \$11.57 | TBD TBD | \$10.36 \$13.62 | \$11.01 \$13.36 | TBD TBD | \$8.92 \$14.10 | NA NA | TBD TBD |
| HH | Zone 2, per month Zone 3, per month | USBFA | | \$11.5 <i>7</i> \$13.51 | TBD | \$13.62 \$19.69 | \$13.36 \$21.56 | TBD | \$14.10 \$16.11 | NA NA | TBD |
| ++- | | USBFA | TBD NA | \$13.51 NA | NA | \$19.69 NA | \$21.56 NA | NA IBD | \$16.11 NA | NA NA | TBD |
| ++- | Zone 4, per month NRC - 1st | USBFA USBFA | NA \$198.42 | \$193.62 | \$206.44 | \$192.57 | \$192.30 | TBD | \$122.52 | \$199.27 | TBD |
| +++ | NRC - Add'l | USBFA | \$198.42 | \$193.62 | \$206.44 | \$192.57 | \$192.30 | TBD | \$122.52 | \$60.33 | TBD |
| ++ | NRC - Disconnect Charge - 1st | USBFA | \$116.66 | \$113.00 \$116.59 | \$170.05 TBD | \$111.96 \$119.14 | \$111.80 \$118.57 | TBD | \$46.61 | \$60.33 NA | TBD |
| +++ | NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l | | \$27.04 | \$26.70 | TBD | \$26.79 | \$26.66 | TBD | \$14.68 | NA NA | TBD |
| +++ | NRC - Disconnect Charge - Add I NRC - Service Order submitted Electronically, per LSR | USBFA SOMEC | \$27.04 | \$26.70 | \$3.50 | \$3.50 | \$26.66 | TBD | \$14.68 | \$3.50 | TBD |
| +++ | NRC - Service Order submitted Electronically, per LSR NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | \$3.50 NA | \$2.75 \$0.42 | \$3.50 NA | \$3.50 NA | \$3.50 NA | TBD | \$3.50 NA | \$3.50 NA | TBD |
| +++ | NRC - Service Order submitted Electronically, per LSR - Disconnect | SOMAN | NA NA | \$0.42 | NA NA | \$29.24 | NA NA | TBD | NA NA | NA NA | TBD |
| +++ | NRC - Service Order submitted Manually, per LSR NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$3.84 | NA NA | \$3.94 | NA NA | TBD | NA NA | NA NA | TBD |
| +++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | \$3.84 NA | \$18.94 | \$3.94 NA | \$18.14 | TBD | \$26.94 | NA NA | TBD |
| +++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA NA | \$8.42 | NA NA | \$8.06 | TBD | \$12.76 | NA NA | TBD |
| +++ | NRC - Incremental Charge - Manual Service Order - Add r | SOMAN | TBD | NA NA | TBD | NA NA | \$11.41 | TBD | \$12.76 | NA NA | TBD |
| HHH | 111.0 moromontal Orlargo Iwanida Octyloe Order - Discomment | JOINAIN | 100 | 11/7 | 100 | 14/7 | Ψ11.441 | 100 | Ψ10.12 | INC | 100 |
| 2-14 | lire Analog VG Loop-Start Unbundled Sub-Loop Feeder, per month | USBFB | \$13.68 | NA | \$8.58 | NA | NA | TBD | NA | \$10.06 | NA |
| 1 2-41 | Zone 1, per month | USBFB | TBD | \$10.75 | TBD | \$10.36 | \$11.01 | TBD | \$8.92 | NA | TBD |
| | Zone 2, per month | USBFB | TBD | \$11.57 | TBD | \$13.62 | \$13.36 | TBD | \$14.10 | NA NA | TBD |
| шш | Loro 2, por monar | 0001 0 | טטו | Ψ11.07 | טטו | Ψ10.02 | ψ10.00 | טטו | ψ17.10 | 14/1 | 100 |

| | • | AND OTHER SE | RVICES | | | | | | | • |
|--|----------------|----------------|--------------------|----------------|---------------|--------------------|------|--------------------|---------------|-------|
| | | | | | R.A | ATES BY STA | TE | | | |
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| Zone 3, per month | USBFB | TBD | \$13.51 | TBD | \$19.69 | \$21.56 | TBD | \$16.11 | NA | TBD |
| Zone 4, per month | USBFB | NA | NA | NA | NA | NA | TBD | NA | NA | TBD |
| NRC - 1st | USBFB | \$198.42 | \$193.62 | \$206.44 | \$192.57 | \$192.30 | TBD | \$122.52 | \$199.27 | TBD |
| NRC - Add'l | USBFB | \$116.66 | \$113.00 | \$170.05 | \$111.96 | \$111.80 | TBD | \$46.61 | \$60.33 | TBD |
| NRC - Disconnect Charge - 1st | USBFB | \$119.95 | \$116.59 | TBD | \$119.14 | \$118.57 | TBD | \$77.90 | NA | TBD |
| NRC - Disconnect Charge - Add'l | USBFB | \$27.04 | \$26.70 | TBD | \$26.79 | \$26.66 | TBD | \$14.68 | NA | TBD |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | \$18.94 | NA | \$18.14 | TBD | \$26.94 | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | \$8.42 | NA | \$8.06 | TBD | \$12.76 | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | \$15.12 | NA | TBD |
| 2-Wire Analog VG Reverse Battery Unb Sub-Loop Feeder, per mo | USBFC | \$13.68 | NA | \$8.58 | NA | NA | TBD | NA | \$10.06 | NA |
| | USBFC | \$13.68 TBD | \$10.75 | \$8.58 TBD | \$10.36 | \$11.01 | TBD | \$8.92 | \$10.06 NA | TBD |
| Zone 2, per month | USBFC | TBD | \$10.75 | TBD | \$10.36 | \$11.01 | TBD | \$8.92 \$14.10 | NA NA | TBD |
| Zone 3, per month | USBFC | TBD | \$13.51 | TBD | \$19.69 | \$21.56 | TBD | \$16.11 | NA NA | TBD |
| Zone 4, per month | USBFC | NA | NA | NA NA | NA | 921.50 NA | TBD | NA | NA NA | NA NA |
| NRC - 1st | USBFC | \$198.42 | \$193.62 | \$206.44 | \$192.57 | \$192.30 | TBD | \$122.52 | \$199.27 | TBD |
| NRC - Add'l | USBFC | \$116.66 | \$113.00 | \$170.05 | \$111.96 | \$111.80 | TBD | \$46.61 | \$60.33 | TBD |
| NRC - Disconnect Charge - 1st | USBFC | \$119.95 | \$116.59 | TBD | \$119.14 | \$118.57 | TBD | \$77.90 | NA | TBD |
| NRC - Disconnect Charge - Add'l | USBFC | \$27.04 | \$26.70 | TBD | \$26.79 | \$26.66 | TBD | \$14.68 | NA NA | TBD |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA. | \$21.56 | NA NA | \$29.24 | NA NA | TBD | NA NA | NA NA | TBD |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA. | \$3.84 | NA NA | \$3.94 | NA NA | TBD | NA NA | NA NA | TBD |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | \$18.94 | NA | \$18.14 | TBD | \$26.94 | NA NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | \$8.42 | NA | \$8.06 | TBD | \$12.76 | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | \$15.12 | NA | TBD |
| | | | | | | , | | * - | | |
| 4-Wire Analog VG Ground-Start Unbundled Sub-Loop Feeder, per month | USBFD | \$24.94 | NA | \$19.91 | NA | NA | NA | NA | \$10.22 | NA |
| Zone 1, per month | USBFD | TBD | \$23.35 | TBD | \$30.69 | \$25.90 | TBD | \$21.91 | NA | TBD |
| Zone 2, per month | USBFD | TBD | \$27.94 | TBD | \$36.12 | \$27.00 | TBD | \$35.92 | NA | TBD |
| Zone 3, per month | USBFD | TBD | \$40.51 | TBD | \$22.90 | \$25.61 | TBD | \$41.37 | NA | TBD |
| Zone 4, per month | USBFD | NA | NA | NA | NA | NA | TBD | NA | NA | NA |
| NRC - 1st | USBFD | \$224.21 | \$222.74 | \$243.41 | \$221.19 | \$220.87 | TBD | \$226.36 | \$232.76 | TBD |
| NRC - Add'l | USBFD | \$142.45 | \$140.22 | \$81.32 | \$138.67 | \$138.47 | TBD | \$144.28 | \$91.92 | TBD |
| NRC - Disconnect Charge - 1st | USBFD | \$131.15 | \$127.64 | \$134.77 | \$133.53 | \$135.74 | TBD | \$96.50 | NA | TBD |
| NRC - Disconnect Charge - Add'I | USBFD | \$34.66 | \$32.91 | \$33.93 | \$33.69 | \$34.25 | TBD | \$25.82 | NA | TBD |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | NA | NA | \$18.14 | TBD | NA | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | NA | NA | \$8.06 | TBD | NA | NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | NA | NA | \$11.41 | TBD | NA | NA | TBD |
| A Wire Angles VC Lean Start Inhundled Sub-Lean Feeder, nor mands | USBFE | \$24.94 | NA | \$19.91 | NA | NA | TBD | NA | \$10.22 | NA |
| 4-Wire Analog VG Loop-Start Unbundled Sub-Loop Feeder, per month | | \$24.94 TBD | \$23.35 | \$19.91 TBD | \$30.69 | | TBD | \$21.91 | \$10.22 NA | TBD |
| Zone 1, per month Zone 2, per month | USBFE USBFE | TBD | \$23.35 \$27.94 | TBD | \$30.69 | \$25.90 \$27.00 | TBD | \$21.91 | NA NA | TBD |
| Zone 2, per month Zone 3, per month | USBFE | TBD | \$27.94 \$40.51 | TBD | \$36.12 | \$27.00 \$25.61 | TBD | \$35.92 \$41.37 | NA NA | TBD |
| Zone 4, per month | USBFE | NA | \$40.51 NA | NA | \$22.90 NA | \$25.61 NA | TBD | \$41.37 NA | NA NA | NA NA |
| Zone 4, per month | USDFE | INA | INA | INA | INA | INA | יסטו | INA | INA | IVA |

| DESCRIPTION | TN TBD |
|---|------------|
| NRC - 1st | |
| NRC - Add1 | TBD |
| NRC - Disconnect Charge - 1st | |
| NRC - Service Order submitted Electronically, per LSR SOMEC S3.50 S2.75 S3.50 S3.50 S3.50 S3.50 S3.50 S3.50 S3.50 NRC - Service Order submitted Electronically, per LSR - Disconnect SOMEC NA S0.42 NA NA NA NA NA NA NA N | TBD |
| NRC - Service Order submitted Electronically, per LSR SOMEC S3.50 \$3.5 | TBD |
| NRC - Service Order submitted Electronically, per LSR - Disconnect SOMEC NA \$0.42 NA NA NA TBD NA NA NA NA NA NA NA N | TBD |
| NRC - Service Order submitted Manually, per LSR SOMAN NA \$21.56 NA \$29.24 NA TBD NA | TBD |
| NRC - Service Order submitted Manually, per LSR, Disconnect SOMAN NA \$3.84 NA \$3.94 NA TBD NA NA NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBD NA NA NA NA \$18.14 TBD NA NA NA NA NA NA NA N | TBD |
| NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBD NA NA NA \$18.14 TBD NA NA NA NA NA NA NA N | TBD |
| NRC - Incremental Charge - Manual Service Order - Add* SOMAN TBD NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA NA NA \$11.41 TBD NA NA NA | TBD |
| 2-Wire ISDN Unbundled Sub-Loop Feeder, per month | TBD |
| Zone 1, per month | TBD |
| Zone 1, per month | |
| Zone 2, per month | NA |
| Zone 3, per month | TBD |
| Zone 4, per month | TBD |
| NRC - 1st | TBD |
| NRC - Add' USBFF \$104.51 \$140.22 \$62.31 \$136.39 \$136.19 TBD \$105.88 \$126.36 NRC - Disconnect Charge - 1st USBFF \$119.95 \$127.64 \$119.68 \$121.40 \$120.82 TBD \$92.57 NA NRC - Disconnect Charge - Add' USBFF \$27.04 \$32.91 \$29.58 \$26.04 \$25.91 TBD \$21.09 NA NRC - Service Order submitted Electronically, per LSR SOMEC \$3.50 \$3.50 \$3.50 \$3.50 \$3.50 NRC - Service Order submitted Electronically, per LSR - Disconnect SOMEC NA \$0.42 NA NA NA TBD NA NA NRC - Service Order submitted Manually, per LSR SOMAN NA \$21.56 NA \$29.24 NA TBD NA NA NRC - Service Order submitted Manually, per LSR, Disconnect SOMAN NA \$3.84 NA \$3.94 NA TBD NA NA NRC - Incremental Charge - Manual Service Order - Add' SOMAN TBD NA NA NA NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA NA NA NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA NA NA NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA NA NA NA NA NA NA NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA NA NA NA NA NA NA N | NA TO D |
| NRC - Disconnect Charge - 1st | TBD |
| NRC - Disconnect Charge - Add' USBFF \$27.04 \$32.91 \$29.58 \$26.04 \$25.91 TBD \$21.09 NA | TBD |
| NRC - Service Order submitted Electronically, per LSR SOMEC SOMEC NA | TBD |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect SOMEC NA \$0.42 NA NA NA TBD NA NA NA NA NA NA NA NA NA N | TBD |
| NRC - Service Order submitted Manually, per LSR SOMAN NA \$21.56 NA \$29.24 NA TBD NA | TBD |
| NRC - Service Order submitted Manually, per LSR, Disconnect SOMAN NA \$3.84 NA \$3.94 NA TBD NA NA NA NA NRC - Incremental Charge - Manual Service Order - 1st SOMAN NRC - Incremental Charge - Manual Service Order - Add'I SOMAN NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incremental Charge - Manual Service Order - Add'I NRC - Incrementa | TBD TBD |
| NRC - Incremental Charge - Manual Service Order - 1st SOMAN BOMAN BOM | TBD |
| NRC - Incremental Charge - Manual Service Order - Add'l SOMAN TBD NA NA NA \$8.06 TBD NA | TBD |
| NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA NA NA \$11.41 TBD NA | TBD |
| 4-Wire DSI Unbundled Sub-Loop Feeder, per month USBFG \$49.54 NA TBD NA NA NA NA NA NA | TBD |
| | TDD |
| | NA NA |
| | TBD |
| | TBD |
| | TBD |
| | NA NA |
| USBFG \$272.55 \$211.55 TBD \$209.62 \$209.47 TBD \$393.01 TBD | TBD |
| NRC - Add'I USBFG \$133.92 \$129.04 TBD \$127.11 \$127.07 TBD \$153.37 TBD | TBD |
| NRC - Disconnect Charge - 1st USBFG \$155.15 \$127.78 TBD \$133.43 \$135.74 TBD NA TBD | TBD |
| NRC - Disconnect Charge - Add'l | TBD |
| NRC - Service Order submitted Electronically, per LSR SOMEC \$3.50 \$2.75 \$3.50 \$3.50 \$3.50 TBD \$3.50 \$3.50 | TBD |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect SOMEC NA \$0.42 NA NA NA TBD NA NA | TBD |
| NRC - Service Order submitted Manually, per LSR SOMAN NA \$21.56 NA \$29.24 NA TBD NA NA | TBD |
| NRC - Service Order submitted Manually, per LSR, Disconnect SOMAN NA \$3.84 NA \$3.94 NA TBD NA NA | TBD |
| NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBD NA TBD NA \$18.14 TBD \$42.19 TBD | TBD |
| NRC - Incremental Charge - Manual Service Order - Add'l SOMAN TBD NA TBD NA \$8.06 TBD \$12.76 TBD | TBD |
| NRC - Incremental Charge - Manual Service Order - Disconnect SOMAN TBD NA TBD NA \$11.41 TBD NA TBD | TBD |
| | |
| 2-Wire Copper Unbundled Sub-Loop Feeder, per month USBFH \$10.59 NA NA NA NA NA NA NA NA \$10.78 | NA |
| Zone 1, per month | TBD |
| Zone 2, per month USBFH TBD \$9.78 TBD \$7.30 \$7.72 TBD \$16.44 NA | TBD |
| Zone 3, per month USBFH TBD \$7.83 TBD \$6.03 \$5.93 TBD \$18.69 NA | TBD |
| Zone 4, per month | NA TOD |
| NRC - 1st USBFH \$172.20 \$175.18 TBD \$175.18 \$92.53 TBD \$172.89 \$259.80 | TBD |
| NRC - Add'I | TBD |

| | | AND OTHER SE | | | | | | | | | |
|--|--------|--------------|----------|----------|---------------|-------------|-----|----------|----------|-------|--|
| | | | | | R/ | ATES BY STA | TE | | | | |
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN | |
| NRC - Disconnect Charge - 1st | USBFH | \$114.73 | \$113.67 | TBD | \$116.78 | \$21.31 | TBD | \$88.27 | NA | TBD | |
| NRC - Disconnect Charge - Add'l | USBFH | \$21.82 | \$20.84 | TBD | \$21.41 | \$21.13 | TBD | \$16.79 | NA | TBD | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | TBD | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.53 | TBD | |
| 4-Wire Copper Unbundled Sub-Loop Feeder, per month | USBFJ | \$15.01 | NA | NA | NA | NA | NA | NA | \$15.63 | NA | |
| Zone 1, per month | USBFJ | TBD | \$20.59 | TBD | \$16.55 | \$20.58 | TBD | \$14.68 | NA | TBD | |
| Zone 2, per month | USBFJ | TBD | \$21.48 | TBD | \$15.35 | \$14.96 | TBD | \$23.74 | NA NA | TBD | |
| Zone 3, per month | USBFJ | TBD | \$17.70 | TBD | \$12.52 | \$13.15 | TBD | \$27.26 | NA NA | TBD | |
| Zone 4, per month | USBFJ | NA NA | NA | NA NA | \$12.52 NA | NA | TBD | NA | NA NA | NA NA | |
| NRC - 1st | USBFJ | \$206.32 | \$209.61 | TBD | \$209.61 | \$209.31 | TBD | \$207.14 | \$294.59 | TBD | |
| NRC - Add'l | USBFJ | \$134.23 | \$127.09 | TBD | \$127.09 | \$126.91 | TBD | \$134.77 | \$152.62 | TBD | |
| NRC - Disconnect Charge - 1st | USBFJ | \$123.01 | \$119.80 | TBD | \$126.27 | \$128.36 | TBD | \$90.12 | NA | TBD | |
| NRC - Disconnect Charge - Add'l | USBFJ | \$26.53 | \$25.07 | TBD | \$26.43 | \$26.87 | TBD | \$19.44 | NA NA | TBD | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA NA | \$21.56 | NA NA | \$29.24 | NA NA | TBD | NA NA | NA NA | TBD | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA NA | \$3.84 | NA NA | \$3.94 | NA NA | TBD | NA NA | NA NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA. | NA NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA. | \$8.06 | TBD | NA. | NA NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Order Coordination - per loop | USBMC | \$51.29 | \$16.31 | TBD | \$16.31 | \$16.29 | TBD | \$45.34 | \$45.43 | TBD | |
| | CODINO | ψ020 | ψ.σ.σ. | .55 | ψ.σ.σ. | Ψ10.20 | | ψ.σ.σ. | ψ.σσ | | |
| 4-Wire 2.4 KBPS Digital Unbundled Sub-Loop Feeder, per month | USBFK | \$30.97 | NA | NA | NA | NA | NA | NA | \$32.47 | NA | |
| Zone 1, per month | USBFK | TBD | \$24.89 | TBD | \$27.38 | \$27.16 | TBD | \$26.71 | NA | TBD | |
| Zone 2, per month | USBFK | TBD | \$28.83 | TBD | \$33.41 | \$24.93 | TBD | \$44.07 | NA | TBD | |
| Zone 3, per month | USBFK | TBD | \$29.16 | TBD | \$24.47 | \$25.05 | TBD | \$50.83 | NA | TBD | |
| Zone 4, per month | USBFK | NA | NA | NA | NA | NA | TBD | NA | NA | NA | |
| NRC - 1st | USBFK | \$212.90 | \$211.32 | TBD | \$209.77 | \$209.47 | TBD | \$215.00 | \$309.57 | TBD | |
| NRC - Add'I | USBFK | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 | TBD | |
| NRC - Disconnect Charge - 1st | USBFK | \$131.15 | \$127.64 | TBD | \$133.53 | \$135.74 | TBD | \$96.50 | NA | TBD | |
| NRC - Disconnect Charge - Add'l | USBFK | \$34.66 | \$32.91 | TBD | \$33.69 | \$34.25 | TBD | \$25.82 | NA | TBD | |
| NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD | |
| NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD | |
| NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD | |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD | |
| | | | | | | | | | | | |
| 4-Wire 4.8 KBPS Digital Unbundled Sub-Loop Feeder, per month | USBFL | \$30.97 | NA | NA | NA | NA | NA | NA | \$32.47 | NA | |
| Zone 1, per month | USBFL | TBD | \$24.89 | TBD | \$27.38 | \$27.16 | TBD | \$26.71 | NA | TBD | |
| Zone 2, per month | USBFL | TBD | \$28.83 | TBD | \$33.41 | \$24.93 | TBD | \$44.07 | NA | TBD | |
| Zone 3, per month | USBFL | TBD | \$29.16 | TBD | \$24.47 | \$25.05 | TBD | \$50.83 | NA | TBD | |
| Zone 4, per month | USBFL | NA | NA | NA | NA | NA | TBD | NA | NA | NA | |
| NRC - 1st | USBFL | \$212.90 | \$211.32 | TBD | \$209.77 | \$209.47 | TBD | \$215.00 | \$309.57 | TBD | |
| NRC - Add'l | USBFL | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 | TBD | |

| | | | AND OTHER SI | RVICES | | | | | | | |
|----------------------|--|-------|---------------|----------|------------|--------------|--------------|------------|----------|--------------|------------|
| | | | | | | R.A | TES BY STA | TE | | | |
| DE | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Disconnect Charge - 1st | USBFL | \$131.15 | \$127.64 | TBD | \$133.53 | \$135.74 | TBD | \$96.50 | NA | TBD |
| | NRC - Disconnect Charge - Add'l | USBFL | \$34.66 | \$32.91 | TBD | \$33.69 | \$34.25 | TBD | \$25.82 | NA | TBD |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD |
| | | | | | | | | | | | |
| 4-V | Vire 9.6 KBPS Digital Unbundled Sub-Loop Feeder, per month | USBFM | \$30.97 | NA | NA | NA | NA | NA | NA | \$32.47 | NA |
| | Zone 1, per month | USBFM | TBD | \$24.89 | TBD | \$27.38 | \$27.16 | TBD | \$26.71 | NA | TBD |
| | Zone 2, per month | USBFM | TBD | \$28.83 | TBD | \$33.41 | \$24.93 | TBD | \$44.07 | NA | TBD |
| | Zone 3, per month | USBFM | TBD | \$29.16 | TBD | \$24.47 | \$25.05 | TBD | \$50.83 | NA | TBD |
| Ш | Zone 4, per month | USBFM | NA | NA | NA | NA | NA | TBD | NA | NA | NA |
| Щ | NRC - 1st | USBFM | \$212.90 | \$211.32 | TBD | \$209.77 | \$209.47 | TBD | \$215.00 | \$309.57 | TBD |
| ш | NRC - Add'l | USBFM | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 | TBD |
| Ш | NRC - Disconnect Charge - 1st | USBFM | \$131.15 | \$127.64 | TBD | \$133.53 | \$135.74 | TBD | \$96.50 | NA | TBD |
| \Box | NRC - Disconnect Charge - Add'l | USBFM | \$34.66 | \$32.91 | TBD | \$33.69 | \$34.25 | TBD | \$25.82 | NA A | TBD |
| ++- | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA 200.04 | NA | TBD | NA | NA | TBD |
| ++- | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| + | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA 110.44 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD TBD |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA NA | TBD TBD | NA NA | \$8.06 | TBD TBD | NA NA | NA NA | TBD |
| $\vdash\vdash\vdash$ | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | IBD | INA | IBD | NA NA | \$11.41 | IBD | INA | INA | IBD |
| 4. | Nice 10.2 KBBS Digital Unbundled Sub-Lean Fooder, nor month | USBFN | \$30.97 | NA | NA | NA | NA | NA | NA | \$32.47 | NA |
| 4-1 | Vire 19.2 KBPS Digital Unbundled Sub-Loop Feeder, per month Zone 1, per month | USBFN | 330.97 TBD | \$24.89 | TBD | \$27.38 | \$27.16 | TBD | \$26.71 | Ψ32.47 NA | TBD |
| $\vdash\vdash\vdash$ | Zone 2, per month | USBFN | TBD | \$28.83 | TBD | \$33.41 | \$24.93 | TBD | \$44.07 | NA NA | TBD |
| ++-1 | Zone 3, per month | USBFN | TBD | \$29.16 | TBD | \$24.47 | \$25.05 | TBD | \$50.83 | NA NA | TBD |
| ++- | Zone 4, per month | USBFN | NA NA | NA NA | NA NA | NA | NA | TBD | NA | NA NA | NA NA |
| ++- | NRC - 1st | USBFN | \$212.90 | \$211.32 | TBD | \$209.77 | \$209.47 | TBD | \$215.00 | \$309.57 | TBD |
| ++- | NRC - Add'I | USBFN | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 | TBD |
| H | NRC - Disconnect Charge - 1st | USBFN | \$131.15 | \$127.64 | TBD | \$133.53 | \$135.74 | TBD | \$96.50 | NA | TBD |
| \Box | NRC - Disconnect Charge - Add'I | USBFN | \$34.66 | \$32.91 | TBD | \$33.69 | \$34.25 | TBD | \$25.82 | NA NA | TBD |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | NA | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| Ш | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD |
| | | | | | | | | | | | |
| 4-V | Vire 56 KBPS Digital Unbundled Sub-Loop Feeder, per month | USBFO | \$30.97 | NA | NA | NA | NA | NA | NA | \$32.47 | NA |
| шШ | Zone 1, per month | USBFO | TBD | \$24.89 | TBD | \$27.38 | \$27.16 | TBD | \$26.71 | NA | TBD |
| ЩП | Zone 2, per month | USBFO | TBD | \$28.83 | TBD | \$33.41 | \$24.93 | TBD | \$44.07 | NA | TBD |
| | Zone 3, per month | USBFO | TBD | \$29.16 | TBD | \$24.47 | \$25.05 | TBD | \$50.83 | NA | TBD |
| Ш | Zone 4, per month | USBFO | NA | NA | NA | NA | NA | TBD | NA | NA | NA |
| | NRC - 1st | USBFO | \$212.90 | \$211.32 | TBD | \$209.77 | \$209.47 | TBD | \$215.00 | \$309.57 | TBD |
| Ш | NRC - Add'l | USBFO | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 | TBD |
| HH | NRC - Disconnect Charge - 1st | USBFO | \$131.15 | \$127.64 | TBD | \$133.53 | \$135.74 | TBD | \$96.50 | NA | TBD |
| | NRC - Disconnect Charge - Add'l | USBFO | \$34.66 | \$32.91 | TBD | \$33.69 | \$34.25 | TBD | \$25.82 | NA | TBD |

| | | | AND OTHER SE | ERVICES | | | | | | | |
|----------------|--|-------|--------------|---------------|-----------|---------------|---------------|---------------|---------------|----------------|----------|
| | | | | | | R.A | ATES BY STA | TE | | | |
| DE | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | NA | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | NA | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD |
| $\pm \pm \pm$ | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD |
| $\pm \pm \pm$ | | 00 | | | | | Ψ | | | | |
| 4-W | /ire 64 KBPS Digital Unbundled Sub-Loop Feeder, per month | USBFP | \$30.97 | NA | NA | NA | NA | NA | NA | \$32.47 | NA |
| H i | Zone 1, per month | USBFP | TBD | \$24.89 | TBD | \$27.38 | \$27.16 | TBD | \$26.71 | NA NA | TBD |
| +++ | Zone 2, per month | USBFP | TBD | \$28.83 | TBD | \$33.41 | \$24.93 | TBD | \$44.07 | NA NA | TBD |
| + | Zone 3, per month | USBFP | TBD | \$29.16 | TBD | \$24.47 | \$25.05 | TBD | \$50.83 | NA NA | TBD |
| +++ | Zone 4, per month | USBFP | NA NA | NA | NA NA | NA | NA | TBD | NA | NA NA | NA NA |
| ++++ | NRC - 1st | USBFP | \$212.90 | \$211.32 | TBD | \$209.77 | \$209.47 | TBD | \$215.00 | \$309.57 | TBD |
| +++ | NRC - Add'l | USBFP | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 | TBD |
| + | NRC - Add I NRC - Disconnect Charge - 1st | USBFP | \$131.14 | \$128.81 | TBD | \$127.26 | \$127.07 | TBD | \$132.92 | \$157.93 NA | TBD |
| +++ | | | | | TBD | | | TBD | | | TBD |
| +++ | NRC - Disconnect Charge - Add'l | USBFP | \$34.66 | \$32.91 | | \$33.69 | \$34.25 | | \$25.82 | NA Co. 50 | TBD |
| + | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | NA | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | |
| $+\!+\!+$ | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA Coo.o.4 | NA COO.O.4 | TBD | NA | NA | TBD |
| +++ | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | \$29.24 | TBD | NA | NA | TBD |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | \$3.94 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | TBD | NA | \$18.14 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | TBD | NA | \$8.06 | TBD | NA | NA | TBD |
| | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | TBD | NA | TBD | NA | \$11.41 | TBD | NA | NA | TBD |
| | | | | | | | | | | | |
| Unl | oundled Sub-Loop Modification | | | | | | | | | | |
| | NRC - Load Coil/Equipment Removal per 2 Wire pair - 1st | ULM2X | \$358.90 | \$357.81 | TBD | \$357.82 | \$332.79 | TBD | \$360.33 | \$358.71 | TBD |
| | NRC - Load Coil/Equipment Removal per 2 Wire pair - Add'l | ULM2X | \$8.08 | \$8.15 | TBD | \$8.15 | \$7.49 | TBD | \$8.11 | \$8.07 | TBD |
| | NRC - Load Coil/Equipment Removal per 4 Wire pair - 1st | ULM4X | \$358.90 | \$357.81 | TBD | \$357.82 | \$332.79 | TBD | \$360.33 | \$358.71 | TBD |
| | NRC - Load Coil/Equipment Removal per 4 Wire pair - Add'l | ULM4X | \$8.08 | \$8.15 | TBD | \$8.15 | \$7.49 | TBD | \$8.11 | \$8.07 | TBD |
| | NRC - Bridge Tap Removal per pair unloaded - 1st | ULMBT | \$561.91 | \$562.71 | TBD | \$562.73 | \$521.03 | TBD | \$564.15 | \$561.62 | TBD |
| | NRC - Bridge Tap Removal per pair unloaded - Add'l | ULMBT | \$10.09 | \$10.19 | TBD | \$10.19 | \$9.36 | TBD | \$10.14 | \$8.07 | TBD |
| | | | | | | | | | | | |
| Loc | pp Make Up | | | | | | | | | | |
| | NRC - Loop Makeup - Preordering Without Reservation, per working facility | | | | | | | | | | |
| | queried (Manual) ** | UMKLW | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$100.00 |
| $\Pi\Pi$ | Loop Makeup - Preordering Without Reservation, per spare facility queried | | 1 | | | | | | | | |
| | (Manual) Maximum number of spare facilities per manual LMUSI is 3. ** | UMKLW | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$134.00 | \$100.00 |
| 111 | NRC-Loop Makeup - Preordering With Reservation, per spare facility queried | | 1 | | 1 | | | | 1 | | |
| | (Manual) Max number of spare facilities per manual LMUSI is 3. ** | UMKLP | \$140.00 | \$140.00 | \$140.00 | \$140.00 | \$140.00 | \$140.00 | \$140.00 | \$140.00 | \$100.00 |
| 111 | NRC - Loop Makeup - Preordering Without Reservation, per working facility | | Ţ | | | | , | | + | | , |
| | queried (Mechanized) ** | | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$0.6888 |
| +++ | 1 | | Ţ | ŢU | ŢU | Ţ . | Ţ | ŢU | Ţ | Ţ . | + |
| | Loop Makeup - Preordering Without Reservation, per spare facility queried | | | | | | | | | | |
| | (Mechanized) Max number of spare facilities per mechanized LMUSI is 10.** | | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$0.6888 |
| +++ | (| | \$ | ψσσ | \$ | \$ 55 | ψσ | \$1.00 | \$ | Ψσ | + 5.0000 |
| | Loop Makeup - Preordering With Reservation, per spare facility queried | | | | ĺ | | | | ĺ | | |
| | (Mechanized) Max number of spare facilities per mechanized LMUSI is 10.** | | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$1.08 | \$0.6888 |
| +++ | (Wilderfamilized) Wax Humber of Spare lacilities per mechanized LWOSTS TO. | | ψ1.00 | ψ1.00 | ψ1.00 | ψ1.00 | ψ1.00 | ψ1.00 | ψ1.00 | ψ1.00 | ψ0.0000 |
| Hel | pundled Network Terminating Wire, per pair, per month | UENPP | \$0.49 | \$0.46 | \$1.37 | \$0.64 | \$0.35 | TBD | \$0.44 | \$0.46 | TBD |
| UIII | NRC - UNTW Pair, per pair | UENPP | \$40.02 | \$65.35 | \$2.48 | \$65.35 | \$64.77 | TBD | \$65.82 | \$60.93 | TBD |
| +++ | | UENPP | \$40.02 | \$65.35 NA | \$2.48 | \$65.35 NA | \$64.77 NA | TBD | \$65.82 NA | \$60.93 NA | TBD |
| 444 | NRC - Disconnect Charge, per pair | | | | | | | | | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | TBD |

| | | 1 | AND OTHER SE | ERVICES | | | | | | | |
|-------------------|--|----------------|--------------------|--------------------|---------------|--------------------|---------------------|------------|------------------|----------------|----------------|
| | | | | | | R/ | ATES BY STA | TE | | | |
| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| ĦΤ | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | TBD | TBD | TBD |
| tt | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | \$29.24 | TBD | TBD | TBD | TBD |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | \$3.94 | TBD | TBD | TBD | TBD |
| | | | | | | * | * | | | | |
| Sub | -Loop Concentration - Channelization Sys (Outside CO) | | | | | | | | | | |
| | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | TBD | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | TBD | TBD | TBD | NA |
| | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | \$29.24 | TBD | TBD | TBD | \$19.99 |
| | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA | \$3.84 | NA | \$3.94 | \$3.94 | TBD | TBD | TBD | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | TBD | NA | \$18.94 | TBD | TBD | TBD | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | TBD | NA | \$8.42 | TBD | TBD | TBD | NA | NA | NA |
| T | R008 - System A (96 channel capacity - channels 1-96), per month | UCT8A | \$829.76 | \$477.76 | \$724.79 | \$493.89 | \$546.21 | TBD | \$579.03 | \$571.42 | \$683.78 |
| | NRC - 1st | UCT8A | \$404.46 | \$408.22 | \$632.36 | \$408.23 | \$407.65 | TBD | \$587.83 | \$586.42 | \$634.31 |
| | NRC - Add'l | UCT8A | \$220.32 | \$222.37 | \$310.82 | \$222.37 | \$222.06 | TBD | \$278.83 | \$277.97 | \$311.78 |
| | NRC-Disconnect, 1st | UCT8A | \$236.23 | \$236.02 | NA | \$253.87 | \$258.08 | TBD | NA | NA | NA |
| | NRC-Disconnect, Add'l | UCT8A | \$74.90 | \$74.84 | NA | \$80.50 | \$81.83 | TBD | NA | NA | NA |
| T | R008 - System B (96 channel capacity - channels 97-192), per month | UCT8B | \$87.34 | \$85.12 | \$92.91 | \$82.15 | \$87.89 | TBD | \$85.59 | \$87.65 | \$102.12 |
| | NRC - 1st | UCT8B | \$404.46 | \$408.22 | \$632.36 | \$408.23 | \$407.65 | TBD | \$587.83 | \$586.42 | \$634.31 |
| | NRC - Add'l | UCT8B | \$220.32 | \$222.37 | \$310.82 | \$222.37 | \$222.06 | TBD | \$278.83 | \$277.97 | \$311.78 |
| | NRC-Disconnect, 1st | UCT8B | \$236.23 | \$236.02 | NA | \$253.87 | \$258.08 | TBD | NA | NA | NA |
| | NRC-Disconnect, Add'l | UCT8B | \$74.90 | \$74.84 | NA | \$80.50 | \$81.83 | TBD | NA | NA | NA |
| Т | R303 - System A (96 channel capacity - channels 1-96), per month | UCT3A | \$868.77 | \$512.86 | \$764.42 | \$530.75 | \$584.28 | TBD | \$615.62 | \$611.62 | \$726.87 |
| | NRC - 1st | UCT3A | \$404.46 | \$408.22 | \$632.36 | \$408.23 | \$407.65 | TBD | \$587.83 | \$586.42 | \$634.31 |
| | NRC - Add'l | UCT3A | \$220.32 | \$222.37 | \$310.82 | \$222.37 | \$222.06 | TBD | \$278.83 | \$277.97 | \$311.78 |
| | NRC-Disconnect, 1st | UCT3A | \$236.23 | \$236.02 | NA | \$253.87 | \$258.08 | TBD | NA | NA | NA |
| + | NRC-Disconnect, Add'I | UCT3A | \$74.90 | \$74.84 | NA 0400.54 | \$80.50 | \$81.83 | TBD | NA Outpooling | NA 0107.70 | NA OA A F. OA |
| T | R303 - System B (96 channel capacity - channels 97-192), per month | UCT3B | \$126.35 | \$120.21 | \$132.54 | \$119.01 | \$125.95 | TBD | \$122.18 | \$127.76 | \$145.21 |
| ++ | NRC - 1st | UCT3B | \$404.46 | \$408.22 | \$632.36 | \$408.23 | \$407.65 | TBD | \$587.83 | \$586.42 | \$634.31 |
| | NRC - Add'l | UCT3B | \$220.32 | \$222.37 | \$310.82 | \$222.37 | \$222.06 | TBD | \$278.83 | \$277.97 | \$311.78 |
| 11 | NRC-Disconnect, 1st NRC-Disconnect, Add'l | UCT3B | \$236.23 | \$236.02 | NA | \$253.87 | \$258.08 | TBD | NA | NA | NA NA |
| | INRC-Disconnect, Add i S1 Feeder Interface, per month | UCT3B UCTFS | \$74.90 \$67.03 | \$74.84 NA | NA \$72.12 | \$80.50 NA | \$81.83 NA | TBD TBD | NA \$64.63 | NA \$69.24 | NA \$76.73 |
| + $+$ | | | | | | | | | \$64.63 TBD | \$69.24 TBD | |
| ++ | Zone 1, per month Zone 2, per month | UCTFS UCTFS | NA NA | \$56.65 \$65.86 | TBD TBD | \$60.01 \$60.04 | \$73.29 | TBD TBD | TBD | TBD | TBD TBD |
| ++ | Zone 3, per month | UCTFS | NA NA | \$107.08 | TBD | \$106.11 | \$88.72 \$187.11 | TBD | TBD | TBD | TBD |
| ++ | Zone 4, per month | UCTFS | NA NA | NA | NA | NA | NA | TBD | NA | NA NA | NA NA |
| ++ | NRC 1st | UCTFS | \$192.51 | \$211.55 | \$425.74 | \$209.62 | \$209.47 | TBD | \$237.09 | \$236.32 | \$418.37 |
| + | NRC Add'l | UCTFS | \$105.73 | \$129.04 | \$198.06 | \$127.11 | \$127.07 | TBD | \$116.01 | \$115.55 | \$198.67 |
| ++ | NRC-Disconnect, 1st | UCTFS | \$56.94 | \$127.78 | NA | \$133.43 | \$135.74 | TBD | NA NA | NA | NA |
| ++ | NRC-Disconnect, Add'l | UCTFS | \$12.81 | \$33.06 | NA NA | \$33.59 | \$34.25 | TBD | NA NA | NA NA | NA NA |
| C | Channel Interface-2 Wire Voice-Loop Start or Ground Start, per mo | ULCC2 | \$2.38 | \$2.12 | \$2.38 | \$2.24 | \$2.34 | TBD | \$2.22 | \$2.43 | \$2.61 |
| + | NRC 1st | ULCC2 | \$20.88 | \$21.07 | \$41.82 | \$21.08 | \$21.05 | TBD | \$28.66 | \$28.58 | \$41.95 |
| $\dagger \dagger$ | NRC Add'l | ULCC2 | \$20.77 | \$20.96 | \$41.58 | \$20.96 | \$20.93 | TBD | \$28.50 | \$28.42 | \$41.71 |
| + | NRC-Disconnect, 1st | ULCC2 | \$10.00 | \$9.99 | NA | \$10.75 | \$10.92 | TBD | NA | NA | * ····· |
| + | NRC-Disconnect, Add'l | ULCC2 | \$9.94 | \$9.93 | NA NA | \$10.68 | \$10.86 | TBD | NA NA | NA NA | |
| C | Channel Interface - 2 Wire ISDN, per month | ULCC1 | \$9.51 | \$8.48 | \$9.53 | \$8.98 | \$9.34 | TBD | \$8.88 | \$9.72 | \$10.43 |
| | NRC 1st | ULCC1 | \$20.88 | \$21.07 | \$41.82 | \$21.08 | \$21.05 | TBD | \$21.24 | \$28.58 | \$41.95 |
| | NRC Add'I | ULCC1 | \$20.77 | \$20.96 | \$41.58 | \$20.96 | \$20.93 | TBD | \$21.13 | \$28.42 | \$41.71 |
| 11 | NRC-Disconnect, 1st | ULCC1 | \$10.00 | \$9.99 | NA | \$10.75 | \$10.92 | TBD | NA NA | NA | NA |
| 11 | NRC-Disconnect, Add'l | ULCC1 | \$9.94 | \$9.93 | NA | \$10.68 | \$10.86 | TBD | NA | NA | NA |
| C | Channel Interface - 2 Wire Voice - Reverse Battery, per month | ULCCR | \$14.14 | \$12.61 | \$14.17 | \$13.35 | \$13.89 | TBD | \$13.20 | \$14.46 | \$15.51 |
| T 1. | NRC 1st | ULCCR | \$20.88 | \$21.07 | \$41.82 | \$21.08 | \$21.05 | TBD | \$28.66 | \$28.58 | \$41.95 |
| | NRC Add'I | ULCCR | \$20.77 | \$20.96 | \$41.58 | \$20.96 | \$20.93 | TBD | \$28.50 | \$28.42 | \$41.71 |

| BESCRIPTION | | | AND OTHER SE | RVICES | | | | | | | |
|--|---|--------|--------------|----------|----------|----------|------------|----------|----------|----------|---------------------------------------|
| DISCRIPTION | | | | | | R.A | TES BY STA | TE | | | |
| NRC-Disconnect, April NRC- | DESCRIPTION | USOC | AL | FL | GA | | | | NC | SC | TN |
| NRC-Disconnect, Add | NRC-Disconnect, 1st | ULCCR | \$10.00 | \$9.99 | NA | \$10.75 | \$10.92 | TBD | NA | NA | NA |
| NRC-1st | NRC-Disconnect, Add'l | ULCCR | \$9.94 | \$9.93 | NA | \$10.68 | \$10.86 | TBD | NA | NA | NA |
| NRC-1st | Channel Interface - 4 Wire Voice (Specials Card), per month | ULCC4 | \$8.43 | \$7.52 | \$8.45 | \$7.96 | \$8.29 | TBD | \$7.87 | \$8.62 | \$9.26 |
| NRC-Disconnect, 1st | | ULCC4 | \$20.88 | \$21.07 | \$41.82 | \$21.08 | | TBD | \$28.66 | \$28.58 | \$41.95 |
| NRC-Disconnect, Addrl | NRC Add'l | ULCC4 | \$20.77 | \$20.96 | \$41.58 | \$20.96 | \$20.93 | TBD | \$28.50 | \$28.42 | \$41.71 |
| Test Circuit, per month | NRC-Disconnect, 1st | ULCC4 | \$10.00 | \$9.99 | NA | \$10.75 | \$10.92 | TBD | NA | NA | NA |
| NRC 1st | NRC-Disconnect, Add'l | ULCC4 | \$9.94 | \$9.93 | NA | \$10.68 | \$10.86 | TBD | NA | NA | NA |
| NRC-Disconnect, 1st | Test Circuit, per month | UCTTC | \$41.21 | \$36.76 | \$41.30 | \$38.90 | \$40.49 | TBD | \$38.47 | \$42.14 | \$45.22 |
| NRC-Disconnect. 1st | | UCTTC | | | | | | | | | |
| NRC-Disconnect, Add1 | | | | | | | | | \$28.50 | | |
| Channel Interface - Digital 56Kbps, per month | | | | | | | | | | | |
| NRC 1st | | | | | | | | | | | |
| NRC-Disconnect, 1st | | | | | | | | | | | |
| NRC-Disconnect, Add" | | | | | | | | | | | |
| NRC-Disconnect, AddT | | | | | | | | | | | |
| Channel Interface - Digital 64Kbps, per month | | | | | | | | | | | |
| NRC 1st | | | | | | | | | | | |
| NRC AddT | | | | | | | | | | | |
| NRC-Disconnect, 1st | | | | | | | | | | | |
| NRC-Disconnect, Add* Loop Concentration System (Inside C.O.) NRC - Service Order submitted Electronically, per LSR SOMEC S3.50 S2.75 S3.50 S3 | | | | | | | | | | | |
| Loop Concentration System (Inside C.O.) NRC - Service Order submitted Electronically, per LSR SOMEC S3.50 \$3 | | | | | | | | | | | |
| NRC - Service Order submitted Electronically, per LSR SOMEC \$3.50 \$2.75 \$3.50 \$3.5 | | ULCC6 | \$9.94 | \$9.93 | NA | \$10.68 | \$10.86 | TBD | NA | NA | NA |
| NRC - Service Order submitted Electronically, per LSR - Disconnect SOMEC NA \$0.42 NA NA NA NA NA NA NA N | | 001150 | | | 22.52 | | | | | | 22.50 |
| NRC - Service Order submitted Manually, per LSR SOMAN NA \$21.56 NA \$29.24 \$29.24 NA NA NA \$19.99 | | | | | | | | | | | |
| NRC - Service Order submitted Manually, per LSR, Disconnect SOMAN NA \$3.84 NA \$3.94 \$3.94 NA NA NA NA NA NA NA N | | | | | | | | | | | |
| NRC - Incremental Charge - Manual Service Order - 1st SOMAN TBD NA \$18.94 TBD \$18.14 \$25.52 TBD \$44.06 TBD NRC - Incremental Charge - Manual Service Order - Add'l SOMAN TBD NA \$8.42 TBD \$8.06 \$11.34 TBD \$13.55 TBD \$13.55 TBD \$15.05 TBD T | | | | | | | | | | | |
| NRC - Incremental Charge - Manual Service Order - Add' SOMAN TBD NA \$8.42 TBD \$8.06 \$11.34 TBD \$13.55 TBD | | | | | | | | | | | |
| TR008 - System A (96 channel capacity - channels 1-96), per month | | | | | | | | | | | |
| NRC - 1st | | | | | | | | | | | |
| NRC - Add" UCT8A | | | | | | | | | | | · · · · · · · · · · · · · · · · · · · |
| NRC-Disconnect, 1st | | | . , | | | | | | | | * / |
| NRC-Disconnect, Add' TR008 - System B (96 channel capacity - channels 97-192), per month | | | | | | | | | | | |
| TR008 - System B (96 channel capacity - channels 97-192), per month | | | | | | | | | | | |
| NRC - 1st | | | | | | | | | | | |
| NRC - Add' UCT8B | | | | | | | | | | | |
| NRC-Disconnect, 1st | | | | | | • | | | | | |
| NRC-Disconnect, Add' UCT8B NA | | | | | | | | | | | |
| TR303 - System A (96 channel capacity - channels 1-96), per month | | | | | | | | | | | |
| NRC - 1st | | | | | | | | | | | |
| NRC - Add'I | | | | | | | | · · | | | · · |
| NRC-Disconnect, 1st | | | | | | | | | . , | | |
| NRC-Disconnect, Add'I UCT3A NA | | | | | | | | | | | |
| | | | | | | | | | | | |
| | TR303 - System B (96 channel capacity - channels 97-192), per month | UCT3B | \$111.30 | \$94.30 | \$110.02 | \$107.16 | \$103.99 | \$123.52 | \$111.17 | \$121.16 | \$115.79 |
| NRC - 1st | | UCT3B | \$464.57 | \$271.27 | \$463.37 | \$271.27 | \$270.88 | \$464.71 | \$463.74 | \$466.38 | \$464.21 |
| NRC - Add'I UCT3B NA | NRC - Add'l | UCT3B | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC-Disconnect, 1st UCT3B NA | | UCT3B | NA | NA | | NA | NA | NA | NA | NA | NA |
| NRC-Disconnect, Add'I UCT3B NA | NRC-Disconnect, Add'l | | | | | | | | | | |
| DS1 Interface, per month | DS1 Interface, per month | UCTCO | \$6.42 | \$5.28 | \$6.15 | \$6.04 | \$5.91 | \$6.99 | \$6.27 | \$6.79 | \$6.49 |
| NRC 1st UCTCO \$367.70 \$126.61 \$366.72 \$126.61 \$126.43 \$367.80 \$367.04 \$369.13 \$367.41 | NRC 1st | UCTCO | \$367.70 | \$126.61 | \$366.72 | \$126.61 | \$126.43 | \$367.80 | \$367.04 | \$369.13 | \$367.41 |
| NRC Add'I UCTCO \$132.03 \$92.17 \$130.63 \$92.17 \$92.04 \$132.07 \$131.79 \$132.54 \$131.92 | | | \$132.03 | | | | | \$132.07 | \$131.79 | | |
| NRC-Disconnect, 1st | NRC-Disconnect, 1st | UCTCO | NA | \$31.11 | NA | \$33.46 | \$34.02 | NA | NA | NA | NA |

| NRC-Disconnect, 1st | | 1 | AND OTHER SE | RVICES | | | | | | | |
|--|--|-------|--------------|----------|----------|----------|-------------|----------|----------|----------|----------|
| DESCRIPTION | | | | | | R/ | ATES BY STA | TE | | | |
| Channel Interface 2 Wire Voice-Loop Start or Ground Start, per month U.C.CZ \$2.55 \$2.10 \$2.44 \$2.40 \$2.25 \$2.77 \$3.88 \$2.59 \$3.25 \$3.57 \$3.54 \$3.57 \$3.56 \$1.05 \$3.57 \$3.57 \$3.56 \$3.57 \$3.57 \$3.56 \$3.57 \$3.57 \$3.57 \$3.56 \$3.57 \$3.5 | DESCRIPTION | USOC | AL | FL | GA | | | | NC | SC | TN |
| NRC Add LACC2 \$35.77 \$31.07 \$35.68 \$37.08 \$35.73 \$35.73 \$35.73 \$35.74 \$35.74 \$35.68 \$37.08 \$35.73 \$35.73 \$35.74 \$35.74 \$35.68 \$37.08 \$35.73 \$35.73 \$35.74 \$35.74 \$35.68 \$37.08 \$35.73 \$35.73 \$35.74 \$ | NRC-Disconnect, Add'I | UCTCO | NA | \$8.71 | NA | \$9.37 | \$9.52 | NA | NA | NA | NA |
| NRC Add LACC2 \$35.77 \$31.07 \$35.68 \$37.08 \$35.73 \$35.73 \$35.73 \$35.74 \$35.74 \$35.68 \$37.08 \$35.73 \$35.73 \$35.74 \$35.74 \$35.68 \$37.08 \$35.73 \$35.73 \$35.74 \$35.74 \$35.68 \$37.08 \$35.73 \$35.73 \$35.74 \$ | Channel Interface-2 Wire Voice-Loop Start or Ground Start, per month | ULCC2 | \$2.55 | \$2.10 | \$2.44 | \$2.40 | \$2.35 | \$2.77 | \$0.89 | \$2.69 | \$2.58 |
| NRC Ace ULCC2 \$35,55 \$20,96 \$35,46 \$20,96 \$20,30 \$35,37 \$35,49 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 \$35,54 \$35,71 | NRC 1st | ULCC2 | \$35.77 | \$21.07 | \$35.68 | \$21.08 | \$21.05 | \$35.78 | \$35.73 | \$35.91 | \$35.74 |
| NRC-Disconnect, 1st | NRC Add'I | ULCC2 | \$35.55 | \$20.96 | | \$20.96 | \$20.93 | | \$35.49 | \$35.71 | |
| Channel Interface - 2 Wire ISDN, per month | | ULCC2 | NA | \$9.99 | NA | \$10.75 | \$10.92 | NA | NA | NA | NA |
| NRC 1st | NRC-Disconnect, Add'l | ULCC2 | NA | \$9.93 | NA | \$10.68 | \$10.86 | NA | NA | NA | NA |
| MRC 1st | Channel Interface - 2 Wire ISDN, per month | ULCC1 | \$10.19 | \$8.38 | \$9.76 | \$9.59 | \$9.39 | \$11.10 | \$9.95 | \$10.76 | \$10.30 |
| NRC-Disconnect, 1st | NRC 1st | | \$35.77 | \$21.07 | \$35.68 | \$21.08 | \$21.05 | \$35.78 | \$35.71 | \$35.91 | \$35.74 |
| NRC-Disconnect, Add | | ULCC1 | \$35.55 | \$20.96 | \$35.48 | \$20.96 | \$20.93 | \$35.37 | \$35.51 | \$35.71 | \$35.54 |
| Channel Interface - 2 Wire Voice - Reverse Battery, per month ULCCR \$15.15 \$11.48 \$14.26 \$13.95 \$16.46 \$14.80 \$16.01 \$15.32 \$10.00 \$ | | | NA | | | | \$10.92 | NA | NA | NA | NA |
| NRC 1st | | | NA | \$9.93 | | \$10.68 | \$10.86 | NA | | NA | |
| NRC-Add1 | Channel Interface - 2 Wire Voice - Reverse Battery, per month | ULCCR | | | | | \$13.95 | \$16.46 | \$14.80 | \$16.01 | |
| NRC-Disconnect, 1st | | | | \$21.07 | | | | \$35.78 | \$35.71 | \$35.91 | |
| NRC-Disconnect, AddT | | | | | | | | | | | |
| Channel Interface - 4 Wire Voice, per month | | | | | | | | | | | |
| NRC 1st | | | | | | | | | | | |
| NRC Addf | | | | | | | | | | | |
| NRC-Disconnect, 1st | | | | | | | | | | | |
| NRC-Disconnect, Addrl | | | | | | | | | | | |
| Test Circuit, per month | | | | | | | | | | | |
| NRC 1st | | | | | | | | | | | |
| NRC Addf UCTTC | | | | 36.31 | | | | | | | |
| NRC-Disconnect, 1st | | | | | | | | | | | |
| NRC-Disconnect, AddT | | | | | | | | | | | |
| Channel Interface - Digital 56Kbps, per month | | | | | | | | | | | |
| NRC 1st | | | | | | | | | | | |
| NRC Add' ULCC5 TBD \$20.96 TBD \$20.96 \$20.93 TBD TBD TBD TBD TBD TBD NRC-Disconnect, 1st ULCC5 TBD \$9.99 NA \$10.75 \$10.92 TBD | | | | | | | | | | | |
| NRC-Disconnect, 1st | | | | | | | | | | | |
| NRC-Disconnect, Add" ULCC6 TBD \$9.93 NA \$10.68 \$10.86 TBD | | | | | | | | | | | |
| Channel Interface - Digital 64Kbps, per month | | | | | | | | | | | |
| NRC 1st | | | | | | | | | | | |
| NRC Add' ULCC6 TBD \$20.96 TBD \$20.93 TBD TB | | | | | | | | | | | |
| NRC-Disconnect, 1st | | | | | | | | | | | |
| NRC-Disconnect, Add' ULC6 TBD \$9.93 NA \$10.68 \$10.86 TBD TB | | | | | | | | | | | |
| LINE SHARING | | | | | | | | | | | |
| 2-Wire analog VG (SL1) for Line Sharing | I I I I I I I I I I I I I I I I I I I | ULCCU | 100 | ψυ.33 | INA | ψ10.00 | ψ10.00 | טפו | טטו | 100 | 100 |
| 2-Wire analog VG (SL1) for Line Sharing | LI INF SHARING | | | | | | | | | | |
| RC - per month (Note 3) ** TBD | | | | | | | | | | | |
| NRC - 1st (Note 3) ** TBD | | | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | \$12.16 |
| NRC - Add'l (Note 3) ** System Splitter - 96 Line Capacity | | | | | | | | | | | |
| System Splitter - 96 Line Capacity | () | | | | | | | | | | |
| RC - Per month *** | | | 1 | | | | | | | | , |
| RC - Per month *** | System Splitter - 96 Line Capacity | | 1 | | | | | | | | |
| NRC - 1st ** | | ULSDA | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 | \$100.00 |
| NRC - Addl ** | | | | | | | | | | | |
| NRC - Disconnect 1st ** | | | | | | | | | | | |
| NRC - Disconnect Add'I ** ULSDA \$0.00 \$0. | | | | | | | | | | | |
| System Splitter - 24 Line Capacity | | | | | | | | | | | |
| RC - Per month ** ULSDB \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 \$25.00 | | | | | - | | | | | | |
| | System Splitter - 24 Line Capacity | | | | | | | | | | |
| NRC - 1st ** | | ULSDB | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 | \$25.00 |
| | NRC - 1st ** | ULSDB | \$150.00 | \$150.00 | \$150.00 | \$300.00 | \$150.00 | \$300.00 | \$300.00 | \$300.00 | \$150.00 |

| | | | AND OTHER SE | RVICES | | | | | | | |
|---------------------|---|-------|--------------|----------|--------------|---------|--------------|--------------|--------------|---------------|----------|
| | | | | | | R.A | TES BY STA | TE | | | |
| DE | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | NRC - Addl ** | ULSDB | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC - Disconnect 1st ** | ULSDB | \$150.00 | \$150.00 | \$150.00 | NA | \$150.00 | NA | NA | NA | \$150.00 |
| | NRC - Disconnect Add'l ** | ULSDB | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Loop Capacity, Line Activation Per Occurrence | | | | | | | | | | |
| | RC - Per Month ** | ULSDC | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$6.00 | \$3.48 |
| | NRC - 1st ** | ULSDC | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 | \$40.00 |
| | NRC - Addl ** | ULSDC | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$22.00 | \$21.39 |
| HH | | | | | | | | | | | |
| \vdash | NRC - Service Order submitted Electronically, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| $\perp \perp \perp$ | NRC - Setvice Order submitted Electronically, per LSR - Disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | TBD |
| $\sqcup \sqcup$ | NRC - Service Order submitted Manually, per LSR | SOMAN | NA | \$21.56 | NA | \$29.24 | NA | NA | NA | NA | \$19.99 |
| \vdash | NRC - Service Order submitted Manually, per LSR, Disconnect | SOMAN | NA COZ OZ | \$3.84 | NA ©40.04 | \$3.94 | NA C10.11 | NA TOF FO | NA COC C4 | NA **AA OO | TBD |
| HH | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.22 | NA NA |
| H | NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$12.97 | NA NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | NA NA |
| H | INCO - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| H + | Subsequent Activity - Per Occurrence | | 1 | | - | | | | | | |
| ++ | NRC - 1st ** | ULSDS | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 | \$30.00 |
| ++ | NRC - Addl ** | ULSDS | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 |
| H | INC - Addi | ULSDS | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 | \$15.00 |
| ++- | * Interim Rates subject to true-up | | 1 | | | | | | | | |
| HH | ** TN rates are interim and subject to true-up. | | | | | | | | | | |
| NC | OTES: | | | | | | | | | | |
| | In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the appropriate tariff applies. | | | | | | | | | | |
| | 2 Geographically Deaveraged UNE Zones and applicable rates have been established for certain services, as shown in this Agreement. Where Geographically Deaveraged UNE Zones and applicable rates are established, Statewide rates are obsolete. Further, BellSouth is in the process of enhancing its billing systems in order to accomodate this Geographically Deaveraged UNE Zone Rate Structure. Until these enhancements are accomplished, estimated to be mid 2001, the UNE Zone 1 rate will be billed for all services residing in Zones 1, 2, 3 or 4, i.e., Rates for services residing in UNE Zones 2, 3 and UNE Zone 4, where applicable, will not be billed. Once billing enhancements are complete, all applicable UNE Zone rates reflected in this Agreement will be billed. Reference Internet Website http://www.interconnection.bellsouth.com/become_clec/docs/interconnection/deavuzns.pdf to view Geographically Deaveraged UNE Zone Designations by Central Office. | | | | | | | | | | |
| | The recurring interim and nonrecurring interim rates in TN for 2-Wire analog VG (SL1) for Line Sharing is for a stand-alone loop purchased by CLEC-1 to provide both analog voice service and xDSL services or in the event CLEC-1 wishes to continue providing xDSL services to an end-user who terminates its BellSouth-provided voice service. These rates apply when CLEC-1 purchases the splitter from BellSouth. | | | | | | | | | | |
| d | | | 1 | | | | | | | | |
| | | | 1 | l . | I | | | | l . | | 1 |

| DESCRIPTI | ION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-----------|---|---------|----------|--------|-------------|-----------------|--------|--------------|----------|--------|-------------|
| OCAL EXC | HANGE SWITCHING (PORTS) | | | | | | | | _ | | |
| | log Line Port (Res., Bus.), per month | | † | | | | | 1 | | İ | |
| | re Voice Grade Line Port (Residence), per month | | 1 | | | | | | | | |
| | re voice unbundled port - residence | UEPRL | \$2.07 | \$1.62 | 1.85 - Note | 1 2.61 - Note 1 | \$2.20 | \$2.11 | \$2.19 | \$2.35 | 4.73 - Note |
| | e voice unbundled port with caller ID - residence | UEPRC | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.73 |
| | e voice unbundled port outgoing only - residence | UEPRO | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.73 |
| | e voice grade unbundled Alabama extended local dialing parity port with | OLITIO | Ψ2.01 | Ψ1.02 | ψ1.00 | Ψ2.01 | Ψ2.20 | Ψ2.11 | Ψ2.00 | Ψ2.00 | ψ4.73 |
| caller | 9, ,, | UEPAR | \$2.07 | NA | NA | NA | NA | NA | NA | NA | NA |
| | e voice grade unbundled Kentucky extended local dialing parity port with | OLI AIX | Ψ2.07 | INA | INA | INA | INA | INA | INA | INA | INA |
| caller | | UEPRM | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | e voice grade unbundled Louisiana extended local dialing parity port with | OLI KW | INA | INA | INA | φ2.01 | INA | INA | INA | INA | INA |
| caller | | UEPAS | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | e voice grade unbundled Mississippi extended local dialing parity port with | ULFAS | INA | INA | INA | INA | \$2.20 | INA | INA | INA | INA |
| | | LIEDAT | NIA. | NIA | NIA. | NIA | NIA. | CO 44 | NIA | NIA | NIA. |
| caller | | UEPAT | NA | NA | NA | NA | NA | \$2.11 | NA | NA | NA |
| | e voice grade unbundled South Carolina extended local dialing parity port | LIEDALL | | | | | | | | 00.05 | |
| | caller ID | UEPAU | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| | e voice grade unbundled Tennessee extended local dialing parity port with | | | | | | | | | | |
| caller | | UEPAQ | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| | e voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$1.62 | NA | NA | NA | NA | NA | NA | NA |
| | e voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | e voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | e voice unbundled South Carolina Area Calling port with Caller ID - | | | | | | | | | | |
| | ence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| 2-wire | e voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| (F2R) | | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| 2-wire | e voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| (TAC | ER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| 2-wire | e voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| (TAC | · · · · · · · · · · · · · · · · · · · | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| | e voice unbundled Tennessee Area Calling port with Caller ID - residence | | 1 | | | | | | | | ***** |
| (1MF | · · · · · · · · · · · · · · · · · · · | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| | e voice unbundled Tennessee Area Calling port with Caller ID - residence | 02.7 | | | | | | | | | V |
| (2MR | | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| | e voice unbundled res, low usage line port with Caller ID (LUM) | UEPAP | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.73 |
| Z WIIC | e voice unburidied res, low dsage line port with oalier 15 (2014) | OLI AI | Ψ2.01 | Ψ1.02 | ψ1.00 | Ψ2.01 | Ψ2.20 | Ψ2.11 | Ψ2.00 | Ψ2.00 | ψ4.75 |
| LOC/ | AL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCX | | | | | | | | | |
| LOCA | AL NOWBER FORTABILITY (REQUIRES ONE FER FORT) | LINFOX | | | | | | | | | |
| 2 14/:- | re Voice Grade Line Port(Business), per month | | - | | | | | | | | |
| | e voice unbundled port without Caller ID | UEPBL | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.73 |
| | e voice unbundled port without Caller ID e voice unbundled port with unbundled port with Caller+E484 ID | UEPBC | | | | | | | | \$2.35 | |
| | | | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | | \$4.73 |
| | e voice unbundled outgoing only port | UEPBO | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.73 |
| | e voice grade unbundled Alabama extended local dialing parity port with | | | | | | | | | | |
| caller | | UEPAW | \$2.07 | NA | NA | NA | NA | NA | NA | NA | NA |
| | e voice grade unbundled Kentucky extended local dialing parity port with | | | | | | | | | | |
| caller | | UEPBM | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | e voice grade unbundled Louisiana extended local dialing parity port with | | | | | | | | | | |
| caller | | UEPAX | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| 2-wire | e voice grade unbundled Mississippi extended local dialing parity port with | | | | | | | | | | |
| caller | | UEPAY | NA | NA | NA | NA | NA | \$2.11 | NA | NA | NA |
| 2-wire | e voice grade unbundled South Carolina extended local dialing parity port | | | | | | | | | | |
| | caller ID | UEPAZ | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| | e voice grade unbundled Tennessee extended local dialing parity port with | | 1 | | İ | | | | | | |
| caller | | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| | e voice unbundled incoming only port with Caller ID | UEPB1 | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.73 |
| | e voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA NA | NA | NA | NA NA | \$2.20 | NA NA | NA NA | NA | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|---|-------|---------|--------|---------|---------|----------|----------|--------------|------------|--------|
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2) | UEPAD | NA NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| 2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$4.73 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCX | | | | | | | | | |
| Non-Recurring Charges (NRC) - 1st (Residence) | | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$21.93 | \$4.76 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | \$9.93 |
| 2-wire voice unbundled port with caller ID - residence | UEPRC | \$21.93 | \$4.76 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | \$9.93 |
| 2-wire voice unbundled port outgoing only - residence | UEPRO | \$21.93 | \$4.76 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | \$9.93 |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with | | | ***** | ******* | 40 | V | V | V = · | 4 = | 40.00 |
| caller ID | UEPAR | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with | - | | | | | | | | | |
| caller ID | UEPRM | NA | NA | NA | \$37.78 | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID | UEPAS | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with | UEFAS | INA | INA | INA | INA | \$10.43 | INA | INA | INA | INA |
| caller ID | UEPAT | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID | UEPAU | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAQ | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$4.76 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAJ | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | , - | | | | |
| (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | 1 | | | | | | | | 40.00 |
| (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled Res Low Usage Line Port with Caller+E563 ID (LUM) | UEPAP | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| NRC - Add'I (Residence) | | 1 | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$21.93 | \$4.54 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | \$9.19 |
| 2-wire voice unbundled port with caller ID - residence | UEPRC | \$21.93 | \$4.54 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | \$9.19 |
| 2-wire voice unbundled port outgoing only - residence | UEPRO | \$21.93 | \$4.54 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | \$9.19 |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID | UEPAR | | NA NA | | NA | | NA | | NA NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with | | \$21.93 | | NA | | NA | | NA | | |
| caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with | UEPRM | NA | NA | NA | \$37.78 | NA | NA | NA | NA | NA |
| caller ID | UEPAS | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|----------------|----------|---------|----------|---------|----------------|----------|----------|----------|---------|
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAT | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port | | | | | | | | | | |
| with caller ID | UEPAU | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAQ UEPAF | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | | NA | \$4.54 | NA | NA | NA 110, 10 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG UEPAH | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - | UEPAH | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | ULFAJ | INA | INA | INA | INA | INA | INA | INA | \$24.90 | INA |
| (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | OLITAR | INA | INA | INA | INA | INA | INA | INA | INA | ψ5.15 |
| (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | OLITAL | 14/3 | 14/1 | INA | 14/1 | 14/3 | 14/1 | 14/4 | 14/1 | Ψ0.10 |
| (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | 1 | | 1 | | | | 1 | | |
| (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | 1 | | | | | | | | |
| (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) | UEPAP | \$21.93 | \$4.54 | \$17.16 | \$37.78 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | \$9.19 |
| | | | | | | | | | | |
| NRC - Subsequent Activity | USASC | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| | | | | | | | | | | |
| NRC - 1st (Business) | | | | | | | | | | |
| 2-wire Voice Unbundled Port without Caller ID | UEPBL | \$21.93 | \$4.76 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | \$9.93 |
| 2-wire voice unbundled port with Caller ID | UEPBC | \$21.93 | \$4.76 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | \$9.93 |
| 2-wire voice unbundled outgoing only port | UEPBO | \$21.93 | \$4.76 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | \$9.93 |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAW | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with | LIEDDA | | | | | | | | | |
| caller ID | UEPBM | NA | NA | NA | \$37.78 | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with | LIEDAY | | | | | 0.10.10 | | | | |
| caller ID | UEPAX | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID | UEPAY | NA | NA | l NA | NA | NA | ¢22.00 | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port | UEPAT | INA | INA | NA | NA NA | INA | \$22.98 | NA | INA | NA NA |
| with caller ID | UEPAZ | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with | OLI AZ | INA | INA | INA | INA | INA | INA | INA | Ψ24.90 | INA |
| caller ID | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled Incoming only Port with Caller ID | UEPB1 | \$21.93 | \$4.76 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$24.04 | \$24.98 | \$9.93 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA NA | NA | NA NA | NA | \$16.43 | NA NA | NA NA | NA NA | NA |
| | | 1 | 1 1 | 1 | | * | | | | |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID+E587 (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option | | 1 | | | | | | | | |
| (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option | | | | | | | | | | |
| (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port | | | | | | | | | | |
| (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| | | | | | | | | | | |
| NRC - Add'l (Business) | | | | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | \$21.93 | \$4.54 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$21.60 | \$24.98 | \$9.19 |
| 2-wire voice unbundled port with Caller ID | UEPBC | \$21.93 | \$4.54 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | \$9.19 |

| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|---------------|---|--------|----------------|----------|----------|----------|----------|----------------|----------|----------|---------|
| TT | 2-wire voice unbundled outgoing only port | UEPBO | \$21.93 | \$4.54 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | \$9.19 |
| | 2-wire voice grade unbundled Alabama extended local dialing parity port with | 02. 50 | \$2.100 | ψσ. | Ųo | ψ01.00 | ψ.σσ | \$22.00 | ψ0.00 | Ψ2σσ | φοιιο |
| | caller ID | UEPAW | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice grade unbundled Kentucky extended local dialing parity port with | | | | | | | | | | |
| | caller ID | UEPBM | NA | NA | NA | \$37.78 | NA | NA | NA | NA | NA |
| | 2-wire voice grade unbundled Louisiana extended local dialing parity port with | | | | | | | | | | |
| | caller ID | UEPAX | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| | 2-wire voice grade unbundled Mississippi extended local dialing parity port with | | | | | | | | | | |
| | caller ID | UEPAY | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| | 2-wire voice grade unbundled South Carolina extended local dialing parity port | | | | | | | | | | |
| | with caller ID | UEPAZ | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| | 2-wire voice grade unbundled Tennessee extended local dialing parity port with | | | | | | | | | | |
| $\bot \bot$ | caller ID | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| | 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | \$21.93 | \$4.54 | \$17.16 | \$37.55 | \$16.43 | \$22.98 | \$9.08 | \$24.98 | \$9.19 |
| ++ | 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| ++ | 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$24.98 | NA |
| | 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| ++ | 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option | UEFAU | INA | INA | INA | INA | INA | INA | INA | INA | ф9.19 |
| | (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| ++ | 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Locall Calling Port | OLIAD | INA | INA | INA | INA | INA | INA | INA | INA | ψ5.15 |
| | (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| | (521) | 02.7.2 | 107 | 10/ | 101 | 10.0 | 100 | 10. | 10. | 10/ | ψοιιο |
| | NRC - Subsequent Activity | USASC | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| | | | | | • | • | * | * | | * | |
| | NRC - Disconnect Charge - 1st | | | | | | | | | | |
| | 2- wire voice unbundled port - residence | UEPRL | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| | 2-wire voice unbundled port with caller ID - residence | UEPRC | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| | 2-wire voice unbundled port outgoing only - residence | UEPRO | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| | 2-wire voice grade unbundled Alabama extended local dialing parity port with | | | | | | | | | | |
| | caller ID | UEPAR | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice grade unbundled Kentucky extended local dialing parity port with | | | | | | | | | | |
| | caller ID | UEPRM | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice grade unbundled Louisiana extended local dialing parity port with | | | | | | | | | | |
| | caller ID | UEPAS | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| | 2-wire voice grade unbundled Mississippi extended local dialing parity port with | LIEDAT | NIA | | NIA. | NIA | NIA | #0.50 | | | NIA |
| | caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port | UEPAT | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| | with caller ID | UEPAU | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| ++ | 2-wire voice grade unbundled Tennessee extended local dialing parity port with | ULFAU | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| | Icaller ID | UEPAQ | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| $\pm \pm$ | 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA NA | \$2.76 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| + | 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA NA | NA NA | NA | \$4.38 | NA NA | NA NA | NA NA | NA NA |
| | 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| T | 2-wire voice unbundled South Carolina Area Calling port with Caller ID - | | | | | | | | | | |
| | residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| | (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | _ |
| $\perp \perp$ | (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | LIEDAM | l | | l l | | l | | l | | |
| ++ | (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| | 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | LIEDAN | NIA. | NI A | NIA | NIA | NIA | NI A | NI A | NI A | ¢2.00 |
| | (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|----------|--------|--------|----------|----------|--------|--------|----------|----------|---------------|
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) | UEPAP | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| | | | | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| 2-wire voice unbundled port with Caller ID | UEPBC | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| 2-wire voice unbundled outgoing only Port | UEPBO | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAW | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPBM | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAX | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAY | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port | | 1 | | | _ | 1 . | | 1 . | 1 . | |
| with caller ID | UEPAZ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with | | | ļ , | | | l | | l | | 00.00 |
| caller ID | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-wire voice unbundled Incoming only Port with Caller ID | UEPB1 | \$6.21 | \$2.76 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$3.66 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundles SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option | LIEDAG | | | | | | | | | 00.00 |
| (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option | LIEDAD | | | | | | | | | # 0.00 |
| (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-wire voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F) | UEPAE | | NIA. | NIA | | | NIA. | NIA. | N10 | #0.00 |
| Poit (BZF) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| NRC - Disconnect Charge - Add'l | | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$6.21 | \$2.59 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice unburidled port - residence | UEPRC | \$6.21 | \$2.59 | NA NA | NA NA | \$4.38 | \$6.56 | NA NA | NA NA | \$2.92 |
| 2-wire voice unbundled port with called 10 - residence | UEPRO | \$6.21 | \$2.59 | NA NA | NA NA | \$4.38 | \$6.56 | NA NA | NA NA | \$2.92 |
| 2-wire voice unburidied port outgoing only residence 2-wire voice grade unbundled Alabama extended local dialing parity port with | OLI KO | φ0.21 | \$2.59 | INA | INA | φ4.30 | φ0.50 | INA | INA | \$2.92 |
| caller ID | UEPAR | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with | OLI /III | Ψ0.21 | INA | INA | INA | INA | INA | INA | INA | INA |
| caller ID | UEPRM | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with | OLI IXW | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| caller ID | UEPAS | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with | OLI 710 | 101 | 10/ | 107 | 10. | ψ1.00 | 10, | 107 | 100 | 1471 |
| caller ID | UEPAT | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port | 02.7 | | | | | | ψ0.00 | | | |
| with caller ID | UEPAU | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with | | 1 | | | | 1 | | 1 | 1 | |
| caller ID | UEPAQ | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$2.59 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPAH | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled South Carolina Area Calling port with Caller ID - | | | | | | | | | | |
| residence (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | |
| (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | · · · |
| (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|-------|-------------|-------------|----------|----------|--------------|---------|----------|----------|----------|
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | | | | | | | | | | 4= |
| (2MR) | UEPAO | NA To ot | NA On 50 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) | UEPAP | \$6.21 | \$2.59 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice unbundled port without Caller ID | UEPBL | \$6.21 | \$2.59 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice unbundled port with Caler ID | UEPBC | \$6.21 | \$2.59 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice unbundled outgoing only port | UEPBO | \$6.21 | \$2.59 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID | UEPAW | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID | UEPBM | NA | NA. | NA | NA | NA | NA NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID | UEPAX | NA NA | NA NA | NA NA | NA NA | \$4.38 | NA NA | NA NA | NA NA | NA NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID | UEPAY | NA NA | NA NA | NA NA | NA NA | \$4.38 NA | \$6.56 | NA NA | NA NA | NA NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID | UEPAZ | NA NA | NA NA | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | \$6.21 | \$2.59 | NA | NA | \$4.38 | \$6.56 | NA | NA | \$2.92 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$4.38 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| NRC - OSS | | | | | | | | | | |
| NRC - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of | | | | | | | | | | |
| the OSS interactive interfaces | SOMEC | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$44.42 | \$20.35 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA NA | \$8.42 | NA NA | \$8.06 | \$11.34 | \$12.76 | \$14.63 | \$10.54 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA NA | NA | NA NA | \$10.39 | \$16.06 | NA NA | NA | \$13.32 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$1.44 | NA | NA | NA | NA | NA | NA | NA | \$1.40 |
| | | 1 | | | | | | | | |
| All available features, per month | UEPVF | \$5.55 | \$3.40 | NA | NA | \$8.28 | \$6.75 | NA | \$6.29 | NA |
| NRC - 1st (all types) | | \$24.72 | NA | NA | NA | NA | \$21.42 | NA | \$36.24 | NA |
| NRC - Add'l (all types) | | \$24.72 | NA | NA | NA | NA | \$21.42 | NA | \$36.24 | NA |
| NRC - Disconnect Charge - 1st | | \$18.41 | NA | NA | NA | NA | \$19.68 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | | \$18.41 | NA | NA | NA | NA | \$19.68 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | NA | NA | NA | \$25.52 | NA | \$44.42 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | NA | NA | NA | NA | \$11.34 | NA | \$14.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | NA | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$1.44 | NA | NA | NA | NA | NA | NA | NA | NA |
| Three available feature, per month | UEPVF | NA | NA | NA | NA | \$8.28 | \$3.31 | NA | \$3.03 | NA |
| NRC - 1st (all types) | | NA NA | NA | NA | NA | NA | \$3.06 | NA | \$4.53 | NA |
| NRC - Add'I (all types) | | NA | NA | NA | NA | NA | \$3.06 | NA | \$4.53 | NA |
| NRC - Disconnect Charge - 1st | | NA | NA | NA | NA | NA | \$8.20 | NA | NA | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|----------------|----------|------------------|----------|----------|--------------------|--------------------|--------------|----------|------------|
| NRC - Disconnect Charge - Add'l | | NA | NA | NA | NA | NA | \$8.20 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | \$25.52 | NA | \$44.42 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | \$11.34 | NA | \$14.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | NA | NA | NA | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 4-Wire Analog VG Port, per month | UEP4A | NA | \$8.74 | \$8.47 | NA | \$10.13 | \$9.60 | \$8.69 | \$2.28 | \$11.11 |
| NRC - 1st | UEP4A | NA NA | \$4.76 | \$17.16 | NA NA | \$16.43 | \$22.98 | \$21.69 | \$3.50 | \$9.93 |
| NRC - Add'l | UEP4A | NA NA | \$4.76 | \$17.16 | NA NA | \$16.43 | \$22.98 | \$21.69 | \$3.50 | \$9.93 |
| NRC - Disconnect Charge - 1st | BFR | NA NA | \$2.82 | NA NA | NA NA | \$3.77 | \$6.56 | Ψ21.09 NA | NA | \$3.66 |
| NRC - Disconnect Charge - Add'l | BFR | NA | \$2.64 | NA NA | NA | \$3.77 | \$6.56 | NA NA | NA | \$2.92 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | \$21.56 | \$18.94 | NA NA | \$18.14 | \$25.52 | \$26.85 | NA NA | \$20.35 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA NA | \$21.56 | \$8.42 | NA NA | \$8.06 | \$11.34 | \$12.67 | NA NA | \$10.54 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA NA | \$3.84 | NA | NA NA | \$8.94 | \$16.06 | NA NA | NA NA | \$13.32 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | NA NA | \$3.84 | NA NA | NA NA | \$8.94 | \$16.06 | NA NA | NA | \$1.40 |
| | | | | | | | | | | · |
| 2-Wire DID Port, per month | UEPP2 | \$12.08 | \$9.38 | \$11.35 | NA | \$13.12 | \$14.63 | \$12.36 | \$12.08 | \$8.97 |
| NRC - 1st | UEPP2 | \$50.00 | \$248.44 | \$61.91 | NA | \$59.28 | \$83.09 | \$81.84 | \$50.00 | \$47.75 |
| NRC - Add'l | UEPP2 | \$18.00 | \$37.49 | \$61.91 | NA | \$59.28 | \$83.09 | \$81.84 | \$50.00 | \$47.01 |
| NRC - Disconnect Charge - 1st | UEPP2 | NA | \$113.28 | NA | NA | \$9.20 | \$13.48 | NA | NA | \$9.21 |
| NRC - Disconnect Charge - Add'l | UEPP2 | NA | \$7.12 | NA | NA | \$9.20 | \$13.48 | NA | NA | \$8.47 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | \$21.56 | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | \$20.35 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | \$21.56 | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | \$10.54 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | \$3.84 | NA | NA | \$10.39 | \$16.07 | NA | NA | \$13.32 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | NA | \$3.84 | NA | NA | \$10.39 | \$16.07 | NA | NA | \$1.40 |
| 4-Wire DS1 Port w/DID capability, per month | UEPDD | \$130.23 | \$63.31 | \$120.80 | NA | \$149.27 | \$146.46 | \$123.65 | \$130.23 | \$120.00 |
| | OLI DD | ψ100.20 | ψ00.01 | Ψ120.00 | 14/3 | ψ1+3.27 | ψ140.40 | Ψ123.03 | ψ100.20 | To be |
| NRC - 1st | UEPDD | \$50.00 | \$413.93 | \$89.44 | NA | \$85.63 | \$117.81 | \$116.59 | \$60.00 | negotiated |
| LIDO ALIII | | | | | | | | | | To be |
| NRC - Add'l | UEPDD | \$18.00 | \$191.44 | \$52.46 | NA | \$50.23 | \$71.18 | \$69.92 | \$60.00 | negotiated |
| NRC - Disconnect Charge - 1st | UEPDD | NA | \$137.29 | NA | NA | \$8.82 | \$12.94 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | UEPDD | NA | \$4.65 | NA | NA | \$8.82 | \$12.94 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | \$21.56 | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | \$21.56 | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN SOMAN | NA NA | \$3.84 \$3.84 | NA NA | NA NA | \$10.39 \$10.39 | \$16.06 \$16.06 | NA NA | NA NA | NA NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add i | SOIVIAN | INA | \$3.84 | NA NA | INA | \$10.39 | \$16.06 | NA NA | NA NA | INA |
| 2-Wire ISDN Port(2) (3), per month | U1PMA | \$16.42 | \$10.20 | \$13.47 | \$12.33 | \$23.33 | \$51.91 | \$24.50 | \$33.74 | NA |
| NRC - 1st | U1PMA | \$63.24 | \$155.34 | \$47.37 | \$90.48 | \$45.35 | \$63.59 | \$62.29 | \$65.79 | NA |
| NRC - Add'l | U1PMA | \$63.24 | \$106.00 | \$47.37 | \$84.53 | \$45.35 | \$63.59 | \$62.29 | \$65.79 | NA |
| NRC - Disconnect Charge - 1st | U1PMA | \$5.69 | \$93.37 | NA | NA | \$4.31 | \$7.04 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | U1PMA | \$5.69 | \$20.98 | NA | NA | \$4.31 | \$7.04 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$56.19 | \$21.56 | \$39.98 | NA | \$38.29 | \$53.87 | \$55.30 | \$67.52 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$56.19 | \$21.56 | \$39.98 | NA | \$38.29 | \$53.87 | \$55.30 | \$67.52 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$12.97 | \$3.84 | NA | NA | \$6.65 | \$11.34 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$12.97 | \$3.84 | NA | NA | \$6.65 | \$11.34 | NA | NA | NA |
| NRC - User Profile per B Channel (4) | U1UMA | NA | NA | NA | \$5.61 | NA | NA | NA | NA | NA |
| 2-Wire ISDN Port(2) (3) including all available features, per month | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$38.68 | \$18.40 |
| NRC - 1st | U1PMA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | \$106.40 | \$18.40 |
| NRC - 1st | U1PMA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | \$106.40 | \$29.49 |
| NRC - Disconnect Charge - 1st | U1PMA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA | \$4.10 |
| NRC - Disconnect Charge - Add'l | U1PMA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | \$4.10 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | \$67.52 | \$41.43 |

| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-----------------|--|--------|-------------|---------------------|-------------|--------------|-------------|-------------|-------------|-------------|------------------------|
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | \$42.17 |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | \$9.80 |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | \$9.80 |
| | | | | | | | | | | | |
| 2-Wi | re ISDN Port(2) (3) including three available features, per month | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$36.01 | NA |
| | NRC - 1st | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$70.32 | NA |
| | NRC - Add'l | U1PMA | NA | NA | NA | NA | NA | NA | NA | \$70.32 | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$67.52 | NA |
| 4 W/i | re ISDN DS1 Port, per month | UEPEX | \$186.02 | \$95.39 | \$163.16 | NA | \$194.72 | \$213.21 | \$179.75 | \$214.79 | \$308.00 |
| 4-441 | NRC - 1st | UEPEX | \$244.85 | \$417.51 | \$186.80 | NA NA | \$181.89 | \$244.12 | \$241.63 | \$278.37 | \$148.66 |
| | NRC - Add'l | UEPEX | \$244.85 | \$203.18 | \$186.80 | NA NA | \$181.89 | \$244.12 | \$241.63 | \$278.37 | \$147.18 |
| ++ | NRC - Disconnect Charge - 1st | UEPEX | \$51.19 | \$149.75 | NA | NA NA | \$27.11 | \$53.32 | NA | NA NA | \$38.46 |
| | NRC - Disconnect Charge - Add'l | UEPEX | \$51.19 | \$37.93 | NA. | NA. | \$27.11 | \$53.32 | NA NA | NA | \$36.98 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$54.75 | \$21.56 | \$37.88 | NA. | \$33.18 | \$51.03 | \$53.89 | \$65.48 | \$40.69 |
| H | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$54.75 | \$21.56 | \$37.88 | NA NA | \$33.18 | \$51.03 | \$53.89 | \$65.48 | \$42.17 |
| - | NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$11.53 | \$3.84 | NA | NA NA | \$7.73 | \$8.51 | NA | NA | \$9.07 |
| | NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$11.53 | \$3.84 | NA | NA NA | \$7.73 | \$8.51 | NA | NA | \$10.54 |
| | | | ****** | ** ***** | | | 4 | + | | | + · · · · · |
| 4-W | re ISDN DS1 Port including all available features, per month | UEPEX | NA | NA | NA | \$275.48 | NA | NA | NA | \$251.00 | NA |
| | NRC - 1st | UEPEX | NA | NA | NA | \$181.27 | NA | NA | NA | \$311.73 | NA |
| | NRC - Add'l | UEPEX | NA | NA | NA | \$116.42 | NA | NA | NA | \$311.73 | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$65.48 | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$65.48 | NA |
| | | | | | | | | | | | |
| 2-Wi | re Analog Line Port (PBX), per month | | | | | | | | | | |
| | 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.18 | \$2.35 | \$4.63 |
| | LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA | | | | | | | | | | |
| | CALLING PORT | UEPA2 | \$2.07 | NA | NA | NA | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA | | | | | | | | | | |
| | CALLING PORT | UEPL2 | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE | | | | | | | | | | |
| | CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$4.63 |
| | 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE | LIEDTO | | | | | | | | | 04.00 |
| $\vdash \vdash$ | CALLING PORT | UEPTO | NA TO 07 | NA ©4.00 | NA ©4.05 | NA Co.o.4 | NA To co | NA Co.44 | NA Co.oo | NA To or | \$4.63 |
| $\vdash \vdash$ | 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| $\vdash\vdash$ | 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXB | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| + | 2-WIKE VOICE UNBUNDLED PBA LD DDD TERMINALS PORT | UEPXC | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD | ==::= | | | | | | | | A | |
| | CAPABLE PORT | UEPXE | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| | 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA | | l | | | | | | | | |
| | CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|-----------------|--------------------|--------------------|--------------------|--------------------|--------------------|--|--------------------|--|------------------|
| A WINE VOICE UNBURNE ED DRY VENTURIO VEDERNI NA CALLU | IO DODT | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLII 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING | | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| | UEPXJ | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL O | | | | | \$2.0 . | | | | | |
| CALLING PORT | UEPXK | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL EC ADMINISTRATIVE CALLING PORT | UEPXL | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL EC ROOM CALLING PORT | ONOMY UEPXM | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HI ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CAL | LING PORT UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$4.63 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HI DIACOUNT ROOM CALLING PORT | UEPXO | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIAN DISCOUNT CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL I | UEPXP | NA | NA | NA | NA | \$2.20 | NA | NA | NA | NA |
| CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$2.11 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL (CALLING PORT | DPTIONAL UEPXR | NA | NA | NA | NA | NA | \$2.11 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURE | | \$2.07 | \$1.62 | \$1.85 | \$2.61 | \$2.20 | \$2.11 | \$2.00 | \$2.35 | \$4.63 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AF | REA PLUS UEPXT | NA | NA | NA | NA | NA | NA | NA | \$2.35 | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS C | CALLING UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$4.63 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGION CALLING PORT | | NA | NA | NA | NA | NA | NA | NA | NA | \$4.63 |
| UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER POR | T) UEPLX | | | | | | | | | |
| | , | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCP | | | | | | | | | |
| NRC - 1st | UEPPC | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNI | | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$21.60 | \$24.36 | \$9.93 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - B | | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALAB/ | | 004.00 | | | | | | | | |
| CALLING PORT | UEPA2 | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| CALLING PORT | UEPL2 | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNI CALLING PORT | ESSEE UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESS | SEE | | | | | | | | | |
| CALLING PORT | UEPTO UEPYA | NA Totalog | NA COO. FO | NA C17.10 | NA Coo 47 | NA C10.40 | NA ************************************ | NA CO4.04 | NA ************************************ | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAG | _ | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL POR 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | TS UEPXB UEPXC | \$21.93 \$21.93 | \$62.56 \$62.56 | \$17.16 \$17.16 | \$36.47 \$36.47 | \$16.43 \$16.43 | \$22.98 \$22.98 | \$24.04 \$24.04 | \$24.36 \$24.36 | \$9.93 \$9.93 |
| 1 12-44 IVE ACICE GIARGIANTER LEVEL LEVININATO LOCAL | UEPAC | φ∠1.93 | Φυ∠.⊃υ | φ1/.10 | φ30.47 | φ10.43 | ⊅∠∠.∀ ŏ | ⊅∠4.U4 | ⊅∠4. 30 | φ9.93 |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD | UEFAD | φ21.93 | \$02.50 | \$17.10 | φ30.47 | \$10.43 | \$22.90 | \$24.04 | \$24.30 | φ9.93 |
| CAPABLE PORT | UEPXE | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA | | | | | | | · | | | · |
| CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT | ULFAII | INA | INA | INA | φ30.47 | INA | INA | INA | INA | INA |
| WITHOUT LUD | UEPXJ | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL | | | | | * | | | | | |
| CALLING PORT | UEPXK | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | | | | | | | | | | |
| ADMINISTRATIVE CALLING PORT | UEPXL | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | UEPXM | ¢24.02 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| ROOM CALLING FORT | UEPAIVI | \$21.93 | \$62.56 | \$17.10 | \$30.47 | \$10.43 | Φ22.90 | φ24.U4 | φ24.30 | ф9.93 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| DIACOUNT ROOM CALLING PORT | UEPXO | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL | HEDVD | NIA | | | | £40.40 | NIA | N10 | N10 | NIA |
| DISCOUNT CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY | UEPXP | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL | OLI AQ | 10. | 101 | 10.0 | 101 | 107 | Ψ22.00 | 147 | 147 | 10.0 |
| CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| | | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | \$21.93 | \$62.56 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$24.04 | \$24.36 | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT | UEPXT | NA | NIA | NIA | NA | NIA | NIA | NA | \$24.36 | NIA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING | UEPXI | INA | NA | NA | INA | NA | NA | INA | \$24.30 | NA |
| PORT | UEPXU | NA | \$9.93 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV | | | | | | | | | | 40.00 |
| CALLING PORT | UEPXV | NA | \$9.93 |
| | | | | | | | | | | |
| Subsequent Activity | USASC | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| NRC - Add'I | | | | | | | | | | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$21.60 | \$24.36 | \$9.19 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA | UEPTO | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| CALLING PORT | UEPA2 | \$21.93 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA | OLI AL | Ψ21.00 | 197 | 100 | 107 | 100 | 14/3 | 10/3 | 1973 | 14/1 |
| CALLING PORT | UEPL2 | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE | | | 1 | | | | | | | <u> </u> |
| CALLING PORT | UEPT2 | NA | \$9.19 |

| CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|----------|---------|--------------------|----------|---------------|---------|---------|----------|----------|---------------|
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE | | | | | | | | | | |
| CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| | | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD | | | | | | | | | | |
| CAPABLE PORT | UEPXE | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA | | | | | | | | | | |
| CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | \$36.47 | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | \$37.47 | NA | NA | NA | NA | NA |
| A MIDE VOICE LINDUNDLED DRY KENTHOKY DREMILIN ON LING DODT | LIEDVII | | | | 000 47 | | | | | |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | \$38.47 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | LIEDY | N10 | NA | NIA | COO 47 | NA | NIA. | NIA. | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL | UEPXJ | NA | NA | NA | \$39.47 | NA | NA | NA | NA NA | NA |
| CALLING PORT | UEPXK | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | ULFAR | INA | INA | INA | INA | \$10.43 | INA | INA | INA | INA |
| ADMINISTRATIVE CALLING PORT | UEPXL | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | OLI AL | Ψ21.93 | Ψ23.70 | Ψ17.10 | ψ30.47 | ψ10.43 | Ψ22.90 | ψ9.03 | Ψ24.50 | ψ3.13 |
| ROOM CALLING PORT | UEPXM | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| TOOM OFFICER OF ORT | OLI XIVI | Ψ21.33 | Ψ23.70 | ψ17.10 | ψ50.47 | ψ10.40 | Ψ22.50 | ψ5.05 | Ψ24.00 | ψ5.11 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$9.1 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | 1 | 1 | | | | | | **** |
| DIACOUNT ROOM CALLING PORT | UEPXO | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.19 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL | | | • | • | * | * | * | , | , , | |
| DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$16.43 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY | | | | | | | | | | |
| CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL | | | | | | | | | | |
| CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$22.98 | NA | NA | NA |
| | | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | \$21.93 | \$29.70 | \$17.16 | \$36.47 | \$16.43 | \$22.98 | \$9.05 | \$24.36 | \$9.1 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS | | | | | | | | | | |
| CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | \$24.36 | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NIA | NIA | NIA | NIA | NIA | NIA | NIA. | NIA | CO 44 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$9.19 |
| CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$9.1 |
| CALLING FORT | UEPAV | INA | INA | INA | INA | INA | INA | INA | INA | Ф 9. I |
| NRC - Disconnect Charge - 1st | | | | | | | | | | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.60 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$6.21 | \$26.37 | NA NA | NA NA | \$3.77 | \$6.56 | NA. | NA NA | \$3.60 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$6.21 | \$26.37 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$3.60 |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$6.21 | \$26.37 | NA | NA NA | \$3.77 | \$6.56 | NA. | NA NA | \$3.60 |
| LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$6.21 | \$26.37 | NA | NA NA | \$3.77 | \$6.56 | NA NA | NA | \$3.6 |
| TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$6.21 | \$26.37 | NA NA | NA NA | \$3.77 | \$6.56 | NA. | NA NA | \$3.6 |
| TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$6.21 | \$26.37 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$3.6 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA | | + | + =0.0. | | 1 | + | + = | | 1 | ψο.οι |
| CALLING PORT | UEPA2 | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA | | | | | | | | | 1 | 1 |
| CALLING PORT | UEPL2 | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|--|---------|----------------|---------|----------|----------|--------------|--------|----------|----------|---------------|
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE | 02.25 | ψο. <u>Σ</u> . | Ψ20.0. | | | ψο | ψ0.00 | | | ψο.σσ |
| CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE | 022 | 1.0. | | | | | | | | ψο.σσ |
| CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$6.21 | \$26.37 | NA | NA NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$6.21 | \$26.37 | NA NA | NA. | \$3.77 | \$6.56 | NA. | NA NA | \$3.66 |
| | 02.7.0 | ψο. <u>Σ</u> . | Ψ20.0. | | | ψο | ψ0.00 | | | ψο.σσ |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD | 02.7.2 | ψο. <u>Σ</u> . | Ψ20.0. | | | ψο | ψ0.00 | | | ψο.σσ |
| CAPABLE PORT | UEPXE | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA | 02.7.2 | ψο. <u>Σ</u> . | Ψ20.0. | | | ψο | ψ0.00 | | | ψο.σσ |
| CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | 1 |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT | | 1 | | | | | | | | |
| WITHOUT LUD | UEPXJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL | 02.70 | | | | | | | | | 1.0. |
| CALLING PORT | UEPXK | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | OLI AIX | 101 | 10. | 107 | 10. | ψο | 10, | 10/ | 1471 | 107 |
| ADMINISTRATIVE CALLING PORT | UEPXL | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | 02.7.2 | ψο. <u>Σ</u> . | Ψ20.0. | | | ψο | ψ0.00 | | | ψο.σσ |
| ROOM CALLING PORT | UEPXM | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| I I I I I I I I I I I I I I I I I I I | 02.7 | ψο. <u>Σ</u> . | Ψ20.0. | | | ψο | ψ0.00 | | | ψο.σσ |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | \$26.37 | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | OLI AIT | 10/ | Ψ20.07 | 1471 | 10/1 | 10/ | 147. | 10/1 | 1471 | Ψ0.00 |
| DIACOUNT ROOM CALLING PORT | UEPXO | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL | OLI XO | Ψ0.21 | Ψ20.01 | 14/1 | 14/3 | ψ5.77 | ψ0.50 | 14/3 | 14/3 | ψ5.00 |
| DISCOUNT CALLING PORT | UEPXP | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY | OLI XI | Ψ0.21 | 10. | 107 | 10. | ψο.,, | ψ0.00 | 10/ | 1471 | 100 |
| CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL | OLI AQ | 10/ | 10/1 | 1471 | 10/1 | 10/ | ψ0.00 | 10/1 | 1471 | |
| CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| O/LEHTO FORT | OLI AIX | 14/4 | 14/4 | 14/1 | 14/3 | 14/3 | ψ0.50 | 14/3 | 14/3 | 14/1 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | \$6.21 | \$26.37 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 1-WAY PBX SOUTH CAROLINA AREA PLUS | OLI AO | Ψ0.21 | Ψ20.01 | 19/3 | 14/1 | ψ0.77 | ψ0.00 | 19/3 | 14/3 | ψ0.00 |
| CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING | OLI AT | 11/7 | 14/7 | 147 | 14/7 | 14/7 | 1477 | 14/7 | 14/7 | 14/7 |
| PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV | OLI AU | 14/1 | 14/3 | 19/3 | 14/1 | 13/3 | INA | 19/3 | 14/3 | ψ0.00 |
| CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$3.66 |
| Oricento i Oldi | OLIAV | INA | INA | INA | INA | INA | INA | INA | 11/7 | ψ5.00 |
| NRC - Disconnect Charge - Add'I | | + | + | | | | | | | + |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - RESIDENCE | UEPPC | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPO | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| LINE SIDE UNBUNDLED NOOMING PBX TRUNK - BUSINESS | UEPP1 | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS | UEPLD | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS | UEPT2 | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPTO | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| TIN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS | UEPIU | Φ0.21 | \$1.69 | INA | NA | Φ3.// | Φ0.5b | INA | INA | ⊅∠.9 ∠ |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|----------------|------------------|------------------|----------|----------|------------------|------------------|----------|----------|------------------|
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING PORT | UEPA2 | \$6.21 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA | | | | | | | | | | |
| CALLING PORT | UEPL2 | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE | | | | | | | | | | |
| CALLING PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXB UEPXC | \$6.21 \$6.21 | \$1.69 \$1.69 | NA NA | NA NA | \$3.77 \$3.77 | \$6.56 \$6.56 | NA NA | NA NA | \$2.92 \$2.92 |
| 2-WIRE VOICE UNBUNDLED PBA LD DDD TERWINALS PORT | UEPAC | \$6.∠1 | \$1.09 | INA | INA | \$3.77 | \$6.56 | NA NA | INA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD | | | | | | | | | | |
| CAPABLE PORT | UEPXE | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING PORT WITHOUT LUD | UEPXF | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| OALLING FOR EWITHOUT LOD | UEPAF | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD | UEPXJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT | UEPXK | NA | NA | NA | NA | \$3.77 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | OLI XIX | INA | INA | INA | INA | ψ3.77 | INA | INA | INA | INA |
| ADMINISTRATIVE CALLING PORT | UEPXL | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT | UEPXM | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| DIACOUNT ROOM CALLING PORT | UEPXO | \$6.21 | \$1.69 | NA | NA | \$3.77 | \$6.56 | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT | UEPXP | \$6.21 | NA | NA | NA | \$3.77 | \$6.56 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT | UEPXR | NA | NA | NA | NA | NA | \$6.56 | NA | NA | NA |
| | UEPXS | \$6.21 | \$1.69 | NA NA | NA NA | \$3.77 | \$6.56 | NA NA | NA NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS | UEFAS | Φ0.∠1 | φ1.09 | INA | INA | φ3.// | Φ0.00 | INA | INA | φ∠.9Z |
| CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$2.92 |
| | OLI AV | 13/3 | 14/3 | 14/3 | 14/1 | 14/1 | 14/1 | 14/1 | 14/1 | Ψ2.02 |
| NRC - OSS | | | | | | | | | | |
| NRC - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of | | 1 | 1 | † | 1 | | 1 | 1 | | |
| the OSS interactive interfaces | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | \$21.56 | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$41.86 | \$20.35 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | \$21.56 | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$14.46 | \$10.54 |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|----------|--------------|----------|----------|----------|----------|--------------|--------|--------------|----------|
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | \$3.84 | NA | NA | \$8.94 | \$16.06 | NA | NA | \$13.32 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$0.48 | \$3.84 | NA | NA | NA | NA | NA | NA | \$1.40 |
| | | | | | | | | | | |
| 2-Wire Analog Hunting, per line per month | HTGUX | See features | NA | NA | \$0.29 | NA | See features | NA | See features | NA |
| NRC - 1st | HTGUX | See features | NA | NA | \$2.14 | NA | See features | NA | See features | NA |
| NRC - Add'l | HTGUX | See features | NA | NA | \$2.14 | NA | See features | NA | See features | NA |
| | | | | | | | | | | |
| Coin Port, per month | | \$2.34 | \$1.62 | \$2.05 | \$3.04 | \$2.50 | \$2.32 | NA | \$2.77 | \$2.16 |
| NRC - 1st | | \$21.93 | \$4.76 | \$17.16 | \$40.71 | \$16.43 | \$22.98 | NA | \$24.75 | \$9.93 |
| NRC - Add'l | | \$21.93 | \$4.54 | \$17.16 | \$40.71 | \$16.43 | \$22.98 | NA | \$24.75 | \$9.19 |
| NRC - Disconnect Charge - 1st | | \$5.21 | \$2.76 | NA | NA | \$4.15 | \$6.56 | NA | NA | \$3.66 |
| NRC - Disconnect Charge - Add'l | | \$5.21 | \$2.59 | NA | NA | \$4.15 | \$6.56 | NA | NA | \$2.92 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$25.93 | \$21.56 | \$18.94 | NA | \$18.14 | \$25.52 | NA | \$43.48 | \$20.35 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$12.97 | \$21.56 | \$8.42 | NA | \$8.06 | \$11.34 | NA | \$14.57 | \$10.54 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$16.33 | \$3.84 | NA | NA | \$9.86 | \$16.06 | NA | NA | \$13.32 |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$0.48 | \$3.84 | NA | NA | NA | NA | NA | NA | \$1.40 |
| | | | | | | | | | 1 | |
| VERTICAL FEATURES | | | | | | | | | | |
| | | | No add'l | | No add'l | | | | | |
| Local Switching Features offered with Port, Per month | N/A | NA | charge | NA | charge | \$8.28 | NA | NA | See above | NA |
| Three-Way Calling, per month | | \$1.12 | NA | NA | NA | NA | \$1.32 | \$0.89 | \$1.10 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Customer Changeable Speed Calling, per month | | \$0.08 | NA | NA | NA | NA | \$0.0755 | \$0.17 | \$0.1247 | NA |
| I INRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Waiting | | \$0.03 | NA | NA | NA | NA | \$0.033 | \$0.09 | \$0.0665 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Remote Activation of Call Fordwarding, per month | | \$0.18 | NA | NA | NA | NA | \$0.4859 | \$0.85 | \$0.3743 | NA |
| NRC ST | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Cancel Call Waiting, per month | | \$0.01 | NA | NA | NA | NA | \$0.0082 | \$0.01 | \$0.0099 | NA |
| INRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Automatic Callback, per month | | \$0.29 | NA | NA | NA | NA | \$0.9977 | \$0.66 | \$0.8015 | NA |
| NRC | | \$1.03 | NA | NA | NA NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA NA | NA | \$0.5466 | NA | NA NA | NA |
| Automatic Recall, per month | | \$0.28 | NA | NA | NA | NA | \$0.3164 | \$0.29 | \$0.3102 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Calling Number Delivery, per month | | \$0.22 | NA | NA | NA | NA | \$0.1817 | \$0.33 | \$0.3272 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Calling Number Delivery Blocking, per month | | \$1.17 | NA | NA | NA | NA | \$0.9913 | \$0.02 | \$0.3684 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA NA | NA NA | NA | \$0.5466 | NA NA | NA NA | NA |
| Customer Originated Trace, per month | | \$0.14 | NA | NA | NA NA | NA | \$0.1918 | \$0.14 | \$0.1402 | NA |
| NRC | 1 | \$1.03 | NA | NA. | NA. | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | 1 | \$0.55 | NA NA | NA NA | NA NA | NA. | \$0.5466 | NA | NA NA | NA |
| Selective Call Rejection, per month | 1 | \$0.13 | NA NA | NA. | NA. | NA. | \$0.1721 | \$0.13 | \$0.1528 | NA |
| NRC | <u> </u> | \$1.03 | NA | NA NA | NA NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA NA | NA NA | NA NA | NA NA | \$0.5466 | NA | NA NA | NA NA |
| Selective Call Forwarding, per month | | \$0.05 | NA NA | NA NA | NA NA | NA | \$0.1050 | \$0.28 | \$0.1287 | NA NA |
| NRC | | \$1.03 | NA NA | NA NA | NA NA | NA NA | \$1.02 | \$1.51 | \$1.51 | NA NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|------|--------------------|----------|----------|----------|----------|--------------------|--------------------|--------------------|----------|
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Selective Call Acceptance, per month | | \$0.29 | NA | NA | NA | NA | \$0.4010 | \$0.33 | \$0.3283 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Multiline Hunt Service (Rotary) | | | | | | | | | | |
| Service per line, (in addition to port) , per month | | \$0.11 | NA | NA | NA | NA | \$0.1271 | \$0.14 | \$0.1301 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Forwarding Variable, per month | | \$0.05 | NA | NA | NA | NA | \$0.0474 | \$0.10 | \$0.0768 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Forwarding Busy Line, per month | | \$0.03 | NA | NA | NA | NA | \$0.0279 | \$0.08 | \$0.0603 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Forwarding Don't Answer All Calls, per month | | \$0.03 | NA | NA | NA | NA | \$0.0308 | \$0.09 | \$0.0655 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Remote Call Forwarding, per month | | \$1.36 | NA | NA | NA | NA | \$1.47 | \$0.95 | \$1.41 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Transfer, per month | | \$0.12 | NA | NA | NA | NA | \$0.1404 | \$0.14 | \$0.1392 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Hold, per month | | \$0.03 | NA | NA | NA | NA | \$0.0190 | \$0.15 | \$0.0677 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC – Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Toll Restricted Service, per month | | \$0.04 | NA | NA | NA | NA | \$0.0387 | \$0.10 | \$0.0743 | NA |
| NRC NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Message Waiting Indicator – Stutter Dial Tone, per month | | \$0.03 | NA | NA | NA | NA | \$0.0356 | \$0.03 | \$0.0318 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA Ou oo | NA O4 40 | NA |
| Anonymous Call Rejection, per month | | \$0.93 | NA | NA | NA | NA | \$0.9519 | \$1.29 | \$1.13 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA NA | NA | NA NA | NA NA | \$0.5466 | NA Co.oo | NA Co. 0540 | NA |
| Shared Call Appearances of a DN, per month | | \$0.41 | | NA | | NA NA | \$0.5015 | \$0.29 | \$0.3513 | NA NA |
| NRC NRC - Disconnect | | \$1.03 | NA | NA | NA | | \$1.02 | \$1.47 | \$1.47 | |
| | | \$0.55 | NA | NA NA | NA | NA NA | \$0.5466 | NA CO OZ | NA ©0.0004 | NA |
| Multiple Call Appearances, per month NRC | | \$0.09 | NA NA | NA NA | NA NA | NA NA | \$0.0932 \$1.02 | \$0.07 \$1.47 | \$0.0891 | NA NA |
| NRC - Disconnect | | \$1.03 \$0.55 | NA NA | NA NA | NA NA | NA NA | \$1.02 \$0.5466 | \$1.47 NA | \$1.47 NA | NA NA |
| | | | | | NA NA | | | | | |
| ISDN Bridged Call Exclusion, per month INRC | | \$0.00 \$1.03 | NA NA | NA NA | NA NA | NA NA | \$0.0013 \$1.02 | \$0.0011 \$1.47 | \$0.0013 \$1.47 | NA NA |
| NRC - Disconnect | | \$1.03 | NA NA | NA NA | NA NA | NA NA | \$0.5466 | \$1.47 NA | \$1.47 NA | NA NA |
| Call by Call Access, per month | | \$28.29 | NA NA | NA NA | NA NA | NA NA | \$50.89 | \$19.83 | \$0.3621 | NA NA |
| NRC | | \$28.29 \$28.94 | NA NA | NA NA | NA NA | NA NA | \$50.89 | \$19.83 | \$0.3621 | NA NA |
| NRC - Disconnect | | \$28.94 | NA NA | NA NA | NA NA | NA NA | \$5.16 | \$33.33 NA | \$33.36 NA | NA NA |
| Privacy Release, per month | | \$0.01 | NA NA | NA NA | NA NA | NA NA | \$0.0030 | \$0.0041 | \$0.0116 | NA NA |
| NRC | | \$1.03 | NA NA | NA NA | NA NA | NA NA | \$1.02 | \$1.51 | \$1.51 | NA NA |
| NRC - Disconnect | | \$0.55 | NA NA | NA NA | NA NA | NA NA | \$0.5466 | NA | NA | NA NA |
| Multi Appearance Directory Number Calls, per month | | \$0.55 | NA NA | NA NA | NA NA | NA NA | \$0.5466 | \$0.13 | \$0.1048 | NA NA |
| NRC | | \$1.03 | NA NA | NA NA | NA NA | NA NA | \$1.02 | \$1.51 | \$0.1048 | NA NA |
| NRC - Disconnect | | \$1.03 | | NA NA | NA NA | NA NA | \$0.5466 | \$1.51 NA | \$1.51 NA | NA NA |
| Make Set Busy, per month | | \$0.55 | NA NA | NA NA | NA NA | NA NA | \$0.5466 | \$0.0020 | \$0.0101 | NA NA |
| | | | | | | | | | | |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|----------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Teen Service (Res. Dist. Alerting Service), per month | | \$0.15 | NA | NA | NA | NA | \$0.1071 | \$0.26 | \$0.2149 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Code Restriction and Diversion, per month | | \$0.04 | NA | NA | NA | NA | \$0.0464 | \$0.09 | \$0.0708 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Call Park, per month | | \$0.04 | NA | NA | NA | NA | \$0.0443 | \$0.09 | \$0.0694 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| Automatic Line, per month | | \$0.09 | NA | NA | NA | NA | \$0.1111 | \$0.14 | \$0.1179 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| | | | | | | | | | | |
| 2-WIRE ISDN BRI FEATURES | | | | | | | | | | |
| Shared Primary Number-First Appr On Each Add'l Terminal | DS1FJ | TBD |
| Secondary Only Dn (Shared/Non-Shared) First Appearance | LLDSF | TBD |
| Shared Secondary Only Dn-First Appr On Each Add'l Term | DS1F1 | TBD |
| Shared Non-ISDN DN | DOE | TBD |
| Privacy Release | DS1FU | TBD |
| Manual Exclusion | DS1FM | TBD |
| Call Forwarding Variable-Voice Or Voice/Data | LLNCV | TBD |
| Call Forwarding Variable – Data | LLOCD | TBD |
| Call Forwarding Variable – Feature Button – Voice | GJXCF | TBD |
| Call Forwarding Variable – Feature Button – Data | LLPCD LLQCV | TBD TBD | TBD TBD | TBD TBD | TBD TBD | TBD TBD | TBD TBD | TBD TBD | TBD TBD | TBD TBD |
| Call Forwarding Busy Line – Voice Or Voice/Data Call Forwarding Busy Line – Data | LLQCV | TBD |
| Call Friving Busy Line – Data Call Friving Busy Line – Prgrmmbl–Voice Or Voice/Data | M6AVA | TBD |
| Call Frieding Busy Line – Programmable - Data | M6ADF | TBD |
| Call Forwarding Busy Line – Programmable - Data Call Forwarding Don't Answer – Voice Or Voice/Data | LLSCV | TBD |
| Call Forwarding Don't Answer – Data | LLUCD | TBD |
| Call Forwarding Don't Answer – Data Call Forward Don't Answer – Prgrmmble Voice Or Voice/Data | M6BVA | TBD |
| Call Forwarding Don't Answer – Programmable - Data | M6BDF | TBD |
| Call Frwdng Multiple Simultaneous – Voice Or Voice/Data | M6CV5 | TBD |
| Call Forwarding Multiple Simultaneous – Data | M6CD5 | TBD |
| Conference, Drop, Hold And Transfer | DS1FN | TBD |
| Six-Way Conference, Drop, Hold And Transfer | LLY6P | TBD |
| Multi-Line Hunt Group – Voice Or Voice/Data | HTG | TBD |
| Multi-Line Hunt Group – Data | HTGSD | TBD |
| Speed Calling | LLZSU | TBD |
| Visual Message Waiting Indicator | LLAVP | TBD |
| Audible Message Waiting Indicator | MWW | TBD |
| Additional Call Appearance, PDN Or DN | DS1FG | TBD |
| Call Tracing | NST | TBD |
| Call Return | NSS | TBD |
| Preferred Call Forwarding | NCE | TBD |
| Call Block | NSY | TBD |
| Repeat Dialing | NSQ | TBD |
| Per Line Blocking For Agencies/Law Enforcement | NOB | TBD |
| Per Line Blocking For Non-Pub Customers | NOBNN | TBD |
| Per Line Blocking For General Public | NOBPC | TBD |
| Per Line Blocking For Non-Pub, And Non-Listed Customer | NOBPP | TBD |
| Per Line Blocking For Non-Pub Customers | NOBNP | TBD |
| Per Line Blocking For Non-Pub Customers | NOBNR | TBD |
| Call Return Denial Of, Per Activation | BCR | TBD |
| Repeat Dialing, Denial Of, Per Activation | BRD | TBD |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|--|-------|-----------|--------------------|-------------|------------------|-------------|-------------------|-------------|--|----------------|
| Automatic Line/Direct Connect | M6GN9 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Make Set Busy | M6MPD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Selective Call Acceptance | M6K16 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Park/Call Retrieve | M6HP6 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Call Transfer System Exception | M6QTD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Make Set Busy – Intragroup | | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | M6MGD | | | | | | | TBD | | |
| All Customized Code Restrictions | CREX+ | TBD | TBD | TBD | TBD | TBD | TBD | | TBD | TBD |
| Additional Listings | CLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Additional Listing No Rate | FLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Cross Reference Listing | LLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Non-Pub Listing No Rate | NP3 | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Non-List Listing | NLT | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Non-List Listing No Rate | NLE | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Alternate Call Listing | FNA | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| Manual Service Order Charge | SOMAN | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| All Selective Class Of Call Screening | SRG++ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | | | | | | | | | | |
| ISDN Message Waiting Indication-Lamp, per month | _ | \$0.01 | NA | NA | NA | NA | \$0.0105 | \$0.0107 | \$0.0138 | NA |
| NRC | | \$1.03 | NA | NA | NA | NA | \$1.02 | \$1.47 | \$1.47 | NA |
| NRC - Disconnect | | \$0.55 | NA | NA | NA | NA | \$0.5466 | NA | NA | NA |
| ISDN Feature Function Buttons | | NA | NA. | NA. | NA. | NA NA | NA | NA NA | 1 | 1 |
| NRC | | \$1.03 | NA. | NA. | NA. | NA NA | \$1.02 | \$1.51 | \$1.51 | NA |
| NRC - Disconnect | | \$0.55 | NA. | NA NA | NA NA | NA NA | \$0.5466 | NA NA | NA NA | NA. |
| Subsequent Ordering Charge – (per order, per line) | | NA | NA NA | NA NA | NA NA | NA NA | NA | NA NA | INA | INA |
| NRC - Electronic - 1st | | | NA NA | | NA NA | NA NA | | | £4.00 | NIA |
| | | \$2.88 | | NA | | | \$2.84 | \$5.42 | \$1.36 | NA |
| NRC - Electronic - Add'l | | \$0.96 | NA | NA | NA | NA | \$0.95 | \$0.95 | \$0.71 | NA |
| NRC - Manual - 1st | | \$4.80 | NA | NA | NA | NA | \$4.73 | \$1.89 | \$7.35 | NA |
| NRC - Manual - Add'l | | \$0.96 | NA | NA | NA | NA | \$0.95 | NA | \$0.95 | NA |
| NRC - Disconnect | | \$2.88 | NA | NA | NA | NA | \$2.84 | NA | NA | NA |
| Unbundled Port Usage Charges | | | | | | | | | | |
| End Office Switching (Port Usage) | | | | | | | | | | |
| End Office Switching (For Usage) | N/A | \$0.0018 | © 0.0000040 | \$0.0016333 | #0.000500 | \$0.0021 | CO 0000774 | \$0.0017000 | CO 004000 | #0.0000 |
| | | | | | | | | | | \$0.0008 |
| End Office Interoffice Trunk Port—Shared, per mou | N/A | \$0.0002 | \$0.0001893 | \$0.0001564 | NA | \$0.0002 | \$0.0001927 | NA | \$0.0002581 | NA |
| Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | |
| Tandem Switching Function per mou | N/A | \$0.00063 | \$0,0001522 | \$0.0006757 | \$0.001096 | \$0.0008 | \$0.0007834 | \$0.0009 | \$0.0006843 | \$0.000978 |
| Tandem Interoffice Trunk Port - Shared per mou | | ψοισσσσσ | | \$0.0002126 | NA NA | \$0.0003 | \$0.0002834 | NA | \$0.0004034 | NA NA |
| Tandom micromod marik r ok. Charoa por mod | | | ψ0.00027 10 | φ0.0002120 | 100 | Ψ0.0000 | φ0.0002001 | 10/ | ψο.οσο 100 1 | |
| Common (Shared) Transport | | | | | | | | | | |
| Common (Shared) Transport per mile per mou | N/A | \$0.00001 | \$0.0000039 | 9000009 | \$0.0000049 | \$0,0000002 | \$0.0000001 | \$0.00001 | \$0.0000121 | \$0.0000064 |
| Common (Shared) Transport Fer Time Fer Timou Common (Shared) Transport Facilities Termination per mou | N/A | \$0.00045 | | \$0.000008 | | | \$0.00004281 | \$0.00034 | | \$0.000004 |
| Common (Ghareu) Transport Facilities Termination per mou | IN/A | ψ0.00045 | ψυ.υυυ4379 | ψ0.0004152 | ψυ.υυυ420 | ψ0.00047 | ψυ.υυυ4201 | ψ0.00034 | ψυ.υυυ4072 | ψυ.υυυσο/ 1 |
| NOTES: | | | | | | | | | + | |
| | | | 1 | | - | | | | - | - |
| Interim rates subject to true-up. | | | 1 | | | | | | | |
| 1 Port rate includes all available features. | | | | | | | | | - | |
| 2 Transmission/usage charges associated with POTS circuit switched usage will | | | | | | | | | | |
| also apply to circuit switched voice and/or circuit switched data transmission by B- | | | | | | | | | | |
| Channels associated with 2-wire ISDN ports. | | | | | | | | | | |
| Access to B Channel or D Channel Packet capabilities will be avail- able only | | | | | | | | | | |
| through BFR/New Business Request Process. Rates for the packet capabilities | | | | | | | | | ĺ | |
| | 1 | | | | | | | | 1 | |
| | | | | | | | | | | 1 |
| will be determined via the Bona Fide Request/New Business Request Process. | | | | | | | | | | |
| | | | | | | | | | | |

| Atta | chment : |
|---------|-----------|
| | Exhibit 0 |
| Rates - | Page 4 |

| D | ESC | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|-----|---|------|----|----|----|----|----|----|----|----|----|
| | 5 | This rate element is for use in those states with a different rate for additional minutes of use. | | | | | | | | | | |
| | 6 | Rates in TN and FL are interim and shall be trued-up when final rates are ordered. | | | | | | | | | | |
| | | | | | | | | | | | | |

| τ | JNBUNDLED DEDICATED TRANSPORT - Local Channel | USOC | AL | FL | GA | KY | LA | MS | NC | sc | |
|----|---|----------------|--------------------|----------------------|----------|----------------------|----------|----------|----------------------|---------------------|-------------------|
| | ocal Channel - Dedicated - 2-Wire VG | | | | | | | | | | |
| 2 | 2-wire VG per mile | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ |
| | 2-wire VG Monthly Recurring per month | ULDV2 | \$14.61 | \$29.33 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.83 | \$16.83 | \$1 |
| T | NRC - 2-wire VG - 1st | ULDV2 | \$494.65 | \$386.34 | \$382.95 | \$585.15 | \$347.49 | \$487.62 | \$553.80 | \$554.00 | \$19 |
| T | NRC - 2-wire VG -Add'l | ULDV2 | \$84.44 | \$66.36 | \$62.40 | \$98.53 | \$59.75 | \$84.35 | \$89.69 | \$88.58 | \$2 |
| T | NRC - 2-Wire VG - Disconnect Chg - 1st | ULDV2 | \$77.81 | \$67.91 | NA | NA | \$53.68 | \$77.69 | NA | NA | \$5 |
| T | NRC - 2-Wire VG - Disconnect Chg - Add'l | ULDV2 | \$7.63 | \$5.92 | NA | NA | \$6.60 | \$8.95 | NA | NA | \$ |
| T | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$1 |
| t | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | Ť |
| t | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$ |
| t | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | Ť |
| t | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$41.46 | \$18.14 | \$25.50 | \$42.17 | \$43.75 | |
| t | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$18.37 | NA | \$8.42 | \$11.99 | \$8.06 | \$11.34 | \$12.76 | \$13.55 | |
| t | NRC - 2-Wire VG - Incremental ChargeManual Svc Order-Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA NA | NA | |
| t | The 2 this to mornional onlings mandal of order processings | 00 | \$11110 | | | | Ųo | ψ.σ.σσ | | | <u> </u> |
| t | ocal Channel - Dedicated - 2-Wire VG Rev. Bat. | | | | | | | | | | |
| | 2-wire VG per mile | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ |
| | 2-wrire VG Monthly Recurring per month | ULDR2 | \$14.61 | \$29.33 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.83 | \$16.83 | \$1 |
| f | NRC - 2-wire VG - 1st | ULDR2 | \$494.65 | \$3.865.34 | \$382.95 | \$585.15 | \$347.49 | \$487.62 | \$553.80 | \$554.00 | \$1 |
| t | NRC - 2-wire VG -Add'l | ULDR2 | \$84.44 | \$66.36 | \$62.40 | \$98.53 | \$59.75 | \$84.35 | \$89.69 | \$88.58 | \$2 |
| t | NRC - 2-Wire VG - Disconnect Chg - 1st | ULDR2 | \$77.81 | \$67.91 | NA NA | NA | \$53.68 | \$77.69 | NA | NA | \$5 |
| t | NRC - 2-Wire VG - Disconnect Chg - Add'l | ULDR2 | \$7.63 | \$5.92 | NA | NA NA | \$6.60 | \$8.95 | NA. | NA. | \$ |
| t | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA NA | \$19.99 | NA | NA | NA NA | NA. | \$ |
| H | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA NA | NA | NA | Ψ |
| H | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$ |
| H | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | ★ |
| H | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$41.46 | \$18.14 | \$25.50 | \$42.17 | \$43.75 | |
| H | NRC - 2-Wire VG - Incremental Charge-Manual Svc Order - Add'l | SOMAN | \$18.37 | NA | \$8.42 | \$11.99 | \$8.06 | \$11.34 | \$12.76 | \$13.55 | |
| ۲ | NRC - 2-Wire VG - Incremental ChargeManual Svc Order-Disconnect | SOMAN | \$17.75 | NA | NA | NA NA | \$11.40 | \$16.05 | NA NA | NA | |
| t | THEO E THIS TO MISIONISMA CHANGE MAINTAIN OVO CHASE BISSONINGS. | 001111111 | ψ11.10 | 101 | 107 | 10/ | Ψ11.10 | Ψ10.00 | 10, | 10. | |
| tr | ocal Channel - Dedicated - 4-Wire VG | | | | | | | | | | |
| | I-wire VG per mile | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ |
| | I-wire VG Monthly Recurring per month | ULDV4 | \$15.77 | \$30.50 | \$14.99 | \$23.38 | \$16.21 | \$19.03 | \$15.87 | \$18.05 | \$2 |
| ۲ | NRC - 4-Wire VG - 1st | ULDV4 | \$502.43 | \$387.21 | \$368.44 | \$585.15 | \$352.75 | \$495.25 | \$562.23 | \$562.46 | \$2 |
| H | NRC - 4-Wire VG - Add'l | ULDV4 | \$86.68 | \$67.22 | NA | \$98.53 | \$61.33 | \$86.56 | \$92.67 | \$91.57 | \$2 |
| t | NRC - 4-Wire VG - Disconnect Chg - 1st | ULDV4 | \$78.71 | \$68.78 | NA | NA | \$54.36 | \$78.58 | NA NA | NA NA | \$5 |
| H | NRC - 4-Wire VG - Disconnect Chg - Add'l | ULDV4 | \$8.53 | \$6.79 | NA NA | NA NA | \$7.28 | \$9.84 | NA NA | NA NA | \$ |
| ۲ | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA NA | \$19.99 | NA NA | NA NA | NA. | NA. | \$1 |
| t | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA NA | NA NA | NA NA | NA NA | NA. | Ψ. |
| ۲ | NRC - Electronic Svc Order, per LSR | SOMEC | NA | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$ |
| H | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | \$3.50 | \$0.42 | NA | NA | NA | NA | NA | NA | Ψ |
| ۲ | NRC - 4-Wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$41.46 | \$18.14 | \$25.52 | \$42.17 | \$43.64 | |
| H | NRC - 4-Wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$18.73 | NA | \$8.42 | \$11.99 | \$8.06 | \$11.34 | \$12.76 | \$13.55 | |
| ╁ | NRC - 4-Wire VG - Incremental ChargeManual Svc Order-Disconnect | SOMAN | \$17.75 | NA NA | NA | NA | \$11.40 | \$17.25 | NA | NA | |
| ╁ | 11110 - 4-Wile VO - Ilicielliental ChargeWalldal Ove Order-Disconliect | SOMAN | ψ17.73 | INA | INA | INA | Ψ11.40 | Ψ17.23 | INA | INA | |
| ╁ | ocal Channel - Dedicated - DS1 | | | | | | | | | | |
| 15 | OS1 per mile | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$ |
| Г | OS1 per month | ULDF1 | \$35.52 | \$43.53 | \$38.36 | \$43.80 | \$43.80 | \$38.91 | \$35.68 | \$37.20 | \$4 |
| | | ULDF1 | \$503.52 | \$242.45 | \$356.15 | \$538.95 | \$348.56 | \$494.83 | \$534.48 | \$57.20 \$534.81 | \$2 |
| | | OLDFI | \$442.84 | \$242.45 \$226.44 | | \$538.95 \$464.94 | | | \$534.48 \$462.69 | \$462.81 | \$2 |
| | NRC - DS1 - 1st | III DE4 | | 1 D//D 44 | \$312.89 | J404.94 | \$300.30 | \$435.28 | ⊅40∠.09 | ֆ46∠.ԾΊ | 1 22 |
| | NRC - DS1 - Add'l | ULDF1 | | | £400.04 | N I A | ድርፈ 45 | #4C 0F | N I A | N I A | |
| | NRC - DS1 - Add'I NRC - DS1 - Disconnect Chg - 1st | ULDF1 | \$46.28 | \$41.13 | \$122.31 | NA | \$24.15 | \$46.85 | NA | NA | \$3 |
| | NRC - DS1 - Add'I NRC - DS1 - Disconnect Chg - 1st NRC - DS1 - Disconnect Chg - Add'I | ULDF1 ULDF1 | \$46.28 \$32.18 | \$41.13 \$28.28 | \$119.14 | NA | \$21.31 | \$33.02 | NA | NA | \$3 \$2 |
| | NRC - DS1 - Add'I NRC - DS1 - Disconnect Chg - 1st | ULDF1 | \$46.28 | \$41.13 | | | | | | | \$3 \$2 \$1 |

| ПП | | | | | | | | | | | |
|---------------------|---|--|--------------|------------|--|--------------|--------------|--------------|--------------|--------------|------------|
| ++ | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| ++ | NRC - DS1 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$61.95 | NA | \$44.22 | \$87.71 | \$42.34 | \$59.58 | \$86.15 | \$87.99 | NA NA |
| ++ | NRC - DS1 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$0.00 | NA NA | NA | NA NA | NA NA | NA | \$1.77 | \$3.11 | NA NA |
| | NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect | SOMAN | \$29.27 | NA NA | \$18.03 | NA. | \$19.48 | \$27.40 | NA | NA NA | NA. |
| H | 141.0 DOT INGOMORICA CHARGO WARRAN OVO GRACI BIGGOTHICA | CONTRA | Ψ20.21 | 100 | Ψ10.00 | 100 | ψ10.10 | Ψ27.10 | 147 | 101 | 1471 |
| | Local Channel - Dedicated - DS3 | | | | | | | | | | |
| | DS3 - per mile per month | 1L5NC | \$8.44 | \$9.16 | \$6.92 | \$34.00 | \$30.34 | NA | NA | \$12.08 | \$23.76 |
| | DS3 - Facility Termination per month | ULDF3 | \$535.92 | \$556.27 | \$515.91 | \$635.09 | \$669.01 | \$533.33 | \$498.87 | \$493.31 | \$607.28 |
| | NRC - DS3 - Facility Termination - 1st | ULDF3 | \$640.54 | \$903.37 | \$639.50 | \$1,091 | \$709.14 | \$526.67 | \$562.25 | \$735.42 | \$726.16 |
| | NRC - DS3 - Facility Termination - Add'l | ULDF3 | \$426.28 | \$528.05 | \$426.31 | \$661.23 | \$402.63 | \$493.71 | \$527.88 | \$519.31 | \$411.64 |
| | NRC - DS3 - Facility Termination - Disconnect - 1st | ULDF3 | \$121.72 | \$221.46 | \$122.31 | NA | \$102.16 | \$42.41 | NA | NA | \$103.36 |
| | NRC - DS3 - Facility Termination - Disconnect - Add'l | ULDF3 | \$118.54 | \$154.90 | \$119.14 | NA | \$99.46 | \$40.87 | NA | NA | \$100.59 |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| $\sqcup \sqcup$ | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 -Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$31.49 | \$56.25 | \$54.26 | NA |
| | NRC - DS3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$31.49 | \$56.25 | \$54.26 | NA |
| $\perp \perp \perp$ | NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect -1st | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$25.35 | NA | NA | NA |
| ++ | NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$25.35 | NA | NA | NA |
| ++ | Local Channel - Dedicated - STS-1 | | | | | | | | | | |
| +++ | STS-1 - per mile per month | 1L5NC | \$8.44 | \$9.16 | \$6.92 | \$34.00 | \$8.77 | \$38.98 | NA | \$12.08 | \$25.11 |
| ++ | STS-1 - Facility Termination per month | ULDFS | \$525.40 | \$565.48 | \$517.56 | \$635.09 | \$558.00 | \$531.39 | \$498.87 | \$481.14 | \$615.65 |
| +++ | NRC - STS-1 - Facility Termination - 1st | ULDFS | \$640.54 | \$903.37 | \$639.50 | \$1,091 | \$594.71 | \$1,084.33 | \$562.25 | \$735.42 | \$1,085.73 |
| | NRC - STS-1 - Facility Termination - Add'l | ULDFS | \$426.82 | \$528.05 | \$426.40 | \$661.23 | \$396.54 | \$682.13 | \$527.88 | \$519.31 | \$683.01 |
| | NRC - STS-1 - Facility Termination - Disconnect - 1st | ULDFS | \$121.72 | \$221.46 | \$122.31 | NA | \$113.75 | \$42.41 | NA | NA NA | \$103.36 |
| +++ | NRC - STS-1 - Facility Termination - Disconnect - Add'l | ULDFS | \$118.54 | \$154.90 | \$119.14 | NA | \$110.80 | \$40.87 | NA | NA | \$100.59 |
| H | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA NA | NA | NA. | NA | \$19.99 |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 -Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$34.92 | \$96.10 | \$56.25 | \$54.26 | NA |
| H | NRC - STS-1 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$34.92 | \$96.10 | \$56.25 | \$54.26 | NA |
| H | NRC - STS-1 - Incremental ChargeManual Svc Order-Disconnect -1st | SOMAN | \$19.03 | NA | \$18.03 | NA | \$16.77 | \$25.35 | NA | NA | NA |
| | NRC - STS-1 - Incremental ChargeManual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$16.77 | \$25.35 | NA | NA | NA |
| | | | | | | | | | | | |
| | Local Channel - Dedicated - OC3 | | | | | | | | | | |
| | OC3 per mile per month | 1L5NC | \$7.09 | \$8.93 | \$5.82 | \$28.56 | \$25.48 | \$35.55 | \$21.27 | \$10.15 | \$19.95 |
| $\sqcup \sqcup$ | OC3 Facility Termination per month | | \$1,123 | \$648.60 | \$914.22 | \$1,493 | \$1,179 | \$873.23 | \$914.18 | \$493.31 | \$1,263 |
| | NRC - OC3 - Facility Termination - 1st | | \$949.63 | \$966.45 | \$947.69 | \$1,543 | \$1,025 | \$1,427.00 | \$1,543 | \$735.42 | \$1,050 |
| | NRC - OC3 - Facility Termination - Add'l | | \$413.38 | \$408.85 | \$413.00 | \$661.23 | \$402.63 | \$549.17 | \$670.92 | \$519.31 | \$411.64 |
| | NRC - OC3 - Facility Termination - Disconnect Chg - 1st | | \$121.72 | \$11.56 | \$122.31 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| HH | NRC - OC3 - Facility Termination - Disconnect Chg - Add'l | | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| HH | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| HL | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| HH | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| HH | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA Coo 40 | \$0.42 | NA ************************************ | NA Coo.40 | NA ©50.05 | NA Too.co | NA COO 40 | NA *54.00 | NA |
| H + | NRC - OC3 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| H + | NRC - OC3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| H+ | NRC - OC3 - Incremental ChargeManual Svc Order-Disconnect-1st | SOMAN | \$19.03 | NA | \$18.03 | NA NA | \$20.94 | \$28.59 | NA | NA | NA |
| H+ | NRC - OC3 - Incremental ChargeManual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| H+ | Local Channel - Dedicated - OC12 | | | | | | | | | | |
| ++ | OC12 per mile per month | 1L5NC | \$10.13 | \$2,053.06 | \$8.31 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28.51 |
| | | | | | | | | | | | |

| | NDO 0040 Facility Tamping tion Act | | £4.405 | # 400.05 | £4.400.00 | #4.050 | £4.045 | C4 740 00 | \$4.050 | £4.050 | £4.070 |
|---------------------|--|----------------|----------------------|----------------------|----------------------|----------------|----------------------|----------------------|----------------|----------------|----------------------|
| \vdash | NRC - OC12 - Facility Termination - 1st | | \$1,165 | \$408.85 | \$1,162.00 | \$1,858 | \$1,245 | \$1,742.00 | \$1,853 | \$1,259 | \$1,276 |
| \vdash | NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination -Disconnect Chg - 1st | | \$413.38 \$121.72 | \$111.56 \$108.34 | \$413.00 \$122.31 | \$661.23 NA | \$402.63 \$102.16 | \$549.17 \$134.07 | \$670.92 NA | \$505.88 NA | \$411.64 \$103.36 |
| \vdash | NRC - OC12 - Facility Termination - Disconnect Chg - 1st NRC - OC12 - Facility Termination - Disconnect Chg - Add'l | | \$121.72 | \$21.56 | \$119.14 | NA NA | \$99.46 | \$134.07 | NA NA | NA NA | \$103.36 |
| \vdash | NRC - Manual Svc Order, per LSR | SOMAN | NA | \$3.84 | λ119.14 NA | \$19.99 | λ99.46 NA | NA | NA NA | NA NA | \$100.59 |
| ++ | NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | \$2.75 | NA NA | NA | NA NA | NA NA | NA NA | NA NA | NA |
| - | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$0.42 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| - | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| h | NRC - OC12 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA. | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC12 - Incremental ChargeManual Svc Order-Disconnect-1st | SOMAN | \$19.03 | NA NA | \$18.03 | NA NA | \$20.94 | \$28.59 | NA | NA NA | NA. |
| | NRC - OC12 - Incremental ChargeManual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | | | | | • | | • • • | | | | |
| | Local Channel - Dedicated - OC48 | | | | | | | | | | |
| | OC48 per mile per month | 1L5NC | \$33.22 | \$36.04 | \$27.25 | \$133.84 | \$119.40 | \$166.59 | \$99.66 | \$47.57 | \$93.50 |
| | OC48 Facility Termination per month | | \$1,947 | \$1,685.97 | \$1,671 | \$2,156 | \$2,311 | \$1,768.00 | \$1,837 | \$1,842 | \$1,853 |
| | OC48 - Interface OC12 on OC48 per month | | \$699.62 | \$587.71 | \$558.07 | \$728.81 | \$706.85 | \$668.36 | \$584.78 | \$773.40 | \$572.61 |
| | NRC - OC48 - Facility Termination - 1st | | \$1,165 | \$1,183.46 | \$1,162.00 | \$1,858 | \$1,245 | \$1,742.00 | \$1,853 | \$1,259 | \$1,276 |
| | NRC - OC48 - Facility Termination -Add'l | | \$413.38 | \$408.85 | \$413.00 | \$661.23 | \$402.63 | \$549.17 | \$670.92 | \$505.88 | \$411.64 |
| | NRC - OC48 - Interface OC12 on OC48 - 1st | | \$540.10 | \$543.72 | \$539.36 | \$844.21 | \$532.13 | \$729.04 | \$852.47 | \$635.04 | \$544.55 |
| | NRC -OC48 - Interface OC12 on OC48 -Add'l | | \$317.48 | \$312.05 | \$317.38 | \$516.89 | \$304.90 | \$404.94 | \$528.57 | \$410.02 | \$311.39 |
| | NRC - OC48 - Facility Termination - Disconnect Chg - 1st | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | NA | NA | \$103.36 |
| | NRC - OC48 - Facility Termination - Disconnect Chg - Add'l | | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | NA | NA | \$100.59 |
| \vdash | NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - 1st | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | NA | NA NA | \$103.36 |
| \vdash | NRC - OC48 - Interface OC12 on OC48 - Disconnect Chg - Add'l | COMMAN | \$118.54 NA | \$108.34 | \$119.14 NA | NA ©10.00 | \$99.46 NA | \$130.59 | NA NA | NA NA | \$100.59 |
| \vdash | NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | \$21.56 \$3.84 | NA NA | \$19.99 NA | NA NA | NA NA | NA NA | NA NA | \$19.99 NA |
| ++ | NRC - Ivalidati Svc Order, per LSR disconnect | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | \$3.50 NA | \$0.42 | \$3.50 NA | φ3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA |
| | NRC - OC48 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA NA |
| | NRC - OC48 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA NA |
| ++ | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | SOMAN | \$38.48 | NA. | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | | \$38.48 | NA. | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$99.10 | \$54.26 | NA NA |
| | NRC - OC48 - Incremental ChargeManual Svc Order-Disconnect-1st | SOMAN | \$19.03 | NA. | \$18.03 | NA NA | \$20.94 | \$28.59 | NA NA | NA NA | NA. |
| | NRC - OC48 - Incremental ChargeManual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA. | \$18.03 | NA NA | \$20.94 | \$28.59 | NA. | NA NA | NA NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | NRC - OC48 -Interface-Incremental Cost-Manual Svc. Order vs. Electronic- | | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | NA | NA | NA |
| | | | | | , , , , , | | * | | | | |
| | UNBUNDLED DEDICATED TRANSPORT - Interoffice Channel | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG | | | | | | | | | | |
| | 2-Wire VG - per mile per month | 1L5XX | \$0.0339 | \$0.0098 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.0173 |
| $\perp \perp \perp$ | 2-Wire VG - Facility Termination per month | U1TV2 | \$18.49 | \$26.52 | \$17.07 | \$27.66 | \$19.10 | \$21.33 | \$18.01 | \$21.42 | \$18.33 |
| oxdot | NRC - 2-wire VG - Facility Termination -1st | U1TV2 | \$107.11 | \$81.09 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| | NRC - 2-wire VG - Facility Termination - Add'l | U1TV2 | \$48.27 | \$54.83 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |
| + | NRC - 2-wire VG - Facility Termination - Disconnect Charge -1st | U1TV2 | \$37.16 | \$31.01 | NA NA | NA | \$28.03 | \$38.05 | NA | NA | \$27.96 |
| ++- | NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l | U1TV2 SOMAN | \$5.88 NA | \$12.78 | NA NA | NA \$10.00 | \$5.37 NA | \$7.23 NA | NA NA | NA NA | \$3.51 \$19.99 |
| ++ | NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | \$21.56 \$3.84 | NA NA | \$19.99 NA | NA NA | NA NA | NA NA | NA NA | \$19.99 NA |
| ++ | NRC - Manual Svc Order, per LSR disconnect | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| ++- | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | \$3.50 NA | \$0.42 | \$3.50 NA | φ3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA | \$3.50 NA |
| + | NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA NA |
| ++ | NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$27.57 | NA NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA NA |
| ++ | NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add 1 | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA NA |
| | NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l | SOMAN | \$12.97 | NA. | NA NA | NA NA | \$8.06 | \$11.34 | NA | NA NA | NA |
| | | | Ţ. ⊒ | - · " · | | | +=.00 | Ţo. | | . " ' | T |
| | Interoffice Transport - Dedicated - 2-wire VG - Rev Bat. | | | | | | | | | | |
| | · | | | | | | | • | | | • |

| | 1 | | | 1 | | | I | | | |
|--|---------|-----------------|--------------|-----------------|-----------------|-------------|-----------------|-----------------|------------------|-------------|
| | 41.500/ | # 0.0000 | 00.0000 | A 0.0000 | # 0.0004 | 00.0004 | A 0.0000 | # 0.0000 | #0.00 7 0 | 00.0470 |
| 2-Wire VG - per mile per month | 1L5XX | \$0.0339 | \$0.0098 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.0173 |
| 2-Wire VG - Facility Termination per month | U1TR2 | \$18.49 | \$26.52 | \$17.07 | \$27.66 | \$19.10 | \$21.33 | \$18.00 | \$21.42 | \$18.33 |
| NRC - 2-wire VG - Facility Termination -1st | U1TR2 | \$107.11 | \$81.09 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| NRC - 2-wire VG - Facility Termination - Add'l | U1TR2 | \$48.27 | \$54.83 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |
| NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st | U1TR2 | \$37.16 | \$31.01 | NA | NA | \$28.03 | \$38.05 | NA | NA | \$27.96 |
| NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l | U1TR2 | \$5.88 | \$12.78 | NA | NA *10.00 | \$5.37 | \$7.23 | NA | NA | \$3.51 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA 00.50 | \$3.84 | NA no.50 | NA 10.50 | NA 20.50 | NA no.50 | NA 00.50 | NA To 50 | NA no.50 |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA Oct. 50 | NA non or | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$27.57 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| Common (Shared) Transport | | | | | | | | | | |
| Common (Shared) Transport per mile per mou | NA | \$0,00001 | \$0,000012 | \$0,000008 | \$0.0000049 | \$0,0000083 | \$0.0000091 | \$0,00001 | \$0.0000121 | \$0.00004 |
| Common (Shared) Transport Facilities Termination per mou | NA. | \$0.00045 | | \$0.0004152 | | | \$0.0004281 | \$0.00034 | \$0.0004672 | |
| Common (Gharea) Transport Laciniles Termination per mod | 14/1 | ψ0.00043 | ψ0.0000 | ψ0.000+102 | ψ0.000420 | ψ0.000+1 | ψ0.0004201 | ψ0.00004 | ψ0.000+072 | ψ0.00000 |
| Interoffice Transport - Dedicated - 4-wire VG | 1 | | | | | | | | | |
| 4-Wire VG - per mile per month | 1L5XX | NA | \$0.0098 | NA | NA | NA | NA | NA | NA | NA |
| 4-Wire VG - Facility Termination per month | U1TV4 | NA. | \$23.64 | NA NA | NA. | NA NA | NA | NA NA | NA | NA |
| NRC - 4-wire VG - Facility Termination -1st | U1TV4 | NA. | \$81.09 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - 4-wire VG - Facility Termination - Add'l | U1TV4 | NA. | \$54.63 | NA NA | NA. | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - 4-wire VG - Facility Termination - Disconnect Charge -1st | U1TV4 | NA. | \$31.01 | NA. | NA. | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - 4-wire VG - Facility Termination - Disconnect Charge -Add'l | U1TV4 | NA | \$12.78 | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA |
| NRC - Manual Svc Order, per LSR | SOMAN | NA NA | \$21.56 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | \$3.84 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA NA | \$2.77 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA NA | \$0.42 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - 4-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | NA NA | \$0.42 NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - 4-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - 4-wire VG - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - 4-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd | SOMAN | INA | NA | NA | NA | NA | NA | INA | NA | NA |
| Interoffice Transport - Dedicated - DS0 - 56kbps | | | | | | | | | | |
| DS0 - per mile per month | 1L5XX | \$0.0339 | \$0.0098 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.1730 |
| DS0 - Facility Termination per month | U1TD5 | \$17.81 | \$19.31 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| NRC - DS0 - Facility Termination - 1st | U1TD5 | \$107.11 | \$81.11 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| NRC - DS0 - Facility Termination - Add'l | U1TD5 | \$48.27 | \$54.83 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |
| NRC - DS0 -Facility Termination - Disconnect Charge - 1st | U1TD5 | \$37.16 | \$31.01 | NA | NA | \$28.03 | \$38.05 | NA | NA | \$27.96 |
| NRC - DS0 - Facility Termination - Disconnect Charge - Add'l | U1TD5 | \$5.88 | \$12.78 | NA | NA | \$5.37 | \$7.23 | NA | NA | \$3.51 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA NA | NA | NA NA | NA NA | NA | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC -DS0 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$27.37 | NA NA | \$18.94 | \$37.21 | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$12.97 | NA | NA NA | NA NA | \$8.06 | \$11.34 | NA | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | \$12.97 | NA | NA NA | NA NA | \$8.06 | \$11.34 | NA | NA NA | NA |
| | | ¥ ·=·• | | | | ***** | ¥ | | | |
| Interoffice Transport - Dedicated -DS0 - 64 kbps | | | | | | | | | | |
| DS0 - per mile per month | 1L5XX | \$0.0339 | \$0.0098 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.1730 |
| DS0 - Facility Termination per month | U1TD6 | \$17.81 | \$19.31 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| NRC - DS0 - Facility Termination - 1st | U1TD6 | \$107.11 | \$81.11 | \$79.61 | \$142.31 | \$76.20 | \$106.72 | \$137.48 | \$136.44 | \$55.39 |
| NRC - DS0 - Facility Termination - Add'l | U1TD6 | \$48.27 | \$54.83 | \$36.08 | \$56.21 | \$34.54 | \$48.83 | \$52.58 | \$51.37 | \$17.37 |

| NRC - DS0 - Facility Termination - Disconnect Charge - 1st | \$38.05 \$7.23 NA | NA NA | NA | \$27.96 |
|--|-------------------------|---------------|--------------|----------|
| NRC - DS0 - Facility Termination - Disconnect Charge - Add'l U1TD6 \$5.88 \$12.78 NA NA \$5.37 NRC - Manual Svc Order, per LSR SOMAN NA \$21.56 NA \$19.99 NA NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.84 NA NA NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 | \$7.23 | | NA NA | E27 0c |
| NRC - Manual Svc Order, per LSR SOMAN NA \$21.56 NA \$19.99 NA NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.84 NA NA NA NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 | | | | |
| NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.84 NA NA NA NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 | | NA | NA | \$3.51 |
| NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 \$3.50 | | NA | NA | \$19.99 |
| | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR disconnect SOMEC NA \$0.42 NA NA NA NA | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NA Oct. 50 | NA Too o 7 | NA 100.00 | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order - 1st SOMAN \$27.37 NA \$18.94 \$37.21 \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC -DS0 - Incremental ChargeManual Svc Order - Add'l SOMAN \$27.37 NA \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.14 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$18.94 \$37.21 \$37. | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect1st SOMAN \$12.97 NA NA NA \$8.06 | \$11.34 | NA | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—Add'l SOMAN \$12.97 NA NA NA \$8.06 | \$11.34 | NA | NA | NA |
| Interoffice Transport - Dedicated - DS1 | | | | + |
| IDS1 - per mile per month | \$0.6598 | \$0.0783 | \$0.7598 | \$0.3525 |
| DS1 - Facility Termination per month | \$74.40 | \$71.29 | \$94.98 | \$75.83 |
| NRC - DS1-Facility Termination - 1st U1TF1 \$198.15 \$45.91 \$147.07 \$298.18 \$140.49 | \$196.28 | \$217.17 | \$216.27 | \$145.98 |
| NRC - DS1 - Facility Termination - Add'l U1TF1 \$148.18 \$44.18 \$111.75 \$231.23 \$106.69 | \$147.31 | \$163.75 | \$162.70 | \$109.85 |
| NRC - DS1 - Facility Termination - Disconnect Charge - 1st U1TF1 \$25.44 \$30.30 NA NA \$20.00 | \$26.56 | NA NA | NA NA | \$19.55 |
| NRC - DS1 - Facility Termination - Disconnect Charge - Add' U1TF1 \$20.42 \$26.76 NA NA \$16.34 | \$21.61 | NA. | NA. | \$14.99 |
| NRC - Manual Svc Order, per LSR SOMAN NA \$21.56 NA \$19.99 NA | NA NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.84 NA NA NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect SOMEC NA \$0.42 NA NA NA | NA | NA | NA | NA |
| NRC - DS1 - Incremental ChargeManual Svc Order - 1st SOMAN \$27.37 NA \$18.94 NA \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC -DS1 - Incremental ChargeManual Svc Order - Add'I SOMAN \$27.37 NA \$18.94 NA \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect1st SOMAN \$12.97 NA NA NA \$8.06 | \$11.31 | NA | NA | NA |
| NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect—Add'l SOMAN \$12.97 NA NA NA \$8.06 | \$11.34 | NA | NA | NA |
| | | | | |
| Interoffice Transport - Dedicated - DS3 | | | | |
| DS3 - per mile per month | \$15.02 | \$12.98 | \$8.13 | \$5.89 |
| DS3 -Facility Termination per month U1TF3 \$898.15 \$1,121.93 \$788.00 \$1,204 \$1,101 | \$744.38 | \$720.38 | \$967.70 | \$760.20 |
| NRC - DS3 - Facility Termination -1st U1TF3 \$511.77 \$557.69 \$511.10 \$946.23 \$611.41 | \$686.74 | \$794.94 | \$606.72 | \$625.91 |
| NRC - DS3 - Facility Termination - Add'l U1TF3 \$330.92 \$325.61 \$330.77 \$516.89 \$304.90 | \$477.76 | | \$423.45 | \$311.39 |
| NRC - DS3 - Facility Termination - Disconnect Charge - 1st | \$125.56 | NA | NA | \$103.36 |
| NRC - DS3 - Facility Termination - Disconnect Charge - Add'l U1TF3 \$118.54 \$108.34 \$119.14 NA \$99.46 | \$118.79 | NA | NA | \$100.59 |
| NRC - Manual Svc Order, per LSR SOMAN NA \$21.56 NA \$19.99 NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.84 NA NA NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect SOMEC NA \$0.42 NA NA NA | NA | NA | NA | NA |
| NRC - DS3 - Incremental ChargeManual Svc Order - 1st SOMAN \$38.48 NA \$37.96 \$93.12 \$50.25 | \$64.97 | \$91.26 | \$54.26 | NA |
| NRC - DS3 - Incremental ChargeManual Svc Order - Add'l SOMAN \$38.48 NA \$37.96 \$93.12 \$50.25 | \$64.97 | \$91.26 | \$54.26 | NA NA |
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect1st SOMAN \$19.03 NA \$18.23 NA \$20.94 NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'l SOMAN \$19.03 NA \$18.23 NA \$20.94 | \$27.08 | NA NA | NA NA | NA NA |
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'I SOMAN \$19.03 NA \$18.23 NA \$20.94 | \$27.08 | NA | INA | INA |
| Interoffice Transport - Dedicated - STS-1 | | + | + | + |
| STS-1 - per mile per month | \$13.48 | \$6.29 | \$8.13 | \$6.88 |
| STS-1 - Facility Termination per month | \$692.52 | \$800.94 | \$967.58 | \$838.65 |
| NRC - STS-1 - Facility Termination -1st U1TFS \$511.77 \$557.69 \$449.91 \$946.23 \$611.41 | \$858.15 | \$624.86 | \$606.72 | \$858.26 |
| NRC - STS-1 - Facility Termination - Add'l U1TFS \$330.92 \$325.61 \$119.14 \$516.89 \$304.90 | \$524.58 | \$436.36 | \$423.45 | \$525.25 |
| NRC - STS-1 - Facility Termination - Disconnect Charge - 1st | \$125.56 | NA NA | NA NA | \$103.36 |
| NRC - STS-1 - Facility Termination - Disconnect Charge - Add'l U1TFS \$118.54 \$108.34 \$119.14 NA \$99.46 | \$118.79 | NA. | NA. | \$100.59 |
| NRC - Manual Svc Order, per LSR SOMAN NA \$21.56 NA \$19.99 NA | NA NA | NA NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect SOMAN NA \$3.84 NA NA NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR SOMEC \$3.50 \$2.77 \$3.50 \$3.50 \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect SOMEC NA \$0.43 NA NA NA | NA | NA | NA | NA |
| NRC - STS-1 - Incremental Charge Manual Svc Order - 1st SOMAN \$38.48 NA \$61.19 \$93.12 \$50.25 | \$94.50 | \$55.00 | \$54.26 | NA |
| NRC - STS-1 - Incremental ChargeManual Svc Order - Add'l SOMAN \$38.48 NA \$61.19 \$93.12 \$50.25 | \$94.50 | \$55.00 | \$54.26 | NA |

| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$19.03 | NA | \$3.17 | NA | \$20.94 | \$27.08 | NA | NA | NA. |
|--|---|--|--|---|---|---|---|--|--|---|
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | \$19.03 | NA NA | \$3.17 | NA NA | \$20.94 | \$27.08 | NA NA | NA NA | NA NA |
| 1410 BGS Incidital Charge Manual Ove Order Bisconnect Add 1 | CONTAIN | Ψ10.00 | 14/1 | ψ5.17 | 14/4 | Ψ20.54 | Ψ27.00 | 14/1 | 14/4 | 117 |
| Interoffice Transport - Dedicated - OC3 | | | | | | | | | | |
| OC3 -per mile per month | 1L5XX | \$7.35 | \$8.24 | \$4.37 | \$27.97 | \$23.89 | \$18.35 | \$14.10 | \$9.75 | \$13.4 |
| OC3 -Facility Termination per month | | \$2,475 | \$3,020.08 | \$2,187.00 | \$3,390 | \$2,990 | \$1,892.00 | \$2,071 | \$2,802 | \$2,12 |
| NRC - OC-3 - Facility Termination - 1st | | \$820.85 | \$869.65 | \$819.29 | \$1,399 | \$927.35 | \$1,283.00 | \$1,381 | \$915.64 | \$950. |
| NRC - OC-3 - Facility Termination - Add'l | ĺ | \$317.48 | \$312.05 | \$317.38 | \$516.89 | \$304.90 | \$404.94 | \$509.93 | \$410.02 | \$311. |
| NRC - OC-3 - Facility Termination - Disconnect Charge - 1st | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$103. |
| NRC - OC-3 - Facility Termination - Disconnect Charge - Add'l | | \$118.54 | \$108.34 | \$119.14 | NA | \$99.46 | \$130.59 | \$128.19 | NA | \$100 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19. |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | N/ |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.5 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | N/ |
| NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$94.77 | \$54.26 | N. |
| NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$94.77 | \$54.26 | N. |
| NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect- | | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | N |
| NRC - OC3 - Incremental Cost - Manual Svc Order vs. Electronic-Disconnect- | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | N |
| Interesting Transport Dadicated 0042 | | | | | | | | | | |
| Interoffice Transport - Dedicated - OC12 OC12 -per mile per month | 1L5XX | \$19.26 | \$26.45 | \$15.05 | \$84.88 | \$74.44 | \$60.42 | \$48.55 | \$32.52 | \$49 |
| OC12 -per mile per month OC12 -Facility Termination | ILSAA | \$9,763 | \$26.45 | \$8,202.00 | \$12,344 | \$11,517 | \$7,182 | \$7,676 | \$11,132 | \$8, |
| NRC - OC12- Facility Termination - 1st | - | \$1,036 | \$11,599.14 | \$1,034.00 | \$1,713 | \$1,147 | \$1,598 | \$1,381 | \$1,131 | \$1. |
| NRC - OC12- Facility Termination - 1st NRC - OC12- Facility Termination - Add'l | - | \$317.48 | \$312.05 | \$317.38 | \$516.89 | \$304.90 | \$404.94 | \$509.93 | \$410.02 | \$31 |
| NRC - OC12 - Facility Termination - Add 1 NRC - OC12 - Facility Termination - Disconnect Chg - 1st | | \$121.72 | \$111.56 | \$122.31 | NA | \$102.16 | \$134.07 | \$131.65 | NA | \$10 |
| NRC - OC12 - Facility Termination - Disconnect Crig - 1st NRC - OC12 - Facility Termination - Disconnect Crig - Add'l | | \$118.54 | \$108.34 | \$119.14 | NA NA | \$99.46 | \$134.07 | \$128.19 | NA NA | \$10 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$106.34 | NA | \$19.99 | NA | NA | NA | NA NA | \$19 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA NA | NA NA | NA NA | NA NA | NA | NA NA | VI |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$94.77 | \$54.26 | I. |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Electronic-Add'l | SOMAN | \$38.48 | NA. | \$37.55 | \$93.12 | \$50.25 | \$68.62 | \$94.77 | \$54.26 | N. |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st | | \$19.03 | NA NA | \$18.03 | NA NA | \$20.94 | \$28.59 | \$29.76 | NA | N |
| NRC - OC12 - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-Add | | \$19.03 | NA NA | \$18.03 | NA NA | \$20.94 | \$28.59 | \$29.76 | NA. | I N |
| | | <u> </u> | | V 10100 | | *==== | V =0.00 | 4==== | | |
| Interoffice Transport - Dedicated - OC48 | | | | | | | | | | |
| | | | | | | | | | | |
| OC48 -per mile per month | 1L5XX | \$30.65 | \$34.07 | \$25.70 | \$138.02 | \$128.59 | \$102.43 | \$120.02 | \$45.92 | |
| OC48 -Facility Termination per month | 1L5XX | \$11,691 | ######## | \$11,134.00 | \$16,017 | \$14,950 | \$11,480 | \$10,952 | \$967.58 | \$11 |
| OC48 -Facility Termination per month OC48 -per Interface OC12 on OC48 per month | 1L5XX | \$11,691 \$1,424 | ####### \$1,199.42 | \$11,134.00 \$1,137.00 | \$16,017 \$1,497 | \$14,950 \$1,451 | \$11,480 \$1,351.00 | \$10,952 \$582.66 | \$967.58 \$1,561 | \$11 \$1, |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st | 1L5XX | \$11,691 \$1,424 \$1,036 | ####### \$1,199.42 \$1,086.66 | \$11,134.00 \$1,137.00 \$1,034.00 | \$16,017 \$1,497 \$1,713 | \$14,950 \$1,451 \$1,147 | \$11,480 \$1,351.00 \$1,598.00 | \$10,952 \$582.66 \$1,722 | \$967.58 \$1,561 \$1,131 | \$11 \$1, \$1, |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I | 1L5XX | \$11,691 \$1,424 \$1,036 \$317.48 | ####### \$1,199.42 \$1,086.66 \$312.05 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 | \$16,017 \$1,497 \$1,713 \$516.89 | \$14,950 \$1,451 \$1,147 \$304.90 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 | \$10,952 \$582.66 \$1,722 \$542.73 | \$967.58 \$1,561 \$1,131 \$410.02 | \$11 \$1, \$1, \$31 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st | 1L5XX | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 | \$11 \$1, \$1, \$31 \$54 |
| OC48 -Facility Termination per month OC48 -per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'l NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'l | 1L5XX | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 | \$11 \$1, \$1, \$31 \$54 \$31 |
| OC48 -Facility Termination per month OC48 -per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'l NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'l NRC - OC48 - Facility Termination - Disconnect Chg - 1st | 1L5XX | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'l NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'l NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'l | 1L5XX | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'l NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'l NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'l NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st | 1L5XX | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 \$102.16 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I | | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 \$134.07 \$130.59 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 \$131.65 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 \$10 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'l NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'l NRC - OC48 - Interface OC12 on OC48 - Add'l NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'l NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l NRC - Manual Svc Order, per LSR | SOMAN | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 \$108.34 \$21.56 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 \$102.16 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 \$134.07 \$130.59 NA | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 \$131.65 \$128.19 NA | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 \$10 |
| OC48 -Facility Termination per month OC48 -per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR | SOMAN | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 \$108.34 \$21.56 \$3.84 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA NA NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 \$102.16 \$99.46 NA | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 \$134.07 \$130.59 NA | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 \$131.65 \$128.19 NA | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 \$10 \$10 |
| OC48 -Facility Termination per month OC48 -per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR | SOMAN SOMAN SOMEC | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA NA \$3.50 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 \$108.34 \$21.56 \$3.84 \$2.77 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA NA \$3.50 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA NA S19.99 NA \$3.50 | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 \$102.16 \$99.46 NA NA \$3.50 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 \$134.07 \$130.59 NA NA \$3.50 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 \$131.65 \$128.19 NA NA \$3.50 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA NA NA NA NA NA S3.50 | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 \$10 \$13 \$3 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR NRC - Electronic Svc Order, per LSR disconnect | SOMAN SOMAN SOMEC SOMEC | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA NA \$3.50 NA | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 \$108.34 \$21.56 \$3.84 \$2.77 | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA NA \$3.50 NA | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA NA NA NA NA NA NA | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 \$102.16 \$99.46 NA NA \$3.50 NA | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 \$134.07 \$130.59 NA NA \$3.50 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 \$131.65 \$128.19 NA NA \$3.50 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA NA NA NA NA NA NA NA | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$1 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st | SOMAN SOMAN SOMEC SOMEC SOMAN | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA NA \$3.50 NA \$38.48 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$21.56 \$3.84 \$2.77 \$0.43 NA | \$11,134.00 \$1,137.00 \$1,134.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA NA NA \$37.55 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA NA NA S19.99 NA \$3.50 NA \$93.12 | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 NA NA NA \$3.50 NA \$50.25 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 NA NA \$3.50 NA \$68.62 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 NA NA \$3.50 NA \$69.34 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA NA NA NA NA S3.50 NA \$54.26 | \$11 \$1, \$1, \$31 \$54 \$31 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$1 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR NRC - Electronic Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-Add'I | SOMAN SOMAN SOMEC SOMEC SOMEN SOMAN | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA NA NA \$33.48 \$38.48 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$111.56 \$108.34 \$21.56 \$3.84 \$2.77 \$0.43 NA | \$11,134.00 \$1,137.00 \$1,034.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA NA NA \$37.55 \$37.55 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA S19.99 NA \$3.50 NA \$93.12 | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 \$102.16 \$99.46 NA NA \$3.50 NA \$50.25 | \$11,480 \$1,351.00 \$1,558.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 \$134.07 \$130.59 NA NA \$3.50 NA \$68.62 | \$10,952 \$582,66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 \$131.65 \$128.19 NA NA \$3.50 NA \$69.34 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA NA NA NA NA NA S3.50 NA \$54.26 | \$11, \$1, \$1, \$1, \$31 \$54 \$31 \$100 \$100 \$100 \$100 \$100 \$100 \$100 |
| OC48 - Facility Termination per month OC48 - per Interface OC12 on OC48 per month NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'I NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Interface OC12 on OC48 - Add'I NRC - OC48 - Facility Termination - Disconnect Chg - 1st NRC - OC48 - Facility Termination - Disconnect Chg - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'I NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - Electronic Svc Order, per LSR disconnect NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Electronic-1st | SOMAN SOMAN SOMEC SOMEC SOMAN SOMAN SOMAN | \$11,691 \$1,424 \$1,036 \$317.48 \$540.10 \$317.48 \$121.72 \$118.54 \$121.72 \$118.54 NA NA \$3.50 NA \$38.48 | ####### \$1,199.42 \$1,086.66 \$312.05 \$543.72 \$312.05 \$111.56 \$108.34 \$21.56 \$3.84 \$2.77 \$0.43 NA | \$11,134.00 \$1,137.00 \$1,134.00 \$317.38 \$539.36 \$317.38 \$122.31 \$119.14 \$122.31 \$119.14 NA NA NA \$37.55 | \$16,017 \$1,497 \$1,713 \$516.89 \$844.21 \$516.89 NA NA NA NA NA NA NA S19.99 NA \$3.50 NA \$93.12 | \$14,950 \$1,451 \$1,147 \$304.90 \$532.13 \$304.90 \$102.16 \$99.46 NA NA NA \$3.50 NA \$50.25 | \$11,480 \$1,351.00 \$1,598.00 \$404.94 \$729.04 \$404.94 \$134.07 \$130.59 NA NA \$3.50 NA \$68.62 | \$10,952 \$582.66 \$1,722 \$542.73 \$720.81 \$400.38 \$131.65 \$128.19 NA NA \$3.50 NA \$69.34 | \$967.58 \$1,561 \$1,131 \$410.02 \$635.04 \$410.02 NA NA NA NA NA NA NA S3.50 NA \$54.26 | \$100 \$11, \$1, \$1, \$31 \$54 \$31 \$100 \$100 \$100 \$100 \$100 \$100 \$100 |

| NRC - OC48 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Ad | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | |
|--|--------|---|------------|------------|------------|------------|------------|------------|------------|----------------|
| NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconni | | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | |
| NRC - OC48-Interface-Incremental Cost-Manual Svc. Order vs. Elec-Disconn | eSOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$28.59 | \$29.76 | NA | |
| UNBUNDLED CHANNELIZATION | | | | | | | | | | <u> </u> |
| DS3 Channelization (DS3 to DS1) | | | | | | | | | | |
| per Channelized System (28 DS1) per month | MQ3 | \$225.36 | \$220.97 | \$182.04 | \$236.32 | \$245.84 | \$229.30 | \$226.81 | \$200.01 | \$ |
| NRC - 1st | MQ3 | \$265.87 | \$356.40 | \$265.91 | \$425.41 | \$259.76 | \$356.80 | \$351.95 | \$321.54 | \$ |
| NRC - Add'l | MQ3 | \$188.51 | \$188.00 | \$188.78 | \$303.33 | \$182.64 | \$247.40 | \$243.76 | \$234.30 | \$ |
| NRC -1st - Disconnect | MQ3 | \$71.76 | \$61.64 | \$72.50 | NA | \$60.96 | \$79.94 | \$77.90 | NA NA | 9 |
| NRC -Add'l - Disconnect | MQ3 | \$52.03 | \$58.98 | \$59.96 | NA NA | \$50.46 | \$65.20 | \$63.32 | NA NA | 3 |
| per Interface per month (COCI) | UC1D1 | \$17.22 | \$14.40 | \$11.02 | \$8.52 | \$7.55 | \$5.58 | \$4.61 | \$11.99 | |
| NRC - 1st | UC1D1 | \$12.05 | \$13.16 | \$12.02 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | 9 |
| NRC - Add'l | UC1D1 | \$8.69 | \$9.43 | \$8.66 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | , |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA NA | \$19.99 | NA NA | NA | NA NA | NA | \$ |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | \$3.84 | NA. | NA NA | NA NA | NA NA | NA NA | NA NA | 1 |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | , |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA NA | NA NA | NA NA | NA | NA NA | ` |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | \$15.61 | NA | \$14.75 | \$41.47 | \$19.74 | \$26.95 | \$28.13 | \$25.59 | \$ |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | \$7.39 | NA | \$6.55 | \$11.99 | \$8.77 | \$11.98 | \$13.33 | \$8.92 | \$ |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st | SOMAN | \$11.67 | NA | \$10.60 | NA | \$12.43 | \$16.97 | \$18.26 | NA | \$ |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l | SOMAN | \$0.9469 | NA | NA | NA | NA | NA | \$1.48 | NA | 1 |
| | | *************************************** | | | | | | ¥ | | |
| DS1 Channelization (DS1 to DS0) | | | | | | | | | | |
| per Channelized System (24 DS0) per month | MQ1 | \$136.82 | \$153.60 | \$126.22 | \$200.01 | \$209.87 | \$146.87 | \$177.72 | \$147.51 | \$ |
| NRC - 1st | MQ1 | \$197.98 | \$182.14 | \$198.22 | \$302.82 | \$193.63 | \$271.52 | \$267.19 | \$220.89 | \$1 |
| NRC - Add'l | MQ1 | \$123.12 | \$125.18 | \$123.59 | \$184.20 | \$118.37 | \$164.56 | \$161.43 | \$137.15 | \$ |
| NRC -1sr - Disconnect | MQ1 | \$30.18 | \$19.52 | \$31.03 | NA | \$26.44 | \$36.38 | \$34.55 | NA | \$ |
| NRC -Add'l - Disconnect | MQ1 | \$18.86 | \$18.14 | \$19.75 | NA | \$16.83 | \$11.98 | \$21.14 | NA | \$ |
| - Interface (COCI) | | | | | | | | | | |
| per OCU-DP(data) card per month (2.4-64kbs) | 1D1DD | \$1.66 | \$2.20 | \$1.86 | \$2.94 | \$3.12 | \$2.86 | \$2.88 | \$2.34 | , |
| NRC - 1st | 1D1DD | \$12.05 | \$13.16 | \$12.02 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$ |
| NRC - Add'l | 1D1DD | \$8.69 | \$9.43 | \$8.66 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | 9 |
| per BRITE card per month | UC1CA | \$3.41 | \$3.83 | \$3.71 | \$4.04 | \$4.18 | \$3.88 | \$3.76 | \$4.21 | , |
| NRC - 1st | UC1CA | \$12.05 | \$13.16 | \$12.02 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$ |
| NRC - Add'l | UC1CA | \$8.69 | \$9.43 | \$8.66 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | |
| per VG card per month (DS0) | 1D1VG | \$0.8586 | \$1.45 | \$1.17 | \$1.40 | \$1.62 | \$1.45 | \$1.64 | \$1.47 | |
| NRC - 1st | 1D1VG | \$12.05 | \$13.16 | \$12.02 | \$15.86 | \$12.29 | \$15.85 | \$15.76 | \$12.05 | \$ |
| NRC - Add'l | 1D1VG | \$8.69 | \$9.43 | \$8.66 | \$11.36 | \$8.80 | \$11.35 | \$11.28 | \$8.68 | , |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$ |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | <u> </u> |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | Ş |
| NRC - Electronic Svc Order, per LSR disconnect | SOMAN | NA | \$0.43 | NA | NA | NA | NA | NA | NA | <u> </u> |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | \$15.61 | NA | \$14.75 | \$41.47 | \$19.74 | \$26.95 | \$28.13 | \$25.59 | \$ |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | \$7.39 | NA | \$6.55 | \$11.99 | \$8.77 | \$11.98 | \$13.33 | \$8.92 | \$ |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st | SOMAN | \$11.67 | NA | \$10.70 | NA | \$12.43 | \$16.97 | \$18.26 | NA | \$ |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l | SOMAN | \$0.9469 | NA | \$0.00 | NA | NA | NA | \$1.48 | NA | |
| UNBUNDLED DARK FIBER | | | | | | | | | | 1 |
| Dark Fiber - Interoffice (four fiber strands) per route mile or fraction thereof, per mo | 1L5DF | \$25.80 | \$28.82 | \$24.96 | \$31.95 | \$32.28 | \$33.93 | \$29.86 | \$36.75 | \$ |
| NRC - Per each four-fiber dark fiber arrangement - 1st | UDF14 | \$1,739.00 | \$1,278.62 | \$1,737.00 | \$1,741.00 | \$1,746.00 | \$1,741.00 | \$1,738.00 | \$1,747.00 | |
| NRC - Per each four-fiber dark fiber arrangement - Add'l | UDF14 | \$563.09 | \$275.82 | \$562.39 | \$563.75 | \$565.20 | \$563.79 | \$562.82 | \$565.53 | \$ |
| NRC -Disconnect1st | UDF14 | NA | \$587.64 | NA | NA NA | NA | NA | NA NA | NA | T * |
| NRC -DisconnectAdd'l | UDF14 | NA | \$366.34 | NA | NA NA | NA NA | NA | NA | NA | T |
| | | | | | | | | | | |
| Dark Fiber - Local Channel(four fiber strands) per route mile or fraction thereof, per | 1L5DC | \$70.82 | \$58.35 | \$54.63 | \$49.07 | \$64.72 | \$71.55 | \$56.47 | \$100.37 | \$ |
| bank i ber Leed endimerioa iber ettande, per redte inile er naction trieres, per | | | | | | | | | | |

| | NRC - Per each four-fiber dark fiber arrangement - 1st | UDFC4 | \$1,739.00 | \$1,278.62 | \$1,737.00 | \$1,741.00 | \$1,746.00 | \$1,741.00 | \$1,738.00 | \$1,747.00 | \$1,742.00 |
|---------------|--|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | NRC - Per each four-fiber dark fiber arrangement - Add'l | UDFC4 | \$563.09 | \$275.82 | \$562.39 | \$563.75 | \$565.20 | \$563.79 | \$562.82 | \$565.53 | \$564.08 |
| | NRC -Disconnect1st | UDFC4 | NA | \$587.64 | NA |
| | NRC -DisconnectAdd'l | UDFC4 | NA | \$366.34 | NA |
| | | | | | | | | | | | |
| | Dark Fiber - Local Loop (four fiber strands) per route mile or fraction thereof, per m | 1L5DL | \$70.82 | \$58.35 | \$54.63 | \$49.07 | \$64.72 | \$71.55 | \$56.47 | \$100.37 | \$60.06 |
| | NRC - Per each four-fiber dark fiber arrangement - 1st | UDFL4 | \$1,739.00 | \$1,278.62 | \$1,737.00 | \$1,741.00 | \$1,746.00 | \$1,741.00 | \$1,738.00 | \$1,747.00 | \$1,742.00 |
| | NRC - Per each four-fiber dark fiber arrangement - Add'l | UDFL4 | \$563.09 | \$275.82 | \$562.39 | \$563.75 | \$565.20 | \$563.79 | \$562.82 | \$565.53 | \$564.08 |
| | NRC -Disconnect1st | UDFL4 | NA | \$587.64 | NA |
| | NRC -DisconnectAdd'l | UDFL4 | NA | \$366.34 | NA |
| $\sqcup \bot$ | | | | | | | | | | | |
| ++ | NOTES | | | | | | | | | | |
| | NOTES: | | | | | | | | | | |
| | Interim rates subject to true-up. | | | | | | | | | | |
| | | | | | | | | | | | |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|---------|----------|--------------------------------------|---------------|----------|-------------|------|--|-------|-----------|
| UNBUNDLED LOOP COMBINATIONS | | | | - | | | | _ | | |
| | | | 1 | | | | | | | |
| Unbundled Loop/Port Combinations (Note 4) | | | 1 | | | | | | | |
| | | | | | | | | | | |
| MARKET RATES (INCLUDING ALL VERTICAL FEATURES) (Note 1) | | | | | | | | | | |
| Density Zone 1 / Top 8 MSAs in BellSouth Region Customers with 4 or more DS0 Equivalent | | | Orlando, Ft. Lauderdale, Miami | Atlanta | | New Orleans | | Greensboro- Winston Salem- Highpoint/ Charlotte- Gastonia-Rock Hill | | Nashville |
| Currently Combined (Note2) | | | | | | | | | | |
| 2-Wire Voice Grade Loop with 2-Wire Line Port (Res. and Bus.) | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res.), per month | | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled port visit caller ID - residence | UEPRC | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA | \$14.00 | NA NA | \$14.00 |
| 2-wire voice unbundled port with called 10 - residence | UEPRO | NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA | \$14.00 | NA NA | \$14.00 |
| | | 1 | Ţ | ¥ · · · · · · | | 1 | | ****** | | ¥ · ···•• |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID | UEPAR | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller | | 1 | | | | | | | · † | |
| | UEPRM | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller | | | | | | | | | | |
| | UEPAS | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller | | | | | | | | | | |
| ID ID | UEPAT | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port with | | | | | | | | | | |
| caller ID | UEPAU | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller | | | | | | | | | | |
| ID ID | UEPAQ | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Florida area calling with caller ID - residence | UEPAF | NA | \$14.00 | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPAG | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence | UEPAH | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 1 1 1 | UEPAJ | NIA | NIA | NIA | NIA. | NIA | NIA | NIA | NIA | NIA |
| (LW8) | UEPAJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAK | NA | NA | NA | NA | NA | NA | NA NA | NA | \$14.00 |
| 2-wire voice unbuilded Termessee Area Calling port with Caller ID - residence | UEFAN | INA | INA | INA | INA | INA | INA | INA | INA | \$14.00 |
| (TACER) | UEPAL | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | OLITAL | 100 | 107 | 1471 | 1471 | 147. | 1471 | 10/ | 10/ | ψ14.00 |
| (TACSR) | UEPAM | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | * | | | | | | | | | |
| (1MF2X) | UEPAN | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| | | | | | | | | | | |
| 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR) | UEPAO | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled res, low usage line port with Caller ID (LUM) | UEPAP | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-Wire Voice Grade Line Port (Bus.), per month | | | 1 | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled port with unbundled port with Caller+E484 ID | UEPBC | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-wire voice unbundled outgoing only port | UEPBO | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2 wire voice grade uphundled Alphama extended legal digling perity part with seller ID | UEPAW | NA | NA | NA | NA | NA | NA | NA NA | NA | NA |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller | UEPAW | INA | NA NA | NA | INA | INA | NA | INA | INA | NA NA |
| In | UEPBM | NA | NA | NA | NA | NA | NA | NA NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller | UEFDIVI | INA | INA | INM | INA | INA | INA | INA | INA | INA |
| ID | UEPAX | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 1 1 1.0 | OLI AM | 14/1 | 14/1 | 14/1 | 14/5 | ψ1-7.00 | 14/1 | 14/7 | 14/1 | 14/3 |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller | | | | | | | | | | |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|-----------|----------|----------|-------------|----------|----------|----------|----------|----------|--------------------|
| 2-wire voice grade unbundled South Carolina extended local dialing parity port with | | 7.= | | 5 7. | | | 0 | | | |
| caller ID | UEPAZ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller | OLITE | 107 | 1471 | 1471 | 1471 | 1471 | 147 | 1471 | 10. | 14/1 |
| | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | NA NA | \$14.00 | \$14.00 | NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA NA | NA | NA | NA | \$14.00 | NA | NA NA | NA NA | NA NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| | | | | | | | | | | |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port | | | | | | | | | | |
| (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-Wire Voice Grade Loop (SL1) (Res. and Bus.) | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2-Wire Voice Grade Loop Zone 1 | UEPLX | NA | \$14.90 | \$10.80 | NA | \$14.05 | NA | NA | NA | \$15.92 |
| RC - 2-Wire Voice Grade Loop Zone 2 | UEPLX | NA | \$18.51 | \$12.47 | NA | \$24.14 | NA | NA | NA | \$20.79 |
| RC - 2-Wire Voice Grade Loop Zone 3 | UEPLX | NA | \$24.25 | \$19.83 | NA | \$49.30 | NA | NA | NA | \$27.18 |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$28.18 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | NA | \$28.90 | \$24.80 | NA | \$28.05 | NA | NA | NA | \$29.92 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | NA | \$32.51 | \$26.47 | NA | \$38.14 | NA | NA | NA | \$34.79 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | NA | \$38.25 | \$33.83 | NA | \$63.30 | NA | NA | NA | \$41.18 |
| Nonrecurring Charges | | | , | ***** | | ****** | | | | • |
| 2-Wire Voice Grade Line Port (Res. And Bus.) | | | | | | | | | | |
| NRC - 2- wire voice grade unbundled port/loop combination - 1st, with change | | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2- wire voice grade unbundled port/loop combination - Add'l, with change | | NA NA | \$41.50 | \$41.50 | NA NA | \$41.50 | NA. | \$41.50 | NA. | \$41.50 |
| NRC - 2- wire voice grade unbundled port/loop combination - 1st, no change | | NA NA | \$41.50 | \$41.50 | NA NA | \$41.50 | NA. | \$41.50 | NA NA | \$41.50 |
| NRC - 2- wire voice grade unbundled port/loop combination - Add'l, no change | | NA. | \$41.50 | \$41.50 | NA NA | \$41.50 | NA. | \$41.50 | NA. | \$41.50 |
| 141.0 - 2- wire voice grade dribundied portrioop combination - Add 1, no change | | INA | Ψ+1.50 | Ψ+1.50 | INA | Ψ+1.50 | 11/5 | Ψ+1.50 | INA | Ψ1.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | NA | \$10.00 | \$10.00 | NA | \$10.00 | NA | \$10.00 | NA | \$10.00 |
| 141.0 2 141.0 40.00 Grado Edop/Elife Fort Combination Cabboquent | | 1471 | Ψ10.00 | Ψ10.00 | 147. | Ψ10.00 | 147. | Ψ10.00 | 107 | ψ10.00 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | | | | | | | | | | |
| Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | SOMEC | NA | \$2.75 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | CONIEC | 1471 | Ψ2.70 | ψ0.00 | 147. | ψ0.00 | 147. | ψο.σσ | 107 | ψ0.00 |
| Svc.Order vs. Electronic - 1st | SOMAN | NA | \$21.56 | \$33.76 | NA | \$31.92 | NA | \$40.18 | NA | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | 001717111 | 1471 | Ψ21.00 | ψου. το | 1471 | ψ01.02 | 1471 | ψ10.10 | 107 | φου.σσ |
| Svc.Order vs. Electronic - Add'l | SOMAN | NA | \$21.56 | \$7.86 | NA | \$7.32 | NA | \$9.45 | NA | \$7.03 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | COMMI | ING | Ψ21.00 | ψ1.00 | 14/5 | Ψ1.02 | 14/7 | ψυ.τυ | 11/2 | ψ1.00 |
| Update - Electronic | | NA | TBD | TBD | NA | \$2.11 | NA | \$1.42 | NA | TBD |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | | 18/5 | ,,,,, | | 14/5 | Ψ=.11 | 14/7 | Ψ1.72 | 11/2 | טטו |
| Update - Manual Service Order | | NA | TBD | TBD | NA | \$5.12 | NA | \$10.27 | NA | TBD |
| NRC - Electronic Service Order Disconnect | | NA NA | \$0.42 | NA NA | NA NA | NA NA | NA NA | NA | NA NA | NA NA |
| NRC - Incremental Manual Service Order Disconnect | | NA NA | \$3.84 | \$20.00 | NA NA | \$20.00 | NA NA | \$20.00 | NA NA | \$20.00 |
| | | 18/5 | ψυ.υτ | Ψ20.00 | 14/5 | Ψ20.00 | 14/7 | Ψ20.00 | 11/2 | Ψ20.00 |
| | | | | ĺ | 1 | | | ĺ | 1 | |
| | | | | | | | | | | |
| | | | | | _ | | | <u> </u> | 1 1 | |
| 2-Wire Voice Grade Loop with 2-Wire Line Port PBX | | | | ĺ | I | | | ĺ | 1 | |
| The state of the coop with a state of the contract of the coop of | | 1 | | | - | | | | + | |
| | | | | ĺ | I | | | 1 | 1 | |
| 2-Wire Analog Line Port (PBX), per month | | | | | | | | | | |
| | | | | | _ | | | <u> </u> | 1 1 | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - RESIDENCE | UEPPC | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAT FBX TRUNK - BUSINESS LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP0 | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING | UEFFI | INA | φ14.00 | φ14.00 | INA | φ14.00 | INA | φ14.00 | INA | φ14.00 |
| PORT | UEPA2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1 1 h OK | UEPAZ | INA | INA | INA | INA | INA | INA | INA | Avi | INA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|--------|----------|---------|---------|----------|---------|----------|---------|-------|---------|
| | | | | | | | | | | |
| PORT | UEPL2 | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING | | | ******* | ******* | | ****** | | ****** | | ****** |
| PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING | | | | | | | | | | ****** |
| PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | NA NA | \$14.00 | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 | NA NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD CAPABLE | OLI AD | 1471 | Ψ14.00 | Ψ14.00 | 1471 | Ψ1-1.00 | 1471 | ψ14.00 | 14/ | ψ14.00 |
| PORT | UEPXE | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING | 02.7.2 | | ψσσ | ψσσ | | ψσσ | | ψ1σσ | | ψσσ |
| PORT WITHOUT LUD | UEPXF | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXG | NA | NA NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXH | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT | | 1 | 1 | 1 | 1 | 1 | 1.2. | 1 | 1 2 1 | |
| WITHOUT LUD | UEPXJ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING | | | | | | | | | | |
| PORT | UEPXK | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | | | 1 | | | , | 1 | | 1 | *** |
| ADMINISTRATIVE CALLING PORT | UEPXL | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM | | | | | | , | 1 | , | 1 | , |
| CALLING PORT | UEPXM | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | , | , | | , | | | | * *** |
| ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | * |
| DIACOUNT ROOM CALLING PORT | UEPXO | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL | | | , | , | | , | | | | * |
| DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$14.00 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY | | | | | | | | | | |
| CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL | | | | | | | | | | |
| CALLING PORT | UEPXR | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXS | NA | \$14.00 | \$14.00 | NA | \$14.00 | NA | \$14.00 | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS | | | | | | | | | | |
| CALLING PORT | LIEDVT | NIA | NIA | NIA | NIA | NIA | NIA | NIA | NIA | NIA |
| CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | 1 | | | ĺ | I | | 1 | |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING | | | | | | | | | | |
| PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$14.00 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCP | | | | | | | | | |
| | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) | | | | | | | | | | |
| RC - 2- Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2- Wire Voice Grade Loop - Zone 1 | UEPLX | NA | \$14.90 | \$10.80 | NA | \$14.05 | NA | NA | NA | \$15.92 |
| RC - 2- Wire Voice Grade Loop - Zone 2 | UEPLX | NA | \$18.51 | \$12.47 | NA | \$24.14 | NA | NA | NA | \$20.79 |
| RC - 2- Wire Voice Grade Loop - Zone 3 | UEPLX | NA | \$24.25 | \$19.83 | NA | \$49.30 | NA | NA | NA | \$27.18 |
| RC - 2- Wire Voice Grade Loop - Zone 4 | UEPLX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Combination Rates | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$28.18 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | NA | \$28.90 | \$24.80 | NA | \$28.05 | NA | NA | NA | \$29.92 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | NA | \$32.51 | \$26.47 | NA | \$38.14 | NA | NA | NA | \$34.79 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | NA | \$38.25 | \$33.83 | NA | \$63.30 | NA | NA | NA | \$41.18 |
| Nonrecurring Charges | | | | | | | | | | |
| NRC - 2- wire voice grade unbundled port/loop combination - 1st, with change | | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |

| T 10-2 | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---|--|--|--|--|---|--|--|--|---|
| NRC - 2- wire voice grade unbundled port/loop combination - Add'l, with change | | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2- wire voice grade unbundled port/loop combination - 1st, no change | | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| NRC - 2- wire voice grade unbundled port/loop combination - Add'l, no change | | NA | \$41.50 | \$41.50 | NA | \$41.50 | NA | \$41.50 | NA | \$41.50 |
| Three 2 will o tolog grade disculated portroop combination. That if he change | | | ψσσ | ψσ | | \$11.00 | | ψ11.00 | 1.0.1 | ψιιιου |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | NA | \$10.00 | \$10.00 | \$10.00 | \$10.00 | NA | \$10.00 | NA | \$10.00 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | | 10. | ψ10.00 | Ψ10.00 | ψ10.00 | Ψ10.00 | 1471 | Ψ10.00 | 1471 | Ψ10.00 |
| Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | | | | | | | | | | |
| (Note 7) | SOMEC | NA | \$2.75 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | SOIVILO | INA | Ψ2.13 | ψ3.30 | INA | ψ3.30 | INA | ψ3.30 | INA | ψ3.50 |
| Svc.Order vs. Electronic - 1st | SOMAN | NA | \$21.56 | \$33.67 | NA | \$31.92 | NA | \$40.18 | NA | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | SOIVIAIN | INA | φ21.30 | φ33.07 | INA | φ31.92 | INA | φ40.16 | INA | φ30.09 |
| Svc.Order vs. Electronic - Add'l | SOMAN | NA | \$21.56 | \$7.88 | NA | \$7.32 | NI A | CO 45 | NIA | \$7.03 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | SOIVIAIN | INA | \$21.30 | φ1.00 | NA NA | \$1.32 | NA | \$9.45 | NA | \$7.03 |
| 1 1 | | | TDD | TDD | | 00.44 | | 04.40 | | TDD |
| Update - Electronic | | NA | TBD | TBD | NA | \$2.11 | NA | \$1.42 | NA | TBD |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | | | | | | | | | | |
| Update - Manual Service Order | | NA | TBD | TBD | NA | \$5.12 | NA | \$10.27 | NA | TBD |
| NRC - Electronic Service Order Disconnect | | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| NRC - Incremental Manual Service Order Disconnect | | NA | \$3.84 | \$20.00 | NA | \$20.00 | NA | \$20.00 | NA | \$20.00 |
| The second secon | | 177 | ψ0.0- | Ψ20.00 | 1473 | Ψ20.00 | 1171 | Ψ20.00 | 1471 | Ψ20.00 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| OST BASED RATES (Notes 2 & 3) | | | ĺ | | | | I | | | |
| OUT BAOLD HATEO (HOLES E & O) | | - | | | | | | | - | |
| | | | | | | | | | | |
| Currently Combined | | | | | | | | | | |
| 2-Wire Voice Grade Loop with 2-Wire Line Port | | | | | | | | | | |
| 2-Wire Voice Grade Line Port (Res.), per month | | | | | | | | | | |
| 2-vine voice Grade Line i oft (Nes.), per month | | #0.00 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| | LIEDDI | | | | | | | | | |
| 2- wire voice unbundled port - residence | UEPRL | \$2.20 | | | | | | | | |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence | UEPRC | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2- wire voice unbundled port - residence | | | | | | | | | | |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence | UEPRC UEPRO | \$2.20 \$2.20 | \$1.35 \$1.35 | \$1.79 \$1.79 | \$2.61 \$2.61 | \$2.55 \$2.55 | \$2.12 \$2.12 | \$2.28 \$2.28 | \$3.69 \$3.69 | \$4.54 \$4.54 |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice unbundled Alabama extended local dialing parity port with caller ID | UEPRC | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence | UEPRO UEPAR | \$2.20 \$2.20 \$2.20 | \$1.35 \$1.35 NA | \$1.79 \$1.79 NA | \$2.61 \$2.61 NA | \$2.55 \$2.55 NA | \$2.12 \$2.12 NA | \$2.28 \$2.28 NA | \$3.69 \$3.69 NA | \$4.54 \$4.54 NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID | UEPRC UEPRO | \$2.20 \$2.20 | \$1.35 \$1.35 | \$1.79 \$1.79 | \$2.61 \$2.61 | \$2.55 \$2.55 | \$2.12 \$2.12 | \$2.28 \$2.28 | \$3.69 \$3.69 | \$4.54 \$4.54 |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPRM | \$2.20 \$2.20 \$2.20 NA | \$1.35 \$1.35 NA | \$1.79 \$1.79 NA | \$2.61 \$2.61 NA \$2.61 | \$2.55 \$2.55 NA | \$2.12 \$2.12 NA NA | \$2.28 \$2.28 NA | \$3.69 \$3.69 NA | \$4.54 \$4.54 NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID | UEPRO UEPAR | \$2.20 \$2.20 \$2.20 | \$1.35 \$1.35 NA | \$1.79 \$1.79 NA | \$2.61 \$2.61 NA | \$2.55 \$2.55 NA | \$2.12 \$2.12 NA | \$2.28 \$2.28 NA | \$3.69 \$3.69 NA | \$4.54 \$4.54 NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPRM UEPAS | \$2.20 \$2.20 \$2.20 NA NA | \$1.35 \$1.35 NA NA | \$1.79 \$1.79 NA NA | \$2.61 \$2.61 NA \$2.61 NA | \$2.55 \$2.55 NA NA \$2.55 | \$2.12 \$2.12 NA NA NA | \$2.28 \$2.28 NA NA | \$3.69 \$3.69 NA NA | \$4.54 \$4.54 NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPRM | \$2.20 \$2.20 \$2.20 NA | \$1.35 \$1.35 NA | \$1.79 \$1.79 NA | \$2.61 \$2.61 NA \$2.61 | \$2.55 \$2.55 NA | \$2.12 \$2.12 NA NA | \$2.28 \$2.28 NA | \$3.69 \$3.69 NA | \$4.54 \$4.54 NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with | UEPRC UEPRO UEPAR UEPAR UEPAS UEPAS | \$2.20 \$2.20 \$2.20 NA NA | \$1.35 \$1.35 NA NA | \$1.79 \$1.79 NA NA | \$2.61 \$2.61 NA \$2.61 NA | \$2.55 \$2.55 NA NA \$2.55 | \$2.12 \$2.12 NA NA NA | \$2.28 \$2.28 NA NA | \$3.69 \$3.69 NA NA NA | \$4.54 \$4.54 NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPRM UEPAS | \$2.20 \$2.20 \$2.20 NA NA | \$1.35 \$1.35 NA NA | \$1.79 \$1.79 NA NA | \$2.61 \$2.61 NA \$2.61 NA | \$2.55 \$2.55 NA NA \$2.55 | \$2.12 \$2.12 NA NA NA | \$2.28 \$2.28 NA NA | \$3.69 \$3.69 NA NA | \$4.54 \$4.54 NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with | UEPRC UEPRO UEPAR UEPAM UEPAS UEPAT UEPAU | \$2.20 \$2.20 \$2.20 NA NA | \$1.35 \$1.35 NA NA NA | \$1.79 \$1.79 NA NA NA | \$2.61 \$2.61 NA \$2.61 NA | \$2.55 \$2.55 NA NA \$2.55 | \$2.12 \$2.12 NA NA NA NA \$2.12 | \$2.28 \$2.28 NA NA NA | \$3.69 \$3.69 NA NA NA | \$4.54 \$4.54 NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPAR UEPAS UEPAS | \$2.20 \$2.20 \$2.20 NA NA | \$1.35 \$1.35 NA NA NA | \$1.79 \$1.79 NA NA NA | \$2.61 \$2.61 NA \$2.61 NA | \$2.55 \$2.55 NA NA \$2.55 | \$2.12 \$2.12 NA NA NA NA \$2.12 | \$2.28 \$2.28 NA NA NA | \$3.69 \$3.69 NA NA NA | \$4.54 \$4.54 NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississispi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPAM UEPAS UEPAT UEPAU | \$2.20 \$2.20 \$2.20 NA NA NA | \$1.35 \$1.35 NA NA NA | \$1.79 \$1.79 NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA | \$2.55 \$2.55 NA NA \$2.55 NA | \$2.12 \$2.12 NA NA NA \$2.12 | \$2.28 \$2.28 NA NA NA NA | \$3.69 \$3.69 NA NA NA NA NA \$3.69 | \$4.54 \$4.54 NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID | UEPRC UEPRO UEPAR UEPAM UEPAS UEPAT UEPAU UEPAQ | \$2.20 \$2.20 \$2.20 NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA S1.35 | \$1.79 \$1.79 NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA | \$2.12 \$2.12 NA NA NA S2.12 NA | \$2.28 \$2.28 NA NA NA NA | \$3.69 \$3.69 NA NA NA NA S3.69 | \$4.54 \$4.54 NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) | UEPRC UEPRO UEPAR UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG | \$2.20 \$2.20 \$2.20 NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA NA \$2.55 | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA | \$2.28 \$2.28 NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence | UEPRC UEPRO UEPAR UEPAS UEPAT UEPAU UEPAQ UEPAC | \$2.20 \$2.20 \$2.20 NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA S1.35 | \$1.79 \$1.79 NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA | \$2.28 \$2.28 NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence | UEPAC UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAH | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA NA \$2.55 \$2.55 | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA S3.69 NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) | UEPRC UEPRO UEPAR UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG | \$2.20 \$2.20 \$2.20 NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA NA \$2.55 | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA | \$2.28 \$2.28 NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) | UEPAC UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAG UEPAJ | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA \$2.55 \$2.55 | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA S3.69 | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) | UEPAC UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAH | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA NA \$2.55 \$2.55 | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA S3.69 NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LV8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | UEPAC UEPAN UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAH UEPAJ UEPAJ | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA \$2.55 \$2.55 NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAC UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAG UEPAJ | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA \$2.55 \$2.55 | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA S3.69 | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | UEPAC UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA \$2.55 \$2.55 NA NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA NA S4.54 NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAC UEPAN UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAH UEPAJ UEPAJ | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA NA \$2.55 \$2.55 NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | UEPAC UEPAS UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAH UEPAJ UEPAL UEPAL UEPAL | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA NA NA | \$2.55 \$2.55 NA NA S2.55 NA NA NA NA NA NA NA NA NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 1-2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 1-2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) | UEPAC UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG UEPAG | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA NA | \$2.55 \$2.55 NA NA \$2.55 NA NA NA \$2.55 \$2.55 NA NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA NA NA NA |
| 2- wire voice unbundled port - residence 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller ID 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller ID 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled South Carolina extended local dialing parity port with caller ID 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller ID 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled South Carolina Area Calling port with Caller ID - residence (LW8) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence | UEPAC UEPAS UEPAS UEPAT UEPAU UEPAQ UEPAG UEPAG UEPAH UEPAJ UEPAL UEPAL UEPAL | \$2.20 \$2.20 \$2.20 NA NA NA NA NA NA NA NA NA | \$1.35 \$1.35 NA NA NA NA NA NA NA NA NA | \$1.79 \$1.79 NA NA NA NA NA NA NA NA | \$2.61 \$2.61 NA \$2.61 NA NA NA NA NA NA NA | \$2.55 \$2.55 NA NA S2.55 NA NA NA NA NA NA NA NA NA | \$2.12 \$2.12 NA NA NA \$2.12 NA NA NA NA NA NA NA | \$2.28 \$2.28 NA NA NA NA NA NA NA NA NA | \$3.69 \$3.69 NA NA NA NA \$3.69 NA NA NA NA NA NA NA | \$4.54 \$4.54 NA NA NA NA NA NA NA NA NA NA NA NA NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|----------|----------|----------|----------|---------------|--------------|---------|--------------------|---------------------|-----------------|
| 2-wire voice unbundled res, low usage line port with Caller ID (LUM) | UEPAP | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-Wire Voice Grade Line Port (Bus.), per month | | | | | | | | | | |
| 2-wire voice unbundled port without Caller ID | UEPBL | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-wire voice unbundled port with unbundled port with Caller+E484 ID | UEPBC | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-wire voice unbundled outgoing only port | UEPBO | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| | | | İ ' | | | | | | | |
| 2-wire voice grade unbundled Alabama extended local dialing parity port with caller ID | UEPAW | \$2.20 | NA | NA | NA | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Kentucky extended local dialing parity port with caller | | | İ ' | | | | | | | |
| ID | UEPBM | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-wire voice grade unbundled Louisiana extended local dialing parity port with caller | | | İ ' | | | | | | | |
| ID ID | UEPAX | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-wire voice grade unbundled Mississippi extended local dialing parity port with caller | | | İ ' | | | | | | | |
| ID ID | UEPAY | NA | NA | NA | NA | NA | \$2.12 | NA | NA | NA |
| 2-wire voice grade unbundled South Carolina extended local dialing parity port with | | | İ ' | | | | | | | |
| caller ID | UEPAZ | NA | NA | NA | NA | NA | NA | NA | \$3.69 | NA |
| 2-wire voice grade unbundled Tennessee extended local dialing parity port with caller | | | İ ' | | | | | | | |
| ID ID | UEPAV | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-wire voice unbundled incoming only port with Caller ID | UEPB1 | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) | UEPAA | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) | UEPAB | NA | NA | NA | NA | NA | NA | NA | \$3.69 | NA |
| | | | İ ' | | | | | | | |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1) | UEPAC | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| | | | İ ' | | | | | | | |
| 2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2) | UEPAD | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-wire voice unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port | | | İ ' | | | | | | | 4 |
| (B2F) | UEPAE | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-Wire Voice Grade Loop (SL1) | | | L | | | | | | | |
| RC - 2- Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2- Wire Voice Grade Loop - Zone 1 | UEPLX | \$14.35 | \$14.90 | \$10.80 | \$14.79 | \$14.05 | \$14.59 | NA | \$17.02 | \$12.48 |
| RC - 2- Wire Voice Grade Loop - Zone 2 | UEPLX | \$23.31 | \$18.51 | \$12.47 | \$27.68 | \$24.14 | \$19.33 | NA | \$25.66 | \$14.42 |
| RC - 2- Wire Voice Grade Loop - Zone 3 | UEPLX | \$42.24 | \$24.25 | \$19.83 | \$47.78 | \$49.30 | \$27.63 | NA | \$33.99 | \$21.77 |
| RC - 2- Wire Voice Grade Loop - Zone 4 | UEPLX | NA | NA | NA | NA | NA | \$36.47 | NA | NA | NA |
| Combination Rates | | | | | L | | | 4 | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$16.46 | NA | NA |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | \$16.55 | \$16.25 | \$12.59 | \$17.40 | \$16.60 | \$16.71 | NA | \$20.71 | \$17.02 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | \$25.51 | \$19.86 | \$14.26 | \$30.29 | \$26.69 | \$21.45 | NA | \$29.35 | \$18.96 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | \$44.44 | \$25.60 | \$21.62 | \$50.39 | \$51.85 | \$29.75 | NA | \$37.68 | \$26.31 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6) | Note 8 | NA | NA | NA | NA | NA | \$38.59 | NA | NA | NA |
| Nonrecurring Charges | | | <u> </u> | | | | | | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is | USAC2 | \$2.80 | \$0.1964 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is | USAC2 | \$0.41 | \$0.1964 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| | | | | | | | | | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change | USACC | \$2.80 | \$0.1964 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| AIDO OMiss Veiss Ocada Lass Il ins Dest Combination Addit C 11 11 | 110400 | CO 44 | CO 4004 | CO 0400 | £40.00 | #0.00 | CO 44 | CO 40 | fo 40 | (0.0000 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change | USACC | \$0.41 | \$0.1964 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | USAS2 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | | | 1 | | | | | | | |
| (Note 7) | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | SOMEC | და.50 | \$∠./5 | და.50 | ა ა.5U | φა.50 | და.50 | ა პ.50 | φა.50 | φ 3.5 U |
| Svc.Order vs. Electronic - 1st | SOMAN | \$40.71 | \$21.56 | \$33.67 | \$19.99 | \$31.92 | \$43.52 | \$40.18 | \$43.19 | \$30.89 |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | SOIVIAIN | ψ≒∪./ Ι | ψ∠ 1.30 | φυσ.01 | ψ13.33 | ψυ1.32 | ψ40.02 | ψ≒∪.10 | ψ + 3.18 | ψ30.03 |
| Svc.Order vs. Electronic - Add'l | SOMAN | \$9.58 | \$21.56 | \$7.88 | \$19.99 | \$7.32 | \$9.99 | \$9.45 | \$9.91 | \$7.03 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | SOIVIAIN | φ3.30 | φ21.00 | φ1.00 | क्राज्ञ.जज | عد. ان | φυ.υυ | φ υ.4 υ | क्ष्य.ञ । | φ1.03 |
| Update - Electronic | | \$1.44 | TBD | TBD | TBD | \$2.11 | \$2.87 | \$1.42 | \$0.71 | \$0.76 |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | | Ψ1.44 | טטו | עפו | טטו | ΨΔ.ΙΙ | ψ2.01 | ψ1.42 | ψ0.71 | ψυ./ υ |
| 14170- 2 WHO VOICE Grade Loop/Line Fort Combination - Subsequent Database | | \$8.25 | TBD | TBD | TBD | \$5.12 | \$6.88 | \$10.27 | \$8.91 | \$7.97 |
| Undate - Manual Service Order | | | | | | | | | | |
| Update - Manual Service Order NRC - Electronic Service Order Disconnect | | NA NA | \$0.42 | NA NA | NA NA | NA | NA | NA NA | NA NA | NA NA |

| | ot Currently Combined) as ordered in Georgia: | |
|---|---|------------------------|
| NRC - 2-Wire Votos Grade Loop with 2-Wire Line Port - New - Add 1 UEPRL NA NA \$12.25 NA NA NA NA NA NA NA NA NA NA NA NA NA | | |
| NRC - 2-Wire Votos Grade Loop with 2-Wire Line Port - New - 1st UEPRC NA NA \$15.25 NA NA NA NA NA NA NA NA NA NA NA NA NA | ze Grade Loop with 2-Wire Line Port - New - 1st UEPRL NA NA \$22.14 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1 UEPRC NA NA \$15.25 NA NA NA NA NA NA NA NA NA NA NA NA NA | ze Grade Loop with 2-Wire Line Port - New - Add'l UEPRL NA NA \$15.25 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st UEPRO NA NA S22.14 NA NA NA NA NA NA NA NA NA NA NA NA NA | ze Grade Loop with 2-Wire Line Port - New - 1st UEPRC NA NA \$22.14 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1 | ze Grade Loop with 2-Wire Line Port - New - Add'l UEPRC NA NA \$15.25 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - AddT | ze Grade Loop with 2-Wire Line Port - New - Add'l UEPRO NA NA \$15.25 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | ze Grade Loop with 2-Wire Line Port - New - 1st UEPAP NA NA \$22.14 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Addi | e Grade Loop with 2-Wire Line Port - New - Add'l UEPAP NA NA \$15.25 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st UEPBC NA NA \$22.14 NA NA NA NA NA NA NA NA NA NA NA NA NA | e Grade Loop with 2-Wire Line Port - New - 1st UEPBL NA NA \$22.14 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st UEPBC NA NA \$2:214 NA NA NA NA NA NA NA NA NA NA NA NA NA | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st UEPBC NA NA \$22.14 NA NA NA NA NA NA NA NA NA NA NA NA NA | as Crade Leas with 2 Mire Line Part. New Addill LEDDI NA NA 645 OF NA NA NA | NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 3dd1 UEPBC NA NA \$15.25 NA NA NA NA NA NA NA NA NA NA NA NA NA | 1 1 | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st UEPBO NA NA \$22.14 NA NA NA NA NA NA NA NA NA NA NA NA NA | · · · · · · · · · · · · · · · · · · · | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - AddT UEPB0 NA NA \$15.25 NA NA NA NA NA NA NA NA NA NA NA NA NA | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st UEPB1 NA | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add1 | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent USAS2 NA | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st | e Grade Loop With Z-Wire Line PORT - New - Add1 UEPB1 NA NA \$15.25 NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st | po Crade Legal in Part Combination Subagguest USASS NA NA NA NA NA NA NA NA | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l NR - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l NR - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l NR - 2-Wire Voice Grade Loop with 2-Wire DID Trunk Port | TO 100 100 100 100 100 100 100 100 100 10 | |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSK Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | e Grade Luop with 2-1916 Line Purt - New - Discontinent - 15t NA NA \$8.45 NA NA NA | INA INA NA |
| NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | va Grade Loop with 2-Wire Line Port - New - Disconnect - Add'll NA NA S3 01 NA NA NA NA | NA NA NA |
| Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Noter 7) | | NA NA NA |
| (Note 7) | | |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. | | NA NA NA |
| Electronic - New - 1st | | NA NA NA |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. Electronic - New - Add* NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic NA | | NA NA NA |
| Electronic - New - Add'l | | IVA IVA |
| NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Electronic NA NA NA NA NA NA NA NA NA NA NA NA NA | | NA NA NA |
| Update - Electronic | | IVA IVA |
| NRC - 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order NA NA NA NA NA NA NA NA NA NA NA NA NA | | NA NA NA |
| Update - Manual Service Order | | 10.7 |
| NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. | | NA NA NA |
| Electronic - New - Disconnect | | 101 |
| 2- Wire Voice Grade Loop - Bus Only with 2 -Wire DID Trunk Port 2 - Wire Line Port - DID Trunk Port, per month UEPD1 TBD \$9.36 \$11.35 \$10.84 \$13.12 \$14.63 \$12.12 2-Wire Voice Grade Loop (SL2) RC - 2- Wire Voice Grade Loop - Statewide RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 NA NA NA NA NA NA NA NA NA \$11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA | ' | NA NA NA |
| 2 - Wire Line Port - DID Trunk Port, per month UEPD1 TBD \$9.36 \$11.35 \$10.84 \$13.12 \$14.63 \$12.12 2-Wire Voice Grade Loop (SL2) DECD1 NA NA NA NA NA NA NA NA NA NA NA NA NA NA \$11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.48 | | 101 |
| 2 - Wire Line Port - DID Trunk Port, per month UEPD1 TBD \$9.36 \$11.35 \$10.84 \$13.12 \$14.63 \$12.12 2-Wire Voice Grade Loop (SL2) Description NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.35 | | |
| 2 - Wire Line Port - DID Trunk Port, per month UEPD1 TBD \$9.36 \$11.35 \$10.84 \$13.12 \$14.63 \$12.12 2-Wire Voice Grade Loop (SL2) Description NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.35 | Prade Loon - Rus Only with 2 -Wire DID Trunk Port | |
| 2-Wire Voice Grade Loop (SL2) UECD1 NA NA NA NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.48 | Aude Loop Date Only Wall 2 Trice Did Hullik Lott | |
| 2-Wire Voice Grade Loop (SL2) UECD1 NA NA NA NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.48 | | |
| RC - 2- Wire Voice Grade Loop - Statewide UECD1 NA NA NA NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.48 | t - DID Trunk Port, per month UEPD1 TBD \$9.36 \$11.35 \$10.84 \$13.12 \$14.63 | \$12.12 TBD \$8.78 |
| RC - 2- Wire Voice Grade Loop - Statewide UECD1 NA NA NA NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.48 | | |
| RC - 2- Wire Voice Grade Loop - Statewide UECD1 NA NA NA NA NA NA NA NA NA S11.76 RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$18.48 | de Loop (SL2) | |
| RC - 2- Wire Voice Grade Loop - Zone 1 UECD1 \$17.95 \$18.48 \$16.84 \$17.78 \$17.65 \$18.35 NA \$ | | \$11.76 NA NA |
| | | |
| RC - 2- Wire Voice Grade Loop - Zone 2 UECD1 \$29,16 \$22,43 \$19,45 \$23,96 \$30,32 \$24,33 NA \$ | | * - |
| | | |
| RC - 2- Wire Voice Grade Loop - Zone 4 | | |
| Combination Rates | | TWA TWA |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port. Statewide Note 8 NA NA NA NA NA NA NA NA S23.79 | | \$23.79 NA NA |
| 100 - 1 | | |
| | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port. Zone 3 (Note 6) Note 8 45.9 \$37.23 \$42.27 45.9 \$75.05 45.9 NA | ************************************** | |
| RC - 2-Wire Voice Grade Loop with 2-Wire DID Port, Zone4 (Note 6) Note 8 NA NA NA NA NA TBD NA | ************************************** | * |
| NRC-2-Wire Voice Grade Loop with 2-Wire DID Port - Conversion - Switch As Is - | | TVA IVA |
| | | \$13.26 \$14.62 \$8.76 |

Attachment 2 Exhibit C

Rates - Page 56

| | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|--|---|---|---|---|--|---|---|---|---|--|
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Conversion - Switch As Is | | | | | | | | | | |
| | Each Addl Port | USAC1 | \$3.73 | \$3.73 | \$140.01 | TBD | \$3.72 | \$3.72 | \$8.39 | \$3.73 | \$5.75 |
| | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Conversion with changes - | | | | | | | | | | |
| | 1st port | USA1C | \$14.62 | \$14.62 | \$166.08 | TBD | \$14.60 | \$14.60 | \$13.26 | \$14.62 | \$8.76 |
| 7 | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Conversion with changes - | | | <u> </u> | | | | | | | · |
| | Each Addl port | USA1C | \$3.73 | \$3.73 | \$140.01 | TBD | \$3.72 | \$3.72 | \$8.39 | \$3.73 | \$5.75 |
| \pm | NRC - 2-Wire DID Subsequent Activity - Per Svc Order - Add Trunks, Per Trunk | USAS1 | \$53.57 | \$53.57 | NA | NA | \$53.50 | \$53.50 | NA | \$53.57 | NA |
| + | NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | 00/101 | φοσ.σ. | φοσιο. | | | ψου.ου | φοσ.σσ | | φοσ.σ. | |
| | Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | | | | | | | | | | |
| | (Note 7) | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| + | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual | CONIEC | ψο.σσ | Ψ2.70 | ψ0.00 | ψ0.00 | ψ0.00 | ψ0.00 | ψ0.00 | ψ0.00 | ψ0.00 |
| | Service Order - 1st | SOMAN | \$19.99 | \$21.56 | \$37.88 | \$19.99 | \$19.99 | \$19.99 | \$53.89 | \$19.99 | \$41.43 |
| + | NRC- 2- Wire Voice Grade Loop with 2- Wire DID Port - Incremental Cost- Manual | OOMAN | Ψ10.00 | Ψ21.00 | ψ51.00 | ψ10.00 | Ψ13.33 | ψ10.00 | ψ33.03 | Ψ13.33 | Ψ11.τυ |
| | Service Order - Addl | SOMAN | \$19.99 | \$21.56 | \$16.84 | \$19.99 | \$19.99 | \$19.99 | \$11.34 | \$19.99 | \$9.80 |
| + | NRC - Electronic Service Order Disconnect | JOINAIN | \$0.42 | \$0.42 | \$0.42 | \$0.42 | \$0.42 | \$0.42 | \$0.42 | \$0.42 | \$0.42 |
| + | NRC - Incremental Manual Service Order Disconnect | | \$20.00 | | | | \$20.00 | | \$20.00 | | \$20.00 |
| + | Telephone Number/Trunk Group Establishment | | \$20.00 | \$3.84 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 |
| + | DID Trunk Termination (one required per port) | NDT | \$0.00 | #0.00 | #0.00 | #0.00 | \$0.00 | #0.00 | \$0.00 | #0.00 | (0.00 |
| + | | NDT | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | ND7 | 60.00 | ድር ዕዕ | \$0.00 | #0.00 | \$0.00 | #0.00 | #0.00 | #0.00 | 60.00 |
| + | (FL, GA, NC, & SC only) DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | NDZ | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | (AL, KY, LA, MS, & TN). In addition, Provides Additional DID Numbers for each | | | | | | | | | | |
| | Group of 20 DID Numbers (Valid in All States) | ND4 | © 0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | (0.00 | \$0.00 | (0.00 |
| + | DID Numbers, non-consective | ND4 ND5 | \$0.00 \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 \$0.00 | \$0.00 | \$0.00 \$0.00 |
| + | DID Numbers, non-consective | ND5 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| + | ONE IODURE E LO LI ELO LI IODURE E LO L | | | | | | | | | | |
| 4 | 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port | | | | | | | | | | |
| | 2-wire ISDN Digital Port per month | UEPPB | \$16.42 | \$8.51 | \$13.47 | \$12.99 | \$11.42 | \$51.91 | \$24.37 | \$33.74 | \$18.21 |
| Ш | 2-Wire ISDN Digital Grade Loop | | | | | | | | | | |
| | RC - 2-Wire ISDN Digital Grade Loop - Statewide | USL2X | NA | NA | NA | NA | NA | NA | \$19.08 | NA | NA |
| Ш | RC - 2-Wire ISDN Digital Grade Loop - Zone 1 | USL2X | \$23.23 | \$22.48 | \$21.89 | \$22.41 | \$28.87 | \$21.86 | NA | \$26.68 | \$16.20 |
| | RC - 2-Wire ISDN Digital Grade Loop - Zone 2 | USL2X | \$37.74 | \$27.90 | \$25.27 | \$31.10 | \$37.63 | \$28.97 | NA | \$40.24 | \$18.71 |
| | RC - 2-Wire ISDN Digital Grade Loop - Zone 3 | USL2X | \$68.38 | \$30.78 | \$40.17 | \$42.36 | \$48.42 | \$41.40 | NA | \$53.29 | \$28.25 |
| | RC - 2-Wire ISDN Digital Grade Loop - Zone 4 | USL2X | NA | NA | NA | NA | NA | \$54.64 | NA | NA | NA |
| | Combination Rates | | | | | | | | | | |
| | | | | | | | | | | | |
| | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$43.45 | NA | NA |
| + | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Statewide | Note 8 | \$39.65 | \$30.99 | \$35.36 | \$34.40 | \$34.84 | \$73.77 | Ψ43.45 NA | \$60.42 | \$34.41 |
| + | | Note 8 | \$59.05 \$54.16 | \$36.41 | \$38.74 | \$34.40 \$44.10 | \$43.20 | \$80.78 | NA NA | \$73.98 | \$36.92 |
| | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 2 | | | | | | | | | | |
| - | DO 0.W. 10DN D 10 1 1 21 0 1 10DN D 11 7 0 | | | | | | | | | | |
| Į | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3 | Note 8 | \$84.80 | \$39.30 | \$53.64 | \$55.35 | \$59.69 | \$93.31 | NA | \$87.03 | \$46.46 |
| Ŧ | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 3 RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 | | | | | | | | | | |
| Ŧ | | Note 8 | \$84.80 | \$39.30 | \$53.64 | \$55.35 | \$59.69 | \$93.31 | NA | \$87.03 | \$46.46 |
| ‡ † | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 | Note 8 Note 8 | \$84.80 NA | \$39.30 NA | \$53.64 NA | \$55.35 NA | \$59.69 NA | \$93.31 \$106.55 | NA NA | \$87.03 NA | \$46.46 NA |
| + | | Note 8 | \$84.80 | \$39.30 | \$53.64 | \$55.35 | \$59.69 | \$93.31 | NA | \$87.03 | \$46.46 |
| + | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion | Note 8 Note 8 USACB | \$84.80 NA \$79.12 | \$39.30 NA \$86.79 | \$53.64 NA \$239.95 | \$55.35 NA \$79.12 | \$59.69 NA \$79.01 | \$93.31 \$106.55 \$79.12 | NA NA \$174.35 | \$87.03 NA \$79.12 | \$46.46 NA \$117.23 |
| + | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion | Note 8 Note 8 | \$84.80 NA | \$39.30 NA | \$53.64 NA | \$55.35 NA | \$59.69 NA | \$93.31 \$106.55 | NA NA | \$87.03 NA | \$46.46 NA |
| ‡ + + | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature | Note 8 Note 8 USACB | \$84.80 NA \$79.12 | \$39.30 NA \$86.79 \$54.04 | \$53.64 NA \$239.95 \$156.92 | \$55.35 NA \$79.12 \$54.04 | \$59.69 NA \$79.01 \$53.97 | \$93.31 \$106.55 \$79.12 \$54.04 | NA NA \$174.35 \$174.35 | \$87.03 NA \$79.12 \$54.04 | \$46.46 NA \$117.23 \$117.23 |
| - | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity | Note 8 Note 8 USACB | \$84.80 NA \$79.12 | \$39.30 NA \$86.79 | \$53.64 NA \$239.95 | \$55.35 NA \$79.12 | \$59.69 NA \$79.01 | \$93.31 \$106.55 \$79.12 | NA NA \$174.35 | \$87.03 NA \$79.12 | \$46.46 NA \$117.23 |
| | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | Note 8 Note 8 USACB | \$84.80 NA \$79.12 | \$39.30 NA \$86.79 \$54.04 | \$53.64 NA \$239.95 \$156.92 | \$55.35 NA \$79.12 \$54.04 | \$59.69 NA \$79.01 \$53.97 | \$93.31 \$106.55 \$79.12 \$54.04 | NA NA \$174.35 \$174.35 | \$87.03 NA \$79.12 \$54.04 | \$46.46 NA \$117.23 \$117.23 |
| - - - - | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | Note 8 Note 8 USACB USACB USASB | \$84.80 NA \$79.12 \$54.04 \$53.50 | \$39.30 NA \$86.79 \$54.04 \$53.50 | \$53.64 NA \$239.95 \$156.92 \$53.50 | \$55.35 NA \$79.12 \$54.04 \$53.50 | \$59.69 NA \$79.01 \$53.97 \$53.50 | \$93.31 \$106.55 \$79.12 \$54.04 \$53.50 | NA NA \$174.35 \$174.35 \$53.50 | \$87.03 NA \$79.12 \$54.04 \$53.50 | \$46.46 NA \$117.23 \$117.23 \$212.88 |
| +++++++++++++++++++++++++++++++++++++++ | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) | Note 8 Note 8 USACB | \$84.80 NA \$79.12 | \$39.30 NA \$86.79 \$54.04 | \$53.64 NA \$239.95 \$156.92 | \$55.35 NA \$79.12 \$54.04 | \$59.69 NA \$79.01 \$53.97 | \$93.31 \$106.55 \$79.12 \$54.04 | NA NA \$174.35 \$174.35 | \$87.03 NA \$79.12 \$54.04 | \$46.46 NA \$117.23 \$117.23 |
| + | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost- | Note 8 Note 8 USACB USACB USASB | \$84.80 NA \$79.12 \$54.04 \$53.50 | \$39.30 NA \$86.79 \$54.04 \$53.50 \$2.75 | \$53.64 NA \$239.95 \$156.92 \$53.50 | \$55.35 NA \$79.12 \$54.04 \$53.50 | \$59.69 NA \$79.01 \$53.97 \$53.50 | \$93.31 \$106.55 \$79.12 \$54.04 \$53.50 | NA NA \$174.35 \$174.35 \$53.50 | \$87.03 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$46.46 NA \$117.23 \$117.23 \$212.88 \$3.50 |
| - | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost- Manual Service Order - 1st | Note 8 Note 8 USACB USACB USASB | \$84.80 NA \$79.12 \$54.04 \$53.50 | \$39.30 NA \$86.79 \$54.04 \$53.50 | \$53.64 NA \$239.95 \$156.92 \$53.50 | \$55.35 NA \$79.12 \$54.04 \$53.50 | \$59.69 NA \$79.01 \$53.97 \$53.50 | \$93.31 \$106.55 \$79.12 \$54.04 \$53.50 | NA NA \$174.35 \$174.35 \$53.50 | \$87.03 NA \$79.12 \$54.04 \$53.50 | \$46.46 NA \$117.23 \$117.23 \$212.88 |
| | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-Manual Service Order - 1st NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-W | Note 8 Note 8 USACB USACB USASB SOMEC | \$84.80 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$39.30 NA \$86.79 \$54.04 \$53.50 \$2.75 | \$53.64 NA \$239.95 \$156.92 \$53.50 \$3.50 | \$55.35 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$59.69 NA \$79.01 \$53.97 \$53.50 \$3.50 | \$93.31 \$106.55 \$79.12 \$54.04 \$53.50 \$19.99 | NA NA \$174.35 \$174.35 \$53.50 \$3.50 \$19.99 | \$87.03 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$46.46 NA \$117.23 \$117.23 \$212.88 \$3.50 \$19.99 |
| | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost- Manual Service Order - 1st NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost- Manual Service Order - Addl | Note 8 Note 8 USACB USACB USASB | \$84.80 NA \$79.12 \$54.04 \$53.50 \$19.99 | \$39.30 NA \$86.79 \$54.04 \$53.50 \$2.75 \$21.56 | \$53.64 NA \$239.95 \$156.92 \$53.50 \$3.50 \$19.99 | \$55.35 NA \$79.12 \$54.04 \$53.50 \$19.99 \$19.99 | \$59.69 NA \$79.01 \$53.97 \$53.50 \$3.50 \$19.99 | \$93.31 \$106.55 \$79.12 \$54.04 \$53.50 \$19.99 | NA NA \$174.35 \$174.35 \$53.50 \$19.99 \$19.99 | \$87.03 NA \$79.12 \$54.04 \$53.50 \$3.50 \$19.99 | \$46.46 NA \$117.23 \$117.23 \$212.88 \$3.50 \$19.99 |
| | RC - 2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port - Zone 4 NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add'l conversion NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces (Note 7) NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-Manual Service Order - 1st NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-Wire ISDN Digital Port - Incremental Cost-NRC - 2-W | Note 8 Note 8 USACB USACB USASB SOMEC | \$84.80 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$39.30 NA \$86.79 \$54.04 \$53.50 \$2.75 | \$53.64 NA \$239.95 \$156.92 \$53.50 \$3.50 | \$55.35 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$59.69 NA \$79.01 \$53.97 \$53.50 \$3.50 | \$93.31 \$106.55 \$79.12 \$54.04 \$53.50 \$19.99 | NA NA \$174.35 \$174.35 \$53.50 \$3.50 \$19.99 | \$87.03 NA \$79.12 \$54.04 \$53.50 \$3.50 | \$46.46 NA \$117.23 \$117.23 \$212.88 \$3.50 \$19.99 |

| DESC | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--------|---|----------|----------|----------------|----------|----------|------------|-------------|----------|--|-----------------|
| | | | | | | | | | | | |
| | 4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | |
| ++- | 4 - Wire ISDN DS1 Digital Trunk Port | UEPPP | \$186.02 | \$95.39 | \$163.16 | \$113.21 | \$107.55 | \$213.21 | \$179.01 | \$214.79 | \$78.40 |
| ++- | 4 - Wire DS1 Digital Loop | OLITT | Ψ100.02 | ψου.ου | Ψ100.10 | ψ110.21 | Ψ107.00 | Ψ210.21 | ψ170.01 | Ψ21-1.70 | ψι σ. το |
| | RC - 4- Wire DS1 Digital Loop- Statewide | USL4P | NA | NA | NA | NA | NA | NA | \$62.71 | NA | NA |
| ++ | RC - 4- Wire DS1 Digital Loop- Zone 1 | USL4P | \$51.74 | \$92.48 | \$55.53 | \$106.04 | \$100.70 | \$50.99 | NA NA | \$59.61 | \$57.73 |
| H | RC - 4- Wire DS1 Digital Loop- Zone 2 | USL4P | \$84.05 | \$119.68 | \$3.21 | \$135.15 | \$129.12 | \$67.58 | NA NA | \$89.90 | \$75.40 |
| ++ | RC - 4- Wire DS1 Digital Loop- Zone 3 | USL4P | \$152.29 | \$194.70 | \$101.93 | \$186.26 | \$344.16 | \$96.58 | NA | \$119.06 | \$98.59 |
| +++ | RC - 4-Wire DS1 Digital Loop - Zone 4 | USL4P | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA |
| ++ | Combination Rates | 002 | 1.0.1 | | | | | ψ. <u>Σ</u> | | 1.0.1 | |
| | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$241.72 | NA | NA |
| | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 1 | Note 8 | \$237.76 | \$187.87 | \$218.69 | \$219.25 | \$208.25 | \$264.20 | NA | \$274.40 | \$136.13 |
| | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 2 | Note 8 | \$270.07 | \$215.07 | \$227.29 | \$248.36 | \$236.67 | \$280.79 | NA | \$304.69 | \$153.80 |
| | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 3 | Note 8 | \$338.31 | \$290.08 | \$265.09 | \$299.47 | \$451.57 | \$309.79 | NA | \$333.85 | \$176.99 |
| | RC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port - Zone 4 | Note 8 | NA | NA | NA | NA | NA | \$340.68 | NA | NA | NA |
| | Local Number Portability | | | | | | | | | | |
| | Local Number Portability (1 per port) | LNPCN | \$1.75 | \$1.75 | \$1.75 | \$1.75 | \$1.75 | \$1.75 | \$1.75 | \$1.75 | \$1.75 |
| \Box | Interface (Provsioning Only) | | • | * - | • - | 1 | * - | • • | | | * - |
| | Voice/Data | PR71V | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Digital Data | PR71D | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Inward Data | PR71E | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Non-Recurring Charges | | | | | | | | | | |
| | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - 1st | | | | | | | | | | |
| | conversion | USACP | \$240.30 | \$247.97 | \$269.96 | \$240.30 | \$239.95 | \$240.30 | \$481.51 | \$240.30 | \$328.53 |
| | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - | | | | | | | | | | |
| | Add'l conversion | USACP | \$157.17 | \$157.17 | \$269.96 | \$157.17 | \$156.94 | \$157.17 | \$481.51 | \$157.17 | \$328.53 |
| | NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | |
| | Subsequent Channel Activation - Per Channel | USASP | \$29.06 | \$29.06 | \$28.71 | \$29.06 | \$29.01 | \$29.06 | \$36.92 | \$29.06 | \$28.39 |
| | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - | | | | | | | | | | |
| | Subsequent Inward/2-way Telephone Numbers | PR7TG | \$0.98 | \$0.9804 | \$0.9686 | \$0.98 | \$0.98 | \$0.98 | \$1.17 | \$0.98 | \$0.9353 |
| | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - | | | _ | _ | | _ | | | | |
| | Subsequent Outward Telephone numbers | PR7TP | \$23.02 | \$23.02 | \$22.75 | \$23.02 | \$22.99 | \$23.02 | \$28.17 | \$23.02 | \$22.36 |
| | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - | | | _ | _ | | | | | | |
| | Subsequent Inward Telephone Numbers | PR7ZT | \$46.05 | \$46.05 | \$45.49 | \$46.05 | \$45.98 | \$46.05 | \$56.33 | \$46.05 | \$44.71 |
| | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN DS1 Digital Port Combination - | | | | | | A | | | | |
| ++ | Subsequent Service Order Per Order NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | USASP | \$147.47 | \$147.47 | \$147.47 | \$147.47 | \$147.47 | \$147.47 | \$255.25 | \$147.47 | \$189.76 |
| | Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | | | | | | | | | | |
| | (Note 7) | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | ¢2.50 | \$3.50 |
| ++- | NRC - 4-Wire DS1 Digital Loop with 4-wire ISDN Digital Port - Incremental Cost- | SOIVIEC | \$3.50 | \$2.75 | φ3.50 | \$3.50 | φ3.50 | φ3.30 | \$3.50 | \$3.50 | \$3.50 |
| | Manual Service Order - 1st | SOMAN | \$19.99 | \$21.56 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 |
| ++ | NRC - 4-Wire ISDN Digital Loop with 4-wire ISDN Digital Port - Incremental Cost- | SOIVIAIN | φ19.99 | φ∠1.30 | क्राज.अञ | φ19.99 | क् । छ. छछ | क् । छ. छछ | क्।ज.अञ | क्। च. उठ | क्।इ.५५ |
| | Manual Service Order - Addl | SOMAN | \$19.99 | \$21.56 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 |
| H + | INRC - Electronic Service Order Disconnect | SOMAIN | \$0.42 | \$0.42 | \$0.42 | \$19.99 | \$0.42 | \$0.42 | \$19.99 | \$0.42 | \$0.42 |
| ++ | NRC - Incremental Manual Service Order Disconnect | | \$20.00 | \$3.84 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 |
| H + | Into another Mariadi Sorvice State Dissortion | | Ψ20.00 | ψυ.υτ | Ψ20.00 | Ψ20.00 | Ψ20.00 | Ψ20.00 | Ψ20.00 | Ψ20.00 | Ψ20.00 |
| ++ | 4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port | | | | | | | | | | |
| | 4 - Wire DDITS Digital Trunk Port (Formerly DID Trunk Port) | UDD1T | \$130.23 | \$63.31 | \$120.80 | \$83.28 | \$149.27 | \$146.46 | \$123.65 | TBD | \$120.00 |
| | 4 - Wire DS1 Digital Loop | USLDC | ψ130.23 | φυσ.σ ι | ψ120.00 | ψυυ.∠υ | Ψ143.21 | φ140.40 | ψ123.03 | 100 | ψ120.00 |
| | 4 - Wire DS1 Digital Loop - Statewide | USLDC | NA | NA | | NA | NA | NA | \$62.71 | NA | NA |
| ++ | 4 - Wire DS1 Digital Loop - Statewide | USLDC | \$51.74 | \$64.69 | \$55.53 | \$106.04 | \$56.32 | \$50.99 | NA | \$59.61 | \$57.73 |
| HH | 4 - Wire DS1 Digital Loop - Zone 1 | USLDC | \$84.05 | \$94.71 | \$64.13 | \$135.15 | \$96.73 | \$67.58 | NA NA | \$89.90 | \$75.40 |
| | 4 - Wire DS1 Digital Loop - Zone 3 | USLDC | \$152.29 | \$208.93 | \$101.93 | \$186.26 | \$197.57 | \$96.58 | NA NA | \$119.06 | \$98.59 |
| HH | 4 - Wire DS1 Digital Loop - Zone 4 | USLDC | NA | \$206.93 NA | NA | NA | NA | \$127.47 | NA NA | NA | , \$96.59 NA |
| | Combination Rates | 00100 | 19/3 | 14/1 | 14/5 | 14/3 | 14/4 | Ψ121.71 | 19/5 | 14/7 | 14/1 |
| ++ | 4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$186.36 | NA | NA |
| ++ | 4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Statewide | Note 8 | \$181.97 | \$128.00 | \$176.33 | \$189.32 | \$205.59 | \$197.45 | NA | TBD | \$93.28 |
| ++ | 4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Zone 2 | Note 8 | \$214.28 | \$158.02 | \$170.33 | \$218.43 | \$246.00 | \$214.04 | NA NA | TBD | \$110.95 |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|---------------------------------------|------------------|----------------------|------------------|----------|-----------------|--------------|----------------------|----------|------------------|
| 4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Zone 3 | Note 8 | \$282.52 | \$272.24 | \$222.73 | \$269.54 | \$346.84 | \$243.04 | NA | TBD | \$134.14 |
| 4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Zone 4 | Note 8 | NA | NA | NA | NA | NA | \$273.93 | NA | NA | NA |
| | | | | | | | | | | |
| Local number Portability per DSO Activated | LNPCP | \$3.15 | \$3.15 | \$3.15 | \$3.15 | \$3.15 | \$3.15 | \$3.15 | \$3.15 | \$3.15 |
| Central Office Terminating Point | CTG | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | |
| Telephone Number / Trunk Group establishment | | | | | | | | | | |
| Telephone Number for 2-Way Trunk Group | UDTGX | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Telephone Number for 1-Way Outward Trunk Group | UDTGY | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Telephone Number for 1-Way Inward Trunk Group Without DID | UDTGZ | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | 4 | 4 | 4 | 4 | | | 4 | | 4 |
| (FL, GA, NC, & SC only) DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | NDZ | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| (AL, KY, LA, MS, & TN). In addition, Provides Additional DID Numbers for each | | | | | | | | | | |
| | ND4 | 20.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | © 0.00 |
| Group of 20 DID Numbers (Valid in All States) DID Numbers, Non- consecutive DID Numbers , Per Number | ND4 ND5 | \$0.00 \$0.00 | \$0.00 | \$0.00 \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 \$0.00 | \$0.00 | \$0.00 \$0.00 |
| DID Numbers, Non- consecutive DID Numbers , Fer Number | води | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Interoffice Channel Mileage - (Dedicated DS1) FX/FCO for 4 - Wire DS1 Digital | | + | | | | | | | | |
| Loop with 4 - Wire DDITS Trunk Port | | | | | | | | | | |
| Fixed cost 0-8 miles (Facilities Termination) | 1LNO1 | \$79.69 | \$92.62 | \$63.39 | \$55.05 | \$93.40 | \$74.40 | \$71.29 | \$94.98 | \$75.83 |
| Additional costs per mile 0-8 miles | 1LNOA | \$0.6920 | \$0.2000 | \$0.3068 | \$0.4500 | \$0.7831 | \$0.6598 | \$0.0783 | \$0.7598 | \$0.3525 |
| Fixed cost 9-25 miles (Facilities Termination) | 1LN02 | \$0.0920 | \$0.00 | \$0.00 | \$0.4300 | \$0.7631 | \$0.00 | \$0.0763 | \$0.7598 | \$0.00 |
| additional costs per mile 9-25 miles | 1LNOB | \$0.6920 | \$0.2000 | \$0.3068 | \$0.4500 | \$0.7831 | \$0.6598 | \$0.0783 | \$0.7598 | \$0.3525 |
| Fixed cost 25 + miles (Facilities Termination) | 1LNO3 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Additional costs 25 + miles | 1LNOC | \$0.6920 | \$0.2000 | \$0.3068 | \$0.4500 | \$0.7831 | \$0.6598 | \$0.0783 | \$0.7598 | \$0.3525 |
| | ,00 | \$0.0020 | ψυυυυ | ψυ.υυυυ | ψο. 1000 | ψ0.7001 | ψ0.0000 | ψυ.υ.υ | ψοσσσ | ψ0.00 <u>2</u> 0 |
| Enhanced Performance Charges | | <u> </u> | | | | | | | 1 | |
| Enhanced Performance Charges - as negotiated in contract | UDTPC | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN | TBN |
| The state of the s | | | .= | | | . = | | .= | 1 | . = |
| Non-recurring Charges | | | | | | | | | | |
| NRC - 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port Combination - OSS | | | | | | | 1 | | | |
| LSR Charge, Electronic, per LSR received from the CLEC by one of the OSS | | | | | | | | | | |
| interactive interfaces (Note 7) | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| NRC- 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port - Incremental Cost- | | | | | | | | | | |
| Manual Service Order - 1st | SOMAN | \$19.99 | \$21.56 | \$37.88 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 |
| NRC- 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port - Incremental Cost- | | | | | | | | | | |
| Manual Service Order - Add'l | SOMAN | \$19.99 | \$21.56 | \$16.84 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 | \$19.99 |
| NRC - Electronic Service Order Disconnect | · · · · · · · · · · · · · · · · · · · | TBD | \$0.42 | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| NRC - Incremental Manual Service Order Disconnect | <u> </u> | \$20.00 | \$3.84 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port -Conversion - | | | | | | | | | | |
| Switch as is - 1st | USAC4 | TBD | \$268.82 | \$269.96 | \$261.15 | \$266.76 | TBD | \$490.38 | TBD | \$312.91 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Conversion - | | | A.a | | | | | | | |
| Switch as is - Additional | USAC4 | TBD | \$134.07 | \$269.96 | \$134.08 | \$123.16 | TBD | \$490.38 | TBD | \$312.91 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Conversion with | 11000 | TEE | #000 00 | #000 00 | moo4 45 | #000 7 0 | | £400.00 | TDD | #040.04 |
| DS1 changes - 1st | USAWA | TBD | \$268.82 | \$269.96 | \$261.15 | \$266.76 | TBD | \$490.38 | TBD | \$312.91 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Conversion with | 110.63474 | TEE | #40.4.0 7 | #000 00 | £404.00 | £400.40 | TDD | # 400.00 | TDD | #040.04 |
| DS1 Changes - Additional | USAWA | TBD | \$134.07 | \$269.96 | \$134.08 | \$123.16 | TBD | \$490.38 | TBD | \$312.91 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Conversion with | LICAMO | TDD | tace oo | # 060.00 | P064.45 | £060.70 | TDD | £400.00 | TDD | #240.04 |
| Change - Trunks - 1st NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Conversion with | USAWB | TBD | \$268.82 | \$269.96 | \$261.15 | \$266.76 | TBD | \$490.38 | TBD | \$312.91 |
| Change - Trunks - Additional | USAWB | TBD | \$134.07 | \$269.96 | \$134.08 | \$123.16 | TBD | \$490.38 | TBD | \$312.91 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Digital Trunk Port - Subsequent | USAVVD | עפו | φ134.07 | φ∠υ9.90 | φ134.00 | φ1∠3.10 | עמו | φ 4 30.30 | עמו | φ312.91 |
| Service Activity Per Service Order | USAS4 | TBD | \$54.00 | \$147.47 | TBD | \$68.57 | TBD | \$127.63 | TBD | \$94.88 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - New - 1st | UDDIT | NA | \$54.00 NA | \$858.30 | NA | \$68.57 NA | NA | \$127.63 NA | NA | \$94.88 NA |
| 18t - A - Anie Do i Didirai Foob Milit 4 - Anie DOLLO Litrik Bolt - Idem - 18t | ווטטט | INA | INA | φουο.30 | INA | INA | INA | INA | INA | INA |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - New - Additional | UDDIT | NA | NA | \$514.02 | NA | NA | NA | NA | NA | NA |
| | ווטטט | INA | INA | ψυ 14.02 | INA | INA | INA | INA | INA | INA |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - New - 1st - | | | | | | | | | | |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|---|----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - New - Additional | | | | | | | | | | |
| Disconnect | UDDIT | TBD | NA | TBD | TBD | NA | TBD | \$11.98 | TBD | \$15.29 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Subsequent | | | | | | | | | | |
| Channel Activation - Per Channel - 2-Way Trunk | UDTTA | TBD | \$28.96 | \$28.71 | \$28.96 | \$26.60 | TBD | \$146.91 | TBD | \$108.67 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Subsequent Channel Activation - Per Channel - 1-Way Outward Trunk | UDTTB | TBD | \$28.96 | \$28.71 | \$28.96 | \$26.60 | TBD | \$146.91 | TBD | \$108.67 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Subsequent | ODITE | IBD | \$20.90 | φ20.71 | \$20.90 | \$20.00 | 160 | \$140.91 | IBD | \$100.07 |
| Channel Activation - Per Channel - 1-Way Inward Trunk Without DID | UDTTC | TBD | \$28.96 | \$28.71 | \$28.96 | \$26.60 | TBD | \$146.91 | TBD | \$108.67 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Subsequent | | 1 | | 4 -0 | V =0.00 | V =0.00 | | ******** | | ****** |
| Channel Activation - Per Channel - 1-Way Inward Trunk With DID | UDTTD | TBD | \$28.96 | \$28.71 | \$28.96 | \$26.60 | TBD | \$146.91 | TBD | \$108.67 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Trunk Port - Subsequent | | | | | | | | | | |
| Channel Activation - Per Channel - 2-Way DID with User Transfer | UDTTE | TBD | \$28.96 | \$28.71 | \$28.96 | \$26.60 | TBD | \$146.91 | TBD | \$108.67 |
| NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Digital Trunk Port - Subsequent | | TDD | TDD | TDD | TDD | TDD | TDD | #00.0F | TDD | (f00,00 |
| Signaling Changes NRC -4 - Wire DS1 Digital Loop with 4 - Wire DDITS Digital Trunk Port - Subsequent | | TBD | TBD | TBD | TBD | TBD | TBD | \$29.65 | TBD | \$22.92 |
| Telephone Numbers | | TBD | TBD | TBD | TBD | TBD | TBD | \$120.96 | TBD | \$88.68 |
| NRC - Interoffice Channel Mileage - (Dedicated DS1) FX/FCO for 4 - Wire DS1 Digital | | 100 | 100 | 100 | 100 | 100 | 100 | Ψ120.00 | 100 | ψου.ου |
| Loop with 4 - Wire DDITS Trunk PortFixed cost 0-8 miles (Facilities Termination) - 1st | | 1 | | 1 | | | | | | |
| - New Only | 1LNO1 | \$198.15 | NA | \$147.07 | NA | NA | NA | NA | NA | NA |
| NRC - Interoffice Channel Mileage - (Dedicated DS1) FX/FCO for 4 - Wire DS1 Digital | | | | | | | | | | |
| Loop with 4 - Wire DDITS Trunk PortFixed cost 0-8 miles (Facilities Termination) - | 417.00 | | | | | | | | | |
| Additional - New Only NRC - Interoffice Channel Mileage - (Dedicated DS1) FX/FCO for 4 - Wire DS1 Digital | 1LNO2 | \$148.18 | NA | \$111.75 | NA | NA | NA | NA | NA | NA |
| Loop with 4 - Wire DDITS Trunk PortFixed cost 0-8 miles (Facilities Termination) - | | | | | | | | | | |
| Disconnect - 1st - New Only | 1LNO3 | \$25.44 | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Interoffice Channel Mileage - (Dedicated DS1) FX/FCO for 4 - Wire DS1 Digital | | Ψ20.11 | 107 | 14/1 | 107 | 1471 | 147. | 147. | 10. | 1471 |
| Loop with 4 - Wire DDITS Trunk PortFixed cost 0-8 miles (Facilities Termination) - | | | | | | | | | | |
| Disconnect Additional - New Only | 1LNO4 | \$20.42 | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| BIPOLAR 8 ZERO SUSTITUTION | | | | | | | | | | |
| NRC - Superframe Format - Conversion or new install 1st | CCOSF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Superframe Format - Conversion or new install Additional NRC - Extended Superframe Format - Change or Subsequent Activity - 1st | CCOSF CCOSF | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 | \$0.00 \$0.00 |
| INCO - Extended Supername Format - Change of Subsequent Activity - 1st | CCOSF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Extended Superframe Format - Change or Subsequent Activity - Additional | CCOSF | \$600.00 | \$655.00 | \$600.00 | \$730.00 | \$605.00 | \$600.00 | \$615.00 | \$605.00 | \$590.00 |
| NRC - Extended Superframe Format - Conversion or New Install 1st | CCOEF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Extended Superframe Format - Conversion or New Install - Additional | CCOEF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Extended Superframe Format - Change or Subsequent Activity - 1st | CCOEF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | _ | | | |
| NRC - Extended Superframe Format - Change or Subsequent Activity - Additional | CCOEF | \$600.00 | \$655.00 | \$600.00 | \$730.00 | \$605.00 | \$600.00 | \$615.00 | \$605.00 | \$590.00 |
| | | 1 | | ļ | | | | | | |
| NRC - Superframe Format - 1st | MCOSF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Superframe Format - 1st | MCOSF | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Extended Superframe Format - 1st | MCOPO | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC - Extended Superframe Format - Additional | MCOPO | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | <u> </u> | | _ | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 2-Wire Voice Grade Loop with 2-Wire Line Port PBX | | | | | | | | | | |
| <u>'</u> | | | | | | | | | | |
| 2-Wire Analog Line Port (PBX), per month | | 1 | | 1 | | | | | | |
| 2 WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence | UEPRD | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS | UEPPC | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS | UEPPO | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS | UEPP1 | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING | | | | | | | | | | |
| PORT | UEPA2 | \$2.20 | NA |

| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--|----------------|--------------|--------------|--------------|------------------|-------------------|------------------|--------------|--------------|---------------|
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA CALLING | | | | | | | | | | |
| PORT | UEPL2 | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS | UEPLD | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING | | | | | | | | | | |
| PORT | UEPT2 | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING | | | | | | | | | | |
| PORT | UEPTO | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT | UEPXA | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS | UEPXB | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT | UEPXC | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT | UEPXD | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| | LIEDVE | #0.00 | 04.05 | 04.70 | 00.04 | 00.55 | 00.40 | 00.00 | 00.00 | 0.4.5.4 |
| PORT | UEPXE | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| PORT WITHOUT LUD | UEPXF | NA | NIA. | NA | CO C4 | NIA. | NIA | NA NA | NIA. | NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT | UEPXF | NA NA | NA NA | NA NA | \$2.61 \$2.61 | NA NA | NA NA | NA NA | NA NA | NA NA |
| 2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT | UEPXG | NA NA | NA NA | NA NA | \$2.61 | NA NA | NA NA | NA NA | NA NA | NA NA |
| | UEFAR | INA | INA | INA | Φ∠.01 | INA | INA | INA | INA | INM |
| WITHOUT LUD | UEPXJ | NA | NA | NA | \$2.61 | NA | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING | OLI AU | IVA | INA | INA | Ψ2.01 | 11/7 | 11/7 | 1973 | INA | 11/1 |
| PORT | UEPXK | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY | 2=1744 | 1 | | 1 | 1 | + =.00 | | 1.2. | 1 | |
| ADMINISTRATIVE CALLING PORT | UEPXL | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM | | | | | | | | | | |
| CALLING PORT | UEPXM | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT | UEPXN | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL | | | | | | | | | | |
| DIACOUNT ROOM CALLING PORT | UEPXO | \$2.20 | \$1.35 | \$1.79 | \$2.61 | \$2.55 | \$2.12 | \$2.28 | \$3.69 | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL | | | | | | | | | | |
| DISCOUNT CALLING PORT | UEPXP | NA | NA | NA | NA | \$2.55 | NA | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY | | | | | | | 4 | | | |
| CALLING PORT | UEPXQ | NA | NA | NA | NA | NA | \$2.12 | NA | NA | NA |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL | LIEDVD | NIA | NIA. | NIA | NIA | NIA. | f0.40 | NIA | NIA. | NA |
| CALLING PORT 2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT | UEPXR UEPXS | NA \$2.20 | NA \$1.35 | NA \$1.79 | NA \$2.61 | NA \$2.55 | \$2.12 \$2.12 | NA \$2.28 | NA \$3.69 | NA \$4.54 |
| | UEPAS | \$2.20 | \$1.35 | \$1.79 | \$2.01 | \$2.55 | \$2.12 | \$2.20 | \$3.09 | Ъ 4.54 |
| CALLING PORT | UEPXT | NA | NA | NA | NA | NA | NA | NA NA | \$3.69 | NA |
| CALLING FORT | UEFXI | INA | INA | INA | INA | INA | INA | INA | φ3.09 | INA |
| 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT | UEPXU | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING | 327 70 | 14/5 | 14/7 | 13/5 | 14/5 | 14/4 | 14/5 | 19/3 | 14/5 | ψ-1.0-τ |
| PORT | UEPXV | NA | NA | NA | NA | NA | NA | NA | NA | \$4.54 |
| | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT) | LNPCP | | | | | | | | | |
| | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) | | | | | | | | | | |
| RC - 2- Wire Voice Grade Loop - Statewide | UEPLX | NA | NA | NA | NA | NA | NA | \$14.18 | NA | NA |
| RC - 2- Wire Voice Grade Loop - Zone 1 | UEPLX | \$14.35 | \$14.90 | \$10.80 | \$14.79 | \$14.05 | \$14.59 | NA | \$17.02 | \$12.48 |
| RC - 2- Wire Voice Grade Loop - Zone 2 | UEPLX | \$23.31 | \$18.51 | \$12.47 | \$27.68 | \$24.14 | \$19.33 | NA | \$25.66 | \$14.42 |
| RC - 2- Wire Voice Grade Loop - Zone 3 | UEPLX | \$42.24 | \$24.25 | \$19.83 | \$47.78 | \$49.30 | \$27.63 | NA | \$33.99 | \$21.77 |
| RC - 2- Wire Voice Grade Loop - Zone 4 | UEPLX | NA | NA | NA | NA | NA | \$36.47 | NA | NA | NA |
| Combination Rates | | | | 1 | 1 | | | ļ | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Statewide | Note 8 | NA | NA | NA | NA | NA | NA | \$16.46 | NA | NA |
| | | | | | | | | | | |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6) | Note 8 | \$16.55 | \$16.25 | \$12.59 | #VALUE! | \$16.60 | \$16.71 | NA | \$20.71 | \$17.02 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6) | Note 8 | \$25.51 | \$19.86 | \$14.26 | #VALUE! | \$26.69 | \$21.45 | NA | \$29.35 | \$18.96 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6) | Note 8 | \$44.44 | \$25.60 | \$21.62 | #VALUE! | \$51.85 | \$29.75 | NA | \$37.68 | \$26.31 |
| RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6) | Note 8 | NA | NA | NA | NA | NA | \$38.59 | NA | NA | NA |

| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|--------|--|---------|----------|----------|--------------------|----------|----------|----------|----------|----------|----------|
| T | Nonrecurring Charges | | 1 | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch as is | USAC2 | \$2.80 | \$15.82 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| T | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch as is | USAC2 | \$0.41 | \$3.80 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| | | | | | | | · | | | | • |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, Switch with change | USACC | \$2.80 | \$15.82 | \$2.01 | \$10.00 | \$3.80 | \$5.20 | \$2.77 | \$1.59 | \$1.03 |
| | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, Switch with change | USACC | \$0.41 | \$3.80 | \$0.3108 | \$10.00 | \$0.29 | \$0.41 | \$0.40 | \$0.40 | \$0.2886 |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | USAS2 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 | \$10.00 |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - OSS LSR Charge, | | | | | | | | | | |
| | Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces | | | | | | | | | | |
| | (Note 7) | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | | | | | | | | | | |
| | Svc.Order vs. Electronic - 1st | SOMAN | \$40.71 | \$21.56 | \$33.67 | \$19.99 | \$31.92 | \$43.52 | \$40.18 | \$43.19 | \$30.89 |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual | | | | | | | | | | |
| | Svc.Order vs. Electronic - Add'l | SOMAN | \$9.58 | \$21.56 | \$7.88 | \$19.99 | \$7.32 | \$0.99 | \$9.45 | \$9.91 | \$7.03 |
| | | | | | | | | | | | |
| | NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | | | | | | | | | | |
| | Update - Electronic | | \$1.44 | TBD | TBD | TBD | \$2.11 | \$2.87 | \$1.42 | \$0.71 | \$0.76 |
| | NRC- 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database | | 0.5 | | | | | | | | A= |
| | Update - Manual Service Order | | \$8.25 | TBD | TBD | TBD | \$5.12 | \$6.88 | \$10.27 | \$8.91 | \$7.97 |
| | NRC - Electronic Service Order Disconnect | | TBD | \$0.42 | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| | NRC - Incremental Manual Service Order Disconnect | | \$20.00 | \$3.84 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 | \$20.00 |
| | NRCs for New (not Currently Combined) as ordered in Georgia: | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPRD | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPRD | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPPC | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPPC | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPPO | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPPO | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPP1 | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPP1 | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPLD | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPLD | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXA | NA | NA NA | \$22.14 | NA | NA. | NA | NA NA | NA. | NA NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXA | NA | NA NA | \$15.25 | NA | NA. | NA | NA NA | NA. | NA |
| | THE 2 WHO VOICE CHARD ESOP WATE WHO EITHER OIL THOW THAT | OLI 701 | 1471 | 1471 | Ψ10.20 | 1471 | 10/1 | 147. | 14/ | 10/ | 10/1 |
| | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXB | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXB | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXC | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXC | NA | NA NA | \$15.25 | NA | NA. | NA | NA NA | NA. | NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXD | NA NA | NA NA | \$22.14 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXD | NA NA | NA NA | \$15.25 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add 1 | UEPXE | NA NA | NA NA | \$22.14 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXE | NA NA | NA NA | \$15.25 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add 1 | UEPXL | NA NA | NA NA | \$22.14 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXL | NA NA | NA NA | \$22.14 \$15.25 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add 1 | UEPXL | NA NA | NA NA | \$15.25 \$22.14 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | INTO - 2-WITE VOICE Grade Loop WITH 2-WITE LITTE PORT - INEW - IST | UEPAIVI | INA | INA | ΦΖΖ.14 | INA | INA | INA | INA | INA | INA |
| | | | | | | | | 1 | | | |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXM | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXO | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| T | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXO | NA | NA | \$15.25 | NA | NA | NA | NA | NA | NA |
| \top | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - 1st | UEPXS | NA | NA | \$22.14 | NA | NA | NA | NA | NA | NA |
| + | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Add'l | UEPXS | NA | NA | \$15.25 | NA | NA. | NA | NA NA | NA | NA NA |
| ++ | The Late of the La | 02.7.0 | 1.2. | | ψ.σ. <u>z</u> σ | | | 1 | | | |
| ++ | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | USAS2 | NA | NA | \$10.00 | NA | NA | NA | NA | NA | NA |
| ++ | NRC - 2-Wire Voice Grade Loop with 2-Wire Line Port - New - Disconnect - 1st | 00,102 | NA NA | NA NA | \$8.45 | NA | NA NA | NA NA | NA NA | NA | NA NA |
| | 141.0 2 171.0 16.60 Grade Loop with 2-14116 Line I oft - 140w - Disconlinect - 15t | | INA | IN/A | φυ.+υ | IN/A | IN/A | INC. | INA | INC. | INA |

| DESCRIPTION | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
|-------------------|---|-----------|--|-------|--------------|--------------|------|--------------|------|------|-------|
| NDO OW: 1 | /sice Crede Lean with 2 Wire Line Both New Discourse A Lill | | | N. A. | 60.01 | N1 A | N.A | N. A | N. A | N1.0 | , |
| | /oice Grade Loop with 2-Wire Line Port - New - Disconnect - Add'l /oice Grade Loop/Line Port Combination - OSS LSR Charge, | | NA | NA | \$3.91 | NA | NA | NA | NA | NA | NA |
| | LSR received from the CLEC by one of the OSS interactive interfaces | | | | | | | | | | |
| (Note 7) | territoria nom une dello sy one er une ded miterature miterature | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | /oice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. | 0020 | 1.0 | | ψο.σσ | 1.0 | | 1.,, | | | |
| Electronic - Nev | | | NA | NA | \$37.06 | NA | NA | NA | NA | NA | NA |
| | oice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. | | | | | | | | | | |
| Electronic - Nev | | | NA | NA | \$8.19 | NA | NA | NA | NA | NA | NA |
| Update - Electr | oice Grade Loop/Line Port Combination - Subsequent Database | | | | TDD | | | | | | |
| | onic pice Grade Loop/Line Port Combination - Subsequent Database | | NA | NA | TBD | NA | NA | NA | NA | NA | NA |
| | al Service Order | | NA | NA | TBD | NA | NA | NA | NA | NA | NA NA |
| NRC - 2-Wire \ | /oice Grade Loop with 2-Wire Line Port - Incremental Cost Manual vs. | | 107 | 10.1 | 155 | 10/ | 1471 | 10/ | 107 | 10/ | 101 |
| Electronic - Nev | | | NA | NA | \$11.17 | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | |
| All Other Loop | /Port Combinations | | TBD | TBD | Note 2 | TBD | TBD | TBD | TBD | TBD | TBD |
| LOCAL NUMB | ER PORTABILITY (REQUIRES ONE PER PORT) | LNPCX | | | | | | | | | |
| LOCAL NOWE | ER FORTABIETT (REQUIRES ONE FER FORT) | LINFOX | | | | | | | | | |
| NOTES: | | | 1 | | | | | | | | |
| Interim rates su | bject to true-up. | | | | | | | | | | |
| 1 1 - 1 | ill apply in those areas where BellSouth is not required to provide | | | | | | | | | | |
| circuit switching | pursuant to FCC rules. | | | | | | | | | | |
| - In Occupie anto | | | | | | | | | | | |
| | s will apply for Currently Combined as well as not Currently Combined inations unless otherwise identified. | | | | | | | | | | |
| loop/port comb | mations unless otherwise identified. | | 1 | | | | | | | | |
| 3 In the absence | of ordered rates by a State Commission, the recurring rates for | | | | | | | | | | |
| | nined combinations of loop/port network elements will be the sum of | | | | | | | | | | |
| | tes for the UNEs which make up the combinations, and the | | | | | | | | | | |
| nonrecurring ra | tes shall be as set forth in this section. | | | | | | | | | | |
| 4 End Office and | Tandem Switching Usage and Common Transport Usage rates in the | | 1 | | | | | | | | |
| | his rate exhibit shall apply to all combinations of loop/port network | | | | | | | | | | |
| elements. | The rate exhibit shall apply to all combinations of loop/port network | | | | | | | | | | |
| 5 Deleted | | | | | | | | | | | |
| | Deaveraged UNE Zones and applicable rates have been established | | | | | | | | | | |
| for certain servi | ces, as shown in this Agreement. Where Geographically Deaveraged | | | | | | | | | | |
| UNE Zones and | d applicable rates are established, Statewide rates are obsolete. | | | | | | | | | | |
| | uth is in the process of enhancing its billing systems in order to | | | | | | | | | | |
| | s Geographically Deaveraged UNE Zone Rate Structure. Until these | | | | | | | | | | |
| | are accomplished, estimated to be mid 2001, the UNE Zone 1 rate will | | 1 | | | | | | | | |
| | services residing in Zones 1, 2, 3 or 4, i.e., Rates for services residing | | 1 | | 1 | | | | | | |
| | 2, 3 and UNE Zone 4, where applicable, will not be billed. Once billing | | 1 | | | | | | | | |
| | are complete, all applicable UNE Zone rates reflected in this | | 1 | | | | | | | | |
| | be billed. Reference Internet Website | | 1 | | | | | | | | |
| | connection.bellsouth.com/become_clec/ ection/deavuzns.pdf to view Geographically Deaveraged UNE Zone | | 1 | | 1 | | | | | | |
| | of ordered OSS rates by a state commission, BellSouth will offer regionw | ido ratos | | | - | + | | + | | - | - |
| | nique combination USOC. CLEC should submit the loop and port USO | | + | | | | | | | | |
| | d FL are interim and shall be trued-up when final rates are ordered. | J3. | + | | | | | | | | |
| Unaco in man | 3. 2 a. 5 m.c.m. and onair 50 trada up whom marrates are ordered. | | + | | | † | | † | | | |

| NHANCED EXTENDED LINKS (EELs) | | | 1 | | | | | | | |
|--|----------------|----------|----------------------|---------------------|----------------|----------------------|----------------|----------------------|----------------|----------------|
| New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| | 11000 | | | | 107 | | | | | |
| DS1 Interoffice Channel and 2-wire VG Local Loop EEL: | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| Recurring Charges | | | | | | | | | | |
| 2-wire VG Loop per month, statewide | UEAL2 | NA | NA | NA | NA | NA | NA | \$19.50 | NA | NA |
| 2-wire VG Loop per month, Zone 1 (Note 1) | UEAL2 | NA | \$20.52 | \$15.40 | NA | \$17.65 | NA | TBD | NA | \$15.5 |
| 2-wire VG Loop per month, Zone 2 (Note 1) | UEAL2 | NA | TBD | \$17.78 | NA | \$30.32 | NA | TBD | NA | \$19.5 |
| 2-wire VG Loop per month, Zone 3 (Note 1) | UEAL2 | NA | TBD | \$28.26 | NA | \$61.93 | NA | TBD | NA | \$28.0 |
| 2-wire VG Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.6013 | \$0.4523 | NA | \$0.7831 | NA | \$0.5753 | NA | \$0.352 |
| Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$99.79 | \$78.47 | NA | \$93.40 | NA | \$71.29 | NA | \$75.8 |
| DS1 Channelized System per month | MQ1 | NA | \$153.60 | \$18.23 | NA | \$209.87 | NA | \$177.72 | NA | \$165. |
| VG (COCI) interface card per month | 1D1VG | NA | \$1.45 | \$2.20 | NA | \$1.62 | NA | \$1.64 | NA | \$1.2 |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$171.01 | \$142.64 | NA | \$160.49 | NA | \$217.17 | NA | \$165. |
| NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA | \$101.84 | \$94.87 | NA | \$123.03 | NA | \$163.75 | NA | \$124. |
| NRC-2-wire VG Local Loop - 1st | UEAL2 | NA | \$38.02 | \$77.54 | NA | \$128.42 | NA | \$142.97 | NA | \$103. |
| NRC-2-wire VG Local Loop - Add'l | UEAL2 | NA | \$35.15 | \$51.57 | NA | \$93.60 | NA | \$106.56 | NA | \$65. |
| NRC-DS1 Channelization System -1st | MQ1 | NA | \$275.18 | \$206.09 | NA | \$220.07 | NA | \$193.63 | NA | \$222. |
| NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$137.77 | \$137.06 | NA | \$135.20 | NA | \$118.37 | NA | \$135 |
| NRC-VG(COCI)interface card -1st | 1D1VG | NA | \$12.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | NA | \$12. |
| NRC-VG(COCI)interface card - Add' | 1D1VG | NA | \$8.77 | \$8.66 | NA | \$8.80 | NA | \$11.28 | NA | \$9.0 |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - Electron | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.5 |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - Manual | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19. |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - Manual | SOMAN | NA | NA | \$33.63 | NA | \$242.20 | NA | \$66.20 | NA | N/ |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - Manual | SOMAN | NA | NA | \$27.49 | NA | \$153.37 | NA | \$51.40 | NA | N/ |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - Manual | SOMAN | NA | NA | \$19.88 | NA | \$45.91 | NA | NA | NA | N/ |
| NRC- 2-wire VG Local Loop and Channelized DS1 Interoffice Combination - Manual | SOMAN | NA | NA | \$11.85 | NA | \$8.06 | NA | NA | NA | N/ |
| DS1 Interoffice Channel and 4-wire VG Local Loop EEL: | | | | | | | | - | | - |
| Recurring Charges | | | | | | | | | | |
| 4-wire VG Loop per month | UEAL4 | NA | NA | NA | NA | NA | NA | \$27.49 | NA | NA |
| 4-wire VG Loop per month, Zone 1 (Note 1) | UEAL4 | NA NA | \$24.26 | \$22.88 | NA NA | \$24.36 | NA NA | \$27.49 NA | NA NA | \$15. |
| 4-wire VG Loop per month, Zone 1 (Note 1) 4-wire VG Loop per month, Zone 2 (Note 1) | UEAL4 | NA NA | \$35.51 | \$22.88 | NA NA | \$24.36 \$41.85 | NA NA | NA NA | NA NA | \$15. |
| | UEAL4 | NA NA | \$78.35 | \$41.99 | NA NA | \$86.47 | NA NA | NA NA | NA NA | \$20 |
| 4-wire VG Loop per month, Zone 3 (Note 1) | NA | NA NA | \$78.35 NA | \$41.99 NA | NA NA | \$86.47 NA | NA NA | NA NA | NA NA | φ∠/ N/ |
| 4-wire VG Loop per month, Zone 4 (Note 1) | 1L5XX | NA NA | \$0.6013 | \$0.4523 | NA NA | \$0.7831 | NA NA | \$0.0783 | NA NA | \$0.3 |
| Interoffice Channel - Dedicated - DS1 - per mile per month Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA NA | \$99.79 | \$0.4523 | NA NA | \$93.40 | NA NA | \$71.29 | NA NA | \$75 |
| | MQ1 | NA NA | \$153.60 | \$18.23 | NA NA | \$209.87 | NA NA | \$177.72 | NA NA | \$165 |
| DS1 Channelized System per month VG (COCI) interface card per month | 1D1VG | NA NA | \$1.45 | \$2.67 | NA NA | \$1.62 | NA NA | \$1.64 | NA NA | \$1. |
| Non-Recurring Charges - New EEL (Note 2) (Note 3) | IDIVG | INA | φ1. 4 3 | φ2.0 <i>1</i> | INA | φ1.0Z | INA | φ1.04 | INA | Φ1 |
| NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$171.01 | \$142.64 | NA | \$160.49 | NA | \$534.48 | NA | \$165 |
| | | NA NA | | | | | NA NA | | NA NA | |
| NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 UEAL4 | NA NA | \$101.84 \$329.76 | \$94.87 \$228.99 | NA NA | \$123.03 \$128.42 | NA NA | \$462.69 \$288.47 | NA NA | \$124 \$103 |
| NRC-4-wire VG Local Loop - 1st | UEAL4 UEAL4 | NA NA | \$329.76 \$178.91 | | NA NA | \$128.42 \$93.60 | NA NA | | NA NA | \$103 \$65. |
| NRC-4-wire VG Local Loop - Add'l | | NA NA | | \$203.26 | | | | \$237.45 | | |
| NRC-DS1 Channelization System -1st | MQ1 | | \$275.18 | \$206.09 | NA | \$220.07 | NA | \$301.74 | NA NA | \$222 |
| NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$137.77 | \$137.06 | NA | \$135.20 | NA | \$182.57 | NA NA | \$135 |
| NRC-VG(COCI)interface card -1st | 1D1VG | NA | \$12.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | NA NA | \$12 |
| NRC-VG(COCI)interface card - Add' | 1D1VG | NA | \$8.77 | \$8.66 | NA | \$8.80 | NA | \$11.28 | NA NA | \$9. |
| NIDO DOMINIA SER SE SE SE SE SE SE SE SE SE SE SE SE SE | SOMEC | NA | \$3.17 \$25.40 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA NA | \$3. |
| NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Electronic Sv | | | W 76 40 | NA | NA | NA | NA | NA | NA | \$19 |
| NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc 0 | | NA | | | | | | | | |
| NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc (NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manu | SOMAN | NA | NA | \$33.63 | NA | \$242.20 | NA | \$66.20 | NA | |
| NRC-DS1 interoffice channel and 4-wire VG Local Loop Combination - Manual Svc 0 | SOMAN SOMAN | | | | NA NA NA | | NA NA NA | | NA NA NA | NA NA |

| | New EEL rates are the sum of the individual UNE network elements | | | 1 | | | 1 | | | | |
|--|---|----------|----------|----------------|---------------------|----------|--------------------|----------|---------------|----------|--------------|
| | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| - | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| | DS1 Interoffice Channel and 2-wire ISDN Local Loop: | | | 1 | | | 1 | | | | |
| | Recurring Charges | | | 1 | | | | | | | |
| | 2-wire ISDN Loop per month | U1L2X | NA | NA | NA | NA | NA | NA | \$24.98 | NA | NA |
| - | 2-wire ISDN Loop per month, Zone 1 (Note 1) | U1L2X | NA NA | \$32.34 | \$21.89 | NA NA | \$21.15 | NA NA | TBD | NA NA | \$15.5 |
| - | 2-wire ISDN Loop per month, Zone 2 (Note 1) | U1L2X | NA NA | \$47.35 | \$25.27 | NA NA | \$36.22 | NA NA | TBD | NA NA | \$19.5 |
| + | 2-wire ISDN Loop per month, Zone 3 (Note 1) | U1L2X | NA NA | \$104.47 | \$40.17 | NA NA | \$74.19 | NA NA | TBD | NA NA | \$28.0 |
| | 2-wire ISDN Loop per month, Zone 3 (Note 1) 2-wire ISDN Loop per month, Zone 4 (Note 1) | NA NA | NA NA | \$104.47 NA | \$40.17 NA | NA NA | \$74.19 NA | NA NA | NA | NA NA | \$∠8.0 NA |
| + | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA NA | \$0.6013 | \$0.4523 | NA NA | \$0.7831 | NA NA | \$0.5753 | NA NA | \$0.35 |
| - | | U1TF1 | NA NA | \$99.79 | \$0.4523 \$78.47 | NA NA | \$93.40 | NA NA | \$71.29 | NA NA | \$75.8 |
| - | Interoffice Channel - Dedicated - DS1 - Facility Termination per month DS1 Channelized System per month | MQ1 | NA NA | \$153.60 | \$18.23 | NA NA | | NA NA | \$177.72 | NA NA | \$165. |
| + | 2-wire ISDN(BRITE COCI) per month | UC1CA | NA NA | \$3.83 | \$3.71 | NA NA | \$209.87 \$4.18 | NA NA | \$3.76 | NA NA | \$3.3 |
| + | | UCTCA | NA | \$3.83 | \$3.71 | NA | \$4.18 | INA | \$3.76 | INA | \$3.5 |
| + | Non-Recurring Charges - New EEL (Note 2)(Note 3) | 114754 | | 0474.04 | 0440.04 | | 0 400 40 | | 0047.47 | | 0405 |
| + | NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA NA | \$171.01 | \$142.64 | NA | \$160.49 | NA | \$217.17 | NA | \$165 |
| + | NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA | \$101.84 | \$94.87 | NA | \$123.03 | NA | \$163.75 | NA | \$124 |
| + | NRC- 2-wire ISDN Local Loop - 1st | U1L2X | NA | \$329.76 | \$77.54 | NA | \$223.27 | NA | \$325.91 | NA | \$58. |
| 1 | NRC- 2-wire ISDN Local Loop - Add'l | U1L2X | NA | \$148.55 | \$51.57 | NA | \$172.63 | NA | \$251.31 | NA | \$31. |
| ╀ | NRC-DS1 Channelization System -1st | MQ1 | NA | \$275.18 | \$206.09 | NA | \$220.07 | NA | \$301.74 | NA | \$222 |
| ╀ | NRC-DS1 Channelization System - Add'l | MQ1 | NA | \$137.77 | \$137.06 | NA | \$135.20 | NA | \$182.57 | NA | \$135 |
| <u>L</u> | NRC-2-wire BRITE(COCI)interface card -1st | UC1CA | NA | \$12.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | NA | \$12 |
| | NRC-2-wire BRITE(COCI)interface card -Add'l | UC1CA | NA | \$8.77 | \$8.66 | NA | \$8.80 | NA | \$11.28 | NA | \$9. |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Electronic \$ | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3. |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Manual Svo | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19 |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Manual Svo | SOMAN | NA | NA | \$33.63 | NA | \$57.58 | NA | \$38.07 | NA | N/ |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Manual Svo | SOMAN | NA | NA | \$27.49 | NA | \$36.31 | NA | \$38.07 | NA | N/ |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Manual Svo | SOMAN | NA | NA | \$19.88 | NA | \$16.12 | NA | NA | NA | N/ |
| | NRC-DS1 interoffice channel and 2-wire ISDN Local Loop Combination - Manual Svo | SOMAN | NA | NA | \$11.85 | NA | \$8.06 | NA | NA | NA | N/ |
| | | | | | | | | | | | |
| | DS1 Interoffice Channel and 4-wire 56 kbps Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 4-wire 56kbps Loop per month | UDL56 | NA | NA | NA | NA | NA | NA | \$32.67 | NA | NA |
| | 4-wire 56kbps Loop per month, Zone 1 (Note 1) | UDL56 | NA | \$39.08 | \$26.44 | NA | \$27.50 | NA | TBD | NA | \$36 |
| | 4-wire 56kbps Loop per month, Zone 2 (Note 1) | UDL56 | NA | \$57.21 | \$26.42 | NA | \$47.24 | NA | TBD | NA | \$45 |
| | 4-wire 56kbps Loop per month, Zone 3 (Note 1) | UDL56 | NA | \$126.22 | \$46.53 | NA | \$96.48 | NA | TBD | NA | \$65 |
| T | 4-wire 56kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | N. |
| t | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | NA | \$0.6013 | \$0.4523 | NA | \$0.7831 | NA | \$0.5753 | NA | \$0.3 |
| T | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | NA | \$99.79 | \$78.47 | NA | \$93.40 | NA | \$71.29 | NA | \$75 |
| t | DS1 Channelized System per month | MQ1 | NA | \$153.60 | \$18.23 | NA NA | \$209.87 | NA | \$177.72 | NA | \$165 |
| t | 4-wire 56kbps card COCI per month | 1D1DD | NA | \$2.20 | \$1.06 | NA NA | \$3.12 | NA | \$2.88 | NA | \$2. |
| T | Non-Recurring Charges - New EEL (Note 2) (Note 3) | | | Ψ2.23 | \$1.00 | | \$02 | | \$2.00 | | Ψ=. |
| t | NRC- DS1 interoffice Facility Termination - 1st | U1TF1 | NA | \$171.01 | \$142.64 | NA | \$160.49 | NA | \$217.17 | NA | \$165 |
| 1 | NRC-DS1 interoffice Facility Termination - Add'l | U1TF1 | NA NA | \$101.84 | \$94.87 | NA NA | \$123.03 | NA | \$163.75 | NA | \$124 |
| H | NRC-4-wire 56kbps Local Loop - 1st | UDL56 | NA NA | \$329.76 | \$395.14 | NA | \$333.28 | NA NA | \$489.04 | NA NA | \$643 |
| H | NRC-4-wire 56kbps Local Loop - 1st | UDL56 | NA NA | \$148.55 | \$206.98 | NA NA | \$230.50 | NA NA | \$337.51 | NA NA | \$42 |
| H | NRC-DS1 Channelization System -1st | MQ1 | NA NA | \$275.18 | \$206.09 | NA NA | \$220.07 | NA NA | \$301.74 | NA NA | \$222 |
| H | NRC-DS1 Channelization System - 1st | MQ1 | NA NA | \$137.77 | \$137.06 | NA NA | \$135.20 | NA NA | \$182.57 | NA NA | \$135 |
| ⊢ | NRC-4-wire 56kbps(COCI)interface card -1st | 1D1DD | NA NA | \$137.77 | \$137.06 | NA NA | \$135.20 | NA NA | \$182.57 | NA NA | \$13 |
| $oldsymbol{oldsymbol{oldsymbol{eta}}}$ | | 1D1DD | NA NA | \$12.16 | \$12.02 | NA NA | \$12.29 | NA NA | \$15.76 | NA NA | \$12 \$9. |
| | NRC-4-wire 56kbps(COCI)interface card -Add'l NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Electronic | SOMEC | | | | | | | | | |
| | | | NA NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA NA | \$3. |
| | | SOMAN | NA | \$25.40 | NA Too oo | NA | NA To 10.00 | NA | NA 205.04 | NA | \$19 |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Manual S | 001111 | | | | NA | \$242.20 | NA | \$65.01 | NA | N |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Manual S | SOMAN | NA | NA | \$33.63 | | | | | | |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Manual S NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Manual S | SOMAN | NA | NA | \$27.49 | NA | \$153.37 | NA | \$50.83 | NA | |
| | NRC-DS1 interoffice channel and 4-wire 56kbps Local Loop Combination - Manual S | | | | | | | | | | N, N, |

| New FEL rates are the sum of t | he individual UNE network elements | | | 1 | | | | | | | |
|-------------------------------------|---|---------|----------|----------------|--------------|----------|-----------------|----------|----------------|----------|----------|
| (interoffice transport and loop [| | | | | | | | | | | |
| DS1 Interoffice Channel and 4-v | | | | | | | | | + | | |
| Recurring Charges | viie 04 kbps Local Loop. | | | | | | | | | | |
| 4-wire 64kbps Loop per month | | UDL64 | NA | NA | NA | NA | NA | NA | \$32.67 | NA | NA |
| 4-wire 64kbps Loop per month, Zo | one 1 (Note 1) | UDL64 | NA NA | \$39.08 | \$26.44 | NA NA | \$27.50 | NA NA | \$32.67 TBD | NA NA | \$36.45 |
| 4-wire 64kbps Loop per month, Zo | | UDL64 | NA NA | \$57.21 | \$30.53 | NA NA | \$47.24 | NA NA | TBD | NA NA | \$45.87 |
| 4-wire 64kbps Loop per month, Zo | | UDL64 | NA NA | \$126.22 | \$46.53 | NA NA | \$96.48 | NA NA | TBD | NA NA | \$65.75 |
| 4-wire 64kbps Loop per month, Zo | | NA | NA NA | \$126.22 NA | 940.55 NA | NA NA | λ96.46 NA | NA NA | NA | NA NA | NA |
| Interoffice Channel - Dedicated - | | 1L5XX | NA NA | \$0.6013 | \$0.4523 | NA NA | \$0.7831 | NA NA | \$0.5753 | NA NA | \$0.3525 |
| | DS1 - per mile per month DS1 - Facility Termination per month | U1TF1 | NA NA | \$99.79 | \$78.47 | NA NA | \$93.40 | NA NA | \$71.29 | NA NA | \$75.83 |
| DS1 Channelized System per mo | | MQ1 | NA NA | \$153.60 | \$18.23 | NA NA | \$93.40 | NA NA | \$177.72 | NA NA | \$165.21 |
| 4-wire 64kbps card COCI per mor | | 1D1DD | NA NA | \$1.06 | \$1.06 | NA NA | \$209.87 | NA NA | | NA NA | \$165.21 |
| Non-Recurring Charges - New E | | טטוטו | INA | \$1.06 | \$1.06 | NA | \$3.12 | INA | \$2.88 | INA | \$2.46 |
| | EEL (Note 2) (Note 3) | 114754 | | 0474.04 | 0440.04 | 110 | 0 400 40 | | 0047.47 | | 0405.50 |
| NRC- DS1 interoffice - 1st | | U1TF1 | NA | \$171.01 | \$142.64 | NA | \$160.49 | NA | \$217.17 | NA | \$165.53 |
| NRC- DS1 interoffice - Add'l | | U1TF1 | NA | \$101.84 | \$94.87 | NA | \$123.03 | NA | \$163.75 | NA | \$124.84 |
| NRC-4-wire 64kbps Local Loop - | | UDL64 | NA | \$329.76 | \$395.14 | NA | \$333.28 | NA | \$489.04 | NA | \$103.76 |
| NRC-4-wire 64kbps Local Loop - A | | UDL64 | NA | \$148.55 | \$206.98 | NA | \$230.50 | NA | \$337.51 | NA | \$65.84 |
| NRC-DS1 Channelization System | | MQ1 | NA | \$275.18 | \$206.09 | NA | \$220.07 | NA | \$301.74 | NA | \$222.87 |
| NRC-DS1 Channelization System | | MQ1 | NA | \$137.77 | \$137.06 | NA | \$135.20 | NA | \$288.33 | NA | \$135.80 |
| NRC-4-wire 64kbps(COCI)interfac | | 1D1DD | NA | \$12.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | NA | \$12.61 |
| NRC-4-wire 64kbps(COCI)interfac | | 1D1DD | NA | \$8.77 | \$8.66 | NA | \$8.80 | NA | \$11.28 | NA | \$9.03 |
| | 4-wire 64kbps Local Loop Combination - Electronic | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | 4-wire 64kbps Local Loop Combination - Manual S | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | 4-wire 64kbps Local Loop Combination - Manual S | SOMAN | NA | NA | \$33.63 | NA | \$242.20 | NA | \$65.01 | NA | NA |
| | 4-wire 64kbps Local Loop Combination - Manual S | SOMAN | NA | NA | \$27.49 | NA | \$153.37 | NA | \$50.83 | NA | NA |
| | 4-wire 64kbps Local Loop Combination - Manual S | SOMAN | NA | NA | \$19.88 | NA | \$45.91 | NA | NA | NA | NA |
| NRC-DS1 interoffice channel and | 4-wire 64kbps Local Loop Combination - Manual S | SOMAN | NA | NA | \$11.85 | NA | \$8.06 | NA | NA | NA | NA |
| 1 1 2 1 1 2 1 1 2 1 1 2 1 | | | | | | | | | | | |
| DS1 Interoffice Channel and DS | 1 Interoffice Local Loop: | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| DS1 Loop per month | | USLXX | NA | NA | NA | NA | NA | NA | \$62.78 | NA | NA |
| DS1 Loop per month, Zone 1 (No | | USLXX | NA | \$64.69 | \$52.40 | NA | \$56.32 | NA | TBD | NA | NA |
| DS1 Loop per month, Zone 2 (No | | USLXX | NA | \$94.71 | \$60.51 | NA | \$96.73 | NA | TBD | NA | NA |
| DS1 Loop per month, Zone 3 (No | | USLXX | NA | \$208.93 | \$96.18 | NA | \$197.57 | NA | TBD | NA | NA |
| DS1 Loop per month, Zone 4 (No | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Interoffice Channel - Dedicated - | | 1L5XX | NA | \$0.6013 | \$0.4523 | NA | \$0.7831 | NA | \$0.5753 | NA | NA |
| | DS1 - Facility Termination per month | U1TF1 | NA | \$99.79 | \$78.47 | NA | \$93.40 | NA | \$71.29 | NA | NA |
| Non-Recurring Charges - New E | EL (Note 2) (Note 3) | | | | | | | | | | |
| NRC- DS1 interoffice - 1st | | U1TF1 | NA | \$171.01 | \$142.64 | NA | \$160.49 | NA | \$217.17 | NA | NA |
| NRC- DS1 interoffice - Add'l | | U1TF1 | NA | \$101.84 | \$94.87 | NA | \$123.03 | NA | \$163.75 | NA | NA |
| NRC-DS1 Local Loop - 1st | | USLXX | NA | \$627.78 | \$627.44 | NA | \$502.73 | NA | \$714.84 | NA | NA |
| NRC-DS1 Local Loop - Add'l | | USLXX | NA | \$377.43 | \$231.49 | NA | \$293.92 | NA | \$421.47 | NA | NA |
| | DS1 Local Loop Combination - Electronic Svc Ord | | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | DS1 Local Loop Combination - Manual Svc Order, | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | DS1 Local Loop Combination - Manual Svc Order | - SOMAN | NA | NA | \$33.63 | NA | \$242.20 | NA | \$65.01 | NA | NA |
| | DS1 Local Loop Combination - Manual Svc Order | - SOMAN | NA | NA | \$27.49 | NA | \$153.37 | NA | \$50.83 | NA | NA |
| | DS1 Local Loop Combination - Manual Svc Order | - SOMAN | NA | NA | \$19.88 | NA | \$45.91 | NA | NA | NA | NA |
| NRC-DS1 interoffice channel and | DS1 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$11.85 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | 1 | | | ļ | | | | |
| DS3 Interoffice Channel and DS | 3 Local Loop: | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | | |
| DS3 Loop per Facility Termination | per month | UE3PX | NA | \$404.58 | \$390.34 | NA | \$669.01 | NA | \$387.01 | NA | \$607.28 |
| DS3 Loop per mile | | 1L5ND | NA | \$11.77 | \$8.90 | NA | \$30.34 | NA | \$32.53 | NA | \$23.76 |
| Interoffice Channel - Dedicated - I | DS3 - FacilityTermination per month | U1TF3 | NA | \$1,121.93 | \$717.60 | NA | \$1,101 | NA | \$720.38 | NA | \$760.20 |
| Interoffice Channel - Dedicated - I | DS3 - per mile per month | 1L5XX | NA | \$4.17 | \$6.46 | NA | \$14.04 | NA | \$12.98 | NA | \$5.89 |
| | EL (Note 2)(Note 3) | | | 1 | | | l | | | | |

Attachment 2 Exhibit C Rates - Page 66

| П | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
|---|--|-------|----|------------|----------|----|----------|----|----------|----|----------|
| | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | 1 |
| | NRC- DS3 interoffice - 1st | U1TF3 | NA | \$154.30 | \$633.41 | NA | \$713.57 | NA | \$794.94 | NA | \$729.27 |
| | NRC- DS3 interoffice - Add'l | U1TF3 | NA | \$77.50 | \$449.91 | NA | \$404.36 | NA | \$579.55 | NA | \$411.98 |
| П | NRC-DS3 Local Loop - 1st | UE3PX | NA | \$1,020.45 | \$761.81 | NA | \$811.30 | NA | \$964.04 | NA | \$829.52 |

| New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | 1 |
|---|---------|----|------------|----------|----|----------|----|----------|----|----------|
| (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| NRC-DS3 Local Loop - Add'l | UE3PX | NA | \$513.74 | \$545.54 | NA | \$502.09 | NA | \$542.73 | NA | \$512.23 |
| NRC-DS3 interoffice channel and DS3 Local Loop Combination - Electronic Svc Ord | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc Order, | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19.99 |
| NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$37.55 | NA | \$100.50 | NA | \$83.19 | NA | NA |
| NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$37.55 | NA | \$100.50 | NA | \$69.01 | NA | NA |
| NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$18.03 | NA | \$41.88 | NA | NA | NA | NA |
| NRC-DS3 interoffice channel and DS3 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$18.03 | NA | \$41.88 | NA | NA | NA | NA |
| | | | | | | | | | | |
| STS-1 Interoffice Channel and STS-1 Local Loop: | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | |
| STS-1 Loop per Facility Termination per month | UDLS1 | NA | \$446.09 | \$421.59 | NA | \$497.08 | NA | \$387.01 | NA | \$400.21 |
| STS-1 Loop per mile | 1L5ND | NA | \$11.77 | \$8.90 | NA | \$38.98 | NA | \$32.53 | NA | \$30.53 |
| Interoffice Channel - Dedicated - STS-1 - FacilityTermination per month | U1TFS | NA | \$1,105.98 | \$788.00 | NA | \$1,101 | NA | \$800.94 | NA | \$838.65 |
| Interoffice Channel - Dedicated - STS-1 - per mile per month | 1L5XX | NA | \$4.17 | \$2.72 | NA | \$14.04 | NA | \$6.29 | NA | \$6.88 |
| Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| NRC- STS-1 interoffice - 1st | U1TFS | NA | \$154.30 | \$633.41 | NA | \$713.57 | NA | \$624.86 | NA | \$961.62 |
| NRC- STS-1 interoffice - Add'l | U1TFS | NA | \$77.50 | \$449.91 | NA | \$404.36 | NA | \$436.36 | NA | \$625.84 |
| NRC-STS-1 Local Loop - 1st | UDLS1 | NA | \$1,020.45 | \$761.81 | NA | \$811.30 | NA | \$964.04 | NA | \$829.52 |
| NRC-STS-1 Local Loop - Add'l | UDLS1 | NA | \$513.74 | \$545.54 | NA | \$502.09 | NA | \$542.73 | NA | \$512.23 |
| NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Electronic Svc | O SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc Or | NAMOS b | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19.99 |
| NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc Or | | NA | NA | \$37.96 | NA | \$100.50 | NA | \$123.62 | NA | NA |
| NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc Or | NAMOS b | NA | NA | \$37.96 | NA | \$100.50 | NA | \$84.76 | NA | NA |
| NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc Or | d SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| NRC-STS-1 interoffice channel and STS-1 Local Loop Combination - Manual Svc Or | SOMAN | NA | NA | \$18.23 | NA | \$41.88 | NA | NA | NA | NA |
| | | | | | | | | | | |
| DS3 Interoffice Channel and DS1 Local Loop: | | | | | | | | | | |
| Recurring Charges | | | | | | | | | | |
| DS1 Loop per month | USLXX | NA | NA | NA | NA | NA | NA | \$62.78 | NA | NA |

| $\overline{}$ | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | 1 |
|-----------------|--|----------------|----------|---------------------|---------------------|----------|----------------------|----------|----------|----------|----------|
| | | | | | | | | | | | |
| ++ | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| Щ. | DS1 Loop per month, Zone 1 (Note 1) | USLXX | NA | \$64.69 | \$52.40 | NA | \$56.32 | NA | TBD | NA | NA |
| $\vdash \vdash$ | DS1 Loop per month, Zone 2 (Note 1) | USLXX | NA | \$94.71 | \$60.51 | NA | \$96.73 | NA | TBD | NA | NA |
| \vdash | DS1 Loop per month, Zone 3 (Note 1) | USLXX | NA | \$208.93 | \$96.18 | NA | \$197.57 | NA | TBD | NA | NA |
| ш | DS1 Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Щ | Interoffice Channel - Dedicated - DS3 - FacilityTermination per month | U1TF3 | NA | \$1,121.93 | \$717.60 | NA | \$1,101 | NA | \$720.38 | NA | NA |
| ш | Interoffice Channel - Dedicated - DS3 - per mile per month | 1L5XX | NA | \$4.17 | \$6.46 | NA | \$14.04 | NA | \$12.98 | NA | NA |
| Щ | DS3 Channelized System per month | MQ3 | NA | \$220.97 | \$202.91 | NA | \$245.84 | NA | \$226.81 | NA | NA |
| Щ. | DS3 Interface per month (DS1 COCI) | UC1D1 | NA | \$14.40 | \$0.67 | NA | \$7.55 | NA | \$4.61 | NA | NA |
| Ш | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- DS3 interoffice - 1st | U1TF3 | NA | \$627.78 | \$520.09 | NA | \$713.57 | NA | \$794.94 | NA | NA |
| Ш | NRC- DS3 interoffice - Add'l | U1TF3 | NA | \$377.43 | \$282.38 | NA | \$404.36 | NA | \$579.55 | NA | NA |
| | NRC-DS1 Local Loop - 1st | USLXX | NA | \$338.52 | \$142.64 | NA | \$502.73 | NA | \$714.84 | NA | NA |
| | NRC-DS1 Local Loop - Add'l | USLXX | NA | \$124.84 | \$94.87 | NA | \$293.92 | NA | \$421.47 | NA | NA |
| | NRC-DS3 Channelization System -1st | MQ3 | NA | \$404.85 | \$316.28 | NA | \$320.72 | NA | \$351.95 | NA | NA |
| | NRC-DS3 Channelization System - Add'l | MQ3 | NA | \$168.26 | \$171.72 | NA | \$233.10 | NA | \$243.76 | NA | NA |
| | NRC-DS1(COCI)interface card -1st | UC1D1 | NA | \$12.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | NA | NA |
| | NRC-DS1(COCI)interface card -Add'l | UC1D1 | NA | \$8.77 | \$8.66 | NA | \$8.80 | NA | \$11.28 | NA | NA |
| | NRC-DS3 interoffice channel and DS1 Local Loop Combination - Electronic Svc Ord | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | NA |
| | NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc Order, | SOMAN | NA | \$25.40 | \$33.63 | NA | NA | NA | NA | NA | NA |
| | NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | NA | NA | \$36.28 | NA | \$118.20 | NA | NA |
| | NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$27.49 | NA | \$26.20 | NA | \$104.02 | NA | NA |
| | NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$19.88 | NA | \$19.47 | NA | NA | NA | NA |
| | NRC-DS3 interoffice channel and DS1 Local Loop Combination - Manual Svc Order | SOMAN | NA | NA | \$11.85 | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | , | | | | | | |
| | STS-1 Interoffice Channel and DS1 Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| + | DS1 Loop per month, Zone 1 (Note 1) | USLXX | NA | \$64.69 | \$52.40 | NA | \$56.32 | NA | TBD | NA | NA |
| _ | DS1 Loop per month, Zone 2 (Note 1) | USLXX | NA | \$94.71 | \$60.51 | NA NA | \$96.73 | NA NA | TBD | NA NA | NA |
| + | DS1 Loop per month, Zone 3 (Note 1) | USLXX | NA | \$208.93 | \$96.18 | NA NA | \$197.57 | NA NA | TBD | NA | NA NA |
| + | DS1 Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA | NA NA |
| \vdash | Interoffice Channel - Dedicated - STS-1 - FacilityTermination per month | U1TFS | NA NA | \$1,105.98 | \$717.60 | NA NA | \$1,101 | NA NA | \$387.01 | NA NA | NA NA |
| + | Interoffice Channel - Dedicated - STS-1 - per mile per month | 1L5XX | NA | \$4.17 | \$6.46 | NA NA | \$14.04 | NA NA | \$32.53 | NA NA | NA NA |
| + | DS3 Channelized System per month | MQ3 | NA NA | \$220.97 | \$202.91 | NA NA | \$245.84 | NA NA | \$226.81 | NA NA | NA NA |
| + | DS3 Interface per month (DS1 COCI) | UC1D1 | NA NA | \$14.40 | \$0.67 | NA NA | \$7.55 | NA NA | \$4.61 | NA NA | NA NA |
| + | Non-Recurring Charges - New EEL (Note 2)(Note 3) | OCIDI | INA | \$14.40 | φυ.στ | INA | φ1.55 | INA | φ4.01 | INA | INA |
| + | NRC-DS1 Local Loop - 1st | USLXX | NA | \$627.78 | \$520.09 | NA | \$502.73 | NA | \$714.84 | NA | NA |
| + | NRC-DS1 Local Loop - 1st | USLXX | NA NA | \$377.43 | \$282.38 | NA NA | \$293.92 | NA NA | \$421.47 | NA NA | NA NA |
| - | NRC- STS-1 interoffice - 1st | U3LXX U1TFS | NA NA | | | NA NA | \$293.92 \$713.57 | NA NA | \$624.86 | NA NA | NA NA |
| - | NRC- STS-1 Interoffice - 1st NRC- STS-1 interoffice - Add'l | U1TFS | NA NA | \$154.30 \$77.50 | \$142.64 \$94.87 | NA NA | \$/13.57 \$404.36 | NA NA | \$624.86 | NA NA | NA NA |
| + | | | | | | | | | | | |
| + | NRC-DS3 Channelization System -1st | MQ3 | NA | \$404.85 | \$316.28 | NA NA | \$320.72 | NA | \$351.95 | NA | NA |
| _ | NRC-DS3 Channelization System - Add'l | MQ3 | NA | \$168.26 | \$171.72 | NA | \$233.10 | NA | \$243.76 | NA | NA |
| + | NRC-DS1(COCI)interface card -1st | UC1D1 | NA NA | \$12.16 | \$12.02 | NA NA | \$12.29 | NA NA | \$15.76 | NA | NA |
| - | NRC-DS1(COCI)interface card -Add'l | UC1D1 | NA | \$8.77 | \$8.66 | NA NA | \$8.80 | NA NA | \$11.28 | NA | NA |
| - | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Electronic Svc O | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | NA |
| 止 | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde | | NA | \$25.40 | NA | NA | NA | NA | NA | NA | NA |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde | | NA | NA | \$33.63 | NA | \$68.39 | NA | \$81.94 | NA | NA |
| | | | NA | NA | \$27.49 | NA | \$58.31 | NA | \$67.76 | NA | NA |
| t | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde | | | | | | MEO 40 | A I A | | | NA |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde | SOMAN | NA | NA | \$19.88 | NA | \$50.49 | NA | NA | NA | |
| + | | SOMAN | | NA NA | \$19.88 \$11.85 | NA NA | \$50.49 \$29.00 | NA NA | NA NA | NA NA | NA NA |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde | SOMAN | NA | | | | | | | | |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde 2-wire VG Interoffice Channel and 2-wire VG Local Loop: | SOMAN | NA | | | | | | | | |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde | SOMAN | NA | | | | | | | | |
| - | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde 2-wire VG Interoffice Channel and 2-wire VG Local Loop: | SOMAN | NA | | | | | | | | |
| | NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde NRC-STS-1 interoffice channel and DS1 Local Loop Combination - Manual Svc Orde 2-wire VG Interoffice Channel and 2-wire VG Local Loop: Recurring Charges | SOMAN | NA NA | NA | \$11.85 | NA | \$29.00 | NA | NA | NA | NA |

| | Now FEL vates are the game of the individual UNE vaturally algorithm | | | 1 | l I | | l I | | 1 | | 1 |
|--|---|-------------------------|----------------|----------------|--------------------------|----------------|-------------------------------|----------------|--------------------------|----------------|----------|
| | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| | (interoffice transport and loop [channelization if applicable]. | | | | 4 | | | | | | |
| \bot | 2-wire VG Loop per month, Zone 3 (Note 1) | UEAL2 | NA | TBD | \$28.26 | NA | \$61.93 | NA | NA | NA | \$28.02 |
| | 2-wire VG Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| $\bot\bot$ | Interoffice Channel - Dedicated - 2-wire VG - FacilityTermination per month | U1TV2 | NA | \$26.52 | \$17.07 | NA | \$19.10 | NA | NA | NA | \$18.33 |
| \bot | Interoffice Channel - Dedicated - 2-wire VG - per mile per month | 1L5XX | NA | \$0.01 | \$0.0222 | NA | \$0.0384 | NA | NA | NA | \$0.0173 |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- 2-wire VG interoffice - 1st | U1TV2 | NA | \$112.10 | \$79.61 | NA | \$104.23 | NA | NA | NA | \$83.35 |
| | NRC- 2-wire VG interoffice - Add'l | U1TV2 | NA | \$67.61 | \$36.08 | NA | \$39.91 | NA | NA | NA | \$20.88 |
| | NRC-2-wire VG Local Loop - 1st | UEAL2 | NA | \$38.02 | \$104.17 | NA | \$128.42 | NA | NA | NA | \$192.97 |
| | NRC-2-wire VG Local Loop - Add'l | UEAL2 | NA | \$35.15 | \$78.10 | NA | \$93.60 | NA | NA | NA | \$140.72 |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - Electron | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | NA | NA | \$3.50 |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - Manual | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | \$37.88 | NA | \$36.28 | NA | NA | NA | NA |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | \$27.36 | NA | \$26.20 | NA | NA | NA | NA |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | NA | NA | \$19.47 | NA | NA | NA | NA |
| | NRC-2-wire VG interoffice channel and 2-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | NA | NA | \$8.06 | NA | NA | NA | NA |
| | | | | | | | | | | | |
| | 4-wire VG Interoffice Channel and 4-wire VG Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| | 4-wire VG Loop per month, Zone 1 (Note 1) | UEAL4 | NA | \$24.26 | NA | NA | NA | NA | NA | NA | NA |
| T | 4-wire VG Loop per month, Zone 2 (Note 1) | UEAL4 | NA | \$35.51 | NA NA | NA | NA NA | NA | NA NA | NA | NA. |
| | 4-wire VG Loop per month, Zone 3 (Note 1) | UEAL4 | NA | \$78.35 | NA | NA | NA | NA | NA NA | NA | NA |
| + | 4-wire VG Loop per month, Zone 4 (Note 1) | NA NA | NA | NA | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| + | Interoffice Channel - Dedicated - 4-wire VG - FacilityTermination per month | U1TV4 | NA NA | \$23.64 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | Interoffice Channel - Dedicated - 4-wire VG - per mile per month | 1L5XX | NA | \$0.0098 | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| + | Non-Recurring Charges - New EEL (Note 2)(Note 3) | TLOAK | 14/1 | ψ0.0000 | 19/3 | 14/1 | 14/3 | 1973 | 14/3 | 19/3 | 14/3 |
| + | NRC- 4-wire VG interoffice - 1st | U1TV4 | NA | \$160.33 | NA | NA | NA | NA | NA | NA | NA |
| + | NRC- 4-wire VG interoffice - Add'l | U1TV4 | NA NA | \$73.44 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| + | NRC-4-wire VG Interoffice - Add 1 | UEAL4 | NA NA | \$329.76 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| + | NRC-4-wire VG Local Loop - 1st NRC-4-wire VG Local Loop - Add'l | UEAL4 | NA NA | \$148.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | NRC-4-wire VG Local Loop - Add I NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Electron | SOMEC | NA NA | \$3.17 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Electron NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Manual | SOMAN | NA NA | \$25.40 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | | | | | | | | | | | |
| ++ | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA NA | NA |
| ++ | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA NA | NA |
| | NRC-4-wire VG interoffice channel and 4-wire VG Local Loop Combination - Manual | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| \bot | | | | | | | | | | | |
| | 4-wire 56 kbps Interoffice Channel and 4-wire 56kbps Local Loop: | | | | | | | | | | |
| | Recurring Charges | | | | | | | | | | |
| $\bot \bot$ | 4-wire 56kbps Loop per month, Zone 1 (Note 1) | UDL56 | NA | \$39.08 | \$26.44 | NA | \$24.36 | NA | TBD | NA | \$15.92 |
| | 4-wire 56kbps Loop per month, Zone 2 (Note 1) | UDL56 | NA | \$57.21 | \$26.42 | NA | \$41.85 | NA | TBD | NA | \$20.79 |
| | 4-wire 56kbps Loop per month, Zone 3 (Note 1) | UDL56 | NA | \$126.22 | \$46.53 | NA | \$86.47 | NA | TBD | NA | \$27.18 |
| $\perp \perp$ | 4-wire 56kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 4-wire 56kbps - FacilityTermination per month | U1TD5 | NA | \$23.64 | \$16.45 | NA | \$18.37 | NA | \$17.40 | NA | \$17.74 |
| | Interoffice Channel - Dedicated - 4-wire 56kbps - per mile per month | 1L5XX | NA | \$0.0098 | \$0.0222 | NA | \$0.0384 | NA | \$0.0282 | NA | \$0.1730 |
| $oldsymbol{ol}}}}}}}}}}}}}}}}$ | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | |
| | NRC- 4-wire 56kbps interoffice - 1st | U1TD5 | NA | \$160.33 | \$79.61 | NA | \$104.23 | NA | \$137.48 | NA | \$83.35 |
| | NRC- 4-wire 56kbps interoffice - Add'l | U1TD5 | NA | \$73.44 | \$36.08 | NA | \$39.91 | NA | \$52.58 | NA | \$20.88 |
| | NRC-4-wire 56kbps Local Loop - 1st | UDL56 | NA | \$329.76 | \$348.55 | NA | \$421.27 | NA | \$489.04 | NA | \$643.00 |
| | NRC-4-wire 56kbps Local Loop - Add'l | UDL56 | NA | \$148.55 | \$241.20 | NA | \$274.74 | NA | \$337.51 | NA | \$421.28 |
| 11 | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination - | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination - | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA NA | NA | \$19.99 |
| + | TINKC-4-WITE SOKODS INTERORICE CHAINTER AND 4-WITE SOKODS LOCAL LOOD COMBINATION -I | | | | | | | | | | NA |
| | | SOMAN | NA | NA | \$37.88 | NA | \$36.28 | NA | \$65.01 | NA | |
| | NRC-4-wire 56kbps interoffice channel and 4-wire 56kbps Local Loop Combination - | SOMAN SOMAN | | | \$37.88 \$27.36 | | | | | | |
| | | SOMAN SOMAN SOMAN | NA NA NA | NA NA NA | \$37.88 \$27.36 NA | NA NA NA | \$36.28 \$26.20 \$11.41 | NA NA NA | \$65.01 \$50.83 NA | NA NA NA | NA NA |

| ПТ | New EEL rates are the sum of the individual UNE network elements | | | | | | 1 | 1 | 1 | | |
|--|--|----------------|-------------|----------|-------------------|--|----------|-------------|----------|-------------|----------|
| | (interoffice transport and loop [channelization if applicable]. | | Ĭ | <u> </u> | 1 ' | 1 | | | ļ l | İ | |
| ttt | | | | | | | | | | | |
| ttt | 4-wire 64 kbps Interoffice Channel and 4-wire 64 kbps Local Loop: | | | | | | | | | | 1 |
| | Recurring Charges | | | ļ - | | | | | | | |
| | 4-wire 64kbps Loop per month, Zone 1 (Note 1) | UDL64 | NA | \$39.08 | \$26.44 | NA | \$27.50 | NA | TBD | NA | \$36.45 |
| | 4-wire 64kbps Loop per month, Zone 2 (Note 1) | UDL64 | NA | \$57.21 | \$30.53 | NA | \$47.24 | NA | TBD | NA | \$45.87 |
| | 4-wire 64kbps Loop per month, Zone 3 (Note 1) | UDL64 | NA. | \$126.22 | \$46.53 | NA NA | \$96.48 | NA NA | TBD | NA NA | \$65.75 |
| | 4-wire 64kbps Loop per month, Zone 4 (Note 1) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Interoffice Channel - Dedicated - 4-wire 64kbps - FacilityTermination per month | U1TD6 | NA | \$19.31 | \$16.45 | NA | \$18.37 | NA | \$17.40 | NA | \$17.74 |
| | Interoffice Channel - Dedicated - 4-wire 64kbps - per mile per month | 1L5XX | NA | \$0.0098 | \$0.0222 | NA | \$0.0384 | NA | \$0.0282 | NA | \$0.1730 |
| | Non-Recurring Charges - New EEL (Note 2)(Note 3) | | | | | | | | | | 1 |
| | NRC- 4-wire 64kbps interoffice - 1st | U1TD6 | NA | \$160.33 | \$79.61 | NA | \$713.57 | NA | \$137.48 | NA | \$729.27 |
| | NRC- 4-wire 64kbps interoffice - Add'l | U1TD6 | NA | \$73.44 | \$36.08 | NA | \$404.36 | NA | \$52.58 | NA | \$411.98 |
| | NRC-4-wire 64kbps Local Loop - 1st | UDL64 | NA | \$329.76 | \$348.55 | NA | \$811.30 | NA | \$489.04 | NA | \$829.52 |
| | NRC-4-wire 64kbps Local Loop - Add'l | UDL64 | NA | \$148.55 | \$241.20 | NA | \$502.09 | NA | \$337.51 | NA | \$512.23 |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination - | SOMEC | NA | \$3.17 | \$3.50 | NA | \$3.50 | NA | \$3.50 | NA | \$3.50 |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination - | SOMAN | NA | \$25.40 | NA | NA | NA | NA | NA | NA | \$19.99 |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination - | SOMAN | NA | NA | \$37.55 | NA | \$100.50 | NA | \$65.01 | NA | NA |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination - | SOMAN | NA | NA | \$37.55 | NA | \$100.50 | NA | \$50.83 | NA | NA |
| | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination - | SOMAN | NA | NA | \$18.03 | NA | \$41.88 | NA | NA | NA | NA |
| Ш | NRC-4-wire 64kbps interoffice channel and 4-wire 64kbps Local Loop Combination - | SOMAN | NA | NA | \$18.03 | NA | \$41.88 | NA | NA | NA | NA |
| $oldsymbol{ol}}}}}}}}}}}}}}}}}}$ | | | | | | ļ | | | | | |
| N | etwork Elements used in Existing Combinations at UNE Rates (Note4) | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | Local Loop: | | | L | | <u> </u> | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 | | | | | ļ | | | | <u> </u> | |
| $\bot \bot$ | 2-Wire Analog Voice Grade Loop - per mile per month | UNCVX | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $\bot\!\!\!\bot\!\!\!\!\bot$ | 2-Wire Analog Voice Grade Loop -per month | UEAL2 | NA | NA | NA | NA | NA | NA | \$19.50 | NA | NA |
| | Zone 1 | UEAL2 | \$17.95 | \$20.52 | \$15.40 | \$17.27 | \$17.65 | \$18.35 | TBD | \$16.58 | \$15.54 |
| $+\!\!+\!\!\!+$ | Zone 2 | UEAL2 | \$29.16 | TBD | \$17.78 | \$32.32 | \$30.32 | \$24.33 | TBD | \$27.59 | \$19.55 |
| | Zone 3 | UEAL2 | \$52.84 | TBD | \$28.26 | \$55.78 | \$61.93 | \$34.77 | TBD | \$31.87 | \$28.02 |
| $+\!+\!$ | Zone 4 | UEAL2 | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA |
| | NRC - Ordinarily Combined in GA (Note 5) | | | <u> </u> | | | | | ļ | | |
| $+\!\!+\!\!\!+$ | NRC - 1st | UEAL2 | NA | NA | \$104.17 | NA | NA | NA | NA | NA | NA |
| $-\!\!+\!\!+\!\!\!+$ | NRC - Add'l | UEAL2 | NA NA | NA | \$78.10 | NA | NA NA | NA NA | NA | NA | NA |
| $-\!\!+\!\!+\!\!\!+$ | NRC - Disconnect Charge - 1st | UEAL2 UEAL2 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA | NA NA |
| $+\!+\!$ | NRC - Disconnect Charge - Add'l NRC - Electronic Svc Order, per LSR | | | | | | | | | NA NA | |
| ++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMEC SOMAN | NA NA | NA NA | \$3.50 \$18.94 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | \$8.42 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - Incremental Charge - Manual Service Order - Add t | SOMAN | NA NA | NA NA | Φ0.42 NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | SOIVIAIN | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| + | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| ++ | NRC-2/4-WIRE COMBINATION - Switch As Is Conversion Charge - 1st NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add" | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| + | NRC-2/4-WIRE COMBINATION - Switch As Is Conversion Charge - Add1 NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| + | NRC- 2/4-WIRE COMBINATION - Switch As Is "Conversion Charge - Disconnect - Add"I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | INTO-214-WINE COMBINATION - SWILLIAS IS CONVERSION CHARGE - DISCOMBELL - Additional Charge - Discombell - Additional Charge - Discom | 011000 | ψ0.00 | ψ10.77 | Ψ12.01 | ψ0.00 | ψ0.00 | Ψ0.00 | ψ0.00 | ψ0.00 | ψ0.00 |
| + | 2-Wire Analog Voice Grade Loop - Service Level 2 - (reverse battery) | | | | | | | | | | 1 |
| + | 2-Wire Analog Voice Grade Loop - Loop[Start - per mile per month | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| + | 2-Wire Analog Voice Grade Loop - Rev Bat - per month | UEAR2 | NA | \$20.52 | NA | NA | NA | NA | \$19.50 | NA | NA |
| | Zone 1 | UEAR2 | \$17.95 | \$23.23 | \$16.84 | \$17.27 | \$17.65 | \$18.35 | TBD | \$21.57 | \$15.54 |
| | Zone 2 | UEAR2 | \$29.16 | \$22.43 | \$19.45 | \$32.32 | \$30.32 | \$24.33 | TBD | \$32.53 | \$19.55 |
| \Box | Zone 3 | UEAR2 | \$52.84 | \$27.87 | \$30.92 | \$55.78 | \$61.93 | \$34.77 | TBD | \$43.08 | \$28.02 |
| | Zone 4 | UEAR2 | NA | NA | NA | NA | NA | \$45.88 | NA | NA | NA |
| $\neg \vdash$ | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | 1 | |
| | | | | | | | | | | | |
| | NRC - 1st | UEAR2 | NA | NA | \$104.17 | NA | NA | NA | NA | NA | NA |

| T | New EEL rates are the sum of the individual UNE network elements | | 1 | | | | | 1 | | | |
|-----------------|---|----------------------------------|--------------------------------|---------------------|-------------------------|---------------|--------------------------|---------------|---------------|---------------|----------------------|
| | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| $+\!\!+\!\!\!+$ | NRC - Disconnect Charge - 1st | UEAR2 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| + | NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| + | | UEAR2 | | | | | | | | | |
| + | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| + | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| ш | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| Ш | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Ш | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| Ш | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54. |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32. |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.0 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.0 |
| Н | A Mine Angley Veice Cyade Lean | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop | | *** | | *** | * | | | | | |
| | 4-Wire Analog Voice Grade Loop per mile per month | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.0 |
| | Zone 1 | UEAL4 | \$24.01 | \$24.26 | \$22.88 | \$20.92 | \$24.36 | \$22.38 | \$23.51 | \$49.47 | \$15 |
| | Zone 2 | UEAL4 | \$39.00 | \$35.51 | \$26.42 | \$39.14 | \$41.85 | \$29.67 | \$38.53 | \$44.44 | \$19 |
| | Zone 3 | UEAL4 | \$70.67 | \$78.35 | \$41.99 | \$67.56 | \$85.47 | \$42.40 | \$44.38 | \$58.85 | \$28 |
| | Zone 4 | UEAL4 | NA | NA | NA | NA | NA | \$55.96 | NA | NA | N |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 1st | UEAL4 | NA | NA | \$206.95 | NA | NA | NA | NA | NA | N |
| T | NRC - Add'l | UEAL4 | NA | NA | \$170.57 | NA | NA | NA | NA | NA | N |
| | NRC - Disconnect Charge - 1st | UEAL4 | NA | NA | NA | NA | NA | NA | NA | NA | N |
| | NRC - Disconnect Charge - Add'l | UEAL4 | NA | NA | NA | NA | NA | NA | NA | NA | N |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | N |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | NA | NA NA | NA. | NA NA | NA. | NA. | N |
| \dashv | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA NA | NA NA | \$8.42 | NA NA | NA. | NA NA | NA NA | NA. | N |
| \dashv | NRC - Incremental Charge - Manual Service Order - Add 1 | SOMAN | NA NA | NA NA | NA | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| - | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | SOIVIAIN | INA | INA | INA | INA | INA | INA | INA | INA | IN |
| - | | LINICCC | ΦE4.00 | \$32.75 | \$58.43 | ΦE 4.00 | CE4.00 | ФE 4.00 | CE4.00 | ΦE4.00 | ФE 4 |
| _ | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | | | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0. |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0. |
| | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop | | | | | | | | | | |
| | 2-Wire ISDN Loop per mile per month | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0. |
| | 2-Wire ISDN Digital Grade Loop per month | U1L2X | NA | NA | NA | NA | NA | NA | \$24.98 | NA | NA |
| | Zone 1 | U1L2X | \$23.23 | \$32.34 | \$21.89 | \$23.66 | \$21.15 | \$21.86 | TBD | \$21.40 | \$15 |
| | Zone 2 | U1L2X | \$37.74 | \$47.35 | \$25.27 | \$44.28 | \$36.32 | \$28.97 | TBD | \$34.91 | \$19 |
| T | Zone 3 | U1L2X | \$68.38 | \$104.47 | \$40.17 | \$76.42 | \$74.19 | \$41.40 | TBD | \$40.17 | \$28 |
| | Zone 4 | U1L2X | NA | NA | NA | NA | NA | \$54.64 | NA | NA | N |
| ╗ | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| 7 | NRC - 1st | U1L2X | NA | NA | \$233.38 | NA | NA | NA | NA | NA | N |
| 7 | NRC - Add'l | U1L2X | NA NA | NA NA | \$180.35 | NA NA | NA NA | NA NA | NA NA | NA. | N |
| 7 | NRC - Disconnect Dharge - 1st | U1L2X | NA NA | NA NA | NA | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| | NRC - Disconnect Charge - Add'l | U1L2X | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| \dashv | NIC - Disconnect Charge - Auu i | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| | NPC Electronic Syc Order, per LSP | | INA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | N N |
| | NRC - Electronic Svc Order, per LSR | | NIA | | 1 X1X 44 | INA | | | | INA | |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | | | NIA. | N I A | | N I A | N I A | |
| | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | |
| | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | | | | NA NA | NA NA | NA NA | NA NA | NA NA | |
| | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | SOMAN SOMAN SOMAN | NA NA | NA NA | \$8.42 NA | NA | NA | NA | NA | NA | N |
| | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | SOMAN SOMAN SOMAN UNCCC | NA NA \$54.03 | NA NA \$32.75 | \$8.42 NA \$58.43 | NA \$54.09 | NA \$54.23 | NA \$54.09 | NA \$54.00 | NA \$54.26 | \$54 |
| | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | SOMAN SOMAN SOMAN | NA NA \$54.03 \$32.11 | NA NA | \$8.42 NA | NA | NA \$54.23 \$32.24 | NA | NA | NA | \$54 |
| | NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | SOMAN SOMAN SOMAN UNCCC | NA NA \$54.03 | NA NA \$32.75 | \$8.42 NA \$58.43 | NA \$54.09 | NA \$54.23 | NA \$54.09 | NA \$54.00 | NA \$54.26 | \$54 \$32 \$0. |

| New EEL rates are the sum of the individual UNE network elements | | | | 1 | l | ı | ı | ı | 1 | 1 |
|---|-------|----------|---------------|----------------|----------|----------|----------|----------|---------------|----------|
| (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| 4-Wire 56 kbps Digital Grade Loop | | | | | | | | | | |
| 4-Wire 56 kbps Digital Grade Loop per mile per month | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 4-Wire 56 kbps Digital Grade Loop per month | UDL56 | NA | NA | NA | NA | NA | NA | \$32.67 | NA | NA |
| Zone 1 | UDL56 | \$27.33 | \$33.90 | \$26.44 | NA NA | \$27.50 | \$25.61 | TBD | \$27.94 | \$36.45 |
| Zone 2 | UDL56 | \$44.40 | \$44.72 | \$30.53 | NA NA | \$47.25 | \$33.94 | TBD | \$45.81 | \$45.87 |
| Zone 3 | UDL56 | \$80.45 | \$50.85 | \$46.53 | NA | \$96.48 | \$48.51 | TBD | \$52.76 | \$65.75 |
| Zone 4 | UDL56 | NA | NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| NRC - 1st | UDL56 | NA | NA | \$348.55 | NA | NA | NA | NA | NA | NA |
| NRC - Add'I | UDL56 | NA | NA | \$241.20 | NA | NA | NA | NA | NA | NA |
| NRC - Disconnect Dharge - 1st | UDL56 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | UDL56 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | \$8.42 | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | - | - | - | | |
| NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | |
| 4-Wire 64 kbps Digital Grade Loop | | | | | | | | | 4 | |
| 4-Wire 64 kbps Digital Grade Loop per mile per month | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 4-Wire 64 kbps Digital Grade Loop per month | UDL64 | NA | NA | NA | NA | NA | NA | \$32.67 | NA | NA |
| Zone 1 | UDL64 | \$27.33 | \$33.90 | \$26.44 | NA | \$27.50 | \$25.61 | TBD | \$27.94 | \$36.45 |
| Zone 2 | UDL64 | \$44.40 | \$44.72 | \$30.53 | NA | \$47.25 | \$33.94 | TBD | \$45.81 | \$45.87 |
| Zone 3 | UDL64 | \$80.45 | \$50.85 NA | \$46.53 | NA NA | \$96.48 | \$48.51 | TBD | \$52.76 NA | \$65.75 |
| Zone 4 NRC - Ordinarily Combined in GA (Note 5) | UDL64 | NA | NA NA | NA | NA | NA | \$64.02 | NA | NA | NA |
| NRC - 1st | UDL64 | NA | NA | \$348.55 | NA | NA | NA | NA | NA | NA |
| NRC - Add'l | UDL64 | NA NA | NA NA | \$348.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | UDL64 | NA NA | NA NA | \$241.20 NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Disconnect Dharge - 1st NRC - Disconnect Charge - Add'l | UDL64 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | \$18.94 | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - Incremental Charge - Manual Service Order - 13t | SOMAN | NA NA | NA NA | \$8.42 | NA NA | NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Incremental Charge - Manual Service Order - Add 1 | SOMAN | NA NA | NA NA | NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | OOWA | 14/3 | 19/3 | 19/3 | 14/3 | 14/3 | 14/3 | 14/3 | 14/1 | 14/3 |
| NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add"l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | , | | | | | | |
| 4-Wire DS1 Digital Loop | | | | | | | | | | |
| 4-Wire DS1 Digital Loop per mile per month | 1L5ND | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| 4-Wire DS1 Digital Loop per month | USLXX | NA | NA | NA | NA | NA | NA | \$62.78 | NA | NA |
| Zone 1 | USLXX | \$51.74 | \$64.69 | \$52.40 | \$50.28 | \$56.32 | \$50.99 | TBD | \$53.00 | NA |
| Zone 2 | USLXX | \$84.05 | \$94.71 | \$60.51 | \$94.06 | \$96.73 | \$67.58 | TBD | \$89.93 | NA |
| Zone 3 | USLXX | \$152.29 | \$208.93 | \$96.18 | \$162.34 | \$197.57 | \$96.58 | TBD | \$104.30 | NA |
| Zone 4 | USLXX | NA | NA | NA | NA | NA | \$127.47 | NA | NA | NA |
| NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| NRC - 1st | USLXX | NA | NA | \$429.98 | NA | NA | NA | NA | NA | NA |
| NRC - Add'l | USLXX | NA | NA | \$268.18 | NA | NA | NA | NA | NA | NA |
| NRC - Disconnect Charge - 1st | USLXX | NA | NA | NA | NA | NA | NA | NA | NA | NA |

| | interoffice transport and loop [channelization if applicable]. IRC - Disconnect Charge - Add'l | USLXX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
|----|--|----------------|----------|----------|----------------------|---------------|----------|--------------|----------|----------------|----------|
| | IRC - Disconnect Charge - Add t IRC - Electronic Svc Order, per LSR | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | IRC - Electronic Svc Order, per LSR IRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | \$3.50 \$18.94 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | IRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | \$8.42 | NA NA | NA NA | NA NA | NA NA | NA NA | N/ |
| | IRC - Incremental Charge - Manual Service Order - Add 1 | SOMAN | NA NA | NA NA | - φο.42 NA | NA NA | NA NA | NA NA | NA NA | NA NA | N/ |
| | IRC - Incremental Charge - Manual Service Order - Disconnect IRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | SUMAIN | INA | INA | INA | INA | INA | NA NA | INA | NA | INA |
| | IRC-DS1 COMBINATION - "Switch As Is" Conversion Charge (Note 6) | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| | IRC-DS1 COMBINATION - Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| | IRC-DS1 COMBINATION - Switch As Is Conversion Charge - Additional Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0. |
| | IRC- DS1 COMBINATION - Switch As Is Conversion Charge - Disconnect - 1st IRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0. |
| IN | IRC- DST COMBINATION - Switch as is Conversion Charge - Disconnect - Addi | UNCCC | \$0.00 | \$10.77 | \$12.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | φ0. |
| D | PS3 Local Loop | | | | | | | | | | |
| ŗ | per mile per month | 1L5ND | \$10.85 | \$11.77 | \$8.90 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$15.53 | \$30 |
| fa | acitility termination per month | UE3PX | \$419.65 | \$404.58 | \$390.34 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$421.60 | \$40 |
| N | IRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - Facility Termination - 1st | UE3PX | NA | NA | \$639.50 | NA | NA | NA | NA | NA | N |
| | NRC - Facility Termination - Add'l | UE3PX | NA | NA | \$426.40 | NA | NA | NA | NA | NA | N |
| | NRC - Facility Termination - Disconnect - 1st | UE3PX | NA | NA | \$122.31 | NA | NA | NA | NA | NA | N |
| T | NRC - Facility Termination - Disconnect - Add'l | UE3PX | NA | NA | \$119.14 | NA | NA | NA | NA | NA | N |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | N |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | N |
| T | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | N |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | NA | NA | NA | NA | NA | NA | NA | N |
| | NRC - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | N |
| | NRC - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | N |
| | NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | N |
| | NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | N |
| N, | IRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| N | IRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| N | IRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| N | IRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| N | IRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| + | TC 4 Level Leve | | | | | | | | | | |
| | STS-1 Local Loop | 41.515 | 040.05 | 044.77 | 40.00 | A40.00 | 400.00 | A5400 | 000.50 | 0.15.50 | 000 |
| | per mile per month | 1L5ND UDLS1 | \$10.85 | \$11.77 | \$8.90 | \$43.69 | \$38.98 | \$54.39 | \$32.53 | \$15.53 | \$30 |
| | acitility termination per month IRC - Ordinarily Combined in GA (Note 5) | UDLST | \$419.65 | \$446.09 | \$421.59 | \$436.95 | \$497.08 | \$427.81 | \$387.01 | \$431.32 | \$40 |
| - | | LIDI 04 | NIA. | NIA. | \$ 000 50 | NIA | NIA | NIA | NA | NA | |
| + | NRC - STS-1 - Facility Termination - 1st NRC - STS-1 - Facility Termination - Add'l | UDLS1 UDLS1 | NA NA | NA NA | \$639.50 \$426.40 | NA NA | NA NA | NA NA | NA NA | NA NA | N N |
| + | NRC - STS-1 - Facility Termination - Add1 NRC - STS-1 - Facility Termination - Disconnect - 1st | UDLS1 | NA NA | NA NA | \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| + | NRC - STS-1 - Facility Termination - Disconnect - Tst NRC - STS-1 - Facility Termination - Disconnect - Add'l | UDLS1 | NA NA | NA NA | \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | |
| + | NRC - S1S-1 - Pacility Termination - Disconnect - Add 1 NRC - Manual Svc Order, per LSR | SOMAN | NA NA | NA NA | \$119.14 NA | NA NA | NA NA | NA NA | NA NA | NA NA | I N |
| + | NRC - Manual Svc Order, per LSR NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| + | NRC - Electronic Svc Order, per LSR | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| + | NRC - Electronic Svc Order, per LSR NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA NA | NA NA | φ3.50 NA | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| + | NRC - Electronic Svc Order, per LSR disconnect NRC - STS-1 - Incremental ChargeManual Svc Order - 1st | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| + | NRC - STS-1 - Incremental ChargeManual Svc Order - 1st | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| + | NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1s | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| + | NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Ad | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| - | IRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | JOINAIN | INA | INA | φ10.03 | INA | INA | INA | INA | INA | 1 |
| | IRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| I۷ | IRC-STS-1 COMBINATION - Switch As Is Conversion Charge - 1st IRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$34.00 | \$32.25 | \$32 |
| | INC-010-1 COMPINATION - SWIGHAS IS CONVERSION CHANGE - AUGI | JINOCO | | | | | _ | | | | |
| N | IRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0. |

| New EEL rates are the sum of the individual UNE network elements (interoffice transport and loop [channelization if applicable]. | l | | | | | | | | | |
|--|--------------------|--|----------|--------------------|----------|----------|----------|----------|-----------|----------|
| OC-3 Local Loop | | | | | | | | | | |
| per mile per month | 1L5ND | \$7.09 | \$8.93 | \$6.75 | \$33.15 | \$29.58 | \$41.27 | \$24.69 | \$11.78 | \$23. |
| | ILSIND | | | | * | | • | | | |
| facility termiantion per month NRC - Ordinarily Combined in GA (Note 5) | | \$1,123 | \$648.60 | \$630.21 | \$436.95 | \$753.65 | \$689.68 | \$611.36 | \$701.71 | \$62 |
| | | NIA. | NIA | CO 47.00 | NIA | NIA | NIA | NIA. | NIA | |
| NRC - OC3 - Facility Termination - 1st | | NA | NA | \$947.69 | NA | NA NA | NA | NA | NA | N |
| NRC - OC3 - Facility Termination - Add'l | | NA | NA | \$413.00 | NA | NA | NA | NA | NA | N |
| NRC - OC3 - Facility Termination - Disconnect - 1st | | NA | NA | \$122.31 | NA | NA NA | NA | NA | NA | N |
| NRC - OC3 - Facility Termination - Disconnect - Add'l | 001150 | NA | NA | \$119.14 | NA | NA | NA | NA | NA | N |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | N |
| NRC - OC3 - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | N |
| NRC - OC3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | N |
| NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | N |
| NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | N |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | ļ | | | | | | | | |
| NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add" | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| | | <u> </u> | | | | | | | | <u> </u> |
| OC-12 Local Loop | | <u> </u> | | | | | | | | 1 |
| per mile per month | 1L5ND | \$10.13 | \$11.18 | \$8.31 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28 |
| facility termination per month | <u> </u> | \$5,630 | \$2,068 | \$2,109.00 | \$2,457 | \$2,571 | \$2,371 | \$2,122 | \$2,663 | \$2, |
| NRC - Ordinarily Combined in GA (Note 5) | <u> </u> | | | | | | | | | |
| NRC - OC12 - Facility Termination - 1st | l | NA | NA | \$1,162.00 | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Facility Termination - Add'l | 1 | NA | NA | \$413.00 | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Facility Termination - Disconnect - 1st | 1 | NA | NA | \$122.31 | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Facility Termination - Disconnect - Add'l | 1 | NA | NA | \$119.14 | NA | NA | NA | NA | NA | N |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | N |
| NRC -OC12 - Incremental Charge - Manual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Incremental Charge - Manual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | N |
| NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | N |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| The Control of the Control of Con | 0.1000 | Ψ0.00 | ψ.σ | ψ·2.σ· | ψ0.00 | ψ0.00 | ψυ.υυ | ψο.σσ | ψο.σσ | - 40 |
| OC-48 Local Loop | i | | | | | | | | | |
| per mile per month | 1L5ND | \$33.22 | \$36.67 | \$27.25 | \$166.59 | \$119.40 | \$166.59 | \$120.02 | \$47.57 | \$93 |
| facility termination per month | ILOIND | \$1.947 | \$1,699 | \$1,598.00 | \$2.129 | \$2.268 | \$1.753 | \$1,677 | \$1.733 | \$1. |
| OC-12 Interface on OC-48 Loop per month | | \$699.62 | \$592.09 | \$594.80 | \$725.77 | \$723.29 | \$667.00 | \$582.66 | \$773.40 | \$57 |
| NRC - Ordinarily Combined in GA (Note 5) | | ψ000.02 | Ψ002.00 | Ψ001.00 | Ψ120.11 | ψ1 Z0.Z0 | Ψ007.00 | Ψ002.00 | ψ// σ. 1σ | ΨΟ |
| NRC - OC48 - Facility Termination - 1st | | NA | NA | \$1,162.00 | NA | NA | NA | NA | NA | N |
| NRC - OC48 - Facility Termination - Add'l | | NA NA | NA NA | \$413.00 | NA NA | NA NA | NA NA | NA NA | NA NA | l N |
| NRC - OC48 - Facility Termination - Add 1 NRC - OC48 - Interface OC12 on OC48 - 1st | | NA NA | NA NA | \$539.36 | NA NA | NA NA | NA NA | NA NA | NA NA | IN N |
| NRC - OC48 - Interface OC12 on OC48 - 1st | | NA NA | NA NA | \$317.38 | NA NA | NA NA | NA NA | NA NA | NA NA | I N |
| NRC - OC48 - Interface OC12 on OC46 - Add1 NRC - OC48 - Facility Termination - Disconnect - 1st | | NA NA | NA NA | \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | I N |
| NRC - OC48 - Facility Termination - Disconnect - 1st NRC - OC48 - Facility Termination - Disconnect - Add'l | | NA NA | NA NA | \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | N |
| | | | NA NA | | | NA NA | NA NA | NA NA | NA NA | <u> </u> |
| NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st | | NA NA | | \$122.31 | NA NA | | | | NA NA | |
| NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add'l | SOMEC | NA NA | NA NA | \$119.14 | NA NA | NA NA | NA | NA NA | NA NA | N |
| NRC - Electronic Svc Order, per LSR | | NA | NA | \$3.50 | NA | NA | NA | | NA NA | N N |
| NIDO COMO Escillo Terrello Menuel Our Orden de El 11 1 1 1 1 1 | | | | | | | | | | |
| NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect | - SOMAN - SOMAN | NA NA | NA NA | \$37.55 \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | N |

| | by entry and control time of the control | | ı | 1 | T | ı | | ı | ı | ı | ı |
|---|--|----------------|----------|----------|---------------------|----------|----------|----------|----------|----------|----------|
| | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| $\sqcup \sqcup$ | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| $\sqcup \sqcup$ | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| $\sqcup \! \! \perp \! \! \! \! \! \perp$ | NRC - OC-48 - Incremental ChargeManual Svc Order-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| \Box | NRC - OC-48 - Incremental ChargeManual Svc Order-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| $\sqcup \sqcup \sqcup$ | NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Or | | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Or | NAMOS b | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'I | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $\perp \! \! \perp \! \! \! \! \! \perp$ | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $+\!+\!$ | | | | | | | | | | | |
| + | Local Channels: | | | | | | | | | | |
| \perp | Local Channel - Dedicated - 2-Wire VG | | | | | | | | | | |
| $oldsymbol{\perp}oldsymbol{\perp}$ | Monthly Recurring per month | ULDV2 | \$14.61 | \$29.33 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.83 | \$16.83 | \$19.02 |
| $\bot \bot \bot$ | Monthly Recurring per mile per month | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| $\perp \! \! \perp \! \! \! \perp$ | NRC - 2-wire VG Local Channel - 1st | ULDV2 | NA | NA | \$245.43 | NA | NA | NA | NA | NA | NA |
| $\perp \! \! \perp \! \! \! \perp$ | NRC - 2-wire VG Local Channel -Add'l | ULDV2 | NA | NA | \$33.90 | NA | NA | NA | NA | NA | NA |
| $\perp \perp \perp$ | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$33.63 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$27.49 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Disconnect - 1st | SOMAN | NA | NA | \$22.24 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Disconnect - Add'l | SOMAN | NA | NA | \$8.08 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire VG - Rev Bat. | | | | | | | | | | |
| | Monthly Recurring per month | ULDR2 | \$14.61 | \$26.31 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.82 | \$16.83 | \$19.02 |
| | Monthly Recurring per mile per month | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 2-wire VG Local Channel - 1st | ULDR2 | NA | NA | \$245.43 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-wire VG Local Channel -Add'l | ULDR2 | NA | NA | \$33.90 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$33.63 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$27.49 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Disconnect - 1st | SOMAN | NA | NA | \$22.24 | NA | NA | NA | NA | NA | NA |
| | NRC - 2-Wire VG - Incremental ChargeManual Svc Order - Disconnect - Add'l | SOMAN | NA | NA | \$8.08 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | 1 | | | | | | | 1 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| + | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add"l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| + | The 2.1 mile 55 mental of the original of the original of the original of the original of the original | 3,1000 | Ψ0.00 | Ψ10.77 | ψ12.01 | ψ0.00 | Ψ0.00 | Ψ0.00 | ψ0.00 | Ψ0.00 | ψ0.00 |
| 11 | Local Channel - Dedicated - 4-Wire VG | | | | | | | | | | |
| | Monthly Recurring per month | ULDV4 | \$15.77 | \$30.50 | \$14.99 | \$23.38 | \$16.21 | \$19.03 | \$15.87 | \$18.05 | \$20.14 |
| | | | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| II | | 11.5NC | | | | ψ0.00 | ψ0.00 | Ψ0.00 | ψ0.00 | ψ0.00 | ψυ.υυ |
| lacksquare | Monthly Recurring per mile per month | 1L5NC | \$0.00 | ψο.σσ | 40.00 | | | | | | |
| | Monthly Recurring per mile per month NRC - Ordinarily Combined in GA (Note 5) | | | * | • | NΔ | NΔ | NΔ | NΔ | NΔ | NΔ |
| | Monthly Recurring per mile per month NRC - Ordinarily Combined in GA (Note 5) NRC-4-wire VG Local Channel - 1st | ULDV4 | NA | NA | \$245.43 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | Monthly Recurring per mile per month NRC - Ordinarily Combined in GA (Note 5) NRC-4-wire VG Local Channel - 1st NRC-4-wire VG Local Channel - Add'l | ULDV4 ULDV4 | NA NA | NA NA | \$245.43 \$33.90 | NA | NA | NA | NA | NA | NA |
| | Monthly Recurring per mile per month NRC - Ordinarily Combined in GA (Note 5) NRC-4-wire VG Local Channel - 1st | ULDV4 | NA | NA | \$245.43 | | | | | | |

| | New EEL rates are the sum of the individual UNE network elements | | 1 | 1 | 1 | | | 1 | 1 | | |
|--------|---|----------|----------|----------|---------------------|----------|----------|---------------------|---------------|----------------|---------------------|
| | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| | | 001441 | NI A | NIA | COO.O.4 | NIA | NIA | NI A | NIA. | NIA | NIA. |
| _ | NRC - 4-Wire VG Local Channel - Incremental ChargeManual Svc Order - Disconn | SOMAN | NA | NA | \$22.24 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-Wire VG Local Channel - Incremental ChargeManual Svc Order - Disconn | SOMAN | NA | NA | \$8.08 | NA | NA | NA | NA | NA | NA |
| 4 | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | 4 | | | |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| - | Local Channel - Dedicated - DS1 | | | | | | | | | | |
| \top | DS1 Monthly Recurring per month | ULDF1 | \$35.52 | \$43.53 | \$38.36 | \$43.80 | \$43.80 | \$38.91 | \$35.68 | \$37.20 | \$40.27 |
| + | Monthly Recurring per mile per month | 1L5NC | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| + | NRC - Ordinarily Combined in GA (Note 5) | ILJING | ψ0.00 | Ψ0.00 | Ψ0.00 | ψ0.00 | ψ0.00 | ψ0.00 | Ψ0.00 | ψ0.00 | Ψ0.00 |
| + | , , | LII DE4 | NIA | NIA | £400.00 | NIA | NIA | NIA | NIA | NIA | NIA |
| + | NRC - DS1 Local Channel - 1st | ULDF1 | NA | NA | \$166.88 | NA | NA | NA | NA | NA | NA |
| - | NRC - DS1 Local Channel - Add'l | ULDF1 | NA | NA | \$84.14 | NA | NA | NA | NA | NA | NA |
| ╀- | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| 1 | NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$65.60 | NA | NA | NA | NA | NA | NA |
| L | NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$33.53 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Disconnect - 1 | SOMAN | NA | NA | \$35.76 | NA | NA | NA | NA | NA | NA |
| | NRC - DS1 Local Channel - Incremental ChargeManual Svc Order - Disconnec - Ac | SOMAN | NA | NA | \$14.05 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | * | | | | • | * | | | |
| | Local Channel - Dedicated - DS3 | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| | DS3 Local Channel - per mile per month | 1L5NC | \$8.44 | \$9.32 | \$6.92 | \$34.00 | \$30.34 | NA | NA | \$12.08 | \$23.76 |
| | DS3 Local Channel - Facility Termination per month | ULDF3 | \$535.92 | \$556.27 | \$515.91 | \$635.09 | \$669.01 | \$533.33 | \$498.87 | \$493.31 | \$607.28 |
| | NRC - Ordinarily Combined in GA (Note 5) | OLDI 3 | ψ000.02 | ψ550.21 | ψ010.01 | Ψ000.00 | Ψ000.01 | ψ000.00 | ψ+30.07 | Ψ+30.01 | ψ007.20 |
| | NRC - DS3 Local Channel Facility Termination - 1st | ULDF3 | NA | NA | \$639.50 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Local Channel - Facility Termination - Add'l | ULDF3 | NA NA | NA NA | \$426.40 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | | | | | | | | | | | |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Disconnect - 1 | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Local Channel - Incremental ChargeManual Svc Order - Disconnec - Ac | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$71.04 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$39.60 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | Level Observed Dedicated OTO 4 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 | 41.51.6 | 00.44 | 00.00 | 00.00 | 00400 | 00.77 | 000.00 | | # 40.00 | 005 11 |
| | STS-1 Local Channel - per mile per month | 1L5NC | \$8.44 | \$9.32 | \$6.92 | \$34.00 | \$8.77 | \$38.98 | NA 0510.00 | \$12.08 | \$25.11 |
| | STS-1 Local Channel - Facility Termination per month | ULDFS | \$525.40 | \$569.67 | \$517.56 | \$635.09 | \$558.00 | \$531.39 | \$512.00 | \$481.14 | \$615.6 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - STS-1 Local Channel Facility Termination - 1st | ULDFS | NA | NA | \$761.81 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Facility Termination - Add'l | ULDFS | NA | NA | \$545.54 | NA | NA | NA | NA | NA | NA |
| _ | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - Disconnect - | SOMAN | NA | NA | \$18.03 | NA NA | NA NA | NA | NA | NA NA | NA |
| Т | NRC - STS-1 Local Channel - Incremental ChargeManual Svc Order - Disconnec - | SOMAN | NA | NA | \$18.03 | NA NA | NA NA | NA | NA NA | NA NA | NA |
| Н | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | JOINT II | 14/1 | 14/3 | ψ10.00 | 14/1 | 14/1 | 14/1 | 14/1 | 14/1 | 13/3 |
| H | NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| 1 | INTO-010-1 COMBINATION - SWIGH AS IS CONVERSION CHAIGE - ISL | UNCCC | φυ4.υυ | φ32.13 | φυσ. 4 3 | φ04.09 | φυ4.23 | φυ 4 .υθ | φ54.00 | φ04.Z0 | φυ 4 .13 |

| New EEL rates are the sum of the individic (interoffice transport and loop [channelize] NRC-STS-1 COMBINATION - "Switch As Is" NRC-STS-1 COMBINATION - "Switch As Is" NRC-STS-1 COMBINATION - "Switch As Is" NRC-STS-1 COMBINATION - "Switch As Is" Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Termination NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Incremental Charge-Manual Structure NRC - OC3 - Incremental Charge-Manual Structure NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental | ization if applicable]. s" Conversion Charge - Add'l ls" Conversion Charge - Disconnect - 1st | UNCCC UNCCC UNCCC | \$32.11 \$0.00 \$0.00 | \$32.75 \$16.77 | \$26.99 \$12.61 | \$32.16 \$0.00 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | 000.47 |
|--|---|-------------------------|-----------------------------|--------------------|------------------------|-------------------|----------|---------------------------------------|-----------|----------|----------|
| NRC-STS-1 COMBINATION - "Switch As Is" NRC- STS-1 COMBINATION - "Switch As Is' NRC- STS-1 COMBINATION - "Switch As Is' Local Channel - OC3 Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Terminatio NRC - Ordinarily Combined in GA (Note 5' NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | s" Conversion Charge - Add'l Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | | | | \$32.16 | \$32 10 | \$32.25 | 000.47 |
| NRC- STS-1 COMBINATION - "Switch As Is" NRC- STS-1 COMBINATION - "Switch As Is" Local Channel - OC3 Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Termination NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Incremental ChargeManual St NRC - OC3 - Incremental ChargeManual St NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Facility Termination - Add'l NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconnental Cost - Manual Svc. NRC - OC12 - Facility Termination - Disconnental Cost - Manual Svc. NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. | Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | | | | \$32.16 | I \$32.10 | \$32.25 | |
| NRC- STS-1 COMBINATION - "Switch As Is" Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Termination NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental Cost - Manual Svc NRC - OC3 - Incremental Cost - Manual Svc NRC - OC3 - Incremental Cost - Wanual Svc NRC - OC3 - Incremental Cost - Wanual Svc NRC - OC3 - Incremental Cost - Wanual Svc NRC - OC3 - Incremental Cost - Wanual Svc NRC - OC3 - COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminati NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Facility Termination - Disconner NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc | | | | | \$12.61 | | | | | | \$32.17 |
| Local Channel - OC3 Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Terminatic NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Incremental ChargeManual Sv. NRC - OC3 - Incremental ChargeManual Sv. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC-OC3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminati NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Facility Termination - Disconnentic NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | Is" Conversion Charge - Disconnect - Add | UNCCC | \$0.00 | | 040.04 | | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Terminatic NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Incremental Charge - Manual Sv. NRC - OC3 - Incremental Charge - Manual Sv. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Facility Terminati NRC - OC12 - Facility Termination - Add'I NRC - OC12 - Facility Termination - Disconneed NRC - OC12 - Facility Termination - Disconneed NRC - OC12 - Facility Termination - Disconneed NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | | | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Local Channel - OC3 - per Mile Local Channel - OC3 - per Facility Terminatic NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Incremental Charge - Manual Sv. NRC - OC3 - Incremental Charge - Manual Sv. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Facility Terminati NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - Add'I NRC - OC12 - Facility Termination - Disconnental Cost - Manual Svc. NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. NRC - OC12 - Incremental Cost - Manual Svc. | | | | | | | | | | | |
| Local Channel - OC3 - per Facility Termination NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Incremental ChargeManual Sy NRC - OC3 - Incremental ChargeManual Sy NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - Incremental Cost - Manual Syc NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Termination NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc NRC - OC12 - Incremental Cost-Manual Syc | | 1L5NC | \$8.23 | \$7.83 | \$6.75 | \$33.15 | \$29.58 | \$41.27 | \$24.69 | \$11.78 | \$23.16 |
| NRC - Ordinarily Combined in GA (Note 5) NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Add'l NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Facility Termination - Disconnee NRC - OC3 - Incremental ChargeManual Sv. NRC - OC3 - Incremental ChargeManual Sv. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Sv. NRC - OC3 - Incremental Cost - Manual Sv. NRC - OC3 - Incremental Cost - Manual Sv. NRC - OC3 - Incremental Cost - Manual Sv. NRC - OC3 - Incremental Cost - Manual Sv. NRC - OC3 - Incremental Cost - Manual Sv. NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminati NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconneed NRC - OC12 - Facility Termination - Disconneed NRC - OC12 - Facility Termination - Disconneed NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | tion | TBA | \$691.33 | \$940.35 | \$630.21 | \$713.29 | \$753.65 | \$689.68 | \$611.36 | \$701.71 | \$620.20 |
| NRC - OC3 - Facility Termination - 1st NRC - OC3 - Facility Termination - Add'I NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - Electronic Svc Order, per LSR NRC - OC3 - Incremental ChargeManual Sv. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconn- NRC - OC12 - Facility Termination - Disconn- NRC - OC12 - Facility Termination - Disconn- NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | IDA | φ091.33 | φ940.33 | \$030.21 | φ/13.29 | φ/33.03 | φ009.00 | \$011.30 | \$701.71 | \$020.20 |
| NRC - OC3 - Facility Termination - Add'I NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Incality Termination - Disconner NRC - OC3 - Incremental ChargeManual Stance - OC3 - Incremental ChargeManual Stance - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 - COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Termination NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - Add'I NRC - OC12 - Facility Termination - Disconnental Cost - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | <u> </u> | TBA | NA | NA | \$947.69 | NA | NA | NA | NA | NA | NA |
| NRC - OC3 - Facility Termination - Disconner NRC - OC3 - Facility Termination - Disconner NRC - Electronic Svc Order, per LSR NRC - OC3 - Incremental ChargeManual S' NRC - OC3 - Incremental ChargeManual S' NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminati NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | TBA | NA. | NA NA | \$413.00 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - OC3 - Facility Termination - Disconnee NRC - Electronic Svc Order, per LSR NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" NRC - OC3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | nect - 1st | TBA | NA. | NA NA | \$122.31 | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| NRC - Electronic Svc Order, per LSR NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental ChargeManual Sv NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC-All Existing Combination "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconning NRC - OC12 - Facility Termination - Disconning NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | TBA | NA | NA | \$119.14 | NA | NA | NA | NA NA | NA | NA |
| NRC - OC3 - Incremental ChargeManual SinRC - OC3 - Incremental ChargeManual SinRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC - OC3 - Incremental Cost - Manual Svc. NRC-All Existing Combination "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - OC-3 COMBINATION - "Switch As Is" NRC - Ordinarily Combined in GA (Note 5) NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - Add'I NRC - OC12 - Facility Termination - Disconning NRC - OC12 - Facility Termination - Disconning NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NR | | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| NRC - OC3 -Incremental Cost - Manual Svc. NRC - OC3 -Incremental Cost - Manual Svc. NRC - OC3 -Incremental Cost - Manual Svc. NRC-AII Existing Combination "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconnental NRC - OC12 - Facility Termination - Disconnental NRC - OC12 - Facility Termination - Disconnental NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| NRC - OC3 -Incremental Cost - Manual Svc. NRC-All Existing Combination "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconnent NRC - OC12 - Facility Termination - Disconnent NRC - OC12 - Facility Termination - Disconnent NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| NRC-All Existing Combination "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" (NRC-OC-3 COMBINATION - "Switch As Is" (NRC-OC-3 COMBINATION - "Switch As Is" (NRC- OC-3 COMBINATION - "Switch As Is" (NRC- OC-3 COMBINATION - "Switch As Is" (NRC- OC-3 COMBINATION - "Switch As Is" (Local Channel - OC12 - per Mile (Local Channel - OC12 - per Mile (Local Channel - OC12 - per Eacility Termination NRC - Ordinarily Combined in GA (Note 5) (NRC - OC12 - Facility Termination - 1st (NRC - OC12 - Facility Termination - Add'l (NRC - OC12 - Facility Termination - Disconnic (NRC - OC12 - Facility Termination - Disconnic (NRC - OC12 - Incremental Charge - Manual (NRC - OC12 - Incremental Charge - Manual (NRC - OC12 - Incremental Cost-Manual Svc (| c. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| NRC-OC-3 COMBINATION - "Switch As Is" (NRC-OC-3 COMBINATION - "Switch As Is" (NRC-OC-3 COMBINATION - "Switch As Is" (NRC- OC-3 COMBINATION - "Switch As Is" (NRC- OC-3 COMBINATION - "Switch As Is" (NRC- OC-3 COMBINATION - "Switch As Is" (Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Termination - NRC - Ordinarily Combined in GA (Note 5) (NRC - Ordinarily Combined in GA (Note 5) (NRC - OC12 - Facility Termination - Add'l (NRC - OC12 - Facility Termination - Disconnic NRC - OC12 - Facility Termination - Disconnic NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. (NRC - OC1 | | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| NRC-OC-3 COMBINATION - "Switch As Is" (NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" NRC-OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Termination NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | <u> </u> | | | | | <u> </u> | · · · · · · · · · · · · · · · · · · · | | | |
| NRC- OC-3 COMBINATION - "Switch As Is" NRC- OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| NRC- OC-3 COMBINATION - "Switch As Is" Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| Local Channel - OC12 Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - OSCONIC - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | 3" Conversion Charge - Disconnect - Add' | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Local Channel - OC12 - per Mile Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - OSCONIC - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | | | | | 101 | | | | | |
| Local Channel - OC12 - per Facility Terminat NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Facility Termination - Disconnel NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| NRC - Ordinarily Combined in GA (Note 5) NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconned NRC - OC12 - Facility Termination - Disconned NRC - OC12 - Facility Termination - Disconned NRC - Electronic Svc Order, per LSR NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incrementa | | 1L5NC | \$10.13 | \$11.18 | \$8.31 | \$40.80 | \$36.40 | \$50.79 | \$30.38 | \$14.50 | \$28.51 |
| NRC - OC12 - Facility Termination - 1st NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconning of the properties of the pr | | TBA | \$2,557 | \$2,753 | \$2,109.00 | \$2,457 | \$2,571 | \$2,371 | \$2,122 | \$2,663 | \$2,079 |
| NRC - OC12 - Facility Termination - Add'l NRC - OC12 - Facility Termination - Disconning of the property of th | 5) | TBA | NA | NA | \$1.162.00 | NA | NA | NA | NA | NA | NA |
| NRC - OC12 - Facility Termination - Disconne NRC - OC12 - Facility Termination - Disconne NRC - Electronic Svc Order, per LSR NRC - OC12 - Incremental Charge - Manual S NRC - OC12 - Incremental Charge - Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - OMBINATION - "Switch As Is" | | TBA | NA NA | NA NA | \$413.00 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - OC12 - Facility Termination - Disconne NRC - Electronic Svc Order, per LSR NRC - OC12 - Incremental Charge - Manual S NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC-All Existing Combination "Switch As Is" | noct 1ct | TBA | NA NA | NA NA | \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Electronic Svc Order, per LSR NRC - OC12 - Incremental Charge - Manual Svc NRC - OC12 - Incremental Charge - Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC-All Existing Combination "Switch As Is" NRC-OC-12 COMBINATION - "Switch As Is" | | TBA | NA NA | NA NA | \$119.14 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC -OC12 - Incremental Charge - Manual S NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc NRC - OC12 - Incremental Cost-Manual Svc NRC-All Existing Combination "Switch As Is" | meet - Add i | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - OC12 - Incremental Charge - Manual NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC-All Existing Combination "Switch As Is" NRC-OC-12 COMBINATION - "Switch As Is" | Svc Order - 1st | SOMAN | NA. | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - OC12 - Incremental Cost-Manual Svc. NRC - OC12 - Incremental Cost-Manual Svc. NRC-All Existing Combination "Switch As Is" NRC-OC-12 COMBINATION - "Switch As Is" | | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - OC12 - Incremental Cost-Manual Svc NRC-All Existing Combination "Switch As Is" NRC-OC-12 COMBINATION - "Switch As Is" | | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA NA | NA | NA NA |
| NRC-All Existing Combination "Switch As Is" NRC-OC-12 COMBINATION - "Switch As Is" | | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| NRC-OC-12 COMBINATION - "Switch As Is" | | | | | | | | | | | |
| | | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| NRC-OC-12 COMBINATION - "Switch As Is" | s" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| NRC- OC-12 COMBINATION - "Switch As Is | | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC- OC-12 COMBINATION - "Switch As Is | Is" Conversion Charge - Disconnect - Add | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | <u> </u> | <u> </u> | | | | | | |
| Local Channel - OC48 | | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| Local Channel - OC48 - per Mile | | 1L5NC | \$33.22 | \$36.67 | \$27.25 | \$133.84 | \$119.40 | \$166.59 | \$120.02 | \$47.57 | \$93.50 |
| Local Channel - OC48 - per Facility Terminat | | TBA | \$1,713 | \$1,944 | \$1,598.00 | \$2,129 | \$2,268 | \$1,753 | \$1,677 | \$1,733 | \$1,832 |
| Local Channel - OC12 interface on OC48 Fa | | TBA | \$736.71 | \$586.28 | \$594.80 | \$725.77 | \$723.29 | \$667.00 | \$582.66 | \$773.40 | \$570.54 |
| NRC - Ordinarily Combined in GA (Note 5) | | TD A | N. A. | NIA | £4.400.60 | NIA. | NIA. | NIA | NIA | NIA. | NIA |
| NRC - OC48 - Facility Termination - 1st NRC - OC48 - Facility Termination - Add'l | ٧) | TBA | NA NA | NA NA | \$1,162.00 \$413.00 | NA | NA | NA NA | NA NA | NA NA | NA NA |
| | <i>J</i> | TDA | | INA | | NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - OC48 - Interface OC12 on OC48 - 1st NRC - OC48 - Interface OC12 on OC48 - Ad | , | TBA | | N I A | | | | INA | ı INA | INA | INA |
| NRC - OC48 - Interface OC12 on OC48 - Ad | 1st | TBA | NA | NA NA | \$539.36 \$217.29 | NA NA | | NΙΛ | | NIA | VIV. |
| NRC - OC46 - Facility Termination - Disconne | 1st Add'l | TBA TBA | NA NA | NA | \$317.38 | NA | NA | NA NA | NA | NA NA | NA NA |
| NRC - OC46 - Facility Termination - Discorni | 1st Add'l nnect - 1st | TBA TBA TBA | NA NA NA | NA NA | \$317.38 \$122.31 | NA NA | NA NA | NA | NA NA | NA | NA |
| NRC - OC48 - Interface OC12 on OC48 - Dis | 1st Add'l Inect - 1st Inect - Add'l | TBA TBA | NA NA | NA | \$317.38 | NA | NA | | NA | | |

| No | EEL rates are the sum of the individual UNE network elements | | ı | I | I | T | ı | 1 | I | I | |
|----------------|---|----------------|----------------|----------|-------------------|----------|--------------|----------|----------|---|-------------|
| | | | | | | | | | | | |
| | eroffice transport and loop [channelization if applicable]. | SOMEC | NA | NA | \$3.50 | NA | NA | NIA. | NA | NA | NA |
| | C - Electronic Svc Order, per LSR C - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-1st | SOMAN | NA NA | NA NA | \$3.50 \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | C - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | C - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | | | | NA NA | | NA NA | NA NA | | NA NA | NA NA | NA NA |
| | C - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'l | SOMAN | NA NA | | \$18.03 | | NA NA | NA | | NA NA | NA NA |
| | C - OC-48 - Incremental ChargeManual Svc Order-1st | SOMAN SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | C - OC-48 - Incremental ChargeManual Svc Order-Add'l | | | | \$37.55 | | | | | | NA NA |
| | C - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Order-1s | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| | C - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Order-Ad | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | C-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | 1111000 | # 54.00 | 000.75 | 0 50.40 | 05400 | 05400 | 05400 | 05400 | #54.00 | AF44 |
| | C-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | C-OC-48 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | C- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC | C- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| Intor | roffice Channels: | | | | | | | | | | |
| | roffice Channel - Dedicated - 2-wire VG | | | | | | | | | | |
| | eroffice Channel - Dedicated 2-wire VG - per mile per month | 1L5XX | \$0.0339 | \$0.0100 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.017 |
| | eroffice Channel - Dedicated 2-wire VG - per mile per month eroffice Channel - Dedicated 2-wire VG - Facility Termination per month | U1TV2 | \$18.49 | \$26.72 | \$17.07 | \$27.66 | \$19.10 | \$21.33 | \$18.01 | \$21.42 | \$18.3 |
| | C - Ordinarily Combined in GA (Note 5) | UTIVZ | \$10.49 | \$20.72 | \$17.07 | φ21.00 | \$19.10 | Ψ21.33 | \$10.01 | ΦΖ1.42 | φ10.3 |
| | C - 2-wire VG Interoffice Channel - Facility Termination - 1st | U1TV2 | NA | NA | \$79.61 | NA | NA | NA | NA | NA | NA |
| | C - 2-wire VG Interoffice Channel - Facility Termination - 1st | U1TV2 | NA NA | NA NA | \$36.08 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | C - Electronic Svc Order, per LSR | | | NA NA | | | | | NA NA | NA NA | |
| | C - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA NA | | \$18.94 | NA NA | NA NA | NA | | | NA |
| | C - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - Add | SOMAN | NA NA | NA | \$18.94 | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| | C - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - Disc | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - 2-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - Disc | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | 1111000 | # 54.00 | 000.75 | 0 50.40 | 05400 | 05400 | 05400 | 05400 | #54.00 | 0544 |
| | -2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.1 |
| | -2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.1 |
| | - 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| NRC- | - 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| lester | roffice Channel - Dedicated - 4-wire VG | | | | | - | | | | | |
| | | 41.5777 | | 00.0400 | | | | | | | |
| | eroffice Channel - Dedicated 4-wire VG - per mile per month | 1L5XX | NA | \$0.0100 | NA | NA | NA | NA | NA | NA | NA |
| | eroffice Channel - Dedicated 4-wire VG - Facility Termination per month | U1TV4 | NA | \$23.82 | NA | NA | NA | NA | NA | NA | NA |
| | C - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | C - 4-wire VG Interoffice Channel - Facility Termination - 1st | U1TV4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - 4-wire VG Interoffice Channel - Facility Termination - Add'l | U1TV4 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - Electronic Svc Order, per LSR | SOMEC | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - Add | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - Disc | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C - 4-wire VG Interoffice Channel - Incremental ChargeManual Svc Order - Disc | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | C-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | -2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.1 |
| | -2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.1 |
| | - 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.0 |
| NRC- | - 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.0 |
| | matting Observat Dadisactad DOO FOU | | | | | - | | | | | |
| | eroffice Channel - Dedicated - DS0 - 56kbps | | ***** | | ***** | | ***** | | | *************************************** | A- - |
| | eroffice Channel - Dedicated - DS0 - 56kbps - per mile per month | 1L5XX | \$0.0339 | \$0.0100 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.173 |
| | eroffice Channel - Dedicated - DS0 - 56 kbps - Facility Termination per month | U1TD5 | \$17.81 | \$19.46 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.7 |
| | C - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| 1 1100 | C - 4-wire 56kbps Interoffice Channel - Facility Termination - 1st | U1TD5 | NA | NA | \$79.61 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

| $\overline{}$ | Now FEL value are the grow of the individual UNE naturally elements | | l | I | | I | | | I | I | I |
|---------------------|--|---------|---------------|----------|--------------|----------------|---------------|----------------|----------|----------------|--------------|
| | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| +++ | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| \square | NRC - 4-wire 56 kbps Interoffice Channel - Facility Termination - Add'l | U1TD5 | NA | NA | \$36.08 | NA | NA | NA | NA | NA | NA |
| ++ | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| +++ | NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| $\perp \perp \perp$ | NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 56 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add" | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS0 - 64kbps | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS0 - 64kbps - per mile per month | 1L5XX | \$0.0339 | \$0.0100 | \$0.0222 | \$0.0301 | \$0.0384 | \$0.0323 | \$0.0282 | \$0.0373 | \$0.1730 |
| | Interoffice Channel - Dedicated - DS0 - 64 kbps - Facility Termination per month | U1TD6 | \$17.81 | \$19.46 | \$16.45 | \$26.95 | \$18.37 | \$20.64 | \$17.40 | \$20.71 | \$17.74 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - 4-wire 64kbps Interoffice Channel - Facility Termination - 1st | U1TD6 | NA | NA | \$79.61 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Facility Termination - Add'l | U1TD6 | NA | NA | \$36.08 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | \$18.94 | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - 4-wire 64 kbps Interoffice Channel - Incremental ChargeManual Svc Order - | SOMAN | NA | NA NA | NA | NA | NA | NA | NA. | NA. | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| +++ | NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| ++ | NRC- 2/4-WIRE COMBINATION - Switch As Is Conversion Charge - Disconnect - 1st NRC- 2/4-WIRE COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| ++ | INRC- 2/4-WIRE COMBINATION - Switch As is Conversion Charge - Disconnect - Addi | UNCCC | \$0.00 | \$10.77 | \$12.01 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| +++ | Interoffice Channel - Dedicated - DS1 | | | | | | | | | | |
| | Interoffice Channel - Dedicated - DS1 - per mile per month | 1L5XX | \$0.6920 | \$0.6013 | \$0.4523 | \$0.4500 | \$0.7831 | \$0.6598 | \$0.0783 | \$0.7598 | \$0.3525 |
| +++ | Interoffice Channel - Dedicated - DS1 - Facility Termination per month | U1TF1 | \$79.69 | \$99.79 | \$78.47 | \$55.05 | \$93.40 | \$74.40 | \$71.29 | \$94.98 | \$75.83 |
| +++ | NRC - Ordinarily Combined in GA (Note 5) | UTIFI | \$19.09 | φ99.19 | \$10.41 | \$55.05 | φ93.40 | φ14.4U | \$11.29 | φ94.90 | \$15.65 |
| ++ | NRC - DS1 Interoffice Channel - Facility Termination - 1st | U1TF1 | NA | NA | \$169.57 | NA | NA | NA | NA | NA | NA |
| ++ | NRC - DS1 Interoffice Channel - Facility Termination - 1st | U1TF1 | NA NA | NA NA | \$109.57 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - DST Interoffice Channer - Facility Termination - Add t | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | | | | | \$23.98 | | | | NA NA | NA NA | NA NA |
| +++ | NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA NA | | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| +++ | NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | | \$17.77 | | | NA | | | |
| ++ | NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - Disconnection | SOMAN | NA | NA | \$15.13 | NA | NA | NA | NA | NA | NA |
| +++ | NRC - DS1 Interoffice Channel - Incremental ChargeManual Svc Order - Disconnect | SOMAN | NA | NA | \$7.02 | NA | NA | NA | NA | NA | NA |
| HH | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | 1111000 | 05/00 | 000 == | 050 10 | 05122 | 054.55 | A = (| 05/00 | 05/00 | 05/.15 |
| HH | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| HH | NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| ++ | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| ++ | NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| ++ | Interesting Channel Dedicated DC2 | | | | | | | | | | |
| ++ | Interoffice Channel - Dedicated - DS3 - per mile per month | 41.5327 | # 4.00 | 04.05 | #0.10 | # 40.00 | #40.15 | # 40.40 | 040.00 | # 46.44 | #0.00 |
| ++ | Interoffice Channel - Dedicated - DS3 - per mile per month | 1L5XX | \$4.98 | \$4.25 | \$6.46 | \$12.06 | \$16.15 | \$13.48 | \$12.98 | \$19.14 | \$6.88 |
| ++ | Interoffice Channel - Dedicated - DS3 - Facility Termination per month | U1TF3 | \$898.15 | \$1,130 | \$717.60 | \$1,112.02 | \$1,131.09 | \$686.84 | \$720.38 | \$904.49 | \$840.61 |
| \coprod | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| \coprod | NRC - DS3 Interoffice Channel - Facility Termination - 1st | U1TF3 | NA | NA | \$578.97 | NA | NA | NA | NA | NA | NA |
| \coprod | NRC - DS3 Interoffice Channel - Facility Termination - Add'l | U1TF3 | NA | NA | \$312.17 | NA | NA | NA | NA | NA | NA |
| Ш | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| 1 1 1 | NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$51.27 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$38.87 | NA | NA | NA | NA | NA | NA |

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

| | [1 | | | T | 1 | | | ı | 1 | | |
|---|--|--------------|----------|----------|------------|----------|----------|------------|------------|----------|----------|
| | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| | (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | |
| $\perp \perp \perp$ | NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - Disconnec | SOMAN | NA | NA | \$30.42 | NA | NA | NA | NA | NA | NA |
| $\perp \perp \perp$ | NRC - DS3 Interoffice Channel - Incremental ChargeManual Svc Order - Disconnec | SOMAN | NA | NA | \$18.76 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- DS3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Interoffice Channel - Dedicated - STS-1 | | | | | | | | | | |
| ш | Interoffice Channel - Dedicated - STS-1 - per mile per month | 1L5XX | \$4.98 | \$9.32 | \$2.72 | \$12.62 | \$14.04 | \$15.02 | \$12.98 | \$8.13 | \$5.89 |
| | Interoffice Channel - Dedicated - STS-1 - Facility Termination per month | U1TFS | \$898.15 | \$569.67 | \$788.00 | \$1,204 | \$1,101 | \$744.38 | \$720.38 | \$967.70 | \$760.20 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - STS-1 Interoffice Channel - Facility Termination - 1st | U1TFS | NA | NA | \$587.08 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Facility Termination - Add'l | U1TFS | NA | NA | \$238.28 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| \coprod | NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$61.19 | NA | NA | NA | NA | NA | NA |
| \Box | NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$61.19 | NA | NA | NA | NA | NA | NA |
| \Box | NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order - Disconn | SOMAN | NA | NA | \$3.17 | NA | NA | NA | NA | NA | NA |
| | NRC - STS-1 Interoffice Channel - Incremental ChargeManual Svc Order - Disconn | SOMAN | NA | NA | \$3.17 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Interoffice Channel - OC3 | | | | | | | | | | |
| | Interoffice Channel - OC3 - per Mile | 1L5XX | \$7.35 | \$8.38 | \$4.37 | \$27.97 | \$23.89 | \$18.35 | \$14.10 | \$9.75 | \$13.45 |
| | Interoffice Channel - OC3 - per Facility Termination | TBA | \$2,475 | \$3,043 | \$2,187.00 | \$3,390 | \$2,990 | \$1,892.00 | \$2,071 | \$2,802 | \$2,124 |
| | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| | NRC - OC3 - Facility Termination - 1st | TBA | NA | NA | \$947.69 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Add'l | TBA | NA | NA | \$413.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | NA | NA | NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$37.55 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC - OC3 -Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | , i | | | | | | | | | |
| | NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| Ш | NRC-OC-3 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| \Box | NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $\sqcup \! \! \perp \! \! \! \! \! \perp$ | NRC- OC-3 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add" | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $\sqcup \! \! \perp \! \! \! \! \! \perp$ | | | | | | | | | | | |
| $\sqcup \! \! \perp \! \! \! \! \! \perp$ | Interoffice Channel - OC12 | | | | | | | | | | |
| Ш | Interoffice Channel - OC12 - per Mile | 1L5XX | \$19.26 | \$26.91 | \$15.05 | \$84.88 | \$74.44 | \$60.42 | \$30.38 | \$32.52 | \$49.80 |
| Ш | Interoffice Channel - OC12 - per Facility Termination | TBA | \$9,763 | \$11,685 | \$8,202.00 | \$12,344 | \$11,517 | \$7,182.00 | \$7,676.00 | \$11,132 | \$8,015 |
| Ш | NRC - Ordinarily Combined in GA (Note 5) | | | | | | | | | | |
| Ш | NRC - OC12 - Facility Termination - 1st | TBA | NA | NA | \$1,034.00 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Add'l | TBA | NA | NA | \$317.38 | NA | NA | NA | NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - 1st | TBA | NA | NA | \$122.31 | NA | NA | NA | NA | NA | NA |
| 世 | INIC - OC 12 - I acility Termination - Disconnect - 13t | | | | 0.110.11 | NA | NIA | NIA. | NA | NIA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - Add'l | TBA | NA | NA | \$119.14 | NA | NA | NA | INA | NA | INA |
| | NRC - OC12 - Facility Termination - Disconnect - Add'l NRC - Electronic Svc Order, per LSR | TBA SOMEC | NA | NA | \$3.50 | NA NA | NA | NA NA | NA NA | NA | NA |
| | NRC - OC12 - Facility Termination - Disconnect - Add'l | | | | | | | | | | |

| | by entry of the transfer of th | | | 1 | 1 | | | ı | | | ı |
|---|--|------------|---------------------|----------|----------------------|-----------------|-----------------|-------------------|----------|---------------------|---------------------|
| | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| \vdash | (interoffice transport and loop [channelization if applicable]. | | | | 212.22 | | | | | | |
| $\vdash \vdash$ | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| $\vdash \vdash$ | NRC - OC12 - Incremental Cost-Manual Svc. Order vs. Elect-Disconnect-Add'l | SOMAN | NA | NA | \$18.03 | NA | NA | NA | NA | NA | NA |
| $\vdash \vdash$ | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | 4 |
| $\vdash \vdash$ | NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| +++ | NRC-OC-12 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| $\vdash \vdash$ | NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $\vdash \vdash \vdash$ | NRC- OC-12 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| $\vdash \vdash \vdash$ | hatana Kina Ohanna L. 0040 | | | | | | | | | | |
| $\vdash \vdash \vdash$ | Interoffice Channel - OC48 | 41.53/3/ | # 00.05 | 00400 | 005.70 | # 400.00 | 0 400 50 | 0.100.10 | * | A45.00 | # 400 FF |
| +++ | Interoffice Channel - OC48 - per Mile | 1L5XX | \$30.65 | \$34.66 | \$25.70 | \$138.02 | \$128.59 | \$102.43 | \$120.02 | \$45.92 | \$106.55 |
| +++ | Interoffice Channel - OC48 - per Facility Termination | TBA TBA | \$11,691 \$1.424 | \$12,554 | \$11,134.00 | \$16,017 | \$14,950 | \$11,480 | \$10,952 | \$967.58 \$1.561 | \$11,632 \$1,170 |
| ++ | Interoffice Channel - OC12 interface on OC48 Facility | IBA | \$1,424 | \$1,208 | \$1,137.00 | \$1,497 | \$1,451 | \$1,351.00 | \$582.66 | \$1,561 | \$1,170 |
| ++ | NRC - Ordinarily Combined in GA (Note 5) | TDA | NIA | NIA | #4.004.00 | NIA | NIA | NIA | NIA | NIA | NIA. |
| +++ | NRC - OC48 - Facility Termination - 1st | TBA TBA | NA NA | NA NA | \$1,034.00 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| +++ | NRC - OC48 - Facility Termination - Add'l | | | | \$317.38 | | | | | | |
| +++ | NRC - OC48 - Interface OC12 on OC48 - 1st | TBA | NA | NA NA | \$539.36 | NA | NA | NA NA | NA | NA | NA NA |
| ++ | NRC - OC48 - Interface OC12 on OC48 - Add'l NRC - OC48 - Facility Termination - Disconnect - 1st | TBA TBA | NA NA | NA NA | \$317.38 \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC48 - Facility Termination - Disconnect - 1st NRC - OC48 - Facility Termination - Disconnect - Add'l | TBA | NA NA | NA NA | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| +++ | NRC - OC48 - Facility Termination - Disconnect - Add 1 NRC - OC48- Interface OC12 on OC48 - Disconnect - 1st | TBA | NA NA | NA NA | \$119.14 \$122.31 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC48 - Interface OC12 on OC48 - Disconnect - 1st | TBA | NA NA | NA NA | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| +++ | NRC - OC48 - Interface OC12 on OC48 - Disconnect - Add 1 | SOMEC | NA NA | NA NA | \$37.55 \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| +++ | NRC - Electronic Svc Order, per LSR NRC - OC48 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-1st | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC46 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-Add' | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC46 - Facility Termination-Manual Svc Order vs Electronic-Disconnect-Add | SOMAN | NA NA | NA NA | \$37.55 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-1st NRC - OC48 - Interface - Manual Svc Order vs Electronic-Disconnect-Add'I | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC-48 - Incremental ChargeManual Svc Order-1st | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| \vdash | NRC - OC-46 - Incremental ChargeManual Svc Order-1st | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC-46 - Interface OC12 on OC48 - Incremental ChargeManual Svc Order-1s | SOMAN | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| ++ | NRC - OC48 - Interface OC12 on OC48 - Incremental ChargeManual Svc Order-1s | | NA NA | NA NA | \$18.03 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| \vdash | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | JOINAIN | INA | INA | \$10.03 | INA | INA | INA | INA | INA | INA |
| \vdash | NRC-OC-48 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| \vdash | NRC-OC-48 COMBINATION - Switch As Is Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| \vdash | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- OC-48 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | THE CO TO COMMINITATION CHILDRANG SOUNCESION CHARGE DISCONNECT AND | 011000 | Ψ0.00 | ψ10.77 | Ψ12.01 | ψ0.00 | ψ0.00 | ψ0.00 | Ψ0.00 | Ψ0.00 | Ψ0.00 |
| | Channelization: | | | | | | | | | | |
| | DS3 Channelization | | | | | | | | | | |
| H | DS3 Channelized System per month | MQ3 | \$225.36 | \$222.61 | \$182.04 | \$236.32 | \$245.84 | \$229.30 | \$226.81 | \$200.01 | \$222.98 |
| | DS3 Interface per month (DS1 COCI) | UC1D1 | \$17.22 | \$14.51 | \$11.02 | \$8.52 | \$7.55 | \$5.58 | \$4.61 | \$11.99 | \$3.91 |
| | NRC - Ordinarily Combined in GA (Note 5) | 00.5. | V | ψσ. | V | Ψ0.02 | ψσσ | ψο.σσ | ψσ. | ψσσ | ψο.σ. |
| +++ | NRC - DS3 Channelization - 1st | MQ3 | NA | NA | \$316.28 | NA | NA | NA | NA | NA | NA |
| $\Box \Box$ | NRC - DS3 Channelization - Add'l | MQ3 | NA. | NA NA | \$171.72 | NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| H | NRC - Channel Activation - 1st | UC1D1 | NA. | NA NA | \$12.02 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| H | NRC - Channel Activation - Addl | UC1D1 | NA NA | NA NA | \$8.66 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA NA | NA NA | \$3.50 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | NRC - DS3 Channelization - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA NA | \$50.72 | NA | NA | NA NA | NA | NA | NA NA |
| | NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$38.45 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Disconnect - 1 | SOMAN | NA | NA | \$30.09 | NA | NA | NA | NA | NA | NA |
| | NRC - DS3 Channelization - Incremental ChargeManual Svc Order - Disconnect - | SOMAN | NA NA | NA NA | \$18.56 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | Ţ.3.00 | - 24 \$ | | | | | .,,, |
| | | | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-DS3/STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | J32./3 | | | | | | | |
| | NRC-DS3/STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st NRC-DS3/STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | | \$32.75 | \$26.99 | \$32.16 | \$32.24 | | \$32.10 | \$32.25 | \$32.17 |
| | NRC-DS3/STS-1 COMBINATION - "Switch As Is" Conversion Charge - 1st NRC-DS3/STS-1 COMBINATION - "Switch As Is" Conversion Charge - Add'I NRC- DS3/STS-1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect | | \$32.11 \$0.00 | | | | | \$32.16 \$0.00 | | | \$32.17 \$0.00 |

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS

| New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
|--|---------------------------------------|--------------------|----------|----------|----------|--------------|----------|----------|----------|--|
| (interoffice transport and loop [channelization if applicable]. | | | | | | | | | | ├ |
| DS1 Channelization | | | | | | | | | | - |
| DS1 Channelized System per month | MQ1 | \$136.82 | \$154.74 | \$126.22 | \$200.01 | \$209.87 | \$146.87 | \$177.72 | \$147.51 | \$16 |
| OCU-DP(data) interface card per month (2.4-64kbs) | 1D1DD | \$1.66 | \$2.22 | \$1.86 | \$2.94 | \$3.12 | \$2.86 | \$2.88 | \$2.34 | \$2 |
| VG interface card per month | 1D1VG | \$0.8586 | \$1.46 | \$1.17 | \$1.40 | \$1.62 | \$1.45 | \$1.64 | \$1.47 | Ψ <u>2</u> \$1 |
| 2-wire ISDN(BRITE card) per month | UC1CA | \$3.41 | \$3.86 | \$3.71 | \$4.04 | \$4.18 | \$3.88 | \$3.76 | \$4.21 | \$3 |
| NRC - Ordinarily Combined in GA (Note 5) | UCTCA | φ3. 4 1 | φ3.00 | φ3./ Ι | φ4.U4 | Ф4.10 | φ3.00 | \$3.76 | Φ4.∠1 | Φ 3 |
| NRC - DS1 Channelization - 1st | MQ1 | NA | NA | \$206.09 | NA | NA | NA | NA | NA | N |
| NRC - DS1 Channelization - 1st | MQ1 | NA NA | NA NA | \$137.06 | NA NA | NA NA | NA NA | NA NA | NA NA | , I |
| NRC - Channel Activation VG - 1st | 1D1VG | NA NA | NA NA | \$137.06 | NA NA | NA NA | NA NA | NA NA | NA NA | I |
| | | NA NA | | | | NA NA | NA NA | | NA NA | |
| NRC - Channel Activation VG - Add'l | 1D1VG | | NA | \$8.66 | NA NA | | | NA NA | | <u> </u> |
| NRC - Channel Activation OCU-DP- 1st | 1D1DD | NA NA | NA NA | \$12.02 | NA NA | NA | NA | | NA NA | <u> </u> |
| NRC - Channel Activation OCU-DP- Add'l | 1D1DD | NA | NA | \$8.66 | NA | NA | NA | NA | NA | N |
| NRC - Channel Activation BRITE - 1st | UCICA | NA | NA | \$12.02 | NA | NA | NA | NA | NA | ١ |
| NRC - Channel Activation BRITE - Add'l | UCICA | NA | NA | \$8.66 | NA | NA | NA | NA | NA | N |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | \$3.50 | NA | NA | NA | NA | NA | <u> </u> |
| NRC - DS1 Channelization - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | \$14.75 | NA | NA | NA | NA | NA | ١ |
| NRC - DS1 Channelization - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | \$6.55 | NA | NA | NA | NA | NA | ١ |
| NRC - DS1 Channelization - Incremental ChargeManual Svc Order - Disconnect - 1 | SOMAN | NA | NA | \$10.70 | NA | NA | NA | NA | NA | ١ |
| NRC - DS1 Channelization - Incremental ChargeManual Svc Order - Disconnect - A | SOMAN | NA | NA | \$0.00 | NA | NA | NA | NA | NA | ١ |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| NRC-DS1 COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| NRC- DS1 COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| | | | | | | | | | | |
| Access to DCS - Customer Reconfiguration (FlexServ) | | | | | | | | | | |
| DS1 DSC Termination with DS0 Switching | | TBD | \$28.72 | \$22.86 | TBD | TBD | TBD | TBD | TBD | TI |
| DS1 DSC Termination with DS1 Switching | | TBD | \$12.23 | \$8.64 | TBD | TBD | TBD | TBD | TBD | Т |
| DS3 DSC Termination with DS1 Switching | | TBD | \$154.31 | \$151.85 | TBD | TBD | TBD | TBD | TBD | Т |
| NRC - Ordinarily Combined in GA: | | | | | | | | | | |
| NRC - Customer Configuration Establishment | | TBD | \$2.97 | \$2.91 | TBD | TBD | TBD | TBD | TBD | Т |
| NRC - Customer Configuration Establishment - Disconnect | | TBD | \$3.44 | \$3.36 | TBD | TBD | TBD | TBD | TBD | T |
| NRC- DS1 DSC Termination with DS0 Switching - 1st | | TBD | \$51.50 | \$32.07 | TBD | TBD | TBD | TBD | TBD | TI |
| NRC- DS1 DSC Termination with DS0 Switching - Add'l | | TBD | \$39.64 | \$31.49 | TBD | TBD | TBD | TBD | TBD | TI |
| NRC- DS1 DSC Termination with DS0 Switching - Disconnect - 1st | | TBD | \$31.06 | \$20.16 | TBD | TBD | TBD | TBD | TBD | T |
| NRC- DS1 DSC Termination with DS0 Switching - Disconnect - Add'l | | TBD | \$24.98 | \$20.16 | TBD | TBD | TBD | TBD | TBD | TI |
| NRC- DS1 DSC Termination with NRC- DS1 Switching - 1st | | TBD | \$37.23 | \$18.07 | TBD | TBD | TBD | TBD | TBD | TI |
| NRC- DS1 DSC Termination with NRC- DS1 Switching - Add'l | | TBD | \$25.36 | \$17.49 | TBD | TBD | TBD | TBD | TBD | TI |
| NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - 1st | | TBD | \$22.81 | \$12.10 | TBD | TBD | TBD | TBD | TBD | TI |
| NRC- DS1 DSC Termination with NRC- DS1 Switching - Disconnect - Add'l | | TBD | \$16.73 | \$12.10 | TBD | TBD | TBD | TBD | TBD | T |
| NRC- DS3 DSC Termination with DS1 Switching - 1st | · · · · · · · · · · · · · · · · · · · | TBD | \$51.50 | \$32.07 | TBD | TBD | TBD | TBD | TBD | Т |
| NRC- DS3 DSC Termination with DS1 Switching - Add'l | - | TBD | \$39.64 | \$31.49 | TBD | TBD | TBD | TBD | TBD | T |
| NRC- DS3 DSC Termination with DS1 Switching - Disconnect - 1st | | TBD | \$31.06 | \$20.16 | TBD | TBD | TBD | TBD | TBD | T |
| NRC- DS3 DSC Termination with DS1 Switching - Disconnect - Add'l | | TBD | \$24.98 | \$20.16 | TBD | TBD | TBD | TBD | TBD | T |
| NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | 1 |
| NRC-DCS COMBINATION - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54 |
| NRC-DCS COMBINATION - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32 |
| NRC- DCS COMBINATION - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| NRC- DCS COMBINATION - "Switch As Is" Conversion Charge - Disconnect - Add'I | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0 |
| The Design of the Control of Control of Charge Discontrol of Aut | 311000 | Ψ0.00 | ψ10.77 | Ψ12.01 | ψ0.00 | Ψ0.00 | Ψ0.00 | Ψ0.00 | Ψ0.00 | Ψ. |
| Node (Synchronet) | | 1 | | | | | | | | |
| Node per month | UNCNT | \$15.77 | \$16.35 | \$13.98 | \$18.11 | \$15.43 | \$16.15 | \$16.00 | \$14.55 | \$1 |
| NRC - Ordinarily Combined in GA: | 0.10111 | ψ.σ.,, | ψ.10.00 | ψ10.00 | ψ10.11 | ψ10.70 | ψ10.10 | ψ10.00 | ψ. τ.σσ | Ψ1 |
| into oraniany combined in ora | UNCNT | NA | | | NA | NA | NA | NA | NA | ١ |

| | Now FEL rates are the compatible individual LINE national claments | | | 1 | | ı | | I | 1 | ı | ı |
|-----|---|-----------------|-----------------|--------------|----------|----------|----------|----------|----------|----------|----------|
| | New EEL rates are the sum of the individual UNE network elements | | | | | | | | | | |
| | (interoffice transport and loop [channelization if applicable]. | | | | A | | | | | | |
| | NRC - Node - Add'l | UNCNT | NA | NA | \$4.47 | NA | NA | NA | NA | NA | NA |
| | NRC - Node - Disconnect - 1st | UNCNT | NA | NA | \$13.81 | NA | NA | NA | NA | NA | NA |
| | NR C - Node - Disconnect - Add'l | UNCNT | NA | NA | \$3.95 | NA | NA | NA | NA | NA | NA |
| | NRC - Node - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | \$21.73 | NA | NA | NA | NA | NA | NA |
| | NRC - Node - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC - Node - Incremental Charge - Manual Service Order - Disconnect -1st | SOMAN | NA | NA | \$3.87 | NA | NA | NA | NA | NA | NA |
| | NRC - Node - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | NRC-All Existing Combination "Switch As Is" Conversion Charge (Note 6) | | | | | | | | | | |
| | NRC-Node - "Switch As Is" Conversion Charge - 1st | UNCCC | \$54.03 | \$32.75 | \$58.43 | \$54.09 | \$54.23 | \$54.09 | \$54.00 | \$54.26 | \$54.13 |
| | NRC-Node - "Switch As Is" Conversion Charge - Add'l | UNCCC | \$32.11 | \$32.75 | \$26.99 | \$32.16 | \$32.24 | \$32.16 | \$32.10 | \$32.25 | \$32.17 |
| | NRC- Node - "Switch As Is" Conversion Charge - Disconnect - 1st | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | NRC- Node - "Switch As Is" Conversion Charge - Disconnect - Add'l | UNCCC | \$0.00 | \$16.77 | \$12.61 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 |
| | | | | | | | | | | | |
| | Optional Features & Functions: | | | | | | | | | | |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channe | CCOEF | \$184.85 | \$184.92 | \$184.62 | \$184.91 | \$184.65 | \$184.60 | \$184.76 | \$185.26 | \$185.16 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channe | | \$23.81 | \$23.82 | \$23.78 | \$23.82 | \$23.70 | \$23.78 | \$23.60 | \$23.86 | \$23.85 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel | | \$1.99 | \$2.07 | \$2.03 | \$1.99 | \$1.97 | \$1.96 | \$1.99 | \$1.99 | \$2.03 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel | | \$0.77 | \$0.80 | \$0.79 | \$0.78 | \$0.77 | \$0.76 | \$0.78 | \$0.78 | \$0.79 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - Manual Service | SOMAN | \$29.23 | \$21.73 | \$29.33 | \$29.24 | \$29.20 | \$29.33 | \$29.33 | \$29.33 | \$29.33 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - Manual Service | SOMAN | \$3.93 | \$3.87 | \$3.93 | \$3.94 | \$3.92 | \$3.93 | \$3.93 | \$3.93 | \$3.93 |
| | The close charmer capability (2020/2017) opilot. Capability individual control | 00 | ψο.σσ | ψο.σ. | ψο.σσ | ψο.σ. | ψ0.02 | ψο.σσ | ψο.σσ | ψο.σσ | ψο.σσ |
| | NRC - Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel | CCOSF | \$184.85 | \$184.92 | \$184.62 | \$184.91 | \$184.65 | \$184.60 | \$184.76 | \$185.26 | \$185.16 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel | | \$23.81 | \$23.82 | \$23.78 | \$23.82 | \$23.70 | \$23.78 | \$23.60 | \$23.86 | \$23.85 |
| | NRC - Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel | CCOSF | \$1.99 | \$2.07 | \$2.03 | \$1.99 | \$1.97 | \$1.96 | \$1.99 | \$1.99 | \$2.03 |
| | NRC - Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel | | \$0.77 | \$0.80 | \$0.79 | \$0.78 | \$0.77 | \$0.76 | \$0.78 | \$0.78 | \$0.79 |
| | NRC - Clear Channel Capability (B8ZS/SF) Option - Subsequent - Manual Service C | SOMAN | \$29.23 | \$21.73 | \$29.33 | \$29.24 | \$29.20 | \$29.33 | \$29.33 | \$29.33 | \$29.33 |
| | NRC - Clear Channel Capability (B8ZS/SF) Option - Subsequent - Manual Service C | SOMAN | \$3.93 | \$3.87 | \$3.93 | \$3.94 | \$3.92 | \$3.93 | \$3.93 | \$3.93 | \$3.93 |
| +++ | NRC - Clear Channel Capability (B825/E5F) Option - Subsequent - Manual Service | SOMAN | \$3.93 | \$3.87 | \$3.93 | \$3.94 | \$3.92 | \$3.93 | \$3.93 | \$3.93 | \$3.93 |
| No | tes: | | | | | | | | | | |
| | | | | | | | | | | | |
| | Interim rates subject to true-up. | | | | | | | | | | |
| | Geographically Deaveraged UNE Zones and applicable rates have been established | | | | | | | | | | |
| | for certain services, as shown in this Agreement. Where Geographically | | | | | | | | | | |
| | Deaveraged UNE Zones and applicable rates are established, Statewide rates are | | | | | | | | | | |
| | obsolete. Further, BellSouth is in the process of enhancing its billing systems in | | | | | | | | | | |
| | order to accomodate this Geographically Deaveraged UNE Zone Rate Structure. | | | | | | | | | | |
| | Until these enhancements are accomplished, estimated to be mid 2001, the UNE | | | | | | | | | | |
| | Zone 1 rate will be billed for all services residing in Zones 1, 2, 3 or 4, i.e., Rates for | | | | | | | | | | |
| | services residing in UNE Zones 2, 3 and UNE Zone 4, where applicable, will not be | | | | | | | | | | |
| | billed. Once billing enhancements are complete, all applicable UNE Zone rates | | | | | | | | | | |
| | reflected in this Agreement will be billed. Reference Internet Website | | | | | | | | | | |
| | http://www.interconnection.bellsouth.com/become_clec/ | | | | | | | | | | |
| | docs/interconnection/deavuzns.pdf to view Geographically Deaveraged UNE Zone | | | | | | | | | | |
| | Designations by Central Office. | | | | | | | | | | |
| | | | = | L | | | | | | | |
| | New EELs will only be available in the State of Georgia and in density Zone 1 of the fo | DIIOWING MSA | s in the BellSo | outh Region: | | | | | ļ | | |
| | Florida - Miami, Orlando, Ft. Lauderdale | | | ļ | | | | | ļ | | |
| | Louisiana - New Orleans | | | ļ | | | | | ļ | | |
| | N. Carolina - Greensboro, Charlotte | | | | | | | | | | |
| | Tennessee - Nashville | | | | | | | | | | |
| 3 | Unapproved rates are subject to true up. | | | | | | | | | | |
| 4 | Add together the recurring rates of all the applicable network elements in order to obt | ain total mont | hly recurring i | rate. | | | | | | | |
| | * Examples: | | | | | | | | | | |
| | - 2-wire VG Loop + Voice Grade Interface Card + DS1 Channelization System + DS | 1 Interoffice (| Channel | | | | | | | | |
| | - DS1 Loop + DS1 Interface Card + DS3 Channelization System + DS3 Interoffice C | | | | | | | | | | |

BELLSOUTH/CLEC-1 RATES NETWORK ELEMENTS AND OTHER SERVICES ENHANCED EXTENDED LINKS Attachment 2 Exhibit C Rates - Page 84

| | New EEL rates are the sum of the individual UNE network elements | | | | | | |
|--|---|-------------|------|--|--|--|---|
| | (interoffice transport and loop [channelization if applicable]. | | | | | | ĺ |
| | - DS3 Local Channel + DS3 Interoffice Channel + DS3 Channelization System + DS1 | Interface C | Card | | | | |
| | 5 The Ordinarily Combined in GA NRC applies to new combinations within the State of Ge | eorgia. | | | | | ĺ |
| | 6 The "Switch As Is" NRC is a conversion charge. One SAI charge is applicable per circuit | t. | | | | | i |

| DE | SCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|--|---|-----------|--------------|--------------|-------------|-------------|--------------|--------------|-----------|--------------|-------------|
| | ational Support Systems | | 7.2 | · - | - OA | | | 0 | | - 55 | |
| J J | Recovery of incremental OSS costs, per CLP, per month | | NA | NA | NA | NA | NA | NA | \$305.00 | NA | NA |
| | RC - OSS OLEC Daily Usage File: Recording, Per Message | | \$0.0002 | \$0.008 | \$0.0001275 | \$0.0008611 | \$0.00019 | \$0.0001179 | \$0.0003 | \$0.0002862 | \$0.008 |
| | RC- OSS OLEC Daily Usage File: Message Processing, Per Message | | \$0.0033 | \$0.004 | \$0.0082548 | \$0.0032357 | \$0.0024 | \$0.0032089 | \$0.0032 | \$0.0032344 | |
| + | RC - OSS OLEC Daily Usage File: Message Distribution, Per Magnetic Tape | | \$55.19 | \$54.95 | \$28.85 | \$55.68 | \$47.3000 | \$54.62 | \$54.61 | \$54.72 | \$54.95 |
| + | RC - OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), Per | | \$0.00004 | \$0.001 | \$0.0000434 | \$0.0000365 | | \$0.0000354 | \$0.00004 | \$0.0000357 | \$0.001 |
| Δc | cess Daily Usage File (ADUF) | | ψ0.0000- | ψ0.001 | ψ0.0000434 | ψ0.000000 | ψ0.0000000 | ψ0.0000004 | ψ0.00004 | ψ0.00000337 | Ψ0.001 |
| 7.0 | RC - ADUF, Message Processing, per message | | \$0.004 | \$0.004 | \$0.0136327 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| + | RC - ADUF, Message Processing, per Magnetice Tape provisioned | | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| + | RC - ADUF, Data Transmision (CONNECT:DIRECT), per message | | \$0.001 | \$0.001 | \$0.0000434 | \$0.001 | \$0.0000305 | | \$0.001 | \$0.001 | \$0.001 |
| En | nanced Optional Daily Usage File (EODUF) | | ψ0.001 | ψ0.001 | ψ0.0000434 | ψ0.001 | ψ0.0000303 | Ψ0.001 | ψ0.001 | Ψ0.001 | Ψ0.001 |
| E111 | Enhanced Optional Daily Usage File: Message Processing, Per Message | | \$0.004 | \$0.004 | \$0.0034555 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| + | Enhanced Optional Daily Usage File: Message Processing, Per Message Enhanced Optional Daily Usage File: Message Processing, per magnetic tape | | NA | Ψ0.004 NA | NA | NA | NA | NA | NA | NA | NA |
| + | Enhanced Optional Daily Usage File: Message Frocessing, per magnetic tape Enhanced Optional Daily Usage File: Data Transmision (CONNECT:DIRECT), | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| + | Elinanced Optional Daily Osage File. Data Transmision (CONNECT.DIRECT), | | INA | INA | INA | INA | INA | INA | INA | INA | INA |
| SWA | 8XX Toll Free Dialing Ten Digit Screening Service (Note 1) | | | | | | | | | | |
| | (Access Ten Digit Screening (all types), per call (Note 2) | N/A | \$0.0005 | \$0.0006531 | \$0.0004868 | NA | \$0.0005305 | \$0.0005321 | \$0.00050 | \$0.0005227 | \$0.0005192 |
| 8X | Access Ten Digit Screening Svc. W/8XX No. Delivery | | | | | | | | | | |
| | per query | N/A | NA | NA | NA | \$0.0010 | NA | NA | \$0.00365 | NA | NA |
| | for 8XX Numbers, with Optional Complex Features, per query | N/A | NA | NA | NA | \$0.0011 | NA | NA | \$0.00431 | NA | NA |
| 8X | K Access Ten Digit Screening Svc. W/POTS No. Delivery | | | | | | | | | | |
| | per query | N/A | NA | NA | NA | \$0.0010 | NA | NA | \$0.00383 | NA | NA |
| | with Optional Complex Features, per query | N/A | NA | NA | NA | \$0.0011 | NA | NA | \$0.00431 | NA | NA |
| 8X | Access Ten Digit Screening Svc. W/800 No. Delivery | | | | | * | | | * | | |
| | per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1 1 | for 8XX Numbers, w/Optional Complex Features, per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 8X | K Access Ten Digit Screening Svc. W/POTS No. Delivery | | | | | | | | | | |
| 1 | per message | N/A | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| \top | with Optional Complex Features, per message | N/A | NA | NA | NA NA | NA NA | NA | NA | NA | NA | NA |
| Re | servation Charge per 8XX number reserved | | | | | | | | | | |
| 1 | NRC - 1st | N8R1X | \$7.13 | NA | \$6.57 | \$10.05 | \$6.29 | \$8.46 | \$7.05 | \$6.38 | \$30.00 |
| | NRC - Add 'I | N8R1X | \$0.97 | NA | \$0.76 | \$1.19 | \$0.73 | \$0.96 | \$0.96 | \$0.9583 | \$0.50 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA. | \$18.94 | NA NA | \$18.14 | \$25.52 | \$26.94 | \$27.84 | NA |
| + | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA NA | NA NA | NA NA | NA NA | NA | NA | NA | NA NA | NA NA |
| Poi | 8XX # Established w/o POTS (w/8XX No.) Translations | 001111111 | 1471 | 10/1 | 1471 | 101 | 14/ | 10. | 101 | 1471 | 1471 |
| 1 6 | NRC - 1st | N/A | \$15.88 | NA | \$12.81 | \$30.59 | \$12.27 | \$17.04 | \$23.82 | \$22.63 | \$67.50 |
| + | NRC - Addi'i | N/A | \$1.97 | NA NA | \$1.45 | \$3.22 | \$1.39 | \$1.93 | \$2.73 | \$2.73 | \$1.50 |
| + | NRC - Addition NRC - Disconnect Charge - 1st | N/A | \$10.04 | NA NA | 91.45 NA | NA | \$8.30 | \$11.32 | NA | \$42.95 | NA |
| + | NRC - Disconnect Charge - 1st | N/A | \$0.97 | NA NA | NA NA | NA NA | \$0.73 | \$0.96 | NA NA | Ψ42.95 NA | NA NA |
| + | | | | | | | | | | | |
| + | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA NA | \$18.94 | NA | \$18.14 | \$25.52 | \$41.35 | NA NA | NA NA |
| + | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA 047.75 | NA | NA | NA | NA Out to | NA 010.05 | NA | NA | NA |
| ┷ | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| Pe | 8XX # Established with POTS Translations | | 1 | ļ | | | | | | 1 | |
| Ш | NRC - 1st | N8FTX | \$15.88 | NA | \$12.81 | \$30.59 | \$12.27 | \$17.04 | \$23.82 | \$22.63 | \$67.50 |
| | NRC - Addl'I | N8FTX | \$1.97 | NA | \$1.45 | \$3.22 | \$1.39 | \$1.93 | \$2.73 | \$2.73 | \$1.50 |
| $oldsymbol{ol}}}}}}}}}}}}}}}}$ | NRC - Disconnect Charge - 1st | N8FTX | \$10.04 | NA | NA | NA | \$8.30 | \$11.32 | NA | \$42.95 | NA |
| ШŢ | NRC - Disconnect Charge - Add'l | N8FTX | \$0.97 | NA | NA | NA | \$0.73 | \$0.96 | NA | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$41.35 | NA | NA |
| | NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| T | NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| Cu | stomized Area of Service per 8XX Number | | Ţ v | 1 | | | Ţ v | Ţ.3.00 | | 1 | |
| Ť | NRC - 1st | N8FCX | \$5.69 | NA | \$4.46 | \$6.97 | \$4.27 | \$5.63 | \$5.63 | \$5.64 | \$3.00 |
| + | NRC - Addi'l | N8FCX | \$2.85 | NA NA | \$2.23 | \$3.49 | \$2.14 | \$2.81 | \$2.82 | \$2.82 | \$1.50 |
| | NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | NA | NA NA | NA | NA NA | NA NA | NA NA | NA NA |
| | INKC - Incremental Charge - Manual Service Order - 1St | | | | | | | | | | |

| DESCRIPTION | USOC | AL | FL | GA | КҮ | LA | MS | NC | sc | TN |
|--|--------|------------|---------------|---------------|---------------|-------------|-------------|---------------|---------------|---------------|
| Multiple Inter LATA Carrier Routing per Carrier Requested per 8XX # | 5500 | | | - 55 | 14.1 | | | .40 | 30 | .14 |
| NRC - 1st | N8FMX | \$6.66 | NA | \$5.22 | \$8.16 | \$5.00 | \$6.59 | \$6.59 | \$6.60 | \$3.50 |
| NRC - Addi'l | N8FMX | \$3.81 | NA | \$2.99 | \$4.67 | \$2.86 | \$3.77 | \$3.77 | \$3.78 | \$2.00 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Change Charge per request | | | | | | | | | | |
| NRC - 1st | N8FAX | \$8.10 | NA | \$7.33 | \$11.24 | \$7.01 | \$9.42 | \$8.01 | \$7.34 | \$48.50 |
| NRC - Addi'l | N8FAX | \$0.97 | NA | \$0.76 | \$1.19 | \$0.73 | \$0.96 | \$0.96 | \$0.9583 | \$0.50 |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$27.84 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Call Handling and Destination Features | | | | | | | | | | |
| NRC - 1st | N8FDX | \$5.69 | NA | \$4.72 | \$6.97 | \$4.27 | \$5.63 | \$5.63 | \$5.64 | \$3.00 |
| NRC - Add'l | N8FDX | NA | NA | \$4.46 | \$6.97 | \$4.27 | \$5.63 | NA | \$5.64 | \$3.00 |
| | | | | | | | | | | |
| LIDB Common Transport per query | OQT | \$0.00004 | \$0.0003 | \$0.0000338 | \$0.00006 | \$0.0000418 | \$0.0000446 | \$0.0003 | \$0.0000442 | \$0.0003 |
| LIDB Validation per query | OQU | \$0.041003 | \$0.041003 | \$0.0105974 | \$0.00938 | | \$0.0142132 | \$0.013400 | \$0.0141003 | |
| LIDB Originating Point Code Establishment or Change - NRC | N/A | \$64.36 | NA | \$50.30 | \$107.60 | \$48.17 | \$63.63 | \$91.00 | \$61.62 | NA |
| NRC - Incremental Charge - Electronic Service Order | | NA | NA | NA | NA | NA | NA | \$62.26 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$25.93 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$26.94 | \$27.84 | \$91.00 |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | NA | NA | NA | NA | NA | NA | NA | \$27.84 | NA |
| | | | | | | | | | | |
| CCS7 SIGNALING TRANSPORT SERVICE | | | | | | | | | | |
| CCS7 Signaling Connection, per link (A link) per month | | \$18.79 | \$5.00 | \$17.05 | \$16.31 | \$19.48 | \$21.58 | \$155.00 | \$21.79 | \$155.00 |
| NRC | | \$171.98 | \$400.00 | \$131.96 | \$354.95 | \$126.34 | \$169.72 | \$510.00 | \$277.07 | \$510.00 |
| NRC - Disconnect | | \$135.70 | NA | NA | NA | \$101.10 | \$134.08 | NA | \$42.95 | NA |
| NRC - Incremental Charge - Manual Service Order | SOMAN | \$25.93 | NA | \$18.94 | NA | \$18.14 | \$25.52 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$16.31 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | NA |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month | | \$18.79 | \$5.00 | \$17.05 | \$16.31 | \$19.48 | \$21.58 | \$155.00 | \$21.79 | Not available |
| NRC NRC | | \$171.98 | \$400.00 | \$131.96 | \$354.95 | \$126.34 | \$169.72 | \$510.00 | \$277.07 | \$510.00 |
| NRC - Disconnect | 001441 | \$135.70 | NA | NA | NA NA | \$101.10 | \$134.08 | NA | \$42.95 | NA |
| NRC - Incremental Charge - Manual Service Order | SOMAN | \$25.93 | NA | \$18.94 | NA NA | \$18.14 | \$25.52 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect | SOMAN | \$16.31 | NA ©440.00 | NA ©400.00 | NA C474.00 | \$11.40 | \$16.05 | NA #100.00 | NA ©450.00 | NA COSE OO |
| CCS7 Signaling Termination, per STP port per month | | \$148.72 | \$113.00 | \$133.99 | \$174.08 | \$161.99 | \$161.12 | \$132.88 | \$156.33 | \$355.00 |
| CCS7 Signaling Usage, per ISUP message [(applicable when measurement and billing capability exists.) | | \$0.00004 | \$0.00001 | \$0.0000354 | \$0.000037893 | \$0.0000430 | \$0.0000456 | \$0.00004 | \$0.0000452 | \$0.000023 |
| CCS7 Signaling Usage, per TCAP message | | \$0.0001 | \$0.00004 | \$0.0000870 | \$0.000102042 | \$0.00010E2 | \$0.0001115 | \$0.00009 | \$0.0001108 | \$0.00005 |
| (applicable when measurement and billing capability exists.) | | \$0.0001 | \$0.00004 | \$0.0000670 | \$0.000102042 | \$0.0001052 | \$0.0001115 | \$0.00009 | \$0.0001106 | \$0.00005 |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (9) | | \$376.12 | \$64.00 | \$340.67 | \$329.98 | \$406.71 | \$406.53 | \$338.98 | \$396.55 | \$395.00 |
| CCS7 Signaling Osage Surrogate, per link per EATA per link (9) | | ψ3/0.12 | ψ04.00 | ψ340.07 | Ψ029.90 | Ψ400.71 | Ψ400.03 | ψ330.90 | ψυθυ.υυ | ψ393.00 |
| NRC | | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 | \$62.00 |
| 1 | | Ψ02.00 | Ψ02.00 | Ψ02.00 | Ψ02.00 | Ψ02.00 | ψ02.00 | Ψ02.00 | ψ02.00 | Ψ02.00 |
| OPERATOR CALL PROCESSING | | | | | | | | | | |
| Operator Provided Call Handling per min - Using BST LIDB | N/A | \$1.21 | \$1.00 | \$0.9680296 | \$1.6016 | \$0.91 | \$1.19 | \$1.20 | \$1.21 | NA |
| Call Completion Access Termination Charge per call attempt | N/A | \$0.08 | NA | NA | NA | NA | NA | NA | \$0.08 | NA |
| Operator Provided Call Handling per min - Using Foreign LIDB | N/A | \$1.25 | \$1.00 | \$1.02 | \$1.6249 | \$0.96 | \$1.24 | \$1.24 | \$1.25 | NA |
| Call Completion Access Termination Charge per call attempt | N/A | \$0.08 | NA | NA | NA | NA | NA | NA | \$0.08 | NA |
| Operator Provided Call Handling, per call | N/A | NA | NA | NA | NA | NA | NA | NA | NA | \$0.30 |
| Fully Automated Call Handling per call - Using BST LIDB | N/A | \$0.11 | \$0.10 | \$0.0776409 | \$0.0856 | \$0.10 | \$0.1072884 | \$0.11 | \$0.1115808 | |
| Fully Automated Call Handling per call - Using Foreign LIDB | N/A | \$0.13 | \$0.10 | \$0.0976984 | \$0.1071 | \$0.12 | \$0.1253666 | \$0.12 | \$0.1293459 | \$0.15 |
| Professional recording of name (OCP alone) | USOD1 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 |
| Professional recording of name (DA and OCP alone) | USOD1 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 |
| DRAM or front-end loading, per TOPS switch | USOD2 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 |
| AABS or back-end loading, per IVS | USOD2 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 |
| EBAS or 0- automation loading, per NAV shelf | USOD2 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 |
| Recording Charge per Branded Announcement – Disconnect – Initial | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |

| PEODERTION | | 1 | | | 101 | | | | | |
|--|--------|------------|---------------|-------------|-----------------|--------------|--------------|-----------------|--|------------|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| Recording Charge per Branded Announcement – Disconnect – Subsequent | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |
| NUMBER OF STATES OF SUBSECTION | | | | | | | | | | |
| INWARD OPERATOR SERVICES | | | | | | | | | | |
| Verification, per minute | N/A | \$1.16 | NA | \$0.921083 | NA | \$0.86 | \$1.14 | \$1.15 | \$1.15 | NA |
| Verification and Emergency Interrupt, per minute | N/A | \$1.16 | NA | \$0.921083 | NA | \$0.86 | \$1.14 | \$1.15 | \$1.15 | NA |
| Verification, per call | VIL | NA | \$0.80 | NA | \$1.00 | NA | NA | \$0.54 | NA | \$0.90 |
| Verification and Emergency Interrupt, per call | N/A | NA | \$1.00 | NA | \$1.111 | NA | NA | \$0.65 | NA | \$1.95 |
| DIRECTORY ASSISTANCE SERVICES | | | | 4 | | | | | | |
| Directory Assist Call Completion Access Svc (DACC), per call attempt | N/A | \$0.10 | \$0.10 | \$0.10 | \$0.10 | \$0.10 | \$0.10 | \$0.062 | \$0.10 | \$0.10 |
| Call Completion Access Term charge per completed call | N/A | NA | NA | NA | NA | NA | NA | NA | \$0.08 | NA |
| Number Services Intercept per query | N/A | \$0.0235 | \$0.01 | \$0.0097497 | \$0.0086 | \$0.02 | \$0.0188268 | \$0.0110 | \$0.0124036 | \$0.15 |
| Number Services Intercept per Intercept Query Update | N/A | NA | NA | NA | \$0.0055 | NA | NA | NA | NA | NA |
| Directory Assistance Access Service Calls, per call | N/A | \$0.275 | \$0.275 | \$0.275 | \$0.275 | \$0.275 | \$0.275 | \$0.260000 | \$0.275 | \$0.275 |
| Professional recording of name (DA alone) | N/A | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 | \$3,000.00 |
| Professional recording of name (DA and OCP alone) | N/A | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 | \$7,000.00 |
| DRAM or front-end loading, per TOPS switch | N/A | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 | \$250.00 |
| AABS or back-end loading, per IVS | N/A | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 | \$225.00 |
| EBAS or 0- automation loading, per NAV shelf | N/A | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 | \$270.00 |
| Recording Charge per Branded Announcement – Disconnect – Initial | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |
| Recording Charge per Branded Announcement – Disconnect – Subsequent | N/A | \$9.61 | NA | NA | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | |
| Directory Transport | | | | | | | | | | |
| Directory Transport - Local Channel DS1, per month | N/A | \$35.52 | \$43.64 | \$38.36 | \$36.32 | \$43.83 | \$38.91 | \$35.68 | \$37.20 | \$133.81 |
| NRC - 1st | N/A | \$503.57 | \$242.45 | \$356.15 | \$637.46 | \$339.69 | \$494.83 | \$534.48 | \$534.81 | \$868.97 |
| NRC - Add'l | N/A | \$442.84 | \$226.44 | \$312.89 | \$546.94 | \$298.29 | \$435.28 | \$462.69 | \$462.81 | \$486.83 |
| NRC - Disconnect Charge - 1st | N/A | \$46.28 | NA | NA | NA | \$33.02 | \$46.85 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | N/A | \$32.18 | NA | NA | NA | \$23.32 | \$33.02 | NA | NA | NA |
| NRC - Incremental Charge-Manual Svc Order - NRC - 1st | SOMAN | \$61.99 | NA | \$44.22 | NA | \$42.34 | \$59.58 | \$86.15 | \$87.99 | NA |
| NRC - Incremental Charge-Manual Svc Order - NRC -addl | | NA | NA | NA | NA | NA | NA | \$1.77 | NA | NA |
| NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect | SOMAN | \$29.27 | NA | NA | NA | \$19.48 | \$27.41 | NA | \$3.11 | NA |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo | N/A | \$0.6923 | \$0.6013 | \$0.4523 | \$0.45 | \$0.78 | \$0.6598 | \$0.5753 | \$0.7598 | \$23.00 |
| Directory Transport - Dedicated DS1 Level Interoffice per facility termination per r | n N/A | \$79.69 | \$99.79 | \$78.47 | \$55.05 | \$93.40 | \$74.40 | \$71.29 | \$94.98 | \$90.00 |
| NRC - 1st | N/A | \$198.15 | \$45.91 | \$147.07 | \$298.18 | \$140.49 | \$196.28 | \$217.17 | \$216.27 | \$100.49 |
| NRC - Add'l | N/A | \$148.18 | \$44.18 | \$111.75 | \$231.18 | \$106.69 | \$147.31 | \$163.75 | \$162.70 | \$100.49 |
| NRC - Disconnect Charge - 1st | N/A | \$25.44 | NA | NA | NA | \$20.00 | \$26.56 | NA | NA | NA |
| NRC - Disconnect Charge - Add'l | N/A | \$20.42 | NA | NA | NA | \$16.34 | \$21.61 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$38.07 | \$39.63 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | \$11.34 | NA | NA | NA |
| Switched Common Transport per DA Access Service per call | N/A | \$0.0003 | \$0.0003 | \$0.0002906 | \$0.000175 | \$0.0003274 | \$0.0002997 | \$0.00020 | \$0.000327 | NA |
| Switched Common Transport per DA Access Service per call per mile | N/A | \$0.00003 | \$0.00001 | \$0.0000186 | \$0.000004 | | \$0.0000202 | \$0.00003 | \$0.0000303 | NA |
| Access Tandem Switching per DA Access Service per call | N/A | \$0.0023 | \$0.00055 | \$0.0019152 | \$0.000783 | \$0.0025257 | \$0.0023713 | \$0.0021 | \$0.0024809 | NA |
| DA Interconnection, per DA Access Service Call | N/A | \$0.00269 | NA | \$0.00269 | NA | NA | NA | \$0.00 | \$0.000269 | NA |
| Directory Transport-Installation NRC, per trunk or signaling connection | N/A | , | 1 | | | | 1 | | | |
| NRC - 1st | N/A | \$260.69 | \$206.06 | \$204.23 | \$501.98 | \$195.54 | \$257.73 | NA | \$407.81 | NA |
| NRC - Add'l | N/A | \$5.95 | \$4.71 | \$4.42 | \$13.32 | \$4.23 | \$5.85 | NA NA | \$11.00 | NA |
| NRC - Disconnect Charge - 1st | N/A | \$173.46 | NA NA | NA | NA | NA | NA | NA NA | NA | NA. |
| NRC - Disconnect Charge - Add'l | N/A | \$5.95 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA | NA NA | \$44.22 | NA NA | \$130.05 | \$171.49 | NA NA | NA NA | NA NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | NA NA | NA NA | NA | NA NA | \$4.23 | \$5.85 | NA NA | NA NA | NA NA |
| NRC - Manual Service Order - 1st | SUMAIN | NA NA | NA NA | NA NA | NA NA | Ψ4.23 NA | \$5.65 NA | \$407.53 | NA NA | NA NA |
| NRC - Manual Service Order - 1St | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | \$10.98 | NA NA | NA NA |
| I IVIAO - IVIANUAI SELVICE OTUEI - AUU I | | INA | INA | INA | INA | INA | INA | φ10.90 | INA | INA |
| Directory Assistance Detakase Comises (DADC) | | + | - | | | | | | | |
| Directory Assistance Database Service (DADS) | NI/A | CO 0440 | ₽0.004 | CO 0445 | © 0.0400 | CO 0440 | CO 0447 | CO 04400 | CO 0444 | NIA |
| Directory Assistance Database Service charge per listing | N/A | \$0.0446 | \$0.001 | \$0.0445 | \$0.0193 | \$0.0443 | \$0.0447 | \$0.04460 | \$0.0444 | NA |

| DESCR | RIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|----------|--|-------|------------|-----------|-------------|----------|------------|-------------|------------|-------------|-----|
| Directo | ry Assistance Database Service, per month | DBSOF | \$128.55 | \$100.00 | \$95.50 | \$120.76 | \$90.54 | \$126.17 | \$126.26 | \$127.23 | NA |
| | , | | | | * | | * | | | | |
| | | | | | | | | | | | |
| AIN (Not | e 4) | | | | | | | | | | TBD |
| AIN, pe | r message | CAM | NA | \$0.00004 | NA | NA | NA | NA | NA | NA | NA |
| AIN - B | ellSouth AIN SMS Access Service | CAM | | | | | | | | NA | NA |
| 1 5 | Service Establishment Charge, per state, initial set-up | | | | | | | | | | |
| | VRC | CAMSE | \$197.49 | NA | \$90.25 | NA | \$153.31 | \$174.03 | \$294.77 | \$296.16 | NA |
| | NRC - Disconnect | CAMSE | \$114.22 | NA | NA | NA | \$78.06 | \$135.96 | NA | NA | NA |
| | Port Connection - Dial/Shared Access | | | | | | | | | | |
| | NRC | CAMDP | \$64.05 | NA | \$29.66 | NA | \$50.07 | \$53.47 | \$86.94 | \$87.29 | NA |
| N | NRC - Disconnect | CAMDP | \$27.04 | NA | NA | NA | \$18.61 | \$37.70 | NA | NA | NA |
| | Port Connection - ISDN Access | | | | | | | | | | |
| | NRC | CAM1P | \$64.05 | NA | \$29.66 | NA | \$50.07 | \$53.47 | \$86.94 | \$87.29 | NA |
| l l | NRC - Disconnect | CAM1P | \$27.04 | NA | NA | NA | \$18.61 | \$37.70 | NA | NA | NA |
| | Jser ID Codes - per User ID Code | | | | | | | | | | |
| | NRC ' | CAMAU | \$141.84 | NA | \$84.43 | NA | \$104.95 | \$129.83 | \$200.83 | \$202.08 | NA |
| l N | NRC - Disconnect | CAMAU | \$70.05 | NA | NA | NA | \$48.95 | \$79.91 | NA | NA | NA |
| 1 | Security Card per User ID Code, initial or replacement | | | | | | | | | | |
| l l | NRC | CAMRC | \$142.13 | NA | \$35.44 | NA | \$125.33 | \$131.54 | \$172.05 | \$172.26 | NA |
| N | NRC - Disconnect | CAMRC | \$35.26 | NA | NA | NA | \$24.40 | \$45.77 | NA | NA | NA |
| 5 | Storage, per unit (100Kb) | N/A | \$0.0026 | NA | \$0.0023 | NA | \$0.0029 | \$0.0029 | \$0.0023 | \$0.0028 | NA |
| | Session per minute | N/A | \$0.0892 | NA | \$0.0795604 | NA | \$0.10 | \$0.0975650 | \$0.0791 | \$0.0942966 | NA |
| | CO. Performed Session, per minute | | | | | NA | \$1.97 | \$2.09 | \$2.08 | \$2.07 | NA |
| AIN - B | ellSouth AIN Toolkit Service | | | | | | | | | | |
| | ervice Creation Tools | CAMBP | NA | TBD | NA | NA | NA | NA | NA | NA | NA |
| S | Service Establishment Charge, per state, initial set-up | | | | | | | | | | |
| l l | NRC | BAPSC | \$192.69 | NA | \$86.74 | NA | \$153.25 | \$169.31 | \$290.05 | \$291.41 | NA |
| l l | NRC - Disconnect | BAPSC | \$114.22 | NA | NA | NA | \$78.05 | \$135.96 | NA | NA | NA |
| T | raining Session, per customer | | | | | | | | | | |
| N | NRC The state of t | BAPVX | \$8,363.00 | NA | \$8,348.00 | NA | \$8,315.00 | \$8,379.00 | \$8,363.00 | \$8,333.00 | NA |
| | NRC - Disconnect | BAPVX | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | Frigger Access Charge, per trigger, per DN, Term. Attempt | | | | | | | | | | |
| | NRC STATE OF THE S | BAPTT | \$49.64 | NA | \$19.13 | NA | \$41.08 | \$39.30 | \$72.76 | \$73.02 | NA |
| | NRC - Disconnect | BAPTT | \$27.04 | NA | NA | NA | \$18.60 | \$37.70 | NA | NA | NA |
| | rigger Access Charge, per trigger per DN, Off-Hook Delay | | | | | | | | | | |
| l l | NRC | BAPTD | \$49.64 | NA | \$114.80 | NA | \$41.08 | \$39.30 | \$72.76 | \$73.02 | NA |
| | NRC - Disconnect | BAPTD | \$27.04 | NA | NA | NA | \$18.60 | \$37.70 | NA | NA | NA |
| | rigger Access Charge, per trigger, per DN, Off-Hook Immediate | | | | | | | | | | |
| | NRC | BAPTM | \$49.64 | NA | \$19.13 | NA | \$41.08 | \$39.30 | \$72.76 | \$73.02 | NA |
| | NRC - Disconnect | BAPTM | \$27.04 | NA | NA | NA | \$18.60 | \$37.70 | NA | NA | NA |
| | rigger Access Charge, per trigger, per DN, 10-Digit PODP | | | | | | | | | | |
| | NRC | BAPTO | \$117.98 | NA | \$70.06 | NA | \$92.99 | \$106.90 | \$149.95 | \$150.25 | NA |
| | NRC - Disconnect | BAPTO | \$37.90 | NA | NA | NA | \$26.73 | \$48.44 | NA | NA | NA |
| | rigger Access Charge, per trigger, per DN, CDP | | | | | | | | | | |
| | NRC | BAPTC | \$117.98 | NA | \$70.06 | NA | \$92.99 | \$106.90 | \$149.95 | \$150.25 | NA |
| | NRC - Disconnect | BAPTC | \$37.90 | NA | NA | NA | \$26.73 | \$48.44 | NA | NA | NA |
| | Frigger Access Charge, per trigger, per DN, Feature Code | | | | | | | | | | |
| | NRC | BAPTF | \$117.98 | NA | \$70.06 | NA | \$92.99 | \$106.90 | \$149.95 | \$150.25 | NA |
| | NRC - Disconnect | BAPTF | \$37.90 | NA | NA | NA | \$26.73 | \$48.44 | NA | NA | NA |
| | Query Charge, per query | | \$0.024 | NA | \$0.0209223 | NA | \$0.03 | \$0.0256138 | \$0.02 | \$0.0250662 | NA |
| T | ype 1 Node Charge, per AIN Toolkit Subscription, per node, per query | | \$0.006 | NA | \$0.0053137 | NA | \$0.0065 | \$0.0065161 | \$0.005 | \$0.0062979 | NA |
| | | | | | | | | | | | |
| | rage Charge, per SMS Access Acct, per 100 Kb | N/A | \$1.63 | NA | \$1.46 | NA | \$1.79 | \$1.79 | \$1.45 | \$1.73 | NA |
| | y Report - per AIN Toolkit Service Subscription | BAPMS | \$16.00 | NA | \$15.96 | NA | \$15.89 | \$16.01 | \$15.98 | \$15.93 | NA |
| l l | NRC . | BAPMS | \$44.56 | NA | \$22.64 | NA | \$34.61 | \$44.02 | \$71.80 | \$72.15 | NA |

| DESCRIPTION | 11000 | | | | 101 | | | NO | 00 | TN |
|--|----------------|--------------------|----------|-------------------|-------------------|--------------------|--------------------|------------------|-------------------|---------------|
| | USOC | AL | FL | GA | KY | LA | MS | NC | SC | TN |
| NRC - Disconnect Special Study - per AIN Toolkit Service Subscription | BAPMS BAPLS | \$31.84 \$0.10 | NA NA | NA \$0.0861109 | NA NA | \$21.97 \$0.08 | \$31.28 | NA CO.OO | NA \$0.0872769 | NA NA |
| | | | NA NA | | | \$37.77 | \$0.0810536 | \$0.08 | | NA NA |
| NRC - Disconnect | BAPLS BAPLS | \$47.74 | NA NA | \$22.64 | NA NA | * - | \$47.21 | \$47.20 | \$47.35 | |
| | BAPLS | \$15.90 | NA NA | NA C15.07 | | NA O45.04 | NA C45.00 | NA C45.00 | NA C45.04 | NA |
| Call Event Report - per AIN Toolkit Service Subscription | | \$15.90 | NA NA | \$15.87 | NA NA | \$15.81 | \$15.93 | \$15.90 | \$15.84 | NA |
| NRC - Disconnect | BAPDS BAPDS | \$44.56 \$31.84 | NA NA | \$22.64 | NA NA | \$34.61 \$21.97 | \$44.02 | \$71.80 | \$72.15 | NA |
| | | | | NA Co cocozo 4 | | | \$31.28 | NA To coo | NA to coccoo | NA |
| Call Event special Study - per AIN Toolkit Service Subscription | BAPES | \$0.003 | NA | \$0.0028704 | NA | \$0.0026 | \$0.0027018 | \$0.003 | \$0.0029092 | NA |
| NRC NRC | BAPES | \$47.74 | NA | \$22.64 | NA | \$37.77 | \$47.21 | \$47.20 | \$47.35 | NA |
| NRC - Disconnect | BAPES | \$15.90 | NA | NA | NA | \$37.77 | NA | NA | NA | NA |
| CALLING NAME (CNAM) QUERY SERVICE | | | | | | | | | | |
| CNAM (Database Owner), Per Query | N/A | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 | \$0.016 |
| CNAM (Non-Database Owner), Per Query * | N/A | \$0.010 | \$0.010 | \$0.010 | \$0.010 | \$0.010 | \$0.010 | \$0.010 | \$0.016 | \$0.010 |
| NRC, applicable when CLEC-1 uses the Character Based User Interface (CHUI) | N/A | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 | \$595.00 |
| * Volume and term arrangements are also available. | IN/A | φ393.00 | φ595.00 | φ393.00 | φυθυ.00 | φ595.00 | φ393.00 | φ595.00 | φ595.00 | φ393.00 |
| voiume and term arrangements are also available. | | + | 1 | | | | | | 1 | |
| SELECTIVE ROUTING (Note 5) | | _ | | | | | | | | |
| Per Line or PBX Trunk, each | | NA | NA | NA | \$10.00 (Interim | NA | NA | NA | NA | TBD |
| NRC | | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA NA | NA NA | TBD |
| Customized routing per unique line class code, per request, per switch | | INA | INA | INA | INA | NA NA | NA NA | NA NA | NA NA | NA |
| Customized routing per unique line class code, per request, per switch | LICDOD | #220.C0 | #220 CE | £400.00 | \$220.CE | | | | | |
| | USRCR | \$230.60 | \$229.65 | \$180.62 | \$229.65 | \$229.65 | \$227.99 | \$229.65 | \$226.22 | \$229.65 |
| NRC - Incremental Charge - Manual Service Order | | \$25.93 | NA | \$18.94 | NA | NA | \$25.52 | NA | \$27.84 | NA |
| VIRTUAL COLLOCATION | | | | | | | | | | |
| 2-wire Cross-Connect | | | | | | | | | | |
| RC | UEAC2 | \$0.28 | \$0.524 | \$0.30 | \$0.31 | \$0.26 | \$0.3996 | \$0.09 | \$0.3648 | \$0.30 |
| NRC - 1st | UEAC2 | \$30.76 | \$11.57 | \$12.60 | \$54.21 | \$23.04 | \$30.93 | \$41.78 | \$41.50 | \$19.20 |
| NRC - Add'l | UEAC2 | \$29.40 | \$11.57 | \$12.60 | \$51.07 | \$23.04 | \$29.59 | \$39.23 | \$38.94 | \$19.20 |
| NRC - 1st - Manual Service Order | UEAGZ | NA | NA NA | NA | NA NA | NA | NA | \$4.75 | 936.94 NA | NA |
| NRC - 1st - Manual Service Order | | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | \$4.75 \$4.75 | NA NA | NA NA |
| NRC - Disconnect - 1st | UEAC2 | \$12.75 | NA NA | NA NA | NA NA | \$9.48 | \$12.76 | | NA NA | NA NA |
| NRC - Disconnect - 1st | UEAC2 | \$12.75 | NA NA | NA NA | NA NA | \$8.54 | \$12.76 | NA NA | NA NA | NA NA |
| | UEAC2 | \$11.38 | INA | INA | NA | ֆδ.54 | \$11.43 | INA | INA | INA |
| 4-wire Cross-Connect | UEAC4 | \$0.56 | \$0.524 | \$0.50 | \$0.62 | \$0.52 | \$0.7992 | \$0.18 | \$0.7297 | \$0.50 |
| NRC - 1st | UEAC4 | \$66.71 | \$11.57 | \$12.60 | \$0.62 \$54.23 | \$23.23 | \$0.7992 | \$41.91 | \$41.56 | \$19.20 |
| | | | | | | | | | | |
| NRC - Add'l | UEAC4 | \$50.43 | \$11.57 | \$12.60 NA | \$50.96 | \$22.24 | \$29.77 | \$39.25 | \$38.90 NA | \$19.20 |
| NRC - 1st - Manual Service Order | | NA NA | NA NA | | NA NA | NA | NA NA | \$4.73 | | NA |
| NRC - Add'l - Manual Service Order NRC - Disconnect - 1st | UEAC4 | NA ¢12.92 | NA NA | NA NA | NA NA | NA CO. 52 | NA ¢12.92 | \$4.73 NA | NA NA | NA NA |
| NRC - Disconnect - 1st | UEAC4 UEAC4 | \$12.82 \$11.39 | NA NA | NA NA | NA NA | \$9.53 \$8.55 | \$12.83 \$11.43 | NA NA | NA NA | NA NA |
| | UEAC4 | \$11.39 | NA | NA | NA | \$8.55 | \$11.43 | NA | NA | NA |
| 2-fiber Cross-Connect | ONIONE | £40.40 | NIA | C45.04 | 045.04 | (10.40 | C45.04 | #45.00 | #45.00 | £45.04 |
| RC | CNC2F | \$12.10 | NA NA | \$15.64 | \$15.64 | \$19.13 | \$15.64 | \$15.99 | \$15.06 | \$15.64 |
| NRC - 1st | CNC2F | \$55.46 | NA NA | \$41.56 | \$41.56 | \$41.07 | \$41.56 | \$67.34 | \$69.28 | \$41.56 |
| NRC - Add'l | CNC2F | \$39.18 | NA NA | \$29.82 | \$29.82 | \$29.63 | \$29.82 | \$48.55 | \$48.89 | \$29.82 |
| NRC - Disconnect - 1st | CNC2F | \$16.83 | NA NA | NA | NA NA | \$12.84 | \$12.96 | NA NA | NA | NA |
| NRC - Disconnect - Add'l | CNC2F | \$13.27 | NA | NA | NA | \$10.29 | \$10.34 | NA | NA | NA |
| 4-fiber Cross-Connect | CNC4E | CO4 75 | NIA | CO0.44 | CO0 44 | 604.00 | ©20.44 | #20.74 | ¢07.00 | COD 44 |
| RC NDC 4st | CNC4F | \$21.75 | NA | \$28.11 | \$28.11 | \$34.38 | \$28.11 | \$28.74 | \$27.08 | \$28.11 |
| NRC - 1st | CNC4F | \$66.71 | NA NA | \$50.53 | \$50.53 | \$49.81 | \$50.53 | \$82.35 | \$84.07 | \$50.53 |
| NRC - Add'l | CNC4F | \$50.43 | NA NA | \$38.78 | \$38.78 | \$38.37 | \$38.78 | \$63.56 | \$63.68 | \$38.78 |
| NRC - Disconnect - 1st | CNC4F | \$21.86 | NA | NA | NA NA | \$16.75 | \$16.97 | NA | NA | NA |
| NRC - Disconnect - Add'l | CNC4F | \$18.31 | NA | NA | NA | \$14.20 | \$14.35 | NA | NA | NA |
| DS1 Cross-Connects | | N10 | N10 | NIA. | N/A | NIA | N. A. | #0.07 | NIA. | NIA |
| RC NDC 4st | | NA NA | NA | NA | NA NA | NA | NA NA | \$0.97 | NA | NA |
| NRC - 1st | | NA | NA | NA | NA | NA | NA | \$71.02 | NA | NA |

OSS-8XX-DB

| DES | CRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
|------------------|--|-----------------------|----------------|------------------|----|--------------------|-----------------|--------|---------|----|----------|
| | NRC - Add'l | | NA | NA | NA | NA | NA | NA | \$51.08 | NA | NA |
| | NRC - Manual Service Order - 1st | | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| | NRC - Manual Service Order - Add'l | | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| DS3 | Cross-Connects | | | | | | | | | | |
| | RC | | NA | NA | NA | NA | NA | NA | \$12.33 | NA | NA |
| | NRC - 1st | | NA | NA | NA | NA | NA | NA | \$69.84 | NA | NA |
| | NRC - Add'l | | NA | NA | NA | NA | NA | NA | \$49.43 | NA | NA |
| | NRC - Manual Service Order - 1st | | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| | NRC - Manual Service Order - Add'l | | NA | NA | NA | NA | NA | NA | \$4.70 | NA | NA |
| 1 | Interim rates subject to true-up. BellSouth and CLEC shall negotiate rates for this offering. If agreement is not | | | | | | | | | | — |
| 1 1 | rate is identified in the contract, the rate for the specific service or function will be as | oot fortif in applica | Dio Boileoutii | Tanii or ao nogi | | partico aport roqu | Cook by Citinon | Juity. | | | İ |
| 1 | BellSouth and CLEC shall negotiate rates for this offering. If agreement is not | | | | | | | | | | |
| | reached within sixty (60) days of the Effective Date, either party may petition the | | | | | | | | | | |
| | Florida PSC to settle the disputed charge or charges. (FL) | | | | | | | | | | |
| 2 | This rate element is for those states w/o separate rates for 800 calls with 800 No. | | | | | | | | | | |
| | Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o | | | | | | | | | | |
| | Optional Complex Features. | | | | | | | | | | |
| 3 | This charge is only applicable where signaling usage measurement or billing | | | | | | | | | | |
| | capability does not exist. | | | | | | | | | | |
| 4 | Prices for AIN to be determined upon development of mediation device. (TN) | | | | | | | | | | |
| 5 | Price for Line Class Codes for Selective Routing shall be determined by the TRA. | | | | | | | | | | |

Attachment 3

Network Interconnection

TABLE OF CONTENTS

| 1. Network Interconnection | 3 |
|--|-----------|
| 2. Interconnection Trunk Group Architectures | |
| 3. Network Design And Management For Interconnection | |
| 4. Local Dialing Parity | 16 |
| 5. Interconnection Compensation | 16 |
| 6. Frame Relay Service Interconnection | 23 |
| 7. Operational Support Systems (OSS) | 26 |
| Rates | Exhibit A |
| Basic Architecture | Exhibit B |
| One Way Architecture | |
| Two Way Architecture | |
| Supergroup Architecture | |

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

1. **Network Interconnection**

All negotiated rates, terms and conditions set forth in this Attachment pertain only to the provision of network interconnection where API owns and provides its switch(es).

- 1.1 Network Interconnection for Call Transport and Termination may be provided by the Parties at any technically feasible point. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in General Terms and Conditions.
- 1.1.1 An Interconnection Point (IP) is the physical telecommunications equipment interface that performs the interconnection function for BellSouth and API. Each Party is responsible for providing the network on its side of the IP. Furthermore, the IP must be located within the LATA in which Local Traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of that traffic.
- 1.1.1.1 Pursuant to the provisions of this Attachment, the location of the Interconnection Point shall be established by mutual agreement of the Parties. In selecting the Interconnection Point, both Parties will act in good faith and select the point which is most efficient for both Parties. Each Party shall be responsible for engineering and maintaining the network on its side of the Interconnection Point. Additional Interconnection Points in a particular LATA may be established by mutual agreement of the Parties. If the Parties are unable to agree to a mutual Interconnection Point, each Party will designate the Interconnection Point for its originated traffic. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of local and intraLATA toll traffic between each other, the Parties shall mutually agree to the location of Interconnection Point(s).

1.2 Interconnection via Dedicated Transport Facilities

1.2.1 As part of Local Interconnection Call Transport and Termination Service, the originating Party may obtain Local Channel facilities (i.e., entrance facilities) from the terminating Party from the originating Party's specified Interconnection Point to its Serving Wire Center. The portion of Local Channel facilities utilized for

Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as defined in this Attachment. Additionally, the charges applied to the portion of the Local Channel used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. This factor shall be reported in addition to the switched dedicated transport jurisdictional factors specified in the BellSouth intrastate and interstate switched access tariffs.

- 1.2.2 Additionally, either Party may obtain Dedicated Interoffice Transport facilities from its designated Serving Wire Center to the other Party's first point of switching. The portion of Dedicated Interoffice Transport facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as defined in this Attachment. Additionally, the charges applied to the portion of the Dedicated Interoffice Transport used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. This factor shall be reported in addition to the switched dedicated transport jurisdictional factors specified in the BellSouth intrastate and interstate switched access tariffs.
- 1.2.3 For the purposes of this Attachment, **Local Channel** (i.e., entrance facility) is defined as a switch transport facility between a Party's Interconnection Point and its Serving Wire Center.
- 1.2.4 For the purposes of this Attachment, **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its Interconnection Point.
- 1.2.5 For the purposes of this Attachment, **Dedicated Interoffice Transport** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching on the other Party's common (shared) network.

1.3 Fiber Meet

- 1.3.1 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface) at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e. Interconnection Point).
- 1.3.2 If API elects to interconnect with BellSouth pursuant to a Fiber Meet, API and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel facility at either the DS0, DS1, or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, API's SONET transmission must be compatible with BellSouth's equipment in the BellSouth Interconnection Wire Center

- (BIWC). The same vendor's equipment and software version must be used, and the Data Communications Channel (DCC) must be turned off.
- 1.3.3 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BIWC.
- 1.3.4 API shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the API Interconnection Wire Center ("API Wire Center").
- 1.3.5 BellSouth shall designate an Interconnection Point outside the BIWC as a Fiber Meet point, and shall make all necessary preparations to receive, and to allow and enable API to deliver, fiber optic facilities into the Interconnection Point with sufficient spare length to reach the fusion splice point at the Interconnection Point. BellSouth shall, wholly at its own expense, procure, install, and maintain the fusion splicing point in the Interconnection Point. A Common Language Location Identification ("CLLI") code will be established for each Interconnection Point. The code established must be a building type code. All orders shall originate from the Interconnection Point (i.e., Interconnection Point to API, Interconnection Point to BellSouth).
- 1.3.6 API shall deliver and maintain such strands wholly at its own expense. Upon verbal request by API, BellSouth shall allow API access to the Fiber Meet entry point for maintenance purposes as promptly as possible.
- 1.3.7 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 1.3.8 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 1.3.9 Neither Party shall charge the other for its portion of the Fiber Meet facility used exclusively for non-transit Local Traffic (i.e. the Local Channel). Charges incurred for other services including dedicated transport facilities will apply. Charges for Switched and Special Access Services shall be billed in accordance with the applicable Access Service tariff (i.e. the BellSouth Interstate or Intrastate Access Services Tariff).

2. Interconnection Trunk Group Architectures

- 2.1 BellSouth and API shall establish interconnecting trunk groups and trunk group configurations between networks including the establishment of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the Local Exchange Routing Guide (LERG).
- API shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of API's originated local and intraLATA toll traffic and for the receipt and delivery of Transit Traffic. To the extent API desires to terminate local and intraLATA toll traffic to BellSouth and Transit Traffic to third parties subtending other BellSouth access tandems within the LATA, other than the one API has established interconnection trunk groups to, API shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems or order interconnection trunk groups to such other BellSouth access tandems.
- 2.2.1 Notwithstanding the forgoing, API shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where API has homed (i.e. assigned) its NPA/NXXs. API shall home its NPA/NXXs on the BellSouth tandems that serve the Exchange Rate Center Areas to which the NPA/NXXs are assigned. The specified association between BellSouth tandems and Exchange Rate Centers is defined in the national Local Exchange Routing Guide (LERG). API shall enter its NPA/NXX access and/or local tandem homing arrangement into the LERG.
- 2.3 Switched Access traffic will be delivered to and by Interexchange Carriers (IXCs) based on API's NXX Access Tandem homing arrangement as specified by API in the LERG.
- Any API interconnection request that deviates from the interconnection trunk group architectures as described in this Agreement that affects traffic delivered to API from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require API to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process set forth in General Terms and Conditions.
- 2.5 Charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and API are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the interim rate shall be as set forth in the appropriate BellSouth tariff for Switched Access services. Once a cost based rate is established by BellSouth, the interim tariff rate shall be trued up and the cost based rate will be applied retroactively to the effective date of this agreement.

- 2.6 For two-way trunk groups that carry both Parties' local and IntraLATA Toll traffic only, excluding trunk groups that carry Transit Traffic, the Parties shall be compensated for the nonrecurring and recurring charges for dedicated transport trunks and facilities at 50% of the applicable contractual or tariff rates for the services provided by each Party. API shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 2.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 2.8 In cases where API is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Unless in response to a blocking situation or for a project, when either Party orders interconnection trunk group augmentations, a Firm Order Confirmation (FOC) shall be returned to the ordering Party within four (4) business days from receipt of a valid, error free ASR. A project is defined as a new trunk group or the request of 96 or more trunks on a single or multiple trunk group(s) in a given local calling area. Blocking situations and projects shall be managed through the BellSouth Interconnection Trunking Project Management group and API's equivalent trunking group.

2.10 Interconnection Trunk Groups for Exchange of Local, IntraLATA Toll and Transit Traffic

2.10.1 If the Parties' originated local and/or intraLATA toll traffic is utilizing the same two-way trunk group, the Parties shall mutually agree to use this type of two-way interconnection trunk group with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Interconnection Point(s) for two-way interconnection trunk groups transporting both Parties local and/or intraLATA toll shall be mutually agreed upon. API shall order such twoway trunks via the Access Service Request (ASR) process in place for Local Interconnection upon determination by the Parties, in a joint planning meeting, that such trunk groups shall be utilized. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Both Parties reserve the right to issue ASRs, if so required, in the normal course of business. Furthermore, the Parties shall jointly review such trunk performance and forecasts on a periodic basis. The Parties use of two-way interconnection trunk groups for the transport of local and/or intraLATA toll traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated local and/or intraLATA toll traffic to the other Party.

2.10.2 BellSouth Access Tandem Interconnection Architectures

BellSouth Access Tandem Interconnection provides intratandem access to subtending end offices. BellSouth Multiple Tandem Access (MTA), described later in this Agreement, may be ordered using any of the following access tandem architectures.

2.10.2.1 **Basic Architecture**

2.10.2.1.1 In this architecture, API's originating Local and IntraLATA Toll and originating and terminating Transit Traffic is transported on a single two-way trunk group between API and BellSouth access tandem(s) within a LATA. This group carries intratandem Transit Traffic between API and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which API desires interconnection and has the proper contractual arrangements. This group also carries API originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local and IntraLATA Toll traffic is transported on a single one-way trunk group terminating to API. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Basic Architecture is illustrated in Exhibit B.

2.10.2.2 **One-Way Trunk Group Architecture**

2.10.2.2.1 In this architecture, the Parties interconnect using two one-way trunk groups. One one-way trunk group carries API-originated local and intraLATA toll traffic destined for BellSouth end-users. The other one-way trunk group carries BellSouth-originated local and intraLATA toll traffic destined for API end-users. A third two-way trunk group is established for API's originating and terminating Transit Traffic. This group carries intratandem Transit Traffic between API and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which API desires interconnection and has the proper contractual arrangements. This group also carries API originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The One-Way Trunk Group Architecture is illustrated in Exhibit C.

2.10.2.3 **Two-Way Trunk Group Architecture**

2.10.2.3.1 The Two-Way Trunk Group Architecture establishes one two-way trunk group to carry local and intraLATA toll traffic between API and BellSouth. In addition, a two-way transit trunk group must be established for API's originating and terminating Transit Traffic. This group carries intratandem Transit Traffic between

API and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which API desires interconnection and has the proper contractual arrangements. This group also carries API originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Two-Way Trunk Group Architecture is illustrated in Exhibit D.

2.10.2.4 **Supergroup Architecture**

2.10.2.4.1 In the Supergroup Architecture, the Parties' Local and IntraLATA Toll and API's Transit Traffic are exchanged on a single two-way trunk group between API and BellSouth. This group carries intratandem Transit Traffic between API and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which API desires interconnection and has the proper contractual arrangements. This group also carries API originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Supergroup Architecture is illustrated in Exhibit E.

2.10.3 Multiple Access Tandem Service

- 2.10.3.1 BellSouth **Multiple Tandem Access (MTA)** provides for LATA wide BellSouth transport and termination of API-originated intraLATA toll and Local Traffic, that is transported by BellSouth, by establishing an interconnection trunk group(s) at a BellSouth access tandem with routing through multiple BellSouth access tandems as required. However, API must still establish an interconnection trunk group(s) at all BellSouth access tandems where API NXXs are "homed". If API does not have NXXs homed at a BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, API can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate traffic to endusers served through those BellSouth access tandems where API does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 2.10.3.2 MTA does not include switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched Access traffic will be delivered to and by IXCs based on API's NXX Access Tandem homing arrangement as specified by API in the LERG.

- 2.10.3.3 For API-originated local and intraLATA toll traffic that BellSouth transports but is destined for termination by a third Party network (Transit Traffic), BellSouth MTA is required if multiple BellSouth access tandems are necessary to deliver the call to the third Party network.
- 2.10.3.4 The Parties agree that compensation for the BellSouth transport and/or termination of API's Local Traffic and intraLATA toll traffic will be billed on a statewide basis at the applicable rates specified in Exhibit A to this Attachment for Local Traffic and at the BellSouth intrastate switched access tariff rates for intraLATA toll traffic.
- 2.10.3.5 To the extent API does not purchase MTA in a calling area that has multiple access tandems serving the calling area as defined by BellSouth, API must establish an interconnection trunk group(s) to every access tandem in the calling area in order to serve the entire calling area. To the extent API does not purchase MTA and provides intraLATA toll service to its customers, it may be necessary for it to establish an interconnection trunk group(s) to additional BellSouth access tandems that serve end offices outside the local calling area. To the extent API routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA service, API agrees to pay BellSouth the associated transport and termination charges.

2.10.4 **Local Tandem Interconnection**

- 2.10.4.1 Local Tandem Interconnection arrangement allows API to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of API-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's General Subscriber Services Tariff (GSST), section A3 served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 2.10.4.2 When a specified local calling area is served by more than one BellSouth local tandem, API must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, API may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. API may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where API does not choose to establish an interconnection trunk group(s). It is API's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to API's codes. Likewise, API shall obtain its routing information from the LERG.

- 2.10.4.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, API must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which API has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 2.10.4.4 BellSouth's provisioning of local tandem interconnection assumes that API has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

2.10.5 **Direct End Office-to-End Office Interconnection**

- 2.10.5.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating local or intraLATA toll traffic to the terminating Party on a direct end office-to-end office basis.
- 2.10.5.2 The Parties shall utilize direct end office-to-end office trunk groups under the following conditions:
- 2.10.5.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between API and BellSouth's subscribers.
- 2.10.5.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a API switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a API switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. Either Party will install additional capacity between such points when overflow traffic between API's switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 2.10.5.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above, and agreement will not unreasonably be withheld.

2.10.6 Transit Traffic Trunk Group

2.10.6.1 Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by API to deliver and receive local and intraLATA toll Transit Traffic from third parties, such as Independent Companies and other CLECs, via BellSouth access tandems (or BellSouth local tandems for Local Traffic), and Switched Access traffic to and from Interexchange Carriers via BellSouth access tandems pursuant to the Transit Traffic section of this Attachment. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

2.10.6.2 **Toll Free Traffic**

- 2.10.6.2.1 If API chooses BellSouth to handle Toll Free database queries from its switches, all API originating Toll Free traffic will be routed over the Transit Traffic Trunk Group.
- 2.10.6.2.2 All originating Toll Free Service (Toll Free) calls for which API requests that BellSouth perform the Service Switching Point ("SSP") function (i.e., perform the database query) shall be delivered using GR-394 format over the Transit Traffic Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 2.10.6.2.3 API may handle its own Toll Free database queries from its switch. If so, API will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the query determines that the call is a BellSouth local or intraLATA Toll Free number, API will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the query determines that the call is a third party (ICO or other CLEC) local or intraLATA Toll Free number, API will route the postquery local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group. In such case, API is to provide a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free number, API will route the post-query interLATA call (Toll Free number) directly from its switch for carriers interconnected with its network or over the Transit Traffic Trunk Group to carriers not directly connected to its network but are connected to BellSouth's access tandem. Calls will be routed to BellSouth over the local/intraLATA and Transit Traffic Trunk Groups within the LATA in which the calls originate.
- 2.10.6.2.4 All post-query Toll Free Service (Toll Free) calls for which API performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend the BellSouth access tandem.

3. Network Design And Management For Interconnection

- 3.1 Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.
- 3.2 <u>Interconnection Technical Standards</u>. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- 3.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- 3.4 <u>Network Management Controls</u>. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks. Neither Party shall alter the CCS parameters, or be a party to altering such parameters, or knowingly pass CCS parameters that have been altered in order to circumvent appropriate interconnection charges.

3.6 <u>Signaling Call Information</u>. BellSouth and API will send and receive 10 digits for Local Traffic. Additionally, BellSouth and API will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

3.7 Forecasting for Trunk Provisioning

- 3.7.1 Within six (6) months after execution of this agreement, API shall provide an initial interconnection trunk group forecast for each LATA that it shall provide service within BellSouth's region. Upon receipt of API's forecast, the Parties shall schedule and participate in a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 3.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, API-to-BellSouth one-way trunks ("API Trunks"), BellSouth-to-API one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' local and intraLATA toll. The quantities shall be projected for a minimum of six months in advance and shall include the current year plus next two years total forecasted quantities. Considering API's provided forecast, the Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities for the time periods listed and to be included within the initial forecast.
- 3.7.1.2 Additionally all forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for API location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 3.7.2 Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.
- 3.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process in place for local interconnection trunks.
- 3.7.4 Once initial interconnection trunk forecasts have been developed, API shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. API shall use its best efforts to make the

forecasts as accurate as possible based on reasonable engineering criteria. Interconnection trunk forecasts shall be updated and provided to BellSouth on an as needed basis, but no less frequently than semiannually and no more frequently than monthly. Upon receipt of API's forecast, including forecast updates, the Parties shall confer to mutually develop BellSouth Reciprocal Trunk and/or two-way interconnection trunk forecasted quantities for the listed time periods within such subsequent forecasts.

3.8 Trunk Utilization

- 3.8.1 BellSouth and API shall monitor traffic on each interconnection trunk group that is installed pursuant to the initial interconnection trunk requirements and subsequent forecasts. At any time after the end of a calendar quarter, based on a review of the capacity utilization during such quarter for installed Reciprocal Trunk groups and/or two-way interconnection trunk groups, subject to the provision of the section following, after fifteen (15) business days advance written notice to API, BellSouth may disconnect any Non-utilized Reciprocal Trunk(s) and API shall refund to BellSouth any associated trunk and facility charges paid by BellSouth. In addition, BellSouth may request API to disconnect any Non-utilized two-way interconnection trunk(s), if BellSouth has determined that the trunk group is not being utilized at eighty-five percent (85%) of the time consistent busy hour utilization level, provided that the Parties have not otherwise agreed. API shall comply with such request, subject to Section 3.8.1.1 below. Non-utilized trunks are defined as the trunks not being utilized as a result of a time consistent busy hour utilization of less than 85%.
- 3.8.1.1 Within ten (10) business days following the notice prescribed in the section above, API may request that BellSouth not disconnect or not request disconnection for some or all of the Non-utilized Trunks, in which event BellSouth shall keep the trunks in service and may invoice API for, and API shall pay, all applicable recurring and nonrecurring trunk and facility access tariff charges for the Nonutilized Trunks. The charges shall be applied retroactive to the date on which such trunks were installed and to continue until such trunks are disconnected, or to the extent API requests that such trunks remain in service, until the trunk group reaches an eighty-five percent (85%) time-consistent busy hour utilization level. In addition, API shall reimburse BellSouth for any nonrecurring and/or recurring charges BellSouth may have paid to API for the Non-utilized Trunks and for any trunk installation expense BellSouth incurred. This expense shall equal the nonrecurring installation charge for trunks in BellSouth's intrastate tariff. Furthermore, the API forecasts for each subsequent forecast period shall be automatically reduced by the number of Reciprocal Trunks and/or two-way interconnection trunks that have been determined to be subject to disconnection pursuant to the foregoing procedures.
- 3.8.2 To the extent API requests BellSouth and BellSouth agrees to install additional Reciprocal and/or two-way interconnection trunks in any forecast period following

the initial forecasting period that are not included in the forecast for that period (as such forecast may be revised from time to time), such trunks may be provisioned by BellSouth subject to the conditions set forth in the preceding sections above, and all applicable recurring and nonrecurring charges for such trunks shall be billed to and paid by API until such trunk groups reach an eighty-five percent (85%) time-consistent busy hour utilization level.

3.8.3 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of ninety percent (90%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

4. Local Dialing Parity

4.1 BellSouth and API shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and API shall permit similarly situated telephone exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.

5. Interconnection Compensation

5.1 Compensation for Call Transportation and Termination for Local Traffic

- 5.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.
- 5.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls between specific wire centers established as a local call by the ruling regulatory body.
- 5.1.1.2 As clarification of this definition and for reciprocal transport and termination compensation, Local Traffic does not include traffic that originates from or is directed to or through an enhanced service provider or information service provider.

- 5.1.1.3 As further clarification, Local Traffic does not include calls that do not transmit information of the user's choosing. In any event, neither Party shall pay reciprocal compensation to the other if the "traffic" to which such reciprocal compensation would otherwise apply was generated, in whole or in part, for the purpose of creating an obligation on the part of the originating carrier to pay reciprocal compensation for such traffic.
- The Parties shall provide for the mutual and reciprocal recovery of the costs for the elemental functions performed in transporting and terminating Local Traffic on each other's network. The Parties agree that charges for transport and termination of calls on its respective networks are as set forth in Exhibit A to this Attachment.
- For the purposes of this Attachment, **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between the terminating Party's tandem switch and end office switch and/or between the terminating Party's tandem switches.
- 5.1.4 For the purposes of this Attachment, **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).
- 5.1.5 For the purposes of this Attachment, **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 5.1.6 If API utilizes a switch outside the LATA and BellSouth chooses to purchase dedicated or common (shared) transport from API for transport and termination of BellSouth originated traffic, BellSouth will pay API no more than the airline miles between the V & H coordinates of the Interconnection Point within the LATA where API receives the BellSouth-originated traffic and the V & H coordinates of the BellSouth Exchange Rate Center Area that the API terminating NPA/NXX is associated in the same LATA. For these situations, BellSouth will compensate API at either dedicated or common (shared) transport rates specified in Exhibit A and based upon the functions provided by API as defined in this Attachment.
- 5.1.7 Neither Party shall represent Switched Access Traffic as Local Traffic for purposes of payment of reciprocal compensation.
- Pursuant to the definition of Local Traffic in this Attachment, and for the purpose of delivery of BellSouth originating traffic to API, BellSouth shall pay to API reciprocal compensation for Local Traffic delivered to API end users physically located within the LATA in which the call originated and within which the API end user's NPA/NXX is assigned. If API assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to API end users physically located outside of that LATA, BellSouth traffic originating

from within the LATA where the NPA/NXXs are assigned and delivered to a API customer physically located outside of such LATA, shall not be deemed Local Traffic, and no compensation from BellSouth to API shall be due therefor. Further, API agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to API at BellSouth's switched access tariff rates.

- 5.1.9 If API does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole API NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if API can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.
- 5.2 **Percent Local Use.** Each Party shall report to the other a Percent Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Percent Local Use Reporting Guidebook, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Facility ("PLF"). The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to multiplexing, local channel and interoffice channel switched dedicated transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Percent Local Facility Reporting Guidebook, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU"). All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to API. After interstate and intrastate traffic percentages

have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and API shall retain records of call detail for a minimum of nine months from which a PLU, PLF and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

5.6 **Rate True-up**

This section applies only to Tennessee and other rates that are interim or expressly subject to true-up under this attachment.

- 5.6.1 The interim prices for Unbundled Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In

the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

- The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and API specifically or upon all carriers generally, such as a generic cost proceeding.

5.7 Compensation for IntraLATA Toll Traffic

- 5.7.1 <u>IntraLATA Toll Traffic</u>. IntraLATA Toll Traffic is defined as any telephone call that is not local or switched access per this Agreement.
- 5.7.2 <u>Compensation for intraLATA toll traffic</u>. For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff. The appropriate charges will be determined by the routing of the call. If API is the BellSouth end user's presubscribed interexchange carrier or if the BellSouth end user uses API as an interexchange carrier on a 101XXXXX basis, BellSouth will charge API the appropriate BellSouth tariff charges for originating switched access services.
- 5.7.3 <u>Compensation for 8XX Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs.
- 5.7.4 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 5.7.5 <u>8XX Access Screening</u>. BellSouth's provision of 8XX TFD to API requires interconnection from API to BellSouth 8XX SCP. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection

Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. API shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that API desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff as amended.

5.8 Mutual Provision of Switched Access Service

- 5.8.1 Switched Access Traffic. Switched Access Traffic is described in the BellSouth Access Tariff. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call), shall not be compensated as local.
- 5.8.2 When API's end office switch, subtending the BellSouth Access Tandem switch for receipt or delivery of switched access traffic, provides an access service connection to or from an interexchange carrier ("IXC") by either a direct trunk group to the IXC utilizing BellSouth facilities, or via BellSouth's tandem switch, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. Thirty (30)-day billing periods will be employed for these arrangements. For tandem routed traffic, the tandem company agrees to provide to the Initial Billing Company as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. The Initial Billing Company will provide the switched access summary usage data, for all originating and terminating traffic, to all Subsequent Billing Companies as defined in MECAB within 10 days of rendering the initial bill to the IXC. Each Party will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary.
- In the event that either Party fails to provide the appropriate MECAB switched access usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide

complete documentation to the other to substantiate any claim of unbillable switched access revenues, and a negotiated settlement will be agreed upon between the Parties.

- Each Party will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 5.8.5 Each Party agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- Each Party also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 5.8.7 All claims should be filed with the other Party within 120 days of the receipt of the date of the unbillable usage.
- 5.8.8 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 5.8.9 API agrees not to deliver switched access traffic to BellSouth for termination except over API ordered switched access trunks and facilities.

5.9 Transit Traffic Service

5.9.1 BellSouth shall provide tandem switching and transport services for API's Transit Traffic. Transit traffic is traffic originating on API's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third Party's network that is switched and/or transported by BellSouth and delivered to API's network. Rates for local Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Switched Access Transit Traffic presumes that API's end office is subtending the BellSouth Access Tandem for switched access traffic to and from API's end users utilizing BellSouth facilities, either by direct trunks with the IXC, or via the BellSouth Access Tandem. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Pursuant to these guidelines, the Initial Billing Company shall provide summary usage data, for all originating and terminating Transit Traffic, to all Subsequent Billing Companies. Traffic between

API and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between API and Wireless Type 2A or UNE-CLEC third parties shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or UNE-CLEC third party have the capability to properly meet-point-bill in accordance with MECAB guidelines.

- 5.9.2 In the event that either Party fails to provide the appropriate MECAB usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect Transit Traffic revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable revenues and a negotiated settlement will be agreed upon between the Parties
- The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates stipulated in this Agreement to a terminating carrier. BellSouth agrees to deliver this traffic to the terminating carrier; provided, however, that API is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to API. API agrees to compensate BellSouth for any charges or costs for the delivery of Transit Traffic to a connecting carrier on behalf of API. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- 5.10 Interconnection with Enhanced Service Providers (ESPs)/Information Service Providers (ISPs).
- 5.10.1 ESP/ISP traffic shall not be included in the interconnection compensation arrangements of this Agreement.

6. Frame Relay Service Interconnection

In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and API's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which API is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between API and BellSouth Frame Relay Switches in the same LATA.

- The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("POI(s)") within the LATA. All POIs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- Upon the request of either Party, such interconnection will be established where BellSouth and API have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- The Parties agree to provision local and IntraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the POIs.
- 6.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 6.5.1 If the data packets originate and terminate in locations in the same LATA, and consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 6.5.2 If the originating and terminating locations of the two way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 6.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, API may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies API that it has found that this method does not adequately represent the PLCU.
- 6.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and API will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. API

will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of API's PLCU.

- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and API will pay, the total non-recurring and recurring charges for the NNI port. API will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by API's PLCU.
- Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 6.8 For the PVC segment between the API and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 6.9 Compensation for PVC rate elements will be calculated as follows:
- 6.9.1 If API orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the API Frame Relay switch, BellSouth will invoice, and API will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and API Frame Relay switches. If the VC is a Local VC, API will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to API for the PVC segment.
- 6.9.2 If BellSouth orders a Local VC connection between a API subscriber's PVC segment and a PVC segment from the API Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and API will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and API Frame Relay switches. If the VC is a Local VC, API will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to API for the PVC segment.
- 6.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.


- 6.9.4 If API requests a change, BellSouth will invoice and API will pay a Feature Change charge for each affected PVC segment.
- 6.9.4.1 If BellSouth requests a change to a Local VC, API will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 6.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 6.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 6.10 API will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per section 6.5.3 above.
- 6.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.
- If during the term of this Agreement, BellSouth obtains authority to provide interLATA Frame Relay in any State, the Parties agree to renegotiate this arrangement for the exchange of Frame Relay Service Traffic within one hundred eighty (180) days of the date BellSouth receives interLATA authority. In the event the Parties fail to renegotiate this Section 6 within the one hundred eighty day period, they will submit this matter to the appropriate State commission(s) for resolution.

7. Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Attachment 2.


Basic Architecture

Exhibit B




One-Way Architecture

Exhibit C




Two-Way Architecture

Exhibit D



Supergroup Architecture

Exhibit E



| | | | | | R | ATES BY STA | TE | | | |
|--|-------|-----------|-----------------|-------------|----------------|------------------|-------------|-----------------|----------------|-----------------|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | |
| End Office Switching, per mou | N/A | \$0.0018 | NA | \$0.0016333 | \$0.002562 | \$0.00210 | \$0.0023771 | \$0.0015 | \$0.0019295 | \$0.0019 |
| Direct Local Interconnection, per mou (same as End Office Switching in FL) | | NA | \$0.002 | NA | NA | NA | NA | NA | NA | NA |
| Tandem Switching, per mou | N/A | \$0.00063 | \$0.00029 | \$0.0006757 | \$0.001096 | \$0.0008 | \$0.0007834 | \$0.0006 | \$0.0006843 | \$0.000676 |
| Tandem Local Interconnection, per mou (includes end office switching element) | N/A | NA | \$0.00325 | NA | NA | NA | NA | NA | NA | NA |
| Multiple Tandem Switching, per mou (applies to initial tandem only), effective 10/99 | N/A | NA | \$0.00125 | NA | NA | NA | NA | NA | NA | NA |
| Local Intermediary, per mou (applies to transit traffic only) | N/A | NA | \$0.00125 | NA | NA | NA | NA | NA | NA | NA |
| Tandem Intermediary Charge, per mou* | N/A | \$0.0015 | NA | NA | \$0.001096 | NA | NA | NA | NA | NA |
| *(This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.) | | | | | | | | | | |
| TRUNK CHARGE | | | | | | | | | | |
| Interim charges, both non-recurring and recurring, associated with interconnecting trunk groups between BellSouth and CLEC-1 shall be as set forth in this Exhibit. At such time as BellSouth develops a final cost based rate for such interconnecting trunk groups, the Parties shall amend this agreement to include such final cost based rates and shall true up such charges in accordance with this Attachment. Installation Trunk Side Service - per DS0 | | | | | | | | | | |
| | TDD | #000 00 | # 000 40 | #000 00 | #004.00 | COO.4.0.4 | 000444 | # 000 54 | COOF 44 | # 004.00 |
| NRC - 1st | TPP++ | \$333.69 | \$336.43 | \$333.28 | \$334.09 | \$334.94 | \$334.11 | \$333.54 | \$335.14 | \$334.29 |
| NRC - Add'l | TPP++ | \$56.91 | \$57.38 | \$56.84 | \$57.12 | \$56.98 | \$56.98 | \$56.88 | \$57.16 | \$57.01 |
| INTEROFFICE TRANSPORT | | - | | | | | | | | |
| Common (Shared) Transport | | | | | | | | | | |
| Common (Shared) Transport Common (Shared) Transport per mile per mou | N/A | \$0.00001 | \$0.000012 | \$0.000008 | \$0,0000040 | \$0.0000083 | \$0.0000091 | \$0.00001 | \$0.0000121 | \$0.00004 |
| Common (Shared) Transport Facilities Termination per mou | N/A | \$0.00045 | \$0.000012 | \$0.0004152 | \$0.00049 | \$0.00047 | \$0.0004281 | \$0.00034 | \$0.0004672 | \$0.00036 |
| Interoffice Channel Transport - Dedicated - VG | 14/73 | ψ0.00043 | ψ0.0003 | ψ0.0004132 | ψ0.000420 | ψ0.000+1 | ψ0.0004201 | ψ0.0005- | ψ0.0004072 | ψ0.00000 |
| Interoffice Transport - Dedicated - 2-wire VG | | | | | | | | | | |
| 2-Wire VG - per mile per month | 1L5XF | \$0.0339 | \$0.0098 | \$0.0222 | NA | \$0.0384 | NA | \$0.0282 | \$0.0373 | \$0.0173 |
| 2-Wire VG - Facility Termination per month | 1L5XF | \$18.49 | \$26.52 | \$17.07 | NA | \$19.10 | NA | \$18.01 | \$21.42 | \$18.33 |
| NRC - 2-wire VG - Facility Termination -1st | 1L5XF | \$107.11 | \$81.09 | \$79.61 | NA | \$76.20 | NA | \$137.48 | \$136.44 | \$55.39 |
| NRC - 2-wire VG - Facility Termination - Add'l | 1L5XF | \$48.27 | \$54.83 | \$36.08 | NA | \$34.54 | NA | \$52.58 | \$51.37 | \$17.37 |
| NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st | 1L5XF | \$37.16 | \$31.01 | NA | NA | \$28.03 | NA | NA | NA | \$27.96 |
| NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l | 1L5XF | \$5.88 | \$12.78 | NA | NA | \$5.37 | NA | NA | NA | \$3.51 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | NA | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | NA | \$3.50 | NA | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | NA | \$38.07 | \$39.63 | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$27.57 | NA | \$18.94 | NA | \$18.14 | NA | \$38.07 | \$39.63 | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | NA | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | NA | NA | NA | NA |
| Interoffice Transport - Dedicated - 2 Wire VG - Kentucky & Mississippi | | | | | | | | | | |
| 2-Wire VG - per mile per month | 1L5NF | NA | NA | NA | \$0.0301 | NA | \$0.0323 | NA | NA | NA |
| 2-Wire VG - Facility Termination per month | 1L5NF | NA | NA | NA | \$27.66 | NA | \$21.33 | NA | NA | NA |
| NRC - 2-wire VG - Facility Termination -1st | 1L5NF | NA | NA | NA | \$142.31 | NA | \$106.72 | NA | NA | NA |
| NRC - 2-wire VG - Facility Termination - Add'l | 1L5NF | NA | NA | NA | \$56.21 | NA | \$48.83 | NA | NA | NA |
| NRC - 2-wire VG -Facility Termination - Disconnect Charge -1st | 1L5NF | NA | NA | NA | NA | NA | \$38.05 | NA | NA | NA |
| NRC - 2-wire VG - Facility Termination - Disconnect Charge -Add'l | 1L5NF | NA | NA | NA | NA | NA | \$7.23 | NA | NA | NA |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | NA | NA | \$19.99 | NA | NA | NA | NA | NA |

Attach 3 -Local Interconnection

| | RATES BY STATE | | | | | | | | | |
|---|----------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | NA | \$3.50 | NA | \$3.50 | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | NA | NA | NA | \$25.52 | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | NA | NA | NA | \$25.52 | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | NA | NA | NA | NA | NA | \$11.34 | NA | NA | NA |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order-DisconnectAdd'l | SOMAN | NA | NA | NA | NA | NA | \$11.34 | NA | NA | NA |
| Interoffice Transport - Dedicated - DS0 - 56/64 KBPS | | | | | | | | | | |
| DS0 - per mile per month | 1L5XK | \$0.0339 | \$0.0098 | \$0.0222 | NA | \$0.0384 | NA | \$0.0282 | \$0.0373 | \$0.1730 |
| DS0 - Facility Termination per month | 1L5XK | \$17.81 | \$19.31 | \$16.45 | NA | \$18.37 | NA | \$17.40 | \$20.71 | \$17.74 |
| NRC - DS0 - Facility Termination - 1st | 1L5XK | \$107.11 | \$81.11 | \$79.61 | NA | \$76.20 | NA | \$137.48 | \$136.44 | \$55.39 |
| NRC - DS0 - Facility Termination - Add'l | 1L5XK | \$48.27 | \$54.83 | \$36.08 | NA | \$34.54 | NA | \$52.58 | \$51.37 | \$17.37 |
| NRC - DS0 - Facility Termination - Disconnect Charge - 1st | 1L5XK | \$37.16 | \$31.01 | NA | NA | \$28.03 | NA NA | NA | NA NA | \$27.96 |
| NRC - DS0 - Facility Termination - Disconnect Charge - Add'l | 1L5XK | \$5.88 | \$12.78 | NA | NA | \$5.37 | NA | NA | NA | \$3.51 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | NA | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | NA | \$3.50 | NA | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | NA | \$38.07 | \$39.63 | NA |
| NRC -DS0 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | NA | \$38.07 | \$39.63 | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | NA | NA | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | NA | NA | NA | NA |
| Interoffice Transport - Dedicated - DS0 - 56/64 KBPS - Kentucky & Mississippi DS0 - per mile per month | 1L5NK | NA | NA | NA | \$0.0301 | NA | \$0.0323 | NA | NA | NA |
| DS0 - Facility Termination per month | 1L5NK | NA NA | NA NA | NA NA | \$26.95 | NA NA | \$20.64 | NA NA | NA NA | NA NA |
| NRC - DS0 - Facility Termination - 1st | 1L5NK | NA NA | NA NA | NA NA | \$142.31 | NA NA | \$106.72 | NA NA | NA NA | NA NA |
| NRC - DS0 - Facility Termination - 1st | 1L5NK | NA NA | NA NA | NA NA | \$56.21 | NA NA | \$48.83 | NA NA | NA NA | NA NA |
| NRC - DS0 - Facility Termination - Add 1 | 1L5NK | NA NA | NA NA | NA NA | NA | NA NA | \$38.05 | NA NA | NA NA | NA NA |
| NRC - DS0 - Facility Termination - Disconnect Charge - Add'l | 1L5NK | NA NA | NA NA | NA NA | NA NA | NA NA | \$7.23 | NA NA | NA NA | NA NA |
| NRC - Manual Svc Order, per LSR | SOMAN | NA NA | NA NA | NA NA | \$19.99 | NA NA | NA | NA NA | NA NA | NA NA |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | NA NA | NA NA | NA | NA NA | NA | NA | NA NA | NA NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA NA | NA NA | NA NA | \$3.50 | NA NA | \$3.50 | NA. | NA NA | NA. |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA NA | NA NA | NA NA | NA | NA NA | NA | NA. | NA NA | NA NA |
| NRC - DS0 -Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | NA | \$37.21 | NA | \$25.52 | NA | NA | NA |
| NRC -DS0 - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA. | NA NA | NA | \$37.21 | NA NA | \$25.52 | NA. | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | NA | NA | NA | NA | NA | \$11.31 | NA | NA | NA |
| NRC - DS0 -Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | NA | NA | NA | NA | NA | \$11.34 | NA | NA | NA |
| Interoffice Transport - Dedicated - DS1 | | | | | | | | | | |
| DS1 - per mile per month | 1L5XL | \$0.6920 | \$0.6013 | \$0.4523 | NA | \$0.7831 | NA | \$0.5753 | \$0.7598 | \$0.3525 |
| DS1 - Facility Termination per month | 1L5XL | \$79.69 | \$99.79 | \$78.47 | NA NA | \$93.40 | NA NA | \$71.29 | \$94.98 | \$75.83 |
| NRC - DS1-Facility Termination - 1st | 1L5XL | \$198.15 | \$45.91 | \$147.07 | NA NA | \$140.49 | NA NA | \$217.17 | \$216.27 | \$145.98 |
| NRC - DS1 - Facility Termination - Add'l | 1L5XL | \$148.18 | \$44.18 | \$111.75 | NA NA | \$106.69 | NA NA | \$163.75 | \$162.70 | \$109.85 |
| NRC - DS1 - Facility Termination - Disconnect Charge - 1st | 1L5XL | \$25.44 | \$30.30 | NA NA | NA NA | \$20.00 | NA NA | NA | NA | \$19.55 |
| | | | | | | | | | | |
| NRC - DS1 - Facility Termination -Disconnect Charge - Add'l | 1L5XL | \$20.42 | \$26.76 | NA | NA | \$16.34 | NA | NA | NA | \$14.99 |

| | | RATES BY STATE | | | | | | | | | | | | |
|-------|---|----------------|----------|------------|----------|----------|----------|----------|---------------|---------------|----------|--|--|--|
| DESC | RIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN | | | |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA | | | |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | NA | \$3.50 | NA | \$3.50 | \$3.50 | \$3.50 | | | |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA | | | |
| | NRC - DS1 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | NA | \$38.07 | \$39.63 | NA | | | |
| | NRC -DS1 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | NA | \$38.07 | \$39.63 | NA | | | |
| | NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | NA | NA | NA | NA | | | |
| | NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | \$12.97 | NA | NA | NA | \$8.06 | NA | NA | NA | NA | | | |
| Int | eroffice Transport - Dedicated - DS1 - Kentucky & Mississippi | | | | | | | | | | | | | |
| | DS1 - per mile per month | 1L5NL | NA | NA | NA | \$0.4500 | NA | \$0.6598 | NA | NA | NA | | | |
| | DS1 -Facility Termination per month | 1L5NL | NA | NA | NA | \$55.05 | NA | \$74.40 | NA | NA | NA | | | |
| | NRC - DS1-Facility Termination - 1st | 1L5NL | NA | NA | NA | \$298.18 | NA | \$196.28 | NA | NA | NA | | | |
| | NRC - DS1 - Facility Termination - Add'l | 1L5NL | NA | NA | NA | \$231.23 | NA | \$147.31 | NA | NA | NA | | | |
| | NRC - DS1 - Facility Termination - Disconnect Charge - 1st | 1L5NL | NA | NA | NA | NA | NA | \$26.56 | NA | NA | NA | | | |
| | NRC - DS1 - Facility Termination -Disconnect Charge - Add'l | 1L5NL | NA | NA | NA | NA | NA | \$21.61 | NA | NA | NA | | | |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | NA | NA | \$19.99 | NA | NA | NA | NA | NA | | | |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA | | | |
| | NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | NA | \$3.50 | NA | \$3.50 | NA | NA | NA | | | |
| | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | NA | NA | NA | NA | NA | NA | NA | NA | | | |
| | NRC - DS1 - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | NA | NA | NA | \$25.52 | NA | NA | NA | | | |
| | NRC -DS1 - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | NA | NA | NA | \$25.52 | NA | NA | NA | | | |
| | NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | NA | NA | NA | NA | NA | \$11.31 | NA | NA | NA | | | |
| | NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | NA | NA | NA | NA | NA | \$11.34 | NA | NA | NA | | | |
| Int | eroffice Transport - Dedicated - DS3 | | | | | | | | | | | | | |
| | DS3 - per mile per month | 1L5XM | \$4.98 | \$4.17 | \$2.72 | NA | \$14.04 | NA | \$12.98 | \$8.13 | \$5.89 | | | |
| | DS3 - per mile per month DS3 - Facility Termination per month | 1L5XM | \$898.15 | \$1,121.93 | \$788.00 | NA NA | \$1,101 | NA NA | \$720.38 | \$967.70 | \$760.20 | | | |
| | NRC - DS3 - Facility Termination -1st | 1L5XM | \$511.77 | \$557.69 | \$511.10 | NA NA | \$611.41 | NA NA | \$794.94 | \$606.72 | \$625.91 | | | |
| ++- | NRC - DS3 - Facility Termination - Add'l | 1L5XM | \$330.92 | \$325.61 | \$330.77 | NA NA | \$304.90 | NA NA | \$579.55 | \$423.45 | \$311.39 | | | |
| ++- | NRC - DS3 - Facility Termination - Add 1 | 1L5XM | \$121.72 | \$111.56 | \$122.31 | NA NA | \$102.16 | NA NA | λ579.55 NA | Ψ423.45 NA | \$103.36 | | | |
| +++ | NRC - DS3 - Facility Termination - Disconnect Charge - 1st | 1L5XM | \$118.54 | \$108.34 | \$119.14 | NA NA | \$99.46 | NA NA | NA NA | NA NA | \$100.59 | | | |
| ++ | NRC - Manual Svc Order, per LSR | SOMAN | NA NA | \$21.56 | NA NA | NA NA | NA | NA NA | NA. | NA NA | \$19.99 | | | |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | \$3.84 | NA NA | NA NA | NA NA | NA NA | NA NA | NA NA | NA | | | |
| | NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | NA NA | \$3.50 | NA NA | \$3.50 | \$3.50 | \$3.50 | | | |
| ++ | NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA NA | NA | NA NA | NA | NA | NA | | | |
| 1 1 | NRC - DS3 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | NA NA | \$50.25 | NA NA | \$91.26 | \$54.26 | NA NA | | | |
| + + - | NRC - DS3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA NA | \$37.55 | NA NA | \$50.25 | NA. | \$91.26 | \$54.26 | NA NA | | | |
| 1 1 | NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | \$19.03 | NA. | \$18.03 | NA NA | \$20.94 | NA NA | NA | NA | NA NA | | | |
| 11 | NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | NA | NA | NA | NA | | | |
| | | | | | | | | | | | | | | |
| Int | eroffice Transport - Dedicated - DS3 - Kentucky & Mississippi | | | | | | | | | | | | | |
| | DS3 - per mile per month | 1L5NM | NA | NA | NA | \$12.62 | NA | \$15.02 | NA | NA | NA | | | |
| | DS3 -Facility Termination per month | 1L5NM | NA | NA | NA | \$1,204 | NA | \$744.38 | NA | NA | NA | | | |
| | NRC - DS3 - Facility Termination -1st | 1L5NM | NA | NA | NA | \$946.23 | NA | \$686.74 | NA | NA | NA | | | |
| | NRC - DS3 - Facility Termination - Add'l | 1L5NM | NA | NA | NA | \$516.89 | NA | \$477.76 | NA | NA | NA | | | |
| | NRC - DS3 - Facility Termination - Disconnect Charge - 1st | 1L5NM | NA | NA | NA | NA | NA | \$125.56 | NA | NA | NA | | | |
| | NRC - DS3 - Facility Termination - Disconnect Charge - Add'l | 1L5NM | NA | NA | NA | NA | NA | \$118.79 | NA | NA | NA | | | |
| | NRC - Manual Svc Order, per LSR | SOMAN | NA | NA | NA | \$19.99 | NA | NA | NA | NA | NA | | | |
| | NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | NA | NA | NA | NA | NA | NA | NA | NA | | | |

| | RATES BY STATE | | | | | | | | | | | | |
|---|----------------|-------------------|----------|---------------|---------------|---------------|---------------|-------------------|-------------------|----------|--|--|--|
| ESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN | | | |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | NA | NA | \$3.50 | NA | \$3.50 | NA | NA | NA | | | |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | NA | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order - 1st | SOMAN | NA | NA | NA | \$93.12 | NA | \$64.97 | NA | NA | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | NA | NA | NA | \$93.12 | NA | \$64.97 | NA | NA | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect1st | SOMAN | NA | NA | NA | NA | NA | \$27.08 | NA | NA | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect—Add'l | SOMAN | NA | NA | NA | NA | NA | \$27.08 | NA | NA | NA | | | |
| | | | | | | | | | | | | | |
| ocal Channel - Dedicated | | | | | | | | | | | | | |
| Local Channel - Dedicated - 2-Wire VG | | | | | | | | | | | | | |
| Monthly Recurring per month | TEFV2 | \$14.61 | \$29.33 | \$13.91 | \$22.26 | \$14.94 | \$17.83 | \$14.83 | \$16.83 | \$19.0 | | | |
| NRC - 2-wire VG - Facility Termination - 1st | TEFV2 | \$494.65 | \$386.34 | \$382.95 | \$585.15 | \$347.49 | \$487.62 | \$553.80 | \$554.00 | \$199. | | | |
| NRC - 2-wire VG - Facility Termination - Add'l | TEFV2 | \$84.44 | \$66.36 | \$62.40 | \$98.53 | \$59.75 | \$84.35 | \$89.69 | \$88.58 | \$24.1 | | | |
| NRC - 2-wire VG - Facility Termination - Disconnect - 1st | TEFV2 | \$77.81 | \$67.91 | NA | \$11.99 | \$53.68 | \$77.69 | NA | NA | \$54.8 | | | |
| NRC - 2-wire VG - Facility Termination - Disconnect - Add'l | TEFV2 | \$7.63 | \$5.92 | NA | NA | \$6.60 | \$8.95 | NA | NA | \$4.8 | | | |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.9 | | | |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.5 | | | |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$42.17 | \$43.75 | NA | | | |
| NRC - 2-wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$18.37 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | N/ | | | |
| NRC - 2-wire VG - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st | SOMAN | \$17.75 | NA | NA | NA | \$11.40 | \$16.05 | NA | NA | N/ | | | |
| | | | | | | | | | | | | | |
| Local Channel - Dedicated - 4-Wire VG | | | | | | | | | | | | | |
| Monthly Recurring per month | TEFV4 | \$15.77 | \$30.50 | \$14.99 | \$23.38 | \$16.21 | \$19.03 | \$15.87 | \$18.05 | \$20. | | | |
| NRC - 4-Wire VG - 1st | TEFV4 | \$502.43 | \$387.21 | \$368.44 | \$585.15 | \$352.75 | \$495.25 | \$562.23 | \$562.46 | \$201 | | | |
| NRC - 4-Wire VG - Add'l | TEFV4 | \$86.68 | \$67.22 | \$64.05 | \$98.53 | \$61.33 | \$86.56 | \$92.67 | \$91.57 | \$24. | | | |
| NRC - 4-Wire VG - Disconnect Chg - 1st | TEFV4 | \$78.71 | \$68.78 | NA | NA | \$54.36 | \$78.58 | NA | NA | \$55. | | | |
| NRC - 4-Wire VG - Disconnect Chg - Add'l | TEFV4 | \$8.53 | \$6.79 | NA | NA | \$7.28 | \$9.84 | NA | NA | \$5.5 | | | |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19. | | | |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | N/ | | | |
| NRC - Electronic Svc Order, per LSR | SOMEC | NA | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.5 | | | |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | \$3.50 | \$0.42 | NA | NA | NA | NA | NA | NA | N/ | | | |
| NRC - 4-Wire VG - Incremental ChargeManual Svc Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$42.17 | \$43.64 | N/ | | | |
| NRC - 4-Wire VG - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$18.73 | NA | \$8.42 | NA | \$8.06 | \$11.34 | \$12.76 | \$13.55 | N/ | | | |
| | | | | | | | | | | | | | |
| Local Channel - Dedicated - DS1 | | | | | | | 222.21 | | | 212 | | | |
| DS1 Monthly Recurring per month | TEFHG | \$35.52 | \$43.53 | \$38.36 | \$43.80 | \$43.80 | \$38.91 | \$35.68 | \$37.20 | \$40. | | | |
| NRC - DS1 - 1st | TEFHG | \$503.57 | \$242.45 | \$356.15 | \$538.95 | \$348.56 | \$494.83 | \$534.48 | \$534.81 | \$277 | | | |
| NRC - DS1 - Add'l | TEFHG | \$442.84 | \$226.44 | \$312.89 | \$464.94 | \$300.30 | \$435.28 | \$462.69 | \$462.81 | \$233 | | | |
| NRC - DS1 - Disconnect Chg - 1st | TEFHG | \$46.28 | \$41.13 | NA | NA | \$24.15 | \$46.85 | NA | NA | \$33. | | | |
| NRC - DS1 - Disconnect Chg - Add'l | TEFHG | \$32.18 | \$28.28 | NA | NA *10.00 | \$21.31 | \$33.02 | NA | NA | \$22. | | | |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19. | | | |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA Co. 50 | \$3.84 | NA To FO | NA Co. 50 | NA Co. 50 | NA Co. 50 | NA To 50 | NA Co. 50 | N/ | | | |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.5 | | | |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA COLOT | \$0.42 | NA ©14.00 | NA COZ 74 | NA ©40.04 | NA \$50.50 | NA Coo 45 | NA COZ.OO | N/ | | | |
| NRC - DS1 - Incremental ChargeManual Svc Order - 1st | SOMAN SOMAN | \$61.95 \$0.00 | NA NA | \$44.22 NA | \$87.71 NA | \$42.34 NA | \$59.58 NA | \$86.15 \$1.77 | \$87.99 \$3.11 | N/ N/ | | | |
| NRC - DS1 - Incremental ChargeManual Svc Order - Add'l | | | | | | | | | | | | | |

| | RATES BY STATE | | | | | | | | | | | | |
|--|----------------|----------|----------|----------|--------------------|----------|---------------|--------------|----------|----------|--|--|--|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN | | | |
| Local Channel - Dedicated - DS3 | | | | - | | | _ | | | | | | |
| DS3 - Facility Termination per month | TEFHJ | \$541.78 | \$570.06 | \$550.01 | \$697.89 | \$696.07 | \$533.33 | \$498.87 | \$498.58 | \$633.15 | | | |
| NRC - DS3 - Facility Termination - 1st | TEFHJ | \$640.54 | \$903.37 | \$639.50 | \$1,091.00 | \$594.71 | \$526.67 | \$562.25 | \$735.42 | \$726.16 | | | |
| NRC - DS3 - Facility Termination - Add'l | TEFHJ | \$426.28 | \$528.05 | \$426.40 | \$661.23 | \$396.54 | \$493.71 | \$527.88 | \$519.31 | \$411.64 | | | |
| NRC - DS3 - Facility Termination - Disconnect - 1st | TEFHJ | \$121.72 | \$221.46 | \$122.31 | NA | \$113.75 | \$42.41 | NA | NA | \$103.36 | | | |
| NRC - DS3 - Facility Termination - Disconnect - Add'l | TEFHJ | \$118.54 | \$154.90 | \$119.14 | NA | \$110.80 | \$40.87 | NA | NA | \$100.59 | | | |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | \$19.99 | NA | NA | NA | NA | \$19.99 | | | |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.75 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | \$3.50 | | | |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.42 | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - DS3 -Incremental ChargeManual Svc Order - 1st | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$31.49 | \$56.25 | \$54.26 | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$38.48 | NA | \$37.55 | \$93.12 | \$50.25 | \$31.49 | \$56.25 | \$54.26 | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect -1st | SOMAN | \$19.03 | NA | \$18.03 | NA | \$20.94 | \$25.35 | NA | NA NA | NA | | | |
| NRC - DS3 - Incremental ChargeManual Svc Order-Disconnect-Add'l | SOMAN | \$19.03 | NA. | \$18.03 | NA NA | \$20.94 | \$25.35 | NA. | NA | NA | | | |
| Three Boo more manage mandar eve ender Breedinger Add 1 | 001717414 | ψ10.00 | 107 | ψ10.00 | 10/ | Ψ20.01 | Ψ20.00 | 101 | 101 | 107 | | | |
| | | | | | | | | | | | | | |
| HANNELIZATION | | | | | | | | | | \bot | | | |
| DS3 Channelization (DS3 to DS1) | | | | | | | | | | <u> </u> | | | |
| per Channelized System (28 DS1) per month | SATCS | \$188.51 | \$220.97 | \$188.78 | NA | \$182.64 | NA | \$243.76 | \$234.30 | \$185.9 | | | |
| NRC - 1st | SATCS | \$71.76 | \$356.40 | \$72.50 | NA | \$60.96 | NA | \$77.90 | NA | \$61.0 | | | |
| NRC - Add'l | SATCS | \$52.03 | \$188.00 | \$59.96 | NA | \$50.46 | NA | \$63.32 | NA | \$50.3 | | | |
| NRC -1st - Disconnect | SATCS | \$17.22 | \$61.64 | \$11.02 | NA | \$7.55 | NA | \$4.61 | \$11.99 | \$3.9 | | | |
| NRC -Add'l - Disconnect | SATCS | \$12.05 | \$58.98 | \$12.02 | NA | \$12.29 | NA | \$15.76 | \$12.05 | \$12.6 | | | |
| per Interface per month (COCI) | SATCO | \$8.69 | \$14.40 | \$8.66 | NA | \$8.80 | NA | \$11.28 | \$8.68 | \$9.0 | | | |
| NRC - 1st | SATCO | NA | \$13.16 | NA | NA | NA | NA | NA | NA | \$19.9 | | | |
| NRC - Add'l | SATCO | NA | \$9.43 | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - Manual Svc Order, per LSR | SOMEC | \$3.50 | \$21.56 | \$3.50 | NA | \$3.50 | NA | \$3.50 | \$3.50 | \$3.5 | | | |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA | | | |
| NRC - Electronic Svc Order, per LSR | SOMAN | \$15.61 | NA | \$14.91 | NA | \$19.74 | NA | \$28.13 | \$25.59 | \$21.7 | | | |
| NRC - Electronic Svc Order, per LSR disconnect | SOMAN | \$7.39 | NA | \$6.63 | NA | \$8.77 | NA | \$13.33 | \$8.92 | \$10.4 | | | |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | \$11.67 | NA | \$10.82 | NA | \$12.43 | NA | \$18.26 | NA | \$14.2 | | | |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | \$0.9469 | NA | NA | NA | NA | NA | \$1.48 | NA | \$1.4 | | | |
| DS3 Channelization (DS3 to DS1) - Kentucky & Mississippi | | | | | | | | + | | + | | | |
| per Channelized System (28 DS1) per month | SATNS | NA | NA | NA | \$236.32 | NA | \$247.40 | NA | NA | NA | | | |
| NRC - 1st | SATNS | NA NA | NA NA | NA NA | \$425.41 | NA NA | \$79.94 | NA NA | NA NA | NA NA | | | |
| NRC - Add'l | SATNS | NA NA | NA NA | NA NA | \$303.33 | NA NA | \$65.20 | NA. | NA NA | NA NA | | | |
| NRC -1st - Disconnect | SATNS | NA NA | NA NA | NA NA | NA | NA NA | \$5.58 | NA. | NA NA | NA NA | | | |
| NRC -Add'l - Disconnect | SATNS | NA NA | NA NA | NA NA | NA NA | NA NA | \$15.85 | NA NA | NA NA | NA NA | | | |
| per Interface per month (COCI) | SATCO | NA NA | NA NA | NA NA | \$8.52 | NA NA | \$11.35 | NA NA | NA NA | NA NA | | | |
| NRC - 1st | SATCO | NA NA | NA NA | NA NA | \$19.99 | NA NA | NA | NA NA | NA NA | NA NA | | | |
| NRC - Add'l | SATCO | NA NA | NA NA | NA NA | Ψ19.99 NA | NA NA | NA NA | NA NA | NA NA | NA NA | | | |
| NRC - Manual Svc Order, per LSR | SOMAN | NA NA | NA NA | NA NA | \$3.50 | NA NA | \$3.50 | NA NA | NA NA | NA NA | | | |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | NA NA | NA NA | NA | NA NA | NA | NA NA | NA NA | NA NA | | | |
| NRC - Maridal Svc Order, per LSR disconnect | SOMEC | NA NA | NA NA | NA NA | NA NA | NA NA | \$26.95 | NA NA | NA NA | NA NA | | | |
| NRC - Electronic Svc Order, per LSR NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA NA | NA NA | NA NA | NA NA | NA NA | \$11.98 | NA NA | NA NA | NA NA | | | |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | NA NA | NA NA | NA NA | \$41.47 | NA NA | \$16.97 | NA NA | NA NA | NA NA | | | |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | NA NA | NA NA | NA NA | \$41.47 \$11.99 | NA NA | \$16.97 NA | NA NA | NA NA | NA NA | | | |
| Onarmer System - moremental Cost - Manual Svc. Order vs. Electronic -Add t | SOIVIAIN | INA | INA | INA | का।.चच | INA | INA | INA | INA | INA | | | |
| DS1 Channelization (DS1 to DS0) | | + | | | | | | | | + | | | |

| | | | | | R | ATES BY STA | TE | | | |
|--|----------------|----------|----------|----------|-------------------|-------------|-------------------|----------|----------|----------|
| DESCRIPTION | usoc | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| per Channelized System (24 DS0) per month | SATC1 | \$136.82 | \$153.60 | \$126.22 | NA | \$209.87 | NA | \$177.72 | \$147.51 | \$165.21 |
| NRC - 1st | SATC1 | \$197.98 | \$182.14 | \$198.22 | NA | \$193.63 | NA | \$267.19 | \$220.89 | \$197.21 |
| NRC - Add'l | SATC1 | \$123.12 | \$125.18 | \$123.59 | NA | \$118.37 | NA | \$161.43 | \$137.15 | \$119.99 |
| NRC -1sr - Disconnect | SATC1 | \$30.18 | \$19.52 | \$31.03 | NA | \$26.44 | NA | \$34.55 | NA | \$25.66 |
| NRC -Add'l - Disconnect | SATC1 | \$18.86 | \$18.14 | \$19.75 | NA | \$16.83 | NA | \$21.14 | NA | \$15.81 |
| - Interface (COCI) | | | | | | | | | | |
| per OCU-DP(data) card per month (2.4-64kbs) | SATSA | \$1.66 | \$2.20 | \$1.86 | NA | \$3.12 | NA | \$2.88 | \$2.34 | \$2.46 |
| NRC - 1st | SATSA | \$12.05 | \$13.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | \$12.05 | \$12.61 |
| NRC - Add'l | SATSA | \$8.69 | \$9.43 | \$8.66 | NA | \$8.80 | NA | \$11.28 | \$8.68 | \$9.03 |
| per BRITE card per month | SATSA | \$3.41 | \$3.83 | \$3.71 | NA | \$4.18 | NA | \$3.76 | \$4.21 | \$3.33 |
| NRC - 1st | SATSA | \$12.05 | \$13.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | \$12.05 | \$12.61 |
| NRC - Add'l | SATSA | \$8.69 | \$9.43 | \$8.66 | NA | \$8.80 | NA | \$11.28 | \$8.68 | \$9.03 |
| per VG card per month (DS0) | SATSA | \$0.86 | \$1.45 | \$1.17 | NA | \$1.62 | NA | \$1.64 | \$1.47 | \$1.25 |
| NRC - 1st | SATSA | \$12.05 | \$13.16 | \$12.02 | NA | \$12.29 | NA | \$15.76 | \$12.05 | \$12.61 |
| NRC - Add'l | SATSA | \$8.69 | \$9.43 | \$8.66 | NA | \$8.80 | NA | \$11.28 | \$8.68 | \$9.03 |
| NRC - Manual Svc Order, per LSR | SOMAN | NA | \$21.56 | NA | NA | NA | NA | NA | NA | \$19.99 |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA | \$3.84 | NA | NA | NA | NA | NA | NA | NA |
| NRC - Electronic Svc Order, per LSR | SOMEC | \$3.50 | \$2.77 | \$3.50 | NA | \$3.50 | NA | \$3.50 | \$3.50 | \$3.50 |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA | \$0.43 | NA | NA | NA | NA | NA | NA | NA |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | \$15.61 | NA | \$14.75 | NA | \$19.74 | NA | \$28.13 | \$25.59 | \$25.66 |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -Add'l | SOMAN | \$7.39 | NA | \$6.55 | NA | \$8.77 | NA | \$13.33 | \$8.92 | \$15.81 |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - 1st | SOMAN | \$11.67 | NA | \$10.70 | NA | \$12.43 | NA | \$18.26 | NA | \$14.21 |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l | SOMAN | \$0.9469 | NA | \$0.00 | NA | NA | NA | \$1.48 | NA | \$1.46 |
| | | | | | | | | | | |
| DS1 Channelization (DS1 to DS0) - Kentucky & Mississippi | | | | | | | | | | |
| per Channelized System (24 DS0) per month | SASTN1 | NA | NA | NA | \$200.01 | NA | \$146.87 | NA | NA | NA |
| NRC - 1st | SASTN1 | NA | NA | NA | \$302.82 | NA NA | \$271.52 | NA | NA | NA |
| NRC - Add'l | SASTN1 | NA | NA | NA | \$184.20 | NA | \$164.56 | NA | NA | NA |
| NRC -1sr - Disconnect | SASTN1 | NA | NA | NA | NA | NA | \$36.38 | NA | NA | NA |
| NRC -Add'l - Disconnect | SASTN1 | NA | NA | NA | NA | NA | \$11.98 | NA | NA | NA |
| - Interface (COCI) | 0.4.70.4 | NIA | NIA | NIA | CO.O.4 | NIA | #0.00 | NIA | NIA | NIA |
| per OCU-DP(data) card per month (2.4-64kbs) | SATSA | NA | NA | NA | \$2.94 | NA | \$2.86 | NA | NA NA | NA NA |
| NRC - 1st | SATSA | NA NA | NA | NA | \$15.86 | NA NA | \$15.85 | NA | | |
| NRC - Add'l per BRITE card per month | SATSA SATSA | NA NA | NA NA | NA NA | \$11.36 \$4.04 | NA NA | \$11.35 \$3.88 | NA NA | NA NA | NA NA |
| NRC - 1st | SATSA | NA NA | NA NA | NA NA | \$4.04 \$15.86 | NA NA | \$3.88 \$15.85 | NA NA | NA NA | NA NA |
| NRC - Add'l | SATSA | NA NA | NA NA | NA NA | \$11.36 | NA NA | \$13.65 | NA NA | NA NA | NA NA |
| per VG card per month (DS0) | SATSA | NA NA | NA NA | NA NA | \$1.40 | NA NA | \$1.45 | NA NA | NA NA | NA NA |
| NRC - 1st | SATSA | NA NA | NA NA | NA NA | \$15.86 | NA NA | \$15.85 | NA NA | NA NA | NA NA |
| NRC - Add'l | SATSA | NA NA | NA NA | NA NA | \$11.36 | NA NA | \$11.35 | NA NA | NA NA | NA NA |
| NRC - Manual Svc Order, per LSR | SOMAN | NA NA | NA NA | NA NA | \$19.99 | NA NA | NA | NA NA | NA NA | NA NA |
| NRC - Manual Svc Order, per LSR disconnect | SOMAN | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA NA | NA NA | NA NA |
| NRC - Manual Svc Order, per LSR disconnect | SOMEC | NA NA | NA NA | NA NA | \$3.50 | NA NA | \$3.50 | NA NA | NA NA | NA NA |
| NRC - Electronic Svc Order, per LSR disconnect | SOMEC | NA NA | NA NA | NA NA | 93.50 NA | NA NA | 93.50 NA | NA NA | NA NA | NA NA |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic -1st | SOMAN | NA NA | NA NA | NA NA | \$41.47 | NA NA | \$19.74 | NA NA | NA NA | NA NA |
| Channel System - Incremental Cost - Manual Svc. Order vs. Electronic - Ist | SOMAN | NA NA | NA NA | NA NA | \$11.99 | NA NA | \$8.77 | NA NA | NA NA | NA NA |
| Incremental Cost-Manual Svc. Order vs. Electronic -Add i | SOMAN | NA NA | NA NA | NA NA | NA | NA NA | \$12.43 | NA NA | NA NA | NA NA |
| Incremental Cost-Manual Svc. Order vs. Elect -Disconnect - Add'l | SOMAN | NA NA | NA NA | NA NA | NA NA | NA NA | NA | NA NA | NA NA | NA NA |
| The state of the s | 001111111 | 1 . */ ` | , . | | 1 .,, | . 4/ 1 | | , , | | , |
| Local Interconnection Mid-Span Meet | 1 | 1 | | | 1 | | | | | 1 |
| Local Channel - Dedicated - DS1 | İ | 1 | | | 1 | | | | | |
| Version 3Q00:09/29/00 | | | l . | | | | 1 | 1 | l . | |

Attach 3 -Local Interconnection

| | | | RATES BY STATE | | | | | | | | | |
|---|--------------------------|-----------------|-------------------|----------------|----------------|------------------|------------|------------|------------|--|--|--|
| DESCRIPTION | usoc | AL | FL | GA | KY | LA | MS | NC | sc | TN | | |
| DS1 Monthly Recurring per month | TEFHG | \$14.84 | \$17.27 | \$15.95 | \$17.19 | \$19.93 | \$16.48 | \$16.58 | \$15.87 | \$17.90 | | |
| NRC - DS1 - 1st | TEFHG | \$546.69 | \$553.19 | \$545.80 | \$547.16 | \$548.70 | \$546.77 | \$546.22 | \$548.72 | \$547.4 | | |
| NRC - DS1 - Add'l | TEFHG | \$471.61 | \$477.22 | \$470.84 | \$472.01 | \$473.34 | \$471.68 | \$471.20 | \$473.36 | \$472.2 | | |
| NRC - DS1 - Disconnect Chg - 1st | TEFHG | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | | |
| NRC - DS1 - Disconnect Chg - Add'l | TEFHG | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | | |
| NRC - DS1 - Incremental ChargeManual Svc Order - 1st | SOMAN | \$89.52 | 90.0705 | \$88.87 | \$89.09 | \$89.34 | \$89.03 | \$88.94 | \$89.34 | \$89.1 | | |
| NRC - DS1 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$89.52 | 90.0705 | 88.8666 | 89.0879 | 89.3388 | 89.0255 | \$88.94 | \$89.34 | \$89.1 | | |
| NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect | SOMAN | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBE | | |
| Local Channel - Dedicated - DS3 | | | | | | | | | | | | |
| DS3 - Facility Termination per month | TEFHJ | \$214.60 | \$245.65 | \$231.61 | \$275.82 | \$287.11 | \$218.84 | \$232.80 | \$222.56 | \$285. | | |
| NRC - DS3 - Facility Termination - 1st | TEFHJ | \$1,066.46 | \$1,079.15 | \$1,064.72 | \$1,067.37 | \$1,070.38 | \$1,066.63 | \$1,065.55 | \$1,070.42 | \$1,068 | | |
| NRC - DS3 - Facility Termination - Add'l | TEFHJ | \$670.88 | 678.85.98 | \$669.79 | \$671.45 | \$673.34 | \$670.98 | \$670.31 | \$673.37 | \$671. | | |
| NRC - DS1 - Disconnect Chg - 1st | TEFHJ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBE | | |
| NRC - DS1 - Disconnect Chg - Add'l | TEFHJ | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | | |
| NRC - DS3 -Incremental ChargeManual Svc Order - 1st | SOMAN | \$94.49 | \$95.61 | \$94.34 | \$94.57 | \$94.84 | \$94.50 | \$94.41 | \$94.94 | \$94.6 | | |
| NRC - DS3 - Incremental ChargeManual Svc Order - Add'l | SOMAN | \$94.49 | \$95.61 | \$94.34 | \$94.57 | \$94.84 | \$94.50 | \$94.41 | \$94.94 | \$94.6 | | |
| NRC - DS1 - Incremental ChargeManual Svc Order-Disconnect | SOMAN | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | | |
| + | | | | | | | | | | + | | |
| NOTES: | | | | | | | | | | | | |
| I I | as set forth in applicat | lo BollSouth to | riff or ac pageti | atad by the Pa | tios upop roqu | act by aither Do | ortv. | | | + | | |

Attachment 4

Physical Collocation

Version 3Q00: 11/16/00

BELLSOUTH PHYSICAL COLLOCATION

1. Scope of Attachment

Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when API is occupying the Collocation Space as a sole occupant or as a Host within a Premises location pursuant to Section 4. This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to collocation and the provisioning of Collocation Space.

- Right to Occupy. BellSouth shall offer to API collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to Section 4 of this Attachment, BellSouth allows API to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by API and agreed to by BellSouth (hereinafter "Collocation Space"). BellSouth Premises include BellSouth Central Offices and Serving Wire Centers. The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s). Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.2.1 In all states other than Florida, the size specified by API may contemplate a request for space sufficient to accommodate API's growth within a two-year period.
- 1.2.2 In the state of Florida, the size specified by API may contemplate a request for space sufficient to accommodate API's growth within an eighteen (18) month period.
- 1.3 Space Reclamation. In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. API will be responsible for any justification of unutilized space within its space, if such justification is required by the appropriate state commission.
- Use of Space. API shall use the Collocation Space for the purposes of installing, maintaining and operating API's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. Pursuant to Section 5 following, API may, at its option, place API-owned fiber entrance facilities to the Collocation Space. The Collocation

- Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.
- 1.5 Rates and Charges. API agrees to pay the rates and charges identified in Exhibit A attached hereto.
- 1.6 Due Dates. In all states other than Georgia, if any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.
- 1.7 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Notification

- 2.1 Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit API to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless BellSouth has determined that there is no space available due to space limitations or that physical collocation is not practical for technical reasons.
- 2.1.1 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.
- 2.1.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.
- 2.1.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.
- 2.1.4 BellSouth will respond to a Mississippi Application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.

- 2.2 Reporting. Upon request from API, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
- 2.2.1 The request from API for a Space Availability Report must be written and must include the Premises and Common Language Location Identification ("CLLI") code of the Premises. Such information regarding Premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
- 2.2.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify API and inform API of the time frame under which it can respond.
- 2.2.2.1 In Mississippi, BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify API and inform API of the time frame under which it can respond.
- <u>2.3</u> <u>Denial of Application</u>. After notifying API that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow API, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 2.3.1 Denial of Application. In Mississippi, after notifying API that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow API, upon request, to tour the entire Premises within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Premises must be received by BellSouth within five (5) business days of the Denial of Application.
- 2.4 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such

information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit API to inspect any floor plans or diagrams that BellSouth provides to the Commission.

- Waiting List. Unless otherwise specified, on a first-come, first-served basis governed 2.5 by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. API must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification or notify BellSouth in writing within that time that API wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If API does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove API from the waiting list. Upon request, BellSouth will advise API as to its position on the list.
- 2.5.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.
- 2.6 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application due to Space Exhaust. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.
- 2.7 Regulatory Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals applicable to API that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals

shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.

3. Collocation Options

- 3.1 Cageless. BellSouth shall allow API to collocate API's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow API to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7. Except where API's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, API must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6 following.
- 3.2 Cages. BellSouth shall construct enclosures in compliance with API's collocation request. At API's request, BellSouth shall permit API to subcontract the construction of physical collocation arrangements with a contractor certified by BellSouth ("BellSouth Certified Contractor"), provided however, that BellSouth shall not unreasonably withhold approval of contractors.
- 3.3 When API subcontracts the construction, API must arrange with a BellSouth Certified Contractor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation and at API's sole expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, API and API's BellSouth Certified Contractor must comply with the more stringent local building code requirements. API's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with API and provide, at API's expense, the documentation, including architectural drawings, necessary for API to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to API the costs of providing the documentation. The BellSouth Certified Contractor shall bill API directly for all work performed for API pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. API must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access API's locked enclosure prior to notifying API.

- 3.3.1 BellSouth may elect to review API's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. API shall be able to design caged enclosures in amounts as small as sufficient to house and maintain a single rack or bay of equipment. If BellSouth reviews API's plans and specifications prior to construction, then BellSouth will have the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review API's plans and specifications prior to construction, API will be entitled to request BellSouth to review; and in the event API does not request a BellSouth review, BellSouth shall have the right to inspect the enclosure after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require API to remove or correct within seven (7) calendar days at API's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.
- 3.4 Shared (Subleased) Caged Collocation. API may allow other telecommunications carriers to share API's caged collocation arrangement pursuant to terms and conditions agreed to by API ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. API shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, ten (10) business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by API that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and API.
- 3.4.1 API, as the host CLEC shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall prorate the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, API shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an initial Application, only one Application Fee will be assessed. A separate initial Guest application shall require the assessment of a Subsequent Application Fee, as set forth in Exhibit A, if this Application is not the initial Application made for the arrangement. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.

- 3.4.2 API shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of API's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.5 <u>Adjacent Collocation</u>. BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where physical collocation space within the Premises is legitimately exhausted, subject to technical feasibility, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property and where permitted by zoning and other applicable state and local regulations. The Adjacent Arrangement shall be constructed or procured by API and in conformance with BellSouth's design and construction specifications. Further, API shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Adjacent Arrangement.
- 3.5.1 Should API elect such option, API must arrange with a BellSouth Certified Contractor to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, API and API's BellSouth Certified Contractor must comply with the more stringent local building code requirements. API's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. API's BellSouth Certified Contractor shall bill API directly for all work performed for API pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. API must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access API's locked enclosure prior to notifying API.
- 3.5.2 API must submit its plans and specifications to BellSouth with its Firm Order. BellSouth may elect to review API's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. If BellSouth reviews API's plans and specifications prior to construction, then BellSouth will have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review API's plans and specifications prior to construction, API will be entitled to request BellSouth to review; and in the event API does not request a BellSouth review, BellSouth shall have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require API to remove or correct within seven (7) calendar days at API's expense any structure that does not

meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications

- 3.5.3 API shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At API's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. API's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.
- 3.5.4 BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.4 preceding.

4. Occupancy

- 4.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day API's equipment becomes operational as described in Article 4.2, following.
- 4.2 Occupancy. BellSouth will notify API in writing that the Collocation Space is ready for occupancy. API must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, API's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.3 <u>Termination of Occupancy</u>. In addition to any other provisions addressing Termination of Occupancy in this Attachment, Termination of Occupancy may occur in the following circumstances:
- 4.3.1 API may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy.
- 4.3.2 Upon termination of such occupancy, API at its expense shall remove its equipment and other property from the Collocation Space. API shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of API's Guests, unless CLEC's guest has assumed responsibility for the collocation space housing the guest equipment and executed the documentation required by BellSouth prior to such removal date. API shall continue payment of monthly fees to BellSouth until such date as API has fully vacated the Collocation Space. Should API or API's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of API or API's Guest at API's

expense and with no liability for damage or injury to API or API's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of API's right to occupy Collocation Space, API shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by API except for ordinary wear and tear, unless otherwise agreed to by the Parties. API shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.
- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on API's failure to comply with this section.
- API shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the transmission equipment physically installed in the arrangement. The total capacity of the transmission equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. Collocated cross-connect devices are not considered transmission equipment. If full network termination capacity of the transmission equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that API submits an application for terminations that exceed the total capacity of the collocated equipment, API will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.1.3 API shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the Premises.
- 5.1.4 API shall place a plaque or other identification affixed to API's equipment necessary to identify API's equipment, including a list of emergency contacts with telephone numbers.

- 5.2 Entrance Facilities. API may elect to place API-owned or API-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both Parties. API will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. API will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to API's equipment in the Collocation Space. In the event API utilizes a non-metallic, riser-type entrance facility, a splice will not be required. API must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. API is responsible for maintenance of the entrance facilities. At API's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office termination point.
- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide API with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to API's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.2.2 <u>Shared Use</u>. API may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another API collocation arrangement within the same BellSouth Premises. API must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to API-provided riser cable.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between API's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. API shall be responsible for providing, and a supplier certified by BellSouth ("API's BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6.5. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. API or its agent must perform all required maintenance to

equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At API's option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. API must make arrangements with a BellSouth Certified Supplier for such placement.

- API's Equipment and Facilities. API, or if required by this Attachment, API's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by API which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections. API and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.5 BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to API at least 48 hours before access to the Collocation Space is required. API may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that API will not bear any of the expense associated with this work.
- 5.6 Access. Pursuant to Section 11, API shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. API agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of API or API's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by API and returned to BellSouth Access Management within 15 calendar days of API's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. API agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of API employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with API or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.6.1 <u>Lost or Stolen Access Keys</u>. API shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), API shall pay for all reasonable costs associated with the re-keying or deactivating the card.

- <u>5.7</u> Interference or Impairment. Notwithstanding any other provisions of this Attachment, API shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of API violates the provisions of this paragraph, BellSouth shall give written notice to API, which notice shall direct API to cure the violation within forty-eight (48) hours of API's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.7.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if API fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to API's equipment. BellSouth will endeavor, but is not required, to provide notice to API prior to taking such action and shall have no liability to API for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.7.2 For purposes of this Section 5.7, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and API fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to API or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, API shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- <u>5.8</u> Personalty and its Removal. Facilities and equipment placed by API in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by API at any time. Any damage caused to the Collocation Space by API's employees, agents or representatives during the removal of such property shall be promptly repaired by API at its expense.
- 5.9 Alterations. In no case shall API or any person acting on behalf of API make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by API. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require a Subsequent Application and Subsequent Application Fee, pursuant to sub-section 6.2.2.
- 5.10 Janitorial Service. API shall be responsible for the general upkeep of the Collocation Space. API shall arrange directly with a BellSouth Certified Contractor for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to API that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Application for Space</u>. API shall submit an application document when API or API's Guest(s), as defined in Section 3.4, desires to request or modify the use of the Collocation Space.
- 6.2.1 <u>Initial Application</u>. For API or API's Guest(s) initial equipment placement, API shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in API's Collocation Space(s) and an estimate of the amount of square footage required.
- 6.2.2 <u>Subsequent Application.</u> In the event API or API's Guest(s) desires to modify the use of the Collocation Space ("Augmentation"), API shall complete an Application detailing all information regarding the modification to the Collocation Space

("Subsequent Application"). The minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by API in the Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc. The fee paid by API for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to API. The fee for an Application where the modification requested has limited effect (e.g., does not require assessment related to capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. If the modification requires capital expenditure assessment, a full Application Fee shall apply. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by API within 30 calendar days following API's receipt of a bill or invoice from BellSouth. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

- Application Response. In Alabama, North Carolina, and Tennessee, in addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. Sufficient detail will be provided to permit API a reasonable opportunity to correct each deficiency. API must correct any deficiencies in its Application and resubmit a Bona Fide Application within ten (10) calendar days of being notified of the deficiencies in the original Application. If API fails to resubmit its Application as Bona Fide within this ten (10) day period, API will lose its place in the collocation queue. When space has been determined to be available, BellSouth will provide a written response ("Application Response"), which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- Application Response. Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide

Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- Application Response (Florida). Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is available or not available within a particular Premises. Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable API to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When API submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- Application Response (Georgia) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- 6.3.4 Application Response (Kentucky) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.3.5 Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Premises in accordance with Section 2. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. BellSouth will respond with a full Application Response within 30 calendar days for one to ten Applications; 35 calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.
- 6.3.6 Application Response (Mississippi). In addition to the notice of space availability pursuant to Section 2. BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) business days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- Application Modifications. In Alabama, North Carolina, and Tennessee, if a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval and BellSouth shall charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding equipment may require API to submit the Application with an Application Fee.
- 6.4.1 <u>Application Modifications</u>. For all States that have ordered provisioning intervals but not application response intervals, and except as otherwise specified, the following_will apply: If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or

necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to API's original application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.

- Application Modifications (Florida). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within fifteen (15) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to API's original Application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.
- Application Modifications (Kentucky & Georgia). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to CLEC's original Application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.
- 6.4.4 Application Modifications (Mississippi). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to CLEC's original Application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.

- 6.4.5 Application Modifications (Louisiana). If a modification or revision is made to any information in the Bona Fide Application for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. BellSouth will respond to such modifications or revisions within 30 calendar days for one to ten revised Applications; 35 calendar days for eleven to twenty revised Applications; and for requests of more than twenty revised Applications it is increased by five calendar days for every five revised Applications received within five business days. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to CLEC's original application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the application with an Application Fee.
- 6.5 Bona Fide Firm Order. In Alabama, North Carolina, and Tennessee, API shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when API has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than seven (7) calendar days after BellSouth's Application Response to API's Bona Fide Application, unless BellSouth provides an Application Response on or before the tenday response interval set forth in section 2.1, in which case API must submit its Bona Fide Firm Order to BellSouth within seventeen (17) calendar days of BellSouth's receipt of the Bona Fide Application. If API fails to submit its Bona Fide Firm Order to BellSouth within the time frames set forth above, the provisioning intervals set forth in section 6.6 shall apply from the date of receipt of the Bona Fide Firm Order and not from the date of the Bona Fide Application. If API fails to submit a Bona Fide Firm Order within fifteen (15) days of receipt of An Application Response, the Application will expire.
- Bona Fide Firm Order. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. API shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when API has completed the Application/Inquiry process described in Section 6.2, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to API's Bona Fide Application or the Application will expire.

- Bona Fide Firm Order (Kentucky & Mississippi). API shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when API has completed the Application/Inquiry process described in Section 6.2, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to API's Bona Fide Application or the Application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of API's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.5.4 BellSouth will permit one accompanied site visit to API's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to API.
- 6.5.5 API must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date API desires access to the Collocation Space. API may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event API desires access to the Collocation Space after submitting such a request but prior to access being approved, BellSouth shall permit API to access the Collocation Space, accompanied by a security escort at API's expense. API must request escorted access at least three (3) business days prior to the date such access is desired.

6.6

6.6.1 Construction and Provisioning Interval. In Alabama, North Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements within a maximum of 90 calendar days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.

- 6.6.2 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 45 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and API cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 6.6.3 Construction and Provisioning Interval (Georgia). BellSouth will use best efforts to complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will use best efforts to complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.6.4 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.

- 6.6.5 Construction and Provisioning Interval (Mississippi). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.6.6 Construction and Provisioning Interval (Kentucky). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.6.7 <u>Construction and Provisioning Interval (South Carolina)</u>. BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.7 <u>Joint Planning</u>. Joint planning between BellSouth and API will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and

- affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to API during joint planning.
- 6.8 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 6.9 Acceptance Walk Through. API will contact BellSouth within seven (7) days of collocation space being ready to schedule an acceptance walk through of each Collocation Space requested from BellSouth by API. BellSouth will correct any deviations to API's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.10 Use of BellSouth Certified Supplier. API shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. API and API's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, API must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide API with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing API's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and API upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill API directly for all work performed for API pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying API or any supplier proposed by API. All work performed by or for API shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. API shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service API's Collocation Space. Upon request, BellSouth will provide API with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by API. Both Parties shall use best efforts to notify the other of any verified environmental hazard known to that Party.
- 6.12 <u>Basic Telephone Service</u>. Upon request of API, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- 6.13 <u>Virtual to Physical Collocation Relocation</u>. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that physical Collocation Space has subsequently become available, API may relocate

its virtual collocation arrangements to physical collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by API, such information will be provided to API in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to API within 180 calendar days of BellSouth's written denial of API's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) API was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then API may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. API must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- 6.14 <u>Cancellation</u>. If, at anytime prior to space acceptance, API cancels its order for the Collocation Space(s), API will reimburse BellSouth in the following manner: BellSouth will ascertain how far preparation work has progressed. API will be billed the applicable non recurring rate for any and all work processes for which work has begun.
- 6.15 <u>Licenses.</u> API, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 6.16 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.

7. Rates and Charges

- 7.1 BellSouth shall assess an Application Fee via a service order which shall be issued at the time BellSouth responds that space is available pursuant to section 2.1. Payment of said Application Fee will be due as dictated by API's current billing cycle and is non-refundable.
- 7.2 <u>Space Preparation.</u> Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. API shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the

Collocation Space for occupancy or on the date API first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event API opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to API as prescribed in Section 7.7.

- 7.3 Space Preparation Fee in Florida. Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. API shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date API first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event API opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to API as prescribed in Section 7.7
- 5.4 Space Preparation Fee in Georgia. In Georgia, the Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event API opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to API as prescribed in Section 7.7.
- 7.5 Space Preparation Fee in North Carolina. In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by API on the Bona Fide Application. The space preparation charges apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date API first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event API opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to API as described in Section 7.7.
- 7.6 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed.

- 7.7 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, API shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, API shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth)+ (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event API's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, API shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date API first occupies the Collocation Space, whichever is sooner.
- 7.8 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for API's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at API's option within the Premises.
- 7.8.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to API's equipment or space enclosure. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by API's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by API's BellSouth Certified power Supplier. API is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to API's equipment. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by API must provide BellSouth a copy of the engineering power specification prior to the day on which API's equipment becomes operational ("Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and API's arrangement area. API shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within API's arrangement; power cable feeds; terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. API shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.

- 7.8.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, API has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of API's dedicated power plant results in construction of a new power plant room, upon termination of API's right to occupy collocation space at such site, API shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.
- 7.8.3 If API elects to install its own DC Power Plant, BellSouth shall provide AC power to feed API's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by API's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. API's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis. At API's option, API may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 7.9 <u>Security Escort</u>. A security escort will be required whenever API or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 6.6.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit A beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and API shall pay for such half-hour charges in the event API fails to show up.
- 7.10 Cable Record charges. These charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- 7.11 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, API shall pay the difference to BellSouth. If the

Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to API. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

7.12 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by API's current billing cycle. API will pay a late payment charge as specified in the current State Tariff.

8. Insurance

- 8.1 API shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 8.2 API shall maintain the following specific coverage:
- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of API's real and personal property situated on or within BellSouth's Central Office location(s).
- 8.2.4 API may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to API to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.4 All policies purchased by API shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in

effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all API's property has been removed from BellSouth's Premises, whichever period is longer. If API fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from API.

API shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. API shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from API's insurance company. API shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 8.6 API must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 Self-Insurance. If API's net worth exceeds five hundred million dollars (\$500,000,000), API may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.2. API shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to API in the event that self-insurance status is not granted to API. If BellSouth approves API for self-insurance, API shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of API's corporate officers. The ability to self-insure shall continue so long as the API meets all of the requirements of this Section. If the API subsequently no longer satisfies this Section, API is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.2.
- 8.8 The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to API to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. Mechanics Liens

9.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or API), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. Inspections

BellSouth may conduct an inspection of API's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between API's equipment and equipment of BellSouth. BellSouth may conduct an inspection if API adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide API with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

11.1 The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own premises either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.4, preceding, or authorized agents of API will be permitted in the BellSouth Premises. API shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the API name. BellSouth reserves the right to remove from its premises any employee of API not possessing identification issued by API or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. API shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. API shall be solely responsible for ensuring that any Guest of API is in compliance with all subsections of this Section 11.

- 11.1.1 API will be required, at its own expense, to conduct a statewide investigation of criminal history records for each API employee being considered for work on the BellSouth Premises, for the states/counties where the API employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. API shall not be required to perform this investigation if an affiliated company of API has performed an investigation of the API employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if API has performed a preemployment statewide investigation of criminal history records, or where state law does not permit an investigation of the applicable counties for the API employee seeking access, for the states/counties where the API employee has worked and lived for the past five years.
- 11.1.2 API will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 API shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. API shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any API personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that API chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, API may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 11.1.4 API shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 11.1.5 API shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 11.1.6 For each API employee requiring access to a BellSouth Premises pursuant to this Attachment, API shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, API will disclose the nature of the convictions to BellSouth at that time. In the alternative, API may certify

- to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.7 At BellSouth's request, API shall promptly remove from BellSouth's Premises any employee of API BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of API is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 Notification to BellSouth. BellSouth reserves the right to interview API's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to API's Security contact of such interview. API and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving API's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill API for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that API's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill API for BellSouth property which is stolen or damaged where an investigation determines the culpability of API's employees, agents, or contractors and where API agrees, in good faith, with the results of such investigation. API shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. API shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.
- 11.3 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 11.4 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Collocation Space

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for API's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for API's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to API, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. API may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If API's acceleration of the project increases the cost of the project, then those additional charges will be incurred by API. Where allowed and where practical, API may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, API shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for API's permitted use, until such Collocation Space is fully repaired and restored and API's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where API has placed an Adjacent Arrangement pursuant to Section 3.5, API shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13. Eminent Domain

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and API shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and

void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

14.1 API understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/API RATES – ALABAMA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|--|--|---|---|---|
| PE1BA | Application Fee | Per request | NA | \$3,760.00 |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,134.00 Minimum |
| PE1SJ PE1SK PE1SL PE1SM | Space Preparation Fees Firm Order Processing* Central Office Modifications* Common Systems Modifications – Cageless* Common Systems Modifications – Caged* | Per sq. ft. Per sq. ft. Per cage | \$2.24 \$3.01 \$102.16 | \$1,211.00 |
| PE1BW PE1C W | Space Enclosure (100 sq. ft. minimum) Welded Wire-mesh Welded Wire-mesh | Per first 100 sq. ft. Per add'l 50 sq. ft. | \$178.65 \$17.52 | NA NA |
| PE1PJ | Floor Space | Per sq. ft. | \$3.68 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,751.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$19.67 | NA |
| PE1PL PE1FB PE1FD PE1FE PE1FG | Power -48V DC Power* 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277 AC Power three phase* | Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp | \$9.00 \$5.63 \$11.26 \$16.89 \$38.99 | NA - - - - |
| PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4 | Cross Connects 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber | Per cross connect | \$.031 \$.062 \$1.28 \$16.27 \$3.23 \$5.73 | First/Add'l \$33.68/\$31.79 \$33.63/\$31.67 \$52.93/\$39.87 \$51.99/\$38.59 \$52.00/\$38.60 \$64.54/\$51.14 |

| ALABAMA (continued) | | | | |
|---------------------|---|------------------------------|---------------------|--------------------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| | | | | |
| PE1AX | Security Access System Security System* | Per central office | \$52.27 | |
| PE1A1 | New Access Card Activation* | Per card | \$.059 | \$55.57 |
| PE1AA | Administrative change, existing card* | Per card | | \$15.58 |
| PE1AR | Replace lost or stolen card* | Per card | | \$45.56 |
| PE1AK | Initial Key | Per key | NA | \$26.19 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.19 |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,150.00 |
| | POT Bay Arrangements Prior to 6/1/99 | Per cross connect | | |
| PE1PE | 2-Wire Cross-Connect | | \$0.08 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$0.17 | NA |
| PE1PG | DS1 Cross-Connect | | \$0.69 | NA |
| PE1PH | DS3 Cross-Connect | | \$4.74 | NA |
| PE1B2 | 2-Fiber Cross-Connect | | \$32.02 | NA |
| PE1B4 | 4-Fiber Cross-Connect | | \$40.48 | NA |
| | Cable Records ¹ | | | Note 2 |
| | | | | Initial/Subsequent |
| PE1CR PE1CD | Cable Records VG/DS0 Cable | Per request Per cable record | NA NA | \$1708/\$1166 \$923.51/\$923.51 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA NA | \$18.02/\$18.02 |
| PE1C1 | DS1 | Per T1TIE | NA NA | \$8.44/\$8.44 |
| PE1C3 | DS3 | Per T3TIE | NA NA | \$29.53/\$29.53 |
| PE1CB | Fiber Cable | Per cable record | NA NA | \$278.95/\$278.95 |
| | | | | ψ <u>=</u> . 3.33, ψ <u>=</u> . 3.33 |

| ALABAMA (continued) | | | | | |
|---------------------|--------------------------|-------------------|---------------------|--------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | | | | | |
| | Security Escort | Per half hr/add'l | | | |
| | | half hr | | | |
| PE1BT | Basic Time | | NA | \$33.85/\$21.45 | |
| PE1OT | Overtime | | NA | \$44.09/\$27.71 | |
| PE1PT | Premium Time | | NA | \$54.33/\$33.96 | |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – FLORIDA PHYSICAL COLLOCATION

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|------------------------------|---------------------------|---------------------|-----------------------------|
| PE1BA | Application Fee | Per request | | \$3,791.00 |
| | | | | |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,160.00 |
| | | | | |
| | Space Preparation Fees | | | |
| PE1SJ | Firm Order Processing | | | \$1,211.00 |
| PE1SK | Central Office Modifications | Per sq. ft. | \$2.58 | |
| PE1SL | Common Systems | Per sq. ft. | \$2.96 | |
| | Modifications – Cageless | | | |
| PE1SM | Common Systems | Per cage | \$100.66 | |
| | Modifications – Caged | | | |
| | 0 5 1 (400 % | | | |
| | Space Enclosure (100 sq. ft. | | | |
| DEADW | minimum) | D = " (" = 1 400 = = " (1 | \$005.00 | NI A |
| PE1BW | Wire Cage | Per first 100 sq. ft. | \$205.93 | NA NA |
| PE1C | Wire Cage | Per add'l 50 sq. ft. | \$20.20 | NA |
| W | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$6.57 | NA |
| • | | | Ψ0.0. | |
| PE1BD | Cable Installation | Per cable | | \$1,826.00 |
| | | | | |
| PE1PM | Cable Support Structure | | \$21.66 | NA |
| | | | | |
| | Power | | | |
| PE1PL | -48V DC Power | Per amp | \$8.86 | NA |
| PE1FB | 120V AC Power single phase | Per breaker amp | \$5.62 | - |
| PE1FD | 240V AC Power single phase | Per breaker amp | \$11.26 | - |
| PE1FE | 120V AC Power three phase | Per breaker amp | \$16.88 | - |
| PE1FG | 277 AC Power three phase | Per breaker amp | \$38.98 | - |
| | | | | |
| | Cross Connects | | . | First/Add'l |
| | 2-wire | Per cross connect | \$.074 | \$34.53/\$32.51 |
| | 4-wire | Per cross connect | \$.148 | \$34.54/\$32.53 |
| | DS1 | Per cross connect | \$1.29 | \$54.15/\$40.94 |
| | DS3 | Per cross connect | \$17.48 | \$53.28/\$39.65 |
| | 2-fiber | Per cross connect | \$2.96 | \$53.28/\$39.66 |
| | 4-fiber | Per cross connect | \$5.66 | \$66.08/\$52.47 |

| | FLO | ORIDA (continued) | | |
|--|---|---|----------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1AX | Security Access System Security System | Per premises | \$89.48 | |
| PE1A1 PE1AA | New Access Card Activation Administrative change, existing card | Per card Per card | \$.06 | \$56.03 \$15.71 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.93 |
| PE1AK PE1AL | Initial Kev Replace lost or stolen key | Per key Per key | NA NA | \$26.41 \$26.41 |
| PE1SR | Space Availability Report | Per premises requested | | \$2,168.00 |
| | POT Bay (Note 1) | | NA | NA |
| | Cable Records ² | | | Note 3 |
| | | | | initial/subsequent |
| PE1CR PE1CD PE1CO PE1C1 PE1C3 PE1CB | Cable Records VG/DS0 Cable VG/DS0 Cable DS1 DS3 Fiber Cable | Per request Per cable record Per each 100 pair Per T1TIE Per T3TIE Per cable record | NA NA NA NA NA | \$1709/\$1166 \$923.86/\$923.86 \$18.03/\$18.03 \$8.44/\$8.44 \$29.54/\$29.54 \$279.05/\$279.05 |
| PE1BQ PE1OQ PE1PQ | Security Escort Basic Time Overtime Premium Time | Per ¼ hour | NA NA NA | \$10.89 \$13.64 \$16.40 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) POT Bays: BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for <u>POT Bays</u>, given the assumption by the Parties to the Proceeding that they will always provide their own POT Bays. It will be necessary for API to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (2) Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- (3) The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – GEORGIA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-----------|---------------------------------------|-----------------------|------------------------|-----------------------------|
| PE1BA | Application Fee | Per request | NA | \$3,755.00 |
| T L I D/X | Application I cc | 1 Ci icquest | 14/ (| ψο, του.ου |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,130.00 |
| | | · | | Minimum |
| 55.155 | | | | * |
| PE1BB | Space Preparation Fee (Note 2) | Per sq. ft. | NA | \$100.00 |
| | Space Enclosure (100 sq. ft. minimum) | | | |
| PE1BW | Welded Wire-mesh | Per first 100 sq. ft. | \$187.36 | NA |
| PE1C W | Welded Wire-mesh | Per add'l 50 sq. ft. | \$18.38 | NA |
| | Floor Space | _ | . | |
| PE1PJ | Zone A | Per sq. ft. | \$4.47 | NA |
| PE1PK | Zone B | Per sq. ft. | \$4.47 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,693.00 |
| PE1PM | Cable Support Structure | Per entrance cable | \$19.26 | NA |
| | Davies | | | |
| PE1PL | Power -48V DC Power | Per amp | \$5.00 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.00 \$5.52 | INA |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.05 | _ |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$16.58 | _ |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$38.27 | - |
| | | | | |
| | Cross Connects | Per cross connect | | First/Add'l |
| PE1P2 | 2-wire | | \$0.030 | \$33.76/\$31.86 |
| PE1P4 | 4-wire | | \$0.061 | \$33.77/\$31.80 |
| PE1P1 | DS-1 | | \$1.13 | \$53.05/\$39.99 |
| PE1P3 | DS-3 | | \$14.43 | \$52.14/\$38.71 |
| PE1F2 | 2-fiber | | \$2.86 | \$52.14/\$38.72 |
| PE1F4 | 4-fiber | | \$5.08 | \$64.74/\$51.31 |

| | GEORGIA (continued) | | | | |
|-------|---|------------------------|------------------------|-----------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | | | | | |
| PE1AX | Security Access System Security System* | Per premises | \$40.00 | | |
| PE1A1 | New Access Card Activation* | Per card | \$.058 | \$55.51 | |
| PE1AA | Administrative change, existing card* | Per card | | \$15.56 | |
| PE1AR | Replace lost or stolen card* | Per card | | \$45.50 | |
| PE1AK | Initial Kev | Per kev | NA | \$26.16 | |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.16 | |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,148.00 | |
| | POT Bay Arrangements Prior to 6/1/99 | Per cross-connect | | | |
| PE1PE | 2-Wire Cross-Connect | | \$0.40 | NA | |
| PE1PF | 4-Wire Cross-Connect | | \$1.20 | NA | |
| PE1PG | DS1 Cross-Connect | | \$1.20 | NA | |
| PE1PH | DS3 Cross-Connect | | \$8.00 | NA | |
| PE1B2 | 2 Fiber Cross-Connect | | \$38.79 | NA | |
| PE1B4 | 4 Fiber Cross-Connect | | \$52.31 | NA | |
| | Cable Records ¹ | | | Note 2 | |
| | | | | Initial/subsequent | |
| PE1CR | Cable Records | Per request | NA | \$1706/\$1164 | |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$922.38/\$922.38 | |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.00/\$18.00 | |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.43/\$8.43 | |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.49/\$29.49 | |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.61/\$278.61 | |
| | Security Escort | Per half hr./Add'l | | | |
| | Coodiny Localit | half hr. | | | |
| PE1BT | Basic Time | | NA | \$33.81/\$21.42 | |
| PE1OT | Overtime | | NA | \$44.03/\$27.67 | |
| PE1PT | Premium Time | | NA | \$54.26/\$33.92 | |

N/A refers to rate elements which do not have a negotiated rate.

Note (1) Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – KENTUCKY PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring | Non-Recurring |
|---------|--|-----------------------|---------------|-----------------|
| | | | Rate (RC) | Rate (NRC) |
| PE1BA | Application Fee | Per request | NA | \$3,761.00 |
| | | _ | | |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,135.00 |
| | | | | Minimum |
| | Space Preparation Fees | | | |
| PE1SJ | Firm Order Processing* | | | \$1,202.00 |
| PE1SK | Central Office Modifications* | Per sq. ft. | \$2.38 | |
| PE1SL | Common Systems | Per sq. ft. | \$3.30 | |
| | Modifications – Cageless* | | | |
| PE1SM | Common Systems | Per cage | \$112.11 | |
| | Modifications – Caged* | | | |
| | Space Enclosure (100 sq. ft. | | | |
| | minimum) | | | |
| PE1BW | Welded Wire-mesh | Per first 100 sq. ft. | \$189.85 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$18.62 | NA |
| W | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$8.20 | NA |
| | 1 iooi opaco | 1 01 041 111 | Ψ0.20 | |
| PE1BD | Cable Installation | Per cable | NA | \$1,755.00 |
| PE1PM | Cable Support Structure | Per entrance | \$20.14 | NA |
| PETPIVI | Cable Support Structure | cable | Φ20.14 | INA |
| | | Cabic | | |
| | Power | | | |
| PE1PL | -48V DC Power* | Per amp | \$8.77 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.58 | - |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.16 | - |
| PE1FE | 120V AC Power three phase* 277 AC Power three phase* | Per breaker amp | \$16.74 | - |
| PE1FG | 277 AC Power three phase | Per breaker amp | \$38.65 | - |
| | Cross Connects | Per cross connect | | First/Add'l |
| PE1P2 | 2-wire | | \$0.037 | \$33.67/\$31.78 |
| PE1P4 | 4-wire | | \$0.075 | \$33.66/\$31.70 |
| PE1P1 | DS-1 | | \$1.51 | \$52.97/\$39.90 |
| PE1P3 | DS-3 | | \$19.15 | \$52.04/\$38.62 |
| PE1F2 | 2-fiber | | \$3.80 | \$52.04/\$38.63 |
| PE1F4 | 4-fiber | | \$6.75 | \$64.59/\$51.18 |

| | KEN | TUCKY (continued) | | |
|-------|---|-----------------------------|------------------------|-----------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| DEANY | | | \$70.44 | |
| PE1AX | Security Access System Security System* | Per premises | \$78.11 | |
| PE1A1 | New Access Card Activation | Per card | \$.059 | \$55.59 |
| PE1AA | Administrative change, existing card | Per card | | \$15.59 |
| PE1AR | Replace lost or stolen card | Per card | | \$45.58 |
| PE1AK | Initial Kev | Per kev | NA | \$26.20 |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.20 |
| PE1SR | Space Availability Report | Per premises requested | | \$2,151 |
| | POT Bay Arrangements Prior to 6/1/99 | Per cross-connect | | |
| PE1PE | 2-Wire Cross-Connect | | \$0.06 | NA |
| PE1PF | 4-Wire Cross-Connect | | \$0.15 | NA |
| PE1PG | DS1 Cross-Connect | | \$0.58 | NA |
| PE1PH | DS3 Cross-Connect | | \$4.51 | NA |
| PE1B2 | 2 Fiber Cross-Connect | | \$38.79 | NA |
| PE1B4 | 4 Fiber Cross-Connect | | \$52.31 | NA |
| | Security Escort | Per half hr./Add'l half hr. | | |
| PE1BT | Basic Time | | NA | \$33.86/\$21.46 |
| PE1OT | Overtime | | NA | \$44.10/\$27.72 |
| PE1PT | Premium Time | | NA | \$54.35/\$33.97 |
| | Cable Records ¹ | | | Note 2 |
| | | | | Initial/subsequent |
| PE1CR | Cable Records | Per request | NA | \$1709/1166 |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$923.83/\$923.83 |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.03/\$18.03 |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.44/\$8.44 |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.54/\$29.54 |
| PE1CB | Fiber Cable | Per cable record | NA | \$279.05/\$279.05 |
| | 1 | 1 | | |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – LOUISIANA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring | Non-Recurring |
|---------------|-------------------------------|-----------------------|-----------|-----------------|
| | | | Rate (RC) | Rate (NRC) |
| PE1BA | Application Fee | Per request | NA | \$3756.00 |
| | | | | |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3131.00 |
| | | | | Minimum |
| | | | | |
| | Space Preparation Fees | | | _ |
| PE1SJ | Firm Order Processing* | | _ | \$1,200.00 |
| PE1SK | Central Office Modifications* | Per sq. ft. | \$2.60 | |
| PE1SL | Common Systems | Per sq. ft. | \$3.15 | |
| | Modifications – Cageless* | | | |
| PE1SM | Common Systems | Per cage | \$105.87 | |
| | Modifications – Caged* | | | |
| | | | | |
| | Space Enclosure (100 sq. ft. | | | |
| | minimum) | | ^ | |
| PE1BW | Welded Wire-mesh | Per first 100 sq. ft. | \$207.06 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$20.31 | NA |
| W | | | | |
| DEADI | Floor Chass | Dor og ft | ΦE 0.4 | NIA |
| PE1PJ | Floor Space | Per sq. ft. | \$5.94 | NA |
| PE1BD | Cable Installation | Per cable | NA | \$1,753.00 |
| 1 1 1 1 1 1 1 | Cable installation | 1 CI Cabic | 11/7 | ψ1,733.00 |
| PE1PM | Cable Support Structure | Per entrance | \$21.16 | NA |
| | | cable | 4 | |
| | | | | |
| | Power | | | |
| PE1PL | -48V DC Power* | Per amp | \$9.20 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.66 | - |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.34 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$17.00 | - |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$39.26 | - |
| | ' | | • | |
| | Cross Connects | Per cross connect | | First/Add'l |
| PE1P2 | 2-wire | | \$0.036 | \$33.61/\$31.76 |
| PE1P4 | 4-wire | | \$0.073 | \$33.53/\$31.58 |
| PE1P1 | DS-1 | | \$1.20 | \$52.80/\$39.76 |
| PE1P3 | DS-3 | | \$15.26 | \$51.86/\$38.49 |

| | LOUISIANA (continued) | | | | |
|-------|---|------------------------|------------------------|-----------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | Cross Connects (continued) | Per cross connect | | First/Add'l | |
| PE1F2 | 2-fiber | | \$3.03 | \$51.86/\$38.49 | |
| PE1F4 | 4-fiber | | \$5.38 | \$64.36/\$50.99 | |
| | | | | | |
| PE1AX | Security Access System Security System* | Per premises | \$60.60 | | |
| PE1A1 | New Access Card Activation* | Per card | \$.060 | \$55.51 | |
| PE1AA | Administrative change, existing card* | Per card | | \$15.57 | |
| PE1AR | Replace lost or stolen card | Per card | | \$45.51 | |
| PE1AK | Initial Kev | Per kev | NA | \$26.16 | |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.16 | |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,148 | |
| | | Tequesica | | | |
| | POT Bay Arrangements Prior to 6/1/99 | Per cross-connect | | | |
| PE1PE | 2-Wire Cross-Connect | | \$0.0776 | NA | |
| PE1PF | 4-Wire Cross-Connect | | \$0.1552 | NA | |
| PE1PG | DS1 Cross-Connect | | \$0.6406 | NA | |
| PE1PH | DS3 Cross-Connect | | \$4.75 | NA | |
| PE1B2 | 2 Fiber Cross-Connect | | \$47.44 | NA | |
| PE1B4 | 4 Fiber Cross-Connect | | \$63.97 | NA | |
| | Cable Records ¹ | | | Note 2 | |
| | | | | Initial/subsequent | |
| PE1CR | Cable Records | Per request | NA | \$1706/\$1165 | |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$922.51/\$922.51 | |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.00/\$18.00 | |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.43/\$8.43 | |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.49/\$29.49 | |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.65/\$278.65 | |

| LOUISIANA (continued) | | | | | |
|-----------------------|--------------------------|-----------------------------|------------------------|-----------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | Security Escort | Per half hr./Add'l half hr. | | | |
| PE1BT | Basic Time | | NA | \$33.97/\$21.53 | |
| PE1OT | Overtime | | NA | \$44.25/\$27.81 | |
| PE1PT | Premium Time | | NA | \$54.53/\$34.09 | |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – MISSISSIPPI PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring | Non-Recurring |
|-----------|---|-----------------------|-----------|---|
| | • | | Rate (RC) | Rate (NRC) |
| PE1BA | Application Fee | Per request | NA | \$3,755.00 |
| | | | | |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,130.00 |
| | | | | Minimum |
| | Chara Drangration Face | | | |
| PE1SJ | Space Preparation Fees Firm Order Processing* | | | \$1,200.00 |
| PE1SK | Central Office Modifications* | Per sq. ft. | \$2.61 | φ1,200.00 |
| PE1SL | Common Systems | Per sq. ft. | \$2.88 | |
| | Modifications – Cageless* | . 5. 54 | Ψ2.00 | |
| PE1SM | Common Systems | Per cage | \$97.85 | |
| | Modifications – Caged* | | · | |
| | | | | |
| | Space Enclosure(100 sq. ft. | | | |
| DE 4 D\4/ | minimum) | D (1 1400 (1 | Ф000 00 | NIA |
| PE1BW | Welded Wire-mesh | Per first 100 sq. ft. | \$208.30 | NA |
| PE1C W | Welded Wire-mesh | Per add'l 50 sq. ft. | \$20.43 | NA |
| VV | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$6.53 | |
| | | | | • |
| PE1BD | Cable Installation | Per cable | NA | \$1,871.00 |
| PE1PM | Cable Support Structure | Per entrance | \$19.90 | NA |
| | Cable Support Structure | cable | Ψ13.50 | INA |
| | | | | |
| | Power | _ | . | |
| PE1PL | -48V DC Power* | Per amp | \$8.96 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.61 | - |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.23 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$16.84 | - |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$38.89 | - |
| | Cross Connects | Per cross connect | | First/Add'l |
| PE1P2 | 2-wire | | \$.038 | \$33.65/\$31.77 |
| PE1P4 | 4-wire | | \$.076 | \$33.46/\$31.52 |

| | MISSISSIPPI (continued) | | | | |
|-------|---|------------------------|------------------------|-----------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | Cross Connects (continued) | Per cross connect | , , | First/Add'l | |
| PE1P1 | DS-1 | | \$1.30 | \$52.73/\$39.70 | |
| PE1P3 | DS-3 | | \$16.55 | \$51.78/\$38.43 | |
| PE1F2 | 2-fiber | | \$3.28 | \$51.78/\$38.43 | |
| PE1F4 | 4-fiber | | \$5.83 | \$64.27/\$50.91 | |
| PE1AX | Security Access System Security System* | Per premises | \$85.54 | | |
| PE1A1 | New Access Card Activation* | Per card | \$.061 | \$55.50 | |
| PE1AA | Administrative change, existing card* | Per card | · | \$15.56 | |
| PE1AR | Replace lost or stolen card | Per card | | \$45.50 | |
| PE1AK | Initial Kev | Per kev | NA | \$26.16 | |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.16 | |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,147.00 | |
| | POT Bay Arrangements Prior to 6/1/99 | Per cross-connect | | | |
| PE1PE | 2-Wire Cross-Connect | | \$0.1195 | NA | |
| PE1PF | 4-Wire Cross-Connect | | \$0.2389 | NA | |
| PE1PG | DS1 Cross-Connect | | \$0.9862 | NA | |
| PE1PH | DS3 Cross-Connect | | \$5.81 | NA | |
| PE1B2 | 2 Fiber Cross-Connect | | \$38.79 | NA | |
| PE1B4 | 4 Fiber Cross-Connect | | \$52.31 | NA | |
| | Cable Records ¹ | | | Note 2 | |
| | | | | Initial/subsequent | |
| PE1CR | Cable Records | Per request | NA | \$1706/1164 | |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$922.28/\$922.28 | |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.00/\$18.00 | |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.42/\$8.42 | |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.49/\$29.49 | |
| PE1CB | Fiber Cable | Per cable record | NA | \$278.58/\$278.58 | |

| MISSISSIPPI (continued) | | | | |
|-------------------------|--------------------------|-----------------------------|------------------------|-----------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| | Security Escort | Per half hr./Add'l half hr. | | |
| PE1BT | Basic Time | | NA | \$33.80/\$21.42 |
| PE1OT | Overtime | | NA | \$44.03/\$27.67 |
| PE1PT | Premium Time | | NA | \$54.26/\$33.92 |

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – NORTH CAROLINA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| USOC | Rate Element Description | Unit | Recurring | Non-Recurring |
|----------------|--|---------------------------------|-------------------|------------------------------------|
| 0000 | Rate Liement Description | Onit | Rate (RC) | Rate (NRC) |
| PE1BA | Application Fee* | Per request | NA | \$3,850.00 |
| | | | | |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,119.00 |
| | | | | Minimum |
| | Space Preparation Fees | | | |
| | Central Office Modification* | Per sq. ft. | \$1.57 | |
| | Common Systems Modification | Per sq. ft. | \$3.26 | |
| | - Cageless* | | | |
| | Common Systems Modification | Per cage | \$110.79 | |
| | - Caged* Power* | Dornominal 40v | \$5.76 | |
| | Power | Per nominal –48v DC Amp | \$5.76 | |
| | | DO AIIIp | | |
| | Space Enclosure (100 sq. ft. | | | |
| | minimum) | | | |
| PE1BW | Welded Wire-mesh* | Per first 100 sq. ft. | \$102.76 | NA |
| PE1C | Welded Wire-mesh* | Per add'l 50 sq. ft. | \$10.44 | NA |
| W | | | | |
| PE1PJ | Floor Space* | Per sq. ft. | \$3.45 | NA |
| | · | | • | |
| PE1BD | Cable Installation* | Per cable | NA | \$2,305.00 |
| PE1PM | Cable Support Structure* | Per entrance | \$21.33 | NA |
| | Cable Support Structure | cable | Ψ21.00 | 1471 |
| | | | | |
| | Power | | • | |
| PE1PL | -48V DC Power* | Per amp | \$6.65 | NA |
| PE1FB PE1FD | 120V AC Power single phase* 240V AC Power single phase* | Per breaker amp Per breaker amp | \$5.50 \$11.01 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$16.51 | - |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$38.12 | - |
| | , | | · | |
| | Cross Connects (Note 1) | Per cross connect | . | First/Add'l |
| PE1P2 | 2-wire* | | \$0.32 | \$41.78/\$39.23 |
| PE1P4 | 4-wire* | | \$0.64 \$2.34 | \$41.91/\$39.25 |
| PE1P1 PE1P3 | DS-1* DS-3* | | \$2.34 \$42.84 | \$71.02/\$51.08 \$69.84/\$49.43 |
| PE1F2 | 2-fiber | | \$2.94 | \$51.97/\$38.59 |
| PE1F4 | 4-fiber | | \$5.62 | \$64.53/\$51.15 |

| PE1AX Security Access System Security System* Per premises \$41.03 Security System* Pe1A1 New Access Card Activation* Administrative change, existing card* Per card \$.062 \$. \$.062 \$. \$. \$.062 \$. \$. \$.062 \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$.062 \$. \$. \$. \$. \$.062 \$. \$. \$. \$. \$.062 \$. \$. \$. \$. \$. \$. \$. \$.062 \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. \$. | NORTH CAROLINA (continued) | | | | |
|---|----------------------------|-----------------------------|---------------------|--|-----------------------------|
| Security System* PE1A1 New Access Card Activation* PE1AA Administrative change, existing card* Replace lost or stolen card Per card PE1AK Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per kev PE1AK Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per key PE1AR Replace lost or stolen key Per kev PE1AK Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per request PE1AL Replace lost or stolen key Per card STATE PE1AL Replace lost or stolen key Per card STATE PE1AL Replace lost or stolen key Per card STATE ST | USOC | Rate Element Description | Unit | _ | Non-Recurring Rate (NRC) |
| Security System* PE1A1 New Access Card Activation* PE1AA Administrative change, existing card* Replace lost or stolen card Per card PE1AK Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per kev PE1AK Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per kev PE1AL Replace lost or stolen key Per key PE1AR Replace lost or stolen key Per kev PE1AK Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per kev NA STATE PE1AL Replace lost or stolen key Per request PE1AL Replace lost or stolen key Per card STATE PE1AL Replace lost or stolen key Per card STATE PE1AL Replace lost or stolen key Per card STATE ST | = | | | * • • • • • • • • • • • • • • • • • • • | |
| PE1A1 New Access Card Activation* Administrative change, existing card* PE1AR Replace lost or stolen card Per card Replace lost or stolen key Per kev NA STATOT/PE1AL Replace lost or stolen key Per key NA STATOT/PE1CD VG/DS0 Cable Per card States S | 'E1AX | | Per premises | \$41.03 | |
| PE1AA Administrative change, existing card* PE1AR Replace lost or stolen card Per card PE1AK Initial Kev Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key Per kev NA SPEIAL Replace lost or stolen key NA SPEIAL Replace los | 754.44 | | Danasad | Ф 000 | Ф ГГ 20 |
| PE1AR Replace lost or stolen card Per card State | | | | \$.062 | \$55.30 |
| PEIAK PEIAL Initial Kev Replace lost or stolen key Per kev Per key NA NA STAND PE1SR Space Availability Report* Per premises requested \$2,7 PE1SR Space Availability Report* Per premises requested \$2,7 PE1PS POT Bay Arrangements Prior to 6/1/99 Per cross-connect \$0.10 PE1PE 2-Wire Cross-Connect \$0.19 PE1PF DS1 Cross-Connect \$0.79 PE1PH DS3 Cross-Connect \$4.85 PE1B2 2 Fiber Cross-Connect \$45.30 PE1B4 4 Fiber Cross-Connect \$45.30 PE1B4 5 A Fiber Cross-Connect \$61.09 PE1B7 6 Overtime Pe10T Overtime Premium Time NA \$42.92/S PE1PT Premium Time NA \$54.51/S Cable Records Initial/subset Note 2 Initial/subset Initial/subset PE1CR Cable Records Per cable record NA \$1707/Pe10 PE1CR Cable Records Per cable record NA \$1707/Pe10 | 'ETAA | • | Per card | | \$15.51 |
| PE1AL Replace lost or stolen key Per key NA S PE1SR Space Availability Report* Per premises requested \$2,7 PE1SR POT Bay Arrangements Prior to 6/1/99 Per cross-connect \$0.10 PE1PE Piper Prior to 6/1/99 Per cross-connect \$0.19 PE1PF Piper Prior to 6/1/99 \$0.19 PE1PF Piper Prior to 6/1/99 \$0.19 PS1 Cross-Connect \$0.79 PS1 Cross-Connect \$4.85 PE1PB Piper Prior Cross-Connect \$45.30 PE1BA Piper Prior Prior to Security Escort Per half hr./Add'l half hr. PE1BT Piper Prior to Overtime NA \$42.92/5 PE1DT Premium Time NA \$54.51/5 Cable Records Prior to Security Prior to Securit | 'E1AR | Replace lost or stolen card | Per card | | \$45.34 |
| PE1SR Space Availability Report* Per premises requested | | | Per kev | NA | \$26.18 |
| POT Bay Arrangements | E1AL | Replace lost or stolen key | Per key | NA | \$26.18 |
| POT Bay Arrangements | E1SR | Space Availability Report* | Per premises | | \$2,140.00 |
| Prior to 6/1/99 | | | • | | , , |
| Prior to 6/1/99 PE1PE 2-Wire Cross-Connect \$0.10 \$0.19 PE1PF 4-Wire Cross-Connect \$0.79 PE1PG DS1 Cross-Connect \$4.85 PE1B2 2 Fiber Cross-Connect \$45.30 PE1B4 4 Fiber Cross-Connect \$61.09 \$61. | | POT Bay Arrangements | Per cross-connect | | |
| PE1PF 4-Wire Cross-Connect \$0.19 PE1PG DS1 Cross-Connect \$0.79 PE1PH DS3 Cross-Connect \$4.85 PE1B2 2 Fiber Cross-Connect \$45.30 PE1B4 4 Fiber Cross-Connect \$61.09 Security Escort Per half hr./Add'I half hr. PE1BT Basic Time NA \$42.92/\$ PE1OT Overtime NA \$54.51/\$ PE1PT Premium Time NA \$66.10/\$ Cable Records¹ Per request NA \$1707/\$ PE1CR Cable Records Per request NA \$1707/\$ PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$ | | | 1 01 01000 00111000 | | |
| PE1PF 4-Wire Cross-Connect \$0.19 PE1PG DS1 Cross-Connect \$0.79 PE1PH DS3 Cross-Connect \$4.85 PE1B2 2 Fiber Cross-Connect \$45.30 PE1B4 4 Fiber Cross-Connect \$61.09 Security Escort Per half hr./Add'I half hr. PE1BT Basic Time NA \$42.92/\$ PE1OT Overtime NA \$54.51/\$ PE1PT Premium Time NA \$66.10/\$ Cable Records¹ Per request NA \$1707/\$ PE1CR Cable Records Per request NA \$923.08/\$ PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$ | E1PE | 2-Wire Cross-Connect | | \$0.10 | NA |
| PE1PG DS1 Cross-Connect \$0.79 PE1PH DS3 Cross-Connect \$4.85 PE1B2 2 Fiber Cross-Connect \$45.30 PE1B4 4 Fiber Cross-Connect \$61.09 Security Escort Per half hr./Add'l half hr. PE1BT Basic Time NA \$42.92/\$ PE1OT Overtime NA \$54.51/\$ PE1PT Premium Time NA \$66.10/\$ Cable Records¹ Per request NA \$1707/\$ PE1CR Cable Records Per request NA \$923.08/\$ PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$ | E1PF | 4-Wire Cross-Connect | | · | NA |
| PE1B2 PE1B4 2 Fiber Cross-Connect \$45.30 \$61.09 Security Escort Per half hr./Add'I half hr. PE1BT PE1OT Overtime PE1PT Premium Time NA \$42.92/\$1.05 Cable Records¹ NA \$66.10/\$1.05 PE1CR Cable Records VG/DS0 Cable Per request Per cable record NA \$1707/\$1.07 Per cable record NA \$923.08/\$1.05 | E1PG | DS1 Cross-Connect | | · | NA |
| PE1B2 2 Fiber Cross-Connect \$45.30 PE1B4 4 Fiber Cross-Connect \$61.09 Security Escort Per half hr./Add'I half hr. PE1BT Basic Time NA \$42.92/\$ PE1OT Overtime NA \$54.51/\$ PE1PT Premium Time NA \$66.10/\$ Cable Records¹ Per request NA \$1707/\$ PE1CR Cable Records Per request NA \$1707/\$ PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$ | E1PH | DS3 Cross-Connect | | \$4.85 | NA |
| PE1B4 4 Fiber Cross-Connect \$61.09 Security Escort Per half hr./Add'I half hr. PE1BT Basic Time Overtime PE1DT Premium Time NA \$42.92/\$ NA \$54.51/\$ NA \$66.10/\$ Cable Records¹ Note 2 PE1CR Cable Records VG/DS0 Cable Per request Per cable record NA \$1707/ NA \$923.08/\$8 | 'E1B2 | 2 Fiber Cross-Connect | | · | NA |
| PE1BT Basic Time NA \$42.92/\$ PE1OT Overtime NA \$54.51/\$ PE1PT Premium Time NA \$66.10/\$ Cable Records Per request NA \$1707/ PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$8 | 'E1B4 | 4 Fiber Cross-Connect | | · | NA |
| PE1OT PE1PT Overtime Premium Time NA \$54.51/5 \$66.10/5 Cable Records¹ Note 2 Initial/subset Initial/subset PE1CR Cable Records PE1CD Per request Per cable record NA \$1707/9 PE1CD VG/DS0 Cable Per cable record NA \$923.08/50 | | Security Escort | | | |
| PE1PT Premium Time NA \$66.10/\$ Cable Records PE1CR Cable Records PE1CD VG/DS0 Cable Per request Per cable record NA \$1707/ Per cable record NA \$923.08/\$5 | E1BT | Basic Time | | NA | \$42.92/\$25.56 |
| Cable Records Cable Records PE1CR Cable Records PE1CD VG/DS0 Cable Per request Per cable record NA \$1707/ Per cable record NA \$923.08/\$8 | E1OT | Overtime | | NA | \$54.51/\$32.44 |
| PE1CR Cable Records Per request NA \$1707/PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$5 | E1PT | Premium Time | | NA | \$66.10/\$39.32 |
| PE1CR Cable Records Per request NA \$1707/PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$9 | | Cable Records ¹ | | | Note 2 |
| PE1CD VG/DS0 Cable Per cable record NA \$923.08/\$9 | | | | | Initial/subsequent |
| | | | | | \$1707/\$1165 |
| PE1CO VG/DS0 Cable Per each 100 pair NA \$18.02/\$ | | | | | \$923.08/\$923.08 |
| | | | • | | \$18.02/\$18.02 |
| | | | | | \$8.43/\$8.43 |
| | | | | | \$29.51/\$29.51 |
| PE1CB Fiber Cable Per cable record NA \$278.82/\$2 | 'E1CB | Fiber Cable | Per cable record | NA | \$278.82/\$278.82 |

EXHIBIT A: BELLSOUTH/API RATES – NORTH CAROLINA PHYSICAL COLLOCATION (continued)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – SOUTH CAROLINA PHYSICAL COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up.

| Rates marked with an asterisk (*) are interim and are subject to true-up. | | | | |
|---|--|------------------------------------|------------------------|-----------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1BA | Application Fee | Per request | NA | \$3768.00 |
| | | | | · |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,141.00 |
| | | | | Minimum |
| | | | | |
| | Space Preparation Fees | | | |
| PE1SJ | Firm Order Processing* | | . | \$1,204.00 |
| PE1SK | Central Office Modifications* | Per sq. ft. | \$2.75 | |
| PE1SL | Common Systems | Per sq. ft. | \$3.24 | |
| DEAGNA | Modifications – Cageless* | D | 044047 | |
| PE1SM | Common Systems | Per cage | \$110.17 | |
| | Modifications – Caged* | | | |
| | Space Enclosure (100 sq. ft. | | | |
| | minimum) | | | |
| PE1BW | Welded Wire-mesh | Per first 100 sq. ft. | \$219.19 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$21.50 | NA NA |
| W | Troided Tries intesti | 1 01 444 100 041 141 | Ψ21.00 | |
| | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$3.95 | NA |
| | · | | | |
| PE1BD | Cable Installation | Per cable | NA | \$1,621.00 |
| | | _ | | |
| PE1PM | Cable Support Structure | Per entrance | \$21.33 | NA |
| | | cable | | |
| | Davis | | | |
| DE4DI | Power | Doromo | የ 0 10 | NΙΛ |
| PE1PL | -48V DC Power* | Per amp | \$9.19 \$5.67 | NA |
| PE1FB PE1FD | 120V AC Power single phase* 240V AC Power single phase* | Per breaker amp Per breaker amp | \$5.67 \$11.36 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$17.03 | _ |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$39.33 | _ |
| 12110 | 211 ACT OWER timee phase | i ei bieakei ailip | ψυθ.υυ | <u> </u> |
| | Cross Connects | Per cross connect | | First/Add'l |
| PE1P2 | 2-wire | . 5. 5. 5.5 55 55 1115 51 | \$.034 | \$33.75/\$31.86 |
| PE1P4 | 4-wire | | \$.068 | \$33.71/\$31.75 |
| PE1P1 | DS-1 | | \$1.12 | \$53.05/\$39.96 |
| PE1P3 | DS-3 | | \$14.21 | \$52.11/\$38.68 |
| PE1F2 | 2-fiber | | \$2.82 | \$52.11/\$38.69 |
| PE1F4 | 4-fiber | | \$5.01 | \$64.69/\$51.26 |

| SOUTH CAROLINA (continued) | | | | |
|---------------------------------------|--|--|---|--|
| Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | | | | |
| , | Per premises | \$74.12 | | |
| | Per card | \$ 060 | \$55.70 | |
| Administrative change, existing | Per card | ψ.000 | \$15.62 | |
| | Per card | | \$45.66 | |
| • | Per kev | NA | \$26.25 | |
| Replace lost or stolen key | Per key | NA | \$26.25 | |
| Space Availability Report* | Per premises requested | | \$2,155.00 | |
| POT Bay Arrangements Prior to 6/1/99 | Per cross-connect | | | |
| 2-Wire Cross-Connect | | \$0.1091 | NA | |
| 4-Wire Cross-Connect | | \$0.2181 | NA | |
| DS1 Cross-Connect | | \$0.9004 | NA | |
| DS3 Cross-Connect | | \$5.64 | NA | |
| 2 Fiber Cross-Connect | | \$37.36 | NA | |
| 4 Fiber Cross-Connect | | \$50.38 | NA | |
| Security Escort | Per half hr./Add'l half hr. | | | |
| Basic Time | | NA | \$33.92/\$21.50 | |
| Overtime | | NA | \$44.19/\$27.77 | |
| Premium Time | | NA | \$54.45/\$34.04 | |
| Cable Records ¹ | | | Note 2 | |
| | | | Initial/subsequent | |
| Cable Records | Per request | NA | \$1712/\$1168 | |
| VG/DS0 Cable | Per cable record | NA | \$925.57/\$925.57 | |
| VG/DS0 Cable | Per each 100 pair | NA | \$18.06/\$18.06 | |
| DS1 | Per T1TIE | NA | \$8.45/\$8.45 | |
| | | NA | \$29.59/\$29.59 | |
| Fiber Cable | Per cable record | NA | \$279.57/\$279.57 | |
| | Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card Initial Kev Replace lost or stolen key Space Availability Report* POT Bay Arrangements Prior to 6/1/99 2-Wire Cross-Connect 4-Wire Cross-Connect DS1 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect 5 Security Escort Basic Time Overtime Premium Time Cable Records VG/DS0 Cable VG/DS0 Cable VG/DS0 Cable | Rate Element Description Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card Initial Kev Replace lost or stolen key Space Availability Report* Per premises Per kev Per kev Per key Per premises Replace lost or stolen key Per premises Replace lost or stolen key Per kev Per key Per premises Requested POT Bay Arrangements Prior to 6/1/99 2-Wire Cross-Connect 4-Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect Security Escort Basic Time Overtime Premium Time Cable Records VG/DS0 Cable VG/DS0 Cable VG/DS0 Cable DS1 DS3 Per Tatile Per Tatile | Rate Element Description Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card Initial Kev Replace lost or stolen key Per card Initial Kev Replace lost or stolen key Per kev Replace lost or stolen key Per premises Requested POT Bay Arrangements Prior to 6/1/99 2-Wire Cross-Connect 4-Wire Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect 4 Fiber Cross-Connect 4 Fiber Cross-Connect Cable Records Cable Records Cable Records Cable Records Per request Per request NA Per request NA Per request NA Per request NA Per request NA Per request NA Per request NA Per card Per kev NA Per premises Records Per card Per card NA Per card NA Per request NA NA Per premises Records NA Per half hr./Add'l half hr. NA Cable Records Per card NA Per request NA Per request NA Per request NA Per ratifie NA Per 11TIE NA Per 11TIE NA Per T3TIE | |

EXHIBIT A: BELLSOUTH/API RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (continued)

Note(s):

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT A: BELLSOUTH/API RATES – TENNESSEE PHYSICAL COLLOCATION

* Rates are interim and are subject to true-up.

| | are interim and are subject to | nue-up. | | |
|-------|--------------------------------|-----------------------|------------------------|-----------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1BA | Application Fee | Per request | NA | \$3,767.00 |
| | | ' | | • |
| PE1CA | Subsequent Application Fee | Per request | NA | \$3,140.00 |
| | | | | Minimum |
| | | | | |
| | Space Preparation Fees | | | |
| PE1SJ | Firm Order Processing* | | | \$1,204.00 |
| PE1SK | Central Office Modifications* | Per sq. ft. | \$2.74 | |
| PE1SL | Common Systems | Per sq. ft. | \$2.95 | |
| | Modifications – Cageless* | | | |
| PE1SM | Common Systems | Per cage | \$100.14 | |
| | Modifications - Caged* | | · | |
| | | | | |
| | Space Enclosure (100 sq. ft. | | | |
| | minimum) | | | |
| PE1BW | Welded Wire-mesh | Per first 100 sq. ft. | \$218.53 | NA |
| PE1C | Welded Wire-mesh | Per add'l 50 sq. ft. | \$21.44 | NA |
| W | | | | |
| | | | | |
| PE1PJ | Floor Space | Per sq. ft. | \$6.75 | NA |
| | | | | |
| PE1BD | Cable Installation | Per cable | NA | \$1,757.00 |
| | | | | |
| PE1PM | Cable Support Structure | Per entrance | \$19.80 | NA |
| | | cable | | |
| | | | | |
| | Power | | | |
| PE1PL | -48V DC Power* | Per amp | \$8.87 | NA |
| PE1FB | 120V AC Power single phase* | Per breaker amp | \$5.60 | - |
| PE1FD | 240V AC Power single phase* | Per breaker amp | \$11.22 | - |
| PE1FE | 120V AC Power three phase* | Per breaker amp | \$16.82 | - |
| PE1FG | 277 AC Power three phase* | Per breaker amp | \$38.84 | ı |
| | | | | |
| | Cross Connects | Per cross connect | | First/Add'l |
| PE1P2 | 2-wire | | \$0.033 | \$33.82/\$31.92 |
| PE1P4 | 4-wire | | \$0.066 | \$33.94/\$31.95 |
| PE1P1 | DS-1 | | \$1.51 | \$53.27/\$40.16 |
| PE1P3 | DS-3 | | \$19.26 | \$52.37/\$38.89 |
| PE1F2 | 2-fiber | | \$3.82 | \$52.37/\$38.89 |
| PE1F4 | 4-fiber | | \$6.79 | \$65.03/\$51.55 |

| | TENNESSEE (continued) | | | | |
|-------|--|-----------------------------|------------------------|-----------------------------|--|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) | |
| | | | | | |
| PE1AX | Security Access System Security System | Per premises | \$55.99 | | |
| PE1A1 | New Access Card Activation | Per card | \$.059 | \$55.67 | |
| PE1AA | Administrative change, existing card | Per card | | \$15.61 | |
| PE1AR | Replace lost or stolen card | Per card | | \$45.64 | |
| PE1AK | Initial Kev | Per kev | NA | \$26.24 | |
| PE1AL | Replace lost or stolen key | Per key | NA | \$26.24 | |
| PE1SR | Space Availability Report* | Per premises requested | | \$2,154.00 | |
| | POT Bay Arrangements Prior to 6/1/99 | Per cross-connect | | | |
| PE1PE | 2-Wire Cross-Connect | | \$0.40 | NA | |
| PE1PF | 4-Wire Cross-Connect | | \$1.20 | NA | |
| PE1PG | DS1 Cross-Connect | | \$1.20 | NA | |
| PE1PH | DS3 Cross-Connect | | \$8.00 | NA | |
| PE1B2 | 2 Fiber Cross-Connect | | \$38.79 | NA | |
| PE1B4 | 4 Fiber Cross-Connect | | \$52.31 | NA | |
| | Security Escort | Per half hr./Add'l half hr. | | | |
| PE1BT | Basic Time | | NA | \$33.91/\$21.49 | |
| PE1OT | Overtime | | NA | \$44.17/\$27.76 | |
| PE1PT | Premium Time | | NA | \$54.42/\$34.02 | |
| | Cable Records ¹ | | | Note 2 | |
| | | | | Initial/subsequent | |
| PE1CR | Cable Records | Per request | NA | \$1711/\$1168 | |
| PE1CD | VG/DS0 Cable | Per cable record | NA | \$925.06/\$925.06 | |
| PE1CO | VG/DS0 Cable | Per each 100 pair | NA | \$18.05/\$18.05 | |
| PE1C1 | DS1 | Per T1TIE | NA | \$8.45/\$8.45 | |
| PE1C3 | DS3 | Per T3TIE | NA | \$29.57/\$29.57 | |
| PE1CB | Fiber Cable | Per cable record | NA | \$279.42/\$279.42 | |

<u>Note(s):</u>

N/A refers to rate elements which do not have a negotiated rate.

Note1: Cable records charges apply for work required to build cable records in company systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

Note 2: The initial charge applies when the cables are first installed and inventoried. The subsequent charge applies when additional cables are installed and inventoried at the same location.

EXHIBIT B

Page 1 of 4

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and API agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and API shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. API should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for API to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. API will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the API space with proper notification. BellSouth reserves the right to stop any API work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by API are owned by API. API will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by API or different hazardous materials used

by API at BellSouth Facility. API must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by API to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and API will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and API will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, API must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and API shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, API agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. API further agrees to cooperate with BellSouth to ensure that API's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by API, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|--|---|--|
| Disposal of hazardous material or other regulated material | Compliance with all applicable local, state, & federal laws and | • Std T&C 450 |

| / 1 ··· • · · · · · · · · · · · · · · · · | I | T = ~ |
|---|--|--|
| (e.g., batteries, fluorescent tubes, solvents & cleaning | regulations | • Fact Sheet Series 17000 |
| materials) | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of contractor | Approved Environmental Vendor List (Contact E/S Management) |
| Emergency response | Hazmat/waste release/spill firesafety emergency | Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises | Compliance with all applicable local, state, & federal laws and regulations | • Std T&C 450 |
| (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Performance of services in accordance with BST's environmental M&Ps | Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) |
| | Insurance | • Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450Fact Sheet Series 17000 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of contractor | Approved Environmental Vendor List (Contact E/S Management) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all application local, state, & federal laws and regulations | • Std T&C 450 |
| | Protection of BST employees and equipment | 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | P&SM Manager - Procurement |
| | All Hazardous Material and Waste | • Fact Sheet Series 17000 |
| | Asbestos notification and protection of employees and | • GU-BTEN-001BT, Chapter 3 |

| | equipment | • BSP 010-170-001BS (Hazcom) |
|---|---|--|
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of contractor | Approved Environmental Vendor List (Contact E/S Management) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | • GU-BTEN-001BT, Chapter 3 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std. T&C - Standard Terms & Conditions

BellSouth Remote Site Collocation

Attachment 4 - RS Page 1

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when API is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to Section 4.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to Remote Site Collocation and the provisioning of Remote Collocation Space.

- 1.2 Right to occupy. BellSouth shall offer to API Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to API a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by API and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for other BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for Remote Site collocation at BellSouth remote locations other than those specified above.
- 1.2.1 In all states other than Florida, the size specified by API may contemplate a request for space sufficient to accommodate API's growth within a two year period. Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.

Page 3

- 1.2.2 In the state of Florida, the size specified by API may contemplate a request for space sufficient to accommodate API's growth within an eighteen (18) month period.
- 1.3 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies API that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon API's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for API. API agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for API. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for API as above, API shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with API in obtaining such permission.
- 1.4 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. API will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate state commission.
- 1.5 <u>Use of Space.</u> API shall use the Remote Collocation Space for the purposes of installing, maintaining and operating API's equipment (to include testing and monitoring equipment) necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. The Remote Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.
- 1.6 <u>Rates and charges</u>. API agrees to pay the rates and charges identified in Exhibit A attached hereto.
- 1.7 <u>Due Dates</u>. In all states except Georgia, if any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.

2. Space Notification

- Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit API to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 6.5 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify API of the amount that is available.
- 2.2 <u>Availability Notification</u>. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.
- 2.2.1 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. If the amount of space requested is not available, BellSouth will notify API of the amount that is available.
- 2.2.2 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.
- 2.2.3 BellSouth will respond to a Mississippi Application within ten (10) business days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify API of the amount of space that is available.
- 2.3 Reporting. Upon request from API, BellSouth will provide a written report ("Space Availability Report") specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and

Page 5

the measures BellSouth is taking to make additional space available for collocation arrangements.

- 2.3.1 The request from API for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI")code for both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If API is unable to obtain the CLLI code, from for example a site visit to the remote site, API may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, API should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. API should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- 2.3.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. This interval excludes national holidays. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify API and inform API of the time frame under which it can respond.
- 2.3.3 In Mississippi, BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten business day response time, BellSouth shall notify API and inform API of the time frame under which it can respond.
- 2.4 <u>Denial of Application</u>. After notifying API that BellSouth has no available space in the requested Remote Site Location ("Denial of Application"), BellSouth will allow API, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. This interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be

Page 6

received by BellSouth within five (5) calendar days of the Denial of Application.

- 2.4.1 Denial of Application. In Mississippi, after notifying API that BellSouth has no available space in the requested Premises ("Denial of Application"), BellSouth will allow API, upon request, to tour the Remote Site Location within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) business days of the Denial of Application.
- Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit API to inspect any plans or diagrams that BellSouth provides to the Commission.
- 2.6 Waiting List. Unless otherwise specified, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. API must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) or notify BellSouth in writing that API wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If API does not submit such an Application or notify BellSouth in writing as described above. BellSouth will offer such space to the next CLEC on the waiting list and remove API from the waiting list. Upon request, BellSouth will advise API as to its position on the list.
- 2.6.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space

Page 7

becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.

- 2.7 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days)of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.6.
- 2.8 Regulatory Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to API, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all Applications submitted for the first time after the effective date thereof for that jurisdiction.

3. Collocation Options

- 3.1 <u>Compliance</u>. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.
- 3.2 <u>Cageless</u>. BellSouth shall allow API to collocate API's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow API to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments pursuant to Section 6. For equipment requiring special technical considerations, API must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.8 following. Subject to space availability and technical feasibility, at API's option, API may enclose its equipment.

Page 8

- 3.3 <u>Shared (Subleased) Collocation</u>. API may allow other telecommunications carriers to share API's Remote Site collocation arrangement pursuant to terms and conditions agreed to by API ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. API shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, 10 business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by API that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and API.
- 3.3.1 API shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. In all states other than Florida, and in addition to the foregoing, API shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit A. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 API shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of API's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, subject to technical feasibility, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property and where permitted by zoning and other applicable state and local regulations. The Remote Site Adjacent

Page 9

Arrangement shall be constructed or procured by API and in conformance with BellSouth's design and construction specifications. Further, API shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Remote Site Adjacent Arrangement.

- 3.4.2 Should API elect such an option, API must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, API and API's BellSouth Certified Contractor must comply with local building code requirements. API's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. API's BellSouth Certified Contractor shall bill API directly for all work performed for API pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. API must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access API's locked enclosure prior to notifying API.
- 3.4.3 BellSouth maintains the right to review API's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth shall complete its review within fifteen (15) calendar days. BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4.1 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require API, at API's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within seven (7) calendar days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.4 API shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At API's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical

Page 10

collocation arrangement. API's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.

3.4.5 BellSouth shall allow Shared (Subleased) Caged Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.3 preceding.

4. Occupancy

- 4.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day API"'s equipment becomes operational as described in Article 4.2, following.
- 4.2 Occupancy. BellSouth will notify API in writing that the Remote Collocation Space is ready for occupancy. API must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, API's telecommunications equipment will be deemed operational when connected to BellSouth's network for the purpose of service provision.
- 4.3 Termination. Except where otherwise agreed to by the Parties, API may terminate occupancy in a particular Remote Collocation Space upon thirty (30) calendar days prior written notice to BellSouth. Upon termination of such occupancy, API at its expense shall remove its equipment and other property from the Remote Collocation Space. API shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of API's Guests; provided. however, that API shall continue payment of monthly fees to BellSouth until such date as API has fully vacated the Remote Collocation Space. Should API or API's Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of API or API's Guest at API's expense and with no liability for damage or injury to API or API's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, API shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the API except for ordinary wear and tear unless otherwise agreed to by the Parties. API shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.
- Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on API's failure to comply with this section.
- 5.1.2 API shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.1.3 API shall place a plaque or other identification affixed to API's equipment necessary to identify API's equipment, including a list of emergency contacts with telephone numbers.
- 5.1.4 All API equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding Engineering Procedures." Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the remote collocation site. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- 5.2 Entrance Facilities. API may elect to place API-owned or API-leased entrance facilities into the Remote Collocation Space from API's point of presence. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space which is physically accessible by both Parties. API will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. API must contact BellSouth for instructions prior to placing the

Page 12

entrance facility cable . API is responsible for maintenance of the entrance facilities.

- 5.2.1 Shared Use. API may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another API collocation arrangement within the same BellSouth Remote Site Location.
- 5.3 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between API's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. API or its agent must perform all required maintenance to API equipment/facilities on its side of the demarcation point, pursuant to Section 5.8, following
- API's Equipment and Facilities. API, or if required by this Attachment, API's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by API.
- 5.5 <u>BellSouth's Access to Remote Collocation Space</u>. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications
- 5.6 Access. Pursuant to Section 11, API shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. API agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of API or API's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by API and returned to BellSouth Access Management within 15 calendar days of API's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. API agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of API employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with API or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- 5.7 <u>Lost or Stolen Access Keys</u>. API shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for

Page 13

BellSouth to re-key Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), API shall pay for all reasonable costs associated with the re-keying.

5.8 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Remote Collocation Space shall not significantly degrade, interfere with or impair service provided by BellSouth or by any other interconnector located in the Remote Site Location; shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Remote Collocation Space, or the Remote Site Location; shall not compromise the privacy of any communications carried in, from, or through the Remote Site Location; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of API violates the provisions of this paragraph, BellSouth shall give written notice to API, which notice shall direct API to cure the violation within forty-eight (48) hours of API's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if API fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to API's equipment. BellSouth will endeavor, but is not required, to provide notice to API prior to taking such action and shall have no liability to API for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct. For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and API fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to API or, if subsequently necessary, the relevant Commission, must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice

band services, API shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- Presence of Facilities. Facilities and equipment placed by API in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by API at any time. Any damage caused to the Remote Collocation Space by API's employees, agents or representatives shall be promptly repaired by API at its expense.
- Alterations. In no case shall API or any person acting on behalf of API make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by API. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require an Application Fee, pursuant to sub-section 6.2.
- 5.11 <u>Upkeep of Remote Collocation Space</u>. API shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. API shall be responsible for removing any API debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Ordering and Preparation of Remote Collocation Space

- 6.1 State or Federal Regulatory agency impose procedures or intervals. Should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to API, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all applications submitted for the first time after the effective date thereof for that jurisdiction.
- 6.2 <u>Application for Space</u>. API shall submit a Remote Site Collocation Application when API or API's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Remote Collocation Space.

- 6.3 Initial Application. For API or API's Guest(s) equipment placement, API shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in API's Remote Collocation Space(s) in addition to the CLLI code applicable to that location. Prior to submitting the application, CLLI information can be obtained in the manner set forth in Section 2.3.1.
- 6.4 <u>Application Fee.</u> BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of the Application Fee will be due as dictated by API's current billing cycle and is non-refundable.
- 6.5 Application Response. In Alabama, North Carolina, and Tennessee, In addition to the notice of space availability pursuant to Section 2, BellSouth will respond within ten (10) calendar days of receipt of an Application stating whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. Sufficient detail will be provided to permit API a reasonable opportunity to correct each deficiency. API must correct any deficiencies in its Application and resubmit a Bona Fide Application within ten (10) calendar days of being notified of the deficiencies in the original Application. If API fails to resubmit its Application as Bona Fide within this ten (10) day period, API will lose its place in the collocation queue. This interval excludes national holidays. When space has been determined to be available, BellSouth will provide a written response ("Application Response"), which will include the configuration of the space and an estimate of the interval to provide the Remote Collocation Space.
- 6.5.1 Application Response. Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide

Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.5.2 Application Response (Florida). Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is available or not available within a particular Remote Site Location. Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable API to place a Firm Order. When API submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- Application Response (Georgia) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.
- Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Remote Site Location in accordance with Section 2. BellSouth will respond with a full Application Response within 30 calendar days for one to ten Applications; 35 calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.
- 6.5.5 <u>Application Response (Mississippi)</u> In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been

determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) business days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) business day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) business days for Bona Fide Applications 1-5; within thirty-six (36) business days for Bona Fide Applications 6-10; within forty-two (42) business days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.5.6 Application Response (Kentucky) In addition to the notice of space availability pursuant to Section 2, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- Application Modifications. In Alabama, North Carolina, and Tennessee, if a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval, and BellSouth shall charge API a Subsequent Application Fee. Major changes, such as requesting additional space or adding equipment may require API to submit the Application with an Application Fee.
- 6.6.1 <u>Application Modifications</u>. For all States that have ordered provisioning intervals but not application response intervals, and except as otherwise specified, the following will apply. If a modification or revision is made to any

information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to API's original application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.

- Application Modifications (Florida). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within fifteen (15) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to CLEC's original, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.
- 6.6.3 Application Modifications (Mississippi). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) business days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to CLEC's original Application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.
- 6.6.4 <u>Application Modifications (Louisiana)</u>. If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or

the Bona Fide Application for Adjacent Remote Site Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. BellSouth will respond to such modifications or revisions within 30 calendar days for one to ten revised Applications; 35 calendar days for eleven to twenty revised Applications; and for requests of more than twenty revised Applications it is increased by five calendar days for every five revised Applications received within five business days. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to CLEC's original Application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.

- Application Modifications (Kentucky & Georgia). If a modification or revision is made to any information in the Bona Fide Application for Remote Site Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of API or necessitated by technical considerations, BellSouth will respond to the Bona Fide Application within thirty (30) calendar days after BellSouth receives such revised Application or at such other date as the Parties agree. If, at any time, BellSouth needs to reevaluate API's Bona Fide Application as a result of changes requested by API to API's original Application, then BellSouth will charge API a Subsequent Application Fee. Major changes such as requesting additional space or adding additional equipment may require API to resubmit the Application with an Application Fee.
- 80.7 Bona Fide Firm Order. In Alabama, North Carolina, and Tennessee, API shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Bona Fide Firm Order to BellSouth. A Firm Order shall be considered Bona Fide when API has completed the Application/Inquiry process described in Section 6.3, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than seven (7) calendar days after BellSouth's Application Response to API's Bona Fide Application, unless BellSouth provides an Application Response on or before the ten-day response interval set forth in section 2, in which case API must submit its Bona Fide Firm Order to BellSouth within seventeen (17) calendar days of BellSouth's receipt of the

Bona Fide Application. If API fails to submit its Bona Fide Firm Order to BellSouth within the time frames set forth above, the provisioning intervals set forth in section 6.6 shall apply from the date of receipt of the Bona Fide Firm Order and not from the date of the Bona Fide Application. If API fails to submit a Bona Fide Firm Order within fifteen (15) days of receipt of an Application Response, the Application will expire.

- 6.7.1 Bona Fide Firm Order. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. API shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when API has completed the Application/Inquiry process described in Section 6.3, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to API's Bona Fide Application or the Application will expire.
- Bona Fide Firm Order (Kentucky & Mississippi). API shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when API has completed the Application/Inquiry process described in Section 6.3, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to API's Bona Fide Application or the Application will expire.
- 6.7.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of API's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.8 BellSouth will permit one accompanied site visit to API's designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to API.

- 6.9 API must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of 30 calendar days prior to the date API desires access to the Remote Collocation Space. API may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event API desires access to the Collocation Space after submitting such a request but prior to Access being approved, BellSouth shall permit API to access the Collocation Space, accompanied by a security escort at API's expense. API must request escorted access at least three (3) business days prior to the date such access is desired.
- Construction and Provisioning Interval. In Alabama, North Carolina, and Tennessee, BellSouth will complete construction for Remote Site collocation arrangements within a maximum of 90 calendar days from receipt of an Application, or as agreed to by both parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length.
- 6.10.1 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of 45 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and API cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 6.10.2 Construction and Provisioning Interval (Georgia). BellSouth will use best efforts to complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar

days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will use best efforts to complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.

- 6.10.3 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.10.4 Construction and Provisioning Interval (Mississippi). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete

construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.

- 6.10.5 Construction and Provisioning Interval (Kentucky). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other Collocation Space ("extraordinary conditions") within 130 calendar days of the receipt of a Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.10.6 Construction and Provisioning Interval (South Carolina). BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. BellSouth may elect to renegotiate an alternative provisioning interval with API or seek a waiver from this interval from the Commission.
- 6.11 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, excluding the time interval required to secure the appropriate government licenses and permits or

BellSouth Remote Site Collocation

Attachment 4 - RS Page 24

additional public or private rights of way, BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide API with the estimated completion date in its Response.

- 6.12 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Upon request, API will contact BellSouth within seven (7) days of collocation space being ready to schedule an acceptance walk through of each Remote Collocation Space requested from BellSouth by API. BellSouth will correct any deviations to API's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.14 Use of BellSouth Certified Supplier. API shall select a supplier that has been approved as a BellSouth Certified Supplier to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications. BellSouth shall provide API with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing API"s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and API upon successful completion of installation. The BellSouth Certified Supplier shall bill API directly for all work performed for API pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying API or any supplier proposed by API. All work performed by or for API shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. API shall be responsible for placement, monitoring and removal of alarms used to service API's Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 6.16 <u>Basic Telephone Service</u>. Upon request of API, BellSouth will provide basic telephone service to the Remote Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.

- 6.17 Virtual Remote Site Collocation Relocation. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit A of this agreement. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements. API may purchase 2-wire and 4-wire cross-connects as set forth the service inquiry procedures established for sub loop unbundling as set forth in Attachment 2 of the Interconnection Agreement, and API may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, API may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by API, such information will be provided to API in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to API within 180 calendar days of BellSouth's written denial of API's request for physical collocation, and (ii) API was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then API may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. API must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 6.18 <u>Cancellation</u>. If, at anytime prior to space acceptance, API cancels its order for the Remote Collocation Space(s), API will reimburse BellSouth in the following manner: BellSouth will ascertain how far preparation work has progressed. API will be billed the applicable non recurring rate for any and all work processes for which work has begun.
- 6.19 <u>Licenses.</u> API, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.

6.20 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.

7. Rates and Charges

- 7.1 Recurring Fees. Recurring fees for space occupancy shall be billed upon space completion or space acceptance, whichever occurs first. Other charges shall be billed upon request for the services. All charges shall be due as dictated by API's current billing cycle.
- 7.2 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power API's equipment. API shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible
- 7.3 Power. BellSouth shall make available –48 Volt (-48V) DC power for API's Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at API's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for API's equipment exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.
- 7.3.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by API's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. API's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At API's option, API may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 7.4 <u>Security Escort</u>. A security escort will be required whenever API or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security

Training requirements and/or prior to Space Acceptance. The parties agree that a security escort will not be required for remote site collocation. However, if one is needed, the parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.

- 7.5 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, API shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to API. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.
- Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by API's current billing cycle API will pay a late payment charge as specified in the current State Tariff.

8. Insurance

- 8.1 <u>Maintain Insurance</u>. API shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 8.2 <u>Coverage</u>. API shall maintain the following specific coverage:
- 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars

BellSouth Remote Site Collocation

Attachment 4 - RS Page 28

(\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of API's real and personal property situated on or within BellSouth's Remote Site Location.
- 8.2.4 API may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 <u>Limits</u>. The limits set forth in Section 8.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to API to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by API shall be deemed to be primary. All policies purchased by API shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all API''s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If API fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from API.
- 8.5 <u>Submit certificates of insurance</u>. API shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. API shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from API''s insurance company. API shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator

675 W. Peachtree Street

Rm. 17H53 Atlanta, Georgia 30375

- 8.6 Conformance to recommendations made by BellSouth's fire insurance company. API must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 8.7 Self-Insurance. If API's net worth exceeds five hundred million dollars (\$500,000,000), API may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.3. API shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to API in the event that self-insurance status is not granted to API. If BellSouth approves API for self-insurance, API shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of API's corporate officers. The ability to self-insure shall continue so long as API meets all of the requirements of this Section. If API subsequently no longer satisfies this Section, API is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.3.
- 8.8 Net worth requirements. The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to API to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 8.9 <u>Failure to comply</u>. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. Mechanics Liens

9.1 Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or API), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be

Page 30

placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. Inspections

BellSouth may conduct inspection. BellSouth may conduct an inspection of API's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between API's equipment and equipment of BellSouth. BellSouth may conduct an inspection if API adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide API with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

- 11.1 The security and safety requirements. The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own Remote Site Location either for their own employees or for authorized contractors. Only BellSouth employees. BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.3, proceeding, or authorized agents of API will be permitted in the BellSouth Remote Site Location. API shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the API name. BellSouth reserves the right to remove from its Remote Site Location any employee of API not possessing identification issued by API or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. API shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. API shall be solely responsible for ensuring that any Guest of API is in compliance with all subsections of this Section 11.
- 11.1.1 API will be required, at its own expense, to conduct a statewide investigation of criminal history records for each API employee being considered for work on the BellSouth Remote Site Location, for the states/counties where the API employee has worked and lived for the past five years. Where state law

Page 31

- does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.
- 11.1.2 API will be required to administer to their personnel assigned to the BellSouth Remote Site Location security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 API shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. API shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any API personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the even that API chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, API may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 11.1.4 For each API employee requiring access to a BellSouth Remote Site Location pursuant to this Attachment, API shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, API will disclose the nature of the convictions to BellSouth at that time. In the alternative, API may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.5 At BellSouth's request, API shall promptly remove from the BellSouth's Remote Site Location any employee of API BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of API is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- 11.2 <u>Notification to BellSouth</u>. BST reserves the right to interview API's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or

Page 32

personnel, provided that BellSouth shall provide reasonable notice to API's Security contact of such interview. API and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving API's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill API for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that API's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill API for BellSouth property which is stolen or damaged where an investigation determines the culpability of API's employees, agents, or contractors and where API agrees, in good faith, with the results of such investigation. API shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Remote Site Location, any employee found to have violated the security and safety requirements of this section. API shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location.

- 11.3 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 11.4 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 11.5 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Remote Collocation Space

12.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for API's permitted use hereunder, then either Party may elect within ten (10)

Page 33

business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect. by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for API"s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to API, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors. but as exemplary only. API may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If API"'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by API. Where allowed and where practical, API may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, API shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for API"'s permitted use, until such Remote Collocation Space is fully repaired and restored and API"'s equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where API has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, API shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

13. Eminent Domain

Power of Eminent Domain. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund

by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and API shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

14.1 <u>Attachment is not exclusive</u>. API understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

EXHIBIT A: BELLSOUTH/API RATES – ALABAMA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| - Natoo II | rates marked with an asterisk () are interim and are subject to true-up | | | |
|------------|--|------------------------|------------------------|-----------------------------|
| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
| PE1RA | Application Fee* | Per request | N/A | \$869.18 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$230.19 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.19 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.74 |

BellSouth Remote Site Collocation

Attachment 4 - RS Page 35

| | | | | C |
|-------------|----------------------------|---------------------------|-----|---------|
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.11 |
| AFII | Additional Engineering Foo | | | Ψ73.11 |
| AEH | Additional Engineering Fee | Per request, First | N/A | - |
| | (Note 1) | half hour/add'l half | | |
| | | hour | | |
| | Security Escort | Per half hr/add'l | | |
| | (Note 1) | half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis .

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – FLORIDA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$874.14 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$232.50 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.20 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.45 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.13 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | Tian III | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – GEORGIA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$931.61 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$224.82 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$25.88 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$229.02 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$74.22 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – KENTUCKY REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$868.91 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$224.41 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.60 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.82 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.13 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – LOUISIANA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$868.25 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$257.01 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.49 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.02 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | TIGHT III | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – MISSISSIPPI REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$868.60 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$241.11 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.16 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$231.43 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.01 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – NORTH CAROLINA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$865.34 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$254.02 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.06 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$230.60 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$74.74 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – SOUTH CAROLINA REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$871.12 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$246.44 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.25 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$232.25 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.27 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

EXHIBIT A: BELLSOUTH/API RATES – TENNESSEE REMOTE SITE COLLOCATION

Rates marked with an asterisk (*) are interim and are subject to true-up

| USOC | Rate Element Description | Unit | Recurring Rate (RC) | Non-Recurring Rate (NRC) |
|-------|-------------------------------------|--|------------------------|-----------------------------|
| PE1RA | Application Fee* | Per request | N/A | \$872.95 |
| PE1RB | Cabinet Space * | Per Rack/Bay | \$219.37 | N/A |
| PE1RC | Power Upgrade* | Per fused amp | N/A | ICB/TBD |
| PE1RD | Security Access System New Key* | Per Key | N/A | \$26.23 |
| PE1SR | Space Availability Report* | Per premises requested | N/A | \$232.12 |
| PE1RE | Request for CLLI* | Per Premises Requested | N/A | \$75.23 |
| AEH | Additional Engineering Fee (Note 1) | Per request, First half hour/add'l half hour | N/A | - |
| | Security Escort (Note 1) | Per half hr/add'l half hr | | |
| PE1BT | Basic Time | | NA | - |
| PE1OT | Overtime | | NA | - |
| PE1PT | Premium Time | | NA | - |

Note(s):

N/A stipulates the part of the rate element (RC or NRC) not applying to the element ICB/TBD rates will be on an Individual Case Basis.

(1) Security Escort and Additional Engineering Fees should not be needed for remote site collocation. If they become necessary, the parties will negotiate appropriate rates.

Attachment 4 - RS
Page 44
EXHIBIT B
Page 1 of 4

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and API agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and API shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. API should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for API to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. API will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the API space with proper notification. BellSouth reserves the right to

stop any API work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by API are owned by API. API will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by API or different hazardous materials used by API at BellSouth Facility. API must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by API to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and API will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and API will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, API must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and API shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, API agrees to comply with the applicable

sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. API further agrees to cooperate with BellSouth to ensure that API's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by API, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---|--|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management) |
| Emergency response | Hazmat/waste release/spill firesafety emergency | Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | Std T&C 450 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 |

Attachment 4 - RS Page 47

| | | rage 47 |
|---|--|---|
| | EVET approval of contractor | Approved Environmental Vendor List (Contact E/S Management) |
| Maintenance/operations work which may produce a waste | Compliance with all application local, state, & federal laws and regulations | • Std T&C 450 |
| Other maintenance work | Protection of BST employees and equipment | 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | P&SM Manager - Procurement |
| | All Hazardous Material and | Fact Sheet Series 17000 |
| | Waste | GU-BTEN-001BT, Chapter |
| | Asbestos notification and protection of employees and equipment | 3 • BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of contractor | Approved Environmental Vendor List (Contact E/S Management) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

BellSouth Remote Site Collocation

Attachment 4 - RS

Page 48

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Attachment 5 Access to Numbers and Number Portability

TABLE OF CONTENTS

| 1. | NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS | 2 |
|----|--|-----|
| 2. | NUMBER PORTABILITY PERMANENT SOLUTION | 2 |
| 3. | SERVICE PROVIDER NUMBER PORTABILITY | 3 |
| 4. | SPNP IMPLEMENTATION | 3 |
| 5. | TRANSITION TO PERMANENT NUMBER PORTABILITY | 6 |
| 6. | CONVERSION POLICY | 6 |
| 7. | TRUE-UP | 9 |
| 8. | OPERATIONAL SUPPORT SYSTEM (OSS) RATES | 9 |
| Ra | tes Exhibi | t A |

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

All the negotiated rates, terms and conditions set forth in this Attachment pertain to the provisioning of local number portability.

- During the term of this Agreement, API shall contact the North American Numbering Plan Administrator, Neustar, for the assignment of numbering resources. In order to be assigned a Central Office Code, api will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 For the purposes of the resale of BellSouth's telecommunications services by API, BellSouth will provide API with on line access to telephone numbers for reservation on a first come first served basis. Until December 1, 2000, such reservations of telephone numbers, on a pre-ordering basis shall be for a period of ninety (90) days. After December 1, 2000, BellSouth's reservation of telephone number practices shall be in accordance with the appropriate FCC rules and regulations. API acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request that API cancel its reservations of numbers. API shall comply with such request.
- 1.3. Further, upon API request and for the purposes of the resale of BellSouth's telecommunications services by API, BellSouth will reserve up to 100 telephone numbers per CLLIC, for API's sole use. Such telephone number reservations shall be transmitted to API via electronic file transfer. Until December 1, 2000, such reservations shall be valid for ninety (90) days from the reservation date. After December 1, 2000, BellSouth's reservation of telephone number practices shall be in accordance with the appropriate FCC rules and regulations. API acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for API's reasonable need in that particular CLLIC.

2. Number Portability Permanent Solution

The FCC, the Commissions, and industry for a have developed and BellSouth is implementing a permanent approach to providing service provider number portability. Both Parties will implement a permanent approach as developed and approved by the Commission, the FCC and industry fora. Consistent with the requirements to move to Permanent Number Portability (PNP) as set forth in

Version 3Q00: 09/29/00

Section 5 of this Attachment, Interim Service Provider Number Portability (SPNP) may be available only until such permanent solution is implemented in an end office.

2.2 End User Line Charge. Recovery of charges associated with implementing PNP through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in BellSouth's FCC Tariff No. 1 and will be billed to CLEC where CLEC is a subscriber to local switching or where CLEC is a reseller of BellSouth telecommunications services. This charge will not be discounted.

3. Service Provider Number Portability

- 3.1 <u>Definition</u>. Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability (SPNP). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same serving wire center of his existing number.
- Methods of Providing Number Portability. SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of API. Remote call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the API switch that serves the subscriber.
- 3.3 <u>Signaling Requirements</u>. SS7 Signaling is required for the provision of SPNP services. SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic local exchange service.

3.4 Rates

Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. SPNP Implementation

4.1 SPNP is available only where a CLEC or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic local exchange service to the affected end user. SPNP for a particular telephone number is available only

from the central office originally providing local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

- 4.2.1 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by the CLEC or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number.
- 4.2.2 SPNP-DID service, as contemplated by this Agreement, provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as said tariff is amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

- 4.3.1 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty, the BFR/NBR process must be used. SS7 Signaling is required for the provision of either of these services.
- 4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operatorassisted non-sent paid calls to the ported telephone number, BellSouth or the CLEC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either Party may request that the other block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. CLEC usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.
- 4.5 Each Party shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.

- 4.7 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each Party's end user. Each Party reserves the right to contact the other Party's customers if deemed necessary for maintenance purposes.
- 4.8 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other Party obsolete or renders necessary modification of the other Party's equipment.
- 4.9 For terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability.

5. Transition to Permanent Number Portability

- Once PNP is implemented in an end office both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within one hundred twenty (120) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP. The Parties shall comply with any SPNP/PNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.
- 5.1.1 Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once PNP has been deployed pursuant to the FCC's orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide PNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from SPNP to PNP or other related issues.

6. Conversion Policy

- BellSouth implemented the conversion of Interim Number Portability (INP) to Local Number Portability (PNP) as follows:
- 6.1.1 Conversion of SPNP numbers to PNP is handled as a project.
- All SPNP numbers in PNP capable switches will be converted to PNP within 120 days after the end of the phase for that MSA or wire center.
- 6.1.3 BellSouth will continue to offer SPNP until the completion date of the phase for the wire center.
- 6.2 Conversion Schedule
- 6.2.1 The schedule to implement PNP in the 21 MSAs in the BellSouth region is as mandated by the FCC may be viewed by accessing the Carrier Notification Web site. The notification also outlines the conversion schedule for all of BellSouth's switches.
- 6.3 Specific Conversion activities
- 6.3.1 The BellSouth Account Teams contact each CLEC with SPNP accounts to negotiate a conversion schedule.
- During the 120-day conversion period for each MSA, the Local Carrier Service Center (LCSC) will provide special handling for the requests to convert SPNP to PNP. These requests will be logged by a project manager and project managed to ensure end user service outage is minimal. Unless listing changes are requested, the CLECs may use a specially designed form provided by the project manager or account team in lieu of the Local Service Request (LSR), End User (EU), and Number Portability (NP) forms.
- 6.3.3 If changes are to be made to the SPNP account, the LSR should follow the normal process flow for ordering instead of the SPNP to PNP conversion plan.
- 6.4 Firm Order Confirmation
- 6.4.1 During the conversion period, if a CLEC uses the request form in lieu of the LSR, the form will include provisions for providing a manual FOC. If the request is submitted through EDI, the FOC will be sent back to the CLEC via EDI.
- 6.5 Routing of Calls to the Local Routing Number (LRN)
- 6.5.1 Trigger orders are not used for SPNP telephone numbers. Once the activate message is sent to the Number Portability Administration Center (NPAC) by the new service provider, (with exception of the end user's serving wire center) incoming calls are routed to the new provider. Calls from within the end user's servicing wire center will not route to the new Local Routing Number (LRN) until the porting D order processes.

- 6.6 Permanent Number Solution
- 6.6.1 BellSouth and API will adhere to the process flows and cutover guidelines outlined in the LNP Reference Guide accessible via the Internet at the following site: http://www.interconnection.bellsouth.com.
- 6.6.1.1 BellSouth and API will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry for aaddressing PNP.
- Both Parties shall cooperate in the process of porting numbers form one carrier to another so as to limit service outage for the ported subscriber. BellSouth will set LRN unconditional or 10-digit triggers where applicable which should ensure no interruption to the end user. Where triggers are set, BellSouth removes the ported number at the same time the trigger is removed.
- 6.6.1.2.1 Trigger orders as used in this Attachment refer to a service order issued in advance of the porting of a number utilizing PNP that provides the following: initiates call queries to the AIN SS7 network in advance of the number being ported; and provides for the CLEC to be in control of when a number ports to the new service provider.
- 6.6.1.3 For porting of numbers where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- BellSouth will provide ordering support for API's PNP requests Monday through Friday 8:00 AM until 8:00 PM EST. BellSouth normal hours of operation for provisioning support are defined in Attachment 6. Ordering and provisioning support required by API outside of these hours will be considered outside of normal business hours and will be subject to overtime billing. For stand alone PNP where LRN unconditional or 10-digit triggers are set, CLEC may port numbers during times that are supported by NPAC 24 hours a day 7 days a week. BellSouth will provide maintenance assistance to CLEC 24 hours a day 7 days a week to resolve issues arising from the porting of numbers for problems isolated to the BellSouth network.
- 6.6.1.5 Performance Measurements for BellSouth providing PNP are located in Attachment 9 to this Agreement, incorporated herein by this reference.
- BellSouth will use best efforts to update switch translations, where necessary, in time frames that are consistent with the time frames BellSouth's end users experience or as offered to other CLECs.
- 6.6.3 CLEC may request deployment of PNP according to and pursuant to the rules and regulations set forth in 47 CFR § 52.23.

7. True-up

- 7.1 This section applies only to Tennessee and other rates that are interim or expressly subject to true-up under this attachment.
- 7.2 The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions in the General Terms and Conditions and Attachment 1 of this Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions and Attachment 1 of the Agreement incorporated herein by reference, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and API specifically or upon all carriers generally, such as a generic cost proceeding.

8. Operational Support System (OSS) Rates

The terms, conditions and rates for OSS are as set forth in Section 2 of Attachment 2.

BELLSOUTH/API RATES SERVICE PROVIDER NUMBER PORTABILITY

| | | RATES BY STATE | | | | | | | | |
|---|------------------|----------------|----|----------|----|----------|----------|----------|----------|---------|
| DESCRIPTION | USOC | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF (1) (2) | | | | | | | - | | | |
| RCF, per number ported (Business Line), 10 paths | TNPBL | NA | NA | NA | NA | NA | NA | \$2.25 | NA | NA |
| RCF, per number ported (Residence Line), 6 paths | TNPRL | NA | NA | NA | NA | NA | NA | \$1.15 | NA | NA |
| RCF, per number ported (Business Line) | TNPBL | \$2.13 | NA | \$2.03 | NA | \$2.29 | \$2.34 | \$1.66 | \$2.17 | \$1.50 |
| NRC - Electronic | TNPBL | \$0.65 | NA | \$0.51 | NA | \$0.49 | \$0.6441 | \$0.71 | \$0.7046 | NA |
| NRC - Disconnect Charge | TNPBL | \$0.07 | NA | NA | NA | \$0.05 | \$0.0644 | \$0.50 | NA | NA |
| RCF, per number ported (Residence Line) | TNPRL | \$2.13 | NA | \$2.03 | NA | \$2.29 | \$2.34 | \$1.66 | \$2.17 | \$1.25 |
| NRC | TNPRL | \$0.65 | NA | \$0.51 | NA | \$0.49 | \$0.6441 | \$0.71 | \$0.7046 | NA |
| NRC - Disconnect Charge | TNPRL | \$0.07 | NA | NA | NA | \$0.05 | \$0.0644 | \$0.50 | NA | NA |
| RCF, add'l capacity for simultaneous call forwarding, per additional path | N/A | \$0.32 | NA | \$0.2836 | NA | \$0.38 | \$0.3838 | \$0.32 | \$0.3854 | \$0.50 |
| | (++) Bus = TNPBD | | | | | | | | | |
| RCF, per service order, per location | Res = TNPRD | | | | | | | | | |
| NRC - 1st | TNP++ | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | \$25.00 |
| NRC - Add'l | TNP++ | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | \$25.00 |
| NRC - Disconnect - 1st | TNP++ | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| NRC - Disconnect - Add'l | TNP++ | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | \$44.70 | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | \$44.70 | NA |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID | | | | | | | | | | |
| DID per number ported, Residence - NRC | TNPDR | \$1.18 | NA | \$0.93 | NA | \$0.89 | \$1.17 | \$2.25 | \$2.25 | NA |
| DID per number ported, Residence - NRC - Disconnect | TNPDR | \$1.18 | NA | NA | NA | \$0.90 | \$1.17 | NA | NA | NA |
| DID per number ported, Business - NRC | TNPDB | \$1.18 | NA | \$0.93 | NA | \$0.89 | \$1.17 | \$2.25 | \$2.25 | NA |
| DID per number ported, Business - NRC - Disconnect | TNPDB | \$1.18 | NA | NA | NA | \$0.90 | \$1.17 | NA | NA | NA |
| DID per service order, per location | | | | | | | | | | |
| NRC - 1st | TNPRD | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | NA |
| NRC - Add'l | TNPRD | \$1.44 | NA | \$2.10 | NA | \$2.02 | \$2.84 | \$2.73 | \$1.37 | NA |
| NRC - Disconnect - 1st | TNPRD | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | \$44.70 | NA |
| NRC - Disconnect - Add'l | TNPRD | \$1.44 | NA | NA | NA | \$2.01 | \$2.84 | NA | \$44.70 | NA |
| NRC - Incremental Charge - Manual Service Order - 1st | SOMAN | \$27.37 | NA | \$18.94 | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Add'l | SOMAN | \$27.37 | NA | NA | NA | \$18.14 | \$25.52 | \$45.80 | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - 1st | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l | SOMAN | \$17.77 | NA | NA | NA | \$11.41 | \$16.06 | NA | NA | NA |
| DID, per trunk termination, Initial | TNPT2 | \$11.84 | NA | \$10.73 | NA | \$12.46 | \$13.78 | \$11.43 | \$13.16 | NA |
| DID, per trunk termination, Initial - NRC | TNPT2 | \$173.73 | NA | \$135.47 | NA | \$129.69 | \$171.68 | \$217.88 | \$218.03 | NA |
| DID, per trunk termination, Initial - Disconnect | TNPT2 | \$50.43 | NA | NA | NA | \$37.85 | \$49.86 | NA | NA | NA |
| DID, per trunk termination, Subsequent | TNPT2 | \$11.84 | NA | \$10.73 | NA | \$12.46 | \$13.78 | \$11.43 | \$13.16 | NA |
| DID, per trunk termination, Subsequent - NRC | TNPT2 | \$51.35 | NA | \$39.53 | NA | \$37.85 | \$50.69 | \$73.56 | \$73.63 | NA |
| DID, per trunk termination, Subsequent - Disconnect | TNPT2 | \$25.00 | NA | NA | NA | \$18.75 | \$24.71 | NA | NA | NA |

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

¹ Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950737-TP. (FL)

² BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY)

Attachment 6

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

TABLE OF CONTENTS

| | QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND PAIR | 3 |
|----|--|---|
| | ACCESS TO OPERATIONS SUPPORT SYSTEMS | |
| 3. | MISCELLANEOUS ORDERING AND PROVISIONING GUIDELINES | 5 |

PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

1. Quality of Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

- 1.1 All the negotiated terms and conditions set forth in this Attachment pertain to preordering, ordering and provisioning and maintenance and repair.
- 1.2 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to API that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules may be referenced at the following site:

http://www.interconnection.bellsouth.com.

1.3 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)

Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

The above hours represent the hours, either Eastern or Central Time, of where the physical work is being performed.

- 1.3.1 It is understood and agreed that BellSouth technicians involved in provisioning service to API may work shifts outside of BellSouth's regular working hours as defined in Section 1.3 above. To the extent that API requests that work necessarily required in the provisioning of service to be performed outside BellSouth's regular working hours and that work is performed by a BellSouth technician during his or her scheduled shift such that BellSouth does not incur any additional costs in performing the work on behalf of API, BellSouth will not assess API additional charges beyond the rates and charges specified in this Agreement.
- 1.4 All other API requests for provisioning and installation services are considered outside of the normal hours of operation and may be performed subject to the application of overtime billing charges.

2. Access to Operations Support Systems

- 2.1 BellSouth shall provide API access to operations support systems ("OSS") functions for pre-ordering, ordering and provisioning, maintenance and repair and billing. Access to the OSS is available through a variety of means, including electronic interfaces. BellSouth also provides manual interfaces. The OSS functions available to CLECs through the electronic interfaces are:
- 2.1.1 Pre-Ordering. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. In addition, API shall provide to BellSouth access to customer record information including electronic access where available. Otherwise, API shall provide paper copies of customer record information within the same intervals that BellSouth provides paper copies to API. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission and further agree that API and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.
- 2.1.2 <u>Service Ordering and Provisioning</u>. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) interface, and the TAG ordering interface for non-complex and certain complex resale requests and certain network elements. The EDI interface or the TAG ordering interface may be integrated with the TAG pre-ordering interface by API. BellSouth provides integrated pre-ordering, ordering and provisioning capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- 2.1.3 Service Trouble Reporting and Repair (a.k.a Maintenance and Repair). Service trouble reporting and repair allows API to report and monitor service troubles and obtain repair services. BellSouth shall offer API service trouble reporting in a non-discriminatory manner that provides API the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides API an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth offers API non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth offers an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth provides non-discriminatory trouble reporting via the ECTA Gateway. BellSouth also offers ECTA functionality through the machine-to-machine EC-CPM/TA interface. If API requests BellSouth to repair a trouble

after normal working hours, API will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs. BellSouth and API agree to adhere to BellSouth's Operational Understanding and as it is amended from time to time during this Agreement which may be accessed via the Internet @ http://www.interconnection.bellsouth.com

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document and as it is amended from time to time during this Agreement.
- BellSouth's Versioning Policy for Industry Standard Machine-to-Machine
 Electronic Interfaces. Pursuant to the CCP, BellSouth will issue new software
 releases for new industry standards for its industry standard, machine-to-machine
 and its human-to-machine electronic interfaces. When a new release of new
 industry standards is implemented, BellSouth will continue to support both the
 new release (N) and the prior release (N-1). When BellSouth implements the next
 release (N+1), BellSouth will eliminate support for the (N-1) release and support
 the two newest releases (N and N+1). Thus, BellSouth will always support the
 two most current releases. BellSouth will issue documents to API with sufficient
 notice to allow API to make the necessary changes to their systems and operations
 to migrate to the newest release in a timely fashion. This policy is set forth in the
 CCP document and as it is amended from time to time during this Agreement.
- 2.4 <u>Rates.</u> All costs incurred by BellSouth to develop and implement operational interfaces to the OSS shall be recovered from the carriers that use the services. Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement.

3. Miscellaneous Ordering and Provisioning Guidelines

- Pending Orders. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by API will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if API wishes to reinstate an order, API may be required to submit a new service order.
- 3.2 <u>Single Point of Contact</u>. API will be the single point of contact with BellSouth for ordering activity for network elements and other services used by API to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. API and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed

Interexchange Carrier (PIC) changes including Un-PIC. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be disconnected and being used by API to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify API that such an order has been processed, but will not be required to notify API in advance of such processing.

- 3.3 <u>Use of Facilities</u>. When a customer of a CLEC elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to CLEC by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- 3.3.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using current interval guidelines.
- 3.3.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location.
- 3.3.1.3 Notify API after the disconnect order has been completed.
- Release of Facilities. When a customer of API or BellSouth elects to change his/her carrier to the other Party, the Party providing service shall release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.6 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.7 <u>Cancellation Charges</u>. If API cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.

3.8 <u>Expedite Charges</u>. For expedited requests by API, expedited charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply.

Attachment 7

Billing

TABLE OF CONTENTS

| 1. | Payment and Billing Arrangements | 3 |
|----|----------------------------------|----------|
| 2. | Billing Disputes | 5 |
| 3. | RAO Hosting | <i>6</i> |
| 4. | Optional Daily Usage File | 10 |
| 5. | Access Daily Usage File | 13 |
| | ates Exh | |

BILLING

1. Payment and Billing Arrangements

All negotiated rates, terms and conditions set forth in this Attachment pertain to billing and billing accuracy certifications.

- Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that API requests. BellSouth will bill and record in accordance with this Agreement those charges API incurs as a result of API purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from API, API shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, API will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA) and a tax exemption certificate, if applicable.
- 1.3 Payment Responsibility. Payment of all charges will be the responsibility of API. API shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by API from API's customer. BellSouth will not become involved in billing disputes that may arise between API and API's customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 <u>Payment Due.</u> The payment will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.6, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from API, the total amount billed to API will not include those taxes or fees for which the CLEC is exempt. API will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of API.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate. API will be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to API</u>. The procedures for discontinuing service to API are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment of services or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by API of the rules and regulations contained in BellSouth's tariffs.
- 1.7.2 If payment of account is not received by the bill date in the month after the original bill date, BellSouth may provide written notice to API that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty (30)days notice to API at the billing address to discontinue the provision of existing services to API at any time thereafter.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and API's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to API without further notice.
- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, API's services will be discontinued. Upon discontinuance of service on API's account, service to API's end users will be denied. BellSouth will reestablish service at the request of the end user or API for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. API is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.8 Deposit Policy. When purchasing services from BellSouth, API will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release API from its obligation to make complete and timely payments of its bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in API's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 1.9 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. Billing Disputes

2.1 Billing disputes shall be handled pursuant to the terms of this section.

- 2.1.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 2.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO Hosting

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to API by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 API shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Compensation amounts, if applicable, will be billed by BellSouth to API on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- API must have its own unique hosted RAO code. Requests for establishment of RAO status where BellSouth is the selected CMDS interfacing host, require written notification from API to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting

- contractor, currently Telcordia (formerly BellCore), on behalf of API and will coordinate all associated conversion activities.
- 3.5 BellSouth will receive messages from API that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from API.
- 3.7 All data received from API that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- All data received from API that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by API and will forward them to API on a daily basis.
- 3.10 Transmission of message data between BellSouth and API will be via CONNECT:Direct.
- 3.11 All messages and related data exchanged between BellSouth and API will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 3.12 API will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for API to send data to BellSouth more than sixty (60) days past the message date(s), API will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and API to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or API) identified and agreed to, the company responsible for creating the data (BellSouth or API) will make every effort to have

the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from API, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify API of the error condition. API will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, API will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide API with associated intercompany settlements reports (CATS and NICS) as appropriate.
- In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.
- 3.18 RAO Compensation
- 3.18.1 Rates for message distribution service provided by BellSouth for API are as set forth in Exhibit A to this Attachment.
- 3.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- 3.18.3 Data circuits (private line or dial-up) will be required between BellSouth and API for the purpose of data transmission. Where a dedicated line is required, API will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. API will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to API. Additionally, all message toll charges associated with the use of the dial circuit by API will be the responsibility of API. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 3.18.4 All equipment, including modems and software, that is required on the API end for the purpose of data transmission will be the responsibility of API.

3.19 Intercompany Settlements Messages

- 3.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by API as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between API and the involved company(ies), unless that company is participating in NICS.
- 3.19.2 Both traffic that originates outside the BellSouth region by API and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by API, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by API, involves a company other than API, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.19.3 Once API is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 3.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of API. BellSouth will distribute copies of these reports to API on a monthly basis.
- 3.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of API. BellSouth will distribute copies of these reports to API on a monthly basis.
- 3.19.6 BellSouth will collect the revenue earned by API from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of API. BellSouth will remit the revenue billed by API to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on API. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to API via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.19.7 BellSouth will collect the revenue earned by API within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of API. BellSouth will remit the revenue billed by API within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents

(\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to API via a monthly CABS miscellaneous bill.

BellSouth and API agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. Optional Daily Usage File

- 4.1 Upon written request from API, BellSouth will provide the Optional Daily Usage File (ODUF) service to API pursuant to the terms and conditions set forth in this section.
- 4.2 API shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a API customer.
- 4.4 Charges for delivery of the ODUF will appear on APIs' monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4.5 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of API will be the responsibility of API. If, however, API should encounter significant volumes of errored messages that prevent processing by API within its systems, BellSouth will work with API to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the Optional Daily Usage Feed.
- 4.7.1 <u>Usage To Be Transmitted</u>
- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to API:
 - Message recording for per use/per activation type services (examples: `Three -Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 4.7.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to API.
- 4.7.1.4 In the event that API detects a duplicate on ODUF they receive from BellSouth, API will drop the duplicate message (API will not return the duplicate to BellSouth).
- 4.7.2 Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to API via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and API for the purpose of data transmission. Where a dedicated line is required, API will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. API will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to API. Additionally, all message toll charges associated with the use of the dial circuit by API will be the responsibility of API. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case

by case basis between the Parties. All equipment, including modems and software, that is required on API's end for the purpose of data transmission will be the responsibility of API.

4.7.3 <u>Packing Specifications</u>

- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to API which BellSouth RAO that is sending the message. BellSouth and API will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by API and resend the data as appropriate.

The data will be packed using ATIS EMI records.

4.7.4 Pack Rejection

4.7.4.1 API will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. API will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to API by BellSouth.

4.7.5 Control Data

4.7.5.1 API will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate API received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by API for reasons stated in the above section.

4.7.6 Testing

4.7.6.1 Upon request from API, BellSouth shall send test files to API for ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that API set up a production (LIVE) file. The live test may consist of API's employees making test calls for the types of services API requests on ODUF. These test calls are logged by API, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. **Access Daily Usage File** 5.1. Upon written request from API, BellSouth will provide the Access Daily Usage File (ADUF) service to API pursuant to the terms and conditions set forth in this section. 5.2 API shall furnish all relevant information required by BellSouth for the provision of ADUF. 5.3 ADUF will contain access messages associated with a port that API has purchased from BellSouth 5.4 Charges for delivery of ADUF will appear on API's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format. 5.5 Messages that error in the billing system of API will be the responsibility of API. If, however, API should encounter significant volumes of errored messages that prevent processing by API within its systems, BellSouth will work with API to determine the source of the errors and the appropriate resolution. 5.6 Usage To Be Transmitted 5.6.1 The following messages recorded by BellSouth will be transmitted to API: 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port. 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port. 5.6.2 When API purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows: 5.6.2.1 Originating from Network Element and carried by Interexchange Carrier: BellSouth will bill network element to CLEC and send access record to the CLEC 5.6.2.1.1 via ADUF. 5.6.2.2 Originating from network element and carried by BellSouth (API is BellSouth's toll customer). 5.6.2.3 Terminating on network element and carried by Interexchange Carrier: 5.6.2.3.1 BellSouth will bill network element to API and send access record to API. 5.6.2.4 Terminating on network element and carried by BellSouth:

- 5.6.2.4.1 BellSouth will bill network element to API and send access record to API.
- 5.6.3 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to API.
- 5.6.4 In the event that API detects a duplicate on ADUF they receive from BellSouth, API will drop the duplicate message (API will not return the duplicate to BellSouth.)

5.6.5 Physical File Characteristics

- 5.6.5.1 ADUF will be distributed to API via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.5.2 Data circuits (private line or dial-up) may be required between BellSouth and API for the purpose of data transmission. Where a dedicated line is required, API will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. API will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to API. Additionally, all message toll charges associated with the use of the dial circuit by API will be the responsibility of API. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on API's end for the purpose of data transmission will be the responsibility of API.

5.6.6 <u>Packing Specifications</u>

- 5.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to API which BellSouth RAO is sending the message. BellSouth and API will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by API and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.7 Pack Rejection

API will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. API will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to API by BellSouth.

5.6.8 Control Data

API will send one confirmation record per pack that is received from BellSouth.

This confirmation record will indicate API received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by API for reasons stated in the above section.

5.6.9 <u>Testing</u>

5.6.9.1 Upon request from API, BellSouth shall send a test file of generic data to API via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

BELLSOUTH/API RATES ODUF/ADUF/CMDS

| | | | RATES BY STATE | | | | | | | |
|---|------|-----------|----------------|-------------|-------------|-----------|-------------|----------|-------------|---------|
| DESCRIPTION | usoc | AL | FL | GA | KY | LA | MS | NC | sc | TN |
| ODUF/ADUF/CMDS | | | | | | | | | | |
| ODUF: Recording, per message | N/A | \$0.0002 | \$0.008 | \$0.0001275 | \$0.0008611 | \$0.00019 | \$0.0001179 | \$0.0003 | \$0.0002862 | \$0.008 |
| ODUF: Message Processing, per message | N/A | \$0.0033 | \$0.004 | \$0.0082548 | \$0.0032357 | \$0.0024 | \$0.0032089 | \$0.0032 | \$0.0032344 | \$0.004 |
| ADUF: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.0136327 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| CMDS: Message Processing, per message | N/A | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 | \$0.004 |
| ODUF: Message Processing, per magnetic tape provisioned | N/A | \$55.19 | \$54.95 | \$28.85 | \$55.68 | \$47.30 | \$54.62 | \$54.61 | \$54.72 | \$54.95 |
| ODUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.00004 | \$0.001 | \$0.0000434 | \$0.0000365 | \$0.00003 | \$0.0000354 | \$0.0004 | \$0.0000357 | \$0.001 |
| ADUF: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.001 | \$0.001 | \$0.0000434 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 |
| CMDS: Data Transmission (CONNECT:DIRECT), per message | N/A | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 | \$0.001 |

NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

Performance Measurements

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

for API

BellSouth Standard Interconnection Agreement

| Agreement Effective Date: 5/3/2001 | Agreement Expiration Date: 5/2/2003 |
|------------------------------------|-------------------------------------|
| Account Manager: | Account Manager Tel No: |

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|---------------------------|-------------------|-----------------|--------------------|
| | | | |
| Terms/Conditions | 1 | 09/29/00 | |
| Torms, Conditions | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | 13 | 09/29/00 | |
| | 14 | 09/29/00 | |
| | 15 | 09/29/00 | |
| | 16 | 09/29/00 | |
| | 17 | 09/29/00 | |
| | 18 | 09/29/00 | |
| | 19 | 09/29/00 | |
| | 20 | 09/29/00 | |
| | 21 | 09/29/00 | |
| | 22 | 09/29/00 | |
| | 23 | 09/29/00 | |
| | 24 | 09/29/00 | |
| | 25 | 09/29/00 | |
| | 26 | 09/29/00 | |
| | 27 | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Attachment | Section | Version | Planned Activities |
|------------------------------|-----------|----------|--------------------|
| Name/Number | Number | Date | |
| | | | |
| | 28 | 09/29/00 | |
| | 29 | 09/29/00 | |
| | 30 | 09/29/00 | |
| | 31 | 09/29/00 | |
| | 32 | 09/29/00 | |
| | 33 | 09/29/00 | |
| 1-Resale | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| | Exhibit C | 09/29/00 | |
| | Exhibit D | 09/29/00 | |
| | Exhibit E | 09/29/00 | |
| | Exhibit F | 09/29/00 | |
| 2-Network Elements & Oth Svs | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Attachment Name/Number | Section Number | Version Date | Planned Activities |
|---------------------------|-------------------|-----------------|--------------------|
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | 13 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| | Exhibit C | 09/29/00 | |
| 3-Local Interconnection | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| | Exhibit C | 09/29/00 | |
| | Exhibit D | 09/29/00 | |
| | Exhibit E | 09/29/00 | |
| 4-Physical Collocation | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Attachment | Section | Version | Planned Activities |
|-------------------------------------|-----------|----------|--------------------|
| Name/Number | Number | Date | |
| | | | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | 13 | 09/29/00 | |
| | 14 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| 5-Access to Numbers/Num Portability | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| 6-Pre-Ordering,Ordering/ | 1 | 09/29/00 | |
| Provisioning/Maint/Repair | | | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| 7-Billing | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| 8-ROW/Conduits/PoleAtt | 1 | 09/29/00 | |
| 9-Perf Measurement | | 09/29/00 | |
| 10-Agrmt Implementation Template | | 09/29/00 | |
| 11-Disaster Recovery | | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Agreement Effective Date: | Agreement Expiration Date: |
|---------------------------|----------------------------|
| Account Manager: | Account Manager Tel No: |

| Attachment | Section | Version | Planned Activities |
|------------------|---------|----------|--------------------|
| Name | No. | Date | |
| Terms/Conditions | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | 13 | 09/29/00 | |
| | 14 | 09/29/00 | |
| | 15 | 09/29/00 | |
| | 16 | 09/29/00 | |
| | 17 | 09/29/00 | |
| | 18 | 09/29/00 | |
| | 19 | 09/29/00 | |
| | 20 | 09/29/00 | |
| | 21 | 09/29/00 | |
| | 22 | 09/29/00 | |
| | 23 | 09/29/00 | |
| | 24 | 09/29/00 | |
| | 25 | 09/29/00 | |
| | 26 | 09/29/00 | |
| | 27 | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Attachment | Section | Version | Planned Activities |
|-------------------------------------|-----------|----------|--------------------|
| Name | No. | Date | |
| | 28 | 09/29/00 | |
| | 29 | 09/29/00 | |
| | 30 | 09/29/00 | |
| | 31 | 09/29/00 | |
| | 32 | 09/29/00 | |
| | 33 | 09/29/00 | |
| 1-Resale | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| | Exhibit C | 09/29/00 | |
| | Exhibit D | 09/29/00 | |
| | Exhibit E | 09/29/00 | |
| | Exhibit F | 09/29/00 | |
| 2-Network Elements & Other Services | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Attachment | Section | Version | Planned Activities |
|-------------------------|-----------|----------|--------------------|
| Name | No. | Date | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | 13 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| | Exhibit C | 09/29/00 | |
| 3-Local Interconnection | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| | Exhibit C | 09/29/00 | |
| | Exhibit D | 09/29/00 | |
| | Exhibit E | 09/29/00 | |
| 4-Physical Collocation | 1 | 09/29/00 | |
| • | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |

for API

BellSouth Standard Interconnection Agreement

| Attachment | Section | Version | Planned Activities |
|-------------------------------------|-----------|----------|--------------------|
| Name | No. | Date | |
| | 9 | 09/29/00 | |
| | 10 | 09/29/00 | |
| | 11 | 09/29/00 | |
| | 12 | 09/29/00 | |
| | 13 | 09/29/00 | |
| | 14 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| | Exhibit B | 09/29/00 | |
| 5-Access to Numbers/Num Portability | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | 6 | 09/29/00 | |
| | 7 | 09/29/00 | |
| | 8 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| 6-Pre-Ord/Ord/Prov/Maint/ Repair | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| 7-Billing | 1 | 09/29/00 | |
| | 2 | 09/29/00 | |
| | 3 | 09/29/00 | |
| | 4 | 09/29/00 | |
| | 5 | 09/29/00 | |
| | Exhibit A | 09/29/00 | |
| 8-ROW/Conduits/PoleAtt | 1 | 09/29/00 | |
| 9-Perf Measurement | | 09/29/00 | |
| 10-Agmt Implementation Template | | 09/29/00 | |
| 11-Disaster Recovery Plan | | 09/29/00 | |

Attachment 11 BellSouth Disaster Recovery Plan

The attached BellSouth Disaster Recovery Plan is for the state of Tennessee. The BellSouth Disaster Recovery Plan for the remaining states can be accessed via the internet @ http://www.interconnection.bellsouth.com.

2000 BELLSOUTH TENNESSEE DISASTER RECOVERY PLANNING

For

CLECS

CONTENTS

| | <u>PAGE</u> |
|---|-------------|
| 1.0 Permi | 4 |
| 1.0 Purpose | 4 |
| 2.0 Single Point of Contact | 4 |
| 3.0 Identifying the Problem | 4 |
| 3.1 Site Control | 5 |
| 3.2 Environmental Concerns | 6 |
| 4.0 The Emergency Control Center (ECC) | 6 |
| 5.0 Recovery Procedures | 7 |
| 5.1 CLEC Outage | 7 |
| 5.2 BellSouth Outage | 7 |
| 5.2.1 Loss of Central Office | 8 |
| 5.2.2 Loss of a Central Office with Serving Wire Center Functions | 8 |
| 5.2.3 Loss of a Central Office with Tandem Functions | 8 |
| 5.2.4 Loss of a Facility Hub | 9 |
| 5.3 Combined Outage (CLEC and BellSouth Equipment | 9 |
| 6.0 T1 Identification Procedures | 9 |
| 7.0 Acronyms | 10 |

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involve with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 12

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that API is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. API also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- Bona Fide Requests ("BFR") are to be used when API makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when API makes a request of BellSouth to provide a new or custom capability or function to meet API's business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between API and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- A BFR shall be submitted in writing by API and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a API's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to API's Account Executive.
- 4.0 API may cancel a BFR or NBR at any time. If API cancels the request more than three (3) business days after submitting it, API shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If API does not cancel a BFR or NBR, API shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- 5.0 Within twenty-five (25) business days of its receipt of a BFR or NBR from API, BellSouth shall respond to API by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the

Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

- 6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within fifty (50) business days after receipt of the BFR. BellSouth may, but shall not be required to, provide a firm time and cost proposal for a NBR.
- 7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, API must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, API may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- Unless API agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- 10.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

AMENDMENT TO THE AGREEMENT BETWEEN ACCESS POINT, INC. AND

BELLSOUTH TELECOMMUNICATIONS, INC. DATED May 3, 2001

Pursuant to this Amendment, (the "Amendment"), Access Point, Inc. ("Access Point"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 3, 2001 ("Agreement").

WHEREAS, BellSouth and Access Point entered into the Agreement on May 3, 2001, and;

WHEREAS, the Parties desire to amend the Agreement to remove the existing Attachment 2 UNE rates and replace with a new Attachment 2-UNE rates and to include a new Section 4.1.3.2.1 in Attachment 2,

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Delete in its entirety Attachment 2, Exhibit C "Rates" dated 11/07/00 and replace with a new Attachment 2, Exhibit C "Rates" dated 01/31/02 attached hereto as Exhibit 1
- 2. **Attachment 2** of the Agreement is hereby amended to include a <u>new</u> section 4.1.3.2.1 and all its subsections as follows:
 - 4.1.3.2.1 Unbundled Local Switching, together with Common Transport and, if necessary, Tandem Switching, provides to API local subscribers local calling and the ability to presubscribe to a primary carrier for intraLATA toll service and a primary carrier for interLATA toll service.
 - 4.1.3.2.1.1 Provided that API purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an API local end user, or originated by a BellSouth local end user and terminated to an API local end user, where such calls originate and terminate in the same LATA, except for those calls

originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge API the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and API shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- 4.1.3.2.1.2 Where API purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an API end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge API the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and API shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.1.3.2.1.3 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill API the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.
- 4.1.3.2.1.4 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and API shall not bill BellSouth originating or terminating switched access for such calls.
- 4.1.3.2.1.5 BellSouth shall assess retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if a CLEC has been able to previously select BellSouth as the end user LPIC prior to the option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.

- 3. This Agreement shall be deemed effective thirty calendar days following the date of the last signature of both Parties ("Effective Date").
- 4. All of the other provisions of the Agreement, dated May 3, 2001, shall remain in full force and effect.

Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

| Access Point, Inc. | BellSouth Telecommunications, Inc. |
|--------------------|---|
| By: | By: |
| Name: | Name: |
| Title: | Title: |
| Date: | Date: |

EXHIBIT 1

ATTACHMENT 2

RATES

| UNBU | NDLE | NETWORK ELEMENTS - Alabama | | | 1 | 1 | 1 | | | | | 1 | 1 | A | Attachment: 2 | | Exhibit: B |
|----------|---------|---|-----------------|---------|---------------|--------------|--|-----------------|-----------------|-----------------|-----------------|--------------|---------------|-----------------|-----------------|--------------|-------------|
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | | | Manual Svc |
| GORY | NOILS | RATE ELEMENTS | m | Zone | BC3 | 0300 | | | KATEO(ψ) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | ne" shown in the sections for stand-alone loops or loops as p | | | | graphically | Deaveraged UN | E Zones. To v | riew Geograph | ically Deaverag | ged UNE Zone | Designatio | ns by Centra | al Office, refe | r to Internet W | lebsite: | |
| | | ww.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | | | | | 1 | | | | | 1 | |
| OPERA | TIONAL | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | s rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | ements that cannot be ordered electronically at present per t | | | | in this cate | gory reflects the | e charge that v | vould be billed | I to a CLEC on | ce electronic o | ordering cap | oabilities co | me on-line fo | r that element | . Otherwise, | the manual |
| | orderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR | o BellSouth. | ı | | | | ı | 1 | 1 | 1 | 1 | 1 | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional) | | | | SOMEC | 1 | 3.50 | | | | | | | | | |
| LINELIN | DI ED E | XCHANGE ACCESS LOOP | | | 1 | SOIVIEU | + - | ა.50 | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | <u> </u> | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 15.24 | 59.03 | 43.14 | 15.21 | 3.22 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 24.75 | 59.03 | 43.14 | 15.21 | 3.22 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 44.85 | 59.03 | 43.14 | 15.21 | 3.22 | | | 23.97 | 12.97 | 17.77 | 17.77 |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Engineering Information Document (EI) | | | UEANL | | | 28.75 | 28.75 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 51.29 | 51.29 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | 4= 00 | | | | | | | | | |
| | 2 MIDE | (per LSR) Unbundled COPPER LOOP | | | UEANL | OCOSL | - | 45.99 | 45.99 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | - | 1 | UEQ | UEQ2X | 11.01 | 44.69 | 22.40 | 25.65 | 7.06 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | - i- | | UEQ | UEQ2X | 12.67 | 44.69 | 22.40 | 25.65 | 7.06 | | | 27.37 | | 17.77 | 17.77 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | i | | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | 25.65 | 7.06 | | | 27.37 | | 17.77 | 17.77 |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 51.29 | 51.29 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Engineering Information Document | | | UEQ | | | 28.75 | 28.75 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | - | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEALS | 18.24 | 75.62 | 35.11 | 46.98 | 10.59 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| - | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | - | OLI ON OLF OD | OLALO | 10.24 | 13.02 | 33.11 | 40.90 | 10.59 | | | 21.31 | 12.97 | 17.77 | 17.77 |
| | | Zone 1 | 1 | 1 | UEPSR UEPSB | UEABS | 18.24 | 75.62 | 35.11 | 46.98 | 10.59 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | Ė | | | | | | | | | | | 1 | | |
| | | Zone 2 | I | 2 | UEPSR UEPSB | UEALS | 25.22 | 75.62 | 35.11 | 46.98 | 10.59 | <u> </u> | <u> </u> | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 2 | ı | 2 | UEPSR UEPSB | UEABS | 25.22 | 75.62 | 35.11 | 46.98 | 10.59 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | _ | | | | | | | | | | | | | |
| | | Zone 3 | ı | 3 | UEPSR UEPSB | UEALS | 33.70 | 75.62 | 35.11 | 46.98 | 10.59 | | | 23.97 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 33.70 | 75.62 | 35.11 | 46.98 | 10.59 | | | 23.97 | 12.97 | 17.77 | 17.77 |
| LINELIN | | ZONE 3 XCHANGE ACCESS LOOP | | 3 | OLFOR UEPOB | UEADO | 33.70 | 75.62 | 35.11 | 46.98 | 10.59 | | | 23.97 | 12.97 | 17.77 | 17.77 |
| | | ANALOG VOICE GRADE LOOP | | | 1 | | | | | | | | | 1 | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEANL | UREWO | | 48.12 | 22.02 | | | 1 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | † | 10.12 | 22.02 | | | | | 257 | 12.57 | | |
| | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 17.95 | 145.46 | 108.40 | 40.31 | 26.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 29.16 | 145.46 | 108.40 | 40.31 | 26.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | l | l | Ι Π | | | | | | | | | | |
| | | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 52.84 | 145.46 | 108.40 | 40.31 | 26.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| \vdash | | Order Coordination for Specified Conversion Time (per LSR) | | - | UEA | OCOSL | | 45.99 | | | | | | 1 | - | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 17.95 | 145.46 | 108.40 | 40.31 | 26.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Dattery Signatury - ZUTE 1 | | | ULA | ULARZ | 17.95 | 145.46 | 100.40 | 40.31 | 20.01 | | | 21.31 | 12.97 | 17.77 | 17.77 |

Version 4Q01: 01/31/02 Page 1 of 327

| UNBL | INDLEI | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|--|---|--|-----------------|------------|----------------|----------------|------------------|------------------|------------------|----------------|--|--|--|--|---|--|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | | | RATES (\$) | 001111 | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 29.16 | 145.46 | 108.40 | 40.31 | 26.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 52.84 | 145.46 | 108.40 | 40.31 | 26.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UEA UEA | OCOSL UREWO | | 45.99 131.85 | 38.28 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | ANALOG VOICE GRADE LOOP | | | UEA | UREWU | | 131.85 | 38.28 | | | | | 21.31 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 24.01 | 293.70 | 241.76 | 108.96 | 57.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 39.00 | 293.70 | 241.76 | 108.96 | 57.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 70.67 | 293.70 | 241.76 | 108.96 | 57.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.99 | | | | | | ļ | | | |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP | | <u> </u> | LIDA | 1141.637 | | 601.0- | | 100.0- | | 1 | ļ | | | .= | .= |
| | 1 | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | | 1 | UDN UDN | U1L2X U1L2X | 23.23 37.74 | 331.85 | 255.87 255.87 | 108.95 108.95 | 57.01 57.01 | 1 | | 27.37 27.37 | 12.97 12.97 | 17.77 17.77 | 17.77 17.77 |
| | 1 | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | | 2 | UDN | U1L2X U1L2X | 68.38 | 331.85 331.85 | 255.87 | 108.95 | 57.01 57.01 | 1 | + | 27.37 | 12.97 | 17.77 | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | <u> </u> | UDN | OCOSL | 00.30 | 45.99 | 200.01 | 100.93 | 37.01 | | | 21.01 | 12.57 | 17.77 | 17.77 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 121.19 | 33.10 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-WIRE | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | - | 1 | UDC | UDC2X | 16.84 | 104.17 | 78.10 | 108.95 | 57.01 | | | 18.94 | 8.42 | 17.77 | 17.77 |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | Ι. | 2 | UDC | UDC2X | 19.45 | 104.17 | 78.10 | 108.95 | 57.01 | | | 18.94 | 8.42 | 17.77 | 17.77 |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | <u>'</u> | 3 | UDC | UDC2X | 30.92 | 104.17 | 78.10 | 108.95 | 57.01 | | | 18.94 | 8.42 | 17.77 | 17.77 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | <u> </u> | Ů | UDC | UREWO | 00.02 | 104.17 | 33.10 | 100.00 | 07.01 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.09 | 514.21 | 464.58 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 19.64 | 514.21 | 464.58 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| ı | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 35.59 | 514.21 | 464.58 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 33.39 | 45.99 | 404.30 | 100.03 | 30.90 | | | 21.31 | 12.91 | 17.77 | 17.77 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | O/ IL | CCCCE | | 40.00 | | | | | | | | | |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.09 | 204.88 | 129.08 | 100.52 | 15.82 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 19.64 | 204.88 | 129.08 | 100.52 | 15.82 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 3 | UAL | 1141 0147 | 25.50 | 004.00 | 400.00 | 400.50 | 45.00 | | | 07.07 | 40.07 | 17.77 | 47 77 |
| | 1 | facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | UAL2W OCOSL | 35.59 | 204.88 45.99 | 129.08 | 100.52 | 15.82 | } | - | 27.37 | 12.97 | 17.77 | 17.77 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 137.85 | 29.34 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | OOP | 0,12 | 0.1.2.1.0 | | 101.00 | 20.01 | | | | | 21.01 | 12.01 | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.41 | 514.21 | 464.58 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 15.29 | 514.21 | 464.58 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | 1 | l | L | l | | | | | | | | I | l | l | l |
| | | & facility reservation - Zone 3 | ļ | 3 | UHL | UHL2X | 27.70 | 514.21 | 464.58 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | <u> </u> | Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | OCOSL | | 45.99 | | | | 1 | - | | | | |
| | | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL2W | 9.41 | 222.20 | 146.40 | 100.52 | 15.82 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - '- | J. IL | OI ILZVV | 3.41 | 222.20 | 140.40 | 100.02 | 10.02 | 1 | | 21.01 | 12.31 | 11.77 | 11.11 |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 15.29 | 222.20 | 146.40 | 100.52 | 15.82 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | 1 | and facility reservation - Zone 3 |] | 3 | UHL | UHL2W | 27.70 | 222.20 | 146.40 | 100.52 | 15.82 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | ļ | Order Coordination for Specified Conversion Time (per LSR) | ļ | | UHL | OCOSL | | 45.99 | | | | | | | | | ļ |
| | 4 14"5 | CLEC to CLEC Conversion Charge without outside dispatch | TID: - : | 000 | UHL | UREWO | | 137.79 | 29.34 | | | 1 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-WIKE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | -005 | L | _1 | l l | | | l l | | I | 1 | 1 | l | l | <u> </u> |

| LINDIII | UDI EF | NETWORK ELEMENTS - Alabama | ı — | | | | | | | | | | | | | | Exhibit: B |
|----------|--------|---|-----------------|----------|------------|----------------|--|-----------------|-----------|--------------|-------|-----------|-----------|-------------|--------------|----------------|----------------|
| UNBU | NULEL | NET WORK ELEMENTS - AIADAITIA | | | | | I | | | | | | 1 | | ttachment: 2 | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | l | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | .,, | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | AMC - 11-1 - 11-11-1001 1 1 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | UHL4X | 11.52 | 541.13 | 491.50 | 106.65 | 50.00 | | | 27.37 | 12.97 | 17.77 | 47.77 |
| | | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | - 1 | UHL | UHL4X | 11.52 | 541.13 | 491.50 | 100.00 | 56.98 | | | 21.31 | 12.97 | 17.77 | 17.77 |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.71 | 541.13 | 491.50 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | UI IL4X | 10.71 | 341.13 | 491.30 | 100.03 | 30.90 | | | 21.31 | 12.51 | 17.77 | 17.77 |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 33.90 | 541.13 | 491.50 | 106.65 | 56.98 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | UHL | OCOSL | 00.00 | 45.99 | 101.00 | 100.00 | 00.00 | | | 27.07 | 12.01 | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 11.52 | 279.39 | 203.59 | 109.99 | 20.70 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 18.71 | 279.39 | 203.59 | 109.99 | 20.70 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | ļ | 3 | UHL | UHL4W | 33.90 | 279.39 | 203.59 | 109.99 | 20.70 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.99 | | | | | | | | | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch | ļ | | UHL | UREWO | | 137.79 | 29.34 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 51.74 | 610.13 | 380.26 | 134.77 | 55.97 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| _ | | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 2 | | USLXX | 84.05 | 610.13 | 380.26 | 134.77 | 55.97 | - | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 3 | | USLXX | 152.29 | 610.13 | 380.26 | 134.77 | 55.97 | 1 | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | USL | OCOSL | 132.29 | 45.99 | 300.20 | 134.77 | 33.91 | | | 21.31 | 12.91 | 17.77 | 17.77 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.27 | 40.05 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 4-WIRE | 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP | | | 002 | U.V.E.V.O | | .00.2. | .0.00 | | | | | 2 | 12.07 | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 27.33 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 44.40 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 80.45 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 27.33 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 44.40 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | | UDL56 | 80.45 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.99 | | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.33 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL UDL | UDL64 UDL64 | 44.40 80.45 | 498.05 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 17.77 | 17.77 17.77 |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | OCOSL | 80.45 | 498.05 45.99 | 343.70 | 129.62 | 64.25 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| - | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 131.69 | 38.69 | | | - | | 27.37 | 12.97 | 17.77 | 17.77 |
| - | | Unbundled COPPER LOOP | | | ODL | GKLVVO | | 131.09 | 30.09 | | | | | 21.31 | 12.97 | 11.77 | 17.77 |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | 1 | | | 1 | † | | | | | <u> </u> | | | | | |
| | | inquiry & facility reservation - Zone 1 | 1 | 1 | UCL | UCLPB | 11.90 | 283.37 | 163.68 | 120.15 | 22.37 | | 1 | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | | | 1 | | | | ,,,, | | | | | | | |
| L ! | | inquiry & facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCLPB | 13.74 | 283.37 | 163.68 | 120.15 | 22.37 | <u> </u> | <u> </u> | 18.94 | 8.42 | | <u> </u> |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 21.83 | 283.37 | 163.68 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | 1 . | | | | 1 | | | | | | 1 | | _ | | |
| \vdash | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 11.90 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | ١. | 2 | UCL | LICL DVV | 40.74 | 404.47 | 70.40 | | | | 1 | 40.04 | 8.42 | | |
| \vdash | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service | | | UCL | UCLPW | 13.74 | 104.17 | 78.10 | | - | - | | 18.94 | 8.42 | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 21.83 | 104.17 | 78.10 | | | | 1 | 18.94 | 8.42 | | |
| - | | Order Coordination for Unbundled Copper Loops (per loop) | - '- | 3 | UCL | UCLMC | 21.03 | 36.46 | 36.46 | | | | | 10.94 | 0.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | 1 | | | JOLIVIO | 1 | 30.40 | 30.40 | | | <u> </u> | | | | | |
| | | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCL2L | 35.43 | 270.28 | 150.59 | 120.15 | 22.37 | | 1 | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | <u> </u> | | 1 | 221.0 | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | l | 2 | UCL | UCL2L | 40.91 | 270.28 | 150.59 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 65.02 | 270.28 | 150.59 | 120.15 | 22.37 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | l | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 35.43 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |

| IINRII | INDI EL | NETWORK ELEMENTS - Alabama | 1 | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|--------|---------|---|-----------------|----------|--------------------|----------|--|--------|-----------|--------------|-------|-----------|-----------|------------------------|------------------------|------------------------|------------------------|
| ONBO | NULLL | NETWORK ELEMENTS - Alabama | | 1 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | _ | | | | | | | | Svc Order | Svc Order | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | • | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | OSS | RATES (\$) | | |
| - | | O Miles I lecture died Comment and I am a mith and amount and in | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | 1 . | 2 | UCL | UCL2W | 40.91 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | - '- | | OOL | OOLZVV | 40.31 | 104.17 | 70.10 | | | | | 10.54 | 0.42 | | |
| | | inquiry and facility reservation - Zone 3 | - 1 | 3 | UCL | UCL2W | 65.02 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-Des) | ļ | | UCL | UREWO | | 104.17 | 31.42 | | | | | 18.94 | 8.42 | | |
| 1 | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND) | | 1 | UEQ | UREWO | 1 | 44.69 | 22.02 | | | | | 18.94 | 8.42 | | |
| | 4-WIRE | COPPER LOOP | † | | | | † | 44.00 | 22.02 | | | | | 10.04 | 5.72 | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | Ì | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.65 | 331.78 | 212.09 | 130.69 | 27.60 | | | 27.37 | 8.42 | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | 2 | UCL | 1101.40 | 40.00 | 204 72 | 040.00 | 400.00 | 07.00 | | | 18.94 | 0.40 | | |
| - | | and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry | | 2 | UCL | UCL4S | 19.22 | 331.78 | 212.09 | 130.69 | 27.60 | | | 18.94 | 8.42 | | |
| 1 | | and facility reservation - Zone 3 | 1 | 3 | UCL | UCL4S | 30.55 | 331.78 | 212.09 | 130.69 | 27.60 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 1 | 1 | 1 | UCL | UCL4W | 16.65 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | ١. | 2 | UCL | UCL4W | 19.22 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | - ' | | UCL | UCL4VV | 19.22 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | facility reservation - Zone 3 | 1 1 | 3 | UCL | UCL4W | 30.55 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 47.56 | 318.70 | 199.00 | 130.69 | 27.60 | | | 18.94 | 8.42 | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 54.92 | 318.70 | 199.00 | 130.69 | 27.60 | | | 18.94 | 8.42 | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | OCL | UCL4L | 34.92 | 310.70 | 199.00 | 130.09 | 27.00 | | | 10.94 | 0.42 | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 87.30 | 318.70 | 199.00 | 130.69 | 27.60 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.46 | 36.46 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | l . | ١. | | | | | =0.40 | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 47.56 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| 1 | | inquiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCL4O | 54.92 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | 1 | _ | | | 002 | | 10.70 | | | | | .0.07 | <u> </u> | | |
| | | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL4O | 87.30 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | | UCL | UCLMC | | 36.46 | 36.46 | | | | | 40 - | | | |
| LOOP | MODIFIC | CLEC to CLEC conversion Charge without outside dispatch | - | <u> </u> | UCL | UREWO | | 104.17 | 31.42 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | 1 | - | | | | | | | | | | | | | |
| 1 | | pair less than or equal to 18k ft | 1 1 | 1 | UAL, UHL, UCL, UEC | ULM2L | 1 | 67.39 | 67.39 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | | | | | | | | | | |
| - | | greater than 18k ft | | | UCL, ULS | ULM2G | | 337.50 | 337.50 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| 1 | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | 1 | 1 | UHL, UCL | ULM4L | 1 | 67.39 | 67.39 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | ' | l - | JL, JOL | O LIVITE | | 01.08 | 01.38 | | | | | 21.31 | 12.31 | 11.11 | 17.77 |
| | | pair greater than 18k ft | | | UCL | ULM4G | | 337.50 | 337.50 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | 1 . | | | L | | | | | | | | | | | |
| SUB-LO | OOBS | per unbundled loop | | | UAL, UHL, UCL, UEC | ULMBT | | 78.10 | 78.10 | | | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | op Distribution | l | | | | 1 | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | † | | | | † | | | | | | | | | | |
| | | Up | - 1 | | UEANL | USBSA | | 421.08 | 421.08 | | | | | 18.94 | 8.42 | | |
| | | O. I. Lavar Bar Overs Bar Lavarian Bar Of Bair St. 100 at 1 | 1 . | l | LIEANII | LIODOD | | 07.10 | 07.10 | | | | | 40.01 | 0.10 | | |
| - | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | <u> </u> | UEANL | USBSB | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| 1 | | Facility Set-Up | 1 | 1 | UEANL | USBSC | 1 | 394.74 | 394.74 | | | | | 18.94 | 8.42 | | |
| | | ·, op | <u> </u> | | | | 1 | 304.14 | 007.77 | | | ı | 1 | 10.04 | 0.72 | L | |

| UNRU | NDI FI | NETWORK ELEMENTS - Alabama | l | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|--------|--------|---|-------------|------|-------------------|----------------|--|-----------------|----------------|--|-------|-------|---|--|---|---|-------------------------|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss r | RATES (\$) | | |
| - | | Cut Land Des Duilding Fruitanest Dans Des OF Deis Dans I | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | ı | | UEANL | USBSD | | 154.57 | 154.57 | | | | | 18.94 | 8.42 | | |
| | | Statewide | | SW | UEANL | USBN2 | 9.12 | 207.01 | 171.32 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 45.99 | 45.99 | | | | | | | | |
| | | Statewide Statewide | | sw | UEANL | USBN4 | 8.32 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.99 | 45.99 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 1.61 | 137.03 | 41.59 | 115.85 | 19.17 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR4 | 2.96 | 45.99 176.46 | 45.99 55.11 | 122.17 | 19.57 | | | 18.94 | 8.42 | | |
| | | | <u> </u> | 1 | | | 2.90 | | | 122.17 | 10.01 | | | 10.54 | 0.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | L | UEANL | USBMC | 5.51 | 45.99 | 45.99 | 400.00 | 04.50 | | | 40.04 | 0.40 | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Statewide | | SW | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.99 | 45.99 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Statewide | | SW | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.99 | 45.99 | | | | | | | | |
| | Unbun | fled Sub-Loop Modification | | | | | | .5.00 | .5.00 | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 355.71 | 12.26 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 355.71 | 12.26 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 560.55 | 14.30 | | | | | 18.94 | 8.42 | | |
| | | lled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Natura | Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID) | | | UENTW | UENPP | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | Networ | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 86.46 | 56.75 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 18.94 | 8.42 | | 1 |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 11.73 | 11.73 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 11.73 | 11.73 | | | | | 18.94 | 8.42 | | |
| SUB-LO | | on Fooden | | ļ | | | ļ | | | | | | | | | | <u> </u> |
| | oup-Lo | op Feeder USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | - | | | | | | | | - | | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, UDN,UCL,UDL, | USBFW | | 421.08 | | | | | | 18.94 | 8.42 | | |
| | | set-up | | | UEA, UDN,UCL,UDL, | USBFX | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 519.95 | 11.32 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | LICDE * | 0.50 | 000.41 | 470.05 | 110.0- | 07.01 | | | 10.01 | 0.40 | | |
| | | Grade- Statewide Order Coordination for Specified Conversion Time, per LSR | | SW | UEA UEA | USBFA OCOSL | 8.58 | 206.44 45.99 | 170.05 | 119.95 | 27.04 | - | | 18.94 | 8.42 | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | OL/ C | 000L | | 75.55 | | | | | | | | | |
| | | Grade - Statewide | | sw | UEA | USBFB | 8.58 | 206.44 | 170.05 | 119.95 | 27.04 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 45.99 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide | | sw | UEA | USBFC | 8.58 | 206.44 | 170.05 | 119.95 | 27.04 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | JW | UEA | OCOSL | 0.30 | 45.99 | 170.05 | 113.33 | 21.04 | 1 | 1 | 10.54 | 0.42 | | + |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | 1 |
| | | Grade - Statewide | | SW | UEA | USBFD | 19.91 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | ļ |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | OCOSL | | 45.99 | | | | - | | | | | - |
| | | Grade - Statewide | | sw | UEA | USBFE | 19.91 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | <u> </u> | 45.99 | | <u> </u> | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------|---------|--|-------------|------|------------|----------------|-----------------|------------------|------------------|-----------------------|-----------------------|-------|---|--|--|---|-------------------------|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSSI | RATES (\$) | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - | | | | | | FIISt | Auu i | FIISL | Add I | SOMEC | SUMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | | Statewide | | sw | UDN | USBFF | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 45.99 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | UDC | USBFS | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | | USBFG | 79.30 | 203.69 | 128.76 | 124.09 | 34.80 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - | | | USL | OCOSL | | 45.99 | | | | | | | | | + |
| | | Statewide | | sw | UCL | USBFH | 7.22 | 195.38 | 63.15 | 119.68 | 29.58 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | SW | UCL | OCOSL | 1.22 | 45.99 | 03.13 | 119.00 | 29.30 | | | 10.54 | 0.42 | | + |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide | | SW | UCL | USBFJ | 13.72 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | † |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 45.99 | | | | | | | | | 1 |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | SW | UDL | USBFN | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | - | | |
| | | Statewide | | SW | UDL | USBFO | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 45.99 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide | | sw | UDL | USBFP | 24.50 | 243,41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR | | SW | UDL | OCOSL | 24.50 | 45.99 | 01.32 | 134.77 | 33.93 | | - | 19.99 | 19.99 | 19.99 | 19.99 |
| SUB-LC | OOPS | Order Coordination For Specified Conversion Filme, per LSK | | | ODL | OCOSL | | 45.55 | | | | | | | | | - |
| 002 20 | | op Feeder | | | | | | | | | | | | | | | 1 |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 13.55 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 332.40 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 13.55 | | | | | | | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 357.36 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | Sub Loop Feeder – OC-3 – Per Mile Per Month | | | UDLO3 | 1L5SL | 10.28 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDLO3 | USBF5 | 54.89 | 0.004.00 | 407.00 | 400.47 | 00.07 | | | 04.04 | 04.04 | 3.93 | 0.00 |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDLO3 | USBF2 1L5SL | 538.69 12.66 | 3,384.00 | 407.00 | 160.47 | 90.97 | | - | 31.31 | 31.31 | 3.93 | 3.93 |
| | | Sub Loop Feeder - OC-12 - Fer Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | UDL12 | ILSSL | 12.00 | | | | | | | | | | + |
| | | Month | | | UDL12 | USBF6 | 620.18 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,729.00 | 3,384.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 41.51 | ., | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | | | | | | | | | | | | | 1 |
| | | Month | | | UDL48 | USBF9 | 310.30 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 | USBF4 | 1,495.00 | 3,570.00 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 350.09 | 788.09 | 407.00 | 160.47 | 90.97 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| UNBUN | IDLED L | OOP CONCENTRATION | | | 111.0 | LICTOA | 444.40 | 050.01 | 050.01 | | | 1 | | 40.00 | 40.00 | 40.00 | 40.00 |
| | | Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008) | | | ULC ULC | UCT8A UCT8B | 441.42 52.97 | 650.81 271.17 | 650.81 271.17 | - | | | | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 | |
| | | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 478.93 | 650.81 | 650.81 | | | 1 | - | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3B | 89.26 | 271.17 | 271.17 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.04 | 126.57 | 92.14 | 33.57 | 9.40 | | | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | | | | | | | | | | |
| | | Card) | | | UDN | ULCC1 | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | | | | | | | | | | | | | |
| | | Card) | | | UDC | ULCCU | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 18.94 | 8.42 | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.89 | 21.07 | 20.96 | 10.78 | 10.71 | | | 18.94 | 8.42 | | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | | |
| | | (Specials Card) | | | UEA | ULCC4 | 7.09 | 21.07 | 20.96 | 10.78 | 10.71 | | | 18.94 | 8.42 | | _ |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 34.67 | 21.07 | 20.96 | 10.78 | 10.71 | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |

| UNBL | NDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|--------------|---|----------------|-----------------|--------------------|----------------|----------------|----------------|--|---|--|-----------------------|---|-----------------------|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | | | RATES (\$) | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.51 | First 21.07 | Add'l 20.96 | First 10.78 | Add'l 10.71 | SOMEC | SOMAN | SOMAN 19.99 | SOMAN 19.99 | SOMAN 19.99 | SOMAN 19.99 |
| LINE | LUED D | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| UNE U | I HEK, P | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 1 | | | | | | | 1 | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | | | | | | | | | | | | |
| UNE O | THER, P | ROVISIONING ONLY - NO RATE | | | , | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,I | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| 1 | 1 | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | 1 | LIEA LIOL CON CIE | LIODES | | | | | | | | 1 | | | |
| | 1 | rate | - | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | 1 | | | - |
| - | 1 | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | 1 | 1 | USL | CCOSF | 0.00 | 0.00 | | | | | - | 1 | | - | |
| | 1 | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH C | APACIT | Y UNBUNDLED LOCAL LOOP | | | OOL | CCCLI | 0.00 | 0.00 | | | | | | | | | |
| | | 4 month minimum billing period | | | | | 1 | | | | | | | İ | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.16 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 374.52 | 903.03 | 527.87 | 238.97 | 167.16 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.16 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 387.67 | 903.03 | 527.87 | 238.97 | 167.16 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| LOOP | MAKE-U | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility | I | | UMK | UMKLW | | 131.22 | 131.22 | | | | | | | | |
| | | queried (Manual). Loop MakeupWith or Without Reservation, per working or | I | | UMK | UMKLP | | 136.93 | 136.93 | | | | | | | | |
| HIGH F | | spare facility queried (Mechanized) NCY SPECTRUM | I | | UMK | PSUMK | | 0.9809855 | 0.9809855 | | | | | | | | |
| | | ERS-CENTRAL OFFICE BASED | | | | | 1 | | | | | 1 | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 178.25 | 377.58 | 0.00 | 355.96 | 0.00 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Line Sharing Splitter, per System 24 Line Capacity | I | | ULS | ULSDB | 44.56 | 377.58 | 0.00 | 355.96 | 0.00 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | 1 | | ULS | ULSD8 | 12.73 | 221.09 | 0.00 | 254.79 | 0.00 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | END !! | deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC) | / SDEC | TDIIM | ULS | ULSDG | | 172.94 | | 99.67 | | - | | 27.37 | 12.97 | 17.77 | 17.77 |
| — | ט טאבן | Line Sharing - per Line Activation (BST Owned splitter) | 37EC | | ULS | ULSDC | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | - | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Line Sharing - per Line Activation (BST Owned spiriter) Line Sharing - per Subsequent Activity per Line Rearrangement | | | ULS | ULSDS | 0.01 | 32.77 | 16.37 | 20.02 | 9.63 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | 1 | Line Sharing - per Subsequent Activity per Line Rearrangement Line Sharing - per Line Activation (DLEC owned Splitter) | H | † | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.02 | 9.83 | 1 | 1 | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Line Splitting - per line activation DLEC owned splitter | i | 1 | UEPSR UEPSB | UREOS | 0.61 | | | 20.02 | 3.00 | | | 207 | .2.07 | | |
| | | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.641 | 37.01 | 21.19 | 20.02 | 9.83 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| | | Line Splitting - per line activation BST owned - virtual | Ī | | UEPSR UEPSB | UREBV | 0.639 | 37.01 | 21.19 | 20.02 | 9.83 | | | 27.37 | 12.97 | 17.77 | 17.77 |
| UNBU | | RANSPORT | <u> </u> | | | | $oxed{\Box}$ | | | | | | | | | | |
| | INTERO | DFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Der Mile per people. | | | U1TVX | 1L5XX | 0.0104 | | | | | | | | | | |
| | | Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Transportion per month | | | | | 0.0101 | 04.07 | E4.00 | 20.47 | 40.70 | | | 04.04 | 24.24 | 2.00 | 0.00 |
| | | Facility Termination per month Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX U1TVX | U1TV2 1L5XX | 24.15 0.0101 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | Rev Bat Pet Wille pet month! Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month | | | U1TVX | U1TR2 | 24.15 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 | 3.93 |

| Column C | IINRI | INDI FI | D NETWORK ELEMENTS - Alabama | 1 | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|--|-------|---------|--|---------|----------|-----------------|-------------|----------------|----------|-----------|---|--------|-------------------|-----------------------|---|---|--|-------------------------|
| Rec Non-counting Non-countin | CATE | | | | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - |
| Interesting Charmon Decisional Transport - A View Young Clase UTYX | | | | | | | | Rec | | | | | | • | OSS F | RATES (\$) | | |
| Per Mile per month Different Transport - 4 Vive Victor Grade Different Transport - 4 Vive Victor Grade Different Transport - 6 Vive Victor Grade Different Transport - 6 Vive Victor Grade Different Transport - 6 Vive Victor Grade Different Transport - 6 Vive Vive Victor Grade Different Transport - 6 Vive Vive Vive Vive Vive Vive Vive Vive | | | Intereffice Channel Dedicated Transport 4 Wire Voice Grade | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Fig8ity Temporation per month UTTOX UTT | | | Per Mile per month | | | U1TVX | 1L5XX | 0.0101 | | | | | | | | | | |
| National Columner Description Transport 7:58 Kips - Fer rale UTIDX | | | | | | U1TVX | U1TV4 | 21.41 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Interesting Channel - Decicated Transport - 68 kbps - Facility UTDX | | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | ĺ | 01.01 | 0 1102 | 00.11 | 10.70 | | | 01.01 | 01.01 | 0.00 | 0.00 |
| Interdiffic Channel - Delicated Transport - 64 kbps - per mile | | | | | | | U1TD5 | 17.28 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| InterOffice Channel - Dedicated Transport - 68 kbgs - Facility U/TDX U/DX | | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| Termination per morth UTIDIX UTIDIS 17.28 81.07 54.82 33.47 13.79 31.31 33 | | | | | | U1TDX | 1L5XX | 0.0101 | | | | | | | | | | |
| NPEROPFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | U1TDX | U1TD6 | 17.28 | 81.07 | 54.82 | 33.47 | 13.79 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Interior Charmel - Dedicated Tranport - DS1 - Facility | | INTERC | DFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | |
| Interdifice Channel - Dedicated Transport - DS3 - Part Mile per U1TD3 1LSCX 4.67 V1TP3 3.64 32.70 28.88 31.31 31.31 31.31 3.39 3.89 3.89 V1TP3 | | | | | | U1TD1 | 1L5XX | 0.2067 | | | | | | | | | | |
| Interesting Channel - Dedicated Transport - DS3 - Per Mile per month | | | | | | | | | | | | | | | | | | |
| Interoffice Channel - Dedicated Triansport - OS3 - Fe Mile per U1TD3 | | | | | | U1TD1 | U1TF1 | 68.75 | 178.53 | 163.61 | 32.70 | 28.88 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Interoffice Channel - Dedicated Transport - DS3 - Facility U1TD3 | | INTERC | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | LIATD3 | 11.577 | 4.67 | | | | | | | | | | |
| Interforce Channel - Dedicated Transport - STS1 - Per Mile per month | | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | 557 40 | 325 51 | 120.30 | 116.01 | | | 31 31 | 31 31 | 3 03 | 3.93 |
| Interofice Channel - Dedicated Transport - STS-1- Per Mile per month | | INTERC | | | | 01103 | 01113 | 004.02 | 337.49 | 323.31 | 120.39 | 110.91 | 1 | | 31.31 | 31.31 | 3.33 | 3.93 |
| Interoffice Channel - Dedicated Transport - STS-1 - Facility U1TS1 | | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above/four months Local Channel - Dedicated - 2-Wire Voice Grade Per Month ULDVX ULDVZ 15,96 386,19 66,53 73,28 6,39 31,31 31,31 3,93 3 3 3 3 3 3 3 3 3 | | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | | | ĺ | | | | | | | | | | |
| NOTE: LOCAL CHANNEL DEDICATED TRANSPORT: -minimum billing period - below DS3-one month, DS3 and aboverfour months Local Channel - Dedicated - 2-Wire Voice Grade Few Month ULDVX | | | | | | U1TS1 | U1TFS | 801.57 | 557.49 | 325.51 | 120.39 | 116.91 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Local Channel - Dedicated - 2-Wire Voice Grade Per Month ULDVX ULDV2 15.96 386.19 66.33 73.28 6.39 31.31 31.31 3.93 3 3 3 3 3 3 3 3 3 | | | | a nerio | d - beld | w DS3-one month | DS3 and abo | ove-four month | ۹. | | | | | | | | | |
| Month | | | | g pone | | | | | | 66.33 | 73.28 | 6.39 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Local Channel - Dedicated - 4-Wire Voice Grade per month UNDYX | | | | | | | | | | | | | | | | | | |
| Local Channel - Dedicated - DS1 per month - Zone 1 | | | | | | | | | | | | | | | | | | 3.93 3.93 |
| Local Channel - Dedicated - DS1 per month - Zone 2 2 ULDD1 ULDF1 61.05 354.94 307.43 44.38 30.52 31.31 31.31 3.93 3 3 3 3 3 3 3 3 3 | | | | | 1 | | | | | | | | | | | | | 3.93 |
| Local Channel - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | | | | 3.93 |
| Local Channel - Dedicated - DS3 - Facility Termination per | | | | | 3 | | | | 354.94 | 307.43 | 44.38 | 30.52 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Month Local Channel - Dedicated - STS-1- Per Mile per month ULDS1 ULDS1 ULDFS 466.84 903.03 527.87 238.87 167.16 31.31 31.31 3.93 3. | | | | | | ULDD3 | 1L5NC | 7.91 | | | | | | | | | | |
| Local Channel - Dedicated - STS-1 - Per Mile per month ULDS1 1L5NC 7.91 | | | | | | I II DD3 | III DE2 | 476.04 | 003.03 | 527.97 | 220 07 | 167 16 | | | 21 21 | 21 21 | 2.02 | 3.93 |
| Local Channel - Dedicated - STS-1 - Facility Termination per month ULDS1 ULDFS 466.84 903.03 527.87 238.87 167.16 31.31 31.31 3.93 3. | | | | | | | | | 903.03 | 321.01 | 230.07 | 107.10 | | | 31.31 | 31.31 | 3.33 | 3.93 |
| MULTIPLEXERS Channelization - DS1 to DS0 Channel System - per month (2.4-64kbs) UDL 1D1DD 1.36 13.15 9.43 31.31 31.31 3.93 3. | | | Local Channel - Dedicated - STS-1 - Facility Termination per | | | | | | | | | | | | | | | |
| Channelization - DS1 to DS0 Channel System | | | | | | ULDS1 | ULDFS | 466.84 | 903.03 | 527.87 | 238.87 | 167.16 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | MULTI | PLEXER | | | | LIVTD1 | MO1 | 122.50 | 192.09 | 125.14 | 21.07 | 10.59 | - | | 21 21 | 21 21 | 2.02 | 3.93 |
| Month (2.4-64kbs) | | | | | | OXIDI | | 122.30 | 102.00 | 123.14 | 21.07 | 19.30 | | | 31.31 | 31.31 | 3.33 | 3.93 |
| Month UDN UC1CA 2.92 13.15 9.43 31.31 31.31 3.93 3.93 3.93 3.94 3.95 3 | | | month (2.4-64kbs) | | | UDL | 1D1DD | 1.36 | 13.15 | 9.43 | | | | | 31.31 | 31.31 | 3.93 | 3.93 |
| DS3 to DS1 Channel System per month | L | | month | L | | | | | | | <u> </u> | | | | | | | 3.93 |
| STS1 to DS1 Channel System per month | | | | | | | | | | | | | | | | | | 3.93 |
| DS3 Interface Unit (DS1 COCI) used with Loop per month | | | | | | | | | | | | | | | | | | 3.93 |
| Dark Fiber Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel UDF 1L5DC 68.84 | | | | | | | | | | | 66.51 | 63.65 | 1 | | | | | 3.93 3.93 |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC 68.84 UDF 1L5DC | DARK | FIBER | 200 interface offic (201 000) used with Loop per month | | | JUL | 30101 | 10.59 | 13.13 | 3.43 | | | | 1 | 31.31 | 31.31 | 3.33 | 3.93 |
| NRC Dark Fiber - Local Channel UDF UDFC4 1,278.17 275.73 634.11 395.32 31.31 31.31 3.93 3. Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Fraction Dark Fiber, Pour Fiber Strands, Per Route Mile or Frac | | | | | | UDF | 11.5DC | 68.84 | | | | | | | | | | |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | 00.04 | 1,278.17 | 275.73 | 634.11 | 395.32 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | | | | | UDF | 1L5DF | 25.53 | | <u>-</u> | | | | | | | | |

| UNBL | JNDLEI | O NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|---------|--|---|-------------|--|----------|---------|--|-----------------|-----------------|-----------------------|-----------------|--|--|--|--------------|---|--|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec First | | Nonrecurring First | | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| - | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,278.17 | Add'l 275.73 | 634.11 | Add'l 395.32 | SOWIEC | SUMAN | 31.31 | 31.31 | 3.93 | 3.93 |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | ODI | 001 14 | | 1,270.17 | 210.10 | 034.11 | 333.32 | + | | 31.31 | 31.31 | 3.33 | 3.33 |
| | | Thereof per month - Local Loop | | | UDF | 1L5DL | 68.84 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,278.17 | 275.73 | 634.11 | 395.32 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| TRANS | SPORT O | | | | | | | | | | | | | | | | |
| | | al Features & Functions: | | | | | | | | | | | | | | | |
| 8XX A | | EN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | OHD | | 0.0005 | | | | | | | | | | |
| | | Number Reserved | | | OHD | N8R1X | | 7.13 | 0.97 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | 1 | 0110 | NONTA | | 7.13 | 0.37 | | | | | 21.31 | 21.31 | 11.75 | 17.75 |
| | | POTS Translations | | | OHD | | | 15.88 | 1.97 | 10.04 | 0.97 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | | 1 | | | | | | 1 | 1 | | | | |
| | | POTS Translations | | | OHD | N8FTX | | 15.88 | 1.97 | 10.04 | 0.97 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | |
| | | Per 8XX Number | | | OHD | N8FCX | | 5.69 | 2.85 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 6.66 | 3.81 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 8.10 | 0.97 | | | + | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination | | | OTID | 1401700 | | 0.10 | 0.07 | | | | | 27.07 | 27.07 | 17.70 | 17.70 |
| | | Features | | | OHD | N8FDX | | 5.69 | | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| LINE II | NFORMA | TION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | OQT | | 0.00004 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQU | Neesy | 0.0142 | 24.00 | | | | | | | | | |
| CICNA | LING (C | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 64.36 | | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| SIGNA | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 148.72 | | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | 1 100% | 0.0001 | | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 18.79 | 171.98 | 171.98 | 135.70 | 135.70 | | | 25.93 | 25.93 | 16.31 | 16.31 |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | | link) | | | UDB | TPP++ | 18.79 | 171.98 | 171.98 | 135.70 | 135.70 | | | 25.93 | 25.93 | 16.31 | 16.31 |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.00004 | | | | | | | | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 376.12 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 25.93 | 25.93 | 16.31 | 16.31 |
| | | CCS7 Signaling Point Code, per Destination Point Code | | | UDB | CCAPO | | 40.00 | 40.00 | | | 1 | | 25.95 | 25.93 | 16.31 | 10.31 |
| | | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | 25.93 | 25.93 | 16.31 | 16.31 |
| E911 S | ERVICE | • | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 13.91 | 382.95 | 62.40 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | 1 | 0.0222 | | | | | 1 | | | | | 1 |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | 17.07 | 70.64 | 26.00 | | | | | 10.04 | 10.04 | | |
| | - | Termination Local Channel - Dedicated - DS1 | | | | + | 17.07 38.36 | 79.61 356.15 | 36.08 312.89 | | | | | 18.94 44.22 | 18.94 | | |
| | | Interoffice Transport - Dedicated - DS1 Per Mile | | † | | + | 0.4523 | 330.13 | 312.09 | | | | | 44.22 | | | |
| | | interesting transport Dedicated Delit of Nille | | <u> </u> | | | 0.4020 | | | | | 1 | | 1 | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | 1 | | | 78.47 | 147.07 | 111.75 | | | | | 18.94 | 18.94 | | |
| CALLI | | E (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | <u> </u> | OQV | 1 | 0.01 | | | | | | | 1 | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | oqv | CDDCH | | 595.00 | 595.00 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | Onaracier Daseu Oser Interface (CHUI) | | | ou v | CDDCH | | J95.00 | 393.00 | | | 1 | + | 21.31 | 21.31 | 17.75 | 17.75 |
| OPER/ | ATOR CA | ALL PROCESSING | | | | + | | 1 | | | | 1 | | — | | | <u> </u> |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | 1 | | 1 | | | | | | 1 | | | | | <u> </u> |
| | | LIDB | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using | | | | 1 | I T | \exists | | | | | | | | | |
| | | Foreign LIDB | | | | | 1.24 | | | | | 1 | | L | l | I | |

| UNBU | NDLED | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | , A | ttachment: 2 | | Exhibit: I |
|--------------|----------|---|-------------|------|---|-------|---------------|----------------|-----------|----------------|----------------|----------|-----------------------|-------------------------|---|--------|-------------------------|
| CILEO | | NETWORK ELLINERTO PROBABILIO | | | | | | | | | | | | Incremental Charge - | | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | всѕ | usoc | | | RATES(\$) | | | | Submitted Manually | Manual Svc Order vs. | Manual Svc Order vs. Electronic- Add'l | | Manual Svo Order vs. |
| | | | | | | | Rec | Nonrec | | | g Disconnect | 201150 | | | RATES (\$) | Looman | Looman |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | LIDB Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.20 | | | | | | | | | | |
| | | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWAR | | ATOR SERVICES | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt | | | | | 1.15 | | | | | | | | | | |
| | | Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRAND | ING - OF | PERATOR CALL PROCESSING | | | | | 0 | | | | | | | | 1 | | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | ding via OLNS for UNEP CLEC | | | | | | 4 000 00 | 4 000 00 | | | | | | | | |
| DIRECT | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | 1 | | | | | 1 |
| DIREC | DIRECT | ORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| | DIRECT | ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | ACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | | ORY TRANSPORT | | | | | 0.10 | | | | | | | | | | 1 |
| | | SWA Common transport per Directory Assistance Access | | | | | | | | | | | | | | | |
| | | Service Call | | | | | 0.0003 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.00004 | | | | | | | | | | |
| | | Access Tandem Switching per Directory Assistance Access Service Call | | | | | 0.00055 | | | | | | | | | | |
| | | Directory Assistance Interconnection per Directory Assistance Access Service Call | | | | | 0.00 | | | | | | | | | | |
| | | DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00018 | | | | | | | | | | |
| DIRECT | ORY AS | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | | ORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | |
| BRAND | | RECTORY ASSISTANCE Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded | | | | | | | | | | | | | | | |
| | | Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | UNEP C | | | | | | | | | | 1 | | | | ļ | | |
| | | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per DRAM | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Card/Switch per OCN ding via OLNS for UNEP CLEC | | | | | | 1,170.00 | 1,170.00 | - | + | - | | - | - | | + |
| - | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | + | <u> </u> | | | + | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | 1 | | | | İ | | İ |
| SELEC | TIVE RO | UTING | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 230.60 | 230.60 | | | | | 40.71 | 9.58 | | |
| VIRTUA | | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 2,848.30 | 2,848.30 | | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | | ESPCX | | 2,750.00 | 2,750.00 | | | | | | | | |
| <u> </u> | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTES | ESPVX | 3.20 3.48 | | | | + | 1 | 1 | | | 1 | 1 |
| | | Virtual Collocation - Power, per breaker amp Virtual Collocation - Cable Support Structure, per entrance | | | | ESPAX | | | | | | | | | | | |
| | | cable | | | | ESPSX | 13.35 0.28 | 30.76 | 29.40 | 40.75 | 44.00 | | | 19.99 | 40.00 | 19.99 | 40.00 |
| | | Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop) | | - | ueanl,uea,udn,udc,u uea,uhl,ucl,udl,AMTF | | 0.28 | 30.76 66.71 | 50.43 | 12.75 12.82 | 11.38 11.39 | | 1 | 19.99 | 19.99 19.99 | 19.99 | |

| IINRI | INDI FI | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|---------|--|-------------|----------|----------------|----------------|-----------|-----------------|----------------|--|-------------|-------------------|------------------------------------|---|---|---|---|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | Rec | Namas | | Nonrecurring | . Dianamant | per LSR | per LSR | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | Nec | Nonrec First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 12.10 | 55.46 | 39.18 | 16.83 | 13.27 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS | CNC4F | 21.75 | 66.71 | 50.43 | 21.86 | 18.31 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC1X | 7.50 | 155.00 | 14.00 | | | | | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS | CND3X | 56.25 | 151.90 | 11.83 | | | | | | | | — |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AMTFS | VE1CB | 0.0026 | | | | | | | | | | <u> </u> |
| | | Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0038 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CD | | 535.37 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | 1 | | | | | 1 | | 1 |
| | | Cable Support Structure, per cable | | <u> </u> | AMTFS | VE1CE | | 535.37 | | ļ | | | | | | | 1 |
| <u> </u> | | Virtual collocation - Security Escort - Basic, per half hour | | <u> </u> | AMTES | SPTBX SPTOX | | 41.00 | 25.00 | | | 1 | | - | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour Virtual collocation - Security Escort - Premium, per half hour | | <u> </u> | AMTFS AMTFS | SPTPX | | 48.00 55.00 | 30.00 35.00 | | | | | | | | |
| | | Virtual collocation - Security Escott - Premium, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | | | |
| | | virtual conocation - Maintenance in CO - Basic, per han nour | | | AWITTO | CTREA | | 30.04 | 30.04 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | | | İ |
| VIRTU | | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.28 | 30.76 | 29.40 | 12.75 | 11.38 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | | 12.70 | 11100 | | | | | | |
| VIDTII | | ISDN DS1 OCATION | | | UEPEX | VE1R4 | 0.56 | 66.71 | 50.43 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| VIKTU | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0287 | 24.59 | 23.59 | 12.05 | 10.87 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SE | | Spitting E CARRIER ROUTING | | - | ULFOR, UEPOB | VEILO | 0.0287 | ∠4.59 | 23.59 | 12.05 | 10.87 | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SE | LECTIV | Regional Service Establishment | | 1 | SRC | SRCEC | | 202,197.82 | | 17,181.39 | | | | 27.37 | 27.37 | 27.37 | 27.37 |
| | | End Office Establishment | i | | SRC | SRCEO | | 339.75 | 339.75 | 3.39 | 3.39 | | | 27.37 | 27.37 | 27.37 | 27.37 |
| | | Query NRC, per query | i | | SRC | | 0.0031412 | | | | | | | | | | |
| AIN - B | | ITH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 197.49 | 197.49 | 114.22 | 114.22 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 64.05 | 64.05 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 64.05 | 64.05 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 141.84 | 141.84 | 70.05 | 70.05 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 142.13 | 142.13 | 35.26 | 35.26 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0026 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0892 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.08 | | | | | | | | | | |
| AIN - B | ELLSOL | ITH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |

| HINDH | NDI EI | NETWORK ELEMENTS - Alabama | 1 | | | | | | | | | | | | ttachment: 2 | l | Exhibit: B |
|--------------|--------|--|-------------|--------|----------------|--------------|-----------------|-----------------|-----------------|-----------------------|------------------|---------------|---|--------------|--|---|--|
| UNBU | NDLEL | O NETWORK ELEMENTS - Alabama | | | 1 | | 1 | | | | | | | | | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | | _ | | _ | | | | | | | | |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | CAM | BAPSC | | 192.69 | 192.69 | 114.22 | 114.22 | | | 27.37 | 27.37 | 17.75 | |
| - | | AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPVX | | 8,363.00 | 8,363.00 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | DN, Term. Attempt | | | | BAPTT | | 49.64 | 49.64 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 49.64 | 49.64 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | 10.01 | | | | | | | | | |
| | | DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 49.64 | 49.64 | 27.04 | 27.04 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTO | | 117.98 | 117.98 | 37.90 | 37.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | DN, CDP | | | | BAPTC | | 117.98 | 117.98 | 37.90 | 37.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTE | | 447.00 | 447.00 | 07.00 | 07.00 | | | 07.07 | 07.07 | 47 | 47 |
| | | DN, Feature Code AIN Toolkit Service - Query Charge, Per Query | | | 1 | BAPTF | 0.024 | 117.98 | 117.98 | 37.90 | 37.90 | | 1 | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.024 | | | | | | | | | | + |
| | | Subscription, Per Node, Per Query | | | | | 0.006 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.63 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 16.00 | 44.56 | 44.56 | 31.84 | 31.84 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | 1 |
| | | Subscription | | | CAM | BAPLS | 0.10 | 47.74 | 47.74 | 15.90 | 15.90 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 15.90 | 44.56 | 44.56 | 31.84 | 31.84 | | | 27.37 | 27.37 | 17.75 | 17.75 |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.003 | 47.74 | 47.74 | | | | | 27.37 | 27.37 | 17.75 | 17.75 |
| ENHAN | | TENDED LINK (EELs) | l | | | de El Misso | | | | | | | | | | | |
| | | New EELs available in GA, TN, KY, LA, MS, & SC and density Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- | | | | | | | | | | | | 1 | | | + |
| | | n all states, EEL network elements shown below also apply t | | | | | | | As Is Charge a | pplies to curre | ntly combined | facilities co | onverted to | UNEs.(Non-re | curring rates | do not apply | /.) |
| | | n GA, TN, KY, LA, MS & SC the EEL network elements apply | | | | lements.(No | Switch As Is Ch | narge.) | | | | | | | | | |
| | 2-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 17.95 | | | | | | | | | | |
| ļ | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 29.16 | | | | | | | | | | <u> </u> |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 52.84 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC1X UNC1X | U1TF1 MQ1 | 68.75 122.50 | | | | | - | | | | | |
| | | DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.64 | | | | | | - | | | | + |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | † |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 17.95 | | | | | | | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 29.16 | | | | | | | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | ONOVA | ULALZ | 25.10 | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 52.84 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINGAY | LINICOO | | 44.46 | 44.40 | 40.00 | 10.00 | | | 04.01 | 24.01 | 0.00 | 0.00 |
| | | Is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | UNC1X | UNCCC | 1 | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |

| UNBU | NDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|------|-------|---|-------------|-------------|-----------------|-------|--------|-----------------|------------------|-----------------------|-----------------------|--------|---|--|--|---|---|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.01 | 11131 | Add I | 11130 | Addi | COMILO | JOWAN | SOMAN | SOMAN | SOMAN | JOMAN |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 39.00 | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 70.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.01 | | | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 39.00 | | | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 70.67 | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.64 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.33 | | | | | | | | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 44.40 | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 80.45 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.33 | | | | | | | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 44.40 | | | | | | | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 80.45 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | INTERC | OFFICE 1 | UNCDX | UDL64 | 27.33 | | | | | | | | | | |
| | | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 44.40 | | | | | | | | | | |
| | | Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 80.45 | | | | | | | | | | |
| | | Transport Combination - Zone 3 Interroffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | 3 | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |

| UNBU | JNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|-------------|--------|----------------|----------------|-----------------|-----------------|------------------|-----------------------|---------------------|--------|-----------------------|--|--|---|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 68.75 | 1 1130 | Addi | riist | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.33 | | | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 44.40 | | | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | | UNCDX | UDL64 | 80.45 | | | | | | | | | | |
| _ | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.36 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | ROFFI | CE TR/ | ANSPORT (EEL) | | | | | | | | | | | | |
| | | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | |
| | | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |
| | | Is Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE First DS1Loop in DS3 Interoffice Transport Combination - Zone | ROFFI | CE TRA | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 4.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 804.02 | | | | | | | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 201.37 | | - | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 15.39 | | | | | | | | | | |
| | | Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 3 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | 1 | Zone 3 DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X UNC1X | USLXX UC1D1 | 152.29 15.39 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | 2-WIDE | Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EDOF | ICE TE | UNC3X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | - | - | 31.31 | 31.31 | 3.93 | 3.93 |
| | Z-VVIKE | 2-WireVG Loop used with 2-wire VG Interoffice Transport | LKUFF | ICE IF | MINOFURI (EEL) | | | | | | | | | | | | |
| | | Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 1 | UNCVX | UEAL2 | 17.95 | | | | | | | | | | |
| | | Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 2 | UNCVX | UEAL2 | 29.16 | | | | | | | | | | |
| | | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 52.84 | | | | | | | | | | |

| UNBU | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|--------|---|-------------|--------|----------------|----------------|----------------|--------|-----------|-------|--------------|-------|-----------------------|-------------------------------------|--|----------|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0101 | First | Add'I | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 24.15 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | UNCCC | 24.10 | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE TR | | 011000 | | 11.10 | 11.10 | 13.90 | 13.30 | | | 31.31 | 31.31 | 5.55 | 3.33 |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.01 | | | | | | | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 39.00 | | | | | | | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 70.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0101 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 21.41 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCVX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| - | DS3 DI | GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per | E TRAI | NSPOR | T (EEL) | | | | | | | | | | | | |
| | | Mile per month High Capacity Unbundled Local Loop - DS3 combination - Pel | | | UNC3X | 1L5ND | 10.16 | | | | | | | | | | |
| | | Facility Termination per month | | | UNC3X | UE3PX | 374.52 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNC3X UNC3X | 1L5XX U1TF3 | 4.67 804.02 | | | | | | | | | | |
| | | Termination per per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC3X | UNCCC | 804.02 | 44.40 | 44.40 | 40.00 | 40.00 | | | 04.04 | 04.04 | 3.93 | 0.00 |
| <u> </u> | STS1 D | Is Charge IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF | FICE TR | ANSP | | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 10.16 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 387.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 4.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 801.57 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCSX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 2-WIRE | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | r (EEL |) | UNCNX | U1L2X | 23.23 | | | | | | | | | | |
| | | Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 37.74 | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 | | 3 | UNCNX | U1L2X | 68.38 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.2067 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 68.75 | | | | | | | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 122.50 | | | | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.92 | | | | | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 23.23 | | | | | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 37.74 | | | | | | | | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | l A | ttachment: 2 | | Exhibit: B |
|-------|--------|---|-------------|---------|---------------------|--------------|-----------------|----------|-----------|-------|------------|-------|-----------------------|--|--------------|---|------------|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | | Disconnect | | | | RATES (\$) | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 68.38 | First | Add'I | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 2.92 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | | ONOCO | | 11.10 | 11.10 | 10.00 | 10.50 | | | 01.01 | 01.01 | 0.00 | 0.00 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 4.67 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 801.57 | | | | | | | | | | |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 201.37 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 15.39 | | | | | | | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 51.74 | | | | | | | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.05 | | | | | | | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 152.29 | | | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | UC1D1 | 15.39 | | | | | | | | | | |
| | | Is Charge | | | UNCSX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI | FFICE T | RANS | PORT (EEL) | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.33 | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 44.40 | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 80.45 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0101 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | U1TD5 | 17.28 | | | | | | | | | | |
| | | Is Charge | | | UNCDX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | FFICE T | RANS | PORT (EEL) | | | | - | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.33 | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 44.40 | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 80.45 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0101 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 17.28 | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCDX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| ADDIT | | ETWORK ELEMENTS | | | | | | | | | | | | | | 2.30 | 2.30 |
| | | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | | used as ordinarilty combined network elements in Georgia, the SynchroNet) | e non-r | ecurrin | g cnarges apply and | a the Switch | AS IS Charge de | ues not. | | - | | | | | | | |
| | 14000 | oynomorrory | L | L | l | <u> </u> | 1 | | | l | l | · | · | 1 | l | | |

| Norrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Nonrecurring Currently Is Charge - 56/6 Nonrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Nonrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS1 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS3 Norrecurring Currently Is Charge - DS4 Norrecurring Curren | ORK ELEMENTS - Alabama | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--|---|-------------|----------|---------------------|----------------|-----------------|----------------|----------------|--------------|--------------|-------|---|--|--|---|-------------------------|
| Nonrecurring Ci Is Charge - 2 wii Nonrecurring Ci Is Charge - 56/6 Nonrecurring Ci Is Charge - DS1 Nonrecurring Ci Is Charge - DS1 Nonrecurring Ci Is Charge - DS3 Nonrecurring Ci Is Charge - DS3 Nonrecurring Ci Is Charge - STS NOTE: Local Channel UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Pi 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports UNBUNDLED LOCAL EXCHAN Exchange Ports Exchange Ports Exchange Ports Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Exchange Exchange E | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| Nonrecurring Ci Is Charge - 2 wii Nonrecurring Ci Is Charge - 56/6 Nonrecurring Ci Is Charge - DS1 Nonrecurring Ci Is Charge - DS1 Nonrecurring Ci Is Charge - DS3 Nonrecurring Ci Is Charge - DS3 Nonrecurring Ci Is Charge - STS NOTE: Local Channel UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Pi 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver Exchange Ports Unbundled port Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Ports Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchan | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| Nonrecurring Ci Is Charge - 2 wii Nonrecurring Ci Is Charge - 56/6 Nonrecurring Ci Is Charge - DS1 Nonrecurring Ci Is Charge - DS1 Nonrecurring Ci Is Charge - DS3 Nonrecurring Ci Is Charge - DS3 Nonrecurring Ci Is Charge - STS NOTE: Local Channel UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Pi 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver Exchange Ports Unbundled port Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Ports Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchange Exchan | rently Combined Network Elements "Switch As Is" | Charga | (On a a | nnlies to each comb | ninotion) | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Is Charge - 2 wii Nonrecurring Ct Is Charge - 56/6 Nonrecurring Ct Is Charge - 56/6 Nonrecurring Ct Is Charge - DS1 Nonrecurring Ct Is Charge - DS3 Nonrecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge - STS Norecurring Ct Is Charge Ports Is Charge Ports Exchange Ports Exchange Ports Exchange Ports Is Exchange Ports Is Exchange Ports Is Exchange Ports Is Exchange Ports Is Exchange Ports Is Exchange Ports Is Exchange Ports Is Unit Is Is It Is It Is It Is It Is It Is Is It Is Is It Is Is It Is Is It Is It Is Is It Is Is It Is Is It Is Is It Is Is It Is Is It Is I | ng Currently Combined Network Elements Switch Asis | Charge | (One a | pplies to each comi | oination) | - | | | | | | | | | | - |
| Is Charge - 56/6 Nonrecurring Ct Is Charge - DS1 Nonrecurring Ct Is Charge - DS3 Nonrecurring Ct Is Charge - DS3 Nonrecurring Ct Is Charge - STS NOTE: Local Channel - UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Pt 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver Exchange Ports Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver Exchange Ports Exchange Ports Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und | rig Currently Combined Network Elements Switch -As- - 2 wire/4-Wire VG ng Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Is Charge - DS1 Nonrecurring Ct Is Charge - DS3 Nonrecurring Ct Is Charge - DS3 Nonrecurring Ct Is Charge - DS3 Nonrecurring Ct Is Charge - STS NOTE: Local Channel - UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Prediction of the Predi | - 56/64 kbps | | | UNCDX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Is Charge - DS3 Norrecurring Ct. Is Charge - STS NOTE: Local Channel - UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Price of State of S | | | | UNC1X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Is Charge - STS NOTE: Local Channel UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the Pr 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Glaling parity Po Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports Exchange Ports Bus Exchange Ports Unbundled port Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VGice Unb 2-Wire Voice Un 2-Wire Voice | | | | UNC3X | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| UNBUNDLED LOCAL EXCHAN Exchange Ports NOTE: Although the P. 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports dialing parity Po Exchange Ports with Caller ID (L. Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports Bus Exchange Ports Bus Exchange Ports Caller ID - L. Exchange Ports Unbundled port Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Unbu 2-Wire VG Line | | | | UNCSX | UNCCC | | 11.18 | 11.18 | 13.96 | 13.96 | | | 31.31 | 31.31 | 3.93 | 3.93 |
| Exchange Ports NOTE: Although the Pr 2-WiRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports dialing parity Po Exchange Ports with Caller ID (L Subsequent Act FEATURES All Available Ver Exchange Ports Bus Exchange Ports Bus Exchange Ports Exchange Ports Unbundled port Exchange Ports Unbundled port Exchange Ports Unbundled port Exchange Ports Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Port | nnel - Dedicated Transport - minimum billing period | d - Belo | w DS3: | one month, DS3 an | d above=fou | ir months | | | ļ | | | | | | | ļ |
| NOTE: Although the P- 2-WIRE VOICE GRADE Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports With Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports Exchange Ports Unbundled port Exchange Ports Exchange Ports Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und | CHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports dialing parity Po Exchange Ports with Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports unbundled port Exchange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORTS All Available Ver EXCHANGE VG Unbu 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Unb 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und | he Port Rate includes all available features in GA, I | KY, LA | k TN, ti | he desired features | will need to | be ordered usin | g retail USOCs | 3 | | | | | | | | |
| Exchange Ports Exchange Ports Exchange Ports Exchange Ports Exchange Ports dialing parity Po Exchange Ports with Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Exchange Ports unbundled port Exchange Ports Exchange Ports Exchange Ports Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und | Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Exchange Ports dialing parity Po Exchange Ports with Caller ID (L Subsequent Act FEATURES All Available Ver Exchange Ports Bus Exchange Ports Bus Exchange Ports unbundled port Exchange Ports dialing parity Po Exhange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und | Ports - 2-wire Analog Line Port- Res. | | | UEPSK | UEPKL | 2.07 | 21.93 | 21.93 | 0.21 | 0.21 | | | 21.31 | 12.97 | 17.77 | 1.44 |
| Exchange Ports dialing parity Po Exchange Ports with Caller ID (L. Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports unbundled port Exchange Ports unbundled port Exchange Ports dialing parity Po Exhange Ports dialing parity Po Exhange Ports - Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Vi | Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| dialing parity Po Exchange Ports with Caller ID (L Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports unbundled port Exchange Ports dialing parity Po Exchange Ports dialing parity Po Exchange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und | Ports - 2-Wire Analog Line Port outgoing only - Res. Ports - 2-Wire VG unbundled AL extended local | | | UEPSR | UEPRO | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Exchange Ports with Caller ID (L. Subsequent Act FEATURES All Available Ver Exchange Ports Bus Exchange Ports unbundled port Exchange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Unbu 2-Wire VG Line 2-Wire VG L | ity Port with Caller ID - Res. | | | UEPSR | UEPAR | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Subsequent Act FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports unbundled port Exchange Ports dialing parity Po Exhange Ports dialing parity Po Exhange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und | Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| FEATURES All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports unbundled port Exchange Ports Exchange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Unbu 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Un 2-W | | | | UEPSR | UEPAP | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| All Available Ver 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports unbundled port Exchange Ports Exchange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Unbu 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb | nt Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-WIRE VOICE GRADE Exchange Ports Bus Exchange Ports unbundled port Exchange Ports Exchange Ports dialing parity Po Exhange Ports -Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und | la Vantical Factures | | | UEPSR | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Exchange Ports Bus Exchange Ports unbundled port Exchange Ports Exchange Ports Exchange Ports Exchange Ports Galler ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und | | | | UEPSK | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 21.31 | 12.97 | 17.77 | 1.44 |
| Bus Exchange Ports unbundled port Exchange Ports Exchange Ports dialing parity Po Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und | Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | + |
| unbundled port Exchange Ports Exchange Ports dialing parity Po Exhange Ports - Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und | Ports - 2-Wire VG unbundled Line Port with | | | UEPSB | UEPBL | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Exchange Ports dialing parity Po Exhange Ports - Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und 2-Wire Voice Und | port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| dialing parity Po Exhange Ports Caller ID Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Unb. 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Exhange Ports Caller ID - Bus Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAI 2-Wire VG Unbu 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Va Line 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | Ports - 2-Wire VG unbundled AL extended local ity Port with Caller ID - Bus. | | | UEPSB | UEPAW | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Subsequent Act FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Unb. 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | Ports - 2-Wire VG unbundled incoming only port with | | | UEPSB | UEPB1 | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| FEATURES All Available Ver EXCHANGE PORT RAT 2-Wire VG Unbu 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Voic Line 2-Wire Analog L 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 0.21 | 0.21 | | | 27.37 | 12.97 | 17.77 | 1.4 |
| EXCHANGE PORT RAT 2-Wire VG Unb. 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Noice Un 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | | | | | | | 0.00 | | | | | | | | | |
| 2-Wire VG Unbu 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Analog L 2-Wire Voice Unb 2-Wire Vice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb | le Vertical Features | | | UEPSB | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire VG Line 2-Wire Analog L 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb 2-Wire Voice Unb | | | | | | | | · · · · · · | | | | | | | | |
| 2-Wire VG Line 2-Wire VG Line 2-Wire Analog L 2-Wire Analog L 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire VG Line 2-Wire Analog L 2-Wire Voice Un 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Vice Unb 2-Wire Voice Unb | Line Side Unbundled 2-Way PBX Trunk - Bus Line Side Unbundled Outward PBX Trunk - Bus | | - | UEPSP UEPSP | UEPPC UEPPO | 2.07 2.07 | 21.93 21.93 | 21.93 21.93 | 6.21 6.21 | 6.21 6.21 | | | 27.37 27.37 | 12.97 12.97 | 17.77 17.77 | 1.44 1.44 |
| 2-Wire Analog L 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Vice Unb 2-Wire Voice Un 2-Wire Voice Un 2-Wire Voice Un | Line Side Unbundled Incoming PBX Trunk - Bus Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPPO UEPP1 | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire Voice Un 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Voice Un 2-Wire Voice Un | alog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire Voice Un 2-Wire Vice Unb 2-Wire Voice Un 2-Wire Voice Un | ce Unbundled 2-Way PBX Alabama Calling Port | | | UEPSP | UEPA2 | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire Voice Un 2-Wire Voice Un | ce Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire Voice Un | e Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | ce Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | 1 | | 27.37 | 12.97 | 17.77 | 1.44 |
| 12-Wire Voice Un | ce Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| 2-Wire Voice Un | ce Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| Capable Port 2-Wire Voice Un Administrative C | ce Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPSP UEPSP | UEPXL | 2.07 | 21.93 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 27.37 | 12.97 | 17.77 | 1.44 |

| UNBU | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|---------|---|-------------|--|-----------------------|----------------|------------------|-----------------|-----------------|-----------------------|-----------------|--|---|-------------------------------------|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | D | N | • | | . D' | | | 200.5 | ATEO (A) | | |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 2.07 | 21.93 | 21.93 | 6.21 | 6.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| - | | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP UEPSP | UEPXO UEPXS | 2.07 2.07 | 21.93 21.93 | 21.93 21.93 | 6.21 6.21 | 6.21 6.21 | | | 27.37 27.37 | 12.97 12.97 | 17.77 17.77 | 1.44 1.44 |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 0.21 | 0.21 | | | 27.37 | 12.97 | 17.77 | 1.44 |
| | FEATU | RES | | | | | | | | | | | | | | | |
| | =>/=:- | All Available Vertical Features | | <u> </u> | UEPSP UEPSE | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 27.37 | 12.97 | 17.77 | 1.44 |
| - | EXCHA | NGE PORT RATES (COIN) Exchange Ports - Coin Port | | | | | 2.34 | 21.93 | 21.93 | 5.21 | 5.21 | | | 25.93 | 12.97 | 16.33 | 0.48 |
| | NOTE: | Transmission/usage charges associated with POTS circuit se | witched | usage | will also apply to ci | rcuit switche | | | | | | iated with 2 | wire ISDN p | | 12.57 | 10.55 | 0.40 |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be | availal | ble only | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | etermined via t | he Bona Fid | de Request/ | New Business | Request Pro | cess. | |
| UNBU | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| - | EXCHA | NGE PORT RATES (DID & PBX) Exchange Ports - 2-Wire DID Port | | ! | UEPEX | UEPP2 | 9.20 | 238.61 | 37.48 | 119.79 | | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | UEFFZ | 9.20 | 230.01 | 37.40 | 119.79 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | capability | | | UEPDD | UEPDD | 68.67 | 404.04 | 191.38 | 145.18 | 4.92 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 11.19 | 145.54 | 105.97 | 95.57 | 21.47 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | All Features Offered | l | <u> </u> | UEPTX UEPSX | UEPVF | 5.55 | 0.00 | 0.00 | | L | | | | | | |
| | | Transmission/usage charges associated with POTS circuit sv Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Poguest Bro | 2000 | - |
| | NOTE: | Exchange Ports - 2-Wire ISDN Port Channel Profiles | avaliai | DIE OIII | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | illes will be de | etermineu via t | ne bona ric | ie Requesti | New Dusiness | Request Fro | cess. | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 96.37 | 407.62 | 203.11 | 158.35 | 40.11 | | | 54.75 | 54.75 | 11.53 | 11.53 |
| UNBUN | | OCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Of | fice Switching (Port Usage) | | | | | 2 2212 | | | | | | | | | | |
| | | End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU | | | | | 0.0018 0.0002 | | | | | | | | | | |
| | Tander | m Switching (Port Usage) (Local or Access Tandem) | | | | | 0.0002 | | | | | | | | | | 1 |
| | | Tandem Switching Function Per MOU | | | | | 0.00063 | | | | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.00033 | | | | | | | | | | |
| | Commo | on Transport Common Transport - Per Mile, Per MOU | | | | | 0.00001 | | | | | | | | | | |
| - | | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | | | | | 0.00001 | | | | | | | | | | |
| UNBUN | IDLED F | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | 0.00043 | | | | | | | | | | |
| | Cost B | ased Rates are applied where BellSouth is required by FCC ar | | | | | | | | | | | | | | | |
| | | es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | | | | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T | | | | | | | | | | | | | | | mmluta Nat |
| | | orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tlv Combined Combos for all states. In GA. KY. LA. MS. SC an | | | | | | | | | | | | | | | |
| | | rrently Combined Combos in all other states, the nonrecurring | | | | | | | | una 110 mese | nomeouring | onarges are | market rut | co una arc arc | oo notea in tii | c market reak | c scotton. |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 16.55 | | | | | - | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.51 44.44 | | | | | | | | | | |
| | UNE Lo | pop Rates | | Ť | | | 77.77 | | | | | † | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 23.31 | | | | | | | | | | |
| | 2-Mira | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) | | 3 | UEPRX | UEPLX | 42.24 | | | | | | | | | | - |
| | Z-44116 | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | 1 | UEPRX | UEPRC | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAR | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | RES | | | | | | | | | | | | | | | T . |

Version 4Q01: 01/31/02 Page 18 of 327

| UNBL | INDLEI | NETWORK ELEMENTS - Alabama | | | | | | | | | | | l a | ttachment: 2 | | Exhibit: B |
|----------|---------|--|-------------|----------|---------|---------|--|--------|-----------|-------------------------|-------|-----------------------|---|--|----------|---|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | 411.5 | | | UEBBY . | | | First | Add'l | First Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| - | | All Features Offered NUMBER PORTABILITY | | | UEPRX | UEPVF | 5.55 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| - | LOCAL | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | 1 | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLITOX | LIVI OX | 0.00 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 1.44 | | | | | 8.25 | | | |
| <u> </u> | | ONAL NRCs | | <u> </u> | | | | | | | 1 | ļ | ļ | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | LIEDDY | LICACO | 0.00 | 0.00 | 0.00 | | | | 40.74 | 0.50 | | |
| | 2-W/IDE | Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | - | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | + | | 40.71 | 9.58 | | |
| | | rt/Loop Combination Rates | | 1 | | | + + | | | | + | 1 | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 16.55 | | | | 1 | | 1 | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 25.51 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.44 | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPBX | UEPLX | 14.35 | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPBX | UEPLX | 23.31 | | | | | | | | | |
| - | 2 Wire | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) | | 3 | UEPBX | UEPLX | 42.24 | | | | | | - | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 2.20 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 2.20 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | 1 |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 2.20 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | | | | | | | |
| | | parity port with Caller ID - bus | | | UEPBX | UEPAW | 2.20 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 2.20 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | UEDDV | LUBOV | | | | | | | | | | |
| | FEATU | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | ļ |
| | | All Features Offered | | | UEPBX | UEPVF | 5.55 | 0.00 | 0.00 | | | 1 | 40.71 | 9.58 | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLFBA | OLFVI | 3.33 | 0.00 | 0.00 | | | | 40.71 | 9.36 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | | Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | OLFBX | USACC | | 1.44 | 0.41 | | | | 8.25 | 9.36 | | |
| | | ONAL NRCs | | | | | | 1.74 | | | 1 | 1 | 0.23 | 1 | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | 1 | 1 | | 2.30 | | | | 1 | 1.30 | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 16.55 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 25.51 | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 3 op Rates | | 3 | | 1 | 44.44 | | | | 1 | <u> </u> | 1 | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 14.35 | | | | 1 | | + | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPRG | UEPLX | 23.31 | | | | 1 | | — | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEPRG | UEPLX | 42.24 | | | | | | 1 | İ | | <u> </u> |
| | 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 2.20 | 90.00 | 90.00 | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | <u> </u> |
| | FEATU | KES | | <u> </u> | | | | | | | | <u> </u> | L | | | <u> </u> |

| LINDII | NDI EE | NETWORK ELEMENTS. Alskama | 1 | | | | | | | | | | | | | | |
|----------|--------|---|--|------|----------------|----------------|--|---------------|---------------------------------------|--|---------------------------------------|--|-----------|--|--|---|---|
| ONBO | NULEL | NETWORK ELEMENTS - Alabama | | | | 1 | T | | | | | | 1 | Α | ttachment: 2 | 1 | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | | | RATES (\$) | 0011411 | 0011411 |
| _ | | All Features Offered | | | UEPRG | UEPVF | 5.55 | First 0.00 | Add'I 0.00 | First | Add'l | SOMEC | SOMAN | SOMAN 40.71 | SOMAN 9.58 | SOMAN | SOMAN |
| - | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPRG | UEFVF | 5.55 | 0.00 | 0.00 | | | - | | 40.71 | 9.56 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | 1 | | | | | | | | | | |
| | | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch with Change | | | UEPRG | USACC | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Subsequent Database Update | | | | | | 1.44 | | | | | | 8.25 | | | |
| \vdash | | DNAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | + | | | | | | - | | | | | |
| | | 2-Wire voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | l | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | 021110 | 30,102 | 0.00 | 0.00 | 0.00 | | | | | 70.71 | 3.38 | | |
| | | Group | | | | | | 14.64 | 14.64 | | | | | 40.71 | 9.58 | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | <u> </u> | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | • | | • | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 16.55 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 25.51 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.44 | | | | | | | | | | |
| _ | | op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 14.35 | | | | | - | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 3 | UEPPX | UEPLX | 42.24 | | | | | | | | | | |
| | | /oice Grade Line Port Rates (BUS - PBX) | | Ť | 02. TX | 02.2. | 12.2. | | | | | | | | | | |
| | | , | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama | | | UEPPX | LIEDAG | 0.00 | 00.00 | 00.00 | | | | | 40.74 | 0.50 | | |
| | | Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX UEPPX | UEPA2 UEPLD | 2.20 2.20 | 90.00 | 90.00 | | | | | 40.71 27.37 | 9.58 9.58 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 2.20 | 90.00 | 90.00 | <u> </u> | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | | Capable Port | ļ | | UEPPX | UEPXE | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | | LIEDDY | LIEDVI | 0.00 | 00.00 | 00.00 | | | | 1 | 40.74 | 0.50 | | |
| | | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | | UEPPX | UEPXL | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | Room Calling Port | | | UEPPX | UEPXM | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | 1 | | 55.56 | 22.30 | † | | | | | 2.30 | | |
| | | Discount Room Calling Port | <u></u> | | UEPPX | UEPXO | 2.20 | 90.00 | 90.00 | <u> </u> | | | <u> </u> | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 2.20 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | 1 | | | | | | | | | ļ | | |
| | | Local Number Portability (1 per port) | ļ | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | FEATUR | All Features Offered | ļ | | UEPPX | UEPVF | 5.55 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| - | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | | OLFFA | OLF VF | 5.55 | 0.00 | 0.00 | | | 1 | - | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | 1 | | | + | | | | | | 1 | | | † | | |
| | | Conversion - Switch-As-Is | 1 | | UEPPX | USAC2 | | 2.80 | 0.41 | | | | 1 | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | i | | | | | | | |
| | | Conversion - Switch with Change | | | UEPPX | USACC | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | | | 1 | | | | 1 | | |] | | _ | | |
| | | Subsequent Database Update | ļ | | | + | | 1.44 | | | | | | 8.25 | 1 | | |
| | | DNAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | - | | | + | - | | | - | | | | | - | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBA) - Subsequent Activity | 1 | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 1 | 40.71 | 9.58 | | |
| | | outlood a control to the control to | ! | | 0=11A | 30/102 | 0.00 | 0.00 | 0.00 | <u> </u> | | <u> </u> | · | 70.71 | 9.30 | | |

| HINDII | NDI EF | NETWORK ELEMENTS - Alabama | l | | | | | | | | | | | | ttoohm t- ^ | | Evhilia P |
|----------|--------|--|--------|-------|----------------|----------------|----------------|----------------|-----------------|--|--------------|--|-----------|-------------------------|--|-------------------------|-------------------------|
| UNBU | NULEL | NET WORK ELEWENTS - AIADAITIA | | | | | I | | | | | | 1 | | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | | Manual Svc | Manual Svc |
| GORY | | NATE ELEMENTO | m | 20.10 | 500 | 0000 | | | ==(+) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | _ | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring Add'l | | g Disconnect | COMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | COMAN |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | First | Add I | First | Add'l | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SOMAN |
| | | Group | | | | | | 14.64 | 14.64 | | | | | 40.71 | 9.58 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 16.88 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 25.84 44.77 | | | | | | | | | | |
| | | pp Rates | | 3 | | | 44.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPCO | UEPLX | 23.31 | | | 1 | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPCO | UEPLX | 42.24 | | | | | | | | | | |
| | | oice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | LIEDOO | LIEDDE | 0.50 | 00.00 | 00.00 | | | | | 40.74 | 0.50 | | |
| _ | | Blocking (AL, KY, LA, MS) 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO UEPCO | UEPRF UEPRE | 2.53 | 90.00 90.00 | 90.00 | | | | | 40.71 40.71 | 9.58 9.58 | | |
| | | 2-Wire Coin 2-Way with Operator Screening (AL, KT) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | UEPCO | UEFRE | 2.53 | 90.00 | 90.00 | 1 | | | | 40.71 | 9.56 | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (AL, LA, MS) | | | UEPCO | UEPRB | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | UEPCO | UEPCD | 2.55 | 90.00 | 90.00 | | | | | 40.71 | 9.56 | | |
| | | (AL, FL) | | | UEPCO | UEPRK | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | LIEBOO | UEPCN | 0.50 | 00.00 | 00.00 | | | | | 40.71 | 0.50 | | |
| _ | | 1+DDD, 011+, and Local (AL, KY, LA, MS) 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO UEPCO | UEPCK | 2.53 2.53 | 90.00 90.00 | 90.00 | | | | | 40.71 | 9.58 9.58 | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | OLFCO | OLFCK | 2.33 | 90.00 | 90.00 | | | | | 40.71 | 9.36 | | |
| | | LA) | | | UEPCO | UEPCR | 2.53 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | ONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.56 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | LUBOV | 2.05 | | | | | | | | | | |
| _ | | Local Number Portability (1 per port) CURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LNPCX | 0.35 | | | | | | | | - | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPCO | USAC2 | | 2.80 | 0.41 | 1 | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch with change | | | UEPCO | USACC | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | ONAL NRCs | | | | 1 | | | | | | - | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | 1 | | | | 40.71 | 9.58 | | |
| UNBUN | DLED P | ORT/LOOP COMBINATIONS - COST BASED RATES | | | 02.00 | JUNUZ | | 0.00 | 0.00 | | | | | 70.71 | 3.36 | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 29.59 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | 1 | 36.58 45.06 | | | | | - | | | | | |
| \vdash | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 op Rates | | 3 | | 1 | 45.06 | | | | | - | - | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 20.42 | | | - | 1 | | | | - | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 27.41 | | | 1 | | | | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 35.89 | | | | | | | | | | |
| | UNE Po | | | | | | | | · · · · · | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 9.17 | 600.00 | 45.00 | | | | | 40.71 | 9.58 | | |
| \vdash | | CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | + | | | | | 1 | | | | | | |
| | | Switch-as-is | | | UEPPX | USAC1 | | 14.61 | 3.73 | 1 | | | | 40.71 | 9.58 | | |
| | I | | | | | , | | | 50 | 1 | | | | | . 0.00 | | |

| UNBL | NDLE | O NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|-------------|----------|---|-------------|------|----------------|----------------|----------------|-----------------|----------------|---------------|----------------------|-------|-----------------------|---|--|----------|---|
| CATE | NOTES | | Interi m | Zone | E | acs | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Rec | Nonrec | | Nonrecurring Disconn | | | | RATES (\$) | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | with BellSouth Allowable Changes ONAL NRCs | | | UEPPX | | USA1C | | 14.61 | 3.73 | | | | 40.71 | 9.58 | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | + + | 53.56 | 53.56 | | | | 40.71 | 9.58 | | - |
| | | one Number/Trunk Group Establisment Charges | | | OLITA | | 00/101 | 1 | 00.00 | 00.00 | | | | 40.71 | 5.50 | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | 1 | | | | <u> </u> |
| | LOCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | - | | | |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF | NE SIDE | | | | LINECE | 3.15 | 0.00 | 0.00 | | | | | | | |
| | | ort/Loop Combination Rates | I SIDE | I | | | | + | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | _ | UEPPB | UEPPR | | 20.00 | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 1 | UEPPB | UEPPR | | 36.62 | | | | | | | | | |
| | | UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 2 | UEPPB | UEPPR | | 44.49 | | | | | | | | | |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 55.39 | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | UEPPB | UEPPR | | 27.20 | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 35.07 | | | | | | 40.71 | 9.58 | | |
| | UNE Po | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 45.97 | | | | | | 40.71 | 9.58 | | ļ |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 9.42 | 525.00 | 400.00 | | | - | 40.71 | 9.58 | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | OLFFB | ULFFR | OLFFB | 5.42 | 323.00 | 400.00 | | | | 40.71 | 9.30 | | - |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | LIEDDD | LIEDDD | 110400 | 0.00 | 77.04 | 54.04 | | | | 40.74 | 9.58 | | |
| - | | Combination - Conversion ONAL NRCs | | | UEPPB | UEPPR | USACB | 0.00 | 77.01 | 54.04 | | - | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | | | 1 | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | |
| | | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | İ | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | CSD | | L | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC | ,MS, & | ΓN) | LIEBSS | LIEBBB | 1141165 | 1 2 2 2 | 2.20 | | | | | | ļ | | |
| | | CVS/CSD (DMS/5ESS) CVS (EWSD) | 1 | | UEPPB UEPPB | UEPPR UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | | |
| - | | CSD (EWSD) | 1 | | UEPPB | UEPPR | | 0.00 | 0.00 | 0.00 | | + | 1 | | 1 | | 1 |
| | | ERMINAL PROFILE | 1 | | JD | OLITIK | 31001 | 0.00 | 0.00 | 0.00 | | | 1 | † | 1 | | |
| | | User Terminal Profile (EWSD only) | 1 | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | 1 | 1 | | |
| | VERTIC | CAL FEATURES | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 5.55 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | | OFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and | l | | LIEDDE | LIEDDD | | 47.0. | 407.11 | 40.00 | | | | 40 =: | 0.50 | | |
| | 1 | facilities termination Interoffice Channel mileage each, additional mile | 1 | | | UEPPR UEPPR | M1GNC M1GNM | 17.81 0.0339 | 107.11 0.00 | 48.27 0.00 | | | 0.00 | 40.71 | 9.58 | | 1 |
| | | interonice Channel mileage each, additional mile | - | | UEPPB | UEPPK | IVITGINIVI | 0.0339 | 0.00 | 0.00 | | - | 0.00 | | 1 | | |
| - | 4-WIRF | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | + + | - | | | | 1 | | | | |
| | | ort/Loop Combination Rates | 1 | | | | | | İ | | | | | 1 | Ì | | <u> </u> |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 198.29 | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | 1 | <u> </u> | | | |
| | | Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 2 | UEPPP | | | 274.00 | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 425.41 | | | | | | | | | |
| | UNE Lo | op Rates | l | | | | | i l | | | | | | 1 | Ì | | |

| LINIBII | NDI EE | NETWORK ELEMENTS. ALL | | | | | | | | | | | | _ | | | |
|----------|---------|--|----------|------|----------------|----------------|---|----------|-----------|--------------|------------|-----------|-----------|-------------|--|-------------|-------------|
| UNBU | NDLEL | NETWORK ELEMENTS - Alabama | | | | | ı | | | | | | ı | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOILS | RATE ELEMENTS | m | Zone | BC3 | 0300 | | | KATEO(ψ) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | p = | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 101.92 | | | | | | | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 177.63 | | | | | | | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 329.04 | | | | | | | 40.71 | 9.58 | | |
| | UNE Po | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 96.37 | 1,150.00 | 1,150.00 | | | | | 40.71 | 9.58 | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-as-is | | | UEPPP | USACP | 0.00 | 238.13 | 157.11 | | | | | 40.71 | 9.58 | | |
| | | DNAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | 1 | | | - | | | | | | - | | | | | |
| | | Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.9801 | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | OLFFF | FIX/ II | | 0.9601 | | | | 1 | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 23.02 | 23.02 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | OLITI | 110 | | 20.02 | 25.02 | | | | | | | | |
| | | Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 46.05 | 46.05 | | | | | | | | |
| | | NUMBER PORTABILITY | | | 02 | | | 10.00 | 10.00 | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | | ACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 29.05 | | | | | | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 29.05 | | | | | | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.05 | | | | | | | | | |
| | CALL T | | | | LIEDDD | DD704 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | Inward | | | UEPPP UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward Two-way | | | UEPPP | PR7C0 PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ce Channel Mileage | | | UEPPP | PR/CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 80.382 | 198.15 | 148.18 | 25.44 | | | | 40.71 | 9.58 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.692 | 100.10 | 140.10 | 20.44 | | | | 40.71 | 5.55 | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | 02 | 12.11.0 | 0.002 | | | | | | | | | | |
| | | rt/Loop Combination Rates | † | | | | 1 | | | | | | | | 1 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 170.59 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 246.30 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 397.71 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | ļ | 1 | UEPDC | USLDC | 101.92 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | ļ | 2 | UEPDC | USLDC | 177.63 | | | | | | | | ļ | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | ļ | 3 | UEPDC | USLDC | 329.04 | | | | | | | | | | |
| | UNE Po | | ļ | | HEDDO | LIDDAT | 20.0= | | | | | | | | 1 | | |
| | | 4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED | 1 | | UEPDC | UDD1T | 68.67 | | | | | - | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | | + | | | | | | | | | + | | |
| | | - Switch-as-is | 1 | | UEPDC | USAC4 | | 258.98 | 134.03 | | | | 1 | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | OLI DO | 00/104 | 1 | 230.30 | 134.03 | | | | | 40.71 | 9.50 | | |
| | | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 258.98 | 134.04 | | | | | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | 02. 00 | 20,,,,,, | | 200.90 | 10-1.04 | | | | | 40.71 | 5.50 | | |
| | | - Conversion with Change - Trunk | 1 | | UEPDC | USAWB | | 258.98 | 134.03 | | | | 1 | 40.71 | 9.58 | | |
| | ADDITIO | DNAL NRCs | 1 | | - | | i i | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | L_ | Subsequent Channel Activation/Chan - 2-Way Trunk | <u>L</u> | | UEPDC | UDTTA | <u> </u> | 28.85 | 28.95 | | | <u> </u> | <u></u> | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | _ | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | 1 | | | l | | | | | | | 1 | | | | |
| <u> </u> | | Activation/Chan Inward Trunk w/out DID | l | | UEPDC | UDTTC | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---------|---|-------------|---------|---------------------|----------------|----------------------|-----------------|-----------------|-----------------------|---------------------|-------------------|------------------------------------|--------------------------|--|--|--|
| | | 7.000 | | | | | | | | | | | | Incremental Incren | Incremental Charge - | Incremental Charge - | |
| GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Svc Order Submitted Manually | Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svo Order vs. Electronic- |
| | | | | | | | _ | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | 0.50 | | |
| | RIPOL A | Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION | | | UEPDC | UDTTE | | 28.85 | 28.85 | | | | | 40.71 | 9.58 | | + |
| | Dii OL | B8ZS -Superframe Format | | | UEPDC | CCOSF | 1 | 0.00 | 600.00 | | | | | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | | |
| | | te Mark Inversion | | | LIEBBO | | | | | | | | | | | | |
| | | AMI -Superframe Format AMI - Extended SuperFrame Format | | | UEPDC UEPDC | MCOSF MCOPO | + | 0.00 | 0.00 | | | | | | | | |
| | | one Number/Trunk Group Establisment Charges | | | OLI DO | WOOT O | | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers | | | UEPDC UEPDC | UDTGZ ND4 | 0.00 | 0.00 | | | | | - | | | | |
| | | DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | | | | <u> </u> | 1 | | | | + |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | <u> </u> | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Dedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | Digital | Loop | with 4-Wire DDITS T | runk Port | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 79.69 | 198.15 | 148.18 | 25.44 | 20.42 | | | 40.71 | 9.58 | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.692 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) Interoffice Channel Mileage - Pixed rate 9-25 miles (Pacifices Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNOB | 0.692 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.692 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | DS1 LOOP WITH CHANNELIZATION WITH PORT I IS 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | | - | | | | | | | | | | |
| | | ystem can have up to 24 combinations of rates depending on | | | ber of ports used | | 1 | | | | | | | | | | |
| | | 51 Loop | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 101.92 | 0.00 | 0.00 | | | | | | | | L |
| | | 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG UEPMG | USLDC | 177.63 329.04 | 0.00 | 0.00 | | | | | | | | |
| | | SO Channelization Capacities (D4 Channel Bank Configuration | ns) | 3 | OLF IVIG | USLDC | 329.04 | 0.00 | 0.00 | | | | 1 | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 115.89 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 231.78 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | 96 DSO Channel Capacity -1 per 4 DS1s | | | UEPMG | VUM96 | 463.56 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| - | | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG UEPMG | VUM14 VUM19 | 695.34 980.00 | 0.00 | 0.00 | | | | 1 | 40.71 40.71 | 9.58 9.58 | | + |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,158.90 | 0.00 | 0.00 | | | | 1 | 40.71 | 9.58 | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,390.68 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,854.24 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG UEPMG | VUM40 VUM57 | 2,317.80 2,781.36 | 0.00 | 0.00 | | | | | 40.71 40.71 | 9.58 9.58 | | - |
| | | 672 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG UEPMG | VUM57 VUM67 | 2,781.36 3,244.92 | 0.00 | 0.00 | | | | - | 40.71 | 9.58 | | |
| | Non-Re | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | n Chanr | | | | | | 0.00 | | | | | 70.71 | 0.00 | | |
| | A Minir | num System configuration is One (1) DS1, One (1) D4 Channel | l Bank, | and Up | To 24 DSO Ports w | ith Feature / | Activations. | | | | | | | | | | |
| | Multipl | es of this configuration functioning as one are considered Ad | ld'I afte | r the m | inimum system con | figuration is | counted. | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 300.95 | 16.72 | | | | | 40.71 | 9.58 | | |
| | System | Additions at End User Locations Where 4-Wire DS1 Loop wit | h Chan | nelizat | ion with Port Comb | ination Curre | ently Exists and | | | | | | | | | |] |

| UNBL | INDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---------|---|-------------|--|---------------------------|------------------|-------------------|------------------|----------------|------------------|---------------|--------------|-----------------------|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | New (N | ot Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | ├ |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 716.11 | 468.04 | 148.75 | 17.65 | | | 40.71 | 9.58 | | ł |
| | | 8 Zero Substitution | | | ULFIVIG | VOIVID4 | 0.00 | 710.11 | 400.04 | 140.73 | 17.03 | | | 40.71 | 9.36 | | 1 |
| | | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | 1 |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | - |
| | | te Mark Inversion (AMI) Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Superframe Format Extended Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | ſ |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | 0.00 | 0.00 | 0.00 | | | <u> </u> | <u> </u> | | | | 1 |
| | Exchan | ge Ports | | | | | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.58 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.71 | 9.58 | | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.58 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.17 | 9.58 | | |
| | | _ | | | | | | | | | | | | | | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.58 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.71 | 9.58 | | - |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 2-Wire Channelized PBX Area Calling Service Combination Port | | | UEPPX | UEPDM | 9.20 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.71 | 9.58 | | |
| | | (AL Only) | | | UEPPX | UEPA4 | 1.58 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | 1 |
| | | 2 Wire Channelized PBX Area Calling Service Outgoing Only | | | | | | | | | | | | | | | |
| | | Port (AL Only) | | | UEPPX | UEPA3 | 1.58 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | Feature | Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated | | | | | | | | | | | | | | | |
| | | in D4 Bank | | | UEPPX | 1PQWM | 0.64 | 25.39 | 13.41 | 4.19 | 4.16 | | | 40.71 | 9.58 | | ł |
| | | Feature (Service) Activation for each Trunk Side Port Terminated | | | | | | | | | | | | | | | |
| | | in D4 Bank | | | UEPPX | 1PQWU | 0.64 | 78.13 | 18.42 | 59.24 | 11.58 | | | 40.17 | 9.58 | | — |
| | | one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | ſ |
| | | RES - Vertical and Optional | | | | | 5.10 | 2.00 | 0.00 | | | | | | | | i |
| | | witching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| LINDO | | All Features Available | | | UEPPX | UEPVF | 5.55 | 0.00 | 0.00 | | | ļ | ļ | 40.71 | 9.58 | | |
| ONBO | | ORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide | unbure | tled lo | L Cal switching or swi | tch norts nor | FCC and/or St | ate Commissio | n rules | | | | | | | | |
| | | scenarios include: | uill | | u. omitoning or swi | Ton porto per | . 55 ana/or 50 | | 14100. | | | 1 | 1 | 1 | | | ĺ |
| | 1. Unb | undled port/loop combinations that are Not Currently Combin | ed in A | labam | a, Florida and North | Carolina. | | | | | | | | | | | |
| | 2. Unb | undled port/loop combinations that are Currently Combined of | r Not C | Current | ly Combined in Zon | e 1 of the To | p 8 MSAS in Be | llSouth's region | on for end use | rs with 4 or mo | re DS0 equiva | alent lines. | | | | | <u> </u> |
| — | | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | | | | | | | | | | | | I NO In the t | | | |
| | | ith currently is developing the billing capability to mechanica ith cannot bill Market Rates, BellSouth shall bill the rates in the control of the control | | | | | | | | | | combined ir | ı AL, FL and | INC. In the it | iterim where | | i |
| | | rket Rate for unbundled ports includes all available features in | | | a section preceding | III IIEU OI LIIE | market Nates a | ina reserves tr | e ngni io ilue | -up the billing | umerence. | | | | | | |
| | End Off | rice and Tandem Switching Usage and Common Transport Us | | | he Port section of th | is rate exhib | it shall apply to | all combination | ons of loop/po | ort network elen | nents except | for UNE Co | in Port/Loo | p Combination | ns which | | |
| | For Not | Currently Combined scenarios where Market Rates apply, the | | | | | nd Additional I | NRC columns i | or each Port U | JSOC. For Curi | rently Combin | ed scenario | s, the Nonr | ecurring char | ges are listed | | |
| | | IRC - Currently Combined section. Additional NRCs may appl VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | ly also | and are | e categorized accord | dingly. | | | | | | 1 | 1 | | | | |
| | | ort/Loop Combination Rates | | - | 1 | 1 | | | | | | 1 | 1 | 1 | | | 1 |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | 1 | <u> </u> | 28.35 | | | | | <u> </u> | <u> </u> | | | | 1 |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 37.31 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 56.24 | | | | | | | | | | |
| | UNE Lo | op Rates | | | 1 | | | | | | | | | | | | |

Version 4Q01: 01/31/02 Page 25 of 327

| | ND: =- | NETWORK ELEMENTO | 1 | | | | | | | | | | | | | | |
|--------------|--------|--|-------------|--|--------|----------|-------|--|-----------|-------|-------|---------------------------------|-----------|--|--------------|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Alabama | | | ı | | T | | | | | | | A | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | per LSR per LSR ISt Add I | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Rec Nonrecurring Nonrecurring Disconnect | | | | | | OSS RATES (\$) | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 42.24 | | | | | | | | | | |
| | | Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unburidled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| <u> </u> | FEATU | | | | L | <u> </u> | | | | | | | | | ļ | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | - | | | | | | | | | | | | | |
| - | | DNAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | - | | |
| | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | OLITIX | UUAUZ | | 0.00 | 0.00 | | | | | 40.71 | 3.30 | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 28.35 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 37.31 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 56.24 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port (Bus) | | 3 | UEPBX | UEPLX | 42.24 | | | | | | | | | | |
| - | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | 1 | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATUR | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | DNAL NRCs | | | | | | | | | | | | | | | |
| 1 | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | 1 | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 1 | 40.71 | 9.58 | | |
| — | | Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | - | UEFBA | USAS2 | | 0.00 | 0.00 | | | 1 | | 40.71 | 9.58 | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | 1 | 28.35 | | | | | | | | 1 | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | 1 | 37.31 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 56.24 | | | | | | | | | | |
| | | op Rates | | | | | _ | | | | | | | _ | _ | | _ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 14.35 | , | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 23.31 | | | | | | | | ļ | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 42.24 | | | | | | | | 1 | | |
| | | Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | + | | | | | | | | | - | | |
| | | 2-vvire vg undundled combination 2-vvay PBX Trunk Port - Res | | 1 | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 1 | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | 1 | | OLFING | ULFKU | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.38 | | |
| - | | Local Number Portability (1 per port) | | 1 | UEPRG | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | | | | | 1 | 50 | | | | | | | | 1 | | |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | DNAL NRCs | | | | | | | | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | 1 | | | | |
| L | | Subsequent Activity- Nonrecurring | | 1 | | 1 | | 0.00 | 0.00 | | | | <u> </u> | 40.71 | 9.58 | | |

| LINER | IND: FF | NETWORK ELEMENTS | | | | | | | | | | | | T - | | | F |
|-------------|----------|--|-------------|----------|----------------|----------------|--|-----------------|-----------------|-----------------------|--|--|-----------|--|--|---|---|
| UNBU | NDLEL | NETWORK ELEMENTS - Alabama | | | I | T | 1 | | | | | | 1 | Α | ttachment: 2 | | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | g Disconnect Add'l | OSS RATES (\$) SOMEC SOMAN SOMAN SOMAN | | | | SOMAN SOMAN | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | 11100 | Addi | COMILO | COMPAR | 40.71 | 9.58 | COMPAR | COMPAR |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | _ | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 28.35 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 37.31 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 op Rates | | 3 | | | 56.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 14.35 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 23.31 | - | | | † | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 42.24 | | | | 1 | | | | 1 | | |
| | 2-Wire \ | /oice Grade Line Port Rates (BUS - PBX) | | | - | | | | | | | | | | | | |
| | | , | | | | | 1 | İ | | | | 1 | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama | | | | | | | | | | | | | | | |
| - | | Calling Port | | | UEPPX UEPPX | UEPA2 UEPLD | 14.00 14.00 | 90.00 90.00 | 90.00 | | - | | | 40.71 40.71 | 9.58 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | <u> </u> | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| - | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | - | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminal Floter Forts | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | OLITA | OLI AD | 14.00 | 30.00 | 30.00 | | | | | 40.71 | 3.00 | | |
| | | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | | | | | | | |
| | FEATUR | All Features Offered | | <u> </u> | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | - | | | 40.71 | 9.58 | | |
| - | | CURRING CHARGES - CURRENTLY COMBINED | | | ULFFA | UEFVF | 0.00 | 0.00 | 0.00 | | - | | | 40.71 | 9.58 | | |
| | | DNAL NRCs | <u> </u> | | | + | | + | | | | | | | | | |
| | | | | | | 1 | | | | | 1 | | | | 1 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | 1 | | | 40.71 | 9.58 | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | ĺ | Ì | | | | | | | | | |
| | | Subsequent Activity- Nonrecurring | | | | <u> </u> | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | <u> </u> | | ļ | ļ | 14.64 | 14.64 | | | | | 40.71 | 9.58 | | |
| - | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | r f | <u> </u> | | + | | | | | 1 | | | - | 1 | | |
| — | | rt/Loop Combination Rates 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | + | 28.35 | - | | | | 1 | | | 1 | | |
| - | | 2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | + | 28.35 37.31 | + | | - | | | | - | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | + | 56.24 | t | | | | - | | | t | | |
| | | op Rates | | 3 | | 1 | 50.24 | - | | | † | 1 | | | † | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 14.35 | İ | | | 1 | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 23.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 42.24 | | | | | | | | | | |
| | | /oice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | | L | | l | | | 1 | | | | 1 | | |
| <u> </u> | | Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | <u> </u> | UEPCO | UEPRE | 14.00 | 90.00 | 90.00 | l | l | 1 | 1 | 40.71 | 9.58 | | |

| TIME | NDI E | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|--|--|--|---|---|-------------------------------------|---|----------------|----------------|-----------------|-----------------|-------------|--------------|----------------|--------------|-------------|-------------|
| UNDU | NDLE | NETWORK ELEMENTS - Alabama | | 1 | | ı | 1 | | | | | | | A | | | EXNIBIT: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Intori | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | Interi | Zone | ne BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GOKT | | | "" | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| - | | | - | | | | | | | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | oss | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| - | | 2-Wire Coin 2-Way with Operator Screening & Blocking: | | | UEPCO | UEPRB | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.56 | | |
| | | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (AL, FL) | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | LIEDOO | UEPRH | 1100 | 20.00 | 00.00 | | | | | 40.71 | 0.50 | | |
| — | | 011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | 1 | UEPCO | UEPKH | 14.00 | 90.00 | 90.00 | | - | | | 40.71 | 9.58 | | |
| | | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 14.00 | 90.00 | 90.00 | | | | | 40.71 | 9.58 | | |
| | LOCAL | NUMBER PORTABILITY | 1 | | | | 50 | 55.50 | 22.30 | 1 | 1 | | | | 3.50 | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | O.Wira Vaiga Canda Laga / Lina Bart Cambination Cubanassant | | | LIEDOO | 110 4 00 | | 0.00 | 0.00 | | | | | 40.74 | 0.50 | | |
| LINIDIIN | DI ED C | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: | • | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | Based Rates are applied where BellSouth is required by FCC | | State (| Commission rule to | provide Unb | undled Local S | witching or Sv | itch Ports | | | | | | | | |
| | | ures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dled Port secti | on of this Rate | Exhibit. | | | | | |
| | 3. End (| Office and Tandem Switching Usage and Common Transport | Usage | rates ir | the Port section of | this rate exh | ibit shall apply | to all combina | ations of loop | port network e | lements excep | t for UNE C | Coin Port/Lo | op Combinat | ions. | | |
| | 4. For G | Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar | nd Tenn | iessee, | the recurring UNE P | ort and Loo | p charges liste | apply to Curi | ently Combin | ed and Not Cur | rently Combin | ed Combos | . The the fi | rst and additi | onal Port | | |
| | | urring charges apply to Not Currently Combined Combos for | | | | | | | | | | | | | charges are | | |
| | Market | Rates and are listed in the Market Rate section. For Current | by Camb | hinnd (| omboe in all other o | states the ne | | | | | | | | | | | |
| | | | | | | | | | hose identifie | d in the Nonrec | curring - Curre | ntly Combir | ned sections | S. | , | | |
| | | ket Rates for Unbundled Centrex Port/Loop Combination will | be neg | | | | | | hose identifie | d in the Nonred | curring - Curre | ntly Combir | ned sections | s. | | | |
| | UNE-P | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | be neg | | | | | | hose identifie | d in the Nonred | curring - Curre | ntly Combir | ned sections | s. | | | |
| | UNE-P | ket Rates for Unbundled Centrex Port/Loop Combination will | be neg | | | | | | hose identifie | d in the Nonre | curring - Curre | ntly Combir | ned sections | s. | | | |
| | UNE-P | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo | be neg | | | | | | hose identifie | d in the Nonrec | curring - Curre | ntly Combir | ned sections | s. | | | |
| | UNE-P | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | be neg | otiated | on an Individual Ca | | til further notic | | hose identifie | d in the Nonrec | curring - Curre | ntly Combir | ned sections | s. | | | |
| | UNE-P (2-Wire \ UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | be neg | | | | | | hose identifie | d in the Nonred | curring - Curre | ntly Combir | ned sections | 5. | | | |
| | UNE-P (2-Wire \ UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo pt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | be neg | otiated | on an Individual Ca | | til further notic | | hose identifie | d in the Nonred | curring - Curre | ntly Combir | ned sections | S | | | |
| | UNE-P (2-Wire \ UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design | be neg | otiated | on an Individual Ca | | til further notic | | hose identifie | d in the Nonrec | curring - Curre | ntly Combir | ed sections | 5. | | | |
| | UNE-P (2-Wire \ UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo pt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | be neg | otiated | on an Individual Ca | | til further notic | | hose identifie | d in the Nonred | curring - Curre | ntly Combin | ed sections | S | | | |
| | UNE-P (2-Wire V | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Drt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design | be neg | 1 2 | on an Individual Ca UEP91 UEP91 | | til further notic | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | S. | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | be nego | 1 2 | on an Individual Ca UEP91 UEP91 | | til further notic | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | 5. | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | be nego | otiated 1 2 3 | on an Individual Ca UEP91 UEP91 UEP91 | | 16.55 25.51 44.44 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | be nego | 1 2 | on an Individual Ca UEP91 UEP91 | | til further notic | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | be nego | otiated 1 2 3 | on an Individual Ca UEP91 UEP91 UEP91 | | 16.55 25.51 44.44 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | 5. | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | be nego | 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 | | 16.55 25.51 44.44 22.62 29.61 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Int/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | be nego | 1 2 3 | on an Individual Ca UEP91 UEP91 UEP91 UEP91 | | 16.55 25.51 44.44 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design | be nego | 1 2 3 1 2 | UEP91 UEP91 UEP91 UEP91 UEP91 | | 16.55 25.51 44.44 22.62 29.61 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | be nego | 1 2 3 1 2 | on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | se Basis, un | 16.55 25.51 44.44 22.62 29.61 38.09 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | be nego | 1 2 3 1 2 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | Se Basis, un | 16.55 25.51 44.44 22.62 29.61 38.09 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design | be nego | 1 2 3 1 2 3 | on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | se Basis, un | 16.55 25.51 44.44 22.62 29.61 38.09 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design nt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | be nego | 1 1 2 3 3 1 1 2 3 3 3 3 1 1 2 2 3 3 3 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 1 2 1 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 3 3 1 1 2 2 1 3 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PO | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 3 3 1 1 2 2 1 3 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE Po UNE Po UNE Po | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 3 3 1 1 2 2 1 3 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE PC UNE PC | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Int/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 3 3 1 1 2 2 1 3 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | | | |
| | UNE Po UNE Lo UNE Po UNE Po UNE Lo | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 3 3 1 1 2 2 1 3 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | 40.71 | 9.58 | | |
| | UNE Po UNE Lo UNE Po UNE Po UNE Lo | ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design nt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 orts es (Except North Carolina and Sout Carolina) | be nego | 1 1 2 3 3 1 1 2 3 3 1 1 2 1 2 1 3 3 1 1 2 2 1 3 3 1 1 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 16.55 25.51 44.44 22.62 29.61 38.09 14.35 23.31 42.24 20.42 27.41 35.89 | | hose identifie | d in the Nonrec | curring - Curre | ntly Combin | ed sections | | 9.58 | | |

| UNBU | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|-------------|------|--------|---------|-----------|-----------------|-----------------|----------------------|-----------------------|----------|-----------------------|--|--|-------------------------|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | RATES(\$) | | | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurrin First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 2.20 | | 7.44.1 | | 71441 | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | AL, KY | , LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 2.20 | | | | | | | 40.71 | 9.58 | | 1 |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | İ | UEP91 | UEPQB | 2.20 | | | İ | İ | | | 40.71 | 9.58 | İ | 1 |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP91 | UEPQM | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Term | | | UEP91 | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | Local S | Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5488 | | | | | | | | | | |
| | Local N | Number Portability | | | 02. 0. | CILLOG | 0.0.00 | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.64 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.52 | | | | | | 40.71 | 9.58 | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.64 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 9.17 | | | | | | | | | | |
| | Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 24.15 | | | | | | | 40.71 | 9.58 | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | <u> </u> | | UEP91 | MIGBM | 0.0101 | | | | | | | 40.71 | 9.58 | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | 1 | | | | | 1 | | | | | | |
| | D4 Cha | nnel Bank Feature Activations | | | | 1001110 | 0.04 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP91 | 1PQW6 | 0.64 | | | | | | | | | | - |
| | | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | - | UEP91 | 1PQW7 | 0.64 | | | | | | | | | | |
| | | Different Wire Center | | | UEP91 | 1PQWP | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.64 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed | 1 | | | |] | | | | | | |] | | | |
| | | changes, per port | ļ | | UEP91 | USAC2 | | 2.80 | 0.41 | | ļ | | | 40.71 | 9.58 | | 1 |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 667.21 | | | | <u> </u> | | 40.71 | 9.58 | | <u> </u> |

| CATE NOTES RATE ELEMENTS Interference Document Documen | ment: 2 | Exhibit |
|--|----------------|-------------------|
| Charge C | | |
| CATE NOTES RATE REMERTS Indied | | |
| Company Comp | | |
| Non-countring Non-countring Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Pers Non-countring Non-countring Pers Non-countring Non-co | | |
| New Centrex Customized Common Block | | |
| New Contract Contract Black | | |
| New Continues Customized Common Black | Add'l Disc 1st | Disc 1st Disc Ad |
| New Continues Customized Common Black | C (¢) | |
| Rever Centrates Customized Common Block UEPST MANCC 0.00 667.21 0.00 40.771 9.55 | | SOMAN SOMA |
| Secondary Block, per Block UEP91 MRCC1 0.0 78.02 40.71 9.38 40.71 9.3 | | OMPAR COMPA |
| NAME Establishment Change, Per Cocasions UEP91 URECA 0.00 72.73 40.71 9.55 | | |
| UNEP_CENTREX - SESS (Valid in All States) | | |
| 2-Wire Vol. Loop?-Wire Volce Grade Port (Centres) Port Combo 1 | | |
| UNE Port/Loop Combination Rates (Non-Design) | | |
| E-Wile Vol Lopp/E-Wile Vole Grade Port (Centres) Port Combo-Non-Design 1 UEP95 16.55 | | |
| E-Wile Vol Lopp/E-Wile Vole Grade Port (Centres) Port Combo-Non-Design 1 UEP95 16.55 | | |
| Non-Design | | |
| 2.Wire Vota Conda Crade Port (Centrex)Port Combo - Non-Design 2.Wire Vota Conda Port (Centrex)Port Combo - Non-Design 3. UEP96 44.44 | | |
| Non-Design 2 UFP95 25.51 | | |
| 2-Wire Vis Loop/Z-Wire Voice Grade Port (Centres/Port Combo-Non-Design 3 UEP95 | | |
| Non-Design 3 UEP95 44.44 | | \longrightarrow |
| NUR Port/Loop Combination Rates (Design) 2-Wire Victo Grade Port (Centrex) Port Combo 1 | | |
| 2-Wire Vol Capp/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP95 22.62 | | |
| 2-Wire Voto Grade Port (Centrex) Port Combo 1 UEP95 22.62 | | |
| Design | | |
| 2-Wire Viola Grade Port (Centrex)Port Combo 2 UEP95 29.61 | | |
| Design 2 UIFP95 29.61 | - | +- |
| Design D | | |
| Design 3 UP95 38.09 | | |
| UNE Loop Rate | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | |
| 2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP95 UECS1 42.24 | | |
| 2-Wire Voice Grade Loop (SL.2) - Zone 1 | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UECS2 27.41 | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UECS2 27.41 | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 35.89 | | |
| UNE Port Rate | | |
| All States | | |
| All States | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP95 UEPYA 2.20 40.71 9.58 | | |
| 2-Wire Voice Grade Port (Centrex 800 termination) | 0.58 | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local UEP95 UEPYH 2.20 | | -+ |
| Area | | -+ |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP95 UEPYM 2.20 UEPYM 2.20 UEPYM 2.58 | 9.58 | |
| Center)2 Basic Local Area | | |
| 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP95 | 9.58 | |
| 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 | | |
| Basic Local Area | 9.58 | |
| 2-Wire Voice Grade Port Terminated on 800 Service Term - UEP95 | | |
| Basic Local Area | 9.58 | |
| AL, KY, LA, MS, SC, & TN Only UEP95 UEPQA 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPQB 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQH 2.20 40.71 9.58 40.71 9.5 | | |
| 2-Wire Voice Grade Port (Centrex) UEP95 UEPQA 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPQB 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQH 2.20 40.71 9.58 40.7 | 9.58 | |
| 2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPQB 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQH 2.20 40.71 9.58 | 0.50 | \longrightarrow |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPQH 2.20 40.71 9.58 | | |
| | | \longrightarrow |
| I I IZ-Wire Voice I-rage Port (Centrey from diff Serving Wire I I I I I I I I I I I I I I I I I I I | 3.30 | $\overline{}$ |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP95 UEPQM 2.20 40.71 9.58 | 9 58 | |
| Centerj2 Centerj2 Centerj3 Centerj4 Centerj5 | 5.55 | - + - |
| | 9.58 | |
| 1000 | | |
| 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP95 UEPQ9 2.20 40.71 9.58 | 9.58 | |
| 2-Wire Voice Grade Port Terminated on 800 Service Term UEP95 UEPQ2 2.20 40.71 9.58 | | |
| | | |

| UNBU | INDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|---------|---|-------------|--|----------------|----------------|--|-----------------|------------------|----------------------|--|----------|-------|--|--|---|--|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurrin First | g Disconnect Add'l | COMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | Local S | witching | | | | | † | FIISL | Auu i | FIISL | Add I | SOIVIEC | SUMAN | SUMAN | SOWAN | SOWAN | SOWAN |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.5488 | | | | | | | | | | |
| | | Control intercon i antonany, por port | | | 02.00 | 0.1200 | 0.0.00 | | | | | | | | | | |
| | Local N | lumber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.64 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.52 | | | | | | | 40.71 | 9.58 | I |
| | | All Centrex Control Features Offered, per port | | <u> </u> | UEP95 | UEPVC | 2.64 | | | - | - | <u> </u> | | 1 | | | |
| | NARS | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | - | 40.71 | 9.58 | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP95 UEP95 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | - | + | | | - | 40.71 | 9.58 | |
| | | Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | † | 1 | | | 40.71 | 9.58 | |
| | | aneous Terminations | | | OL1 30 | CANOX | 0.00 | 0.00 | 0.00 | | † | | | - | 40.71 | 3.36 | |
| | | Trunk Side | | | | | İ | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 9.17 | | | | | | | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 68.67 | | | | | | | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.25 | | | | | | | 40.71 | 9.58 | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 24.15 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0101 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | + |
| | D4 Cha | nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.64 | | | | | | | | | | |
| | | reactive Activation on 5-4 Channel Bank Centrex Loop Stot | | | OLF 93 | IFQW3 | 0.04 | | | | | | | | | | — |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.64 | | | | | | | | | | ĺ |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | <u> </u> | UEP95 | 1PQWA | 0.64 | | | - | 1 | ļ | | ! | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed | - | | | 1 | | | | | 1 | | - | + | 1 | | |
| | | changes, per port | | | UEP95 | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | 1 |
| | | New Centrex Standard Common Block | 1 | 1 | UEP95 | M1ACS | 0.00 | 667.21 | 0.71 | | 1 | 1 | 1 | 40.71 | 9.58 | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.71 | 9.58 | | |
| | | | | | | | | | | | | | | | | | |
| | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | <u> </u> | | ļ | ļ | | | | | ļ | | | | | |
| | LINES | will say Combination Bates (Non Besing) | | ļ | | 1 | ļ | | | | ļ | | | - | | | |
| | | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | + | | | | | | <u> </u> | | | - | | |
| | | 2-wire VG Loop/2-wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 16.55 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9D | | 25.51 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP9D | | 44.44 | | | | | | | | 1 | | i |
| | 1 | ittori Doolgii | | - 3 | OLI 3D | 1 | 77.44 | | | | † | | | - | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | İ | † | | | | Ì | | | 1 | Ì | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | | | | | | 1 | | |
| | | Design | | 1 | UEP9D | 1 | 22.62 | | | | | | 1 | | l | | 1 |

| HINDH | NDI EF | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ttaahmanti 2 | | Exhibit: B |
|--------------|--------|--|-------------|------|----------------|----------|----------------|--------|-----------|-------|--------------|--|-----------------------|-------------|--------------|---|---|
| ONDU | IANTER | NIET WORK ELEMENTS - AIADAMA | | | | | | | | | | | | | ttachment: 2 | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Electronic- | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | l | | | I | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Design | | 2 | UEP9D | | 29.61 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 3 | UEP9D | | 38.09 | | | | | - | | | | | |
| | UNE Lo | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 14.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 3 | UEP9D UEP9D | UECS1 | 23.31 42.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 42.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 20.42 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 27.41 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 35.89 | | | | | | | | | | |
| — | UNE Po | rt Rate | | | | <u> </u> | | | | | | | | | | | |
| | ALL ST | ATES | | | | 1 | | | | 1 | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | UEP9D | UEPYD | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | 9.00 | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYE | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D | UEPYF | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | UEP9D | UEPYG | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Area | | | UEP9D | UEPYT | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYP | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPYQ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Basic Local Area | | | UEP9D | UEPY4 | 2.20 | | | | | | | 40.71 | 9.58 | | |

| CATE GORY NOTES RATE ELEMENTS RATE | UNBU | NDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--|----------|---------|---|--------------|--------|----------|--------|-------|-----------|-------|------|-------------------|-----------------------|---|---|--|-------------------------|
| 2-West Votor Clarical Port (Central coliforation SWC PBRS-MSD(R)), S UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEPro 2, 20 UEPRO UEBRO UEB | CATE | | | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - |
| 2-Vive Votes Clarke Part Centrovider SVPC RES-BEXISTS 1, | | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Basic Load Area | | | Basic Local Area | | UEP9D | UEPY5 | 2.20 | 11100 | Addi | 71100 | Addi | COMILO | COMPAR | | | COMPAR | COMPAR |
| Basic Local Area 1977 3-58 | | | Basic Local Area | | UEP9D | UEPY6 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| Term 200 Control C | | | Basic Local Area | | UEP9D | UEPY7 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| Basic Local Area | | | Term | | UEP9D | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| Local Area | | | Basic Local Area | | UEP9D | UEPY9 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Vose Grede Port (Centres) UEPDO UEPOR 2.20 4.071 9.58 | | | | | UEP9D | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Vace Grate Port (Centrex (FBS-PET3) UEPBD UEPBC 2.20 | | AL, KY | | | | | | | | | | | | | | | |
| E-Wire Voice Grade Port (Centrex (EBS-MSCT)3 UEPPO UEPOC | | | | | | | | | | | | | | | | | ļ |
| 2-Wire Votor Grade Part (Centrex / EBS-M5009)3 | | | | | | | | | ļ | ļ | | | | | | | ↓ |
| 2-Wire Votes Grade Port (Centrex (FBS-M6209)) | | | | <u> </u> | | | | | | ļ | | ļ | | | | | _ |
| 2-Wire Votos Grade Port (Centrer / EBS-M61123) | | | | | | | | | | | | | | | | | |
| 2-Vivir Votos Grade Port (Centrex /EBS-MS3123) | | | | | | | | | | | | | | | | | |
| 2 2 2 2 2 2 2 2 3 40.71 9.58 2 2 2 2 3 40.71 9.58 2 2 2 3 40.71 9.58 3 2 2 2 2 3 40.71 9.58 3 2 2 2 2 3 40.71 9.58 3 2 2 2 2 3 4 2 2 2 3 4 2 2 2 3 4 2 2 2 3 4 2 2 2 3 4 2 2 2 2 3 4 2 2 2 2 3 4 2 2 2 2 2 3 4 2 2 2 2 2 3 4 2 2 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | |
| 2.Wire Voice Grade Port (Centrex (FBS-MSC09)3 UEP90 UEPQ | | | | | | | | | | | | | 1 | | | | 1 |
| 2 | | | | | | | | | | | | 1 | | | | | 1 |
| 2 - Wire Voice Grade Port (Centrew/EBS-MSS16)3 | | | | | | | | | | | | | | | | | |
| 2 2 2 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQD | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrev/Migr SWC /EBS-M5219), 3 UEPD UEPO UEPO 2.20 40.71 9.58 | | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | |
| 2 Wife Voice Grade Port (Centrex/differ SWC /EBS-M5216), 2 UEP9D UEPQD | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrevidiffer SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5039)2, 3 UEP9D UEPQP 2.0 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M508)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M508)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port (Terminated in on Megalink or equivalent UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in on Megalink or equivalent UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UEP9D UEPQR 2.20 40.71 9.58 2-Wire Voice Grade Port Terminated in son Service Term UE | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | İ | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | , | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 UEP9D UEPQR 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQS 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ4 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ6 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ2 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 DEPQ2 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 UEP9D UEPQ3 2-20 40.71 9.58 | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | UEP9D | UEPQP | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 UEP9D UEPQ4 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 UEP9D UEPQ5 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ6 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQ2 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ3 2-Wire Voice Grade Port terminated in 800 Service Term UEP9D UEPQ3 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ3 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ3 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ3 2-Z0 40.71 9-58 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEP9D UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UEPQ3 2-Z0 40.71 9-58 UE | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | UEP9D | UEPQQ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ5 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ6 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 UEP9D UEPQ7 2-20 40.71 9.58 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 2-20 40.71 9.58 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQ2 2-20 40.71 9.58 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPQ2 2-20 40.71 9.58 1 | - | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | UEP9D | UEPQR | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 UEP9D UEPQ6 2.20 40.71 9.58 2.20 4 | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | UEP9D | UEPQS | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term UEP9D UEPQZ 2.20 40.71 9.58 40.71 9.58 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEPQ2 2.20 40.71 9.58 40.71 9.58 Local Switching Centrex Intercom Funtionality, per port UEP9D UEPQ2 0.5488 Local Number Portability UEP9D UEP9D UEPS 0.5488 Local Number Portability (1 per port) UEP9D UEP9D UEP9D UEPOS 0.5488 | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | UEP9D | UEPQ4 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 UEP9D UEPQ7 2.20 | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | UEP9D | UEPQ5 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP9D UEPQZ 2.20 | | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | UEP9D | UEPQ6 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| Term | | | | | UEP9D | UEPQ7 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| 2-Wire Voice Grade Port Terminated on 800 Service Term | | | | | UEP9D | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| Local Switching | | | | | | | | | | | | | | | | | |
| Centrex Intercom Funtionality, per port UEP9D URECS 0.5488 | | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | UEP9D | UEPQ2 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| Local Number Portability UEP9D LNPCC 0.35 Include the portability (1 per port) | | Local S | witching | | | | | | | | | | | | | | |
| Local Number Portability (1 per port) UEP9D LNPCC 0.35 | | | | | UEP9D | URECS | 0.5488 | | | | | | | | | | 1 |
| | | Local N | | | | | | | ļ | ļ | ļ | | | ļ | ļ | | ļ |
| | | F | | <u> </u> | UEP9D | LNPCC | 0.35 | | | ļ | 1 | <u> </u> | | ļ | ļ | | _ |
| All Standard Features Offered, per port UEP9D UEPVF 2.64 | ├ | | | <u> </u> | LIEDOD | LIED) (E | 201 | | ! | - | 1 | | | | | | |

| UNBU | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: E |
|------|----------|---|-------------|---------|----------------|----------------|---------|-----------------|-----------------|------------------------|---------|------------------------------------|--|---|---|------------------------|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - |
| | | | | | | | _ | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring Disconnec | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.52 | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.64 | | | | | | | | | |
| | NARS | Liebon died Netonale Access Desister Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward | | | UEP9D UEP9D | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | + | | 40.71 | 9.58 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 40.71 | 9.58 | | |
| | Miscell | aneous Terminations | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 9.17 | | | | | | | | | |
| | | Digital (1.544 Megabits) DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 68.67 | | | | + | <u> </u> | | | | |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HD0 | 0.00 | 28.25 | | | | 1 | 40.71 | 9.58 | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | 0.00 | 20.20 | | | | | 70.71 | 0.00 | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 24.15 | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0101 | | | | | | | | | |
| | Faster | Activations (DCO) Control I agree on Change Park I DCC Co. | <u> </u> | | | 1 | | | | | | ļ | | | | |
| | | e Activations (DS0) Centrex Loops on Channelized DS1 Service Innel Bank Feature Activations | e | | | | | | | | | | - | | | |
| | D4 Cita | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.64 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.64 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.64 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.64 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.64 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.64 | | | | | | | | | |
| | N D. | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.64 | | | | | | | | | |
| | Non-Re | PRC Conversion Currently Combined Switch-As-Is with allowed | | | | + | | | | | | | - | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 2.80 | 0.41 | | | | 40.71 | 9.58 | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 667.21 | 0.41 | | | | 40.71 | 9.58 | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 667.21 | | | | | 40.71 | 9.58 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | 40.71 | 9.58 | | |
| | | | | | | | | | | | | | | | | |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | + | 1 | 1 | | | _ | | | | | |
| | 2-wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | İ | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9E | | 16.55 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9E | | 25.51 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9E | | 44.44 | | | | | | | | | |
| | | Land Compliantian Batta (Basim) | | | | | ļļ | | | | _ | | | | | |
| | UNE PO | ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9E | | 22.62 | | | | † | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9E | | 29.61 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | UEP9E | | 38.09 | | | | | | | | | |
| | | - | 1 | | | | | İ | | | | | | | | |
| | | pop Rate | | | | | L i | | - | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 14.35 | | | | | | | | | |

| UNRU | NDI FI | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|------|----------|---|--------------|--|----------------|----------------|----------------|--------|-----------|----------|--------------|-------|---|--|---|-------------------------|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | OSS F | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9E | UECS1 | 23.31 | | | | | | | | | | ļ |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 42.24 | | | | | | | | | | <u> </u> |
| | | 0.Who Velice One In Lease (01.0) - 7 4 | | <u> </u> | UEP9E | LIEGO | 00.40 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E UEP9E | UECS2 UECS2 | 20.42 27.41 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 35.89 | | | | | | | | | | |
| | | 2-Wile Voice Glade Loop (SE 2) - Zolle 3 | | 3 | OLF9L | ULC32 | 33.09 | | | | | | | | | | 1 |
| | LINE Po | ort Rate | | | | | | | | | | | | | | | 1 |
| | | KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9E | UEPYB | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP9E | UEPY9 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | LA, MS, & TN Only | | | UEP9E | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 2.20 | | | | | | | 40.71 | 9.58 | | <u> </u> |
| | I ocal S | iwitching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.5488 | | | | | | | | | | |
| | | lumber Portability | | | | | 3.0.00 | | | 1 | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | 1 | | 1 | |
| | Feature | es | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.64 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.52 | | ļ | | | | 40.71 | 9.58 | | ↓ |
| | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.64 | | | | ļ | | | | | | <u> </u> |
| | NARS | Haland Hall Marcard Assess Brackets Constitute | | | LIEBOE | LIADOV | 0.00 | 0.00 | 0.00 | | | | | 40 =: | 0.50 | ļ | |
| | | Unbundled Network Access Register - Combination | | | UEP9E UEP9E | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | 1 | 1 | | 40.71 40.71 | 9.58 9.58 | | |
| | | Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial | | - | UEP9E UEP9E | UAROX | 0.00 | 0.00 | 0.00 | 1 | 1 | 1 | | 40.71 | 9.58 | 1 | |
| | Miscell | aneous Terminations | | | OLI OL | JANUA | 0.00 | 0.00 | 0.00 | 1 | | 1 | | 40.71 | 5.50 | | |
| | | Trunk Side | | | | | | | | | | | | | | | † |
| | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 9.17 | | | İ | | | | l | | İ | 1 |
| | 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 68.67 | | | | | | | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 28.25 | | | | | | 40.71 | 9.58 | | |
| | | ice Channel Mileage - 2-Wire | | | | L | ļ | | | ļ | | | | | | | |
| | | Interoffice Channel Facilities Termination | | <u> </u> | UEP9E | MIGBC | 24.15 | | | 1 | 1 | 1 | | - | | - | |
| | | Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service | | <u> </u> | UEP9E | MIGBM | 0.0101 | | | | - | - | | | | - | |
| | | nnel Bank Feature Activations | - | - | | 1 | + | | | 1 | 1 | 1 | | 1 | | 1 | + |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.64 | | | | <u> </u> | 1 | | | | | |

| CATE GORY NOTES | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block New Centrex Customized Common Block | Interi m | Zone | BCS UEP9E UEP9E UEP9E UEP9E | USOC 1PQW6 1PQW7 1PQWP | Rec 0.64 | Nonrec First | RATES(\$) urring Add'I | Nonrecurring First | Disconnect Add'I | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | ttachment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'I RATES (\$) SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|-----------------|--|-------------|------|---------------------------------|-------------------------|----------|-----------------|------------------------|-----------------------|---------------------|------------------------------|----------------------------------|--|--|---|---|
| GORY | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | Zone | UEP9E UEP9E UEP9E | 1PQW6 | 0.64 | | urring | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| Non-Re | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E UEP9E | 1PQW7 | 0.64 | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Non-Re | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E UEP9E | 1PQW7 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Non-Re | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E UEP9E | 1PQW7 | | | | | | | | | | | |
| Non-Re | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E UEP9E | 1PQW7 | | | | | | | | | | | 1 |
| Non-Re | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E | | 0.64 | | | | | | | | | | ├ |
| Non-Re | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot F | | | UEP9E | | | | | | | | | | | | i |
| Non-Re | Different Wire Center Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot scurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | | 1PQWP | 0.01 | | | | | | | | | | |
| Non-Re | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E | | 0.64 | | | | | | | | | | <u> </u> |
| Non-Re | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E | | | | | | | | | | | | ĺ |
| Non-Re | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot scurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | | 1PQWV | 0.64 | | | | | | | | | | + |
| Non-Re | Feature Activation on D-4 Channel Bank WATS Loop Slot scurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | | UEP9E | 1PQWQ | 0.64 | | | | | | | | | | i |
| Non-Re | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block | | 1 | UEP9E | 1PQWA | 0.64 | | | | | | | | | | |
| | changes, per port New Centrex Standard Common Block | | | | | | | | | | | | | | | |
| | New Centrex Standard Common Block | | | | | | | | | | | | | | | ĺ |
| | | | | UEP9E UEP9E | USAC2 M1ACS | 0.00 | 2.80 667.21 | 0.41 | | | | | 40.71 40.71 | 9.58 9.58 | | \vdash |
| | | | | UEP9E | M1ACC | 0.00 | 667.21 | | | | | | 40.71 | 9.58 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.73 | | | | | | 40.71 | 9.58 | | |
| | - | | | | | | | | | | | | | | | |
| | CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | ├ |
| 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | - | | | | | | | | | | | \vdash |
| UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP93 | | 16.55 | | | | | | | | | | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 25.51 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 44.44 | | | | | | | | | | |
| | rion besign | | - | OE1 00 | | | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 22.62 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 29.61 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | <u> </u> | | | | | | | | | | | | 1 |
| | Design | | 3 | UEP93 | 1 | 38.09 | | | | | | | | | | |
| UNFIC | Loop Rate | | | | + | | | | | | | | | | | — |
| 0.12 20 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 14.35 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP93 | UECS1 | 23.31 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 42.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 20.42 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 27.41 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP93 | UECS2 | 35.89 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | ort Rate | | | | 1 | | | | | | | | | | | |
| AL, KY, | 7, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP93 | UEPYB | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | Area | | | UEP93 | UEPYH | 2.20 | | | | | | | 40.71 | 9.58 | | İ |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 2.20 | | | | | | | 40.71 | 9.58 | | |

| UNB | UNDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|----------|----------|---|-------------|----------|----------------|----------------|--------------|-----------------|-----------------|----------------------|-----------------------|--|-----------------------|--|--|---|--|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurrin First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP93 | UEPY9 | 2.20 | 11130 | Audi | 11130 | Addi | | COMPAN | 40.71 | 9.58 | COMPAR | COMPAN |
| | | Basic Local Area | | | UEP93 | UEPY2 | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 UEP93 | UEPQH | 2.20 | | | | | | | 40.71 | 9.58 9.58 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 2.20 | | | | | | | 40.71 | 9.58 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 UEP93 | UEPQ9 UEPQ2 | 2.20 2.20 | | | | | | | 40.71 40.71 | 9.58 9.58 | | |
| | | witching Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.5488 | | | | | | | | | | |
| - | | lumber Portability Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | 1 | 1 | 1 | - | | | |
| | Feature | | | | UEP93 | LINCCC | 0.35 | | | | | 1 | | | | | - |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.64 | | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.64 | | | | <u> </u> | 1 | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | Unbundled Network Access Register - Outdial aneous Terminations | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.71 | 9.58 | | |
| | | Trunk Side | | | | - | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 9.17 | | | | | + | | | | | |
| | | Digital (1.544 Megabits) | | | 021 00 | CENDO | 3.17 | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 68.67 | | | | | | | İ | | | |
| | | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 28.25 | | | | | | 40.71 | 9.58 | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 24.15 | | | | | | | | | | |
| <u> </u> | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0101 | | | | ļ | 1 | | | | | |
| <u> </u> | | Activations (DS0) Centrex Loops on Channelized DS1 Service nnel Bank Feature Activations | е | | | + | | | | | | 1 | 1 | 1 | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.64 | | | | 1 | | 1 | | | | |
| - | + | i eature Activation on 2-4 Chaintel Bank Centrex Loop 510t | | 1 | OLF 30 | IF QVVO | 0.04 | | | 1 | 1 | 1 | 1 | | | | 1 |
| | | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP93 | 1PQW6 | 0.64 | | | | | | | | | | |
| | | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQW7 | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWP | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.64 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.64 | | | | ļ | | | ļ | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | - | | + | | | | | 1 | 1 | | 1 | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 2.80 | 0.41 | | | | | 40.71 | 9.58 | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 667.21 | 0.41 | | <u> </u> | | | 40.71 | 9.58 | | |
| - | | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 667.21 | | | 1 | 1 | | 40.71 | 9.58 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.73 | | | İ | | | 40.71 | 9.58 | | † |
| | | - | | | | | | | | | <u> </u> | | | | | | |
| | | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | <u> </u> | | | | | | | | | | | | |
| | | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | Note 3 | - Requires Specific Customer Premises Equipment | | i . | | | | | | | | 1 | | 1 | | | 1 |

| UNBU | NDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | _ | | Į. | Attachment: 2 | | Exhibit: B |
|----------|---------|--|--|----------|------------------------|--------------|-------------------|-----------------|-----------------|-------------------|-----------------|-------------|---------------|--|--|--------------|-------------|
| 1 | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | | | Interi | _ | | | | | D 4 T F O (A) | | | Svc Order | Svc Order | Manual Svc | | | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Electronic- | | | |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Managa | | Name and a second | . Diaaaaaa | | | 220 | DATEC (A) | | |
| | | | | - | | | Rec | Nonrec First | arring Add'l | Nonrecurring | | COMEC | COMAN | SOMAN | RATES (\$) | SOMAN | SOMAN |
| | The 700 | | | | in ation refere to Con | | Decrees and UN | | | First | Add'l | | | | | | SUMAN |
| | | ne" shown in the sections for stand-alone loops or loops as p ww.interconnection.bellsouth.com/become_a_clec/html/inter | | | | grapnically | Deaveraged UN | E Zones. To v | iew Geograph | ically Deaverag | ged UNE Zone | Designation | ns by Centr | ai Office, refe | r to internet w | repsite: | |
| ODEDA | | SUPPORT SYSTEMS | connec | tion.ni | im T | ı | 1 | | | | | 1 | 1 | 1 | 1 | | |
| OFLINA | TIONAL | SOFFORT STSTEMS | l . | | | l | | | | | | | 1 | | 1 | | |
| | NOTE: | 4) Floring in Commiss Order. Cl EC about decrease its commiss | | | : : | | | | | 41 C4-4- C- | T | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | s rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | ements that cannot be ordered electronically at present per t | | | | in this cate | gory reflects the | e charge that v | vould be billed | to a CLEC on | ce electronic o | rdering cap | pabilities co | me on-line to | or that element | . Otherwise, | the manual |
| <u> </u> | orderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR | o BeilSouth. | COMAN | 1 | | | 100 | | | | T | 1 | | |
| - | | Manual Service Order Charge, per LSR, Disconnect Only (FL) | 1 | | | SOMAN | | | | 1.83 | | | | - | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | 1 | | 1 | COMEC | | 0.50 | | | | 1 | | 1 | | | |
| LIMBUR | DI ED E | interactive interfaces (Regional) | - | | | SOMEC | | 3.50 | | | | | | | - | | |
| | | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | - | - | - | | | | | | - | | - | 1 | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | - | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | - | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 3 | UEANL | UEAL2 | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | 3 | UEANL | URET1 | 33.30 | 77.09 | 22.03 | 23.02 | 0.37 | | 11.90 | | | | |
| | | Loop Testing - Basic 13(11a) Flour | | | UEANL | URETA | | 33.12 | | | | | 11.90 | | | | |
| | | Engineering Information Document (EI) | | | UEANL | OKETA | | 12.28 | 12.28 | | | | 11.50 | | 1 | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | 02/11/2 | 027 1110 | | 0.00 | 0.00 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 23.02 | 23.02 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | 02/11/2 | 00002 | | 20.02 | 20.02 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 13.83 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | i | | UEQ | UEQ2X | 15.29 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 20.29 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Engineering Information Document | | | UEQ | | | 12.28 | 12.28 | | | | 11.90 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 77.09 | | | | | 11.90 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 33.12 | | | | | 11.90 | | | | |
| UNBUN | DLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | _ | | | | | | | | | |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | l | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | I | | | | | | | 1 | | <u> </u> | | | |
| | | Zone 1 | l | 1 | UEPSR UEPSB | UEABS | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | l . | _ | | l <u>.</u> | | | | | | 1 | | 1 | | | |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | <u> </u> | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | l . | _ | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | ļ | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | Ι. | _ | LIEDOD LIEDOD | | 00.00 | 40 | 00.00 | 05.00 | 0 | | 44.00 | l | | | |
| | | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | ļ | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | Ι. | _ | HEDOD HEDOD | LIEADO | 22.00 | 40.57 | 20.00 | 05.00 | 0.57 | | 44.00 | l | | | |
| LINESTEE | | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | - | | | |
| ONBON | | XCHANGE ACCESS LOOP | <u> </u> | - | - | | | | | | | | | | - | | |
| - | Z-WIKE | ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch | - | | - | - | | | | | | | | - | | | |
| | | (UVL-SL1) | l | | UEANL | UREWO | | 48.11 | 22.01 | | | | 11.90 | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | - | | ULANL | OKEWO | | 40.11 | 22.01 | | | | 11.90 | - | | | |
| | | Ground Start Signaling - Zone 1 | 1 | 1 | UEA | UEAL2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | 1 | 11.90 | 1 | | | |
| 1 | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | 1 | | ULA | ULALZ | 14.50 | 133.75 | 02.4/ | 03.33 | 12.01 | - | 11.90 | 1 | 1 | | |
| | | Ground Start Signaling - Zone 2 | l | 2 | UEA | UEAL2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| 1 | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | 02.0 | ULALZ | 15.57 | 133.73 | 02.47 | 05.55 | 12.01 | | 11.50 | 1 | | | |
| | | Ground Start Signaling - Zone 3 | 1 | 3 | UEA | UEAL2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | l | | | |
| - | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 37.02 | 23.02 | 02.47 | 00.00 | 12.01 | | 11.30 | | | | |
| | | Craci Coordination for Openied Conversion Time (per LOR) | 1 | . | ULA | JUJL | 1 | 23.02 | | | | 1 | L | 1 | 1 | | |

Version 4Q01: 01/31/02 Page 38 of 327

| UNBU | NDLED | O NETWORK ELEMENTS - Florida | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|-----------------|--------|--|-------------|------|------------|----------------|-------|-----------------|-----------|--------------|-------|--|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| ₩ | | O.W. A. de Veire Ordinia de Contrata de Co | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 131.83 | 38.27 | | | | 11.90 | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| لـــــا | | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA | UEAL4 | 23.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | | UEA | UEAL4 | 31.07 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| ╙ | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 60.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | <u> </u> |
| igcup | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| \vdash | | ISDN DIGITAL GRADE LOOP | | | | 1141.014 | 04.50 | 4.47.00 | | 20.00 | | | 44.00 | | | | |
| \vdash | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | | UDN | U1L2X | 21.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| \vdash | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 29.38 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| $\vdash \vdash$ | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 56.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDN UDN | OCOSL UREWO | | 23.02 121.17 | 33.09 | | | | 11.90 | | | | |
| \vdash | | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | UDIN | UREWU | | 121.17 | 33.09 | | | - | 11.90 | | | | + |
| \vdash | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | 1 | | | | | + |
| , , | | 1 | | 1 | UDC | UDC2X | 21.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | UDC | UDC2X | 29.38 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | UDC | UDC2X | 56.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| \vdash | | CLEC to CLEC Conversion Charge without outside dispatch | | 3 | UDC | UREWO | 30.70 | 121.17 | 33.09 | 02.23 | 10.71 | 1 | 11.90 | | | | + |
| | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIRI F | LOOP | | UKLVVO | | 121.17 | 33.09 | | | | 11.90 | | | | + |
| $\overline{}$ | | 2 Wire Unbundled ADSL Loop including manual service inquiry | ATIBLE | LOOI | | | | | | | | | | | | | + |
| , , | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.65 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| \vdash | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | i i | 07.12 | O/ LEZ/ | 12.00 | 1 10.00 | 100.00 | 70.00 | 10.00 | | 11.00 | | | | † |
| | | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 17.08 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| _i | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 33.00 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| \vdash | | Order Coordination for Specified Conversion Time (per LSR) | | Ü | UAL | OCOSL | 00.00 | 23.02 | 100.00 | 70.00 | 10.00 | | 11.00 | | | | + |
| \vdash | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | 07.12 | 00002 | | 20.02 | | | | | | | | | † |
| igwdow | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.65 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| , , | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 17.08 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZW | 17.00 | 124.03 | 71.12 | 00.04 | 5.12 | | 11.90 | | | | + |
| 1 | | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 33.00 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.02 | | | | | | | | | 1 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 124.83 | 29.33 | | | | 11.90 | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.97 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| 1 | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | | UHL2X | 13.46 | | 113.41 | 75.05 | 15.63 | | | | | | |
| $\overline{}$ | | & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | | | 159.09 | | | | | 11.90 | | | | + |
| ш | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 26.00 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | 1 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | 1 |
| , 1 | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | l | I | | | | | _ | | | | | | |
| | | and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHL2W | 9.97 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | + |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 13.46 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | <u> </u> |
| Щ | | 2 Wise Unbundled HDCL Loop without manual action in the | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 26.00 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|-------------------|-------|---|--|----------|------------|----------------|----------------|------------------|---------------------------------------|----------------|---------------------------------------|----------|---|--|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CLEC to CLEC Conversion Charge without outside dispatch | <u> </u> | | UHL | UREWO | | 134.40 | 29.33 | | | | 11.90 | | | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | | | | | | | | |
| ļ | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 15.69 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| \longrightarrow | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | UNL | UHL4A | 15.69 | 193.31 | 130.90 | 77.15 | 12.01 | | 11.90 | 1 | 1 | | + |
| ļ | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 21.17 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| - | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | 1 | | 1 |
| ļ | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 40.90 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| 7 | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | l | | | | | | · | | | 1 | 1 | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 15.69 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| ļ | | 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | _ | | | 04.4- | 400.00 | | 20.71 | 44.00 | | 44.00 | | | | |
| \longrightarrow | | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 21.17 | 168.62 | 115.47 | 62.74 | 11.22 | 1 | 11.90 | | | | |
| ļ | | 4-wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | 1 | 3 | UHL | UHL4W | 40.90 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 40.90 | 23.02 | 113.47 | 02.74 | 11.22 | | 11.50 | | | | + |
| - | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 134.40 | 29.33 | | | | 11.90 | | | | † |
| - | | DS1 DIGITAL LOOP | | | | | | | | | | | | | 1 | | 1 |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 99.13 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.25 | 40.04 | | | | 11.90 | | | | |
| | | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | 22.22 | 101.50 | 100.00 | | | | 44.00 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL UDL | UDL19 UDL19 | 26.39 35.62 | 161.56 | 108.85 108.85 | 67.08 67.08 | 15.56 15.56 | 1 | 11.90 11.90 | | - | | + |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 68.82 | 161.56 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | + |
| + | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | + |
| - | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | + |
| - | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | 1 | | 1 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | 1 |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | <u> </u> |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 131.67 | 38.68 | | | | 11.90 | | | | - |
| \longrightarrow | | Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service | - | | | + | | | | | | | | - | - | | + |
| ļ | | inquiry & facility reservation - Zone 1 | 1 | 1 | UCL | UCLPB | 12.65 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| - | | 2-Wire Unbundled Copper Loop/Short including manual service | 1 | <u> </u> | | 00010 | 12.00 | 140.50 | 102.02 | 75.05 | 15.05 | 1 | 11.30 | † | † | 1 | |
| ļ | | inquiry & facility reservation - Zone 2 | l | 2 | UCL | UCLPB | 17.08 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | 1 | 1 | | |
| \neg | | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | 1 |
| ! | | inquiry & facility reservation - Zone 3 | <u> </u> | 3 | UCL | UCLPB | 33.00 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | <u></u> | <u></u> | <u> </u> | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| ļ | | 2-Wire Unbundled Copper Loop/Short without manual service | l | | | | | | | | _ | | | 1 | 1 | | |
| | | inquiry and facility reservation - Zone 1 | <u> </u> | 1 | UCL | UCLPW | 12.65 | 123.81 | 70.09 | 60.64 | 9.12 | <u> </u> | 11.90 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | l | 2 | UCL | UCLPW | 17.08 | 123.81 | 70.09 | 00.04 | 9.12 | | 11.90 | 1 | 1 | | |
| \longrightarrow | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service | 1 | | UUL | UCLPVV | 17.08 | 123.81 | 70.09 | 60.64 | 9.12 | } | 11.90 | | | 1 | + |
| ļ | | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCLPW | 33.00 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| + | | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | 22.00 | 9.00 | 9.00 | 33.04 | 5.12 | | | 1 | 1 | | 1 |
| \neg | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | | 1 |
| ! | | inquiry and facility reservation - Zone 1 | <u> </u> | 1 | UCL | UCL2L | 37.07 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | <u></u> | <u></u> | <u> </u> | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | 1 | |
| ì | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 50.04 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | 1 | | ļ | <u> </u> |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 96.67 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |

| UNBU | INDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|----------|----------------|----------------|--|----------------|---------------|--|------------|--|---|-----------|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | 1 | UCL | UCL2W | 37.07 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - without manual service | | 1 | UCL | UCLZVV | 37.07 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 50.04 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W UCLMC | 96.67 | 123.81 9.00 | 70.09 9.00 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UCLIVIC | | 9.00 | 9.00 | | | | | | | | |
| | | (UCL -Des) | | | UCL | UREWO | | 123.81 | 31.41 | | | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | 4 MIDE | (UCL-ND) COPPER LOOP | | | UEQ | UREWO | | 44.69 | 22.01 | | | | 11.90 | | | | |
| | 4-WIKE | 4-Wire Copper Loop/Short - including manual service inquiry | | | | <u> </u> | | | | | | | | <u> </u> | | | - |
| | <u>L</u> | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 18.03 | 177.87 | 132.76 | 77.15 | 17.73 | <u> </u> | 11.90 | <u> </u> | <u> </u> | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | l <u>.</u> . | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 24.34 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 47.02 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 47.02 | 9.00 | 9.00 | | 17.73 | | 11.30 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 18.03 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 24.34 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | UCL | UCL4VV | 24.34 | 155.16 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 47.02 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | ١. | | | 0.4.50 | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 1 | UCL | UCL4L | 64.52 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 87.09 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 168.25 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | - | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 64.52 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | Ė | 002 | 002.0 | 01.02 | 100.10 | 100.00 | 02.7 1 | | | 11.00 | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 87.09 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 3 | UCL | UCL4O | 168.25 | 153.18 | 100.03 | 62.74 | 44.00 | | 11.90 | | | | |
| | | inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 168.25 | 9.00 | 9.00 | 62.74 | 11.22 | | 11.90 | 1 | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 123.81 | 31.41 | | | | 11.90 | | | | |
| LOOP | MODIFIC | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UAL, UHL, UCL, | LIEGUILA ACI | | 0.00 | 0.00 | Ι Π | | | | | | | |
| | | pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | UAL, UHL, UCL, | UEQULM2L | | 0.00 | 0.00 | | | | | | | | |
| | | greater than 18k ft | | | UCL, ULS | ULM2G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | | less than or equal to 18K ft | | <u> </u> | UHL, UCL | ULM4L | | 0.00 | 0.00 | ļ | | | | | | | ļ |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | 1 | Unbundled Loop Modification Removal of Bridged Tap Removal, | | 1 | UCL | ULIVI46 | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | | per unbundled loop | | 1 | UAL, UHL, UCL, | UEQULMBT | | 10.52 | 10.52 | | | | 11.90 | | | | |
| SUB-L | | | | | | | | | | | | | | | | | |
| | | op Distribution | | <u> </u> | | | 1 | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | 1 | | UEANL | USBSA | | 487.23 | 487.23 | | | | 11.90 | | | | |
| | | | | | | | 1 | | | | | | | | | | |
| | 1 | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | - 1 | | UEANL | USBSB | | 6.25 | 6.25 | | | | 11.90 | | | | |

| JNBU | NDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | A: | ttachment: 2 | | Exhibit: E |
|------|--------|--|-------------|------|----------------|----------------|--------|-----------------|------------------|-----------------------|------------|--|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSS F | RATES (\$) | SOMAN | SOMAN |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | гизс | Auu i | Filst | Auu i | SOMEC | JOWAN | SOWAN | JOWAN | JOWAN | JOWAN |
| | | Facility Set-Up | - 1 | | UEANL | USBSC | | 169.25 | 169.25 | | | | 11.90 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | | | UEANL | USBSD | | 38.65 | 38.65 | | | | 11.90 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 7.61 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 10.27 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEANL | USBN2 | 19.85 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | - |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Zone 1 | | 1 | UEANL | USBN4 | 8.12 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 10.96 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 21.18 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | | 2016 3 | | | OLAIVE | | 21.10 | 00.03 | 30.42 | 49.71 | 0.00 | | 11.50 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 3.50 | 51.84 | 13.44 | 47.50 | 5.26 | | 11.90 | | | | ļ |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | - | | UEANL | USBR4 | 6.68 | 55.91 | 17.51 | 49.71 | 6.60 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEANL UEF | USBMC UCS2X | 6.25 | 9.00 | 9.00 21.78 | 47.50 | 5.26 | | 11.90 | | | | - |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | i i | | UEF | UCS2X | 8.44 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ì | | UEF | UCS2X | 16.30 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.20 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | - |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | | UEF | UCS4X | 7.02 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | 1 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | Ī | | UEF | UCS4X | 13.55 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | | | | | uee. | 1100140 | | 0.00 | 0.00 | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair dled Sub-Loop Modification | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | <u> </u> |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | t | | | | |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10.11 | 10.11 | | | | 11.90 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 10.11 | 10.11 | | | | 11.90 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | - | O Lin ix | | | | | | | 11.00 | | | | 1 |
| | | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 15.58 | 15.58 | | | | 11.90 | | | | |
| | | dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.2286 | 18.02 | 18.02 | | | | 11.90 | | | | |
| | | Set-Up Work: Site Visit Survey, per MDU | | | UENTW | UENVS | 0.2200 | 120.11 | 120.11 | | | | 11.90 | | | | 1 |
| | | Site Visit Set-Up - Per Terminal - 1st Terminal | | | UENTW | UENSS | | 39.43 | 39.43 | | | | 11.90 | | | | † |
| | | Site Visit Set-Up, Per Terminal, Additional Terminals | | | UENTW | UENSV | | 36.42 | 36.42 | | | | 11.90 | | | | |
| | | Access Terminal Provisioning, per Terminal, 1st Terminal | | | UENTW | UEN1T | | 101.09 | 101.09 | | | | 11.90 | | | | |
| | | Access Terminal Provisioning, per Terminal, Additional Terminals | | 1 | UENTW | UEN2T | | 100.25 | 100.25 | | | | 11.90 | | | | |
| | | UNTW Pair Provisioning, per Pair for 1st Terminal | | | UENTW | UENP1 | | 4.48 | 4.48 | | | | 11.90 | | | | |
| | | UNTW Pair Provisioning, per Pair for Additional Terminals | | | UENTW | UENPA | | 3.64 | 3.64 | | | | 11.90 | | | | |
| | Networ | k Interface Device (NID) | | | | | | | 10 | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | | | UENTW UENTW | UND12 UND16 | | 68.08 110.48 | 42.80 85.20 | | | | 11.90 11.90 | | | | |
| | | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 7.63 | 7.63 | | | | 11.90 | | | | + |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 7.63 | 7.63 | | | | 11.90 | | | | 1 |

| UNBU | JNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | • | | А | ttachment: 2 | :[| Exhibit: B |
|--------------|--|--|-------------|----------|-------------------|----------|--------|-----------------|-----------|--------------|-------|-------|---|--|--|---|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| SUB-L | OOBS | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SUB-L | | l pop Feeder | | | | | | | | | | | | | | | |
| | Sub-Lo | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | | | | | | | | | | | | | |
| | | Distribution Facility set-up | | | UEA, UDN,UCL,UDL | LICDEW | | 487.23 | | | | | 11.90 | | | | |
| | + | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | OLA, ODIN,OCL,ODL | , USBI W | | 407.23 | | | | | 11.90 | | | | |
| | | set-up | | | UEA, UDN,UCL,UDL | USBFX | | 6.25 | 6.25 | | | | 11.90 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 522.41 | 11.32 | | | | 11.90 | | | | |
| | + | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | OOL | OODI Z | | 322.41 | 11.02 | | | | 11.50 | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFA | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | <u> </u> | OLA | OOD! A | 0.00 | 02.70 | 01.24 | 00.40 | 10.07 | | 11.50 | | | | 1 |
| | | Grade - Zone 2 | | 2 | UEA | USBFA | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | 1 | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | <u> </u> | | | | 020 | J2-1 | 550 | .0.01 | | | | 1 | | 1 |
| | | Voice Grade - Zone 3 | 1 | 3 | UEA | USBFA | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | 1 | 11.90 | | l | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | Ť | UEA | OCOSL | 250 | 23.02 | U | 550 | .0.01 | | | | İ | | 1 |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFB | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFB | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | 1 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | | | | | | | | | | | |
| | | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | 1 |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 17.26 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFD | 23.29 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFD | 45.00 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | ļ | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | ļ | ↓ |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | HODES | | | | | | | | | 1 | | |
| | <u> </u> | Grade - Zone 1 | | 1 | UEA | USBFE | 17.26 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | ļ | ļ | ↓ |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | _ | 1154 | LICDEE | 22.22 | 400.00 | 04.40 | 00.54 | 44.00 | | 44.00 | | | | |
| | 1 | Grade - Zone 2 | | 2 | UEA | USBFE | 23.29 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | 1 | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 45.00 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | 1 | | |
| | 1 | | | 3 | UEA | OCOSL | 45.00 | | 64.46 | 63.54 | 14.83 | | 11.90 | | | 1 | |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.04 | 23.02 109.71 | 66.68 | 60,21 | 12.49 | | 11.90 | | | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | | UDN | USBFF | 23.00 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | - | | + |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 44.43 | 109.71 | 66.68 | 60.21 | 12.49 | 1 | 11.90 | | | 1 | + |
| | + | Order Coordination For Specified Conversion Time, Per LSR | - | - 3 | UDN | OCOSL | 44.43 | 23.02 | 00.00 | 00.21 | 12.49 | | 11.90 | | | 1 | |
| | + | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | - | 1 | UDC | USBFS | 17.04 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | 1 | |
| | 1 | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 23.00 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | 1 | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 44.43 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | t |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 46.27 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | 1 | Ì | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 62.45 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | İ | | 1 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | | USL | USBFG | 120.65 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | İ | | 1 |
| | 1 | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 23.02 | | | | | 1 | | | | 1 |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 7.25 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | 1 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | 1 |
| | | 2 | | 2 | UCL | USBFH | 9.79 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| | 1 | 12 | l | 3 | UCL | USBFH | 18.92 | 85.27 | 42.24 | 58.54 | 10.82 | 1 | 11.90 | | 1 | | |

| IINRI | INDI FI | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|--------|---------|---|--|----------|----------------|----------------|--------------------|----------------|----------------|----------------|----------------|----------|---|--|---|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | po: 20:x | po. zo | | RATES (\$) | 2.00 .01 | 2.007.001 |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.02 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | | UCL | USBFJ | 14.22 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | - | | UCL | USBFJ USBFJ | 19.20 37.09 | 99.66 99.66 | 57.20 57.20 | 60.98 60.98 | 12.28 12.28 | | 11.90 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL UCL | OCOSL | 37.09 | 23.02 | 57.20 | 00.96 | 12.20 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | — |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UDL | USBFO | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | ļ |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | ĺ |
| | | Zone 3 | <u> </u> | 3 | UDL | USBFO | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | | Zone 1 | | 1 | UDL | USBFP | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | ĺ |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | <u>'</u> | ODL | USBIT | 10.00 | 100.02 | 36.10 | 03.34 | 14.03 | | 11.90 | | | | |
| | | Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 2 | UDL | USBFP | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Zone 3 | | 3 | UDL | USBFP | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | Ť | UDL | OCOSL | .0 | 23.02 | 00.10 | 33.3 . | | | 11.00 | | | | |
| SUB-LO | OOPS | | | | | | | | | | | | | | | | |
| | | op Feeder | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 15.69 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 347.59 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 15.69 | | 107.15 | 100.00 | | | 44.00 | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 402.09 11.90 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | | Sub Loop Feeder - OC-3 - Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | UDLO3 | 1L5SL | 11.90 | | | | | | | | | | |
| | | Month | | | UDLO3 | USBF5 | 62.98 | | | | | | | | | | ĺ |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 547.22 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | — |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 14.65 | 0,000.00 | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDL12 | USBF6 | 502.47 | | | | | | | | | | l |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,577.00 | 3,386.00 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | <u> </u> |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 48.06 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | | | LIDI 40 | USBF9 | 054.00 | | | | | | 1 | | | | i |
| | | Month Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 UDL48 | USBF9 USBF4 | 251.80 1.589.00 | 3,572,00 | 407.15 | 168.35 | 95.43 | | 11.90 | - | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Fer Month Sub Loop Feeder - OC-12 Interface On OC-48 | 1 | | UDL48 | USBF8 | 331.15 | 788.39 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | |
| UNBUN | | OOP CONCENTRATION | 1 | | | 302.0 | 301.10 | . 00.03 | 107.10 | 100.00 | 55.45 | 1 | 11.50 | | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 449.49 | 359.42 | 359.42 | | | | 11.90 | | | | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 53.44 | 149.76 | 149.76 | | | | 11.90 | | | | |
| • | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 487.33 | 359.42 | 359.42 | | • | | 11.90 | | | | |
| | | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 90.05 | 149.76 | 149.76 | | | | 11.90 | | | | |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | ļ | | ULC | UCTCO | 5.04 | 71.70 | 51.52 | 18.49 | 4.82 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | İ |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | ĺ | | | ĺ | | | | | | | |
| | | Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | UEA | ULCC2 | 2.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | UEA | ULCCR | 11.90 | 16.59 | 16.50 | 6.77 | 6.73 | - | 11.90 | | | | <u> </u> |
| | | (Specials Card) | <u>L</u> | | UEA | ULCC4 | 7.10 | 16.59 | 16.50 | 6.77 | 6.73 | <u></u> | 11.90 | | | | <u> </u> |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 34.68 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |

| LINIBLINI | DI EE | NETWORK ELEMENTS. Florido | | | | | | | | | | | | 1 . | | 1 | |
|--------------|-------|---|-------------|----------|-------------------|----------------|---------------|------------------|-----------------|-----------------------|-------|--|---|-----------|--|----------|--|
| UNBUN | DLEL | NETWORK ELEMENTS - Florida | | 1 | ı | | ı | | | | | 1 | | A | ttachment: 2 | | Exhibit: E |
| CATE GORY | OTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | FIRST | Add I | FIRST | Add'l | SOMEC | SUMAN | SUMAN | SOWAN | SUMAN | SOWAN |
| | | Interface | | | UDL | ULCC7 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | | | | | | | | | | | | | |
| | | Interface | | ļ | UDL | ULCC6 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | - | |
| LINE OTH | FR P | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | 1 | |
| ONE OTT | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | | | | | | | | | | | | |
| UNE OTH | | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | _ | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,U | JUNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| N(| | month minimum billing period | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| | - | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| LOOP MA | | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.6784 | 0.6784 | | | | | | | | |
| | | NCY SPECTRUM | | | | | | | | | | | | | | | |
| SI | | ERS-CENTRAL OFFICE BASED | | ļ | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity - True up pending approval by PSC | Ι | ı | ULS | ULSDA | 119.72 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity - True up | | ١. | 111.6 | TH CDD | 20.00 | 270.40 | 0.00 | 0.47.00 | 0.00 | | 11.90 | | | | |
| - | | pending approval by PSC Line Sharing Splitter, Per System, 8 Line Capacity | - | <u> </u> | ULS ULS | ULSDB ULSD8 | 29.93 8.33 | 379.13 150.00 | 0.00 | 347.90 150.00 | 0.00 | | 11.90 | - | - | - | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | +- | OLO | ULUD0 | 0.33 | 150.00 | 0.00 | 150.00 | 0.00 | | 11.90 | | | | |
| | | deactivation (per LSOD) - True up pending approval by PSC | | - 1 | ULS | ULSDG | | 173.66 | | 97.42 | | | 11.90 | | | | |
| EI | | ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | TRUM | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation - True up pending approval by PSC(BST Owned Splitter) | 1 | ı | ULS | ULSDC | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC | 1 | ı | ULS | ULSDS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 11.90 | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | | | | UREOS | 0.61 | | • | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | | | | UREBP | 0.638 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | ļ | | ļ | |
| | | Line Splitting - per line activation BST owned - virtual | | I | UEPSR UEPSB | UREBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | <u> </u> | 11.90 | ļ | | | |
| | | RANSPORT FFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | <u> </u> | | | | | | ļ | | | | | | - | |
| IIN | HERU | FRICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | l . | | | l l | | | 1 | | 1 | 1 | l | l . | l | |

| UNBL | JNDLEI | O NETWORK ELEMENTS - Florida | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|----------|--------|--|-------------|----------|-------------------|----------------|----------------|------------------|-----------------|-----------------------|---------------------|-------|---|--|--|---|------------|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | FIRST | Add I | FIRST | Addi | SOMEC | SUMAN | SOWAN | SOWAN | SUWAN | SOWAN |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | - | _ | | | | | | | | | | | |
| | | Facility Termination per month Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Facility Termination per month | | | U1TVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Termination per month | | | U1TDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | 47.33 | 31.70 | 10.31 | 7.03 | | 11.90 | | | | |
| | | per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Termination per month | | | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | INTERC | PFFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Termination per month | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| | | DFFICE CHANNEL - DEDICATED TRANSPORT- DS3 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| | INTERC | OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 1.056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| | LOCAL | CHANNEL - DEDICATED TRANSPORT | | | | | , | | 210.20 | 72.00 | 70.00 | | 11.50 | | | | |
| <u> </u> | NOTE: | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing Local Channel - Dedicated - 2-Wire Voice Grade per month - | g perio | d - belo | ow DS3=one month, | DS3 and abo | ove=four month | s | | | | | | | | | |
| | | Zone 1 | | 1 | ULDVX | ULDV2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2 | | 2 | ULDVX | ULDV2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3 | | 3 | UNDVX | ULDV2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1 | | 1 | ULDVX | ULDR2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2 | | 2 | ULDVX | ULDR2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 3 | | 3 | ULDVX | ULDR2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1 | | 1 | UNDVX | ULDV4 | 22.81 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - | | 2 | UNDVX | ULDV4 | 30.79 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | | Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade per month - | | | | | | | | | | | | | | | |
| | | Zone 3 Local Channel - Dedicated - DS1 per month - Zone 1 | | 3 | UNDVX ULDD1 | ULDV4 ULDF1 | 59.48 35.28 | 266.54 216.65 | 47.67 183.54 | 44.22 24.30 | 5.33 16.95 | | 11.90 11.90 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 47.63 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | 1 | Local Channel - Dedicated - DS1 per month - Zone 3 | l | 3 | ULDD1 | ULDF1 | 92.01 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |

| UNBUNDI F | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|--|---|-------------|------|------------|-------------|-----------|--------|-----------|--------------|------------|----------|-----------------------|--|--|---|--|
| CATE GORY NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 8.50 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.50 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | ULDS1 | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| MULTIPLEXER | | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | ļ | 11.90 | ļ | ļ | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | | |
| | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | | |
| DARK SISSE | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | | | ļ | 11.90 | | | | <u> </u> |
| DARK FIBER | Ded Eiler Erreit of Otto Le Branch Miler Erreit | | | | | | | | | | | | | | | _ |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 55.04 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | 55.04 | 751.34 | 193.88 | 356.21 | 230.11 | 1 | 11.90 | | | | - |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | ODI | 00104 | | 731.34 | 195.00 | 330.21 | 230.11 | | 11.50 | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 26.85 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 55.04 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | | | |
| TRANSPORT C | OTHER al Features & Functions: | | | | | | | | | | | | | | | ļ |
| | EN DIGIT SCREENING | | | | + | | | | | | 1 | - | | | | |
| BAX ACCESS | 8XX Access Ten Digit Screening, Per Call | | | OHD | - | 0.0006252 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | OLID | | 0.0000202 | | | | | | | | | | |
| | Number Reserved | | | OHD | N8R1X | | 4.15 | 0.70 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | 0.1.5 | 1 | | 0.10 | 0 | 0 | 0.10 | | 11.00 | | | | |
| | POTS Translations | | | OHD | N8FTX | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.15 | 2.07 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 4.85 | 2.78 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | | | 1 | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Fel Request 8XX Access Ten Digit Screening, Call Handling and Destination | | | J. 1D | . 101 / 1/1 | | 7.00 | 0.70 | | | 1 | 11.00 | | | | |
| | Features | | | OHD | N8FDX | | 4.15 | 4.15 | | | | 11.90 | | | | <u> </u> |
| | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query | | | OHD | | 0.0006252 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per | | | | | | | | | | | | | | | |
| I BIE BIESE | query | | | OHD | | 0.0006252 | | | | | | | | | | |
| LINE INFORMA | ATION DATA BASE ACCESS (LIDB) LIDB Common Transport Per Query | | | OQT | 1 | 0.0000203 | | | | | <u> </u> | 1 | | | | 1 |
| | LIDB Validation Per Query | | | OQ1 OQU | 1 | 0.0000203 | | | | | 1 | 1 | 1 | 1 | | 1 |
| | LIDB Originating Point Code Establishment or Change | | | OQU, OQU | NRPBX | 0.0100009 | 55.13 | 55.13 | 55.13 | 55.13 | 1 | 11.90 | 1 | 1 | | t |
| SIGNALING (C | | | | , - = 0 | 2/1 | | 556 | 33.70 | 330 | 55.10 | | 10 | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 135.05 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000607 | | • | | • | | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | TDD | 47.00 | 40 == | 40 == | 40.04 | 40.01 | | 44.00 | | | | |
| | link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | ļ | 11.90 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | ı | 0.0000152 | | | j . | | 1 | I . | l . | l . | l | |

| UNBL | JNDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|--------|----------|--|-------------|--|-----|-------|--|-----------------|-----------------|-----------------|-----------------|-----------------|--|--|--|--|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Incrementa Charge - Manual Svo Order vs. |
| | | | | | | | | | | ı | | Elec per LSR | Manually per LSR | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | <u> </u> | UDB | STU56 | 694.32 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | | 11.90 | | | | |
| E911 S | SERVICE | Establishment of Change, per 31F affected | | | ODB | CCAFO | | 40.03 | 40.03 | 40.03 | 40.03 | | 11.50 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | + | 0.0091 | | | | | | | | | 1 | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | | | | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | 1 |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | | | 35.28 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 47.63 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 92.01 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | 1 | Interoffice Transport - Dedicated - DS1 Per Mile | | <u> </u> | | 1 | 0.1856 | | | | | 1 | - | | | | - |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | 1 |
| CALLI | NG NAM | E (CNAM) SERVICE | | 1 | | 1 | 00.44 | 103.34 | 30.47 | 21.47 | 19.05 | | 11.30 | | | | — |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.001024 | | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.001024 | | | | | | | | | | |
| | | CNAM For DB Owners - Service Establishment | | | OQV | | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | | |
| - | | CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code | | | OQV | 1 | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | | ! |
| | | Establishment | | | oqv | | | 1,592.00 | 1,177.00 | 352.36 | 259.09 | | 11.90 | | | | ĺ |
| | | CNAM For Non DB Owners - Service Provisioning With Point | | | Jav | | | 1,002.00 | 1,177.00 | 002.00 | 200.00 | | 11.00 | | | | |
| | | Code Establishment | | | OQV | | | 546.51 | 393.82 | 358.06 | 259.09 | | 11.90 | | | | |
| LNP Q | uery Ser | | | | | | | | | | | | | | | | |
| | | LNP Charge Per query | | | OQV | | 0.000852 | 40.00 | 40.00 | 40.74 | 10.71 | | 44.00 | | | | |
| - | | LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment | | | | - | | 13.83 655.50 | 13.83 334.88 | 12.71 297.03 | 12.71 218.40 | | 11.90 11.90 | | | | |
| OPER | | LLL PROCESSING | | | | | | 033.30 | 334.00 | 297.03 | 210.40 | | 11.30 | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| | 1 | LIDB | | <u> </u> | | - | 0.20 | | | | | <u> </u> | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWA | | ATOR SERVICES | | † | | | 0.20 | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Call | | | | | 1.00 | | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| DC *** | DING 6 | - Per Call | | <u> </u> | | | 1.95 | | | | | | | | | | |
| RKAN | | PERATOR CALL PROCESSING Recording of Custom Branded OA Announcement | | ! | | CBAOS | | 7,000.00 | 7,000.00 | | | | 11.90 | | | - | - |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | 11.90 | | | | — |
| | | ding via OLNS for UNEP CLEC | | | | | | 111.30 | 222.00 | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 11.90 | | | | |
| DIREC | | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | | ORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service Calls, Charge Per Call | | | | 1 | 0.275 | | | | | | | | | | - |
| | DIRECT | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | ACC) | 1 | | 1 | 0.275 | + | | | | | | | | | - |
| | 2201 | Directory Assistance Call Completion Access Service (DACC), | | 1 | | | | 1 | | | | | | | | | |
| | | Per Call Attempt | | <u> </u> | | | 0.10 | | | | | | | | | | |
| | | ORY TRANSPORT | | | | | | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access Service Call | | | | | 0.0003 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.00004 | | | | | | | | | | 1 |

| UNRU | NDI FI | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|---------|----------|---|--------|----------|---|----------------|-----------------|--------------------|----------------|--------------|--------------|---------|----------------|-------------|--------------|-------------|-------------|
| O.N.D.O | | THE THORK ELEMENTO TIONAL | | | | | | | | | | | | Incremental | | | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | , | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | 1 | | | ı | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Access Tandem Switching per Directory Assistance Access | | | | | | | | | | | | | | | |
| | | Service Call Directory Assistance Interconnection per Directory Assistance | | | | | 0.00055 | | | | | | | | | | |
| | | Access Service Call | | | | | 0.00 | | | | | | | | | | |
| | | DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00018 | | | | | | | | | | |
| DIREC | | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | DIRECT | ORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | |
| BRAND | | RECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | Facility | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 6.000.00 | 6.000.00 | | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM | | | CIVII | CDADA | | 0,000.00 | 0,000.00 | | | | | | | | |
| | | Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | UNEP C | | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per DRAM | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Unbran | ding via OLNS for UNEP CLEC | | | | | | · | · | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| CEL EC | TIVE RC | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| SELEC | IIVE KC | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | | Switch | | | | USRCR | | 93.55 | 93.55 | 12.71 | 12.71 | | 11.90 | | | | |
| VIRTU | AL COLL | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS AMTFS | EAF ESPCX | 12.45 | 4,122.00 965.00 | 1,249.00 | | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.25 | 965.00 | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | | cable Virtual Collocation - 2-wire Cross Connects (loop) | | | AMTFS ueanl,uea,udn,udc,u | ESPSX | 13.35 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | ueani,uea,udn,udc,u uea,uhl,ucl,udl,AMTf | UFAC4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS | CNC4F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | Virtual collocation - DS1 Cross Connects Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS USL,ULC.AMTFS | CNC1X CND3X | 7.50 56.25 | 155.00 | 14.00 11.83 | | | | 11.90 11.90 | | | | |
| | | Virtual Collocation - DS3 Cross Connects Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | 1 | | USL,ULU,AIVITS | CIADOV | 50.25 | 151.90 | 11.83 | | | | 11.90 | | | | |
| | | Support Structure, per linear foot | | | AMTFS,CLO | VE1CB | 0.0028 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | ANTEO 0: 0 | \/E400 | | | | | | | | - | | - | |
| - | | Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | ļ | \vdash | AMTFS, CLO | VE1CC | 0.0041 | | | | | | | | | | |
| 1 | | Support Structure, per cable | | | AMTFS | VE1CD | | 535.54 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTES | VE1CE | ļ | 535.54 | | | | | | | | | |
| - | | Virtual collocation - Security Escort - Basic, per quarter hour | | | AMTFS | SPTBQ | - | 10.89 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per quarter hour | | | AMTFS | SPTOQ | | 13.64 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per quarter hour | | | AMTFS | SPTPQ | | 16.40 | | | | | | | | | |
| | | Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS | | | AMTFS | VE11S | 226.39 | 1,950.00 | | | | | | | | | |
| | | Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS | | | AMTFS | VE11X | 11.51 | 1,950.00 | | | | | | | | | |
| | | Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | | | AMTFS | VE13S | 56.97 | 528.00 | | | | | | | | | |
| L | | Virtual Collocation - DS-3/DSC Cross Connects, PER CKT | | | AMTFS | VE13X | 10.06 | 528.00 | | l | | | | | | | |

| IINRI | INDI FI | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|---------|----------|--|-------------|------|--------------|----------------|-----------|-------------------|-------------------|--------------|--------------|-------------------|-----------------------|---|---|--------------------------|---|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | Rec | Nonro | curring | Nonrecurring | n Disconnect | per LSR | per LSR | 1st | Add'I RATES (\$) | Disc 1st | Disc Add'l |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | | Virtual collocation - Maintenance in CO - Basic, per quarter hour | | | AMTFS | SPTRE | | 10.89 | | | | | | | | | 1 |
| | | Virtual collocation - Maintenance in CO - Destine, per quarter | | | AWITS | SPIRE | | 10.69 | | | | | | | | | |
| | | hour | | | AMTFS | SPTOE | | 13.64 | | | | | | | | | 1 |
| | | Virtual collocation - Maintenance in CO - Premium per quarter hour | | | AMTFS | SPTPE | | 16.40 | | | | | | | | | 1 |
| VIRTU | AL COLI | LOCATION | | | AWIFS | SPIPE | | 16.40 | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | ļ | Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSR | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | ł |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | - | | | | | | | | | | | | |
| | ļ | Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | ł |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | | | | | | | |
| | | ISDN | | | UEPSX | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | ł |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | 11.07 | | | | | 11.00 | | | | |
| | <u> </u> | ISDN DS1 | | | UEPEX | VE1R4 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | |
| VIRTU | AL COLI | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0297 | 33.86 | 31.95 | | | | 11.90 | | | | l |
| AIN SE | LECTIV | E CARRIER ROUTING | | | | | | | | | | | | | | | |
| | | Regional Service Establishment End Office Establishment | | | SRC SRC | SRCEC SRCEO | | 193,444.00 | 407.00 | 7,737.00 | 0.69 | | 11.90 | | | | ļ |
| | | Query NRC, per query | | | SRC | SKCEO | 0.0031868 | 187.36 | 187.36 | 0.69 | 0.69 | | 11.90 | | | | |
| AIN - E | | JTH AIN SMS ACCESS SERVICE | | | ONO | | 0.0001000 | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | 1 |
| | | Initial Setup | | | A1N | CAMSE | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | ł |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User | | | | 044441 | | 00.00 | 00.00 | 00.00 | 00.00 | | 44.00 | | | | ł |
| | | ID Code AIN SMS Access Service - Security Card, Per User ID Code, | | | A1N | CAMAU | | 38.66 | 38.66 | 29.88 | 29.88 | | 11.90 | | | | |
| | | Initial or Replacement | | | A1N | CAMRC | | 75.10 | 75.10 | 12.93 | 12.93 | | 11.90 | | | | ł |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0028 | | | | | | | | | | |
| | <u> </u> | AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per | | | | | 0.7809 | | | | | | | | | | |
| | | Minute | | | | | 0.4609 | | | | | | | | | | 1 |
| AIN - E | | JTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | CAM | DADCC | | 43.56 | 43.56 | 44.93 | 44.00 | | 44.00 | | | | |
| | | Initial Setup AIN Toolkit Service - Training Session, Per Customer | | | CAIVI | BAPSC BAPVX | | 43.56 8.439.00 | 43.56 8,439.00 | 44.93 | 44.93 | | 11.90 11.90 | | | | |
| | 1 | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | 0,100.00 | 3,100.00 | | | | 11.50 | | | | |
| | | DN, Term. Attempt | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | l |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | 0.04 | 0.04 | 10.03 | 10.03 | | 11.90 | | | | |
| | | DN, Off-Hook Immediate | | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTO | | 20.00 | 20.00 | 45.00 | 45.00 | | 44.00 | | | | |
| | 1 | DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTO | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | |
| | | DN, CDP | | | | BAPTC | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | <u> </u> |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTE | | 00.00 | 00.00 | 45.00 | 45.00 | | 44.00 | | | | <u></u> - |
| | | DN, Feature Code | | | | BAPTF | | 38.06 | 38.06 | 15.86 | 15.86 | <u> </u> | 11.90 | l | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Florida | ļ | | | 1 | T | | | | | ı | | А | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|-------------|---------|--------------------|--------------|------------------|------------|----------------|-----------------|---------------|---------------|---------------------------------------|--|--|--------------|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | SOMEC | SOMAN | | RATES (\$) | SOMAN | COMAN |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0535927 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.000002. | | | | | | | | | | |
| | | Subscription, Per Node, Per Query | | | | | 0.0063698 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | 1 |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | Subscription | | | CAM | BAPMS | 8.34 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 3.73 | 9.56 | 9.56 | | | | 11.90 | | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | - | | | | | | | | | | | |
| | | Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | ļ | | CAM | BAPDS | 4.73 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | |
| | | AIN TOOIRIT Service - Call Event Special Study - Per AIN TOOIRIT | | | CAM | BAPES | 0.12 | 9.56 | 9.56 | | | | 11.90 | | | | |
| | CED EX | TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | NOTE: N | lew EELs available in GA, TN, KY, LA, MS, & SC and density | zone 1 | of foll | owing MSAs: Orland | lo, FL; Miam | i, FL; Ft. Laude | rdale, FL; | | | | | | | | | |
| | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salemn all states, EEL network elements shown below also apply t | | | | | | | As Is Charge a | nnlies to curre | ntly combined | facilities co | onverted to | UNFs.(Non-re | curring rates | do not apply | , |
| | | n GA, TN, KY, LA, MS & SC the EEL network elements apply | | | | | | | as is onarge a | pplies to carre | nay combined | luomitico o | I I I I I I I I I I I I I I I I I I I | ONES.(NOTE IN | l lates | uo not appiy | |
| | | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | • | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.50 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | 1 |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | - 1 | UNCVA | UEALZ | 14.50 | 127.59 | 60.54 | 46.00 | 0.31 | | 11.90 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 37.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVA | UEALZ | 31.02 | 127.59 | 00.34 | 46.00 | 0.31 | | 11.90 | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | LINOVA | LIE AL O | 44.50 | 127.59 | 00.54 | 40.00 | 0.04 | | 44.00 | | | | 1 |
| | | Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 1 | UNCVX | UEAL2 | 14.50 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 37.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVA | UEALZ | 31.02 | 127.59 | 00.34 | 46.00 | 0.31 | | 11.90 | | | | |
| | | per month | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | | ONCCC | | 0.90 | 0.90 | 0.30 | 0.90 | | 11.30 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | ` , | | | | | | | | | | | | |
| | | Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 1 | UNCVX | UEAL4 | 23.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 2 | UNCVX | UEAL4 | 31.07 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | | Month Voice Grade COCI - DS1 to DS0 Channel System combination - | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | | 1 |
| | | per month Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 23.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | j |

| LINDII | NDI EF | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|--------|---|--------|----------|-----------------|-------|--------|--------|-----------|-------|------------|--|-----------|------------------------|------------------------|------------------------|------------------------|
| UNBU | NDLEL | NETWORK ELEMENTS - FIORIDA | | | | | 1 | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordan | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| 00 | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | po. zo. | po. 20. | | 7.44 | 2.00 .00 | 2.007.444 |
| | | | | | | | Rec | Nonrec | | | Disconnect | | | OSS | RATES (\$) | | |
| | | A LUCY and A Micro Analysis Constitution in the DOA | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 31.07 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | ONOVA | OLAL | 31.07 | 127.55 | 00.54 | 40.00 | 0.51 | | 11.30 | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | | per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | 1D1VG | 1.38 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | 4-WIRE | 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | | 0.00 | 0.50 | 0.50 | 0.00 | | 11.50 | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | İ | | | | | | | | | | |
| | | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| — | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | OINCDA | UDLOB | 35.62 | 127.59 | 00.54 | 48.00 | 0.31 | | 11.90 | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | ONCIA | 01111 | 00.44 | 174.40 | 122.40 | 45.01 | 17.93 | | 11.50 | | | | |
| | | Month | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | • | ONOBA | ODLOG | 20.00 | 127.00 | 00.04 | 40.00 | 0.01 | | 11.50 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDL56 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | <u> </u> | 5ODA | 35204 | 20.09 | 127.55 | 00.04 | 40.00 | 0.31 | t | 11.30 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | 40 | | | | | | | |
| - | | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDX | UDL64 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | 211200 | | | | | | | | | | |
| | | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | LINCAV | MO1 | 440.77 | F7 00 | 44.74 | 4.50 | 4.04 | | 44.00 | | | | |
| - | | Month OCU-DP COCI (data) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | | |
| | | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| - | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | ONODA | UDL04 | 33.02 | 127.59 | 00.34 | 40.00 | 0.31 | | 11.90 | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 6.71 | 4.84 | | | 1 | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | 1 | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | is Onaryo | | L | UNUIA | UNCCC | 1 | 0.98 | 0.98 | 0.98 | 0.98 | L | 11.90 | | l | | |

| LINDU | NDI EP | NETWORK ELEMENTS Elorido | 1 | | | | | | | | | | 1 | | 44b4 O | | Fubility D |
|--------------|--------|--|-------------|--------|----------------|--------------|--------------------|------------------|-----------------|----------------|---------------|-------|----------------|--|--|---|---|
| ONBO | NULEL | NETWORK ELEMENTS - Florida | | I | | | | | | | | 1 | 1 | | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | 4-WIDE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | POEE | CE TD/ | NSDODT (EEL) | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | LKOFFI | CE IKA | ANSPORT (EEL) | | | | | | | | | | | | |
| | | Transport - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TRA | | | | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | , , |
| - | | month DS3 to DS1 Channel System combination per month | | | UNC3X UNC3X | U1TF3 MQ3 | 1,071.00 211.19 | 320.00 115.50 | 138.20 56.54 | 38.60 12.16 | 18.81 4.26 | | 11.90 11.90 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | 12.10 | 4.20 | | 11.90 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | , |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.50 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 37.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT 4-WireVG Loop used with 4-wire VG Interoffice Transport | EROFF | ICE TR | | | | | | | | | | | | | |
| | | Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 1 | UNCVX | UEAL4 | 23.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | i |
| | | Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 2 | UNCVX | UEAL4 | 31.07 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | 1 |
| | | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per | | 3 | UNCVX | UEAL4 | 60.02 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | L |

| LINDI | NDI EF | NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|--|--|---------|----------|----------------|----------|----------|--------|-----------|--------------|-------|-----------|-----------|------------------------|------------------------|------------------------|------------------------|
| UNBU | INDLEL | NETWORK ELEMENTS - Florida | | | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordar | Svo Ordor | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | po. zo | po. 2011 | | 71441 | 2.00 .00 | 2.007.444 |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| - | | Intereffice Transport Dedicated A Miss Value Conda | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.58 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOVA | 01114 | 22.50 | 34.70 | 32.33 | 43.20 | 10.03 | | 11.30 | | | | |
| | | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRAI | NSPOR | T (EEL) | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per | | | LINCOV | 41 END | 40.00 | | | | | | | | | | |
| | | Mile per month High Capacity Unbundled Local Loop - DS3 combination - | | | UNC3X | 1L5ND | 10.92 | | | | | | | | | | |
| | | Facility Termination per month | | | UNC3X | UE3PX | 386.88 | 226.42 | 154.73 | 67.10 | 26.27 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 3.87 | | | 9,1,19 | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per per month | | | UNC3X | U1TF3 | 1,071.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | STS1 D | IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TR | RANSPO | | 011000 | | 0.90 | 0.30 | 0.90 | 0.90 | | 11.30 | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| | | Mile per month | | | UNCSX | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 426.60 | 226.42 | 154.73 | 67.10 | 26.27 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | UNCSX | UDLST | 426.60 | 220.42 | 154.73 | 67.10 | 26.27 | | 11.90 | | | | |
| | | per month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 1,056.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | 2-WIRE | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | UNCOX | UNCCC | | 0.90 | 0.90 | 8.90 | 0.90 | | 11.90 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | , | | | | | | | | | | | | | | |
| | | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 2 | | | | | | 40.00 | | | | | | | |
| | | Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 2 | UNCNX | U1L2X | 29.38 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 56.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | | | | | | | | | | | | |
| | | Termination per month Channelization - Channel System DS1 to DS0 combination - | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | per month | | | UNC1X | MQ1 | 146.77 | 57.28 | 14.74 | 1.50 | 1.34 | | 11.90 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | 320 | | 50 | | | | | | | |
| | | combination - per month | | | UNCNX | UC1CA | 3.66 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINGNIV | 1141.054 | 04.70 | 407.50 | 20.51 | 40.00 | 001 | | 44.00 | | | | |
| | | Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 1 | UNCNX | U1L2X | 21.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.38 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| <u> </u> | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 56.76 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3.66 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNUNA | OCICA | 3.00 | 0.71 | 4.04 | | | | 11.90 | | | | |
| | | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | RANSPORT (EEL) | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | LINGAV | LICL VV | 70.41 | 047.7- | 404.00 | <i></i> | 44.7- | | 44.00 | | | | |
| | | Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | <u> </u> | | 1 | | | | 57 | | | | | | | |
| | | Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | LINCOV | 41.5727 | 0.0- | | | | | | | | | | |
| <u> </u> | | Per Month | | <u> </u> | UNCSX | 1L5XX | 3.87 | | | | | l | l | | | | l |

| IINRI | INDI FI | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | ۸. | ttachmont: 2 | | Exhibit: B |
|--------------|---------|--|-------------|------------|----------------------|------------------|-----------------|----------------|-----------|--------------|-------|-------|---|-------------------------------------|--|---|---|
| UNDU | INDLE | NETWORK ELEMENTS - Florida | | | I | | 1 | | | | | | | | ttachment: 2 | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Intereffice Transport Dedicated CTC4 continuation Facility | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 1.056.00 | 320.00 | 138.20 | 38.60 | 18.81 | | 11.90 | | | | |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 211.19 | 020.00 | 100.20 | 00.00 | .0.01 | | 11.00 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | | | | 11.90 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X | UC1D1 | 13.76 | 6.71 | 4.84 | 31.44 | 14.43 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | 15.70 | - | | | | | | | | | |
| | | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI | FFICE 1 | RANS | PORT (EEL) | <u> </u> | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 18.44 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 1 | UNCDX | UDL64 | 26.39 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 2 | UNCDX | UDL64 | 35.62 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | UNCDX | UDL64 | 68.82 | 127.59 | 60.54 | 48.00 | 6.31 | | 11.90 | | | | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 45.28 | 18.03 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| ADDITI | | ETWORK ELEMENTS | | | | udah A. I. | | i. | | | | | | | | | |
| — | | used as a part of a currently combined facility, the non-recurnused as ordinarilty combined network elements in Georgia, the | | | | | | | | | | | | | | | |
| | | sed as ordinarity combined network elements in Georgia, tri SynchroNet) | - 11011-1 | Courin | ig changes apply all | a the Switch | AS IS SHAINE U | oco not. | | | | 1 | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | bination) | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1 | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | _ | | | |
| | | Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3: | one month, DS3 an | d above=fou | r months | | • | | • | | | | | | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | | <u> </u> | | 1 | | | | | | | | | | | - |
| <u></u> | | ige Ports | KV 1.4 | TN - | ha daaluad faati | udli maaal (: ' | | | | | | 1 | | | | | |
| <u> </u> | NOTE: | Although the Port Rate includes all available features in GA, I | Λī, LA | ox IN,t | ne desired features | will need to l | se oraerea usin | y retaii USOCS | • | l l | | I | l | l | | | 1 |

| UNBL | JNDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|----------|---|-------------|----------|-------------------|----------------|----------------|----------------|----------------|-------------------|------------------|-------------|---|-------------------------|--|---|---|
| CATE GORY | | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | 0.14/105 | VOICE OF ARE LINE PORT RATES (RES) | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Exchange Forts - 2-Wile Arialog Line Fort- Nes. | | | OLFSK | OLFKL | 1.40 | 3.74 | 3.03 | 1.00 | 1.00 | | 11.50 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Florida area calling with | | | | | | | | | | | | | | | |
| | | Caller ID - Res. | | | UEPSR | UEPAF | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | LIEDOD | UEPAP | 4.40 | 0.74 | 0.00 | 4.00 | 4.00 | | 44.00 | | | | |
| | | with Caller ID (LUM) Subsequent Activity | | | UEPSR UEPSR | USASC | 1.40 0.00 | 3.74 0.00 | 3.63 0.00 | 1.88 | 1.80 | | 11.90 11.90 | | | | |
| | FEATU | | | | UEFOR | USASC | 0.00 | 0.00 | 0.00 | | | - | 11.90 | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | VOICE GRADE LINE PORT RATES (BUS) | | | 02. 01. | 02. 1. | 2.20 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |
| | | Bus | | | UEPSB | UEPBL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 1.88 | 1.80 | | 11.90 | | | | |
| | FEATU | | | | UEFSB | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | NGE PORT RATES (DID & PBX) | | | 02. 03 | 02. 1. | 2.20 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP UEPSP | UEPLD | 1.40 | 39.06 | 18.18 18.18 | 12.35 12.35 | 0.7187 0.7187 | | 11.90 11.90 | | | | |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXA | 1.40 1.40 | 39.06 39.06 | 18.18 | 12.35 | 0.7187 | - | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminal Plots 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | 1=100 | | | | | | | |
| | | Capable Port | | | UEPSP | UEPXE | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Administrative Calling Port | | | UEPSP | UEPXL | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEDOD | LIEDYA | | 00.00 | 10.10 | 40.0- | 0.7467 | | 44.00 | | | | |
| | | Room Calling Port | | | UEPSP | UEPXM | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | - | 11.90 | | | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 12.00 | 5.7 107 | | 11.90 | | | | |
| | FEATU | | | | | 1 - 2 - | 2.20 | 2.20 | 2.30 | | | | | | | | |
| | | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | NGE PORT RATES (COIN) | | | | | | | • | | • | | | | | | |
| | | Exchange Ports - Coin Port | | | L | | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | Transmission/usage charges associated with POTS circuit sw | | | | | | | | | | | | | | L | |
| IIIIDI " | | Access to B Channel or D Channel Packet capabilities will be | availak | ole only | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | termined via t | ne Bona Fic | ie Request/ | New Business | Request Pro | cess. | |
| ONBU | | OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES (DID & PBX) | | | | + | | | | | | - | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41.94 | 4.26 | 1 | 11.90 | | 1 | 1.83 | |
| | | Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | OLI LX | OLI 1 Z | 0.73 | 70.41 | 13.02 | 41.34 | 4.20 | | 11.30 | | | 1.03 | |
| | | capability | | 1 | UEPDD | UEPDD | 54.95 | 151.11 | 77.75 | 48.81 | 3.10 | | 11.90 | | | 1.83 | |
| | | capability | | | | | | | | | | | | | | | |

| HINDH | NDI E | O NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ttachment: 2 | | Exhibit: E |
|----------|------------------|---|-------------|---------|-------------|-----------------|-----------------|---------------|-----------------|--|---------------|---------------|-------------|--|----------------|--------------|-------------|
| UNDU | NULEL | NETANORY EFEMENTS - LIOLIDS | | | I | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incrementa |
| 0475 | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| GUKY | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | | Electronic- | Electronic- | Electronic- |
| - | | | | | | 1 | ļ | ı | | ı | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurrin | n Disconnoct | | | 000 | RATES (\$) | | |
| | | | | | | 1 | Kec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 2.26 | 0.00 | 0.00 | 11130 | Addi | COMILO | 11.90 | COMPAR | COMPAR | 1.83 | COMPAR |
| | | Transmission/usage charges associated with POTS circuit sw | vitched | usage | | | | | | ission by B-C | nannels assoc | iated with 2- | | ports. | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 82.74 | 174.61 | 95.17 | 49.80 | 18.23 | | 11.90 | | | 1.83 | |
| UNBUN | | OCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| - | | fice Switching (Port Usage) End Office Switching Function, Per MOU | | | | 1 | 0.0007662 | | | | | | | | | | |
| | | End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU | | | | - | 0.0007662 | | | | | | | | | | |
| | | n Switching (Port Usage) (Local or Access Tandem) | | | | + | 0.000104 | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | 1 | 0.0001319 | | | | | | | 1 | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.000235 | | | | | | | 1 | | | |
| | Commo | on Transport | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.0000035 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0004372 | | • | | | | | | | | |
| UNBUN | | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | ļ | | | | | |
| | | ased Rates are applied where BellSouth is required by FCC an | | | | | | | | l <u>. </u> | L | 1 | | | | | |
| - | | s shall apply to the Unbundled Port/Loop Combination - Cost | | | | | | | | | | | - D// | . Combination | | | |
| - | | fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T | | | | | | | | | | | | | | na sharasa | |
| | | o Not Currently Combined Combos for all states. In GA, KY, L | | | | | | | | | | | | | | | |
| | | ket Rate section. For Currently Combined Combos in all oth- | | | | | | | | | | ionrecurring | g charges a | ire market Kat | es and are ars | o iistea iii | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | ei siaie | 3, 1116 | l | es silali be ti | lose identified | in the Nomecu | iring - Current | l Combined s | ections. | I | | | l | | |
| | | ort/Loop Combination Rates | | | | 1 | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.04 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) | | 3 | UEPRX | UEPLX | 31.87 | | | | | | | | | | |
| | 2-vviie | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port vith Caller ID - res | | | UEPRX | UEPRC | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.17 | 90.00 | 90.00 | | | | 11.90 | 1 | | | |
| | | . 5. 5. 7 | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 1.17 | 90.00 | 90.00 | <u></u> | | | 11.90 | <u></u> | <u> </u> | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 1.17 | 90.00 | 90.00 | | | | 11.90 | 1 | | | |
| | FEATU | | | | LIEDDY | LUED) /E | 0.00 | 0.00 | 0.00 | | | | 44.00 | | | | |
| - | | All Features Offered NUMBER PORTABILITY | | | UEPRX | UEPVF | 2.26 | 0.00 | 0.00 | | | ļ | 11.90 | 1 | | | |
| - | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | - | | - | | | 1 | | |
| — | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLI IVA | LIVI OX | 0.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | 1 | | | |
| | | Switch-as-is | | | UEPRX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | 1 | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| 1 | | Switch with change | | | UEPRX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | | | | 1 | 1 | | | | | | | | | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates | | 1 | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) wrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 2 | UEPRX | USAS2 | 14.11 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE UNE Po | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) wit/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | UEPRX | USAS2 | 14.11 18.23 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE UNE Po | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) wrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | | UEPRX | USAS2 | 14.11 | 0.00 | 0.00 | | | | 11.90 | | | | |

Version 4Q01: 01/31/02 Page 57 of 327

| CATE | | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|-------------------|--------|---|-------------|------|----------------|--|----------------|--------|-----------|------------------------|-------|-----------------------|---|--------------|----------|---|
| | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnec | | | | RATES (\$) | | |
| | | O.Wire Vision Crede Loop (CLA). Zenn O. | | _ | HEDDY | UEPLX | 17.06 | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \longrightarrow | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPBX UEPBX | UEPLX | 31.87 | | | | _ | | | | | |
| - | 2-Wire | Voice Grade Line Port (Bus) | | 3 | OLI DX | OLI LX | 31.07 | | | | _ | | | | | |
| \neg | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | <u> </u> |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.17 | 90.00 | 90.00 | | _ | 11.90 | | | | <u> </u> |
| \dashv | | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | _ | | | | | |
| - | FEATU | | | | OLI DX | LIVI OX | 0.55 | | | | _ | | | | | |
| \neg | | All Features Offered | | | UEPBX | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 0.102 | 0.102 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | |
| | | Switch with change | | | UEPBX | USACC | | 0.102 | 0.102 | | | 11.90 | | | | ↓ |
| \dashv | | ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | _ | | | | | |
| | | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 11.90 | | | | |
| \neg | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | 02. 2% | 007.02 | | 0.00 | 0.00 | | | 11100 | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | <u> </u> |
| \longrightarrow | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.04 | | | | | | - | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.94 | | | | | | 1 | | | |
| $\overline{}$ | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 17.06 | | | | | | | | | |
| \neg | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 31.87 | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.17 | | | | | 11.90 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | 11.90 | | | | <u> </u> |
| \longrightarrow | FEATU | All Features Offered | | | UEPRG | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | - | | | <u> </u> |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | ULFRG | OLFVI | 2.20 | 0.00 | 0.00 | | _ | 11.50 | | | | + |
| \neg | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | İ | | | | | | | | | 1 |
| | | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | |
| | | Conversion - Switch with Change | | | UEPRG | USACC | | 8.45 | 1.91 | | | 11.90 | | | | |
| | | ONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | - | | | |
| | | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | |
| $\overline{}$ | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | 021110 | 30,102 | 0.00 | 0.00 | 0.00 | | | 11.30 | <u> </u> | | | |
| | | Group | | | | | | 7.09 | 7.09 | | | 11.90 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | L | | | | | | ļ | | | <u> </u> |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 14.11 | | | | + | | | | | |
| \longrightarrow | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 18.23 33.04 | | | | + | | + | | | |
| $\overline{}$ | | pop Rates | | 5 | | <u> </u> | 33.04 | | | | + | | — | | | † |
| \neg | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.94 | | | | 1 | | 1 | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 17.06 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 31.87 | | | | | | ļ | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | <u> </u> | | ļ | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.17 | 90.00 | 90.00 | | | 11.90 | 1 | | | |
| | | Line Side Unbundled Combination 2-way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus | - | | UEPPX | UEPPO | 1.17 | 90.00 | 90.00 | | + | 11.90 | + | 1 | | + |

| UNBU | NDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | A | ttachment: 2 | | Exhibit: E |
|-----------|----------|--|-------------|--|---------|--------|----------------|----------------|-----------|--|----------|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | OSS F | RATES (\$) | | |
| | | Live O'Te Hele and the Development of the Developme | | | UEPPX | UEPP1 | 4.47 | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.17 1.17 | 90.00 90.00 | 90.00 | | | 11.90 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | <u> </u> | UEPPX | UEPLD | 1.17 | 90.00 | 90.00 | | - | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXA | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminal Floter Fords | | | UEPPX | UEPXC | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | |
| | | Capable Port | | | UEPPX | UEPXE | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | |
| | | Administrative Calling Port | | | UEPPX | UEPXL | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | 1 |
| | | Room Calling Port | | | UEPPX | UEPXM | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | 1 | | | | 1 |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | NUMBER PORTABILITY | | | LIEDDY | LNDOD | 0.45 | 0.00 | 0.00 | | | 44.00 | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | 11.90 | | | | |
| | FEATU | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | 11.90 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPPX | UEPVF | 2.20 | 0.00 | 0.00 | | - | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | |
| | | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | OLITA | CONOZ | | 0.40 | 1.01 | | | 11.00 | | | | |
| | | Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | | | 11.90 | | | | |
| | | ONAL NRCs | | | OLI I X | 00/100 | | 0.10 | | | | 11.00 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | |
| | | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | 11.90 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.11 | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.23 | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 33.04 | | | | | | | | | |
| | | pop Rates | | 1 | UEPCO | UEPLX | 12.04 | | | | - | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 12.94 17.06 | | | | - | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 31.87 | | | | | | | | | |
| | | Voice Grade Line Ports (COIN) | - | - | 021 00 | JLI LA | 31.07 | | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | 1 | | | 1 | 1 | | | | <u> </u> | | | | | <u> </u> |
| | | 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | 1 |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | 1 | | 22.20 | 22.30 | | | | | | | |
| | | (FL) | | | UEPCO | UEPFA | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | 1 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | 1 | | | | | | | | | | | | |
| | | (AL, FL) | | | UEPCO | UEPRK | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | l | | | | | | | | | | 1 |
| | | 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | 1 | LIEBOO | LIEBOO | | 00.00 | 00.00 | | | 44.60 | | | | 1 |
| —— | | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCK | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| \vdash | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | - | UEPCO | UEPCK | 1.17 | 90.00 | 90.00 | | - | 11.90 | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | 1 |
| | | ONAL UNE COIN PORT/LOOP (RC) | | | OLFOO | OLFOR | 1.17 | 90.00 | 90.00 | | | 11.90 | | | | |
| | . 100111 | UNE Coin Port/Loop Combo Usage (Flat Rate) | 1 | <u> </u> | UEPCO | URECU | 1.86 | 90.00 | 90.00 | | <u> </u> | 11.90 | | | | <u> </u> |
| - | LOCAL | NUMBER PORTABILITY | | | | | | 55.00 | 22.00 | | | 50 | | | | |
| | | | | | UEPCO | LNPCX | 0.35 | | | | 1 | | | | | |

| CATE GORY NOTES RATE ELEMENTS RAT | UNRI | INDI FI | D NETWORK ELEMENTS - Florida | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|--|----------|---------|---|---------|----------|---------------|----------|-------|--------|-----------|-------------|-------------------|--|---|---|---|--|
| WORKED-CORRIGO COMPANY CONTROL OF CORRESPONDED COMPANY OF CORRESPO | CATE | NOTES | | | Zone | BCS | USOC | | | RATES(\$) | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - |
| NONECLIPRING CHARGES CURRENTLY COMMINED | | | | | | | | Rec | | | | | | | | | |
| Part | | NONDE | CURRING OUADOES, CURRENTI V COMPINED | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Bittle-this Bittle-this UPPCO | | NONRE | | | 1 | | | | | | | _ | 1 | | | | — |
| SAVEN VICE Closed Legs Line PATT Combination - Colorescent UPPCO UDACC 0.102 11.50 1.5 | | | | | | LIEDCO | LISACS | | 0.102 | 0.102 | | | 11 90 | | | | İ |
| Seales with change URPCO USACC 0.102 0.103 1.130 | | | | | | OLI OO | OOAOZ | | 0.102 | 0.102 | | | 11.50 | | | | |
| SWINE VICES CARRY COUCH SUST AND THAT SWINE DID TRUM PORT | | | | | | UEPCO | USACC | | 0.102 | 0.102 | | | 11.90 | | | | l |
| MAILUNDLED FORT COPY COMBINATIONS - COST BASED RATES UPPCO USAGE 0.00 0.00 11:50 1:50 | | ADDITI | IONAL NRCs | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP BUS ONLY - WITH 2-WIRE DOT FUMP FORT | | | | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | 11.90 | | | | |
| NAME Comparison of Comparison | UNBU | | | | | | | | | | | _ | | | | | |
| 2-Win Vol Loop/2-Wile DID Trush For Combo - UNE Zone 1 1 2.32 2 2.82 3 3 4 5 5 5 5 5 5 5 5 5 | | | | PORT | | | | | | | | _ | | - | | | |
| 2-Win Vol Loop/2-Win DID Trunk Perf Cornic - UNE Zone 2 2 9.828 | | | | | 1 | | - | 23 21 | | | | _ | | | | | - |
| 2.WWw Vot Goods Vision Control Live Zono 3 3 46.53 11.00 11. | | 1 | | | | | | | | | | + | | | | | |
| UNE DOR Rates | | 1 | | | | | 1 | | | | | _ | 1 | † | 1 | 1 | |
| 2-Wine Availage Vision Grante Loop - (SL) - VINE Zone 1 | | | | | Ť | | | 12,00 | | | | | 1 | | | | |
| Deep Name Analogy Otoce Grade Loop - (SL2) - UNE Zone S 3 UPPYX UEPD1 37.82 | | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | | | | | | | | | | | | | |
| UEPPX | | | | | | | | | | | | | | | | | |
| Exchange Ports - 2-Wire DID Port UEPPX UEPPX UEPPX USAC1 7.85 1.87 11.00 1.83 1.80 1. | | | | | 3 | UEPPX | UECD1 | 37.82 | | | | | 11.90 | | | 1.83 | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | UNE Po | | | | | <u> </u> | | | | | | | | | | |
| Self-New Solid Confide Loop / 2-Wire DID Trunk Port Combination Self-New Self-Ne | | NONDE | | | | UEPPX | UEPD1 | 8.71 | 850.00 | 75.00 | | | 11.90 | | | 1.83 | |
| Switch-as-is | | NONRE | | | | | | | | | | | | | | | — |
| 2Vive Voice Grade Loop / 2Vive DID Trunk Port Conversion UEPPX USA1C 7.85 1.87 11.90 | | | | | | LIEDDY | LISAC1 | | 7 95 | 1 07 | | | 11.00 | | | | |
| With BellSouth Allowable Changes UEPPX USAC 7.85 1.87 1.90 | | | | | | ULFFX | USACT | | 7.00 | 1.07 | | - | 11.90 | | | | - |
| ADDITIONAL NRCS 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk UEPPX USAS1 32.26 32.26 11.90 11.90 1.83 1.8 | | | | | | UEPPX | USA1C | | 7.85 | 1.87 | | | 11.90 | | | | l |
| Telephone Number/Trunk Group Establisment Charges UEPPX NDT 0.00 0.00 11.00 1.83 | | | | | | 02 | 00/110 | | 7.00 | | | | 11.00 | | | | |
| DID Trunk Termination (One Per Port) | | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 32.26 | 32.26 | | | 11.90 | | | | |
| DID Numbers Castabilish Trunk Group and Provide First Group UEPPX NDZ 0.00 0.00 0.00 0.00 11.90 1.83 | | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | |
| Of 20 DID Numbers UEPPX NDZ 0.00 0.00 0.00 11.90 1.83 | | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | 11.90 | | | 1.83 | |
| Additional DID Numbers for each Group of 20 DID Numbers UEPPX NOB 0.00 0.00 0.00 11.90 1.83 | | | | | | | | | | | | | | | | | |
| DID Numbers, Non- consecutive DID Numbers UEPPX NDS 0.00 0.00 0.00 0.00 11.90 1.83 | | | | | | | | | | | | | | | | | |
| Reserve Non-Consecutive DID numbers | | - | Additional DID Numbers for each Group of 20 DID Numbers | | 1 | | | | | | | _ | | | | | |
| Reserve DID Numbers | | | | | | | | | | | | _ | | | | | |
| LOCAL NUMBER PORTABILITY | | | | | | | | | | | | - | | | | | |
| Local Number Portability (1 per port) | | | | | | J 1 // | | 0.00 | 0.00 | 5.00 | | | 11.50 | 1 | | 1.00 | |
| 2-WIRE ISDN Digital Grade Loop/2W ISDN Digital Line Side Port | | | Local Number Portability (1 per port) | | | | LNPCP | 3.15 | 0.00 | 0.00 | | | 1 | | | | |
| 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 2-WIRE | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | PORT | | | | | | | | | | | | |
| UNE Zone 1 | | UNE Po | | | | | | | | • | | | | | | | |
| 2 W SDN Digital Grade Loop/2W SDN Digital Line Side Port - UNE Zone 2 2 UEPPB UEPPR 38.15 | | | | | | | | | | | | 1 | | | | | 1 |
| UNE Zone 2 | | 1 | | | 1 | UEPPB UEPPR | | 32.09 | | | | | 1 | | ļ | ļ | |
| 2 WISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | | | | _ | HEDDD HEDDS | | 20.45 | | | | 1 | | | | | 1 |
| UNE Zone 3 | | - | | | - 2 | UEPPB UEPPR | 1 | 38.15 | | | | + | | | 1 | 1 | |
| UNE Loop Rates | | | | | વ | LIEPPR LIEPPR | | 59.94 | | | | 1 | | I | | | 1 |
| 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | | | 3 | OLITO OLFFR | 1 | 33.34 | | | | _ | | - | | | |
| 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 30.77 11.90 1.83 | | J L | | | 1 | UEPPB UEPPR | USL2X | 24.71 | | | | | 11.90 | 1 | | 1.83 | |
| 2-Wire ISDN Digital Grade Loop - UNE Zone 3 3 UEPPB UEPPR USL2X 52.56 11.90 1.83 | | 1 | | | 2 | | | | | | | | | | 1 | | |
| Exchange Port - 2-Wire ISDN Line Side Port | | | | | 3 | UEPPB UEPPR | USL2X | 52.56 | | | | | 11.90 | | | 1.83 | |
| NONRÉCURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | • | | | | | | | |
| 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port UEPPB UEPPR USACB | | | | | | UEPPB UEPPR | UEPPB | 7.38 | 525.00 | 400.00 | | | 11.09 | | | 1.83 | |
| Combination - Conversion | | | | | <u> </u> | | 1 | | | | | | 1 | | | | |
| ADDITIONAL NRCs | | | | | 1 | HEDDD HEDDS | LICACE | 0.00 | 05.00 | 17.00 | | 1 | 44.00 | I | | 1.00 | 1 |
| LOCAL NUMBER PORTABILITY UEPPB UEPPR LNPCX 0.35 0.00 0.00 UEPPB | - | | | | 1 | UEPPB UEPPR | USACB | 0.00 | 25.22 | 17.00 | | + | 11.90 | | | 1.83 | |
| Local Number Portability (1 per port) UEPPB UEPPR LNPCX 0.35 0.00 0.00 | | | | | - | | 1 | 1 | | | | + | | | 1 | 1 | |
| | - | LOCAL | | | | LIEPPR LIEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | + | 1 | | - | - | |
| | | B-CHA | | | | JEITE GEITIC | 11 O/ | 0.00 | 0.00 | 0.00 | | _ | | - | | | — |

| UNBL | INDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|--|------------|----------------|----------------|----------------|--|----------|-----------|--|-------|--|-----------------------|--|--|---|--|
| CATE GORY | NOTES | | Interi m | Zone | В | scs | USOC | | | RATES(\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | 0)(0)(000 (DM0/5500) | | | LIEDDD | HEDDD | 1141104 | 0.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CVS/CSD (DMS/5ESS) CVS (EWSD) | | | UEPPB UEPPB | UEPPR UEPPR | U1UCA U1UCB | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | | CSD (EWSD) | | | | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | CMS & | TN) | OLFFB | ULFFR | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ERMINAL PROFILE | I | 1 | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | DEFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | Ĺ |
| | | Interoffice Channel mileage each, including first mile and | | | == | | | | | | | _ | | | | | | i |
| | | facilities termination | <u> </u> | ļ | UEPPB | | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | <u> </u> | 11.90 | | | 1.83 | |
| | | Interoffice Channel mileage each, additional mile | 1 | - | UEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | V-WIDE | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | CPOPT | - | | | 1 | | | | | | | - | | | | |
| | | ort/Loop Combination Rates | TOKI | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | <u> </u> | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPPP | | | 156.18 | | | | | | | | | | i |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 181.87 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | | UEPPP | | | 274.25 | | | | | | | | | | |
| | | oop Rates | | _ <u> </u> | 02 | | | 220 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 73.44 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 99.13 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 191.51 | | | | | | 11.90 | | | 1.83 | |
| | | ort Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 82.74 | 1,150.00 | 1,150.00 | | | | 11.90 | | | 1.83 | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | LIEDDD | | LICACD | 0.00 | 04.47 | C4 20 | | | | 44.00 | | | 4.00 | i |
| | ADDITI | Combination - Conversion -Switch-as-is ONAL NRCs | | | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | | | 1 | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | | Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | | 11.90 | | | 1.83 | i |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | 02 | | | | 0.0112 | | | | | 11.00 | | | 1.00 | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | 11.90 | | | 1.83 | i |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | | Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | <u> </u> |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | I |
| | | Local Number Portability (1 per port) | 1 | - | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | | ACE (Provsioning Only) Voice/Data | <u> </u> | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | 1 | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | - | | | } | 1 | | | |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional "B" Channel | <u> </u> | | J I I | | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| | CALL T | | ļ | <u> </u> | | | DD #C : | | | | | | ļ | | | | | |
| | | Inward | | <u> </u> | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | <u> </u> | 1 | | | | |
| | | Outward Two way | | <u> </u> | UEPPP UEPPP | | PR7C0 PR7CC | 0.00 | 0.00 | 0.00 | | | | - | | | | |
| | | Two-way ice Channel Mileage | | - | UEFFF | | rk/00 | 0.00 | 0.00 | 0.00 | | | | - | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | — |
| | | Each Airline-Fractional Additional Mile | 1 | | UEPPP | | 1LN1B | 0.1856 | 100.04 | 30.47 | 21.7/ | 19.03 | 1 | 11.30 | | | 1.33 | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | 1 | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | <u> </u> | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | | UEPDC | | | 128.39 | | | | | | 11.90 | | | 1.83 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | | 154.08 | | | | | | 11.90 | | | 1.83 | |

| UNBL | INDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|------|--|--|-------------|------|-------------------|------------|--------|-----------------|-----------------|-----------------------|---------------------|--------|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 246.46 | 11130 | Add I | 11130 | Addi | JOINEO | 11.90 | JOWAN | JOINAN | 1.83 | JOMAN |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 73.44 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 99.13 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 191.51 | | | | | | 11.90 | | | 1.83 | I |
| | | ort Rate | | | LIEBBO | | | | | | | | 44.00 | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 54.95 | | | | | | 11.90 | | | 1.83 | |
| | NONKE | CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | - | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | i |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USAWA | | 95.31 | 46.71 | | | - | 11.90 | | | 1.83 | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | 1 |
| | ADDITI | ONAL NRCs | | | OLI DO | OOAWB | | 33.31 | 40.71 | | | | 11.30 | | | 1.00 | — |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | 1 | | | | | | | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | ĺ |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | <u> </u> |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | ĺ |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | 4= 00 | | | | | | | | 4.00 | ĺ |
| | DIDOL | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | BIPOL | AR 8 ZERO SUBSTITUTION B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| | | te Mark Inversion | | | OLI DO | COOLI | | 0.00 | 000.00 | | | | 11.50 | | | 1.00 | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | L |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers, Establish Trunk Group and Provide First Group | | | UEPDC | UDTGZ | 0.00 | | | - | | | 11.90 | | | 1.83 | |
| | 1 | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | i |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | + | | | 11.90 | | | 1.83 | |
| | <u> </u> | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | + | | | 11.90 | | | 1.83 | |
| | 1 | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Dedica | ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS | Trunk Port | | | - | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | ļ | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Ì | | | | | | | | | | | | | | | | |
| | <u> </u> | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | 4 1000 | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | 1 | | | | - | | | | | | | + |
| | System | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | i | | ı | l l | | | | | 1 | l | | | | |

| NBU | NDLE | NETWORK ELEMENTS - Florida | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | A | ttachment: 2 | 1 | Exhibit: |
|------|----------|---|-------------|--|---------------------|--------------|------------------|--------|---------------------------------------|--|---------------------------------------|----------|---|--|--|---|-------------|
| ·ATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | ystem can have up to 24 combinations of rates depending on | type ar | nd num | ber of ports used | | | | | | | | | | | | |
| | UNE DS | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | | UEPMG | USLDC | 73.44 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | UEPMG | USLDC | 99.13 | 0.00 | 0.00 | | | | | | | | - |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 191.51 | 0.00 | 0.00 | | | | | | | | + |
| | | 60 Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 | 15) | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | 48 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | + |
| | | 96 DSO Channel Capacity - 1 per 2 DS1s | | - | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | 1 | 11.90 | | | 1.83 | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | 1 | 1 | 1.83 | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1.180.60 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | 384 DS0 Channel Capacity - 1 per 12 DS1s | | l | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | <u> </u> | 11.90 | | | 1.83 | |
| | | 480 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM40 | 2,361,20 | 0.00 | 0.00 | | | | 11.90 | 1 | 1 | 1.83 | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | 1 | 1.83 | † |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305,68 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | 1 |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chanr | | | | | | | | | | | | | | 1 |
| | | num System configuration is One (1) DS1, One (1) D4 Channel | | | | | | | | | | | | | | | |
| | | es of this configuration functioning as one are considered Ad | | | | | | | | | | | | | | | 1 |
| | | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 96.77 | 4.24 | | | | 11.90 | | | | |
| | System | Additions at End User Locations Where 4-Wire DS1 Loop wit | h Chan | nelizat | ion with Port Combi | nation Curre | ently Exists and | I | | | | | | | | | |
| | | ot Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | | Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | | | | |
| | | 8 Zero Substitution | | | | | | | | | | | 11.90 | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | | te Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | <u> </u> | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| | Exchan | ge Ports | | | | | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 44.00 | | | 4.00 | |
| | | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | | UEPOX | 1.38 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | \vdash | Line Side Outward Channelized PBX Trunk Port - Business | | <u> </u> | UEPPX | UEPUX | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | - | 1.83 | + |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.71 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | + |
| | Footure | Activations - Unbundled Loop Concentration | | | UEPPA | UEPDIVI | 0.71 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.03 | + |
| | reature | Feature (Service) Activation for each Line Side Port Terminated | | - | | | | | | | | 1 | | | | | + |
| | | in D4 Bank | | | UEPPX | 1PQWM | 0.66 | 25.40 | 13.41 | 3.96 | 3.93 | | 11.90 | | | 1.83 | |
| | | Feature (Service) Activation for each Trunk Side Port Terminated | | | OLITA | II QVVIVI | 0.00 | 25.40 | 10.41 | 3.30 | 3.33 | | 11.50 | | | 1.00 | + |
| | | in D4 Bank | | | UEPPX | 1PQWU | 0.66 | 78.16 | 18.42 | 56.03 | 10.95 | | 11.90 | | | 1.83 | |
| | | one Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | 1 |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1 | 1 | † |
| | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | İ | İ | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | İ | İ | İ | 1 |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | 1 | İ | T |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | İ | İ | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | umber Portability | | | | | 5.50 | | 2.30 | | | | | l | | | 1 |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | RES - Vertical and Optional | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|--------------|--------|--|-------------|----------|------------------------|----------------|-------------------|-----------------|------------------|----------------|---------------|--------------|---|----------------|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| LINIDIII | | All Features Available | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| UNBUI | | ORT LOOP COMBINATIONS - MARKET RATES Rates shall apply where BellSouth is not required to provide | unhung | llod lo | al ewitching or ewit | ch norte no | ECC and/or St | ata Cammissia | n rulee | | | | | | | | |
| | | cenarios include: | unbunc | lea io | an switching or swit | Cii porta per | l co ana/or ot | ate Commissio | iii rules. | | | | | | | | 1 |
| | 1. Unb | undled port/loop combinations that are Not Currently Combin | | | | | | | | | | | | | | | |
| | | undled port/loop combinations that are Currently Combined of | | | | | | | | | | | | | | | |
| | | o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | _ | | | • | | | | | | • | | | | | |
| | | th currently is developing the billing capability to mechanica | | | | | | | | | not currently | combined in | AL, FL and | d NC. In the i | nterim where | BellSouth car | not bill |
| | | Rates, BellSouth shall bill the rates in the Cost-Based section | | | | ates and res | erves the right | to true-up the | billing differen | ice. | | | | | ı | 1 | т |
| | | rket Rate for unbundled ports includes all available features i | | | | | | -11 1 1 | | | | Continue On | - B // | | | 0-11- | |
| | | ice and Tandem Switching Usage and Common Transport Us URECU). | age rat | es in ti | ne Port section of the | s rate exnib | it snaii appiy to | ali combinatio | ons of loop/po | rt network eie | ments except | tor UNE Col | n Port/Loop | o Combinatio | ns which have | e a flat rate us | age charge |
| | | Currently Combined scenarios where Market Rates apply, the | o Nonre | currin | charges are listed | in the First s | nd Additional | NPC columns f | or each Port I | ISOC For Cui | rently Combin | ad scanario | e the Nonr | ecurring char | nae ara lietad | in the NPC - | Currently |
| | | ed section. Additional NRCs may apply also and are categor | | | | | ina Additional | tito columnis i | or caon rone c | | Tentry Combin | cu sociiuiio | 3, the Hom | couring ona | ges are noted | in the rate | Carrently |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | J. J. | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 31.27 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 op Rates | | 3 | | | 47.36 | | | | | | | - | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.79 | | | | 1 | | | 1 | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPRX | UEPLX | 17.27 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 33.36 | | | | | | | | | | |
| | | Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | | | UEPRX UEPRX | UEPRC UEPRO | 14.00 14.00 | 90.00 90.00 | 90.00 | | - | | 11.90 11.90 | 1 | | | <u> </u> |
| | | 2-wife voice unburidled port outgoing only - res | | | UEPRA | UEPRU | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | - | | | 1 | | | |
| | FEATU | | | | UEPRA | LINPUX | 0.33 | | | | 1 | | | 1 | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | | | | | - | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | DNAL NRCs | | | OLFKA | USACC | | 41.50 | 41.50 | | | | 11.50 | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | _ | | | 20.70 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.79 31.27 | | | | | 1 | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | | 47.36 | | | | † | | † | <u> </u> | | | |
| | UNE Lo | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.79 | | · · · · · · | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 17.27 | | | | - | ļ | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port (Bus) | | 3 | UEPBX | UEPLX | 33.36 | | | | - | | - | - | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | - | 1 | 11.90 | † | | | 1 |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | 1 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | NUMBER PORTABILITY | | | UEDDY | LUBO | | | | | | | | | | | $ldsymbol{oxed}$ |
| - | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | ! | | | | | | |
| 1 | INONKE | CURRING CHARGES - CURRENTLY COMBINED | 1 | 1 | | l | 1 | | | I | 1 | 1 | 1 | l | 1 | 1 | 1 |

Version 4Q01: 01/31/02 Page 64 of 327

| JNBU | INDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|--------|--|-------------|------|--------|----------|----------------|-----------------|------------------|-------------------------------------|--------|-----------------------|--|--|---|--|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | | | | | | | 11130 | Auu | Tilst Add I | JOINEO | JONIAN | JONIAN | JONIAN | JOHAN | JONIAN |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | | | | | | | | | |
| | | change ONAL NRCs | | | UEPBX | USACC | | 41.50 | 41.50 | | | 11.90 | | | | + |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | + |
| | | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 11.90 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | - | 26.79 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 31.27 47.36 | | | | 1 | 1 | | | | |
| | | pop Rates | | 3 | | - | 41.30 | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.79 | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 17.27 | | | | 1 | | | | | <u>† </u> |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 33.36 | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | | |
| | FEATU | | | | UEDDO | 1155) (5 | | | | | | 44.00 | | | | |
| | NONDE | All Features Offered CURRING CHARGES - CURRENTLY COMBINED | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | 11.90 | | | | + |
| | NONKE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | 11.90 | | | | |
| | | ONAL NRCs | | | OLI NO | OOACC | | 41.50 | 41.50 | | | 11.30 | | | | + |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | |
| | | Group | | | | | | 7.09 | 7.09 | | | 11.90 | | | | 4 |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | + |
| | | ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | - | 26.79 | | | | | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 31.27 | | | | | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 47.36 | | | | | | | | | |
| | UNE Lo | oop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.79 | - | - | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 17.27 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 33.36 | | | | 1 | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | + | | | | | 1 | 1 | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | 1 | 11.90 | 1 | 1 | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | 1 | 11.90 | | | | † |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | 1 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | <u> </u> |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | 11.90 | ļ | ļ | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | 1 | 11.90 | | | | + |
| | | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | İ | 11.90 | | | | |

| UNBL | JNDLEI | O NETWORK ELEMENTS - Florida | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|----------|--|-------------|---------|---------|--------|-------|-----------------|-----------------|-----------------|-----------------|---------|---|--|--|---|--|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring | | 201150 | 001111 | OSSI | RATES (\$) | | SOMAN |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | + | | FIRST | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | ĺ |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | | | | | | | - |
| | FEATU | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | OLI I X | OLI VI | 0.00 | 0.00 | 0.00 | | | | 11.50 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | 1 |
| | | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | AUUITI | ONAL NRCs | | | | + | | | | | | | | | - | - | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | 1 | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | OLI I X | 00/102 | | 0.00 | 0.00 | | | | 11.00 | | | | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 11.90 | | | | İ |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | | | | | 7.09 | 7.09 | | | | 11.90 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates | RT | | | + | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | + | 26.79 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 31.27 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 47.36 | | | | | | | | | | |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPCO | UEPLX | 12.79 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 17.27 | | | | | | | | | | |
| | 0.14/: | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 33.36 | | | | | | | | | | . |
| | 2-wire | Voice Grade Line Port Rates (Coin) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976. 1+DDD (FL) | | | UEPCO | UEP2F | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) | | | UEPCO | UEPFA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | UEPCO | UEPFA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Ì | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | <u> </u> | (AL, FL) | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | 1 |
| | | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | 1 | | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | 1 | ULFCU | LINFUA | 0.35 | | | | | | | | | | |
| | ACITIC | STATE OFFICE SOURCE OF THE POST OF THE POS | | | | 1 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | 1 |
| | | Change | L | L | UEPCO | USACC | | 41.50 | 41.50 | | | <u></u> | | | <u> </u> | <u> </u> | <u> </u> |
| | ADDITI | ONAL NRCs | | | | | | | • | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| UNBU | | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | 0 | | 1 | | | B | | | 1 | | | | | |
| | | Based Rates are applied where BellSouth is required by FCC | | | | | | | | dlad Dart sast' | on of this Date | Cubir: | | | | | ├ |
| | | ures shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | `oin Port/! o | on Combine | ione | | |
| | | onice and Tandem Switching Osage and Common Transport | | | | | | | | | | | | | | | <u></u> |

Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.

For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first and additional Port nonrecurring charges apply to Not Currently

| UNBL | INDLEI | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|--|---------------------|--|--|-----------------|------------------|----------------------|--|---------|-----------|--|--|--|--|
| 0.120 | | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurrin First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | 5. Mari | l ket Rates for Unbundled Centrex Port/Loop Combination will l | be neg | otiated | on an Individual Ca | se Basis, un | til further notice | | Addi | 11130 | Addi | JOHILO | JOHAN | JOWAN | JOWAN | JOWAN | JOMAN |
| | | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | 1 | | 1 | | | | | İ | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | LIEDO4 | | 44.44 | | | | | | | | | | |
| | | Non-Design | | 1 | UEP91 | | 14.11 | | | | - | | | | | | <u> </u> |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | <u> </u> | Non-Design | | 3 | UEP91 | | 33.04 | | | | | | | | | | <u> </u> |
| | LINE D | ort/Loop Combination Rates (Design) | | - | | | | | | 1 | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | | Design | | 1 | UEP91 | | 16.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | 21.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP91 | | 37.85 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | UNE Lo | pop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP91 | UECS1 | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP91 | UECS1 | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 15.36 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 2 | UEP91 | UECS2 | 20.43 | | | | - | - | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 3 | UEP91 | UECS2 | 36.68 | | | | | | | | | | 1 |
| | | 2 1110 10100 01440 E00p (OE 2) 20110 0 | | | OLI 01 | OLOGE | 00.00 | | | | | | | | | | |
| | UNE Po | orts | | | | | | | | | | | | | | | |
| | | es (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYH | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.17 | | | | | | 11.90 | | | | |
| | 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | 021 01 | JL: 12 | 1.17 | | | | <u> </u> | | 11.30 | | | | |
| | | - Basic Local Area | | | UEP91 | UEPY9 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.17 | | | | | | 11.90 | <u></u> | | | |
| | Georgia | a and Florida Only | | | | | | | • | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.17 | Ť | | | | | 11.90 | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | <u> </u> | UEP91 | UEPHB | 1.17 | | | | | | 11.90 | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | - | UEP91 | UEPHH | 1.17 | | | | | - | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPHM | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPHZ | 1.17 | | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.17 | | | | | | 11.90 | | | | |
| | 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 1.17 | | | | | | 11.90 | | | | ļ |
| | Local | Puitobing | | <u> </u> | | | | | | | - | | | | | | |
| | | Switching Centrex Intercom Funtionality, per port | ! | | UEP91 | URECS | 0.7384 | | | 1 | - | | | | | | |
| | 1 | Centrex intercom runtionality, per port | l | <u> </u> | ULFSI | UKEUS | 0.7384 | | | 1 | 1 | L | l | | l | | 1 |

| UNBL | NDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|---------|--|-------------|--|--------|--|--|--------|-----------|--|-------|--|-----------------------|--|--|----------|---|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | umber Portability | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local | Local Number Portability (1 per port) | | ļ | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | OLI 01 | LIVI OO | 0.00 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.26 | | | | | | 11.90 | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.26 | | | | | | 11.90 | | | | |
| | NARS | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.81 | | | | | | | | | | |
| | | fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 25.32 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0091 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | OLI 01 | IVIIODIVI | 0.0001 | | | | | | | | | | 1 |
| | | innel Bank Feature Activations | | | | | | | | | | | | | | | i |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| - | Non De | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Re | Conversion - Currently Combined Switch-As-Is with allowed | | | | | - | | | - | | | | | | | |
| | | changes, per port | | | UEP91 | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | ł |
| | | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | 1 |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | ī |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 71.31 | · · · · · | | | | 11.90 | | | | |
| | LINE 5 | NAR Establishment Charge, Per Occasion | | <u> </u> | UEP91 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | | CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | 2-14116 | 10 200p/2-11/16 10/06 Grade i ort (Gentiex) Gonibo | | l | | | | - | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | 1 | | | | | | | | l – | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 33.04 | | | | | | | | | | |
| | | - | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP95 | | 16.53 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | | 21.60 | | | | | | | | | | |
| | | Design | | 3 | UEP95 | | 37.85 | | | | | | | | | | |
| | UNE L | pop Rate | | | | | | | | | | | | | | | |

| JNBUNDLEI | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|------------|---|-------------|------|----------------|----------------|----------------|--------|-----------|--------------|--------------|--|-----------------------|--|--|---|---|
| CATE NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | | | LIEDA- | 115001 | 10.01 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP95 | UECS1 UECS1 | 12.94 | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 UEP95 | UECS1 | 17.06 31.87 | | | | + | 1 | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECST | 31.87 | | | | + | + | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 15.36 | | | | - | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 20.43 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.68 | | | | | 1 | | | | | |
| | , | | | | | | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| All Stat | tes | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.17 | | | | | | 11.90 | | | | |
| | , LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| FL & G | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 UEP95 | UEPHB UEPHH | 1.17 1.17 | | | | | | 11.90 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP95 | UEPHM | 1.17 | | | | | | 11.90 | | | | |
| | Term | | | UEP95 | UEPHZ | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 1.17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 1.17 | | | | | | 11.90 | | | | |
| | V. 94 - 1 - 9 - 1 | | | | | | | | | | | | | | | |
| Local S | Switching Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | - | - | | | | | |
| | Centrex intercon r untionality, per port | | | OLF 93 | UKLCS | 0.7304 | | | | | 1 | | | | | 1 |
| Local N | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | 1 | | | | | |
| Feature | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.26 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.26 | | | | | | | | | | |
| NARS | | | | | 1 | | | | ļ | 1 | 1 | | ļ | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | ļ | | 11.90 | | | | ļ |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | + | 1 | 11.90 | | 1 | | |
| Miccell | Unbundled Network Access Register - Outdial aneous Terminations | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 1 | + | - | 11.90 | - | 1 | | |
| | Trunk Side | <u> </u> | | | + | + | | | | + | | | <u> </u> | | | |
| 2-11116 | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.81 | | | 1 | + | 1 | | 1 | 1 | | |
| 4-Wire | Digital (1.544 Megabits) | | | | 5250 | 0.01 | | | 1 | + | 1 | | 1 | 1 | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 54.95 | | | 1 | 1 | 1 | | 1 | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.69 | | | 1 | 1 | 11.90 | | İ | | 1 |
| | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0091 | | | | | | | | | | |
| Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |

| JNBL | JNDLE | O NETWORK ELEMENTS - Florida | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|------|---------|--|-------------|----------|----------------|----------------|-------|---------------|--------------|-------|--------------|--|-----------------------|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | 201150 | | | RATES (\$) | 001141 | |
| | D/ Cha | nnel Bank Feature Activations | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SUMAN | SUMAN | SOMAN | SOMAN |
| | D4 Cila | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Todado Ficinación de Pondimor Bank de kiex 2005 des | | | 02.00 | | 0.00 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Peature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | - | | | | | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | ļ | 1 | | | | | ļ |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEBOE | 110400 | 0.00 | 04.50 | 0.40 | | | | 44.00 | | | | |
| | | changes, per port Conversion of Existing Centrex Common Block, each | | | UEP95 UEP95 | USAC2 USACN | 0.00 | 21.50 5.17 | 8.42 8.32 | | | | 11.90 11.90 | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 618.82 | 0.32 | | | | 11.90 | | | | 1 |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 66.48 | | | | 1 | 11.90 | | | | |
| | | <u> </u> | | | | | | | | | | | | | | | |
| | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | LINE D | antil and Combination Retor (Non Resign) | | | | | | | | | | | | | | | 4 |
| | UNE PO | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 33.04 | | | | | | | | | | |
| | LINE D | ant/l and Combination Dates (Design) | | | | | | | | | | | | | | | 1 |
| | UNE PO | ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 16.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 21.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design | | 3 | UEP9D | | 37.85 | | | | | | | | | | |
| | LINE | an Bata | | <u> </u> | | 1 | | | | - | - | | | | | | |
| | | pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.94 | | | | | | | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP9D | UECS1 | 17.06 | | | | † | + | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 3 | UEP9D | UECS1 | 31.87 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 15.36 | | | | | Ì | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 20.43 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 36.68 | | | | | | | | | | |
| | LINIT | and Date | | | | - | | | | - | - | | | | | | |
| | ALL ST | ort Rate | | - | | 1 | | | | - | + | | | 1 | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | - | UEP9D | UEPYA | 1.17 | | | | + | + | 11.90 | | | | |
| | | 2-Wire Voice Grade Fort (Centrex) Basic Local Area Area | | | UEP9D | UEPYB | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.17 | | | | | | 11.90 | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|-------------------|--------|--|-------------|----------|----------------|----------------|--------------|----------------|------------------|-----------------------|-----------------------|----------|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.17 | 11100 | Addi | 11100 | Addi | COMILO | 11.90 | OOMAN | COMPAR | COMPAR | COMPAR |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYF | 1.17 | | | | | | 11.90 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.17 | | | | | | 11.90 | | | | |
| | rL & G | A Only 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1.17 | | | | | | 11.90 | | | | - |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.17 | | | | | | 11.90 | | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 1.17 | | | ļ | | ļ | 11.90 | | | | |
| \longrightarrow | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | - | UEP9D UEP9D | UEPHE UEPHF | 1.17 1.17 | | | | | <u> </u> | 11.90 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | - | UEP9D | UEPHG | 1.17 | | | † | | 1 | 11.90 | | | | + |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | ļ | UEP9D UEP9D | UEPHV UEPH3 | 1.17 1.17 | | | ļ | | | 11.90 11.90 | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|--|----------------|--------|--------------|--------|-----------|-------|---------------|----------|---|--|--|--|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | ng Disconnect | | | | RATES (\$) | | |
| | | | | | LIEBAR | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | LIEDOD | UEPHW | 4.47 | | | | | | 44.00 | | | | |
| | | Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D UEP9D | UEPHV | 1.17 1.17 | | | | - | | 11.90 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/lists Wig Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPHJ | 1.17 | | | | | 1 | 11.90 | | | | |
| | | 2 | | | UEP9D | UEPHM | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.17 | | | | | | 11.90 | | | | |
| | | 2 1110 10100 01000 1 011 (0011101010110101010 | | | 02. 02 | 020 | | | | | | | 11.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | i – | UEP9D | UEPHQ | 1.17 | | | | | | 11.90 | | | 1 | İ |
| | | , | | 1 | | | | İ | | | | | | | | | 1 |
| | <u> </u> | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | L | L | UEP9D | UEPHR | 1.17 | | | | 1 | <u></u> | 11.90 | | <u> </u> | <u> </u> | <u> </u> |
| | | , , | | | | | İ | ĺ | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | <u> </u> | UEP9D | UEPHS | 1.17 | | | | | | 11.90 | | | | |
| | | | l | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.17 | | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.17 | | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.17 | | | | | | 11.90 | | | | |
| | | 2 Mire Veice Crede Best (Control/differ CMC /EBC ME246)2 2 | | | LIEDOD | LIEDUZ | 4.47 | | | | | | 44.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 1.17 | | | | | 1 | 11.90 | | | - | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPHZ | 1.17 | | | | | | 11.90 | | | | |
| | | Term | | | UEP9D | UEPHZ | 1.17 | | | | | 1 | 11.90 | | - | - | 1 |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port Terminated in 6th Wegalink of equivalent | | | UEP9D | UEPH2 | 1.17 | | | | | | 11.90 | | | | |
| | | 2 1110 10100 01440 1 011 101111114104 011 000 0011100 10111 | | | 02. 02 | 022 | | | | | | 1 | 11.00 | | | | |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| | Local N | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | S | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.26 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | | All Centrex Control Features Offered, per port | | <u> </u> | UEP9D | UEPVC | 2.26 | | | | | | | | 1 | | |
| | NARS | | | <u> </u> | LIEBAR | | | | | | | ļ | | | | | ļ |
| | | Unbundled Network Access Register - Combination | <u> </u> | <u> </u> | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | ļ | | <u> </u> | 11.90 | | - | - | ļ |
| | | Unbundled Network Access Register - Inward | l | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | + | | 11.90 | | | | |
| | | Unbundled Network Access Register - Outdial aneous Terminations | ! | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 1 | + | 1 | 11.90 | | | | 1 |
| | | Trunk Side | ! | | | + | - | | | 1 | + | 1 | | | | | 1 |
| | | Trunk Side Trunk Side Terminations, each | 1 | | UEP9D | CEND6 | 8.81 | ł | | | | | | | | | 1 |
| | | Digital (1.544 Megabits) | 1 | | OLI SD | CLINDO | 0.01 | | | | + | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 54.95 | | | | | | | | 1 | 1 | 1 |
| | | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | 1 | 1 | l |
| | | ice Channel Mileage - 2-Wire | | 1 | - | 1 | | | | | | | | | 1 | 1 | l |
| | | Interoffice Channel Facilities Termination | | 1 | UEP9D | MIGBC | 25.32 | İ | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0091 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | ļ | UEP9D | 1PQWS | 0.66 | | | | | | | | 1 | 1 | ļ |
| | | | l | 1 | | | | | | | | | | | 1 | I | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | ı | 1 | UEP9D | 1PQW6 | 0.66 | | | 1 | 1 | 1 | | l | 1 | 1 | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | 1 | | | 1 | 1 | | 1 | 1 | | | | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|----------|---------|---|-------------|----------|----------------|----------------|-------|----------------|-----------|--------------|--------------|--|-----------------------|---|--|----------|---|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| - | | 5 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| <u> </u> | | changes, per port | ļ | <u> </u> | UEP9D | USAC2 | ļ | 21.50 | 8.42 | ļ | | <u> </u> | 11.90 | | ļ | | _ |
| - | | Conversion of existing Centrex Common Block, each New Centrex Standard Common Block | - | - | UEP9D UEP9D | USACN M1ACS | 0.00 | 5.17 618.82 | 8.32 | - | 1 | 1 | 11.90 11.90 | 1 | | | |
| | | New Centrex Standard Common Block | | | UEP9D UEP9D | M1ACC | 0.00 | 618.82 | | | + | | 11.90 | | | | |
| - | | NAR Establishment Charge, Per Occasion | | 1 | UEP9D | URECA | 0.00 | 66.48 | | 1 | † | | 11.90 | | | | |
| | UNE-P | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | OLI 9D | ONLOA | 0.00 | 00.40 | | | + | | 11.30 | | | | 1 |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | , | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9E | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9E | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9E | | 33.04 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9E | | 16.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9E | | 21.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | UEP9E | | 37.85 | | | | | | | | | | |
| | | 2 congr. | | Ť | 02. 02 | | 07.00 | | | | | | | | | | |
| | UNE L | pop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP9E | UECS1 | 12.94 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9E | UECS1 | 17.06 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 31.87 | | | | _ | | <u> </u> | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 15.36 | + | | | + | 1 | <u> </u> | 1 | | | |
| - | 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | UEP9E UEP9E | UECS2 | 20.43 | + | | 1 | + | 1 | 1 | | 1 | | 1 |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | UEP9E | UECS2 | 36.68 | + | | 1 | + | 1 | 1 | † | 1 | | |
| | | | | Ť | | 1 | 22.00 | İ | | İ | 1 | | | 1 | | | |
| | | ort Rate | | | | | | | | | | | | | | | |
| | AL, FL | , KY, LA, MS, & TN only | | | | | | | • | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.17 | | | | 1 | | 11.90 | | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9E | UEPYB | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.17 | | | | | | 11.90 | | | | |
| | Florida | | | | J_1 J_ | JE1 12 | 1.17 | + | | | † | | 11.30 | t | | | |
| | i ionaa | Only | | <u> </u> | | | l | | | 1 | 1 | I | 1 | 1 | l | | |

| UNB | JNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|------|-------------|--|-------------|----------|--------|---------|----------|--------|-----------|--|---|----------|---|--|--------------|----------|--|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | • | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPHH | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPHM | 1.17 | | | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPHZ | 1.17 | | | | | | 11.90 | | | | |
| | | O.W. W. Co. I. Book to a land to the land | | | LIEDOE | LIEDLIO | 4.47 | | | | | | 44.00 | | | | |
| | 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | _ | UEP9E | UEPH9 | 1.17 | | | | | 1 | 11.90 | - | 1 | 1 | |
| | 1 1 4 | 2-Wire Voice Grade Port Terminated on 800 Service Term | 1 | _ | UEP9E | UEPH2 | 1.17 | | | | | 1 | 11.90 | - | 1 | 1 | |
| | Local | Switching | <u> </u> | <u> </u> | LIEDOE | LIDECC | 0.7004 | | | - | 1 | | | 1 | | | ↓ |
| | . | Centrex Intercom Funtionality, per port | <u> </u> | <u> </u> | UEP9E | URECS | 0.7384 | | | - | 1 | | | 1 | | | ├ |
| | Local | Number Portability | | <u> </u> | LIEBAE | 1.1.000 | 0.55 | | | | ļ | 1 | ļ | | | | |
| | | Local Number Portability (1 per port) | <u> </u> | <u> </u> | UEP9E | LNPCC | 0.35 | | | - | 1 | | | 1 | | | ↓ |
| | Feature | | <u> </u> | <u> </u> | LIEDOE | LIED. T | | | | - | 1 | | | 1 | | | ↓ |
| | | All Standard Features Offered, per port | | <u> </u> | UEP9E | UEPVF | 2.26 | 636 | | | ! | | | | - | ļ | _ |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | ļ |
| | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.26 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ļ |
| | | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 80' | In the second se | | | | | | | | | | | | | | | |
| | | laneous Terminations | | _ | | | | | | | | | | | | | |
| | 2-wire | Trunk Side | | - | LIEBOE | OFNIDO | 0.04 | | | | | | | | | | |
| | 4 140 | Trunk Side Terminations, each | | _ | UEP9E | CEND6 | 8.81 | | | | | | | | | | |
| | | Digital (1.544 Megabits) | | | LIEDOE | MALIDA | 54.05 | | | | | | | | | | |
| | - | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | 45.00 | | | | | 44.00 | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| | Interor | fice Channel Mileage - 2-Wire | | - | LIEBOE | 141000 | 05.00 | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | _ | UEP9E | MIGBC | 25.32 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | _ | UEP9E | MIGBM | 0.0091 | | | | | | | | | | |
| | | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | _ | | | | | | | | | | | | | |
| | D4 Cha | annel Bank Feature Activations | | _ | | 100110 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | _ | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | ļ | | <u> </u> | | | | | 1 |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | L | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | <u> </u> | changes, per port | <u> </u> | L | UEP9E | USAC2 | <u> </u> | 21.50 | 8.42 | <u> </u> | <u> </u> | 1 | 11.90 | <u> </u> | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | - | | | | |
| | Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | Note 2 | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | 1 | | 1 | |
|----------|---------|---|----------|----------|------------------------------|-----------------|------------------|-----------------|-----------------|-----------------|-----------------|-------------|---------------|-----------------|--|---------------|--|
| UNBU | NDLEL | NETWORK ELEMENTS - Georgia | | | T | | 1 | | | | | 1 | | Α | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | 5555 | | | ==(+) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonred | | | Disconnect | | | | RATES (\$) | | |
| | | | | <u> </u> | | L | | First | Add'l | First | Add'l | | SOMAN | | | SOMAN | SOMAN |
| | | ne" shown in the sections for stand-alone loops or loops as p | | | | graphically | Deaveraged UN | IE Zones. To v | iew Geograph | ically Deaverag | ged UNE Zone | Designation | ns by Centra | al Office, refe | r to Internet W | lebsite: | |
| OBER | | ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS | connec | tion.ht | m | | 1 | 1 | | 1 | 1 | 1 | | ı | 1 | 1 | |
| OPERA | HONAL | SUFFORT STSTEMS | | | | | | | | | | | | | 1 | | |
| | NOTE: / | 1) Electronic Service Order: CLEC should contact its contract | ot nogot | istor i | it profess the state (| nacific aloc | ronic corvice o | rdoring charge | se se ordorod k | w the State Co | mmissions T | ho oloctron | io corvico o | rdorina chara | o currently co | ntained in th | ic rato |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | is rate |
| | | Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | ly For |
| | | lements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| | | g charge, SOMAN, will be applied to a CLECs bill when it sub | | | | in tins cate | gory reflects th | e charge that v | vould be billed | i to a CLLC on | ce electronic c | ruering cap | Jabilities CO | ine on-ine io | i tilat element | . Otherwise, | the manual |
| 1 | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | | l | | SOMEC | | 3.50 | | | | | | | | | |
| UNBU | DLED E | XCHANGE ACCESS LOOP | | | _ | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 14.21 | 42.54 | 31.33 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 16.41 | 42.54 | 31.33 | | | | | 18.94 | 8.42 | | $oxed{oxed}$ |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.08 | 42.54 | 31.33 | | | | | 18.94 | 8.42 | | |
| - | | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | - | 78.92 23.33 | 78.92 23.33 | | | | | 18.94 18.94 | 8.42 8.42 | | |
| | | Engineering Information Document (EI) | | | UEANL | UKETA | | 28.72 | 23.33 | | | | - | 18.94 | 8.42 | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 16.11 | 16.11 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | OL7114E | OL7 WIO | | 10.11 | 10.11 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 35.74 | 35.74 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | ı | 1 | UEQ | UEQ2X | 11.02 | 44.69 | 22.40 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | ı | | UEQ | UEQ2X | 12.72 | 44.69 | 22.40 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | I | 3 | UEQ | UEQ2X | 20.22 | 44.69 | 22.40 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | 1150 | 1100110 | | 40.44 | 10.11 | | | | | 40.04 | 0.40 | | |
| - | | Designed (per loop) Engineering Information Document | | | UEQ UEQ | USBMC | | 16.11 28.72 | 16.11 28.72 | | | | | 18.94 18.94 | 8.42 8.42 | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 18.94 | 8.42 | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | 18.94 | 8.42 | | |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | op Rates for Line Splitting (In Ga. PSC ordered the line spli | | | | | | PLX) | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | - ! | | UEPSR, UEPSB | UEALS, | 10.80 | | | | | | | | ļ | | igsquare |
| <u> </u> | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | - | 1 | UEPSR, UEPSB | UEABS | 10.83 | | | | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | <u> </u> | | UEPSR, UEPSB UEPSR, UEPSB | UEALS, UEABS | 12.47 12.47 | | | | | | - | | | | |
| - | | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3 | - | | UEPSR, UEPSB | UEALS | 19.83 | | | | | | | | + | | |
| | | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | i i | | UEPSR, UEPSB | UEABS | 19.83 | | | | | | | | - | | |
| UNBU | | XCHANGE ACCESS LOOP | | <u> </u> | - , | | | | | | | | | | 1 | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 42.05 | 21.98 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | 40.04 | 404.47 | 70.40 | | | | | 40.04 | 0.40 | | |
| - | | Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 1 | UEA | UEAL2 | 16.84 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 2-wire Analog voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 19.45 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | 1 | | OLA | ULALZ | 19.45 | 104.17 | 70.10 | | | | - | 10.94 | 0.42 | | |
| | | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30.92 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UEA | OCOSL | 22.02 | 35.74 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.84 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 19.45 | 104.17 | 78.10 | | | | | 18.94 | 8.42 | | ļl |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | LIEADO | | | | | | | | | | | |
| | | Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | 1 | 3 | UEA UEA | UEAR2 OCOSL | 30.92 | 104.17 35.74 | 78.10 | | | | 1 | 18.94 | 8.42 | | |
| Ь | L | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | ! | IOLA | UUUSL | I | 35.74 | | | | i | I | l | I | | <u> </u> |

Version 4Q01: 01/31/02 Page 75 of 327

| | | | | | | | | | | | | | | | | | 1 | |
|------|-------|---|-------------|------|-----|-----|----------------|-------|----------------|-----------|--------------|------------|-------|---|--|--|----------|---|
| UNBU | NDLEC | NETWORK ELEMENTS - Georgia | | | | | 1 | | | | | | 1 | 1 | Α | ttachment: 2 | | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Rec | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | Ī | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | | UREWO | | 104.17 | 38.21 | | | | | 18.94 | 8.42 | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) ISDN DIGITAL GRADE LOOP | | | UEA | | OCOSL | | 35.74 | | | | | | | | | ├ |
| - | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | | U1L2X | 21.89 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | | U1L2X | 25.27 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN | | U1L2X | 40.17 | 233.38 | 180.35 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | _ | UDN | | OCOSL | | 35.74 | | | | | | | **** | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | | UREWO | | 120.98 | 33.04 | | | | | 18.94 | 8.42 | | |
| | | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | I | 1 | UDC | | UDC2X | 21.89 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | I | 2 | UDC | | UDC2X | 25.27 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | I | 3 | UDC | | UDC2X | 40.17 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOF | , | | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | | UAL2X | 11.23 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry | | 2 | UAL | | UAL2X | 12.97 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Arrive Original ADSL Loop including manual service inquiry A facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | | UAL2X OCOSL | 20.62 | 44.69 35.74 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | | OCOSL | | 35.74 | | | | | | | | | |
| | | acility reservaton - Zone 1 Wire Unbundled ADSL Loop without manual service inquiry & | I | 1 | UAL | | UAL2W | 11.23 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | ŀ | acility reservaton - Zone 2 Wire Unbundled ADSL Loop without manual service inquiry & | 1 | 2 | UAL | | UAL2W | 12.97 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | · | acility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | I | 3 | UAL | | UAL2W OCOSL | 20.62 | 44.69 35.74 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | <u> </u> |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | | UREWO | | 44.69 | 29.29 | | | | | 18.94 | 8.42 | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | OOP | T - | | 1 | | 20 | | | | | | | 1 | Ì | |
| | | Wire Unbundled HDSL Loop including manual service inquiry a facility reservation - Zone 1 | | 1 | UHL | | UHL2X | 7.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | | UHL2X | 9.09 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry A facility reservation - Zone 3 | | 3 | UHL | | UHL2X | 14.46 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | | OCOSL | | 35.74 | | | | | | | | | - |
| | | and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry | ı | 1 | UHL | | UHL2W | 7.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | I | 2 | UHL | | UHL2W | 9.09 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| - | | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | ı | 3 | UHL | | UHL2W OCOSL | 14.46 | 44.69 35.74 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | | UREWO | | 44.69 | 31.55 | | | | | 18.94 | 8.42 | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | OOP | | | | | | | | - | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 | ı | 1 | UHL | | UHL4X | 10.39 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | | UHL4X | 12.00 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |

| UNRU | NDI FI | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|------|---------|---|-------------|----------|------------|----------------|--|------------------|------------------|--|-------|-------|---|--|---|---|--|
| CATE | NOTES | _ | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | and facility reservation - Zone 3 | l . | 3 | UHL | UHL4X | 19.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | · · | | UHL | OCOSL | 10.07 | 35.74 | 01.00 | 20.00 | 7.00 | | | 10.54 | 0.42 | | 1 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | 01.12 | 00002 | 1 | 55 1 | | | | | | İ | | | |
| | | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL4W | 10.39 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL4W | 12.00 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 19.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | <u> </u> | | UHL UHL | OCOSL UREWO | | 35.74 44.69 | 31.55 | <u> </u> | | 1 | - | 18.94 | 8.42 | | |
| | | DS1 DIGITAL LOOP | | | OI IL | UKEWU | | 44.09 | 31.05 | | | - | - | 18.94 | 8.42 | 1 | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | 1 | 1 | USL | USLXX | 55.53 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | | USLXX | 64.13 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | | USLXX | 101.93 | 429.98 | 268.18 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 35.74 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.04 | 39.98 | | | | | 18.94 | 8.42 | | |
| | | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL UDL | UDL19 UDL19 | 29.74 47.27 | 348.55 348.55 | 241.20 241.20 | - | | 1 | | 18.94 18.94 | 8.42 8.42 | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL19 | 25.75 | 348.55 | 241.20 | | | | - | 18.94 | 8.42 | | - |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | _ | UDL | OCOSL | | 35.74 | | | | | | | <u> </u> | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 25.75 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 29.74 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 47.27 | 348.55 | 241.20 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| | 2 W/IDE | CLEC to CLEC Conversion Charge without outside dispatc h Unbundled COPPER LOOP | | | UDL | UREWO | - | 131.46 | 38.62 | - | | 1 | | 18.94 | 8.42 | | <u> </u> |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | | | - | | | | | | | - | | | | - |
| | | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | <u> </u> | OOL | OOLI B | 12.02 | 44.03 | 31.33 | 25.05 | 7.00 | | | 10.54 | 0.42 | | † |
| | | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | ١. | 1 | UCL | UCLPW | 12.02 | 44.69 | 04.55 | 05.05 | 7.06 | | | 18.94 | 8.42 | | |
| | | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short without manual service | | 1 | UCL | UCLPW | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | ļ |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | <u> </u> | | OOL | OOL! W | 10.00 | 44.00 | 01.00 | 20.00 | 7.00 | | | 10.54 | 0.42 | | |
| | | inquiry and facility reservation - Zone 3 | l i | 3 | UCL | UCLPW | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | ļ | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | l | _ | | | | | | | _ : | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | 1 | | 18.94 | 8.42 | - | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | l | 3 | UCL | UCL2L | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | 3 | UCL | UCLMC | 05.28 | 16.11 | 16.11 | 20.00 | 7.06 | | | 10.94 | 0.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | 1 | 1 | | JOLIVIO | | 10.11 | 10.71 | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCL2W | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | l | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |

| CATE GORY Order Coord CLEC to CLI (UCL-Des) CLEC to CLI (UCL-Nos) A-WIRE COPPER Le 4-Wire Copp and facility r 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Unbuniquiry and in the complete of the cord facility reser 4-Wire Unbuniquiry and in the complete of the cord facility reser Order Coord 4-Wire Unbuniquiry and in the cord of the cord facility reser Order Coord 4-Wire Unbuniquiry and in the cord of t | WORK ELEMENTS - Georgia RATE ELEMENTS | Interi | | | | | | | | | | | | tachment: 2 | | Exhibit: B |
|--|---|----------------|----------|----------------------|-----------|----------|-----------|-----------|--------------|-------|---|-------|-------------------------------------|--|---|---|
| CLEC to CLI (UCL-Des) CLEC to CLI (UCL-ND) 4-WIRE COPPER L' 4-Wire Copp and facility r 4-Wire Copp and facility r Order Coord 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Unbuinquiry and to the coord | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| CLEC to CLI (UCL-Des) CLEC to CLI (UCL-ND) 4-WIRE COPPER LI 4-Wire Copper and facility record and facility record and facility record and facility record and facility record and facility record and facility record and facility record and facility record and facility reserd and facility reserd and facility reserd and facility reserd and facility reserd acility r | | | | | | Rec | Nonrec | | Nonrecurring | | | | | ATES (\$) | | |
| CLEC to CLI (UCL-Des) CLEC to CLI (UCL-ND) 4-WIRE COPPER LI 4-Wire Copper and facility record and facility record and facility record and facility record and facility record and facility record and facility record and facility record and facility record and facility reserd and facility reserd and facility reserd and facility reserd and facility reserd acility r | | | | | | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| (UCL-Des) CLEC to CLI (UCL-ND) 4-WIRE COPPER LO 4-Wire Copper and facility reservation of the coperat | Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| (UCL-ND) 4-WIRE COPPER LI 4-Wire Copper and facility recogning and facility reservation and fa | | 1 | | UCL | UREWO | | 44.69 | 31.36 | | | | | 18.94 | 8.42 | | |
| 4-WIRE COPPER LO 4-Wire COPPER LO 4-Wire Copper and facility reservations of the copper and facility reservations of the copper and facility reservations of the copper acceptance of the copper a | o CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| 4-Wire Coppand facility r 4-Wire Coppand facility r 4-Wire Coppand facility r 4-Wire Coppand facility r Order Coord 4-Wire Coppfacility reser 4-Wire Coppfacility reser 4-Wire Coppfacility reser 4-Wire Coppfacility reser 4-Wire Coppfacility reser 4-Wire Coppfacility reser 4-Wire Unbuniquity and 1 | | - 1 | | UEQ | UREWO | | 44.69 | 21.98 | | | | | 18.94 | 8.42 | | |
| and facility r 4-Wire Copp and facility r 4-Wire Copp and facility r Order Coord 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i Corder Coord 4-Wire Unbuinquiry and i 4-Wire Unbuinqu | | | | | | | | | | | | | | | | |
| 4-Wire Copp and facility r 4-Wire Copp and facility r Order Coord 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser Gorder Coord 4-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d Order Coord 4-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d Gorder Coord 1-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d 4-Wire Unbuinquiry and d 1-Wire Unbu | Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| and facility r 4-Wire Copp and facility resore 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Unbuniquiry and to 4-Wire Unbuniquiry and to 4-Wire Unbuniquiry and to 4-Wire Unbuniquiry and to Order Coord 4-Wire Unbuniquiry and to 4-Wire Unbuniquiry and to Create Coord 1-Wire Unbuniquiry and to 1-Wire Unbuniquiry | ility reservation - Zone 1 | | 1 | UCL | UCL4S | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| 4-Wire Coppand facility reser 4-Wire Coppfacility reser 4-Wire Coppfacility reser 4-Wire Coppfacility reser 5-Wire Coppfacility reser 6-Wire Coppfacility reser 6-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbuniquiry and 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Unbundled 1-Wire Wire Unbundled 1-Wire Wire Wire Wire Wire Wire Wire Wire | Copper Loop/Short - including manual service inquiry | | _ | | | | | | | | | | | | | |
| and facility r Order Coord 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser Gorder Coord 4-Wire Unbu inquiry and i 4 | ility reservation - Zone 2 | | 2 | UCL | UCL4S | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| Order Coord 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser Order Coord 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i Order Coord 1-Wire Unbu inquiry and i Order Coord CLEC to CL LOOP MODIFICATION Unbundled i greater than Unbundled less than or Unbundled i less than or Unbundled of pair greater Unbundled of | Copper Loop/Short - including manual service inquiry | | 2 | LICI | 1101.40 | 20.07 | 44.00 | 04.55 | 05.05 | 7.00 | | | 40.04 | 0.40 | | |
| 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Corder Coord 1-Wire Unbu inquiry and i Unbundled i greater than Unbundled i less than or Unbundled i pair greater Unbundled i | cility reservation - Zone 3 | 1 | | UCL | UCL4S | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| facility reser 4-Wire Copp facility reser 4-Wire Copp facility reser Order Coord 4-Wire Unbu inquiry and of 4-Wire Unbu inquiry and of 4-Wire Unbu inquiry and of 4-Wire Unbu inquiry and of 4-Wire Unbu inquiry and of 4-Wire Unbu inquiry and of 4-Wire Unbu inquiry and of 0-Order Coord 4-Wire Unbu inquiry and of 0-Order Coord CLEC to CLI LOOP MODIFICATION Unbundled of greater than Unbundled of less than or Unbundled of pair greater Unbundled | Coordination for Unbundled Copper Loops (per loop) | + | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| 4-Wire Copp facility reser 4-Wire Cop facility reser Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 0-Wire Unbu inquiry and i 1-Wire Unbu inquiry and i 0-Wire Unbu inquiry and i 0-Wire Unbu inquiry and i 1-Wire Unbu inquiry and i 0-Wire | Copper Loop/Short - without manual service inquiry and | 1 . | 1 | UCL | UCL4W | 12.02 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| facility reser 4-Wire Copp facility reser Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Order Coord CLEC to CLI LOOP MODIFICATION Unbundled i greater than Unbundled i less than or Unbundled i pair greater Unbundled of | Copper Loop/Short - without manual service inquiry and | + '- | | UCL | UCL4VV | 12.02 | 44.09 | 31.55 | ∠ე.05 | 7.06 | | | 10.94 | 0.42 | | + |
| 4-Wire Copp facility reser Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Corder Coord CLEC to CLI LOOP MODIFICATION Unbundled I greater than Unbundled I less than or Unbundled I pair greater Unbundled I | reservation - Zone 2 | | 2 | UCL | UCL4W | 13.88 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| facility reser Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Order Coord 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i 4-Wire Unbu inquiry and i Corder Coord CLEC to CLI LOOP MODIFICATION Unbundled i greater than Unbundled less than or Unbundled less than or Unbundled i pair greater Unbundled I | Copper Loop/Short - without manual service inquiry and | + - | | OOL | OCLAVV | 13.00 | 44.03 | 31.33 | 25.05 | 7.00 | | | 10.54 | 0.42 | | |
| Order Coord 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i Order Coord 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i Order Coord CLEC to CLI LOOP MODIFICATION Unbundled i greater than Unbundled i less than or Unbundled i pair greater Unbundled i | reservation - Zone 3 | 1 | 3 | UCL | UCL4W | 22.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| 4-Wire Unbundled | Coordination for Unbundled Copper Loops (per loop) | ' ' | | UCL | UCLMC | 22.01 | 16.11 | 16.11 | 20.00 | 7.00 | | | 10.04 | 0.42 | | |
| inquiry and in 4-Wire Unbundled less than or Unbundled less than or Unbundled lepair greater Unbundled of 4-Wire Unbundled lepair greater Unbundled of 4-Wire Unbundled lepair greater Unbundled lep | Unbundled Copper Loop/Long - includes manual svc. | | | 002 | CCLING | | | | | | | | | | | |
| 4-Wire Unbundled less than or Unbundled less | and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| inquiry and i 4-Wrier Unbu- inquiry and i Order Coord 4-Wrier Unbu- inquiry and i 4-Wrier Unbu- inquiry and i 4-Wrier Unbu- inquiry and i Order Coord CLEC to CLI LOOP MODIFICATION Unbundled i greater than Unbundled i less than or Unbundled i pair greater Unbundled i | Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| 4-Wire Unbundied | and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| Order Coord 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i Order Coord CLEC to CLI LOOP MODIFICATION Unbundled i greater than Unbundled i less than or Unbundled i pair greater Unbundled i | Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| 4-Wire Unbundled | and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| inquiry and inquir | Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 16.11 | 16.11 | | | | | | | | |
| 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i 4-Wire Unbuinquiry and i Order Coord CLEC to CLI LOOP MODIFICATION Unbundled i pair less tha Unbundled i greater than Unbundled i less than or Unbundled i pair greater Unbundled i | Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| inquiry and inquir | and facility reservation - Zone 1 | I | 1 | UCL | UCL4O | 35.56 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| 4-Wire Unbuinquiry and diplomation of the coordinate of the coordi | Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| inquiry and inquiry and inquiry and inquiry and inquiry and inquired inquir | and facility reservation - Zone 2 | I | 2 | UCL | UCL4O | 41.07 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| Order Coord CLEC to CLI LOOP MODIFICATION Unbundled I pair less tha Unbundled I greater than Unbundled I less than or Unbundled I pair greater Unbundled I | Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| CLEC to CLI LOOP MODIFICATION Unbundled I pair less tha Unbundled I greater than Unbundled I less than or Unbundled I pair greater Unbundled I | and facility reservation - Zone 3 | <u> </u> | | UCL | UCL40 | 65.28 | 44.69 | 31.55 | 25.65 | 7.06 | | | 18.94 | 8.42 | | |
| LOOP MODIFICATION Unbundled pair less tha Unbundled greater than Unbundled less than or Unbundled pair greater Unbundled pair greater Unbundled | Coordination for Unbundled Copper Loops (per loop) | <u> </u> | | UCL | UCLMC | | 16.11 | 16.11 | | | | | 40.04 | 0.40 | | |
| Unbundled pair less tha Unbundled greater than Unbundled less than or Unbundled pair greater Unbundled Unbundled Dair greater Unbundled Un | o CLEC conversion Charge without outside dispatch | + - | | UCL | UREWO | | 44.69 | 31.36 | | | | | 18.94 | 8.42 | | - |
| pair less tha Unbundled I greater than Unbundled I less than or Unbundled I pair greater Unbundled I | dled Loop Modification, Removal of Load Coils - 2 Wire | 1 | | | | | | | | | | | | | | |
| Unbundled greater than Unbundled less than or Unbundled pair greater Unbundled less than or | s than or equal to 18k ft | | | UAL, UHL, UCL, UEC | II II MOI | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| greater than Unbundled I less than or Unbundled I pair greater Unbundled | dled Loop Modification, Removal of Load Coils - 2 wire | +-'- | | UAL, UI IL, UUL, UEC | *ULIVIZL | + | 0.00 | 0.00 | | | | | 10.94 | 0.42 | | |
| Unbundled less than or Unbundled pair greater Unbundled | | 1 | | UCL, ULS | ULM2G | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| less than or Unbundled pair greater Unbundled | dled Loop Modification Removal of Load Coils - 4 Wire | <u> </u> | | , 0-0 | | | 0.00 | 0.00 | | | | | 10.54 | 0.42 | | 1 |
| Unbundled I pair greater Unbundled I | an or equal to 18K ft | 1 | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| pair greater Unbundled | dled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | eater than 18k ft | 1 | | UCL | ULM4G | | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | dled Loop Modification Removal of Bridged Tap Removal, | | | | | | | | ĺ | | | | | | | |
| | oundled loop | <u></u> ı | | UAL, UHL, UCL, UEC | ULMBT | <u> </u> | 0.00 | 0.00 | <u> </u> | | | | 18.94 | 8.42 | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Loop Distribut | | | | | | | | | | | | | | | | |
| | op - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | \exists | | | | | | | | | |
| Up | | | | UEANL | USBSA | | 421.08 | 421.08 | | | | | 18.94 | 8.42 | | |
| | Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara Burgara | 1 . | | | HODOS | | | | | | | | | | | |
| | op - Per Cross Box Location - Per 25 Pair Panel Set-Up | | _ | UEANL | USBSB | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | op - Per Building Equipment Room - CLEC Feeder | | | LIEANI | LICECO | | 20474 | 204.74 | | | | | 40.04 | 0.40 | | |
| Facility Set- | op - Per Building Equipment Room - Per 25 Pair Panel | 1 | | UEANL | USBSC | - | 394.74 | 394.74 | | | | | 18.94 | 8.42 | | |
| Set-Up | | 1 | | UEANL | USBSD | | 154.57 | 154.57 | | | | | 18.94 | 8.42 | | |
| | | + | | OL/ WIL | 00000 | + | 154.57 | 104.07 | | | | | 10.94 | 0.42 | | |
| and Spare L | dled Sub-Loops, Riser Cable, 2-Wire per Loop, Working | 1 | 1 | UEANL | USBRC | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |

| UNRU | NDI FI | O NETWORK ELEMENTS - Georgia | 1 | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|----------|--------|---|-------------|------|-------------------|----------------|--------------|-----------------|----------------|----------------|---------------|-------|---|--|---|---|-------------------------|
| CATE | NOTES | _ | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | OSS F | RATES (\$) | | |
| - | | Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | and Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | UEANL | USBRD | 2.74 | 4.96 | 4.96 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | | Statewide | | sw | UEANL | USBN2 | 9.12 | 207.01 | 171.32 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | | Statewide | | SW | UEANL | USBN4 | 8.32 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 1.37 | 2.48 | 41.59 | 115.85 | 19.17 | | | 18.94 | 8.42 | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT) | | | UEANL | USBRC | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) - | | | 115 4411 | HODDD | 0.74 | 4.00 | 4.00 | 4.74 | 4.74 | | | 40.04 | 0.40 | | |
| | | Intermediary Access Terminal (IAT) Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL UEANL | USBRD USBR4 | 2.74 2.96 | 4.96 176.46 | 4.96 55.11 | 1.74 122.17 | 1.74 19.57 | | | 18.94 18.94 | 8.42 8.42 | | |
| | | | | | | 1100140 | | 04.00 | 04.00 | | | | | | | | |
| - | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEANL UEF | USBMC UCS2X | 5.54 | 34.22 175.16 | 34.22 55.50 | 108.86 | 24.53 | | | 18.84 | 8.42 | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | 1 | 3 | UEF | UCS2X | 5.54 | 175.16 | 55.50 | 108.86 | 24.53 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.22 | 34.22 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ı | 1 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - | 2 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS4X | 6.89 | 219.35 | 72.99 | 123.72 | 28.77 | | | 18.94 | 8.42 | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.22 | 34.22 | | | | | | | | ļ |
| | | dled Network Terminating Wire (UNTW) | | | UENTW | UENPP | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID) | | | UENTW | UENPP | 1.37 | 2.48 | 2.48 | 1.74 | 1.74 | | | 18.94 | 8.42 | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 86.37 | 56.69 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device (NID) - 1-6 lines | 1 | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device Cross Connect - 2 W | ı | | UENTW | UNDC2 | | 6.15 | 6.15 | | | | | 18.94 | 8.42 | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 6.15 | 6.15 | | | | | | | | |
| SUB-LO | | | | | | | | | | | | | | | | | |
| | Sub-Lo | op Feeder USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | | | | | | | | | | | | | <u> </u> |
| | | USL Feeder - DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, UDN,UCL,UDL | USBFW | | 421.08 | | | | | | 18.94 | 8.42 | | |
| | | set-up | <u> </u> | | UEA, UDN,UCL,UDL, | USBFX | | 67.10 | 67.10 | | | | | 18.94 | 8.42 | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 521.57 | 11.30 | | | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide | | sw | UEA | USBFA | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide | | SW | UEA | USBFB | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| <u> </u> | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 35.74 | | ļ | | ļ | | | | | ļ |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide | | sw | UEA | USBFC | 8.58 | 206.44 | 170.05 | | | | | 18.94 | 8.42 | | |
| <u> </u> | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 35.74 | | | | ļ | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide | | SW | UEA | USBFD | 19.91 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | ļ |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide | | sw | UEA | USBFE | 19.91 | 243.41 | 81.32 | 134.77 | 33.93 | | | 18.94 | 8.42 | | |

| | | | | | | | | | | | | | | _ | | 1 | |
|--------------|-------|--|--|----------|----------------|----------------|--------------------|--------------------|------------------|------------------|----------------|--|---|----------------|--|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Georgia | <u> </u> | | 1 | 1 | 1 | | | | | | 1 | Α | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 35.74 | | | | | | | | | <u> </u> |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - | | | UDN | USBFF | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 18.94 | 8.42 | | 1 ' |
| | | Statewide Order Coordination For Specified Conversion Time, Per LSR | | SW | UDN | OCOSL | 17.73 | 35.74 | 62.31 | 119.68 | 29.58 | | | 18.94 | 8.42 | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | SW | UDC | USBFS | 17.73 | 208.50 | 62.31 | 119.68 | 29.58 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | SW | USL | USBFG | 79.30 | 203.69 | 128.76 | 124.09 | 34.80 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 35.74 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - | | | | | | | | | | | | | | | 1 |
| | | Statewide | ! | SW | UCL | USBFH | 7.22 | 195.38 | 63.15 | 119.68 | 29.58 | | | 18.94 | 8.42 | | ' |
| - | | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide | | SW | UCL UCL | OCOSL USBFJ | 13.72 | 35.74 243.41 | 81.32 | 134.77 | 33.93 | - | | 18.94 | 8.42 | | |
| - | | Order Coordination For Specified Conversion Time, per LSR | 1 | 5W | UCL | OCOSL | 13.72 | 35.74 | 81.32 | 134.77 | 33.93 | - | | 18.94 | 8.42 | | \vdash |
| - | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | 1 | SW | UDL | USBFN | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | 19199 |
| | | Statewide | <u> </u> | sw | UDL | USBFO | 24.50 | 243.41 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 35.74 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Statewide | | SW | UDL UDL | USBFP OCOSL | 24.50 | 243.41 35.74 | 81.32 | 134.77 | 33.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| SUB-L | | Order Coordination For Specified Conversion Time, per LSR | 1 | | UDL | UCUSL | | 35.74 | | | | | | | | | $\vdash \vdash \vdash$ |
| 30B-L | | op Feeder | | | | | | | | | | | | | | | \vdash |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 12.80 | | | | | | | | | | \vdash |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 329.94 | 3,380.00 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 12.80 | | | | | | | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 372.78 | 3,380.00 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | ' |
| | | Sub Loop Feeder – OC-3 – Per Mile Per Month | | | UDLO3 | 1L5SL | 9.71 | | | | | | | | | | <u> </u> |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | | | UDLO3 | USBF5 | 57.79 | | | | | | | | | | 1 ' |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | 1 | | UDLO3 | USBF2 | 524.13 | 3.380.00 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | $\vdash \vdash \vdash$ |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 11.95 | 3,300.00 | 400.50 | 103.01 | 32.73 | | | 10.54 | 0.42 | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | | | UDL12 | USBF6 | 519.09 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,570.00 | 3,380.00 | 406.50 | 163.61 | 92.75 | | | 18.94 | 8.42 | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 39.20 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | 1 | | | | I T | | | | | | | | | | 1 |
| <u> </u> | | Month Sub-Loop Fooder, OC 49, Fooility Termination Per Month | | <u> </u> | UDL48 | USBF9 | 259.99 | 3 500 00 | 400 50 | 400.01 | 00.75 | | | 40.04 | 0.40 | | ├ |
| \vdash | | Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48 | | <u> </u> | UDL48 UDL48 | USBF4 USBF8 | 1,505.00 323.43 | 3,566.00 787.13 | 406.50 406.50 | 163.61 163.61 | 92.75 92.75 | | | 18.94 18.94 | 8.42 8.42 | | |
| UNBUN | | OOP CONCENTRATION | 1 | l - | 55L40 | 00010 | 323.43 | 707.13 | 400.30 | 103.01 | 92.75 | | | 10.94 | 0.42 | | |
| 5201 | | Unbundled Loop Concentration - System A (TR008) | 1 | | ULC | UCT8A | 441.42 | 650.81 | 650.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 52.97 | 271.17 | 271.17 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 478.93 | 650.81 | 650.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| <u> </u> | | Unbundled Loop Concentration - System B (TR303) | ļ | | ULC | UCT3B | 89.26 | 271.17 | 271.17 | 20.5- | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| - | | Unbundled Loop Concentration - DS1 Loop Interface Card | 1 | | ULC | UCTCO | 5.04 | 126.57 | 92.14 | 33.57 | 9.40 | - | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.89 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 1 [| Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | 04.67 | 00.00 | 10.70 | 40 =: | | | 40.00 | 40.00 | 40.00 | 40.00 |
| - | | (Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card | | <u> </u> | UEA ULC | ULCC4 UCTTC | 7.09 34.67 | 21.07 21.07 | 20.96 20.96 | 10.78 10.78 | 10.71 10.71 | | | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 |
| - | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | OLO | 00110 | 34.07 | 21.07 | 20.90 | 10.76 | 10.71 | | | 15.99 | 15.99 | 19.99 | 15.99 |
| | | Interface | | | UDL | ULCC7 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |

| UNBU | NDLE | O NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|--|--------------|---|-------------|----------|-------------------|----------------|----------------|-----------------|------------------|-----------------------|-----------------------|----------|---|--|--|---|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | COMILO | COMPAR | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.51 | 21.07 | 20.96 | 10.78 | 10.71 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| LINE OF | | DOMOGRAPHO ONLY NO DATE | | | | | | | | | | | | | | | |
| UNE OI | | ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | - |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | - | - | | | | + |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | | | | | | | - | - | | | | + |
| LINE OT | | ROVISIONING ONLY - NO RATE | | | OLANL,OLI ,OLQ,OL | UNLCIN | | | | | | | | | | | + |
| 5.12 51 | <u>.</u> , г | Unbundled Contact Name, Provisioning Only - no rate | | † | UAL,UCL,UDC,UDL,U | UNECN | 0.00 | 0.00 | | | | <u> </u> | <u> </u> | | | | |
| 1 | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | † | | | 0.00 | 0.00 | | | 1 | 1 | 1 | 1 | 1 | | |
| | | rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | 1 |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH C | APACIT | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | NOTE: 4 | 4 month minimum billing period | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 8.90 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 390.34 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 8.90 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 421.59 | 639.50 | 426.40 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| LOOP M | AKE-U | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 35.00 | 35.00 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 45.00 | 45.00 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.075 | 0.075 | | | | | | | | |
| | | NCY SPECTRUM | | <u> </u> | ļ | | | | | | ļ | | | ļ | | | |
| | SPLITT | ERS-CENTRAL OFFICE BASED | | <u> </u> | | 05 : | | | | | | | | | | | |
| \vdash | | Line Sharing Splitter, per System 96 Line Capacity | - | <u> </u> | ULS | ULSDA | 131.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 18.94 | 8.42 | | + |
| \vdash | | Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | | 1 | ULS ULS | ULSDB ULSD8 | 32.00 11.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 18.94 18.94 | 8.42 8.42 | | |
| | | Line Sharing Spitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | 11.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 18.94 | 8.42 | | |
| | FND IIS | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | TRUM | | | | 0.00 | 0.00 | 0.00 | 0.00 | | | 10.94 | 0.42 | | + |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | | ULS ULS | ULSDC | 0.61 | 10.51 | 7.70 | 0.00 | 0.00 | | | 18.94 | 8.42 | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | - 1 | | ULS | ULSDS | | 36.23 | 13.23 | 0.00 | 0.00 | | | 18.94 | 8.42 | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | - 1 | i – | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | | | 18.94 | 8.42 | | 1 |
| | | Line Splitting - per line activation DLEC owned splitter | ı | | | UREOS | 0.61 | | | | | | | | | | |
| | | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.639 | 53.48 | 34.48 | 16.45 | 12.75 | | | 18.94 | 8.42 | | |
| | | Line Splitting - per line activation BST owned - virtual | Ī | | UEPSR UEPSB | UREBV | 0.636 | 53.48 | 34.48 | 16.45 | 12.75 | | | 18.94 | 8.42 | | |
| | | RANSPORT | | <u> </u> | | | | | | | | | | | | | <u> </u> |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | <u> </u> | ļ | | ļļ | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0222 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0222 | | | | | | | | | | |

| No. Control | IINBIINDI E | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|--|--|---|----------|--|--------|----------------|--------|----------|-----------|--|------|-------------------|-----------------------|--|--|--|---|
| ATTEMPT COLUMN | ONBONDEE | | | | | | | | | | | | | | | | |
| Territory Character Territory 2- Wint VS Rev But. UTIVX UTIRE 11/17 78.61 36.08 18.04 | | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| monothine Channel - Declared Transport - St May - year mile UTTX | | | | | | | Rec | | | | | COMEC | COMAN | | | COMAN | COMAN |
| Interface Channel - Declarate Transport 1-56 lapes - per mile HEAVY 165X 1652 1654 16.84 | | | | | | | 47.07 | | | FIRST | Addi | SOMEC | SUMAN | | | SOWAN | SUMAN |
| | | | | | U1IVX | U11R2 | 17.07 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| Termination per month UTIDX UTIDS 16.64 70.61 36.08 19.04 19.04 19.04 19.04 19.05 19.0 | | per month | | | U1TDX | 1L5XX | 0.0222 | | | | | | | | | | |
| Demonstration Charaman - Dedicated Transport - 64 kbps - Facility UTDX UT | | Termination per month | | | U1TDX | U1TD5 | 16.45 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| Temmoration per promise UITDX UITDB 16.65 78.61 36.06 16.94 18.94 | | per month | | | U1TDX | 1L5XX | 0.0222 | | | | | | | | | | |
| Interesting Channel - Dedicated Channel - DS1 - Fee Mile per U1TD1 1LSX | INTER | Termination per month | | | U1TDX | U1TD6 | 16.45 | 79.61 | 36.08 | | | | | 18.94 | 18.94 | | |
| | INTER | | | | | | | | | | | | | | | | |
| Termination per month | | month | | | U1TD1 | 1L5XX | 0.4523 | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - DSS - Per Mile per month | | Termination per month | | | U1TD1 | U1TF1 | 78.47 | 147.07 | 111.75 | | | | | 18.94 | 18.94 | | |
| month InterOffice Channel - Dedicated Transport - DS3 - Facility U1TD3 | INTER | | | | | | | | | | | | | | | | . |
| RTEROFICE CHANNEL - DEDICATED TRANSPORT - STS-1 - Pacifility UTD3 | | month | | | U1TD3 | 1L5XX | 2.72 | | | | | | | | | | |
| Interconfice Channel - Dedicated Transport - STS1 - Fer Mile per morth UITS1 LEXX 2.72 | | | | | U1TD3 | U1TF3 | 788.00 | 511.10 | 330.77 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| Interesting Channel - Dedicated Transport - STS-1 - Facility U1TS1 | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | | | | | | | | | | | | | |
| Termination per month | | month | | | U1TS1 | 1L5XX | 2.72 | | | | | | | | | | |
| NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3-ene month, DS3 and above-lour months Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month ULDVX ULDV2 13.91 382.95 62.40 18.94 18.9 | | Termination per month | | | U1TS1 | U1TFS | 783.63 | 511.10 | 449.91 | | | | | 61.19 | 61.19 | 3.17 | 3.17 |
| Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | L | <u>. </u> | | | | | | | | | | | | | |
| Local Channel - Dedicated - 3-Wire Voice Grade Rev Bat per month | NOTE: | | g perio | | | | | | 62.40 | | | | | 19.04 | 9.42 | | |
| Local Channel - Dedicated - 15 per month UNDVX ULDV4 14.99 388.44 64.05 18.94 8.42 1.00 | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per | | | | | | | | | | | | | | | |
| Local Channel - Dedicated - OSI per month ULDD1 ULDF1 38.36 36.15 312.89 | + | | | | | | | | | | | | | | | | |
| Local Channel - Dedicated - D83 - Per Mile per month LILD3 LISNC 6.92 | | | | | | | | | | | | | | | | 18.03 | 18.03 |
| Local Channel - Dedicated - DS3 - Facility Termination per | | | | | | | | 000.10 | 0.2.00 | | | | | | | 10.00 | 10.00 |
| Local Channel - Dedicated - STS-1 - Facility Termination per month | | Local Channel - Dedicated - DS3 - Facility Termination per | | | | ULDF3 | 515.91 | 639.50 | 426.31 | | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| MULTIPLEXERS | | Local Channel - Dedicated - STS-1- Per Mile per month | | | | | | | | | | | | | | | |
| Channelization - DS1 to DS0 Channel System UXTD1 MQ1 126.22 198.22 123.59 14.75 6.55 10.70 | | month | | | ULDS1 | ULDFS | 517.56 | 639.50 | 426.31 | | | | | 18.94 | 18.94 | | |
| COU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) 14.75 6.55 10.60 | MULTIPLEXER | | | | LIVTD1 | MO1 | 126.22 | 100 22 | 122 50 | | | | | 1175 | 6 55 | 10.70 | 1 |
| 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month UDN UC1CA 3.37 12.02 8.66 14.75 6.55 10.60 | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| Voice Grade COCI - DS1 to DS0 Channel System - per month | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| DS3 to DS1 Channel System per month | | monar | | | | | | | | + | | | | | | | |
| DS3 Interface Unit (DS1 COCI) used with Loop per month | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 182.04 | 265.91 | 188.78 | | | | | 14.75 | 6.55 | | |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel UDF UDFC4 1,355.29 273.69 18.94 18.94 | | | | | | | | | | 1 | | | | | | 40.00 | |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel UDF 1L5DC 44.22 | DARK FIBER | טכא וחנפרומכפ Unit (שכרו COCI) used with Loop per month | - | | USL | 1טרטט | 11.02 | 12.02 | 8.66 | | | | | 14./5 | 6.55 | 10.60 | |
| NRC Dark Fiber - Local Channel | | | | | UDF | 1L5DC | 44.22 | | | | | | | | | | |
| Thereof per month - Interoffice Channel | | NRC Dark Fiber - Local Channel | | | | | | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | | |
| NRC Dark Fiber - Interoffice Channel UDF UDF14 1,355.29 273.69 18.94 18.94 Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF 1L5DL 44.22 | | | | | LIDE | 11.5DF | 44 22 | | | | | | | | | | 1 |
| Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop UDF 1L5DL 44.22 | | | | | | | 77.22 | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | LIDE | 41.501 | 44.00 | | | | | | | | | | |
| 1 INRC DARK EIDER - LOCALLOOD | | Thereof per month - Local Loop NRC Dark Fiber - Local Loop | | | UDF | 1L5DL UDFL4 | 44.22 | 1,355.29 | 273.69 | | | | | 18.94 | 18.94 | | |

| ONDC | ו אוואו | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|-----------|----------|---|--------|------|------------|-------|-------------------|----------|-----------|--------------|-------|-------|---|-------------------------|---|--|--|
| CATE | | _ | Interi | | | | | | | | | | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Manual Svc Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- Disc Add'l |
| ļ | | | | | | | Rec | Nonrec | | Nonrecurring | | | | OSS F | RATES (\$) | | |
| TDANC | PORT C | TUED | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| IKANS | | al Features & Functions: | | | | | | | | | | | | | | | |
| 8XX AC | | EN DIGIT SCREENING | | | | | | | | | | | | | | | |
| 1 | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0004868 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 6.57 | 0.76 | | | | | 18.94 | 18.94 | | |
| ļ | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 12.81 | 1.45 | | | | | 18.94 | 18.94 | | |
| ļ | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 12.81 | 1.45 | | | | | 18.94 | 18.94 | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OHD | N8FCX | | 4.46 | 2.23 | | | | | 18.94 | 18.94 | | |
| ļ | | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.22 | 2.99 | | | | | 18.94 | 18.94 | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination | | | OHD | N8FAX | | 7.33 | 0.76 | | | | | 18.94 | 18.94 | | |
| LINEIN | | TION DATA BASE ACCESS (LIDB) | | | OHD | N8FDX | | 4.72 | 4.46 | | | | | 18.94 | 18.94 | | |
| EIIVE IIV | I OKWA | LIDB Common Transport Per Query | | | OQT | | 0.0000338 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQU | | 0.0105974 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 50.30 | | | | | | 18.94 | 18.94 | | |
| SIGNA | LING (C | | | | | | | | | | | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 133.99 | | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) | | | UDB UDB | TPP++ | 0.000087 17.05 | 131.96 | 131.96 | - | | | | 18.94 | 18.94 | | |
| | | CCS7 Signaling Connection, Per link (N link) (also known as D link) | | | UDB | TPP++ | 17.05 | 131.96 | 131.96 | | | | | 18.94 | 18.94 | | |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000354 | | | | | | | 10101 | | İ | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 340.67 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 18.94 | 18.94 | | |
| | | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | 18.94 | 18.94 | | |
| CALL | IG NAPA | E (CNAM) SERVICE | | - | | + | | | | | | | | | | - | |
| CALLIN | | CNAM for DB Owners, Per Query | | 1 | OQV | + | 0.01 | | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | | 18.94 | 18.94 | | |
| ODED 4 | TOP CA | ALL PROCESSING | | - | | + | | | | - | | | | | | | |
| OPERA | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWAR | | ATOR SERVICES | | | | | | | | | | | | | | | |
| | | Inward Operator Svcs - Verification, Per Minute | | ļ | | 1 | 1.15 | | | | | | | | | | |
| DDAN | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BKAND | JING - O | PERATOR CALL PROCESSING Recording of Custom Branded OA Announcement | | - | | CBAOS | | 7,000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV ding via OLNS for UNEP CLEC | | | | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | 15.99 | 19.99 |
| <u> </u> | Illnhron | | | | | | | | | | | | | | | | 1 |

| UNBL | JNDLEI | O NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|-------|--|---|-------------|--|----------------------|----------------|-----------------|----------------------|----------------------|----------------|---------------|-------|--|--|--|-------------------------|--|
| CATE | NOTES | _ | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | OSS F | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIREC | | SSISTANCE SERVICES ORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| | | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | | | | 0.273 | | | | | | | | | | + |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | | TORY TRANSPORT | | | | | | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access Service Call | | | | | 0.0003 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.00004 | | | | | | | | | | |
| | | Access Tandem Switching per Directory Assistance Access Service Call | | | | | 0.00055 | | | | | | | | | | |
| | | Directory Assistance Interconnection per Directory Assistance Access Service Call DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00 0.00018 | | | | | | | | | | |
| DIBEC | | SSISTANCE SERVICES | | | | | 0.00018 | | | | | | | | | | <u> </u> |
| DIKEC | | TORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | 1 |
| | DIIKEOI | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | |
| BRANI | | RECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | + | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Unbran | ding via OLNS for UNEP CLEC | | | | | | ., | ., | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| SELEC | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| \/ID= | | Switch | | <u> </u> | | USRCR | | 180.62 | 180.62 | | | 1 | ļ | 33.67 | 7.88 | | <u> </u> |
| VIKTU | | OCATION | | <u> </u> | AMTEC | E 4 E | | 0.040.00 | 0.040.00 | 1 | 1 | 1 | <u> </u> | | | - | |
| | | Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS AMTFS | EAF ESPCX | | 2,848.30 2,750.00 | 2,848.30 2,750.00 | | | 1 | | | - | - | |
| | | Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft. | | 1 | AMTFS | ESPVX | 3.20 | 2,730.00 | 2,730.00 | | | 1 | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | <u> </u> | AMTFS | ESPAX | 3.48 | | | 1 | | | | 1 | 1 | | |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | ueanl,uea,udn,udc,u | | 0.0283 | 24.56 | 23.56 | 9.20 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | <u> </u> | uea,uhl,ucl,udl,AMTF | | 0.0566 | 24.75 | 23.70 | 9.03 | 8.10 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 2-Fiber Cross Connects | | ! | AMTFS AMTFS | CNC2F CNC4F | 2.88 | 41.72 51.03 | 30.36 | 10.43 13.71 | 8.36 11.65 | | <u> </u> | 2.20 2.20 | 2.20 2.20 | | <u> </u> |
| | | Virtual Collocation - 4-Fiber Cross Connects Virtual collocation - DS1 Cross Connects | 1 | ! | | CNC4F CNC1X | 5.76 7.50 | 51.03 155.00 | 39.67 14.00 | 13./1 | 11.65 | | | 2.20 | 2.20 | | |
| | | Virtual collocation - DS1 Cross Connects Virtual collocation - DS3 Cross Connects | 1 | | | CNC1X CND3X | 7.50 56.25 | 151.90 | 11.83 | 1 | | 1 | <u> </u> | 1 | | | † |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0023 | 101.00 | 11.00 | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0034 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CD | 3.0004 | 553.43 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 553.43 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | 1 | | SPTBX | | 41.00 | 25.00 | | | | | | | | 1 |

| UNRU | NDI FI | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|--------|--|-------------|----------|----------------|----------------|-----------|----------------|----------------|--------------|--------------|-------|---|--|---|---|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss i | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 48.00 | 30.00 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS AMTFS | SPTPX CTRLX | | 55.00 30.64 | 35.00 30.64 | | | | | | | | ļ |
| | | virtual collocation - Maintenance in CO - Basic, per nail nour | | | AMIFS | CIRLX | | 30.64 | 30.64 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | | | |
| VIRTUA | | OCATION | | | | | | | · · · · · · | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Res | | <u> </u> | UEPSR | VE1R2 | 0.30 | 12.60 | 12.60 | | 1 | 1 | | 18.94 | 8.42 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | UEPSP | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | 0L1 0L | V = 11\Z | 0.30 | 12.00 | 12.00 | | | | | 10.54 | 0.42 | | |
| | | Analog Bus | | | UEPSB | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | | | | | | | |
| | | ISDN | | | UEPSX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.30 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.50 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| VIDTIIA | | OCATION | | | UEPEX | VE IR4 | 0.50 | 12.60 | 12.60 | | | | | 18.94 | 8.42 | | |
| VIICIOA | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | + | | | | | | | | | | | |
| | | Splitting | | | UEPSR, UEPSB | VE1LS | 0.03 | 24.56 | 23.56 | 9.20 | 8.30 | | | 19.99 | 19.99 | | |
| AIN SEL | | CARRIER ROUTING | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | SRC | SRCEC | | 391,788.00 | | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | End Office Establishment | | | SRC | SRCEO | | 320.53 | 320.53 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Line/Port NRC, per end user | | | SRC | SRCLP | 0.000110 | 2.06 | 2.06 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN DE | | Query NRC, per query TH AIN SMS ACCESS SERVICE | | | SRC | - | 0.000448 | | | | | | | | | | |
| AIN - DI | | AIN SMS Access Service - Service Establishment, Per State. | | | | + | | | | | | | | | | | |
| | | Initial Setup | | | A1N | CAMSE | | 90.25 | 90.25 | | | | | 18.94 | 18.94 | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 29.66 | 29.66 | | | | | 18.94 | 18.94 | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 29.66 | 29.66 | | | | | 18.94 | 18.94 | | |
| | | AIN SMS Access Service - User Identification Codes - Per User | | | | | | | | | | | | | | | |
| | | ID Code | | | A1N | CAMAU | | 84.43 | 84.43 | | | | | 18.94 | 18.94 | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 35.44 | 35.44 | | | | | 18.94 | 18.94 | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0023 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | 1 | ļ | ļ | 0.0795604 | | | | | 1 | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.08 | | | | | | | | | | |
| AIN - PE | | MINUTE TH AIN TOOLKIT SERVICE | | | | | ∠.∪8 | | | | 1 | 1 | | 1 | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | CAM | BAPSC | | 86.74 | 86.74 | | | | | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,348.00 | 8,348.00 | | | | | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 19.13 | 19.13 | | | | | 18.94 | 18.94 | | |
| | | DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | 1 | BAPID | | 114.80 | 114.80 | | | 1 | | 18.94 | 18.94 | | |
| | | DN, Off-Hook Immediate | | L | | BAPTM | | 19.13 | 19.13 | | <u> </u> | | | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | ВАРТС | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | |

| _ | | | | | | | | | | | | | | | | 1 | |
|--------------|---------|---|-------------|----------|----------------------|--------------|-----------------|----------------|----------------|------------------|---------------|---------------|-----------------------|--|--|---------------|---|
| UNBU | NDLE | NETWORK ELEMENTS - Georgia | <u> </u> | | | 1 | 1 | | | | | 1 | | Α | ttachment: 2 | | Exhibit: B |
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DN, Feature Code | | | | BAPTF | | 70.06 | 70.06 | | | | | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0209223 | | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0053137 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 1.46 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | CAM | D 4 D 4 4 0 | 45.00 | 00.04 | 00.04 | | | | | 40.04 | 40.04 | | |
| | | Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | CAM | BAPMS | 15.96 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| | | Subscription | | | CAM | BAPLS | 0.0861109 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 15.87 | 22.64 | 22.64 | | | | _ | 18.94 | 18.94 | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | C/ uvi | D/ II DO | 10.07 | 22.04 | 22.04 | | | | | 10.04 | 10.54 | | |
| | | Service Subscription | <u> </u> | | CAM | BAPES | 0.0028704 | 22.64 | 22.64 | | | | | 18.94 | 18.94 | | |
| | | TENDED LINK (EELs) | | -4 4-11 | auda a MCA a Calana | a Fl.Miam | FI. Ft. Laure | udala Fl | | | | | | | | | |
| - | | New EELs available in GA, TN, KY, LA, MS, & SC and density Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem | | | | | | | | | | | | | | | |
| | NOTE: I | n all states, EEL network elements shown below also apply t | to curre | ntly co | mbined facilities wh | ich are conv | erted to UNE ra | ites. A Switch | As Is Charge a | pplies to curren | ntly combined | facilities co | onverted to | UNEs.(Non-re | curring rates | do not apply. | .) |
| | NOTE: I | n GA, TN, KY, LA, MS & SC the EEL network elements apply | to ordir | narily c | ombined network ele | ements.(No S | Switch As Is Ch | narge.) | | | • | | | | | | |
| | 2-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | 10111 | =0.10 | | | | | | | | |
| | | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | per month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 22.02 | 27.49 | 19.88 | 11.85 |
| - | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 126.22 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | |
| <u> </u> | | Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | | 18.94 | 8.42 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | 18.94 | 8.42 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | - | | | | | | | - | | |
| | | ls Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | | 45.46 | 15.72 | | |
| | | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 22.26 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | 0.4523 | 200.00 | 170.07 | | | | | 10.04 | 0.42 | | |
| | | Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | UNC1X | 1L5XX | | 404.00 | 444 = - | | | | | 00.00 | 07.10 | 40.00 | 44.0= |
| | | Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Month | 1 | | UNC1X | MQ1 | 126.22 | | | | | |] | | | | |

| NOTE BATE REMENTS BRIDE 2019 BCB USOC RAYES(S) See Cheer 2019 Company Comp | UNRU | NDI FI | NETWORK ELEMENTS - Georgia | l | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|--|----------|--------|---|----------|---------|------------------|-----------|--------|--------|-----------|----------------------|-----------|-----------|-------|--------------|----------|--|
| Color Participation Part | ONDO | NULLI | HETWORK ELLINENTS - Georgia | | | | | | | | | | | | | | |
| CASE OF NOTES RATE ELEMENTS May Zeep BCS USOC PATESIES See Order Second College Second C | | | | | | | | | | | | | | | | | Incremental Charge - |
| Court Cour | CATE | NOTES | DATE ELEMENTO | Interi | 7 | DCC | 11000 | | | DATEC(¢) | | Svc Order | Svc Order | | | | |
| Note | GORY | NOTES | RATE ELEMENTS | m | Zone | всэ | 0500 | | | KATES(\$) | | | | | | | Order vs. |
| Note Grade COCT-091 to DSD Channel System combination | | | | | | | | | | | | | | | | | Electronic- |
| Vanc Grant CUCL - DST to DSS Charnel System comonation DACKY DTVG T 12.00 Additional Assistance As | | | | | | | | | | | 1 | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| Vota Grade COURT - DS1 to DBD Channel System combination UNCX 191VD 1.17 12.00 8.66 1.17 12.00 8.66 1.17 12.00 8.66 1.17 12.00 8.66 1.17 12.00 8.66 1.17 12.00 8.66 1.17 12.00 8.66 1.17 12.00 1.17 12.00 8.66 1.17 12.00 1.17 12 | | | | | | | | Boo | Name | | Names and Discourage | | | 000 | DATEC (#) | | |
| Vision Condex COCCUP-1051 to DSIC Charmed System contributions UNCVX | | | | | | | | Rec | | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Additional 4-View Analog Vision Crands Lope in asses DS1 1 MACVX UEA/4 22.26 208.66 170.57 19.64 8.42 19.64 8.42 19.64 | | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | ,,,,,, | 7.00 | | | | 00 | 00 | |
| Insertina Transport Confidentials - Zone 1 1,040,07X 19,44 22,28 2,06,55 17,057 15,94 8,42 | | | | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | | | | |
| Additional al-Willin Analogy (rose Closed Loop in some IST) | | | | | 4 | LINCVV | LIENIA | 22.26 | 206 OF | 170 57 | | | | 10.04 | 9.42 | | |
| Intereffic Transport Combination - Jones 2 2 (IACVX U.S.) 4 28.70 26.65 170.07 15.94 8.42 | | | | | - | UNCVA | UEAL4 | 22.20 | 200.95 | 170.57 | | | | 10.94 | 0.42 | | |
| Interesting Transport Combination - 2 and Spart Spar | | | | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | 18.94 | 8.42 | | |
| Vision Schale DCOL - DST to DSS Charmed System combination - per month of the per month o | | | | | | | | | | | | | | | | | |
| Description | | | | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | | | | 18.94 | 8.42 | | _ |
| Nonexcurring Currently Combined Newtonic Elements Seaton, Ag- UNCTX UNCDX 11.27 45.46 15.72 | | | | | | UNCVX | 1D1VG | 1.17 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | |
| CAMINE 56 KRIPS EXTENDED DIGITAL LOOP WITH DEDICATED DIST INTEROFFICE TRANSPORT (EEL) 1 | | | | | | | | | | | | | | | | | |
| First 4-Wile Stickpa Digital Grade Loop in a DST Intenditice 1 UNCDX UDL56 25.75 384.56 241.20 18.94 8.42 | | | | <u> </u> | <u></u> | | | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | <u> </u> |
| Transport Combination - Zone 1 | | | | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | |
| First Aviente BiOligos Digital Gradet Loop in a DST Interoffice Transport Combination - Zone 2 INCDX I | | | | | 1 | UNCDX | UDL56 | 25,75 | 384,56 | 241,20 | | | | 18,94 | 8,42 | | |
| First A-Wire SRR/ps Digital Grade Loop in a DST InterOffice Transport Combination - Zone 3 UNCDX UDLS6 47.77 384.56 241.20 16.94 8.42 | | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | |
| Transport Combination - Zone 3 3 UNCDX UDL56 47.27 384.56 241.20 18.84 8.42 | | | | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | 18.94 | 8.42 | | |
| Interoffice Transport - Dedicated - DST - combination - Per Mile Per Month Interoffice Transport - Dedicated - DST - combination Per Month UNC1X | | | | | 2 | LINCDY | LIDLES | 47.27 | 294 56 | 241.20 | | | | 10.04 | 9.42 | | |
| Per Month | | | | | 3 | UNCDX | ODLSO | 41.21 | 304.30 | 241.20 | | | | 10.94 | 0.42 | | 1 |
| Termination Per Month | | | Per Month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | |
| Channelization - Channel System DSI to DSI combination Per UNC1X M01 126.22 | | | | | | | | | | | | | | | | | |
| Month | | | | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | - | | 33.63 | 27.49 | 19.88 | 11.85 |
| month (2.4-644bs) MNDDX IDIDD 1.88 12.02 8.66 18.94 8.42 | | | | | | UNC1X | MQ1 | 126.22 | | | | | | | | | |
| Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | | | |
| Intereffice Transport Combination - Zone 1 | | | | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | |
| Additional 4-Wire 66Ktps Digital Grade Loopin same DS1 | | | | | 1 | LINCDX | LIDI 56 | 25.75 | 384 56 | 241 20 | | | | 18 94 | 8 42 | | |
| Additional 4-Wire 58/tops Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | | | | | ONODA | ODLOG | 20.70 | 004.00 | 2-11.20 | | | | 10.54 | 0.42 | | |
| Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 47.27 384.56 241.20 18.94 8.42 | | | | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | 18.94 | 8.42 | | |
| OCU-DP COCI (data) - DS1 to DS0 Channel System - combination - Per Month OCU-DP COCI (data) - DS1 to DS0 Channel System UNCIX UNCIX UNCCC 12.97 11.27 11.27 18.94 8.42 18.94 19.94 | | | | | 2 | LINCDY | LIDLEG | 47.07 | 204 56 | 241.20 | | | | 10.04 | 9.42 | | |
| Combination per month (2.4-64kbs) | | | | | 3 | UNCDA | UDLS6 | 41.21 | 304.30 | 241.20 | | | | 10.94 | 0.42 | | |
| Scharge UNCIX UNCCC 12.97 11.27 18.94 8.42 | | | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) | | | | | | LINGAY | | | 10.07 | 44.0= | | | | 40.01 | 0.10 | | |
| First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 UNCDX UDL64 25.75 348.55 241.20 18.94 8.42 | \vdash | 4-WIRE | IS CHARGE 64 KRPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | UNCCC | | 12.97 | 11.27 | | | - | 18.94 | 8.42 | | |
| Transport Combination - Zone 1 | | TVVIIL | | | I | TRANSI ORT (EEL) | | | | | | | | | | | |
| Transport Combination - Zone 2 2 UNCDX UDL64 29.74 348.55 241.20 18.94 8.42 | | | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | |
| First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | | | | 2 | LINCDY | LIDI 64 | 20.74 | 240 55 | 241 20 | | | | 10.04 | 0.40 | | |
| Transport Combination - Zone 3 3 UNCDX UDL64 47.27 348.55 241.20 18.94 8.42 Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X 1L5XX 0.4523 | - | | | | | ONODA | UDL04 | 29.74 | 340.33 | 241.20 | | | | 10.94 | 0.42 | | |
| Per Month | | | Transport Combination - Zone 3 | <u> </u> | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | |
| Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month UNC1X U1TF1 78.47 194.63 141.51 33.63 27.49 19.88 | | | | | | | 41 => 0 : | | | | | | | | | | |
| Termination Per Month | - | | | | | UNC1X | 1L5XX | 0.4523 | | | | - | | | | | |
| Channelization - Channel System DS1 to DS0 combination Per UNC1X MQ1 126.22 UNCDX DCU-DP COCI (data) - DS1 to DS0 Channel System Combination - per month (2.4-64kbs) UNCDX 1D1DD 1.86 12.02 8.66 18.94 8.42 | | | | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| OCU-DP COCI (data) - DS1 to DS0 Channel System UNCDX 1D1DD 1.86 12.02 8.66 18.94 8.42 | | | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | 22.30 | | | 50 |
| Combination - per month (2.4-64kbs) | | | inoria: | | | UNC1X | MQ1 | 126.22 | | | | 1 | | | | | |
| Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 UNCDX UDL64 25.75 348.55 241.20 18.94 8.42 | | | | | | LINCDX | 10100 | 1.86 | 12.02 | 8 66 | | | | 18 04 | 8 42 | | |
| Interoffice Transport Combination - Zone 1 | | | | | | O. TODA | טטוטו | 1.00 | 12.02 | 0.00 | | 1 | | 10.34 | 0.42 | | |
| Interoffice Transport Combination - Zone 2 | | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | |
| Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | _ | LINCDY | LIDL64 | 20.74 | 240.55 | 044.00 | | | | 40.04 | 0.40 | | |
| | | | | | | UNCDX | UDL04 | 29.74 | 348.55 | 241.20 | | 1 | | 18.94 | 8.42 | | |
| Interoffice Transport Combination - Zone 3 | | | Interoffice Transport Combination - Zone 3 | L | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | <u> </u> |

| UNBU | NDLED | NETWORK ELEMENTS - Georgia | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|--------|--|-------------|--------|--------------|--------|--------|-----------------|-----------------|-------------------------------------|-------|-----------------------|--|--|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | OSS I SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.86 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | EROFFI | CE TRA | NSPORT (EEL) | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | |
| | | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | - | | 18.94 | 8.42 | | |
| | | Transport - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.4523 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | 1 | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | EROFFI | CE TRA | | 0.1000 | | 12.01 | | | | | 10.10 | 10.72 | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 2.72 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 788.00 | 198.45 | 153.15 | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 137.73 | 196.66 | 204.61 | | | | 18.94 | 8.42 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | Ľ | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNC3X | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | 2-WIRF | s Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | TEROFF | ICE TR | | UNCCC | + | 12.97 | 11.27 | | + | - | 45.46 | 15.72 | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.84 | 104.14 | 78.10 | | | | 18.94 | 8.42 | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.45 | 104.14 | 78.10 | | | | 18.94 | 8.42 | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.92 | 104.14 | 78.10 | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | Ĭ | UNCVX | 1L5XX | 0.0222 | .014 | . 3.10 | | | | .0.04 | 0.72 | | |
| | | interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 17.07 | 79.61 | 36.08 | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | TEROF | ICE TR | | | | | | | | | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 22.26 | 206.95 | 170.57 | | | | 18.94 | 8.42 | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 25.70 | 206.95 | 170.57 | | | | 18.94 | 8.42 | | |

| UNRU | NDI FO | NETWORK ELEMENTS - Georgia | | | | | | | | | | | Ι Δ | Attachment: 2 | | Exhibit: B |
|----------|---------|---|--|---------|----------------|----------------|--|-----------------|------------------|-----------------------|--------|-----------------------|--|-------------------------|-------------------------|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring Disconne | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 40.86 | 206.95 | 170.57 | First Add I | SOWIEC | JOWAN | 18.94 | 8.42 | SOWAN | SOWAIN |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0222 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.07 | 79.61 | 36.08 | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCVX | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | DS3 DIG | SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | CE TRA | NSPOR | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 8.90 | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 390.34 | 639.50 | 426.40 | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNC3X | 1L5XX | 2.72 | | | | | | | | | |
| | ŀ | Termination per per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC3X | U1TF3 | 788.00 | 198.45 | 153.15 | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Is Charge | | | UNC3X | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TF | RANSPO | ORT (EEL) | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 8.90 | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 421.59 | 639.50 | 426.40 | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 2.72 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 783.63 | 198.45 | 449.91 | | | | 37.55 | 37.55 | 18.03 | 18.03 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination | RT (EEL | .) | | | | | | | | | | | | - |
| | | First 2-Wire ISDN Loop in a DS1 interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 1 | UNCNX | U1L2X | 21.89 | 233.38 | 180.38 | | | | 18.94 | 8.42 | | |
| | ŀ | First 2-Wire ISDN Loop in a DS1 interoffice Combination Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 2 | UNCNX | U1L2X | 25.27 | 233.38 | 180.38 | | | | 18.94 | 8.42 | | |
| | - | First 2-wire ISDN Loop in a DST interoffice Combination Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCNX | U1L2X 1L5XX | 40.17 0.4523 | 233.38 | 180.38 | | | | 18.94 | 8.42 | | |
| - | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility | | - | UNC1X | ILDAX | 0.4523 | | | | | | <u> </u> | | | |
| | | Termination per month Channelization - Channel System DS1 to DS0 combination - | | | UNC1X | U1TF1 | 78.47 | 194.63 | 141.51 | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| <u> </u> | | per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 126.22 | | | | | 1 | | | | |
| | | combination - per month | | | UNCNX | UC1CA | 3.37 | 12.02 | 8.66 | | | 1 | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.89 | 233.38 | 180.38 | | | | 18.94 | 8.42 | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 25.27 | 233.38 | 180.38 | | | | 18.94 | 8.42 | | <u> </u> |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 40.17 | 233.38 | 180.38 | | | | 18.94 | 8.42 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3.37 | 12.02 | 8.66 | | |] | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 12.97 | 11.27 | | |] | 45.46 | 15.72 | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN First DS1 Loop in STS1 Interoffice Transport Combination - | TEROF | FICE TI | RANSPORT (EEL) | + | | | | | | | | | | |
| | į. | First DS1 Loop in S1S1 interollice Transport Combination - Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | 1 | 18.94 | 8.42 | | ļ |
| | | Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |

| UNBL | JNDLEI | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|-------|----------|--|-------------|---------|--------------------|---------------|----------------|-----------------|-----------------|-------------------------------------|--------|---|---------------------------------------|--------------|---|---|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | <u> </u> | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | OSSI | RATES (\$) | SOMAN | SOMAN |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | THOS Add I | COMILO | COMPAR | 18.94 | 8.42 | OOMPAR | COMPAR |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | 440.20 | 100.00 | | | | 10.04 | 0.42 | | |
| | | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | 1L5XX | 2.72 | | | | | | | | | |
| | | Termination | | | UNCSX | U1TFS | 783.63 | 198.45 | 449.91 | | | | 37.55 | 37.55 | 18.08 | 18.03 |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 182.04 | 196.66 | 204.61 | | | | 37.55 | 37.55 | 18.08 | 18.03 |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | 37.55 | 37.55 | 18.08 | 18.03 |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | 1 |
| | | Zone 1 | | 1 | UNC1X | USLXX | 55.53 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 64.13 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | ĺ |
| | | Zone 3 | | 3 | UNC1X | USLXX | 101.93 | 443.20 | 138.69 | | | | 18.94 | 8.42 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.02 | 12.02 | 8.66 | | | | 18.94 | 8.42 | | + |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | ĺ |
| | 4 WIDE | is charge : 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | EEICE 1 | DANC | | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | 4-WIKE | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | FFICE | KANS | PORT (EEL) | | | | | | - | | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.75 | 384.56 | 241.20 | | | | 18.94 | 8.42 | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 29.74 | 384.56 | 241.20 | | | | 18.94 | 8.42 | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 47.27 | 384.56 | 241.20 | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | | | | 364.50 | 241.20 | | | | 10.54 | 0.42 | | |
| | | Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.0222 | | | | | | | | | |
| | | Facility Termination Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | U1TD5 | 16.45 | 147.07 | 111.75 | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Is Charge | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | i |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | | 0.1000 | | 12.01 | | | | | 10.10 | 10.12 | | |
| | 1 | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | (===) | | | | | | | | | | | |
| | | Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 1 | UNCDX | UDL64 | 25.75 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 29.74 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 47.27 | 348.55 | 241.20 | | | | 18.94 | 8.42 | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0222 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 16.45 | 147.07 | 111.75 | | | | 33.63 | 27.49 | 19.88 | 11.85 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | 16.45 | | | | | | | | 19.88 | 11.85 |
| ADDIT | IONAL N | Is Charge ETWORK ELEMENTS | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | 45.46 | 15.72 | | |
| | | used as a part of a currently combined facility, the non-recurr | ng cha | rges de | not apply, but a S | witch As Is c | harge does apr | oly. | | | | | | | | |
| | | used as ordinarilty combined network elements in Georgia, th | | | | | | | | | | | | | | ſ |
| | | SynchroNet) | | | | | | | | | | | | | | |
| | Nonrec | urring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- | Charge | (One a | pplies to each com | bination) | | | - | | | | | | | <u> </u> |
| | | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 12.97 | 11.27 | | 1 | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 12.97 | 11.27 | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 12.97 | 11.27 | | | | 18.94 | 18.94 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | 11.27 | | 1 | | | | | |
| | † | ls Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC3X | UNCCC | | 12.97 | | | 1 | | 18.94 | 18.94 | | |
| | 1 | Is Charge - STS1 | <u> </u> | | UNCSX | UNCCC | | 12.97 | 11.27 | | | l . | 18.94 | 18.94 | | <u> </u> |

| UNRU | NDI F | NETWORK ELEMENTS - Georgia | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|-------|---------|--|-------------|---------|---------------------|----------------|-----------------|-----------------|-----------------|-------------------------------------|-------|---|--|---|---|--|
| CATE | NOTES | _ | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | NOTE: | Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | one month DS3 an | d above=fou | r months | FIRST | Add I | FIRST Add I | SOMEC | SUMAN | SUMAN | SUMAN | SOWAN | SOWAN |
| | NOTE: | Local Channel - Dedicated - 2-Wire Voice Grade per month | l Belo | W D03 | UNCXV | ULDV2 | 13.91 | 272.07 | 60.43 | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNCXV | ULDV4 | 14.99 | 272.07 | 60.43 | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - DS1 Per Month | | | UNC1X | ULDF1 | 38.36 | 164.99 | 113.76 | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 6.92 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per | | | | 550 | =,=0, | | | | | | | | | |
| | | month | | | UNC3X | ULDF3 | 515.91 | 639.50 | 426.31 | | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per | | | UNCSX | 1L5NC | 6.92 | | | | | | | | | - |
| | | month | | | UNCSX | ULDFS | 517.56 | 639.50 | 426.31 | | | | 18.94 | 18.94 | | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | 1 | | 5.100A | JLD, 0 | 517.50 | 555.50 | -120.01 | | 1 | | 10.34 | 10.54 | | |
| | | ge Ports | | | | | | | | | | | | | | |
| | NOTE: / | Although the Port Rate includes all available features in GA, I | KY, LA | & TN, t | he desired features | will need to b | oe ordered usin | g retail USOCs | | | | | | | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | UEPSR | UEPRU | 1.85 | 17.16 | 17.16 | | | - | 18.94 | 8.42 | | |
| | | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.85 | | 17.16 | | | | 18.94 | 8.42 | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 18.94 | 8.42 | | |
| | FEATU | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 18.94 | 8.42 | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | |
| | | Bus | | | UEPSB | UEPBL | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | |
| | | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.85 | 17.16 | 17.16 | | 1 | | 18.94 | 8.42 | | <u> </u> |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | OLFOB | OLFBO | 1.03 | 17.10 | 17.10 | | | | 10.94 | 0.42 | | |
| | | Caller ID - Bus | | | UEPSB | UEPB1 | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 18.94 | 8.42 | | |
| | FEATUR | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 18.94 | 8.42 | | |
| | | NGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.85 | 17.16 | 17.16 | | 1 | | 18.94 | 8.42 | | |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | 1 | | UEPSP UEPSP | UEPPO UEPP1 | 1.85 | 17.16 17.16 | 17.16 17.16 | | 1 | - | 18.94 18.94 | 8.42 8.42 | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.85 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | 1 | | UEPSP | UEPXA | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | \exists | | | | | [| | | |
| | | Capable Port | | | UEPSP | UEPXE | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | HEDED | UEPXL | 4.05 | 47.40 | 47.40 | | | | 40.04 | 0.40 | | |
| | | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | | UEPSP | UEPAL | 1.85 | 17.16 | 17.16 | | 1 | - | 18.94 | 8.42 | | |
| | | Room Calling Port | | | UEPSP | UEPXM | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLI 01 | OLI AW | 1.00 | 17.10 | 17.10 | | | | 10.54 | 0.42 | | |
| | | Discount Room Calling Port | | | UEPSP | UEPXO | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.85 | 17.16 | 17.16 | | | | 18.94 | 8.42 | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 18.94 | 8.42 | | |
| | | RES | | | | | | | | i i | | | | | | |

| | NDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|-------|--|---|--|--|--|--|--|---|---|--|--|--------------------------|--------------|--|-----------------------------------|----------------------------------|------------------------------|
| 1 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | | Incremental |
| | | | ١ | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| GORY | | | m | | | | | | | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | • | • | • |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurrin | g Disconnect | | | OSS | RATES (\$) | | |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 18.94 | 8.42 | | |
| | EXCHA | NGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | | Exchange Ports - Coin Port | | | | | 2.05 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | | Transmission/usage charges associated with POTS circuit sv | | | | | | | | | | | | | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | availa | ble only | through BFR/New | Business Re | quest Process | Rates for the | packet capabi | ilities will be de | etermined via | he Bona Fid | de Request/ | New Business | s Request Pro | cess. | |
| UNBU | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHA | NGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 11.35 | 61.91 | 61.91 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | | | | | | | | | | | | | |
| L | | capability | | | UEPDD | UEPDD | 120.80 | 108.38 | 60.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.47 | 47.37 | 47.37 | | | | | 39.98 | 39.98 | | |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NOTE: | Transmission/usage charges associated with POTS circuit sv | witched | usage | will also apply to ci | rcuit switche | ed voice and/or | circuit switch | ed data transm | nission by B-Cl | hannels assoc | iated with 2 | wire ISDN | orts. | | | |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be | availa | ble only | | | | | | | etermined via | he Bona Fid | de Request/ | New Business | s Request Pro | cess. | |
| L | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | |] | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 163.16 | 186.80 | 186.80 | | | | | 37.88 | 37.88 | | |
| UNBU | | OCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0016333 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.0001564 | | | | | | | | | | |
| | Tanden | Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0006757 | | | | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002126 | | | | | | | | | | |
| | Commo | on Transport | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.000008 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0004152 | | | | | | | | | | |
| | | | | + | | | | | | | | | | | | | |
| UNBUI | | ORT/LOOP COMBINATIONS - COST BASED RATES | L | | | İ | | | | | | | | | | | |
| UNBUI | Cost Ba | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar | | | | | dled Local Swi | | | | | | | | | | |
| UNBUI | Cost Ba | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are shall apply to the Unbundled Port/Loop Combination - Cos | t Based | d Rate s | section in the same | manner as th | dled Local Swi | to the Stand-A | one Unbundle | | | | B - 1/1 | | | | |
| UNBŪI | Cost Ba Feature End Off | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us | t Based sage rat | d Rate s tes in th | section in the same ne Port section of the | manner as th is rate exhib | dled Local Swi ley are applied it shall apply to | to the Stand-A | one Unbundle ons of loop/po | ort network ele | ments except | for UNE Coi | | | | | |
| UNBUI | Cost Ba Feature End Off For Geo | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Usor | t Based sage rat Fennes: | d Rate s tes in the see, the | section in the same the Port section of the recurring UNE Port | manner as th is rate exhib and Loop c | dled Local Swi ey are applied it shall apply to harges listed a | to the Stand-A all combination pply to Current | one Unbundle ons of loop/po ly Combined a | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBUI | Cost Ba Feature End Off For Geo Current | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cosfice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Telly Combined Combos for all states. In GA, KY, LA, MS, SC are | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi ley are applied it shall apply to harges listed a sion ordered co | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBUI | Cost Ba Feature End Off For Geo Current For Cur | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, MIssissippi, South Carolina and Totly Combined Combos for all states. In GA, KY, LA, MS, SC are rently Combined Combos in all other states, the nonrecurring | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi ley are applied it shall apply to harges listed a sion ordered co | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBUI | Feature End Off For Geo Current For Cui 2-WIRE | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are so shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi ley are applied it shall apply to harges listed a sion ordered co | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBUI | Feature End Off For Geo Current For Cui 2-WIRE | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, MIssissippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges sha | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi ey are applied it shall apply to harges listed a sion ordered co ecurring - Curr | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBUI | Feature End Off For Geo Current For Cui 2-WIRE | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cos lice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges sha | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi iey are applied it shall apply to harges listed a sion ordered co ecurring - Curr | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Feature End Off For Geo Current For Cui 2-WIRE | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar ss shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T tly Combined Combos for all states. In GA, KY, LA, MS, SC ar rently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rtf/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | t Based sage rat Fenness nd TN th | d Rate stes in the see, the hese no ges shall 1 | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi ley are applied it shall apply to harges listed a sion ordered co ecurring - Curr 12.59 14.26 | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Cost Ba Feature End Off For Geo Current For Cui 2-WIRE UNE Po | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges sha | section in the same one Port section of the recurring UNE Port on recurring charges | manner as the is rate exhibe and Loop care commiss | dled Local Swi iey are applied it shall apply to harges listed a sion ordered co ecurring - Curr | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Cost Ba Feature End Off For Geo Current For Cui 2-WIRE UNE Po | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, MIssissippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE COMPORT Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates | t Based sage rat Fenness nd TN th | d Rate stees in the see, the hese no ges shall 1 2 3 | section in the same the Port section of the percurring UNE Port precurring charges Il be those identified | manner as the is rate exhibited and Loop control are commissed in the Nonrial Control are commissed in the Nonrial Control are commissed in the Nonrial Control are commissed in the Nonrial Control are control a | dled Local Swi eey are applied it shall apply to harges listed a sion ordered co ecurring - Curr 12.59 14.26 21.62 | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Cost Ba Feature End Off For Geo Current For Cui 2-WIRE UNE Po | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are sus shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and Telly Combined Combos for all states. In GA, KY, LA, MS, SC are rently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | t Based sage rat Fenness nd TN th | d Rate sites in the see, the hese no ges shall 1 2 3 | section in the same the Port section of the percurring UNE Port procurring charges Il be those identified | manner as this rate exhibits rate exhibits and Loop care commission in the Nonrial Loop care commission the Nonrial Loop care commission the Nonrial Loop care commission the Nonrial Loop care care care care care care care care | dled Local Swi dled Local Swi dley are applied it shall apply to harges listed a sion ordered cc ecurring - Curr 12.59 14.26 21.62 | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Cost Ba Feature End Off For Geo Current For Cui 2-WIRE UNE Po | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are so shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 3 | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | section in the same ne Port section of the recurring UNE Port precurring charges li be those identified UEPRX UEPRX | manner as the is rate exhibited and Loop care commission the Nonrall UEPLX UEPLX UEPLX UEPLX | diled Local Swi ley are applied it shall apply to harges listed a sion ordered or ecurring - Curr 12.59 14.26 21.62 | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Cost Barelline Beature End Off For Geo Current For Cui 2-WIRE UNE Po | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Costice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 | t Based sage rat Fenness nd TN th | d Rate sites in the see, the hese no ges shall 1 2 3 | section in the same the Port section of the percurring UNE Port procurring charges Il be those identified | manner as this rate exhibits rate exhibits and Loop care commission in the Nonrial Loop care commission the Nonrial Loop care commission the Nonrial Loop care commission the Nonrial Loop care care care care care care care care | dled Local Swi dled Local Swi dley are applied it shall apply to harges listed a sion ordered cc ecurring - Curr 12.59 14.26 21.62 | to the Stand-A o all combination oply to Current ost based rates | one Unbundle ons of loop/po ly Combined a and in AL, FL | ort network ele and Not Currer | ments except ntly Combined | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurr | | |
| UNBŪI | Cost Barrent Beature End Off For Geo Current For Cui 2-WIRE UNE Po UNE Lo | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T dty Combined Combos for all states. In GA, KY, LA, MS, SC an errently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | ection in the same the Port section of the percurring UNE Port percurring charges Il be those identified UEPRX UEPRX UEPRX UEPRX | manner as the same as the same commission of the Nonroll of the No | dled Local Swi dled Local Swi dley are applied it shall apply to harges listed a sion ordered cc ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 | to the Stand-A all combination poply to Current sst based rates ently Combine | ione Unbundle ons of loop/pc Ily Combined : and in AL, FL d sections. | ort network elei and Not Currer and NC these | ments except titly Combined e nonrecurring | for UNE Coi Combos. T | he first and | additional Po | ort nonrecurri | e Market Rate | section. |
| UNBŪI | Cost Barrent Beature End Off For Geo Current For Cui 2-WIRE UNE Po UNE Lo | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T dy Combined Combos for all states. In GA, KY, LA, MS, SC ar rently Combined Combos in all other states, the nonrecurriny VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | vection in the same to Port section of the port section of the precurring UNE Port series and the precurring charges to the those identified to the precurring the precurring the precurring the precurring the precurring the precurring the precurring the precurrence of the precurr | manner as the state exhibition of the state | diled Local Swi ley are applied it shall apply to harges listed a sion ordered or ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 | to the Stand-A all combinatio poply to Current sst based rates ently Combine | ione Unbundle ons of loop/pc Ily Combined a and in AL, FL d sections. | ort network elei and Not Currer and NC these | ments except titly Combined e nonrecurring | for UNE Coi Combos. T | he first and | additional Poes and are als | ort nonrecurri | e Market Rate | section. |
| UNBŪI | Cost Barrent Beature End Off For Geo Current For Cui 2-WIRE UNE Po UNE Lo | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, MIssissippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 - Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits and Loop c are commission to the Nonroll UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC | dled Local Swi evy are applied it shall apply to harges listed a sion ordered co ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 | lone Unbundle ons of loop/pc ly Combined a and in AL, FL d sections. | ert network eler and Not Currer and NC these | ments except titly Combined nonrecurring | for UNE Coi Combos. T | he first and | additional Poes and are also and are also and are also ar | ort nonrecurri so listed in th | e Market Rate | 3.91 3.91 |
| UNBŪI | Cost Barrent Beature End Off For Geo Current For Cui 2-WIRE UNE Po UNE Lo | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Costice and Tandern Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, MIssissippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring COICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VICOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOING RATES 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | vection in the same to Port section of the port section of the precurring UNE Port series and the precurring charges to the those identified to the precurring the precurring the precurring the precurring the precurring the precurring the precurring the precurrence of the precurr | manner as the state exhibition of the state | diled Local Swi ley are applied it shall apply to harges listed a sion ordered or ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 | to the Stand-A all combinatio poply to Current sst based rates ently Combine | ione Unbundle ons of loop/pc Ily Combined a and in AL, FL d sections. | ert network eler and Not Currer and NC these | ments except titly Combined e nonrecurring | for UNE Coi Combos. T | he first and | additional Poes and are als | ort nonrecurri | e Market Rate | 3.91 3.91 |
| UNBŪI | Cost Barrent Beature End Off For Geo Current For Cui 2-WIRE UNE Po UNE Lo | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and Telly Combined Combos for all states. In GA, KY, LA, MS, SC ar rently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | vection in the same to Port section of the port section of the precurring UNE Port precurring charges if be those identified UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | wanner as the state exhibits and Loop care commission in the Nonroll UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | diled Local Swi ley are applied it shall apply to harges listed a sion ordered oc ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 1.79 1.79 | to the Stand-A all combination popply to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc Ily Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | additional Poes and are also and are also and are also ar | 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| UNBÜI | Cost Ba Feature End Off For Ger Current For Cur 2-WIRE UNE Po | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are se shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port suspale line port with Caller ID (LUM) | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits and Loop c are commission to the Nonroll UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC | dled Local Swi evy are applied it shall apply to harges listed a sion ordered co ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 | lone Unbundle ons of loop/pc ly Combined a and in AL, FL d sections. | ert network eler and Not Currer and NC these | ments except titly Combined nonrecurring | for UNE Coi Combos. T | he first and | additional Poes and are also and are also and are also ar | ort nonrecurri so listed in th | e Market Rate | 3.91 3.91 3.91 |
| UNBŪI | Cost Ba Feature End Off For Ger Current For Cur 2-WIRE UNE PC UNE LC | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, MIssissippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 - Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits rate exhibits and Loop of are commission to the Nonroll UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | dled Local Swi evy are applied it shall apply to harges listed a sion ordered co ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 1.79 1.79 | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 | 11.17 11.17 | 3.91 3.91 3.91 |
| UNBÚI | Cost Ba Feature End Off For Get Current For Cut 2-WIRE UNE Pc | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar ss shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tell orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tell orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tell orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tell orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tell orgia Combined Combos in all other states, the nonrecurring voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | vection in the same to Port section of the port section of the precurring UNE Port precurring charges if be those identified UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | wanner as the state exhibits and Loop care commission in the Nonroll UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | diled Local Swi ley are applied it shall apply to harges listed a sion ordered oc ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 1.79 1.79 | to the Stand-A all combination popply to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc Ily Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | additional Poes and are also and are also and are also ar | 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| UNBŪI | Cost Ba Feature End Off For Gee Current For Cui 2-WIRE UNE Po UNE Lo 2-Wire TEATU | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and Ti dy Combined Combos for all states. In GA, KY, LA, MS, SC ar rently Combined Combos for all states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits and Loop care commission in the Nonrelati | diled Local Swites diled L | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 | 11.17 11.17 | 3.91 3.91 3.91 |
| UNBŪI | Cost Baren B | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cost ice and Tandem Switching Usage and Common Transport Usorgia, Kentucky, Louisiana, Mississippi, South Carolina and Tity Combined Combos for all states. In GA, KY, LA, MS, SC arrently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Unbundled port outgoing only - res | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | DEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits rate exhibits and Loop of are commission to the Nonroll UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | dled Local Swi evy are applied it shall apply to harges listed a sion ordered co ecurring - Curr 12.59 14.26 21.62 10.80 12.47 19.83 1.79 1.79 | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 | 11.17 11.17 | 3.91 3.91 3.91 |
| UNBÚI | Cost Baren B | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar s shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and Telly Combined Combos for all states. In GA, KY, LA, MS, SC ar trently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port the Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY LOCAL Number PORTABILITY LOCAL Number PORTABILITY LOCAL Number PORTABILITY LOCAL Number PORTABILITY LOCAL Number PORTABILITY LOCAL Number PORTABILITY LOCAL Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits and Loop care commission in the Nonrelati | diled Local Swites diled L | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 | 11.17 11.17 | 3.91 3.91 3.91 |
| UNBÚI | Cost Baren B | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T dy Combined Combos for all states. In GA, KY, LA, MS, SC ar rently Combined Combos in all other states, the nonrecurriny VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port very company or with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCS) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | UEPRX | wanner as the state exhibition and Loop control are commission to the Norrel Library L | diled Local Swites diled L | to the Stand-A all combination popply to Current sst based rates entity Combine 22.14 22.14 22.14 22.14 22.14 0.00 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| UNBÚI | Cost Baren B | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC are as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and Tely Combined Combos for all states. In GA, KY, LA, MS, SC an rently Combined Combos for all states. In GA, KY, LA, MS, SC an rently Combined Combos in all other states, the nonrecurring VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | LEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | manner as this rate exhibits and Loop care commission in the Nonrelati | diled Local Swites diled L | to the Stand-A all combination poly to Current sst based rates ently Combine 22.14 22.14 22.14 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 | 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| UNBŪI | Cost Baren B | ORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar as shall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, Mississippi, South Carolina and T dy Combined Combos for all states. In GA, KY, LA, MS, SC ar rently Combined Combos in all other states, the nonrecurriny VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port very company or with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCS) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | t Based sage rat Fenness nd TN th | d Rate s tes in the see, the hese no ges shall 1 2 3 | UEPRX | wanner as the state exhibition and Loop control are commission to the Norrel Library L | diled Local Swites diled L | to the Stand-A all combination popply to Current sst based rates entity Combine 22.14 22.14 22.14 22.14 22.14 0.00 | lone Unbundle ons of loop/pc lly Combined a and in AL, FL d sections. | ert network elei and Not Currer and NC these | ments except titly Combined e nonrecurring 3.91 3.91 3.91 | for UNE Coi Combos. T | he first and | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 |

Version 4Q01: 01/31/02 Page 92 of 327

| UNBU | INDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|--------------|--------|--|-------------|----------|----------------|----------------|----------------|-----------------|------------------|-----------------------|-----------------------|--------|---|--|--|---|--------------|
| CATE GORY | NOTES | _ | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | FIISL | Add I | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SUMAN | SUMAN |
| | | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | <u> </u> | | | 10.50 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 14.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | _ | 21.62 | | | | | - | - | | | | |
| | | op Rates | | 3 | | | 21.02 | | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.80 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 19.83 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | | | | - | | | | | | _ | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX UEPBX | UEPBO UPEB1 | 1.79 1.79 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 33.67 33.67 | 7.88 7.88 | 11.17 11.17 | 3.91 3.91 |
| | | NUMBER PORTABILITY | | 1 | UEPBX | UPEBI | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | - | - | 33.07 | 7.88 | 11.17 | 3.91 |
| | LOCAL | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | 1 | | | | | |
| | FEATU | | | | OLI DX | LIVIOX | 0.55 | | | | | | | | | | 1 |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPBX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch with change ONAL NRCs | | | UEPBX | USACC | | 2.01 | 0.3108 | | | 1 | | | | | |
| | ADDITI | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | _ | | | | | | | | | | | <u> </u> |
| | | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | OLI DX | CONOL | | 0.00 | 0.00 | | | | | 00.07 | 7.00 | 11.17 | 0.01 |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.59 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 14.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | | |
| | | op Rates | | | LIEBBO | LIEBLY. | 10.00 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG UEPRG | UEPLX | 10.80 12.47 | | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 12.47 | | | | | | | | | | 1 |
| | | Voice Grade Line Port Rates (RES - PBX) | 1 | | 021110 | 5E1 EX | 13.00 | | | | | | | | | | † |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | İ | | | | | | | | | | | İ | |
| | | Res | | | UEPRG | UEPRD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | FEATU | | ļ | <u> </u> | LIEBBO | | | | | | | 1 | | | | | L |
| | | All Features Offered | 1 | - | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | 1 | | 33.67 | 7.88 | 11.17 | 3.91 |
| | NONKE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | - | - | | + | | | | - | - | | - | 1 | | - | |
| | | Conversion - Switch-As-Is | 1 | | UEPRG | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | 1 | | 1 | | | 2.01 | 5.5.50 | | | 1 | | 33.37 | 7.50 | | 5.51 |
| | | Conversion - Switch with Change | l | | UEPRG | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | 1 | | | | | | | | | | | 1 | |
| | | Subsequent Activity | ļ | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | | 1 | | | | | | | | | | | | |
| | | Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | - | ļ | 1 | | 14.64 | 14.64 | | | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | ort/Loop Combination Rates | 1 | - | 1 | + | | | | | | + | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | - | 1 | | + | 12.59 | | | | | | | | | | 1 |
| | | | 1 | | i . | | 00 | | | l . | | 1 | 1 | | | 1 | 1 |

| CATE | NDLED | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | 44b4. O | ı | |
|--|-----------|--|-------------|----------|-------|--|----------------|--------|-----------|--------------|------------|-------|---|-----------|--|---|---|
| | | | | | | 1 | | | | | | | 1 | P | ttachment: 2 | | Exhibit: E |
| GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | 088 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 21.62 | | | | | | | | | | |
| U | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 /oice Grade Line Port Rates (BUS - PBX) | | 3 | UEPPX | UEPLX | 19.83 | | | | | | | | | | |
| <u> </u> | 2-vviie v | Voice Grade Line Port Rates (BOS - PBA) | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| - | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | fi | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 37.06 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | (| 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | I | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | FEATUR | | | | HEDDY | LIED) /E | 0.00 | 0.00 | 2.00 | | | | | 00.07 | 7.00 | 44.47 | 0.04 |
| <u> </u> | | All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | + | | | | | | | | | | |
| | | Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPPX | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Conversion - Switch with Change | | | UEPPX | USACC | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | DNAL NRCs | | | | - 57.00 | | 2.01 | 0.0.00 | | | | | 55.07 | | | 5.51 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | 1 | | | | | | | | 1 | 1 | | İ |
| | | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | - | | | | • | | • | | | | | | |
| \vdash | | rt/Loop Combination Rates | ļ | <u> </u> | | 1 | | | | | | ļ | | | | | ļ |
| \vdash | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | <u> </u> | 1 | | | 12.69 | | | | | | | ļ | ļ | | |
| 1 | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | 1 | 2 | | + | 14.36 21.72 | | | | | | | - | - | | - |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 op Rates | 1 | 3 | | + | 21.72 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | - | 1 | UEPCO | UEPLX | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 2 | UEPCO | UEPLX | 12.47 | | | | | | | 1 | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.83 | | | | | | | İ | Ì | | |
| | | /oice Grade Line Ports (COIN) | | | | | | | | | | | | İ | İ | | |
| | | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEPCO | UEPGC | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | 9 | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA) | | | UEPCO | UEP2G | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA) | | | UEPCO | UEPGA | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | : | 2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA) | | | UEPCO | UEPGB | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA) | | | UEPCO | UEPCH | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |

| Interigon Part Cate Ca | UNBUNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | l A | ttachment: 2 | | Exhibit: B |
|--|-------------------|---|--|-------|---------|--------|---------|-------|--------|-----------|------|----------|--|--|---|---|--|--|
| Print April Control Control | CATE NOTES | | | Zone | вся | s | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. |
| Payme con Confession Will Openine Secreting and Off Sociality USPCO USPC | | | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| MORPON, 1100D, D111, and iscal (F), CAT URPCO URPCO 1, 180 22.14 10.25 8.45 3.91 33.67 7.88 11.77 3. | | (GA, KY, MS) | | | UEPCO | | UEPRJ | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | | 7.88 | | 3.91 |
| EVEN CON Distances Securities with 000070 (a) EVEN CON Distances (a) | | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | | | | | | | | | | | | | | |
| ADDITIONAL UNE CORN PORTICOP FIRE Flate | | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | | |
| DRECON PORTION CONTROL Usage (File Rates) | ADDIT | | | | UEPCO | | UEPCR | 1.89 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | 11.17 | 3.91 |
| Local Number Productive (1 per port) | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | | URECU | 3.59 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| NONECURRING CHARGES - CURRENITY COMBINED | LOCAL | | | | | | | | | | | | | | | | | |
| 2-Wire Voto Grade Log / Une Port Combination - Conversion Seath-level UEPCO USAC2 2.01 0.316 33.67 7.88 11.17 3. | | | | | UEPCO | | LNPCX | 0.35 | | | | ļ | | | 1 | | | ļ |
| 2-Wire Victor Golda Loop - Line Print Combination - Conversion - Subsequent UEPCO | NONRE | | | | | | | | | | | | | | | | | |
| South with change UEPCO USACC 2.01 0.31 33.67 7.88 11.17 3. | | | | | UEPCO | | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| 2 2 2 2 2 2 2 2 2 2 | ADDIT | Switch with change | | | UEPCO | | USACC | | 2.01 | 0.31 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| UNBLUDICE PORTIZOP COMBINATIONS - COST BASED RATES | ADDITI | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADE LOOP- BUS ONLY: WITH 2-WIRE DID TRUNK PORT | UNBUNDLED I | | | | UEPCO | | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| 2-Wire Vol Lopp/2-Wire DID Trunk Port Combo - UNE Zone 1 | | | PORT | | | | | | | | | | | | | | | |
| 2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 30.88 | UNE Pr | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| 2-Wire Vot Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 42.27 | | | | | | | | | | | | | | | | | | |
| UNE Loop Rates UEPPX UECO1 16.84 104.78 78.10 | | | | | | | | | | | | | | | | | | |
| 2-Wire Analog Votes Grade Loop - (SL2) - UNE Zone 1 | | | | 3 | | | | 42.27 | | | | | | | | | | |
| 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2 UEPPX UECO1 19.45 104.78 78.10 | | | | | LIEDDY | | LIEOD4 | 40.04 | 10170 | 70.40 | | | | | | | | |
| 2-Wire Analog Vioce Grade Loop - (SL2) - UNE Zone 3 3 UEPPX UEDD1 30.92 104.78 104.10 | | | | | | | | | | | | | | | | | | <u> </u> |
| UKE Port Rate | | | | | | | | | | | | | | | | | | 1 |
| Exchange Ports - 2-Wire DID Port UEPPX UEPD1 11.35 61.91 61.91 33.67 7.88 | UNE P | | | - 3 | OLITA | | OLODI | 30.32 | 104.70 | 104.10 | | | | | | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | 0.1.2.1 | | | | UEPPX | | UEPD1 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| Switch-as-is UEPPX USAC1 93.38 93.38 33.67 7.88 | NONRE | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion WEPX USA1C 93.38 93.38 33.67 7.88 | | | | | LIEPPX | | USAC1 | | 93 38 | 93.38 | | | | | 33.67 | 7 88 | | |
| ADDITIONAL NRCs | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| Telephone Number/Trunk Group Establisment Charges | ADDIT | | | | OLI I'A | | JUNIO | | 33.30 | 33.30 | | 1 | - | - | 33.07 | 7.00 | | |
| DID Trunk Termination (One Per Port) | | | | | | | | | | | | 1 | | | 1 | | | |
| DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers of each Group of 20 DID Numbers UEPPX NDZ 0.00 0.00 0.00 0.00 ND | 1 1 1 1 1 1 | | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | | |
| DID Numbers, Non- consecutive DID Numbers UEPPX ND5 0.00 | | | | | | | | | | | | Ì | | | 1 | | | |
| Reserve DID Numbers | | | | | UEPPX | | | | | | | <u> </u> | | | | | | |
| LOCAL NUMBER PORTABILITY UEPPX LNPCP 3.15 0.00 | | Reserve Non-Consecutive DID numbers | | | | | | 0.00 | | | | | | | | | | |
| Local Number Portability (1 per port) | | | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT | | | | | HEDDY | | I NIDCD | 3 15 | 0.00 | 0.00 | | | | | | | | |
| UNE Port/Loop Combination Rates | | | NE SIDE | | | | LINEOF | ა. 15 | 0.00 | 0.00 | | 1 | 1 | 1 | | 1 | | |
| 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | | 1 3IDE | I JKI | | | | | | | | | | | | | | |
| 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | 5 | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 1 | LIEDDR | LIEDDD | | 35.26 | | | | | | | | | | |
| 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | - | | | | | | | | | | | | | | |
| UNE Loop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1 1 UEPPB UEPPR USL2X 21.89 252.32 188.77 19.99 19.99 | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | | | | | | | | | | | | | | |
| 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | | 3 | UEPPB | UEPPR | | 53.64 | | | | | 1 | 1 | | | | |
| | UNE Lo | | | 1 | LIEDDD | LIEDDD | LICL OV | 24.00 | 252.22 | 100 77 | | | | | 10.00 | 10.00 | | |
| | \longrightarrow | | | | | | | | | | | | - | - | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|----------|---|---------|----------|--------|--------|-----------|--------|--------|-----------|--|-------|--|-----------|-------------|-------------------------|-------------------------|-------------------------|
| UNDU | | THE THORIT ELEMENTO GOOTGIA | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| CATE | | | Interi | | | | | | | | | | Sve Order | Sve Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | В | CS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | per LSR | per LSR | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | P • • • • • • • • • • • • • • • • • • • | p = | | | | |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | LINE D | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.17 | 252.32 | 188.77 | | | | | 19.99 | 19.99 | | |
| - | UNE Po | Exchange Port - 2-Wire ISDN Line Side Port | | | LIEDDD | UEPPR | UEPPB | 13.47 | 47.37 | | | | | | 19.99 | 19.99 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | UEPPB | UEFFR | UEPPB | 13.47 | 41.31 | | 1 | | | | 19.99 | 19.99 | | |
| | INOINIL | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | İ | | | | | | | |
| | | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 93.38 | 93.38 | | | | | 19.99 | 19.99 | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy | | | l | | | | | | | | | | | | | |
| - | 1.0041 | Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 165.95 | | | | | | 19.99 | 19.99 | | |
| - | LUCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | | - | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | - | | | 1 | | |
| - | B-CHAI | NNEL USER PROFILE ACCESS: | | 1 | OLFFB | JLFFR | LINEON | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | - 54 | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, & | TN) | | | | ļ | , i | | ļ | | | | | | | |
| | | ERMINAL PROFILE | | | LIEDDD | LIEDDD | 11411540 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | 1 | | | | 19.99 | 19.99 | | |
| | | OFFICE CHANNEL MILEAGE | | | OLITE | OLITIK | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 10.00 | 10.00 | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | | facilities termination | | | | UEPPR | M1GNC | 16.47 | 79.61 | 36.08 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0222 | 0.00 | 0.00 | | | | 0.00 | | | | |
| - | 4 14/105 | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | DODT | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | PURI | | | | | | | | | | | | | | | |
| | OIL I | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPPP | | | 218.69 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | | | 227.29 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | _ | | | | | | | | | | | | | | |
| - | LINELO | Zone 3 op Rates | | 3 | UEPPP | | | 265.09 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 55.53 | 448.92 | 276.60 | 1 | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | | UEPPP | | USL4P | 101.93 | 448.92 | 276.60 | <u> </u> | | | | 19.99 | 19.99 | | |
| | UNE Po | | | | | | | | | | | • | | | | | | |
| | Norre | Exchange Ports - 4-Wire ISDN DS1 Port | | ļ | UEPPP | | UEPPP | 163.16 | 186.80 | 186.80 | | | | | 19.99 | 19.99 | | ļ |
| - | NONRE | CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | - | | | | | | | | | | | | | | |
| | | 4-wire DS1 Digital Loop / 4-wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| - | ADDITI | DNAL NRCs | | - | JE: 11 | | 30/101 | 0.00 | 203.30 | 203.30 | | | 1 | | 10.00 | 10.00 | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | 1 | | | 1 | | | | | | | | | | |
| | | Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.9686 | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | l | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | 1 | 22.75 | 22.75 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 45.49 | 45.49 | | | | | | | | |
| — | LOCAL | NUMBER PORTABILITY | | | UEPPP | | rr/ZI | 1 | 45.49 | 45.49 | | | | | | | | |
| | LUUAL | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | INTERF | ACE (Provsioning Only) | | | | | <u> </u> | 1 | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | Name of | Inward Data | | <u> </u> | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | Additional "B" Channel New or Additional - Voice/Data B Channel | | - | UEPPP | | PR7BV | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| - | | New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 28.71 | | | | | | 19.99 | 19.99 | | |
| | | o aditional Digital Data D Orialino | | | J-111 | | וט זיז יו | 0.00 | 20.11 | | | | · | ı | 10.00 | 10.00 | | |

| UNBU | NDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--|--------|--|-------------|------|---------------------|--|--|-------------|-----------|--------------|-------|----------|---|-------------------------------------|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | SOMAN | | RATES (\$) | SOMAN | |
| + | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | First 28.71 | Add'l | First | Add'l | SOMEC | SUMAN | SOMAN 19.99 | SOMAN 19.99 | SUMAN | SOMAN |
| | CALL T | | | | OLITI | TRADO | 0.00 | 20.71 | | | | | | 13.33 | 19.55 | | <u> </u> |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| l | | ice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 78.9223 | 147.07 | 111.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.4523 | | | | | | | | | | - |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT ort/Loop Combination Rates | <u> </u> | | | | | | | | - | - | | | | | - |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 176.33 | ł | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | | UEPDC | | 184.93 | - | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 222.73 | | | | | | | | | | |
| | UNE Lo | op Rates | | | - | 1 | | | | | | | | 1 | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 55.53 | 448.92 | 276.00 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 64.13 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 101.93 | 448.92 | 276.60 | | | | | 19.99 | 19.99 | | |
| | UNE Po | | | | | | | | | | | | | | | | |
| — | | 4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED | | | UEPDC | UDD1T | 120.80 | 89.44 | 52.46 | | | | | 19.99 | 19.99 | | - |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | - | | | | | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | İ |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | OLI DO | 00/104 | | 200.00 | 200.00 | | | | | 10.00 | 10.00 | | |
| | | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | İ |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 269.96 | 269.96 | | | | | 19.99 | 19.99 | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | İ |
| | | Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | UEPDC | USAS4 | | 147.47 | 147.47 | | | | | | | | <u> </u> |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | İ |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | OLFDC | ODITA | | 20.71 | 20.71 | | | | | 15.55 | 19.99 | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | İ |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.71 | 28.71 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.71 | 28.71 | | | ļ | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | LIEDDO | LIDTT | | | | | | | | | | | 1 |
| ├ | | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.71 | 28.71 | | | 1 | | 19.99 | 19.99 | | |
| ├── | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | - | - | | 1 | | | - |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | + | 0.00 | 600.00 | | | 1 | | | | | |
| | | te Mark Inversion | | | | 20021 | | 0.00 | 300.00 | | | 1 | | 1 | | | |
| l f | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | 1 | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| \vdash | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers, Establish Trunk Group and Provide First Group | | | UEPDC | UDTGZ | 0.00 | | | | | 1 | | | | | |
| | | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | 1 | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digita | Loop | with 4-Wire DDITS T | runk Port | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | , | | | _ | | | | | | 1 |
| | | Termination) | l | | UEPDC | 1LNO1 | 78.47 | 147.07 | 111.75 | 0.00 | 0.00 | I | L | 19.99 | 19.99 | | |

| | ND: =- | NETWORK ELEMENTO | 1 | | | | | | | | | | | ı | | | |
|--------------|----------|---|-------------|----------|-------------------|----------------|------------------|-----------------|-----------------|-----------------------|---------------------|----------|-----------|--|--|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Georgia | | | | | 1 | | | | | 1 | ı | Α | ttachment: 2 | - | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | per LOIX | per Lor | 131 | Auu | Disc 1st | DISC Add I |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.4523 | 0.00 | 0.00 | | | | | | - | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | İ |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| - | | miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNOB | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.4523 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | t | | † | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | - | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | h | | | | | | | | | | | | |
| | UNE DS | stem can have up to 24 combinations of rates depending on | type ar | ia num | per of ports used | | | | | | | | | | 1 | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 55.53 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 64.13 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 101.93 | 0.00 | 0.00 | | | | | | | | |
| | UNE DS | O Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 102.64 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 205.28 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | ! |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 410.56 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG UEPMG | VUM14 VUM19 | 615.84 821.12 | 0.00 | 0.00 | | | | | 19.99 19.99 | 19.99 19.99 | | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,026.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,231.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,642.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,052.80 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,463.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,873.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | ! |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| — | | es of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without | ıa'ı atte | r the m | inimum system con | riguration is | counted. | | | | | | | | - | | |
| | | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 328.35 | 16.52 | | | | | 19.99 | 19.99 | | i |
| | | Additions at End User Locations Where 4-Wire DS1 Loop with | th Chan | nelizat | | | | | 10.02 | | | | | 10.99 | 10.99 | | |
| | | ot Currently Combined) In GA, KY, LA, MS & TN Only | | | | | | | | | | | | | 1 | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | | Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 738.61 | 462.53 | 144.05 | 17.09 | | | 19.99 | 19.99 | | |
| - | | 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent | | | | 1 | | | | | | 1 | | | | | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | ĺ |
| | Alternat | te Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | L | | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | 1 | | |
| <u> </u> | ⊏xchan | ge Ports | <u> </u> | | | - | | | | | | - | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | 1 |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | | |
| ļ | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 33.67 | 7.88 | | |
| - | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration | | | UEPPX | UEPDM | 11.35 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | - | 33.67 | 7.88 | | |
| | reature | Activations - Oribunitied Loop Concentration | l . | <u> </u> | | 1 | ı | | | l | | 1 | 1 | l | I . | | |

| UNBU | NDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|------------------------|--|--|---------------------------------|--|--|--|---|--|---|-----------------------------------|-----------------|--|-------------|--|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | | curring | | g Disconnect | | | | RATES (\$) | | |
| | | Feature (Service) Activation for each Line Side Port Terminated | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | in D4 Bank | | | UEPPX | 1PQWM | 0.62 | 25.09 | 13.25 | 3.99 | 3.97 | | | 33.67 | 7.88 | | |
| | | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.62 | 77.21 | 18.20 | 56.49 | 11.04 | | | 33.67 | 7.88 | | |
| | Telepho | one Number/ Group Establishment Charges for DID Service | | | | | | | 10.20 | 00.10 | | | | 00.01 | 7.00 | | |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | | | | | | | | | |
| $\vdash \vdash \vdash$ | | Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers | <u> </u> | 1 | UEPPX UEPPX | ND5 ND6 | 0.00 | 0.00 | | - | - | | | | | | |
| \vdash | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | | | | | | | | | |
| | | lumber Portability | | | | 1 | 0.50 | 0.00 | 5.50 | | | 1 | | | | | |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATU | RES - Vertical and Optional | | | | | | | | | | | | | | | |
| | | witching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ORT LOOP COMBINATIONS - MARKET RATES | <u> </u> | <u>. </u> | L | | | | L | | | | | | | | |
| | | Rates shall apply where BellSouth is not required to provide scenarios include: | unbun | dled lo | cal switching or sw | itch ports pe | r FCC and/or St | tate Commissio | on rules. | | | | | | | | |
| | | undled port/loop combinations that are Not Currently Combin | l led in / | Maham | Elorida and North | h Carolina | | | | | | | | | | | |
| | | undled port/loop combinations that are Currently Combined o | | | | | n 8 MSAS in B | ellSouth's regi | on for end use | rs with 4 or mo | re DS0 equiva | lent lines | | | | | |
| | | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | | | | | | | | | | | e). | | | | |
| | | | | | | | | | | | | | | | | | |
| | BellSou | ith currently is developing the billing capability to mechanica | illy bill | the rec | urring and non-reci | urring Market | Rates in this s | ection except | for nonrecurring | o charges for | not currently o | combined in | Al. Fl and | INC. In the in | nterim where | | |
| | | ith currently is developing the billing capability to mechanica | | | | | | | | | | combined in | AL, FL and | I NC. In the in | nterim where | | |
| | BellSou | th cannot bill Market Rates, BellSouth shall bill the rates in the | he Cos | t-Based | | | | | | | | combined in | AL, FL and | NC. In the in | nterim where | | |
| | BellSοι The Ma | ith cannot bill Market Rates, BellSouth shall bill the rates in the rates for unbundled ports includes all available features in | he Cos n all st | t-Based ates. | section preceding | in lieu of the | Market Rates | and reserves th | ne right to true | up the billing | difference. | | | | | a flat rate us | age charge |
| | BellSοι The Ma End Off | ith cannot bill Market Rates, BellSouth shall bill the rates in the rket Rate for unbundled ports includes all available features in the and Tandem Switching Usage and Common Transport Us | he Cos n all st | t-Based ates. | section preceding | in lieu of the | Market Rates | and reserves th | ne right to true | up the billing | difference. | | | | | e a flat rate us | age charge |
| | BellSou The Ma End Off (USOC: | Ith cannot bill Market Rates, BellSouth shall bill the rates in the rket Rate for unbundled ports includes all available features in the fice and Tandem Switching Usage and Common Transport Us URECU). | he Cos in all st sage rat | t-Based ates. tes in th | I section preceding | in lieu of the | Market Rates a | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not | or the cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport UsuRECU). Currently Combined scenarios where Market Rates apply, the | he Cosin all st sage rat | t-Based ates. tes in the | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section of the grant section of the grant section of the grant section preceding | in lieu of the | Market Rates a | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir | Ith cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categorian. | he Cosin all st sage rat | t-Based ates. tes in the | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section of the grant section preceding | in lieu of the | Market Rates a | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE | or the cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in tice and Tandem Switching Usage and Common Transport UsuRECU). Currently Combined scenarios where Market Rates apply, the | he Cosin all st sage rat | t-Based ates. tes in the | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section of the grant section preceding | in lieu of the | Market Rates a | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate Rate for unbundled ports includes all available features in the Rate for unbundled ports includes all available features in the rate of the Rate Rate Rate Rates apply under the Rates apply, the red section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | he Cosin all st sage rat | t-Based ates. tes in the | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section of the grant section preceding | in lieu of the | Market Rates a | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled for the rate for unbundled for unbund | he Cosin all st sage rat | t-Based ates. tes in the | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section of the grant section preceding | in lieu of the | Market Rates at it shall apply to and Additional 24.80 | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | Ith cannot bill Market Rates, BellSouth shall bill the rates in the rate Rate for unbundled ports includes all available features in the Rate for unbundled ports includes all available features in the Rate for unbundled ports includes all available features in the Rate Rate Rate Rate Rate Rates apply under Section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) NT/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section of the grant section preceding | in lieu of the | Market Rates a it shall apply to and Additional | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate of the ra | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording | section preceding ne Port section of the grant section of the grant section of the grant section of the grant section section of the grant section sec | in lieu of the | Market Rates a it shall apply to and Additional 24.80 26.47 33.83 | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled for the rate of the rat | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 2 3 1 | section preceding ne Port section of the grant section of the grant section of the grant section section of the grant section of the grant section sec | his rate exhibition of the line of the lin | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled for the rate for unbundled for the rate for unbundled for the rate for unbundled for the rate for unbundled for the rate for unbundled for the rate for unbundled for unbundled for the rate for unbundled for the rate for unbundled for | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | section preceding he Port section of the grant of the gra | uin lieu of the | and Additional 24.80 26.47 33.83 10.80 12.47 | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | uth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features it ifice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopolo | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 2 3 1 | section preceding ne Port section of the grant section of the grant section of the grant section section of the grant section of the grant section sec | his rate exhibition of the line of the lin | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 | and reserves the | ne right to true ons of loop/po | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | Combination | ns which have | | |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate of th | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | section preceding ne Port section of ti g charges are listed gly. UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX | Market Rates a it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 | and reserves the combination of the columns | ne right to true | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | o Combination | ges are listed | in the NRC - | Currently |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | arth cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the fice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the fined section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) and LINE PORT (RES) and LINE PORT (RES) and LINE PORT (RES) and LINE VOICE GRADE LOOP FOR Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | section preceding the Port section of the port section of the grant section of the grant section of the grant section section of the grant section of the port section | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | ### Additional 24.80 | o all combinati | ne right to true ons of loop/po for each Port U | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | o Combination | ges are listed | 11.17 | Currently |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | uth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features it itice and Tandem Switching Usage and Common Transport Us URECU). 1. Currently Combined scenarios where Market Rates apply, the led section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VIICO Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 100 Pates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | ue Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX | Market Rates a it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 | and reserves the combination of the columns | ne right to true | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | o Combination ecurring charges 33.67 33.67 | ges are listed | in the NRC - | 3.91 3.91 |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po | arth cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the fice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the fined section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) and LINE PORT (RES) and LINE PORT (RES) and LINE PORT (RES) and LINE VOICE GRADE LOOP FOR Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | section preceding the Port section of the port section of the grant section of the grant section of the grant section section of the grant section of the port section | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | market Rates at it shall apply to and Additional 24.80 26.47 33.83 12.47 19.83 14.00 14.00 14.00 | o all combinati NRC columns 90.00 90.00 | ne right to true ons of loop/po for each Port U | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | o Combination | ges are listed | 11.17 11.17 | 3.91 3.91 |
| | BellSou The Ma End Off (USOC: For Not Combin 2-WIRE UNE Po | uth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features it ifice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VIICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VIICE Usage Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | ue Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | market Rates at it shall apply to and Additional 24.80 26.47 33.83 12.47 19.83 14.00 14.00 14.00 | o all combinati NRC columns 90.00 90.00 | ne right to true ons of loop/po for each Port U | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | o Combination ecurring charges 33.67 33.67 | ges are listed | 11.17 11.17 | 3.91 3.91 3.91 |
| | BellSou The Ma End Off (USOC: For Not Combin 2-WIRE UNE Po | ath cannot bill Market Rates, BellSouth shall bill the rates in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled ports includes all available features in the rate for unbundled port under several possible features in the rate for unbundled port of the possible features in the rate for unbundled port with Caller ID - res 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jection preceding the Port section of the Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO | Market Rates a it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 | o all combinati NRC columns 90.00 90.00 90.00 | ge right to true | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | ges are listed 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | BellSou The Ma End Off (USOC: For Not Combin 2-WIRE UNE Po | ith cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features it ifice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jection preceding the Port section of the Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC | ### Additional 24.80 | o all combinati NRC columns 90.00 90.00 90.00 | ge right to true | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | ges are listed 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po UNE Lo 2-Wire | uth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features in tirket Rate for unbundled ports includes all available features in tirce and Tandem Switching Usage and Common Transport Us URECU). 1. Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) MITH COOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1. Opp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 1. Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | ue Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| | BellSou The Ma End Off (USOC: For Not Combir 2-WIRE UNE Po UNE Lo 2-Wire | ith cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features it ifice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jection preceding the Port section of the Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO | Market Rates a it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 | o all combinati NRC columns 90.00 90.00 90.00 | 90.00 90.00 | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | ges are listed 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | BellSou The Ma End Offic (USOC: For Noto Combin UNE Po UNE Po UNE Lo 2-Wire | ath cannot bill Market Rates, BellSouth shall bill the rates in the trate for unbundled ports includes all available features in the trate for unbundled ports includes all available features in the fice and Tandem Switching Usage and Common Transport UsureCU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced for the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced for the voice Grade LOOP Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 iop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 iorice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port ou | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jeen preceding the Port section of the Port section of the Grant Section of the Grant Section of the Grant Section of the Port Section of the Port Section Section Section 19 Control of the Port Section 19 Control of t | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAP UEPAP | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | BellSot The Mal End Offf (USOC: For Not Combin 2-WIRE UNE Po UNE LO 2-WIRE LOCAL FEATUL | uth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features in tirket Rate for unbundled ports includes all available features in tirce and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) MITHOUS COMBINATION OF COMBI | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | ue Port section of the grant of | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 |
| | BellSou The Ma End Offf (USOC: For Not Combinion 22-WIRE UNE Po | uth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features in tirket Rate for unbundled ports includes all available features in tirce and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced from the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) introduced from the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 IOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 IOP Combo - Zone 3 IOP Combo - Zone 3 IOP Combo - Zone 3 IOP Combo - Zone 1 2-Wire voice Grade Loop (SL1) - Zone 3 IOP Combo - Zone 3 IOP Combo - Zone 3 IOP COMBO - ZONE 3 IOP CO | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jesetion preceding The Port section of the Port section of the grant o | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP LNPCX UEPVF USAC2 | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 41.50 | 90.00 90.00 90.00 41.50 | up the billing rt network elei | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| | BellSou The Ma End Offi (USOC: For Noto Combin UNE LO UNE LO 2-WIRE UNE Po | arth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features in tirket Rate for unbundled ports includes all available features in tirce and Tandem Switching Usage and Common Transport UsureCU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopole of the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopole of the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopole of the categor of the | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jeen preceding the Port section of the Port section of the Grant Section of the Grant Section of the Grant Section of the Port Section of the Port Section Section Section 19 Control of the Port Section 19 Control of t | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAP UEPAP | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 |
| | BellSou The Ma End Offi (USOC: For Not Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL ADDITI | In the cannot bill Market Rates, BellSouth shall bill the rates in the trate for unbundled ports includes all available features in the trate for unbundled ports includes all available features in the trate for unbundled ports includes all available features in the fice and Tandem Switching Usage and Common Transport Us URECU). Currently Combined scenarios where Market Rates apply, the fed section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VILOOP Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice Unbundled port outgoing only - res 3-Wire voice Unbundled port outgoing only - res 3-Wire voice Orabellity Local Number Portability (1 per port) RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch with change DNAL NRCs | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jesetion preceding The Port section of the Port section of the grant o | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP LNPCX UEPVF USAC2 | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 41.50 | 90.00 90.00 90.00 41.50 | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 |
| | BellSou The Ma End Offf (USOC: For Not Combin 2-WIRE UNE Po UNE LO 2-WIRE LOCAL | arth cannot bill Market Rates, BellSouth shall bill the rates in triket Rate for unbundled ports includes all available features in tirket Rate for unbundled ports includes all available features in tirce and Tandem Switching Usage and Common Transport UsureCU). Currently Combined scenarios where Market Rates apply, the ded section. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopole of the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopole of the categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) myllogopole of the categor of the | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jesetion preceding The Port section of the Port section of the grant o | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP LNPCX UEPVF USAC2 | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 41.50 | 90.00 90.00 90.00 41.50 | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 33.67 | 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 |
| | BellSou The Ma End Offi (USOC: For Not Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL | In the cannot bill Market Rates, BellSouth shall bill the rates in the cannot bill Market Rates, BellSouth shall bill the rates in the cate of unbundled ports includes all available features in the cate of unbundled ports includes all available features in the cate of t | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jesetion preceding The Port section of the Port section of the grant o | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP LNPCX UEPVF USAC2 USACC | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 41.50 | 90.00 90.00 90.00 41.50 | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 | 3.91 3.91 3.91 3.91 3.91 |
| | BellSou The Ma End Offf (USOC: For Not Combin 2-WIRE UNE Po UNE LO 2-WIRE LOCAL FEATU | in the cannot bill Market Rates, BellSouth shall bill the rates in the cannot bill Market Rates, BellSouth shall bill the rates in the cate of unbundled ports includes all available features in time and Tandem Switching Usage and Common Transport UsureCU). Currently Combined scenarios where Market Rates apply, the desection. Additional NRCs may apply also and are categor VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) in the combination Rates. 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - RES All Features Offered 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with change ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - Suitch with Subsequent | he Cosin all st sage rat | t-Based ates. tes in the ecurring coording 1 1 2 3 1 1 2 | Jesetion preceding The Port section of the Port section of the grant o | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAP LNPCX UEPVF USAC2 USACC | Market Rates at it shall apply to and Additional 24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 41.50 | 90.00 90.00 90.00 41.50 | up the billing rt network eler | difference. | or UNE Coi | n Port/Loop | 33.67 33.67 33.67 33.67 | 7.88 7.88 7.88 7.88 7.88 | 11.17 11.17 11.17 11.17 11.17 | |

Version 4Q01: 01/31/02 Page 99 of 327

| JNBU | NDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: E |
|------|-------|---|-------------|--|----------------|---------|----------------|--------|-----------|--|-------|-------|-----------------------|--------------|--|---|-------------------------------------|
| CATE | NOTES | _ | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring D | | | | ossı | RATES (\$) | | |
| | | 0.W5 VO L /Dt Ot 7 0 | | | | | 00.47 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 26.47 33.83 | | | | | | | | | | + |
| | | pop Rates | | 3 | | | 33.63 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.80 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 12.47 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPBX | UEPLX | 19.83 | | | | | | | | | | |
| | | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | NUMBER PORTABILITY Local Number Portability (1 per port) | | <u> </u> | UEPBX | LNPCX | 0.35 | | | | | | | | - | | + |
| | FEATU | | | <u> </u> | UEPBX | LNPCX | 0.35 | | | | | | | | | | + |
| | | All Features Offered | 1 | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | OLI DA | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 55.07 | 7.00 | 11.17 | 3.91 |
| | | | | | | | | | | | | | | İ | | | 1 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | - | 24.80 | | | - | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.47 | | | | | | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | | | | + |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.80 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 12.47 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 19.83 | | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | - | | | | | | | + |
| | FEATU | | | | OLFING | LINE CE | 3.13 | | | | | | | | | | + |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | 0.00 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | 0.00 | 0.00 | | | | | 33.67 | 7.00 | 44.47 | 2.04 |
| | | Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | | | + | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Group | | | | | | 14.64 | 14.64 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | | | 1 | | 17.04 | 17.04 | | | | 1 | 15.55 | 13.39 | 10.00 | 13.33 |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | 1 | | 1 |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.80 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.47 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.83 | | | | | | | ļ | | | |
| | | op Rates | | . | LIEDDY | LIEDLY | 10.00 | | | | | | | ļ | ļ | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX UEPPX | UEPLX | 10.80 | | | | | | | 1 | 1 | 1 | + |
| | | 2 Mira Vaiga Crada Laga (CL1) Zana 2 | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 12.47 19.83 | | | | | | | | | | + |

| UNBU | NDLED | NETWORK ELEMENTS - Georgia | | | | | | | | | | | A | ttachment: 2 | | Exhibit: I |
|--------------|---------|--|-------------|--|----------------|----------------|----------------|--------|-----------|-------------------------|----------|---|--|--|---|------------------------|
| CATE GORY | NOTES | • | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | | | | | - | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | <u> </u> | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Capable Port | | 1 | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 0211 X | OLI AL | 14.00 | 30.00 | 30.00 | | | | 33.07 | 7.00 | 11.17 | 5.5 |
| | | Administrative Calling Port | | 1 | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| l. | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | 1 | 1 | | | | - |
| | FEATUR | | | | ULFFA | LINE CE | 3.13 | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | |
| | | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | |
| l | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | UEPPA | U3A32 | | 0.00 | 0.00 | | | | 33.07 | 7.00 | 11.17 | 3.9 |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | - |
| l. | | Group | | | | | | 14.64 | 14.64 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 24.80 | | | | | | | | | |
| | - | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | + | 26.47 33.83 | | | | <u> </u> | | | | | |
| | | 2-wire vG Coin Port/Loop Combo – Zone 3 op Rates | <u> </u> | 3 | 1 | + | 33.83 | | | | 1 | 1 | 1 | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.80 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 12.47 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 19.83 | | | | | | | | | |
| | | Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEPCO | UEPGC | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | LIEBOO | LIEDGG | | | | | | | 22.2- | | | |
| | | 900/976, 1+DDD (GA) | <u> </u> | <u> </u> | UEPCO | UEP2G | 14.00 | 90.00 | 90.00 | | <u> </u> | <u> </u> | 33.67 | 7.88 | 11.17 | 3.91 |
| I | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA) | | | UEPCO | UEPGA | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | - | 2-Wire Coin 2-Way with Operator Screening and 900/976 | <u> </u> | | ULFCU | UEPGA | 14.00 | 90.00 | 90.00 | | 1 | 1 | 33.07 | 7.88 | 11.17 | 3.9 |
| | | Blocking (GA) | | | UEPCO | UEPGB | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | l l | | | 1 | 1 | | 50 | 55.56 | 22.30 | | | | 33.37 | | | 0.0 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | i | 1 | 00.00 | 90.00 | 1 | | 1 | 00.07 | | 11.17 | 3.9 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+,and Local (GA) | | | UEPCO | UEPCH | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | 0.0 |
| | | 900/976, 1+DDD, 011+,and Local (GA) 2-Wire Coin Outward with Operator Screening and 011Blocking | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (GA) 2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS) | | | UEPCO UEPCO | UEPCH UEPRJ | 14.00 | 90.00 | 90.00 | | | | 33.67 | 7.88 | 11.17 | |
| | | 900/976, 1+DDD, 011+,and Local (GA) 2-Wire Coin Outward with Operator Screening and 011Blocking | | | | | | | | | | | | | | 3.91 |

| UNBU | INDLE | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|-------|----------|--|-------------|---------|----------------------|-------------|--|----------------|--------------|--------------|--------------|-------|---|--|--|---|-------------------------|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | a Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | 1 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | 02. 00 | 00/102 | | 11.00 | 11.00 | | | | | 00.01 | 7.00 | | 0.0 |
| | | Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 33.67 | 7.88 | 11.17 | 3.91 |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| UNRUN | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | | Based Rates are applied where BellSouth is required by FCC | | State 0 | ommission rule to I | provide Unb | undled Local S | witching or Sv | vitch Ports. | 1 | | | | | | | |
| | 2. Featu | res shall apply to the Unbundled Port/Loop Combination - C | ost Bas | ed Rat | e section in the sam | e manner as | they are applie | d to the Stand | -Alone Unbun | | | | | | | | |
| | | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | | | | | |
| | Combin | orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges shal | nrecur | ring ch | arges are commission | n ordered c | ost based rates | and in AL, FL | | | | | | | | | |
| | | ket Rates for Unbundled Centrex Port/Loop Combination will | | | | | | | | | | | | | | | |
| | UNE-P | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | , | | | | | | | | | | | |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | LINE D | attle and Combinedian Retail (New Project) | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Fort (Certrex)Fort Combo - | | 1 | UEP91 | | 12.59 | | | | | | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP91 | | 14.26 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP91 | | 21.62 | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design Color (Color Colo | | 1 | UEP91 | | 18.63 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | 21.24 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP91 | | 32.71 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 10.80 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 12.47 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP91 | UECS1 | 19.83 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 16.84 | | | | | t | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 19.45 | | | <u> </u> | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 30.92 | • | | | | | | | | | |
| | LINES | to | | | | | | | | | | | | | | | |
| | UNE Po | es (Except North Carolina and Sout Carolina) | | | | | | | | 1 | | 1 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |

Version 4Q01: 01/31/02 Page 102 of 327

| LINDLI | NDI EF | NETWORK ELEMENTS. Coordia | 1 | | | | | | | | | | | | | | E-133 B |
|----------|----------|--|-------------|------|----------------|----------------|-----------------|------------------|----------------|--------------|--------------|-------------------|-----------------------|----------------|---|---|---|
| ONRO | NULEL | NETWORK ELEMENTS - Georgia | | | | 1 | 1 | | | | | l | l | | ttachment: 2 | 1 | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | ı | | | ı | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonred | | Nonrecurring | . Diagonnost | | | 000 | RATES (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | 7144 | | 7144 | | | | 00 | | |
| | | Basic Local Area | | | UEP91 | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | and Florida Only | | | | | | | | | | | | | | | |
| - | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 UEP91 | UEPHA UEPHB | 1.79 1.79 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 33.67 33.67 | 7.88 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 02. 0. | 02 | | | 10.20 | 0.10 | 0.01 | | | 00.01 | 7.00 | | |
| | | Center)2 | | | UEP91 | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 | | | | | | | | | | | |
| | | Term | | | UEP91 | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Fort Terminated in 611 Meganin of equivalent | | | UEP91 | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.5554 | | | | | | | | | | |
| | | umber Portability | | | LIEDOA | LNDOO | 0.05 | | | | | | | | | | |
| _ | Feature | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| - | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 454.69 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | 33.67 | 7.88 | | |
| _ | | Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial | | | UEP91 UEP91 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | | 33.67 33.67 | 7.88 7.88 | | |
| | | aneous Terminations | | | OLI 31 | OAROX | 0.00 | 0.00 | 0.00 | | | | | 33.07 | 7.00 | | |
| | | Frunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 11.35 | 61.91 | 61.91 | | | | | 33.67 | 7.88 | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| - | | Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 UEP91 | MIGBC MIGBM | 17.07 0.0222 | | | | | | | | | | |
| - | | Activations (DS0) Centrex Loops on Channelized DS1 Service | <u> </u> | | UEF91 | IVIIGDIVI | 0.0222 | | | | | | | | | | |
| | | nnel Bank Feature Activations | Ĭ | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| \vdash | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI 31 | | 0.02 | | | | | | | | | | |
| | | Different Wire Center | | | UEP91 | 1PQWP | 0.62 | | | | | | | | | | |
| | | | | | | l | | | | | | | | | | | |
| \vdash | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWQ | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWQ | 0.62 | | | | | | | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | 1.02 | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | | | İ | | | | | | | | | | |
| | | changes, per port | | | UEP91 | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| - | | New Centrex Standard Common Block | | | UEP91 UEP91 | M1ACS M1ACC | 0.00 | 659.41 659.41 | | | | | | 33.67 33.67 | 7.88 7.88 | | |
| | | New Centrex Customized Common Block Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 77.10 | | | | | | 33.67 | 7.88 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 71.88 | | | | | | 33.67 | 7.88 | | |
| | | | | | | | | | | | | | | | | | |
| | | CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire \ | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | 1 | | | | | | | | | | | |
| \vdash | LINE Po | rt/Loop Combination Rates (Non-Design) | | | | - | | | | | | | | | | | |
| | SITE I'U | Teleop combination Nates (Non-Design) | <u> </u> | | | 1 | ll | | 1 | ll | | l | l | | 1 | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Georgia | 1 | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|----------|---|-------------|----------|----------------|----------------|--------------|----------------|----------------|--------------|--------------|----------|-----------------------|--|-------------------------|--|--|
| CATE | NOTES | • | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | COMEC | COMAN | OSSI | RATES (\$) | COMAN | COMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 12.59 | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 14.26 | | | | | | | | | | |
| - | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 21.62 | | | | | | | | | | |
| | UNE D | <u>-</u> | | Ľ | 02.00 | | 21.02 | | | | | | | | | | |
| | UNE PO | ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | | | | | | | | | | | |
| | | Design | | 1 | UEP95 | | 18.63 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design | | 2 | UEP95 | | 21.24 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 32.71 | | | | | | | | | | |
| | LINE | pop Rate | | | | + | | | | | | 1 | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.80 | | | | | - | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP95 | UECS1 | 12.47 | | | | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP95 | UECS1 | 19.83 | | | | | | | | | | |
| | | 2 1110 10100 01000 2000 (02 1) 20110 0 | | Ť | 02.00 | 02001 | 10.00 | | | | | | | | İ | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.84 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 19.45 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.92 | | | | | | | | | | |
| | LINE D | ort Rate | | | | | | | | | | | | | - | | |
| | All Stat | | | | | | | | | | | | | | 1 | | |
| | All Olai | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | FL & G | A Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | ļ | 2-Wire Voice Grade Port (Centrex 800 termination) | | ļ | UEP95 | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP95 | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | <u> </u> |
| | | Term | | | UEP95 | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 UEP95 | UEPH9 UEPH2 | 1.79 1.79 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 33.67 33.67 | 7.88 7.88 | | |
| | ļ | h.Malla | | | | 1 | | | | | | | | | | | |
| | Local S | Switching Centrex Intercom Funtionality, per port | | - | UEP95 | URECS | 0.5554 | | | | | - | | | - | | |
| | | centrox intercon i unitoriality, per port | | | OLI 30 | OKEGO | 0.0004 | | | | | | | | | | |
| | Local N | lumber Portability | | | | 1 | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | LIEBOS | LIED :- | <u> </u> | | | | | | | | | | |
| | | All Standard Features Offered, per port | ļ | ļ | UEP95 | UEPVF | 0.00 | 454.00 | | | | | | 33.67 | 7.88 | ļ | ├ |
| | 1 | All Select Features Offered, per port | l | <u> </u> | UEP95 | UEPVS | 0.00 | 454.69 | | l | | <u> </u> | l | 33.67 | 7.88 | l | |

| UNBL | INDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|----------|----------|---|-------------|--|----------------|----------------|----------------|----------------|-----------|--|-------|--|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconne | ct | | | RATES (\$) | | |
| | | | | <u> </u> | LIEBAE | | 2.22 | First | Add'l | First Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | NARS | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | _ | | 33.67 | 7.88 | | |
| | NAKS | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | + | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | 1 | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 33.67 | 7.88 | | i i |
| | | aneous Terminations | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 11.35 | 61.91 | 61.91 | | | | 33.67 | 7.88 | | |
| | 4-Wire | Digital (1.544 Megabits) DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 120.80 | 89.44 | 52.46 | | | | 33.67 | 7.88 | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HD1 M1HDO | 0.00 | 28.71 | 5∠.46 | | + | 1 | 33.67 | 7.88 | | |
| | Interoff | ice Channel Mileage - 2-Wire | | l | 021 00 | | 0.00 | 20.71 | | | - | | 33.07 | 7.00 | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 17.07 | | | | 1 | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0222 | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | |
| L | D4 Cha | nnel Bank Feature Activations | | <u> </u> | LIEDOS | 4001110 | | | | | | 1 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP95 | 1PQW6 | 0.62 | | | | | | | | | |
| | | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | UEP95 | 1PQW7 | 0.62 | | | | | | | | | 1 |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | 1PQWV | 0.62 | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | | | | ł |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.62 | | | | | | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | UEP95 | USAC2 | | 2.04 | 0.0400 | | | | 33.67 | 7.88 | | ł |
| | | changes, per port New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 2.01 659.41 | 0.3108 | | | | 33.67 | 7.88 | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACC | 0.00 | 659.41 | | | | 1 | 33.67 | 7.88 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 71.88 | | | | | 33.67 | 7.88 | | 1 |
| | | | | | | | 0.00 | | | | | | | | | ī |
| | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | |
| | LINE | and and Combination Dates (Nov. Books) | | <u> </u> | | | + + | | | | _ | | - | | | |
| <u> </u> | UNE PO | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | + | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 12.59 | | | | | | | | | - |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | | 2 | UEP9D | | 14.26 | | | | | | | | | |
| | | Non-Design | | 3 | UEP9D | | 21.62 | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | 1 | † | | | 1 | + | | | _ | 1 | 1 | | | i |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 18.63 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | | UEP9D | | 21.24 | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 32.71 | _ | | | | | | | | |
| | | | | | | | | | | | | | | | | <u> </u> |
| | UNE Lo | oop Rate | | <u> </u> | LIEDOD | 115004 | 40.00 | | | | | 1 | ļ | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9D UEP9D | UECS1 UECS1 | 10.80 12.47 | | | | | 1 | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | | UEP9D | UECS1 | 19.83 | + | | | + | 1 | 1 | | | |
| | l | 2-vviite voice Grade Loop (OL 1) - ZOHE 3 | <u> </u> | J | OLF3D | ULUSI | 19.03 | | | 1 | 1 | 1 | 1 | | | |

| UNBL | JNDLE | D NETWORK ELEMENTS - Georgia | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|-------------|----------|--------|----------|-------|-----------------|------------------|-----------------------|-----------------------|----------|---|--|--|---|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | FIISL | Add I | SOMEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.84 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 19.45 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 30.92 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort Rate | | | | | | | | | | | | | | | |
| | ALL ST | ATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | 0.01 | | | | | | |
| | | Area | | | UEP9D | UEPYB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | 1 |
| | | Area | <u> </u> | <u> </u> | UEP9D | UEPYD | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | <u> </u> | | 33.67 | 7.88 | | 1 |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYE | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYF | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYG | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYU | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYV | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPY3 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYJ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | | 2 Basic Local Area | | | UEP9D | UEPYM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYR | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPY4 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | 1 | | | | | | | | | | | | | | 1 |
| | <u> </u> | Basic Local Area | <u> </u> | <u> </u> | UEP9D | UEPY5 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | ├ |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | 1 | | LIEDOD | LIEDY CO | | | .= | | | | | | | | 1 |
| | | Basic Local Area | ļ | 1 | UEP9D | UEPY6 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | ļ | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | 1 | | LIEDOD | LIED) (T | | | .= | | | | | | | | 1 |
| | | Basic Local Area | ļ | <u> </u> | UEP9D | UEPY7 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | LIEDOD | LIED C | | | .= | | | | | | | | 1 |
| | <u> </u> | Term | <u> </u> | <u> </u> | UEP9D | UEPYZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | ├ |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | LIEDOD | LIEDY CO | | | .= | | | | | | | | 1 |
| | 1 | Basic Local Area | | | UEP9D | UEPY9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | l | 33.67 | 7.88 | | |

| UNBU | NDLED | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|----------|--|-------------|----------|----------------|----------------|--------------|-----------------|-----------------|-----------------------|-----------------------|--|---|-------------------------------------|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | JOWIEC | JOWAN | 33.67 | 7.88 | JOWAN | JOWAN |
| | FL & G | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D UEP9D | UEPHD UEPHE | 1.79 1.79 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 33.67 33.67 | 7.88 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | <u> </u> | UEP9D | UEPHH | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | <u> </u> | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | UEP9D | UEPHW | 1.79 | 22.44 | 45.05 | 0.45 | 2.04 | | | 22.67 | 7.00 | | |
| | | Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | <u> </u> | UEP9D | UEPHV | 1.79 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 33.67 33.67 | 7.88 7.88 | | - |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPHJ | 1.79 | 22.14 | 15.25 | 0.45 | 3.91 | | | 33.07 | 7.00 | | |
| | | 2 | | | UEP9D | UEPHM | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | , | | | - | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPHZ | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | | | 33.67 | 7.88 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPH2 | 1.79 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | | 33.67 | 7.88 | | ļ |
| | 1 1 | italain n | | <u> </u> | | ļ | | | | - | - | <u> </u> | | | - | | |
| | | witching Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.5554 | | | | | | | | | | |
| | | umber Portability | | | OLFSD | UKEUS | 0.5554 | ł | | | 1 | | | 1 | | | - |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | - | | 1.10 | İ | | | | | | Ì | | | † |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 454.69 | - | | | | | 33.67 | 7.88 | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | | ļ | | | |
| | NARS | Haland Hall Martin and Assess Business Constitution | | <u> </u> | LIEDAD | LIADOV | | 0.00 | 0.00 | | | ļ | | 00.07 | 7.00 | | |
| | | Unbundled Network Access Register - Combination | | <u> </u> | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | - | - | <u> </u> | | 33.67 | 7.88 | | |
| | | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | | - | UEP9D UEP9D | UAR1X UAROX | 0.00 | 0.00 | 0.00 | - | - | | | 33.67 33.67 | 7.88 7.88 | | |
| | | aneous Terminations | | | OLFBD | UANUA | 0.00 | 0.00 | 0.00 | | | | | 33.07 | 1.08 | | \vdash |
| | | Trunk Side | | | | 1 | | t | | | | | | 1 | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 11.35 | | | | | | | | | | |
| | 4-Wire I | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |

| LINDI | INDI EI | NETWORK ELEMENTS - Georgia | | | | | | | | | | | | | ttachment: 2 | 1 | Exhibit: B |
|----------|---------|---|--------|--|-------|-------|--------|--------|-----------|--------------|------------|-----------|-----------|-------------|--------------|--|--|
| OND | INDEE | NETWORK ELEMENTS - Georgia | | 1 | | | | | | | | | 1 | A | llachment: 2 | | EXHIDIC B |
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | 200 | 0000 | | | | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | Ī | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 120.80 | 89.44 | 52.46 | | | | | 33.67 | 7.88 | | |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.71 | | | | | | 33.67 | 7.88 | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 17.07 | | | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0222 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | 1 | UEP9D | 1PQWA | 0.62 | | | | | | | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 2.01 | 0.3108 | | | | | 33.67 | 7.88 | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| <u> </u> | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 659.41 | | | | | | 33.67 | 7.88 | | |
| | | NAR Establishment Charge, Per Occasion | | 1 | UEP9D | URECA | 0.00 | 71.88 | | | | | ļ | 33.67 | 7.88 | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | ļ | | | | | | | | | | \vdash |
| <u> </u> | N | Description I Board Company Construction AAFOO FFOO OF FINOD | | 1 | | | | | | | | | 1 | | | | |
| - | | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | 1 | | + | | | | | | | 1 | | - | | |
| - | | - Requres Interoffice Channel Mileage - Requires Specific Customer Premises Equipment | | | | + | - | | | | | | ! | | | | |
| L | Note 3 | Requires Specific Customer Premises Equipment | | 1 | | | | | | l | | 1 | 1 | | l | l | |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | _ | | Δ | Attachment: 2 | | Exhibit: B |
|----------|---------|--|--|---------|---------------|--------------|-------------------|-----------------|-----------------|-----------------|-----------------|-------------|--------------|-----------------|--|--------------|-------------|
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | | | Interi | l_ | | | | | DATEO(6) | | | Svc Order | Svc Order | Manual Svc | | | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Electronic- | | | |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Manne | | Na | . Dianamant | | | 220 | DATES (A) | | |
| | | | | - | | | Rec | Nonred First | Add'l | Nonrecurring | | COMEC | COMAN | SOMAN | RATES (\$) | SOMAN | SOMAN |
| | The 700 | | | | | | Decrees and UN | | | First | Add'l | | | | | | SUMAN |
| | | ne" shown in the sections for stand-alone loops or loops as p | | | | grapnically | Deaveraged UN | E Zones. To V | iew Geograph | ically Deaverag | jed UNE Zone | Designation | ns by Centra | ai Office, refe | r to internet w | repsite: | |
| OBEDA | | ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS | connec | tion.nt | m I | | 1 | | | | | 1 | ı | | 1 | | |
| OFERA | TIONAL | SOFFORT STSTEMS | l . | | | | | | | | | l . | l . | | I | | |
| | NOTE / | A) Electronic Complex Codes Of EO absorbly control in control | | | | | | | | | . | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | s rate |
| - | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | ements that cannot be ordered electronically at present per t | | | | in this cate | gory reflects the | e charge that v | vould be billed | to a CLEC one | ce electronic o | rdering cap | abilities co | me on-line to | r that element | . Otherwise, | the manual |
| | orderin | g charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSK t | o BeilSouth. | COMM | 1 | | | 2.22 | | | | | 1 | | |
| - | | Manual Service Order Charge, per LSR, Disconnect Only (KY) Electronic OSS Charge, per LSR, submitted via BST's OSS | 1 | | | SOMAN | | | | 0.99 | | | | | ļ | | |
| | | | 1 | | | COMEC | | 2.52 | | | | 1 | 1 | | | | |
| LINIDIA | DI ED E | interactive interfaces (Regional) | - | | | SOMEC | | 3.50 | | | | | | | | | |
| | | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | - | | | | | | | | - | | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 3 | UEANL | UEAL2 | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | 3 | UEANL | URET1 | 31.11 | 46.88 | 46.88 | 26.03 | 7.65 | | 7.86 | | | | |
| | | Loop Testing - Basic 13(11a) Flour | | | UEANL | URETA | | 24.16 | 24.16 | | | | 7.86 | | | | |
| | | Engineering Information Document (EI) | | | UEANL | OKLIA | | 13.49 | 13.49 | | | | 7.00 | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | 0271112 | 02/ 1110 | | 0.00 | 0.00 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 23.01 | 23.01 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | 0271112 | 00002 | | 20.01 | 20.01 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 10.58 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | 1 | | UEQ | UEQ2X | 11.51 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 13.19 | 44.97 | 20.89 | 25.64 | 6.65 | | 7.86 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Engineering Information Document | | | UEQ | | | 13.49 | 13.49 | | | | | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 46.88 | 46.88 | | | | 7.86 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 24.16 | 24.16 | | | | 7.86 | | | | |
| UNBUN | IDLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | _ | | | | | | | | | |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | l | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | | | | | | | | | 1 | 1 | | | | |
| | | Zone 1 | l | 1 | UEPSR UEPSB | UEABS | 10.56 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | l . | _ | | | | | | | | 1 | | | | | |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | ļ | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | l . | _ | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.34 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | ļ | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | Ι. | | LIEDOD LIEDOD | | | 40.00 | 00 | 00.00 | 7.0- | 1 | 7.00 | | | | |
| | | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | ļ | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | Ι. | _ | LIEDOD LIEDOD | LIEADO | 24.44 | 40.00 | 20.57 | 20.05 | 7.05 | 1 | 7.00 | | | | |
| LINESTEE | | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 31.11 | 46.66 | 22.57 | 26.65 | 7.65 | | 7.86 | | ļ | | |
| ONBON | | XCHANGE ACCESS LOOP | <u> </u> | | | | | | | | | | | | | | |
| - | Z-WIKE | ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch | - | | | | | | | - | | | | | | | |
| | | (UVL-SL1) | l | | UEANL | UREWO | | 48.12 | 22.02 | | | | 7.86 | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | - | | OLANL | UKEWU | | 40.12 | 22.02 | ļ | | | 1.00 | | | | |
| | | Ground Start Signaling - Zone 1 | 1 | 1 | UEA | UEAL2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | 1 | 7.86 | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | 1 | | OLA | ULALZ | 12.07 | 134.09 | 01.07 | 13.05 | 14.08 | - | 1.00 | | ł | | |
| | | Ground Start Signaling - Zone 2 | l | 2 | UEA | UEAL2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | 1 | | OL/ (| ULALL | 17.45 | 134.05 | 01.07 | 7 3.03 | 17.00 | | 1.00 | | | | |
| 1 | | Ground Start Signaling - Zone 3 | 1 | 3 | UEA | UEAL2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | 1 | 7.86 | | | | |
| - | | Order Coordination for Specified Conversion Time (per LSR) | 1 | | UEA | OCOSL | 00.22 | 23.01 | 01.07 | 70.00 | 1-1.00 | | 7.00 | | 1 | | |
| | | 5.35. 555. diritation for opcomed conversion time (per Lory) | | 1 | U-/\ | | 1 | 20.01 | | | | | | | 1 | | |

Version 4Q01: 01/31/02 Page 109 of 327

| UNBU | NDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | l A | ttachment: 2 | | Exhibit: B |
|------------------------|---------|--|-------------|------|------------|----------------|-------|-----------------|-----------|--------------|-------|-------|-----------------------|---|--------------|-------------------------|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | RATES (\$) | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 12.67 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 2 | UEA | UEAR2 | 17.45 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| | | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 33.22 | 134.89 | 81.87 | 73.65 | 14.88 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP | | | UEA | UREWO | | 131.85 | 38.28 | | | | 7.86 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 29.26 | 164.11 | 112.36 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 34.25 | 164.11 | 112.36 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 85.06 | 164.11 | 112.36 | 78.91 | 18.66 | | 7.86 | | | | |
| <u> </u> | 2-WIDE | Order Coordination for Specified Conversion Time (per LSR) ISDN DIGITAL GRADE LOOP | | | UEA | OCOSL | | 23.01 | | | | | | | | | <u> </u> |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 18.44 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | † | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UDN | U1L2X | 25.08 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN | U1L2X | 42.87 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDN UDN | OCOSL UREWO | | 23.01 121.19 | 33.09 | | | | 7.86 | | | | |
| | 2-WIRE | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | ODIV | CILLIVO | | 121.10 | 00.00 | | | | 7.00 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| ! | | 1 | | 1 | UDC | UDC2X | 18.44 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | | | | ļ |
| ' | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 2 | UDC | UDC2X | 25.08 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | 050 | OBOZX | 20.00 | 1 10.111 | 00.02 | 700 | 10.00 | | 7.00 | | | | |
| <u></u> ' | | 3 | | | UDC | UDC2X | 42.87 | 146.77 | 95.02 | 71.38 | 13.83 | | 7.86 | | | | |
| \vdash | | CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIDI E | | UDC | UREWO | | 121.19 | 33.09 | | | | 7.86 | - | | | |
| \vdash | Z-VVIKL | 2 Wire Unbundled ADSL Loop including manual service inquiry | I | LOOF | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 10.82 | 141.98 | 79.73 | 69.02 | 11.47 | | 7.86 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | 1141.07 | 44.70 | 444.00 | 70.70 | 00.00 | 44.47 | | 7.00 | | | | |
| <u> </u> | | & facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry | | 2 | UAL | UAL2X | 11.79 | 141.98 | 79.73 | 69.02 | 11.47 | | 7.86 | | | | |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 12.87 | 141.98 | 79.73 | 69.02 | 11.47 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.01 | | | | | | | | | |
| ' | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 10.82 | 121.18 | 69.00 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | UALZVV | 10.82 | 121.18 | 69.00 | 69.09 | 11.54 | | 7.86 | | | | |
| ' | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.79 | 121.18 | 69.00 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | | | | | | | | | | | | | |
| | | facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UAL UAL | UAL2W OCOSL | 12.87 | 121.18 23.01 | 69.00 | 69.09 | 11.54 | | 7.86 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 137.85 | 29.34 | | | | 7.86 | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | , | | 22.2- | | | | | | | |
| \vdash | | & facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL2X | 8.75 | 151.54 | 89.29 | 69.09 | 11.54 | | 7.86 | | | | |
| ' | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.56 | 151.54 | 89.29 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| \vdash | | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UHL UHL | UHL2X OCOSL | 10.61 | 151.54 23.01 | 89.29 | 69.09 | 11.54 | | 7.86 | | | | |
| $\vdash \vdash \vdash$ | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | l | OI IL | OCOSL | 1 | 23.01 | | | | | | <u> </u> | | | - |
| L ' | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 8.75 | 130.74 | 78.56 | 69.09 | 11.54 | | 7.86 | | <u> </u> | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | , | | | | | | | | | |
| \vdash | | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL2W | 9.56 | 130.74 | 78.56 | 69.09 | 11.54 | | 7.86 | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 10.61 | 130.74 | 78.56 | 69.09 | 11.54 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |

| LINDII | NDI ED | NETWORK ELEMENTS Kaptuaky | | | | | | | | | | | | | 44h4- A | | Fubility D |
|----------|--------|---|----------|----------|--------------|-----------------------|--|-----------------|----------------|----------------|-------|---------|-----------|-------------|--------------|-------------|-------------|
| UNDU | IANTEL | NETWORK ELEMENTS - Kentucky | | | | 1 | T | | | | | 1 | 1 | | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | .,, | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | 0 50 + 0 50 0 0 | | | UHL | UREWO | | First | Add'l 29.34 | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOB | UHL | UREWO | + + | 137.79 | 29.34 | - | | | 7.86 | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIIBLE | LUUF | | _ | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.95 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | <u> </u> | OTIL | OFFERR | 10.00 | 100.70 | 120.00 | 74.55 | 14.00 | | 7.00 | | | | |
| | | and facility reservation - Zone 2 | - 1 | 2 | UHL | UHL4X | 15.68 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.98 | 185.75 | 123.50 | 74.95 | 14.69 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.01 | | | | | | | | | |
| | Ŧ | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | L | I | I T | | | | | |] | | | | |
| | j | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | 1, 11, 11, 11, 11, 11 | 45.00 | 404.05 | 444.04 | 77.00 | 45.00 | | 7.00 | | | | |
| \vdash | | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 15.68 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 16.98 | 164.95 | 114.04 | 77.32 | 15.80 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 10.30 | 23.01 | 114.04 | 11.32 | 15.00 | | 1.00 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 137.79 | 29.34 | | | | 7.86 | | | | |
| | | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 86.47 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 114.10 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 297.76 | 306.69 | 174.44 | 65.83 | 14.55 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.01 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | L | 130.27 | 40.05 | | | | | | | | |
| | | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | 1 | UDL | UDL19 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 32.48 | 157.81 | 106.06 | 78.91 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 27.59 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 32.48 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 36.37 | 157.81 | 106.06 | 78.91 | 18.66 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDL UDL | OCOSL UREWO | | 23.01 131.69 | 38.69 | | | 1 | 7.86 | | | | |
| \vdash | | Unbundled COPPER LOOP | 1 | | ODL | JINE WO | | 131.09 | 30.09 | | | | 7.00 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | | | + | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 10.82 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11.79 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | l <u>.</u> . | Ī — | I T | | | | | |] | | | | |
| <u> </u> | | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 12.87 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| \vdash | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 10.82 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| \vdash | | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | - | JUL | JOLI- VV | 10.02 | 120.15 | 01.91 | 05.09 | 11.34 | | 1.00 | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11.79 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | 1 | | | 201 | 22.00 | | | 50 | | | | |
| <u> </u> | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 12.87 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | - | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | l <u>.</u> . | Ī — | I T | | | | | |] | | | | |
| <u> </u> | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 24.91 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 36.94 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| \vdash | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc. | 1 | | UOL | UULZL | 36.94 | 140.95 | 18.10 | 69.09 | 11.54 | 1 | 7.86 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 69.95 | 140.95 | 78.70 | 69.09 | 11.54 | | 7.86 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | - | UCL | UCLMC | 03.33 | 9.00 | 9.00 | 03.09 | 11.54 | | 7.00 | | | | |
| | | (por 100p) | | | | 302.410 | | 5.50 | 5.50 | 1 | | 1 | | | | | |

| LINIE | | NETWORK ELEMENTO. K | | | | | | | | | | | 1 | _ | | | |
|--------------|----------|--|-------------|------|--------------------|----------------|----------|----------------|----------------|--------------|------------|---|-----------|--|--|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | 1 | T | | | | | 1 | 1 | А | ttachment: 2 | 1 | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service nquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 24.91 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 36.94 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service nquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 69.95 | 120.15 | 67.97 | 69.09 | 11.54 | | 7.86 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 09.93 | 9.00 | 9.00 | 09.09 | 11.54 | | 7.00 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | 002 | CCLIIIC | | 0.00 | 0.00 | | | | | | | | |
| | | (UCL-Des) CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 148.88 | 31.42 | | | | 7.86 | | | | |
| | | (UCL-ND) | | | UEQ | UREWO | | 44.69 | 22.02 | | | | 7.86 | | | | |
| | | COPPER LOOP | | | | | | | | | | ļ | | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 16.92 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 17.36 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.10 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | - 3 | UCL | UCLMC | 20.10 | 9.00 | 9.00 | 74.33 | 14.03 | | 7.00 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | 0.00 | | | | | | | | | |
| | | facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and | | 1 | UCL | UCL4W | 16.92 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 17.36 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.10 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. nquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 46.91 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 2 | UCL | UCL4L | 45.78 | 170.31 | 108.06 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | | nquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL UCL | UCL4L UCLMC | 171.34 | 170.31 9.00 | 108.06 9.00 | 74.95 | 14.69 | | 7.86 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | | nquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 46.91 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| - | | nquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 2 | UCL | UCL4O | 45.78 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| | | nquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 171.34 | 149.52 | 97.33 | 74.95 | 14.69 | | 7.86 | | | | |
| - | \vdash | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 148.88 | 31.42 | | | | 7.86 | | | | |
| LOOP | MODIFIC | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEG | ULM2L | | 9.24 | 9.24 | | | | 7.86 | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | 342.24 | 342.24 | | | | 7.86 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | | ess than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | UHL, UCL | ULM4L | | 9.24 | 9.24 | | | | 7.86 | | | | |
| | | pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UCL | ULM4G | | 342.24 | 342.24 | | | | 7.86 | | | | |
| | | per unbundled loop | | | UAL, UHL, UCL, UEC | ULMBT | <u> </u> | 10.47 | 10.47 | <u> </u> | | <u> </u> | 7.86 | | <u> </u> | | |
| SUB-L | | | | | | | | | | | _ | | | | | | _ |
| <u> </u> | | op Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | ı | | UEANL | USBSA | | 207.91 | 207.91 | | | | 7.86 | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|----------|-----------|--|----------|----------|----------------------|----------------|----------|-----------------|------------------|-----------------------|---------------------|-----------|--------------|-------------|--------------|-------------|-------------|
| 01120 | | | | | | | | | | | | | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | KATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | _ | | | | | | | | |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) | SOMAN | SOMAN |
| | | | | | | | | FIISL | Auu i | FIISL | Auu i | SOMEC | JOWAN | JOWAN | JOWAN | JOWAN | SOWAN |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | | UEANL | USBSB | | 12.50 | 12.50 | | | | 7.86 | | | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| - | | Facility Set-Up | l I | | UEANL | USBSC | | 80.87 | 80.87 | | | | 7.86 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | 1 | | UEANL | USBSD | | 45.04 | 45.04 | | | | 7.86 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u> </u> | | OL/ WIL | CODOD | | 40.04 | 40.04 | | | | 7.00 | | | | |
| | | Zone 1 | I | 1 | UEANL | USBN2 | 6.34 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| - | | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | l I | 2 | UEANL | USBN2 | 9.06 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | | Sub-Loop Distribution Per 2-wire Analog voice Grade Loop - Zone 3 | ١, | 3 | UEANL | USBN2 | 14.82 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | | 2010 0 | <u> </u> | _ | 02,412 | CODITE | 1 1.02 | 00.00 | 00.00 | 00.01 | 1.00 | | 7.00 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| - | | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 8.14 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | Zone 2 | | 2 | UEANL | USBN4 | 8.63 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | OL7 WIL | CODITY | 0.00 | 102.01 | 00.02 | 00.24 | 10.00 | | 7.00 | | | | |
| | | Zone 3 | | 3 | UEANL | USBN4 | 25.60 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| - | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | | UEANL UEANL | USBMC USBR2 | 2.57 | 9.00 68.35 | 9.00 22.36 | 59.81 | 7.90 | | 7.86 | | | | |
| - | | Sub-Loop 2-Wire intrabuliding Network Cable (INC) | <u> </u> | | UEAINL | USDRZ | 2.57 | 00.33 | 22.30 | 59.61 | 7.90 | | 7.00 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 4.98 | 76.49 | 30.51 | 65.24 | 10.88 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEANL UEF | USBMC UCS2X | 5.45 | 9.00 85.03 | 9.00 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | l i | | UEF | UCS2X | 7.06 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS2X | 9.67 | 85.03 | 39.05 | 59.81 | 7.90 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| - | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF UEF | USBMC UCS4X | 7.09 | 9.00 102.31 | 9.00 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | 4 Wire Copper Unburidled Sub-Loop Distribution - Zone 1 | H | 2 | UEF | UCS4X | 8.66 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i i | 3 | | UCS4X | 19.40 | 102.31 | 56.32 | 65.24 | 10.88 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | I leabour | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | <u> </u> | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Iled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | 1 | | | - | | | | | | | | | | |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 5.23 | 5.23 | | | | 7.86 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | | | | | | | | | | | | | |
| | | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 5.23 | 5.23 | | | | 7.86 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 7.97 | 7.97 | | | | 7.86 | | | | |
| | | lled Network Terminating Wire (UNTW) | | | OLI . | OLIVIT I | - | 15.1 | 1.31 | | | | 1.00 | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.53 | 23.51 | 23.51 | | | | 7.86 | | | | |
| | | Interface Device (NID) | | | | | | | | _ | | | | | | | |
| - | | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | | | UENTW UENTW | UND12 UND16 | | 73.53 115.96 | 49.47 91.91 | | | | 7.86 7.86 | | | | |
| | | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 8.56 | 8.56 | | | | 7.86 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 8.56 | 8.56 | | | | 7.86 | | | | |
| SUB-LO | | | | | | | | | | | | | | | | | |
| <u> </u> | Sub-Lo | op Feeder | | <u> </u> | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL, | USBEW | | 207.91 | | | | | 7.86 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | 52. , 55. 4,552,05E, | CODI 11 | | 201.01 | | | | | 7.30 | | | | |
| | | set-up | | | UEA, UDN,UCL,UDL, | USBFX | | 12.50 | 12.50 | | | | 7.86 | | | | |

| HINDH | NDI ED | NETWORK ELEMENTS - Kentucky | 1 | | | | | | | | | | | | ttaahmanti 2 | | Evhibit. D |
|----------|--------|---|--------|------|------------|----------------|--------|-----------------|-----------|--------------|--------------|--|------------------|--------------------|--------------------------|--------------------------|--------------------------|
| OINDU | NULEL | HEI WORK ELEMENTS - RUILLICKY | | | | 1 | I | | | | | 1 | | | ttachment: 2 | _ | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | 0 | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| COICI | | | "" | | | | | | | | | Submitted | Submitted | Order vs. | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | Manually per LSR | Electronic- 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | | | | I | | per Lak | perLak | 151 | Add I | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 527.98 | 11.32 | | | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | UEA | USBFA | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| - | | Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | 1 | UEA | USBFA | 7.07 | 114.83 | 64.61 | 12.34 | 17.21 | | 7.80 | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFA | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| — | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | OLA | 00010 | 7.07 | 114.03 | 04.01 | 12.34 | 11.21 | | 1.00 | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFB | 19.53 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | UEA | OCOSL | | 23.01 | | | | | | | | | |
| | | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 7.67 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 9.70 | 114.83 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | 40.50 | | | ==== | .= | | | | | | |
| | | Battery, Voice Grade - Zone 3 Order Coordination For Specified Conversion Time, per LSR | | 3 | UEA UEA | USBFC OCOSL | 19.53 | 114.83 23.01 | 64.61 | 72.34 | 17.21 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | OLA | OCOGL | | 23.01 | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 22.82 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFD | 27.24 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | 3 | UEA | USBFD | 61.41 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA | OCOSL | 01.41 | 23.01 | 79.90 | 01.02 | 31.36 | | 7.00 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | OLIK | CCCCL | | 20.01 | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFE | 22.82 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFE | 27.24 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 61.41 | 131.73 | 79.98 | 81.82 | 51.56 | | 7.86 | | | | |
| — | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | 01.71 | 23.01 | 13.30 | 01.02 | 51.50 | | 7.00 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 13.00 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | | UDN | USBFF | 16.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 28.95 | 131.79 | 80.04 | 74.16 | 16.60 | ļ | 7.86 | | | | |
| <u> </u> | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDN UDC | OCOSL USBFS | 13.00 | 23.01 131.79 | 80.04 | 74.16 | 16.60 | - | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 16.95 | 131.79 | 80.04 | 74.16 | 16.60 | | 7.86 | | | | |
| — | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | UDC | USBFS | 28.95 | 131.79 | 80.04 | 74.16 | 16.60 | † | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 62.57 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 87.71 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 273.33 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | USL UCL | OCOSL USBFH | 6.44 | 23.01 105.31 | 53.57 | 71.16 | 13.61 | | 7.86 | | | | |
| - | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | OOL | חסטו.⊔ | 0.44 | 105.51 | 33.37 | / 1.10 | 13.01 | - | 1.00 | | | | |
| | | 2 | L | 2 | UCL | USBFH | 5.78 | 105.31 | 53.57 | 71.16 | 13.61 | <u> </u> | 7.86 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | - | | | | | | | | | |
| | | 3 | | 3 | UCL | USBFH | 4.25 | 105.31 | 53.57 | 71.16 | 13.61 | 1 | 7.86 | | | | |
| <u> </u> | | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL UCL | OCOSL USBFJ | 11.33 | 23.01 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| — | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | | UCL | USBFJ | 10.18 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ | 10.32 | 125.55 | 73.80 | 77.12 | 16.86 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.01 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|--------------|----------|--|-------------|----------|----------------|----------------|-----------------|------------------|------------------|----------------|----------------|----------|---|--|--|---|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | T |
| | | 0 h l Fra las Bra A Wiss 40 0 Kins Bis is I Osa la l | | _ | LIBI | LIODEN | 00.44 | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL UDL | USBFN | 26.41 23.10 | 125.43 125.43 | 73.68 73.68 | 81.82 81.82 | 21.56 21.56 | | 7.86 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop - | | 3 | UDL | USBFIN | 23.10 | 125.45 | 73.00 | 01.02 | 21.50 | - | 7.00 | | | | |
| | | Zone 1 | | 1 | UDL | USBFO | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 26.41 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UDL | USBFO | 23.10 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 23.01 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 20.78 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 1 | UDL | USBFP | 20.78 | 125.43 | 13.68 | 81.82 | ∠1.56 | | 7.86 | - | | | |
| | | Zone 2 | | 2 | UDL | USBFP | 26.41 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 23.10 | 125.43 | 73.68 | 81.82 | 21.56 | | 7.86 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | 250 | 23.01 | . 0.00 | 552 | 250 | | | | | | |
| SUB-LC | OOPS | | | | | | | | | | | | | | | | |
| | | op Feeder | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 15.38 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 346.30 | 3,386.00 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX UDLSX | 1L5SL USBF7 | 15.38 372.80 | 2 200 00 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month Sub Loop Feeder - OC-3 - Per Mile Per Month | | <u> </u> | UDLO3 | 1L5SL | 11.67 | 3,386.00 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | | Sub Loop Feeder - OC-3 - Fer Mile Fer Worth Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | UDLO3 | ILSSL | 11.07 | | | | | | | | | | |
| | | Month | | | UDLO3 | USBF5 | 58.27 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 564.68 | 3,386.00 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 14.36 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDL12 | USBF6 | 658.35 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,778.00 | 3,386.00 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | UDL48 | 1L5SL | 47.11 | | | | | | | | | | |
| | | Month | | | UDL48 | USBF9 | 330.39 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 | USBF4 | 1,533.00 | 3.571.00 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 372.76 | 788.37 | 407.14 | 160.86 | 91.19 | | 7.86 | | | | |
| UNBUN | IDLED L | OOP CONCENTRATION | | | | | | | | | | | | | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 423.72 | 359.34 | 359.34 | | | | 7.86 | | | | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 51.60 | 149.72 | 149.72 | | | | 7.86 | | | | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC ULC | UCT3A UCT3B | 460.27 86.95 | 359.34 149.72 | 359.34 149.72 | | | - | 7.86 7.86 | | | | |
| | | Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 86.95 4.90 | 71.69 | 149.72 51.51 | 22.99 | 6.00 | | 7.86 | - | | | |
| | | Unbundled Loop Concentration - DST Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | 020 | 00100 | 4.90 | 71.09 | 51.51 | 22.99 | 0.00 | | 1.00 | | | | |
| | | Card) Unbundled Loop Concentration - UDC Loop Interface (Brite | | | UDN | ULCC1 | 7.78 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Card) | | 1 | UDC | ULCCU | 7.78 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | | | | | <u> </u> | | | | | |
| | | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.95 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.58 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | 1 | l | | | | | | | | | | | | |
| | | (Specials Card) | | <u> </u> | UEA | ULCC4 | 6.90 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | - | ULC | UCTTC | 33.74 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.23 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.23 | 16.59 | 16.50 | 8.42 | 8.37 | | 7.86 | | | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | UDL | ULCUS | 10.23 | 66.01 | 06.01 | 0.42 | 0.37 | | 1.00 | | | | |
| | i l | Interface | 1 | Ì | UDL | ULCC6 | 10.23 | 16.59 | 16.50 | 8.42 | 8.37 | 1 | 7.86 | l | | l | l |

| UNBL | INDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------|----------|--|-------------|--------|---|----------------|---------------|----------------|-----------|--------------|--------|--|-----------------------|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | RATES (\$) | | |
| - | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNF O | THER. P | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| OITE O | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | UNECN | | | | | | | | | | | |
| UNE O | | ROVISIONING ONLY - NO RATE Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,U | LINEON | 0.00 | 0.00 | | | | | | | | | |
| - | - | Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | UAL,UCL,UDC,UDL, | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | rate | | | UEA.UDN.UCL.UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | , | | | | | | | 1 | | | | | İ |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH (| CAPACIT | TY UNBUNDLED LOCAL LOOP | | | | | 0.00 | 0.00 | | | | | | | | | |
| | | 4 month minimum billing period | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| - | ļ | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | 1L5ND | 9.25 | | | | | | | | | | |
| | | Termination per month | | | UE3 | UE3PX | 308.31 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | 020 | 020.70 | 000.01 | 001.00 | 000.00 | 170.00 | 120.12 | | 7.00 | | | | |
| | | month | | | UDLSX | 1L5ND | 9.25 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| LOOP | MAKE-U | Termination per month | | | UDLSX | UDLS1 | 320.51 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| 2001 | MARL-0 | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.40 | 23.40 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.85 | 24.85 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or | | | | | İ | | | | | | | | | | |
| | <u> </u> | spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.67 | 0.67 | | | | | | | | |
| HIGH | | NCY SPECTRUM ERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | SPLIII | Line Sharing Splitter, per System 96 Line Capacity | - | | ULS | ULSDA | 198.83 | 379.05 | 0.00 | 358.55 | 0.00 | | 7.86 | | | | 1 |
| | | Line Sharing Splitter, per System 24 Line Capacity | i | | ULS | ULSDB | 49.71 | 379.05 | 0.00 | 358.55 | 0.00 | | 7.86 | | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | ı | | ULS | ULSD8 | 16.94 | 377.71 | 0.00 | 357.29 | 0.00 | | 7.86 | | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | | | | | | | | | | | | | | |
| - | END H | deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | (CDEC | EDI IM | ULS | ULSDG | | 173.62 | | 100.40 | | | 7.86 | | | | |
| | END U | Line Sharing - per Line Activation (BST Owned Splitter) | SPEC | | ULS | ULSDC | 7.43 | 37.16 | 21.28 | 20.17 | 9.90 | | 7.86 | | | | 1 |
| | † | End Sharing por Enternation (Bot Owned Splitter) | - | | 020 | 52000 | 7.45 | 37.10 | 21.20 | 20.17 | 5.90 | | 7.50 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | 1 | | ULS | ULSDS | | 32.90 | 16.43 | | | <u> </u> | 7.86 | | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 7.86 | | | | |
| - | | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB UEPSR UEPSB | UREOS UREBP | 0.61 0.647 | 37.02 | 21.20 | 21.10 | 9.87 | | 7.86 | | | | |
| | - | Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual | - | | UEPSR UEPSB | UREBV | 0.647 | 37.02 37.02 | 21.20 | 21.10 | 9.87 | 1 | 7.86 | | | | |
| UNBU | NDLED T | RANSPORT | | | 52. 5K 6EI 6B | J. (LD) | 0.040 | 37.02 | 21.20 | 21.10 | 5.07 | | 7.50 | | | | |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month | | | U1TVX | U1TR2 | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.01 | | | | | | | | | | |

| UNBUI | NDLEL | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | | | |
|--|-------|---|-------------|----------|------------------|--------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--|--------------|--|--|---|---|
| | | HETTIGITITE ELEMENTO HORIZONY | | 1 | | | 1 | | | | | | 1 | A | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | FIISL | Add I | FIISL | Add I | SOMEC | SOWAN | SOWAN | SOMAN | SUMAN | SOMAN |
| | | - Facility Termination per month | | | U1TVX | U1TV4 | 25.86 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | i ' |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | , |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TDX | U1TD5 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | | per month | | | U1TDX | 1L5XX | 0.0115 | | | | | | | | | | 1 |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | |
| | | FFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.23 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination per month FFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | U1TD1 | U1TF1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 4.97 | | | | | | | | | | l ' |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | 1 |
| <u> </u> | | Termination per month FFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | U1TD3 | U1TF3 | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | 7.86 | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | | | | + | | | | | | | | | |
| | | month Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | U1TS1 | 1L5XX | 4.97 | | | | | | | | | | |
| | | Termination per month CHANNEL - DEDICATED TRANSPORT | | | U1TS1 | U1TFS | 1,149.51 | 335.40 | 219.24 | 89.57 | 87.75 | | 7.86 | | | | |
| | | OCAL CHANNEL DEDICATED TRANSPORT - minimum billing | a period | i - belo | w DS3=one month. | DS3 and abo | ve=four months | s | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | 9 | | ULDVX | ULDV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | | i |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | 7.86 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNDVX | ULDV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | 7.86 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | | ULDD1 | ULDF1 | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | i |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | | ULDD1 | ULDF1 | 43.39 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | | ULDD1 | ULDF1 | 164.50 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | |
| \vdash | | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per | | | ULDD3 | 1L5NC | 8.74 | + | | 1 | | 1 | | | | | |
| | | month | | | ULDD3 | ULDF3 | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | l |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.74 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per | | | ULDS1 | ULDFS | 543.24 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | l |
| MULTIP | | month S | | | ULDOI | ULDFS | 543.24 | 551.38 | 338.08 | 173.00 | 120.42 | - | 7.86 | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | | 7.86 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.32 | 10.07 | 7.08 | | | | 7.86 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 2.84 | 10.07 | 7.08 | | | | 7.86 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.6228 | 10.07 | 7.08 | | | | 7.86 | | | | |
| \Box | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 158.20 | 199.23 | 118.62 | 50.16 | 48.59 | | 7.86 | | | | |
| \vdash | | STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month | | | UXTS1 USL | MQ3 UC1D1 | 158.20 11.80 | 199.23 10.07 | 118.62 7.08 | 50.16 | 48.59 | - | 7.86 7.86 | | | | |
| DARK F | | boo interface offic (bo) cool) used with boop per month | | - | UUL | ועוטט | 11.00 | 10.07 | 1.08 | + | | | 1.00 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | | Thereof per month - Local Channel | | | UDF | 1L5DC | 47.01 | | | | | | | | | | |
| \vdash | | NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | UDFC4 | | 732.53 | 192.67 | 377.27 | 241.67 | 1 | 7.86 | | | | |
| | | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 30.74 | | | [| | | | | | | l |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | | |

| | | | | | | | | | | | | | | 1 | | | |
|--------------|----------|---|-------------|------|-----------------|-------|-----------------------|------------------|------------------|----------------|----------------|-------|-----------|--|--|---|---|
| UNBU | NDLEL | NETWORK ELEMENTS - Kentucky | | | | 1 | ı | | | | | 1 | 1 | А | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring | n Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | . 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 47.01 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | 47.01 | 732.53 | 192.67 | 377.27 | 241.67 | | 7.86 | | | | |
| TRANS | PORT O | | | | | | | | | •··· | | | | | | | |
| 8XX AC | | EN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006478 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 4.14 | 0.70 | | | | 7.86 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 8.78 | 1.18 | 7.08 | 0.86 | | 7.86 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | | NOFTY | | | | | | | | | | | |
| | | POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service | | | OHD | N8FTX | | 8.78 | 1.18 | 7.08 | 0.86 | | 7.86 | | | | |
| | | Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OHD | N8FCX | | 4.14 | 2.07 | | | | 7.86 | | | | |
| | | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 4.85 | 2.78 | | | | 7.86 | | | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | | | | 7.86 | | | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.14 | 4.14 | | | | 7.86 | | | | |
| | | 8XX Access Ten Digit Screening w/ 8FL No. Delivery, | | | OHD | | 0.0006478 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, | | | OHD | | 0.0006478 | | | | | | | | | | |
| LINE IN | IFORMA | TION DATA BASE ACCESS (LIDB) | | | 007 | | 0.000000 | | | | | | | | | | |
| - | | LIDB Common Transport Per Query LIDB Validation Per Query | | | OQT OQU | - | 0.000023 0.0137322 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQU OQT, OQU | NRPBX | 0.0137322 | 55.12 | | 67.59 | | | 7.86 | | | | |
| SIGNA | LING (CC | | | | | | | 99 | | 900 | | | | | | | |
| | | CCS7 Signaling Connection, Per 56 Kbps Facility | | | UDB | TPP++ | 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 151.39 | | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) | | | UDB UDB | TPP++ | 0.0000656 20.71 | 43.56 | 43.56 | 22.45 | 22.45 | | 7.86 | | | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | | link) CCS7 Signaling Usage, Per ISUP Message | | | UDB UDB | TPP++ | 20.71 0.0000164 | 43.56 | 43.56 | 22.45 | 22.45 | | 7.86 | | | | |
| - | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 751.08 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code | | | 000 | 0.000 | 701100 | | | | | | | | | | |
| | | Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code | | | UDB | CCAPO | | 46.02 | 46.02 | 56.43 | 56.43 | | 7.86 | | | | |
| | | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 46.02 | 46.02 | 56.43 | 56.43 | | 7.86 | | | | |
| E911 S | | Level Oliveral - De l'esta I. A contribution of | | | | | 40.57 | 005.70 | 40.00 | 40.70 | 4.00 | | | 40.04 | 40.04 | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | + | 18.57 0.0115 | 265.78 | 46.96 | 46.79 | 4.98 | | | 18.94 | 18.94 | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | 0.0110 | | | | | | | | | | |
| | | Termination | | | | | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | 18.94 | 18.94 | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | 18.94 | 18.94 | | |
| - | | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | | | | - | 43.39 164.50 | 209.60 209.60 | 176.51 176.51 | 30.21 30.21 | 21.07 21.07 | | | 18.94 18.94 | 18.94 18.94 | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.23 | 209.60 | 176.01 | 30.21 | 21.07 | | | 18.94 | 18.94 | | |
| CALLII | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | 18.94 | 18.94 | | |
| | | CNAM For DB Owners - Service Establishment | | | OQV | | | 25.34 | 25.34 | 23.30 | 23.30 | | 7.86 | | | | |
| | igsquare | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 25.34 | 25.34 | 23.30 | 23.30 | | 7.86 | | | | |
| | | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | 1,591.54 | 1,177.08 | 431.95 | 317.61 | | 7.86 | | | | |
| | | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | 546.40 | 393.74 | 438.93 | 317.61 | | 7.86 | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.0010348 | 3-1010 | 300.14 | 400.00 | 317.01 | | 7.00 | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010348 | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|-------------------|---|-------------|------|-----|-------|-----------|-----------------|-----------|--------------|--------|--------|---|--|--|----------|--|
| CATE GORY NOTE | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. |
| | | | | | | Rec | Nonrec First | | Nonrecurring | | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | CNAM (Non-Databs Owner), NRC, applies when using the | | | | | | | Add'l | First | Add'l | SOWIEC | SOWAN | SOWAN | SOWAN | SOWIAN | SOWAN |
| LNP Query So | Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | 7.86 | | | | <u> </u> |
| LNP Query S | LNP Charge Per query | | | | | 0.0008695 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | 0.0000000 | 13.82 | 13.82 | 12.71 | 12.71 | | 7.86 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 953.27 | 487.00 | 431.95 | 317.61 | | 7.86 | | | | |
| OPERATOR (| CALL PROCESSING | | | | | | | | | | | | | | | <u> </u> |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.00 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.20 | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPE | ERATOR SERVICES | | | ` | | 4.00 | | | | | | | | | | <u> </u> |
| | Inward Operator Services - Verification, Per Call Inward Operator Services - Verification and Emergency Interrupt | | | | | 1.00 | | | | | | | | | | |
| | - Per Call | | | | | 1.95 | | | | | | | | | | |
| BRANDING - | OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 7.86 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | 7.86 | | | | . |
| Unbra | anding via OLNS for UNEP CLEC Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 7.86 | | | | + |
| DIRECTORY | ASSISTANCE SERVICES | | | | | | 1,200.00 | 1,200.00 | | | | 7.00 | | | | 1 |
| DIRE | CTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| L | Directory Assistance Access Service Calls, Charge Per Call | L | | | | 0.275 | | | | | | | | | | |
| DIREC | CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D Directory Assistance Call Completion Access Service (DACC), | DACC) | | | | | | | | | | | | | | |
| | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| DIREC | CTORY TRANSPORT | | | | | | | | | | | | | | | |
| | SWA Common transport per Directory Assistance Access Service Call | | | | | 0.000178 | | | | | | | | | | |
| | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.000017 | | | | | | | | | | |
| | Access Tandem Switching per Directory Assistance Access Service Call | | | | | 0.000287 | | | | | | | | | | |
| | Directory Assistance Interconnection per Directory Assistance | | | | | 0.000207 | | | | | | | | | | |
| | Access Service Call | | | | | 0.00 | | | | | | | | | | |
| | DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00018 | | | | | | | | | | |
| | ASSISTANCE SERVICES CTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| DIKE | Directory Assistance Data Base Service (babs) | | | | | 0.04 | | | | | | | | | | 1 |
| | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | 1 |
| | DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Facili | ty Based CLEC | | | | | | | | | | | | | | | . |
| | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | | |
| | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| UNEP | CLEC | | | | | | | | | | | | | | | |
| \vdash | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | <u> </u> |
| | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Unbra | anding via OLNS for UNEP CLEC | | | | | | 1,770.00 | 1,170.00 | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| SELECTIVE F | OUTING | l | | | | | | | | | I | <u> </u> | | l | | <u> </u> |

| UNBL | JNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|---------|-------|---|-------------|----------|----------------------|--------------|-----------|----------------------|----------------------|---------------|---------------|---|-----------------------|--|-------------------------|-------------------------|---|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Switch | | | | USRCR | | 93.53 | 93.53 | 15.58 | 15.58 | | 7.86 | | | | |
| VIRTU | | OCATION | | | | | | 0.440.00 | | 1.01 | | | | | | | |
| | | Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS AMTFS | EAF ESPCX | - | 2,419.86 1,729.11 | 2,419.86 1,729.11 | 1.01 45.16 | 1.01 45.16 | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 7.99 | 1,729.11 | 1,729.11 | 45.16 | 45.16 | | - | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | 1 | 7 | 201701 | 0.00 | | | | | | | | | | |
| | | cable | | | AMTFS | ESPSX | 17.38 | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | ueanl,uea,udn,udc,u | JEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 19.99 | | <u> </u> | <u> </u> | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | uea,uhl,ucl,udl,AMTf | | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | 19.99 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | ļ |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.003 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0045 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CD | | 535.55 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.55 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 44.26 | 27.81 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 54.54 | 34.09 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 73.23 | 27.81 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 90.39 | 34.09 | | | | | | | | |
| VIRTU | | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | 7.86 | | | | |
| VIRTU | | OCATION | | | Ì | | 1 | 0 | 230 | | | | | | | Ì | † |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.309 | 24.68 | 23.68 | 12.14 | 10.95 | | 7.86 | | | | |
| AIN SE | | E CARRIER ROUTING | | | | | 0.000 | 2 | 20.00 | 12.14 | | | | | | Ì | † |
| | | Regional Service Establishment | 1 | | SRC | SRCEC | | 193,401.00 | 193,401.00 | 9,483.34 | 9,483.34 | | 7.86 | | | 1 | |
| | | End Office Establishment | | | SRC | SRCEO | | 194.09 | 194.09 | 0.85 | 0.85 | | 7.86 | | | | |
| | | Line/Port NRC, per end user | | | SRC | SRCLP | | 2.06 | 2.06 | | • | | 7.86 | | | | |
| | | Query NRC, per query | | | SRC | | 0.0037502 | | | | | | | | | ļ | |
| AIN - B | | JTH AIN SMS ACCESS SERVICE | | <u> </u> | | | | | | | | | | | ļ | ļ | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 43.55 | 43.55 | 44.93 | 44.93 | | 7.86 | | | | |

| UNRU | INDI FI | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|---------|---------|--|-------------|----------|-----------------|----------------|-----------------|-------------------|-------------------|-----------------------|---------------|-----------------|---|--|--|---|------------------------|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonred First | | Nonrecurring First | Disconnect | COMEC | COMAN | | RATES (\$) | SOMAN | SOMAN |
| | | | | | | | | FIRST | Add'l | FIRST | Add I | SOWIEC | SOMAN | SUMAN | SOMAN | SUMAN | SOWAN |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 38.65 | 38.65 | 29.88 | 29.88 | | 7.86 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAWAO | | 30.03 | 30.03 | 29.00 | 29.00 | | 7.00 | | | | |
| | | Initial or Replacement | | | A1N | CAMRC | | 75.08 | 75.08 | 12.93 | 12.93 | | 7.86 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0025 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per | | | | | 0.666 | | | | | - | 1 | | | | |
| | | Minute | | | | | 0.4608 | | | | | | | | | | |
| AIN - B | | JTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | 0444 | D 4 DOO | | 40.55 | 40.55 | 44.00 | 44.00 | | 7.00 | | | | |
| - | | Initial Setup AIN Toolkit Service - Training Session, Per Customer | | | CAM | BAPSC BAPVX | | 43.55 8.436.93 | 43.55 8.436.93 | 44.93 | 44.93 | - | 7.86 7.86 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | D/U V/ | | 0,400.00 | 0,400.00 | | | | 7.00 | | | | |
| | | DN, Term. Attempt | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 0.04 | 0.04 | 10.00 | 40.00 | | 7.00 | | | | |
| | | DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 8.64 | 8.64 | 10.03 | 10.03 | | 7.86 | | | | |
| | | DN, 10-Digit PODP | | | | BAPTO | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DARTO | | 54.04 | F4 04 | 40.50 | 10.50 | | 7.00 | | | | |
| | | DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTC | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | | |
| | | DN, Feature Code | | | | BAPTF | | 51.01 | 51.01 | 18.50 | 18.50 | | 7.86 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.0549207 | | | | | | | | | | |
| | | Subscription, Per Node, Per Query | | | | | 0.0066492 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.07 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 7.87 | 8.64 | 8.64 | 6.08 | 6.08 | | 7.86 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | CAM | BAPLS | 3.26 | 9.56 | 9.56 | | | | 7.86 | | | | |
| | | Subscription | | | CAM | BAPDS | 4.72 | 8.64 | 8.64 | 6.08 | 6.08 | | 7.86 | | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.11 | 9.56 | 9.56 | | | | 7.86 | | | | |
| ENHAN | ICED EX | TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | New EELs available in GA, TN, KY, LA, MS, & SC and density | | | | | | | | | | | | | | | |
| | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- In all states, EEL network elements shown below also apply t | | | | | | | le le Charge a | nnlies to curre | ntly combined | l facilities co | onverted to | LINEs (Non-re | curring rates | do not anniv | |
| | NOTE: | In GA, TN, KY, LA, MS & SC the EEL network elements apply | to ordir | narily c | ombined network | | | | to io Oriange a | ppiles to culle | ing combined | - racinues C | - Terred to | 5.1L3.(14011-16 | Journing rates | ao not appry | , |
| | 2-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | , , | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | 1 | UNCVX | UEAL2 | 12.67 | 405.00 | 00.40 | 50.00 | 7.04 | | 7.00 | | | | |
| | | Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | 1 | UNCVA | UEALZ | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | - | 7.86 | | | | - |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | DS1 Channelization System Per Month | | | UNC1X UNC1X | MQ1 | 79.02 113.33 | 181.24 57.26 | 123.53 | 1.86 | 1.67 | - | 7.86 | | | | |
| | 1 | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | † |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|---------|--------|---|-------------|--------|---------------|-------|--------|--------|-----------|-------|--------------|-------|-----------|---------------------------------------|--|-------------------------|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | _ |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| - | | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | ONOVA | OLAL | 29.20 | 125.22 | 00.40 | 39.09 | 7.04 | | 7.00 | | | | |
| | | Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.62 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE | 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | | 2.00 | 2.00 | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| <u></u> | | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | l | 7.86 | |] | | |

| LINES | ND: FF | NETWORK ELEMENTS - Manufacture | | | | | | | | | | | | - | | | F.4.00 = |
|--------------|--------|---|-------------|----------|-----------------|----------|--------|--------|-----------|--------------|-------|-------|-----------|--|--|---|---|
| UNBU | NULED | NETWORK ELEMENTS - Kentucky | | | | | 1 | | | | | 1 | I | | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 00450 | | | RATES (\$) | 0011411 | 0014411 |
| - | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| - | | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | - | | | - | | | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | ONOIA | IVIQI | 113.33 | 31.20 | 14.74 | 1.00 | 1.07 | | 1.00 | | | | |
| | | combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.32 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | ROFFI | CE TRA | NSPORT (EEL) | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | LINGAY | 1101.307 | 00.47 | 040.70 | 444.00 | 00.00 | 47.07 | | 7.00 | | | | |
| | | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 interoffice 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Transport - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE | IS Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | EROFFI | CE TRA | | DINCCC | | 0.98 | 0.98 | 11.17 | 11.17 | | 1.00 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 4.09 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | 7.86 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |

| LINIDII | אוווי בי | NETWORK ELEMENTS - Kentucky | 1 | | | | | | | | | | | | 4400hm==4: 0 | | Exhibit: B |
|--------------|----------|---|-------------|--------|---------------|-------|---------|--------|-----------|--------------|-------|-------|-----------|--|--|---|---|
| UNBU | NULEL | NETWORK ELEMENTS - Kentucky | | | | 1 | I | | | | | | | | ttachment: 2 | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Additional DC41 and in DC2 lateraffing Transport Combination | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | 55.55 | | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | 2 WIDE | IS Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EBOE | ICE TO | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport | EKUFF | ICE IN | ANSPORT (EEL) | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.67 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.45 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | 1 | | | | | | | | | | | |
| - | | Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per | | 3 | UNCVX | UEAL2 | 33.22 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U1TV2 | 23.95 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | == == | | | | | | | |
| | | Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 1 | UNCVX | UEAL4 | 29.26 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 34.25 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 85.06 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | | | | | | | | | | | | | |
| - | | Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interdition Transport - Dedicated - 4 - Wile Worke Grade combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U1TV4 | 21.28 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | DS3 DIG | GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRA | NSPOR | T (EEL) | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 9.25 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 308.31 | 237.36 | 147.69 | 83.43 | 32.67 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | 231.30 | 147.09 | 05.45 | 32.07 | | 1.00 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per per month | | | UNC3X | U1TF3 | 966.89 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | STS1 D | IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TE | RANSPO | | 3550 | | 0.00 | 0.00 | 11.17 | 11.17 | | 7.00 | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| <u> </u> | | Mile per month | | | UNCSX | 1L5ND | 9.25 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 320.51 | 237.36 | 147.69 | 83.43 | 32.67 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNCSX | UNCCC | 5-10.13 | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 2-WIRE | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | 0.00 | 0.00 | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |

| UNRU | INDI FI | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|----------|---|--|--|------------|--------|---|-----------------|------------------|-----------------------|-----------------------|----------|------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 0.1.2.0 | | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | 00 | 0 0 . 1 | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | | | | | | | | |
| - | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) | SOMAN | SOMAN |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | 1 | 11130 | Auu i | 11130 | Addi | JOINEC | JOHAN | JOHIAN | JOHAN | JOHAN | JONAN |
| | | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.19 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month | | | UNC1X | U1TF1 | 79.02 | 181.24 | 123.53 | 56.72 | 22.32 | | 7.86 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - | | | 0110171 | | 7 0.02 | 101121 | 120.00 | 00.12 | 22.02 | | 7.00 | | | | |
| | | per month | | | UNC1X | MQ1 | 113.33 | 57.26 | 14.74 | 1.86 | 1.67 | | 7.86 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | LINONY | LICACA | 0.04 | 6.74 | 4.04 | | | | 7.00 | | | | |
| - | | combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 18.44 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | _ | | | | | | |
| - | | Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | - | 2 | UNCNX | U1L2X | 25.08 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 42.87 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | combintaion- per month | | | UNCNX | UC1CA | 2.84 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | 1 | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE TI | | UNCCC | | 0.90 | 0.90 | 11.17 | 11.17 | | 7.00 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | ` ' | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | ONCIA | USLAA | 114.10 | 210.70 | 114.00 | 03.90 | 17.97 | | 7.00 | | | | |
| | | Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| - | | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | | Termination | | | UNCSX | U1TFS | 945.79 | 350.56 | 141.58 | 48.00 | 23.39 | | 7.86 | | | | |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 158.20 | 115.48 | 56.53 | 15.12 | 5.30 | | 7.86 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | | | | 7.86 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 86.47 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | Ė | Olto IX | COLU | 90.11 | 2.00 | 11.1.00 | 00.00 | 17.07 | | 7.00 | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 114.10 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 297.76 | 210.70 | 114.60 | 63.96 | 17.97 | | 7.86 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X | UC1D1 | 11.80 | 6.71 | 4.84 | 63.96 | 17.97 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | 4 14/105 | Is Charge | FEIOE 1 | DANO | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| - | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | FFICE | RANSI | ORT (EEL) | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | 5ODA | 35200 | 30.37 | 120.22 | 00.40 | 55.05 | 7.04 | | 7.00 | | | | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | LINCDY | U1TD5 | 17.05 | 98.09 | E2 67 | EG 24 | 22.40 | | 7.00 | | | | |
| | | Facility Termination Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | פעווט | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | | Is Charge | | | UNCDX | UNCCC | <u> </u> | 8.98 | 8.98 | 11.17 | 11.17 | <u> </u> | 7.86 | | | | |
| | 4-WIRE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE | RANSI | PORT (EEL) | | | | | | | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 27.59 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | 1 | Compination - 2010 1 | · | <u>'</u> | OHODA | JULU4 | 21.59 | 120.22 | 00.40 | 39.09 | 1.04 | l | 1.00 | | I | | l . |

| IINRII | NDI FI | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Attachment: 2 | | Exhibit: B |
|--------------|--------|---|-------------|----------|---------------------|----------------|-----------------|------------------|-----------------|----------------|---------------|-------|-----------------------|--|---------------|---|---|
| UNDU | NDLL | NETWORK ELEMENTS - Remacky | | 1 | | | | | | | | | | | | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 32.48 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 36.37 | 125.22 | 60.48 | 59.69 | 7.84 | | 7.86 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.01 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 17.25 | 98.09 | 53.67 | 56.31 | 22.42 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNCDX | UNCCC | 17.25 | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| ADDITI | | ETWORK ELEMENTS | | | ONCDX | UNCCC | | 0.90 | 0.90 | 11.17 | 11.17 | | 7.00 | | | | — |
| 7122111 | | sed as a part of a currently combined facility, the non-recurr | ng cha | ges do | not apply, but a S | witch As Is c | harge does app | oly. | | | | | | | | | |
| | | sed as ordinarilty combined network elements in Georgia, the | | | | | As Is Charge d | oes not. | | | | | | | | | |
| | | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each com | bination) | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1 | | | UNCSX | UNCCC | | 8.98 | 8.98 | 11.17 | 11.17 | | 7.86 | | | | |
| | | ocal Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | UNCXV | ULDV2 ULDV4 | 18.57 | 265.78 | 46.96 | 46.79 47.54 | 4.98 | | 7.86 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNCXV UNC1X | ULDV4 ULDF1 | 19.86 40.46 | 266.48 209.60 | 47.65 176.51 | 30.21 | 5.73 21.07 | | 7.86 7.86 | | | | |
| | | Local Channel - Dedicated - DS1 per Month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 43.39 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | |
| | | Local Channel - Dedicated -DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 164.50 | 209.60 | 176.51 | 30.21 | 21.07 | | 7.86 | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | _ | UNC3X | 1L5NC | 8.74 | 200.00 | 170.01 | 00.21 | 2 | | 7.00 | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNC3X | ULDF3 | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | İ |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8.74 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | UNCSX | ULDFS | 543.24 | 551.38 | 338.08 | 173.00 | 120.42 | | 7.86 | | | | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | | ge Ports | 0/ 1.4 | | | | | | | | | | | | | | |
| | | Although the Port Rate includes all available features in GA, In VOICE GRADE LINE PORT RATES (RES) | KY, LA | S⊾IN, t | ne desired features | will need to i | oe oraerea usin | ig retail USOCS | i | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | 1 |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPRM | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | ļ | |
| | FEATU | | | <u> </u> | HEDED | LIED\/E | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| \vdash | | All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) | | <u> </u> | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | - |
| | | VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | | Bus Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|----------|----------|--|-------------|--|----------------------|----------------|--|----------------|----------------|------------------|--|--------------|---|--|---|---|--|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | urrina | Nonrocurrin | g Disconnect | | | 000 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled KY extended local | | | | | | | | | | | | | | | ĺ |
| | | dialing parity Port with Caller ID - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with | | | UEPSB | UEPBM | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | — |
| | | Caller ID - Bus | | | UEPSB | UEPB1 | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | ĺ |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | . |
| | | NGE PORT RATES (DID & PBX) | | | UEPSE | UEPRD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | — |
| - | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSE | UEPRD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | - | - | - | |
| — | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | Ĺ |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP UEPSP | UEPXC | 1.49 1.49 | 39.05 39.05 | 18.17 18.17 | 15.38 15.38 | 0.89 | | 7.86 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEFSF | UEPAD | 1.49 | 39.05 | 10.17 | 15.30 | 0.09 | | 7.00 | | | | |
| | | Capable Port | | | UEPSP | UEPXE | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | i |
| | | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area | | | | | | | | | | | | | | | |
| | | Calling Port Without LUD | | | UEPSP | UEPXF | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPSP | UEPXG | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX Kentucky Premium Callling Port | | | UEPSP | UEPXH | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port Without LUD | | | UEPSP | UEPXJ | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | i |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEFSF | UEPAJ | 1.49 | 39.05 | 10.17 | 15.30 | 0.09 | | 7.00 | | | | |
| | | Administrative Calling Port | | | UEPSP | UEPXL | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | i |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPSP | UEPXM | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | ĺ |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | ĺ |
| | | Discount Room Calling Port | | | UEPSP | UEPXO | 1.49 | 39.05 | 18.17 | 15.38 | 0.89 | | 7.86 | | | | ! |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity | | | UEPSP UEPSP | UEPXS USASC | 1.49 0.00 | 39.05 0.00 | 18.17 0.00 | 15.38 | 0.89 | | 7.86 7.86 | | | | |
| | FEATU | | | | UEFSF | USASC | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| | | All Available Vertical Features | | <u> </u> | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | † | | 7.86 | | | | |
| | EXCHA | NGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | | Exchange Ports - Coin Port | | | | | 1.49 | 3.74 | 3.63 | 2.23 | 2.13 | | 7.86 | | | | Ĺ |
| | | witching Features offered with Port | L | | L | 1 | <u>. </u> | | | <u> </u> | <u> </u> | | | L | | | |
| | | Transmission/usage charges associated with POTS circuit sy | | | | | | | | | | | | | Boguest Bro | | — |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be Exchange port - 4-wire ISDN trunk port -all available features | avana | DIE ONI | y unougn BFK/NeW | Dusiness Ke | quest Process. | Rates for the | раскет сараві | indes will be de | eterrimed via | I BUNA FI | ue request/ | ivew Dusines | Request Pro | ve55. | |
| | | included | | 1 | | UEPEX | 101.60 | 188.36 | 95.15 | 61.92 | 22.67 | | 7.86 | | | | 1 |
| UNBUN | NDLED L | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | | NGE PORT RATES (DID & PBX) | | | | | | | • | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | . |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | 1 | UEPDD | UEPDD | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | 1 |
| | 1 | capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | 1 | UEPDD UEPTX UEPSX | UEPDD U1PMA | 13.46 | 164.86 | 50.67 | 32.83 | 3.86 14.17 | | 7.86 | | | | |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | 32.03 | 14.17 | | 1.00 | 1 | 1 | | |
| | | Transmission/usage charges associated with POTS circuit sv | witched | usage | | | | | | nission by B-CI | hannels assoc | iated with 2 | -wire ISDN i | oorts. | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | s Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | <u> </u> | UEPEX | UEPEX | 101.60 | 188.36 | 95.15 | 61.92 | 22.67 | ļ | 7.86 | | | | └ |
| | | OCAL SWITCHING, PORT USAGE | | ! | | 1 | | | | | | <u> </u> | 1 | | | | |
| | ı⊆ııa U∏ | ice Switching (Port Usage) | 1 | 1 | I . | 1 | | | | | 1 | 1 | 1 | | | l | |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|-------------|---------|----------------------|----------------|-----------------|-----------------|-----------------|------------------|----------------|-------------|---|------------|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0011971 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | End Office Switching Function, Fer MOU End Office Trunk Port - Shared, Per MOU | | | | | 0.00011971 | | | | | | | | 1 | | |
| | | Switching (Port Usage) (Local or Access Tandem) | | | | | 0.0002112 | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.000194 | | | | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002416 | | | | | | | | | | |
| | Commo | n Transport | | | | | | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.000003 | | | | | | | | | | |
| LINDIA | חוביי | Common Transport - Facilities Termination Per MOU ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | 0.0007466 | | | | | | | | - | | |
| | | used Rates are applied where BellSouth is required by FCC ar | d/or St | ate Cor | nmission rule to nro | vide Unbun | dlad Local Swit | tching or Swite | ch Porte | | | | | | | | |
| | | s shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate E | xhibit. | | | | | |
| | | ice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loop | Combinatio | ns. | | |
| | | orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T | | | | | | | | | | | | | | | |
| | | urring charges apply to Not Currently Combined Combos for | | | | | | | | | | | | | | | |
| | | Rates and are also listed in the Market Rate section. For Cur | rrently (| Combin | ed Combos in all ot | ner states, th | e nonrecurring | g charges shal | l be those iden | tified in the No | nrecurring - C | urrently Co | mbined sec | tions. | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | | 15.52 31.74 | | | | | | | | - | | |
| | | op Rates | | 3 | | | 31.74 | | | | | | | | | | |
| | OIVE E | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 14.37 | | | | | | | | t | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 30.59 | | | | | | | | | | |
| | | /oice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| _ | | 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing | | | UEPRX | UEPRO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | parity port with Caller ID - res | | | UEPRX | UEPRM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | OLI TOX | OLI IXW | 1.10 | 21.20 | 10.40 | 2.00 | 2.01 | | 7.00 | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | NUMBER PORTABILITY | | | LIEBBY . | | | | | | | | | | | | |
| - | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | NONKE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | | | | | | | | | | | | + | | |
| | | Switch-as-is | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch with change | | | UEPRX | USACC | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | l | | LIEDDY | 110400 | | | | | | | | | 1 | | |
| - | 2-WIDE | Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| \vdash | | rt/Loop Combination Rates | | | | | | | | | | - | | - | - | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | | | 15.52 | | | | | | | | 1 | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 31.74 | | | | | | | | | | |
| | UNE Lo | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | ļ | | UEPBX | UEPLX | 14.37 | | | | | | | | | | |
| \vdash | 2-14/: | 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port (Bus) | | 3 | UEPBX | UEPLX | 30.59 | | | | | | | | - | | |
| \vdash | ∠-vvire | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | - | 7.86 | - | - | | |
| | | 2-Wire voice unburidled port with Caller + E484 ID - bus | 1 | | UEPBX | UEPBC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | 1 | | |
| | | the state of the s | • | | | - | 0 | 0 | .0.70 | | 2.51 | | | • | | • | |

| UNBU | JNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|--|--|-------------|------|--------|---------|----------------|--------|-------------|--------------|------------|--|-----------------------|--|--------------|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | Disconnect | | | oss | RATES (\$) | | |
| | | OWEN CONTROL OF THE LIKE OF TH | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPBM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | İ | | İ |
| | | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | - |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 7.86 | | | | |
| - | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | OLI DA | UUNUZ | | 0.00 | 0.00 | | | | 7.00 | | † | | - |
| | | ort/Loop Combination Rates | | | | 1 | | | | | | | | | İ | | İ |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 31.74 | | | | | | | | | | |
| | UNE LO | pop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 14.37 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.59 | | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | Ť | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | FEATU | | | | LIEBBO | LIED\/E | 0.00 | 0.00 | 2.22 | | | | 7.00 | | | | |
| | | All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | - |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | 1 | | 1 |
| | | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch with Change | | | UEPRG | USACC | | 8.45 | 1.91 | | | | 7.86 | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | ULFRG | 03A32 | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | | 7.86 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | · · · · · · | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | - | 10.79 | | | | | | 1 | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | + | 15.52 31.74 | | | | | | | | | | - |
| | | pop Rates | | 3 | | + | 31.74 | | | | | - | | | - | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.64 | | | | | | 1 | | † | | - |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 14.37 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 30.59 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | ļ |
| | | Line Side Unbundled Combination 2 Way DBV True Dark Bur | | | UEPPX | UEPPC | 4.45 | 21.29 | 15.49 | 2.05 | 2.67 | | 7.00 | | | | 1 |
| | 1 | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus | | - | UEPPX | UEPPC | 1.15 1.15 | 21.29 | 15.49 | 2.85 2.85 | 2.67 | | 7.86 7.86 | | + | | + |
| | 1 | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | † | | - |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | 1 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | İ | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|---------------|--------|---|----------|----------|---------|--------|----------------|--------|-----------|--------------|--------------|--|-----------|------------------------|------------------------|------------------------|--|
| ONDO | TO LL. | THE THORK ELEMENTO HOMEONY | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Svc Order | Sve Order | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | po: 20:1 | po. 20.1 | | 7144 | 2.00 101 | 2.007.444 |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| - | | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area | | | ULFFX | ULFAL | 1.13 | 21.29 | 13.49 | 2.03 | 2.07 | | 7.00 | | | | |
| | | Calling Port without LUD | | | UEPPX | UEPXF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port | | | UEPPX | UEPXG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port | | | UEPPX | UEPXH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port | | | | l | | | | | | | | | | | |
| | | without LUD | - | | UEPPX | UEPXJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| - | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLI I A | JLI AL | 1.13 | 21.29 | 15.49 | 2.05 | 2.07 | | 7.00 | | | | |
| | | Room Calling Port | | | UEPPX | UEPXM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | _ | | | | 1 | | | | | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | NUMBER PORTABILITY | | | HEDDY | LNDOD | 0.45 | 0.00 | 2.22 | | | | | | | | |
| | FEATU | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| - | FLATO | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | 02. TX | 02 | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | ADDITI | Conversion - Switch with Change ONAL NRCs | | | UEPPX | USACC | | 8.45 | 1.91 | | | | 7.86 | | | | |
| _ | ADDITI | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | - | | | | | | | | | | | |
| | | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | 02. TX | 00/102 | 0.00 | 0.00 | 0.00 | | | | 7.00 | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | | 7.86 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO | ₹T | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 1 2 | | - | 10.79 15.52 | | | | | | | | | | |
| - | | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 31.74 | | | | | | | | | | |
| | UNE Lo | op Rates | | Ŭ | | | 01.74 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 14.37 | | - | - | _ | | | | | | |
| | 0.147 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | ļ | 3 | UEPCO | UEPLX | 30.59 | | | | | | | | | | |
| <u> </u> | 2-Wire | Voice Grade Line Ports (COIN) | | | | 1 | | | | | | - | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | <u> </u> | | UEPCO | UEPRE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening (xt., Kr) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | 1 | | 220 | | 2.30 | 2.37 | | | | | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS) | <u>L</u> | | UEPCO | UEPRA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | <u> </u> | 7.86 | | | | <u> </u> |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (KY) | <u> </u> | | UEPCO | UEPKA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | ļ | ļ | | |
| | | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator | | | OLFOO | ULFUD | 1.13 | 21.29 | 15.49 | 2.65 | 2.07 | | 7.00 | | | | |
| | | Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (GA, KY, MS) | | | UEPCO | UEPRJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | LIEBOO | HEDE:: | | 2.2 | | | | | | | | | |
| | | 011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | 1 | | UEPCO | UEPRH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | - | | |
| | | 1+DDD, 011+, and Local (AL, KY, LA, MS) | 1 | | UEPCO | UEPCN | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | 1 | | |
| $\overline{}$ | | TIDDD, OTIT, and Local (AL, KT, LA, MO) | · | 1 | 0L1 00 | OLI ON | 1.13 | 21.29 | 13.48 | 2.00 | 2.07 | L | 1.00 | L | 1 | | ı |

| UNBL | INDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|--|--|-------------|------|----------------|----------------|----------------|----------------|--------|-----------|--------------|-------|--|--|---------------------------------------|-------------------------|---|--|
| CATE | | | Interi m | Zone | В | cs | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | LIEBOIL | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except | | | UEPCO | | UEPCK | 2.91 | | | | | | 7.86 | | | | |
| | | I A) | | | UEPCO | | UEPCR | 2.91 | | | | | | 7.86 | | | | |
| | ADDITI | ONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | | URECU | 2.57 | 21.29 | 15.49 | 2.85 | 2.67 | | | | | | |
| | LOCAL | NUMBER PORTABILITY | | | LIEDOO | | LNDOV | 0.05 | | | | | | | | | | <u> </u> |
| - | NONDE | Local Number Portability (1 per port) CURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | | LNPCX | 0.35 | | | | | | | | | | |
| — | NONKE | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | | 1 |
| | | Switch-as-is | | | UEPCO | | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | | |
| | <u> </u> | Switch with change | | | UEPCO | | USACC | | 0.10 | 0.10 | | | | 7.86 | | | | ļ |
| <u> </u> | ADDITI | ONAL NRCs | | | | | 1 | 1 | | | | | - | ļ | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPCO | | USAS2 | | 0.00 | 0.00 | | | | 7.86 | | | | |
| UNBU | DLED F | PORT/LOOP COMBINATIONS - COST BASED RATES | | | JL: 00 | | 30,102 | † | 0.00 | 0.00 | | | | 7.00 | | | | |
| | 2-WIRE | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| <u> </u> | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 21.30 | | | | | | | | | | ļ |
| - | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 2 | | | - | 26.08 41.85 | | | | | | | | | | |
| - | UNFI | pop Rates | | 3 | | | 1 | 41.05 | | | | | | | | | | + |
| | 0.1.2 2. | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 12.67 | | | | | | 7.86 | | | | 1 |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 17.45 | | | | | | 7.86 | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 33.22 | | | | | | 7.86 | | | | |
| | UNE P | ort Rate | | | LIEDDY | | LIEDD4 | 0.00 | 000.44 | 07.75 | 100.07 | 0.01 | | 7.00 | | | | |
| - | NONDE | Exchange Ports - 2-Wire DID Port CURRING CHARGES - CURRENTLY COMBINED | | | UEPPX | | UEPD1 | 8.63 | 336.11 | 27.75 | 132.37 | 9.31 | | 7.86 | | | | |
| | NONKE | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.85 | 1.87 | | | | 7.86 | | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 32.25 | 32.25 | | | | 7.86 | | | | |
| <u> </u> | Teleph | one Number/Trunk Group Establisment Charges | | | LIEDDY | | NDT | 0.00 | 0.00 | 2.22 | | | | 7.00 | | | | . |
| | | DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | NDT ND4 | 0.00 | 0.00 | 0.00 | | | | 7.86 7.86 | | | | + |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | † |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | _ | | 7.86 | | | | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| <u> </u> | LOCAL | NUMBER PORTABILITY | | | LIEDSY | | LNDCD | 0.15 | 2.25 | | | | | | | | | |
| — | 2-W/IDE | Local Number Portability (1 per port) ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN | NE GIDE | POP1 | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| - | | ort/Loop Combination Rates | AL SIDE | FURI | | | | + | | | | | | | | | | + |
| | J.,_ , (| 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | † | | | | | | | | | | |
| L | <u></u> | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 25.69 | | | | | <u> </u> | | <u> </u> | | <u> </u> | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 31.92 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | <u> </u> | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 50.21 | | | | | | | | | | ļ |
| | UNE Lo | Dop Rates | | _ | LIEDDD | HEDDE | 1101.01 | 10.10 | | | | | | 7.00 | | | | |
| - | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 1 2 | UEPPB UEPPB | UEPPR UEPPR | USL2X USL2X | 16.10 22.33 | | | | | | 7.86 7.86 | | | | |
| - | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X USL2X | 40.63 | | | | | | 7.86 | | | | + |
| | UNE P | ort Rate | | | JEITD | OLITIK | JULEA | 70.03 | | | | | t | 7.00 | | 1 | | † |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 9.59 | 320.53 | 289.13 | 92.19 | 17.56 | | 7.86 | | | | 1 |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| 1 | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | l | | l | | | | | | | | | | | |
| <u> </u> | ADD:- | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 22.77 | 17.00 | | | | 7.86 | | | | |
| | ADDIII | ONAL NRCs | L | L | 1 | | 1 | | | | ı | | 1 | 1 | l | l . | ı | |

| UNRU | NDI FE | NETWORK ELEMENTS - Kentucky | 1 | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|--------------|--|---|-------------|------------|----------------|--------|----------------|------------------|--------|-----------|-------------|--------------|-------|-----------------------|-----|--|---|---|
| 5.400 | | THE THE LEE HE TO THE HEAVY | | | | | | | | | | | | | | | | |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | E | cs | usoc | | | RATES(\$) | | | | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | Rec | Nonred | curring | Nonrecurrin | g Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | | INEL USER PROFILE ACCESS: | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | — |
| | | CVS/CSD (DMS/5ESS) CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, 8 | TN) | 02 | OLITIN | 0.000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | 1 | _ <i>_</i> | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ERMINAL PROFILE | | | | | | | | | ļ | | | | ļ | | | |
| <u> </u> | | User Terminal Profile (EWSD only) | ļ | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | ļ | | | ļ | ļ | | |
| — | VERTIC | AL FEATURES All Vertical Features - One per Channel B User Profile | | | LIEDDD | UEPPR | HEDVE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | INTERO | FFICE CHANNEL MILEAGE | | | UEPPB | UEPPK | UEFVF | 0.00 | 0.00 | 0.00 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | | facilities termination | | | UEPPB | UEPPR | M1GNC | 29.12 | 47.34 | 31.78 | 22.77 | 8.75 | | 7.86 | | | | 1 |
| | | Interoffice Channel mileage each, additional mile | | | | | M1GNM | 0.01 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | • | | | | | | | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | .= | | | | | | | | | | İ |
| | | Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 | UEPPP | | | 170.06 | | | | | | | | | | |
| | | 4W DST Digital Loop/4W ISDN DST Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 197.70 | | | | | | | | | | İ |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | OLITI | | | 107.70 | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 381.35 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | | UEPPP | | USL4P | 86.47 | | | | | | 7.86 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | | UEPPP UEPPP | | USL4P USL4P | 114.10 297.76 | | | | | | 7.86 7.86 | | | | — |
| | UNE Po | | | 3 | UEPPP | | USL4P | 297.76 | | | | | | 7.80 | | | | - |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 83.59 | 736.16 | 382.74 | 159.48 | 48.82 | | 7.86 | | | | — |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | OLITI | | OLITI | 00.00 | 700.10 | 002.74 | 100.40 | 40.02 | | 7.00 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 81.70 | 1.37 | | | | 7.86 | | | | |
| | | DNAL NRCs | | | | | | | | | | | | | | | | |
| 1 | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | == | | | | | | | | | | | | | |
| - | | Inward/two way tel nos within Std Allowance (except NC) | - | | UEPPP | | PR7TF | | 0.54 | | | | | 7.86 | - | | | ├ |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | 7.86 | 1 | | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | ULFFF | | 1 1/10 | | 12.71 | 12./1 | 1 | 1 | 1 | 7.00 | 1 | 1 | | |
| | | Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 25.41 | 25.41 | | | | 7.86 | | | | 1 |
| | | NUMBER PORTABILITY | | | | | | | 20.71 | 20.11 | Ì | | | | Ì | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | | ACE (Provsioning Only) | | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| ļ | | Digital Data | <u> </u> | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Inward Data | - | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | - | | | |
| | | Additional "B" Channel New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 15.48 | | - | 1 | - | 7.86 | - | 1 | | |
| | | New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 15.48 | | | | | 7.86 | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 15.48 | | | | | 7.86 | | | | - |
| | CALL T | | | | J=: 1 1 | | 20 | 0.00 | 10.70 | | 1 | | | 7.00 | 1 | | | |
| | | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | <u> </u> | | | | | | | |
| | | Outward | | | UEPPP | | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| L | Interoffi | ce Channel Mileage | l | | | | İ | | | | İ | | | | Ì | | | |

| UNBL | JNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|----------|---|-------------|------|-------------------|-----------|--|-----------------|---------------------------------------|--------------|----------------|--|-----------------------|--|--|---|---|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | ossi | RATES (\$) | | |
| | 1 | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 96.27 | First 105.52 | Add'I 98.46 | First 23.09 | Add'l 20.49 | SOMEC | SOMAN 7.86 | SOMAN | SOMAN | SOMAN | SOMAN |
| | 1 | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.23 | 105.52 | 90.40 | 23.09 | 20.49 | | 7.00 | | | | 1 |
| | 4-WIRE | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | CEITI | ILIVID | 0.20 | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 147.99 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 175.62 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 359.28 | | | | | | | | | | |
| | | oop Rates | | 1 | LIEDDO | LIOL DO | 00.47 | | | | | | 7.00 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC UEPDC | USLDC | 86.47 114.10 | | | | | | 7.86 7.86 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 297.76 | | | | | | 7.86 | | | | |
| | | ort Rate | | | | 50250 | 201.10 | | | | | 1 | 7.00 | 1 | 1 | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 61.52 | 780.61 | 375.52 | 176.19 | 16.98 | | 7.86 | İ | | | † |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | 1 | | | |
| | <u> </u> | - Switch-as-is | | | UEPDC | USAC4 | 1 | 92.84 | 46.70 | | | ļ | 7.86 | ļ | | | ļ |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 92.84 | 46.70 | | | | 7.86 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 92.84 | 46.70 | | | | 7.86 | | | | |
| | ADDITI | ONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | 1 | | | | | | | | | | ļ |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | 1 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | OLI DO | ODITA | | 15.05 | 13.03 | | | | 7.00 | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.09 | 15.09 | | | | 7.86 | | | | |
| | BIPOLA | AR 8 ZERO SUBSTITUTION | | | 02. 50 | 022 | | 10.00 | .0.00 | | | | 7.00 | | | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 730.00 | | | | 7.86 | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 730.00 | | | | 7.86 | | | | |
| | Alterna | te Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges | | | UEPDC | МСОРО | | 0.00 | 0.00 | | | 1 | ļ | | | | ļ |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 1 | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | 1 | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | ļ | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Dodin | Reserve DID Numbers | Dict | 1 | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | 1 | 7.86 | - | | | |
| | pedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | וטוgital | Loop | WILL 4-WIFE DUITS | HUNK PORT | + | | | | | - | - | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | 7.86 | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.23 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 0.45 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.45 | 0.00 | 0.00 | | | | | | | | |

| Incremental Incremental Charge - Charge | UNBU | INDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--|------|---------|--|-------------|--|--------------------|---------------|------------------|--------|-----------|--------|-------|-------------------|-----------------------|---|---|--|-------------------------|
| Continued Particling, par 550 Activated | CATE | | | | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Incremental Charge - |
| | | | | | | | | Rec | | | | | | | | | | |
| Service Office Trommoting Post | | | Level New Portal III and BOO Anti-start | | | LIEDDO | LNIDOD | 0.45 | | | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Awyre 651 LOOP WITH CHANNELLEATION WITH FORT System in 150 Bit loop, 110 Channel Bank, and up to 24 Fasture Activations Size 10 | | | | | | | | | 0.00 | 0.00 | 0.00 | | - | | | | | <u> </u> |
| System is 1 DS 1 Logs, 1 DB Channel Bask, and up to 2 F Fasture Activations | | | | | | UEPDC | CIG | 0.00 | | | | | - | 1 | | | | |
| Sear Dystem can have up to 24 combinations of rised depending on type and number of potes used | | | | i roti o no | | | | 1 | | | | | | | | | | - |
| Web 105 Long Web 205 Long Web 206 1 USPAG USE 206 1 USPAG USB 206 1 USPAG USB 206 1 USPAG USB 206 1 USPAG USB 206 1 USPAG USB 206 1 USPAG USB 206 USB 20 | | | | | | har of parts used | | | | | | | | 1 | | | | |
| HAVING DST Long - UNE Zone 1 | | | | type ai | Iu nun | bei oi ports useu | | 1 | | | | | | 1 | | | | |
| AVM | | | | | 1 | LIEPMG | LISLIDG | 86.47 | 0.00 | 0.00 | | | | 1 | | | | |
| AVM DIS Channel Clausery - UNE Zeros 3 | | | | | | | | | | | | | | 1 | | | | |
| Viet BS Channel Capacities (24 Channel Stank Configurations) | | | | | | | | | | | | | | 1 | | | | |
| 24 DSO Channel Capacity - 1 per 2051 | | | | ns) | - | 0_1 IVIO | 30250 | 231.10 | 0.00 | 0.00 | | | | | <u> </u> | | | |
| 48 DSQ Channel Capacity par 2 DS1s | | | | , | ! | UEPMG | VUM24 | 111 16 | 0.00 | 0.00 | | | 1 | 7 86 | 1 | I | | † |
| Bit DSS Channel Capacity - 1per 4 DSTs UEPMS VAJAB6 444.6 0.00 0.00 7.86 | | | | 1 | | | | | | | | | | | <u> </u> | | | |
| 144 DSC Channel Capacity - 1 per 8 DS1s | | | | 1 | - | | | | | | | | | | | † | | † |
| 192 DSS Channel Capacity -1 per 10 DS1s | | | | 1 | - | | | | | | | | | | | † | | † |
| 240 DSiC Channel Capacity - 1 per 10 DS1s UEPMG VUMC8 1,311 0 0.00 0.00 7.86 341 DSiC Channel Capacity - 1 per 12 DS1s UEPMG VUMC8 1,333 0 0.00 0.00 7.86 341 DSiC Channel Capacity - 1 per 14 DS1s UEPMG VUMC8 1,333 0 0.00 0.00 7.86 341 DSiC Channel Capacity - 1 per 14 DS1s UEPMG VUMC8 1,333 0 0.00 0.00 7.86 341 DSiC Channel Capacity - 1 per 24 DS1s UEPMG VUMC8 1,332 0 0.00 0.00 7.86 342 DSIC Channel Capacity - 1 per 24 DS1s UEPMG VUMC8 2,876 2 0.00 0.00 7.86 342 DSIC Channel Capacity - 1 per 24 DSIS UEPMG VUMC8 2,876 2 0.00 0.00 7.86 342 DSIC Channel Capacity - 1 per 24 DSIS UEPMG VUMC8 2,876 2 0.00 0.00 7.86 342 DSIC Channel Capacity - 1 per 24 DSIS UEPMG VUMC8 2,876 2 0.00 0.00 7.86 342 DSIS Channel Capacity - 1 per 24 DSI | | | | 1 | - | | | | | | | | | | | † | | † |
| 288 DSO Channel Capacity - 1 per 10 DS1s | | | | 1 | t | | | | | | | | | | | † | | † |
| S84 D85 Channel Capacity - 1 per 2 D515 | | | | | | | | | | | | | | | | | | † |
| 480 DSD Channel Capacity - 1 per 20 DS15 | | | | | | | | | | | | | | | | | | |
| S76 DSC Channel Capacity - 1 per 28 DS1s UEPMG VUME7 2,667 64 0.00 0.00 7.86 | | | | | | | | | | | | | | | | | | |
| S72 DSS Channel Capacity - 1 per 28 DS1s | | | | | | | | | | | | | | | | | | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DST Loop with Channel Earlis on With Port * Conversion Charges* Support * | | | | | | | | | | | | | | | | | | |
| A Minimum System configuration is one (1) DSI, One (1) DA Channel Bank, and Up To 24 DSO Ports with Feature Activations. | | | | h Chani | neliztio | | | | | | | | | | | | | |
| Multiples of this configuration functioning as one are considered Add'1 after the minimum system configuration is counted. New Conversion (Currently Combined) with or without BellSouth Allowed Changes UEPMG USAC4 0.00 94.30 4.24 7.86 | | | | | | | | | | | | | | | | | | |
| BallSouth Allowed Changes | | | | | | | | | | | | | | | | | | |
| System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combine) in GA, KY, LA, MS & TN Only 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feach Activation - New QA, LA, KY, MS, &TN Only UPPMG VUMD4 | | | | | | | | | | | | | | | | | | |
| New (Not Currently Combined) In GA, KY, LA, MS & TN Only 1 DS/I/D4 Channel Bank - Add NRG for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only UEPMG | | | | | | UEPMG | USAC4 | 0.00 | 94.30 | 4.24 | | | | 7.86 | | | | |
| DSI/DA Channel Bank - Add NRC for each Port and Assoc Fea Activation - New Qa, LA, KY, MS, 8TN Only UEPMG VUMD4 0.00 718.89 469.86 149.83 17.77 7.86 | | System | Additions at End User Locations Where 4-Wire DS1 Loop with | th Chan | neliza | ion with Port Comb | ination Curre | ently Exists and | | | | | | | | | | |
| Fea Activation - New GA LA, KY, MS, &TN Only | | | | | | | | | | | | | | | | | | |
| Bipolar 8 Zero Substitution UEPMG CCOSF 0.00 0.00 730.00 7.86 | | , | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| Clear Channel Capability Format, superframe - Subsequent | | | Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 718.89 | 469.86 | 149.83 | 17.77 | | 7.86 | | | | |
| Activity Only | | | | | | | | | | | | | | | | | | |
| Clear Channel Capability Formar - Extended Superframe - UEPMG CCOEF 0.00 0.00 730.00 7.86 | | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| Subsequent Activity Only | | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 730.00 | | | | 7.86 | | | | |
| Alternate Mark Inversion (AMI) | | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| Superframe Format | | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 730.00 | | | | 7.86 | | | | |
| Extended Superframe Format | | Alterna | te Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports Exchange P | | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports | | | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Line Side Combination Channelized PBX Trunk Port - Business UEPPX UEPCX 1.15 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | | Exchan | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Line Side Outward Channelized PBX Trunk Port - Business | | Exchan | ge Ports | | | | | | | | | | | | | | | |
| Line Side Outward Channelized PBX Trunk Port - Business | | | | l | 1 | | | | | | | - | | | | | - | |
| Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 1.15 0.00 0.00 0.00 0.00 0.00 0.00 2-Wire Trunk Side Unbundled Channelized DID Trunk Port 1.15 0.00 0.00 0.00 0.00 0.00 1.86 1 1.86 | | | | | | | | | | | | | | | | <u> </u> | | |
| 2-Wire Trunk Side Unbundled Channelized DID Trunk Port UEPPX UEPDM 8.65 0.00 | | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| 2-Wire Trunk Side Unbundled Channelized DID Trunk Port UEPPX UEPDM 8.65 0.00 | | | | | | | | | | <u> </u> | | | | | | | | |
| Feature Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | | | | |
| Feature (Service) Activation for each Line Side Port Terminated in D4 Bank UEPPX 1PQWM 0.62 25.40 13.41 4.17 4.15 7.86 | | | | | | UEPPX | UEPDM | 8.65 | 0.00 | 0.00 | 0.00 | 0.00 | | 7.86 | | | | |
| In D4 Bank | | Feature | | | | | | | | | | | | | | | | |
| In D4 Bank UEPPX | | | in D4 Bank | | | UEPPX | 1PQWM | 0.62 | 25.40 | 13.41 | 4.17 | 4.15 | | 7.86 | | | | |
| DID Trunk Termination (1 per Port) | | | in D4 Bank | | | UEPPX | 1PQWU | 0.62 | 78.15 | 19.68 | 59.05 | 11.54 | | 7.86 | | | | |
| DID Trunk Termination (1 per Port) | - | | | | | | | | | | | | | | | | | |
| Non-Consecutive DID Numbers - per number | | | | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| Reserve Non-Consecutive DID Numbers UEPPX ND6 0.00 0.00 0.00 7.86 Reserve DID Numbers UEPPX NDV 0.00 0.00 0.00 7.86 | | | | | | | | | | | | | | | | | | |
| Reserve Non-Consecutive DID Numbers UEPPX ND6 0.00 0.00 0.00 7.86 Reserve DID Numbers UEPPX NDV 0.00 0.00 0.00 7.86 | | | | | | UEPPX | ND5 | | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | | |
| Local Number Portability | | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Local N | lumber Portability | | | | | | | | | | | | | | | |

| Submitt Electory Rec Nonrecurring Nonrecurring Disconnect First Add'I First Add'I SOME FEATURES - Vertical and Optional Local Switching Features Offered with Line Side Ports Only [All Features Available UEPPX UEPVF 0.00 0.00 0.00 [All Features Available UEPPX UEPVF 0.00 0.00 0.00 [All Features Available UEPPX UEPVF 0.00 0.00 0.00 [All Features Available UEPPX UEPVF 0.00 0.00 0.00 [All Features Stall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. [All Features Stall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. [All Features Stall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. [All Features Stall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. [All Features Stall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. [All Features Stall apply where BellSouth is not required to provide unbundled portion ports includes and the stall switch is personable of the Top 8 MSAS in BellSouth's region are: FL Lauderdale, Minami); GA (Altanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates in this section except for nonrecurring charges for not currently combined market Rates in this section except for nonrecurring charges for not currently combined secanal savialable features in all states. [Bell Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). [Bell Office and Tandem S | SOMAN S. S. I in AL, FL an Coin Port/Loo | Incrementa Charge - Ir Manual Swid Order vs. Electronic- 1st OSS SOMAN | Charge - c Manual Svc Order vs. Electronic- Add'l S RATES (\$) SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN BellSouth cal | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|---|---|--|--|--|
| GORY MATE ELEMENTS Material BCS USOC NATES(S) Submitt | Submitted Manually Per LSR C SOMAN S. Jin AL, FL an Coin Port/Loo | Charge - Manual Swid Order vs. Electronic- 1st OSS SOMAN NC. In the | Charge - c Manual Svc Order vs. Electronic- Add'l S RATES (\$) SOMAN | Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN BellSouth cal | Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| GORY MATE ELEMENTS Material BCS USOC NATES(S) Submitt | Submitted Manually Per LSR C SOMAN S. Jin AL, FL an Coin Port/Loo | Manual Svd Order vs. Flectronic- 1st OSS SOMAN | C Manual Svo Order vs. Electronic- Add'l S RATES (\$) SOMAN | Manual Svc Order vs. Electronic- Disc 1st SOMAN BellSouth car | Manual Svc Order vs. Electronic- Disc Add'l |
| RATE ELEMENTS M Zone BCS USOC RATES(S) Submitt | Submitted Manually Per LSR C SOMAN S. Jin AL, FL an Coin Port/Loo | Order vs. Flectronic- 1st OSS SOMAN ON NO. In the | Order vs Electronic- Add'l S RATES (\$) SOMAN | Order vs. Electronic- Disc 1st SOMAN BellSouth car | Order vs. Electronic- Disc Add'l |
| Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect | Manually per LSR C SOMAN S. ville). I in AL, FL an Coin Port/Loo | OSS SOMAN OSS SOMAN OSS COMAN | Electronic-Add'l SRATES (\$) SOMAN | SOMAN SOMAN BellSouth car | Electronic- Disc Add'l |
| Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Disconnect First Add'l First Add'l SOME Local Number Portability - 1 per port Local Switching Features Offered with Line Side Ports Only All Features Available Local Switching Features Offered with Line Side Ports Only All Features Available Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Alatanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth surrently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scena Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORTILOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Fe | C SOMAN S. ville). It in AL, FL an Coin Port/Loo | OSS SOMAN AND ADDRESS OF THE PROPERTY OF THE | Add'I S RATES (\$) SOMAN | SOMAN SOMAN BellSouth cal | SOMAN |
| Rec Nonrecurring Nonrecurring Disconnect Local Number Portability - 1 per port UEPPX LNPCP 3.15 0.00 0.00 0.00 0.00 | SOMAN S. S. I in AL, FL an Coin Port/Loo | SOMAN SOMAN No. In the | S RATES (\$) SOMAN | SOMAN BellSouth car | SOMAN |
| Local Number Portability - 1 per port | s. ville). I in AL, FL an | SOMAN Ad NC. In the | SOMAN interim where | BellSouth car | |
| Local Number Portability - 1 per port | s. ville). I in AL, FL an | d NC. In the | interim where | BellSouth car | |
| FEATURES - Vertical and Optional Local Switching Features Offered with Line Side Ports Only All Features Available UEPPX UEPVF 0.00 0.00 0.00 0.00 Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent line: The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. Indicate the complex of the Market Rate shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios where Market Rates apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| Local Switching Features Offered with Line Side Ports Only All Features Available Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port Section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| All Features Available UEPPX UEPVF 0.00 0.00 0.00 0.00 0.00 | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| These scenarios include: 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent line: The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| 1. Unbundled port/loop combinations that are Not Currently Combined in Alabama, Florida and North Carolina. 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| 2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines. The Top 8 MSAS in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nash BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios where Market Rates apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | ville). I in AL, FL an Coin Port/Loo | pp Combination | | | nnot bill |
| BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section except for nonrecurring charges for not currently combined Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE ((USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | I in AL, FL an | pp Combination | | | nnot bill |
| Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE ((USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | Coin Port/Loo | pp Combination | | | T |
| The Market Rate for unbundled ports includes all available features in all states. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | | | ons which hav | | |
| (USOC: URECU). For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | | | ons which hav | | |
| For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenar Combined section. Additional NRCs may apply also and are categorized accordingly. UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | rios, the Noni | recurring cha | | e a flat rate us | sage charge |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | | | arges are listed | d in the NRC - | Currently |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | | | 1 | | 1 |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UN | | <u> </u> | <u> </u> | <u> </u> | |
| | | | | | |
| | | | | <u> </u> | |
| For Georgia, Kentucky, Louisiana, Mississippi and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos. The the first ar | | | | | |
| Combined Combos for all states. In GA, KY, LA, MS and TN these nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are Market Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. | nates and are | e nstea in the | e warket Kate | section. FOR | Currently |
| Combined Combon in air other states, the following charges sharing thought in the Nomecuring - Currently Combined Sections. 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice. | | | | | |
| UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | _ | + | | 1 | |
| UNE POPULOD COmbination Rates (Non-Lesign) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + | |
| Non-Design 1 UEP91 10.79 | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2 UEP91 15.52 | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | 1 | | 1 |
| Non-Design 3 UEP91 31.74 | | | | | |
| UNE Port/Loop Combination Rates (Design) | | 1 | 1 | | 1 |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | |
| Design 1 UEP91 13.82 | | | | | ļ |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2 UEP91 18.60 | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 3 UEP91 34.37 | | | | | |
| | | | | | ļ |
| UNE Loop Rate | 7.00 | , | + | | 1 |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 7.86 7.86 | | 1 | + | |
| 2-Wire Voice Grade Loop (St. 1) - Zone 3 3 UEP91 UECS1 30.59 | 7.86 | | + | | 1 |
| | | | | | <u> </u> |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP91 UECS2 12.67 | 7.86 | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP91 UECS2 17,45 | 7.86 | | | | ļ |
| 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP91 UECS2 33.22 | 7.86 | | + | 1 | |
| UNE Ports | | | | + | |
| All States (Except North Carolina and Sout Carolina) | | 1 | 1 | | † |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEPYA 1.15 21.29 15.49 2.85 2.67 | 7.86 | 6 | | | |
| 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 7.86 | 3 | | | |

Version 4Q01: 01/31/02 Page 135 of 327

| UNBL | JNDLE | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|-------------|----------|----------------|----------------|--------------|-----------------|------------------|-----------------------|-----------------------|-------|---|--|--|---|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | SOMEC | | SOWAN | SOWAN | SOWAN | SOMAN |
| | | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP91 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP91 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | 1 |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | AI KY | , LA, MS, & TN Only | | | UEF91 | UEF12 | 1.15 | 21.29 | 15.49 | 2.00 | 2.07 | | 7.86 | | | | |
| | AL, IXI | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | 1 | 7.86 | | | | |
| | 1 | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | i |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 UEP91 | UEPQ9 UEPQ2 | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 2.85 | 2.67 2.67 | | 7.86 7.86 | | | | - |
| | | 2-vvire voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.07 | | 7.80 | | | | —— |
| | Local S | Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.8873 | | | | | | 7.86 | | | | 1 |
| | | lumber Portability | | | | | | | | | | | | | | | |
| | Feature | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | ļ |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | · |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | 100.00 | | | | | 7.86 | | | | |
| | NARS | · · · | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | aneous Terminations Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | | fice Channel Mileage - 2-Wire | | | | 1 | | | | | | | | | | | · |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | | Innel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.62 | | | | | | 7.86 | | | | - |
| | <u> </u> | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | IPQWS | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | - |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.62 | | | | | | 7.86 | | | | l |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | 1 | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.62 | | | | | | 7.86 | İ | | | i |
| | Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | i |
| | | changes, per port | | | UEP91 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | —— |
| | 1 | Conversion of Existing Centrex Common Block | <u> </u> | <u> </u> | UEP91 | USACN | j | 18.95 | 8.32 | j . | | Ì | l . | i | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|------------------------|----------|--|-------------|------|----------------|----------------|-------|------------------|----------------|------------------|---------------------------------------|-------|---|--|--------------|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonreci | | Nonrecurring | | | | | RATES (\$) | | |
| | | N. O O | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | New Centrex Standard Common Block | | | UEP91 UEP91 | M1ACS M1ACC | 0.00 | 669.80 669.80 | 78.32 78.32 | 111.05 111.05 | 13.27 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 78.32 | 78.32 | 13.27 | 13.27 | | 7.86 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.75 | 10.32 | 13.21 | 13.21 | | 7.86 | | | | |
| | | TWIN Establishment Sharge, 1 or Secasion | | | 02.01 | U.V.EO.Y. | 0.00 | 72.70 | | | | | 7.00 | | | | |
| | UNE-P | CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire \ | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| ' | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 10.79 | | | | | | | | | | |
| $\vdash \vdash \vdash$ | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | | OFL. AD | | 10.79 | | | | | | | | | | |
| ' | | Non-Design | | 2 | UEP95 | | 15.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 30 | | 10.02 | | | | | | | | | | |
| └ ' | | Non-Design | L | 3 | UEP95 | | 31.74 | | | | | | | | <u> </u> | <u> </u> | |
| | | | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | 40.00 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP95 | | 13.82 | | | | | | | | | | |
| | | 2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 18.60 | | | | | | | | | | |
| - | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 90 | | 10.00 | | | | | | | | | | |
| | | Design | | 3 | UEP95 | | 34.37 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 9.64 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 14.37 | | | | | | 7.86 | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 30.59 | | | | | | 7.86 | | | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12.67 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 2 | UEP95 | UECS2 | 17.45 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 33.22 | | | | | | 7.86 | | | | |
| | | , | | | | | | | | | | | | | | | |
| | | ort Rate | | | | | | | | | | | | | | | |
| | All Stat | | | | | | | | | | | | | | | | |
| ! | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| igwdow | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| ' | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| $\vdash \vdash \vdash$ | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLI 33 | OLI III | 1.13 | 21.23 | 13.48 | 2.03 | 2.07 | | 1.00 | | | | 1 |
| | | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | 1 | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| <u> </u> | | - Basic Local Area | | | UEP95 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| ' | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| $\vdash \vdash \vdash$ | | LA, MS, SC, & TN Only | | | OLFSO | UEFYZ | 1.15 | 21.29 | 15.49 | ∠.ŏɔ | 2.07 | | 7.80 | | | | 1 |
| $\vdash \vdash \vdash$ | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | Ì | İ | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | 1 | 1 | |
| | | Center)2 | | | UEP95 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | l | 1 | | 1 | | | | | 0.00 | | 7.00 | | 1 | 1 | |
| | | | | | | | | | | | | | | | | | |
| | | Term | | | UEP95 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | UEP95 UEP95 | UEPQZ UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |

| UNRU | NDI FI | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|----------|--|--|----------|----------------|----------------|--|--------|-----------|--------|--------------|-----------|--------------|-------------|--------------|-------------|--|
| ONDO | INDEL | NETWORK ELEMENTS - Remucky | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | | |
| GORY | | | m | | | | | | ., | | | Submitted | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | OSS | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| - | | touch as Bout at 1996. | | | | | | | | | | | | | | | |
| | Local N | lumber Portability Local Number Portability (1 per port) | | 1 | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | UEF95 | LINECC | 0.33 | | | | | | | | | | |
| - | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | 400.00 | | | | | 7.86 | | | | |
| | NARS | The state of the s | | | | 1 | 5.55 | | | | 1 | | | | 1 | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | 1 | | 7.86 | | 1 | | 1 |
| | | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | İ | | 7.86 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Miscell | aneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | LIEDOE | MODO | 00.44 | | | | | | 7.00 | | | | |
| | | Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 UEP95 | MIGBC MIGBM | 29.11 0.01 | | | | | | 7.86 7.86 | | | | |
| - | | interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBIN | 0.01 | | | | | | 7.86 | | | | |
| - | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | <u>.</u> | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | Ī | | | | | | | | | | 7.86 | | | | |
| | 2 . 0 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | | | | | | | 0.0- | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | 1 |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | <u> </u> | | UEP95 | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | 1 | | | | | | | | | 1 | | | 1 | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| \vdash | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | - | UEP95 | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| 1 | Non-Po | curring Charges (NRC) Associated with UNE-P Centrex | | 1 | | 1 | + | | | | 1 | | | | 1 | | \vdash |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | + | | 1 | | | | | 1 | | | | 1 | | |
| | | changes, per port | | | UEP95 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | 1 |
| | | Conversion of Existing Centrex Common Block, each | 1 | | UEP95 | USACN | | 18.95 | 8.32 | | 1 | | 7.86 | | 1 | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block | 1 | | UEP95 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | ļ | | | | | | | | ļ | | | | ļ | | |
| | | | ļ | | | ļ | ļ | | | | ļ | | | | ļ | | |
| — | UNE Po | ort/Loop Combination Rates (Non-Design) | <u> </u> | 1 | | ļ | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | LIEDOD | | 40.70 | | | | | 1 | | | 1 | | |
| \vdash | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 10.79 | | | | | | | | | | |
| | | 2-wire vg Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design | 1 | 2 | UEP9D | | 15.52 | | | | | 1 | | | 1 | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 3D | 1 | 10.02 | | | | 1 | | | | 1 | | |
| | | Non-Design | | 3 | UEP9D | | 31.74 | | | | | | | | | | 1 |
| | | · · · · · · · · · · · · · · · · · · · | | J | | | 01.7- | | | | | | 1 | | 1 | l | 1 |

| UNRU | INDI FI | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|------|---------|---|-------------|------|--------|----------|--|-----------------|-----------------|-----------------------|---------------------|--------|-----------|---------------------------------------|---|-------------------------|---|
| | NOTES | · | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | | | | | | + | FIISL | Add I | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | UNE Po | rt/Loop Combination Rates (Design) | | | | | 1 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9D | | 13.82 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 18.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 3 | UEP9D | | 34.37 | | | | | | | | | | |
| | | Design | | 3 | UEP9D | 1 | 34.37 | | | | | | | | | | |
| | UNE Lo | op Rate | | | | <u> </u> | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 9.64 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 14.37 | | | - | - | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 30.59 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | l | 1 | UEP9D | UECS2 | 12.67 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | UEP9D | UECS2 | 17.45 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP9D | UECS2 | 33.22 | | | | | | 7.86 | | | | |
| | | 2 1110 10100 01440 2000 (02.2) 20110 0 | | Ť | 02. 03 | 02002 | 00:22 | | | | | | 7.00 | | | | |
| | UNE Po | rt Rate | | | | | | | | | | | | | | | |
| | ALL ST | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | UEP9D | UEPYG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | UEP9D | UEPYT | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | UEP9D | UEPYU | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEP9D | UEPYV | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EDS-NSS10)/3 Basic Local | | | UEP9D | UEPY3 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Area | | | UEP9D | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |

| UNBU | NDLF | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: E |
|--------------|----------------------|---|-------------|----------|----------------|----------------|--------------|-----------------|------------------|-----------------------|---------------------|--|---|--|---|---|--|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | FIRST | Add I | FIRST | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SUWAN | SUMAN |
| | | Basic Local Area | | | UEP9D | UEPYS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPY4 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | - | | | - |
| | | Basic Local Area | | | UEP9D | UEPY5 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLFBD | OLFIG | 1.13 | 21.29 | 13.49 | 2.03 | 2.07 | | 7.00 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY7 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOD | LIEDY (T | | 0 | | | | | | | | | |
| | | Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | <u> </u> | UEP9D | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | ļ | 7.86 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | LA, MS, SC, & TN Only | | | UEP9D | UEP12 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | , t <u>=</u> , . t., | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | 1 | UEP9D UEP9D | UEPQF UEPQG | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 2.85 | 2.67 2.67 | 1 | 7.86 7.86 | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQG | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | 1 | 7.86 | - | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5000)3 | | | UEP9D | UEPQU | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | | Indication)3 | | | UEP9D | UEPQW | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | LIEDOM | 1 15 | 21.20 | 15 40 | 2.05 | 2.67 | | 7.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D UEP9D | UEPQM UEPQO | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 2.85 | 2.67 2.67 | | 7.86 7.86 | | | | |
| | | 2 11110 10100 Grade i ort (Gerniewanier GWO/LBG-FGLT)2, 3 | | | OLI 3D | OLI QU | 1.13 | 21.25 | 13.49 | 2.00 | 2.07 | | 7.00 | — | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | 1 | UEP9D | UEPQR | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | - | 7.86 | - | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | 1 | UEP9D | UEPQS | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-vviie voice Grade i ort (Gentiewallier Gwo /EBG-W5512)2, 5 | | | OLI 3D | OLI QO | 1.15 | 21.23 | 13.43 | 2.00 | 2.01 | | 7.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | , | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | 1 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | <u> </u> | UEP9D | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | <u> </u> | 7.86 | | | | <u> </u> |
| | | 2 Wire Voice Crade Port terminated in an Magalia! | | 1 | LIEBOD | UEPQ9 | 1.45 | 24.20 | 15 40 | 2.85 | 2.07 | | 7.00 | I | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | 1 | UEP9D UEP9D | UEPQ9 UEPQ2 | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 | 2.67 2.67 | | 7.86 7.86 | + | | | |
| | | 2 11110 VOICE CHARGET OF TEITHHATEU OH OUD DELVICE TEITH | | | JE1 3D | JLI WZ | 1.15 | 21.29 | 15.49 | 2.05 | 2.07 | 1 | 1.00 | - | | | |
| | Local S | witching | | | 1 | İ | | | | | | | | 1 | | | 1 |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.8873 | | | | | İ | 7.86 | | | | 1 |

| UNBU | INDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|------|----------|--|-------------|--|--------|--------|-------|--------|-----------|--------------|--------------|----------|-----------------------|--|--|-------------------------|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss i | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | umber Portability Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | UEP9D | LINFCC | 0.35 | | | | | | | | | | 1 |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 7.86 | | | | + |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 7.86 | | | | |
| | Micasi | Unbundled Network Access Register - Outdial | 1 | } | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | 7.86 | | | | |
| | | aneous Terminations Frunk Side | | 1 | | - | | | | | | | | | | | - |
| | | Trunk Side Trunk Side Terminations, each | 1 | | UEP9D | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | 1 | 7.86 | 1 | 1 | | + |
| | | Digital (1.544 Megabits) | | 1 | OLI 3D | DEINDO | 10.51 | 32.10 | 13.02 | JZ. 10 | 5.30 | | 1.00 | | | | + |
| | | DS1 Circuit Terminations, each | | 1 | UEP9D | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | İ | İ | | † |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 15.09 | | | 3.00 | | 7.86 | | | | 1 |
| | | ce Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | F | A.C. (DO) O. (DO) O. (DO) | | | | | | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service neel Bank Feature Activations | e | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | | realure Activation on 5-4 Channel Bank Centrex Loop Stot | | | OLF3D | IFQW3 | 0.02 | | | | | | 7.00 | | | | + |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | 1.00 | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWQ | 0.62 | | | | | | 7.86 | | | | 1 |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | OLI 3D | II QWA | 0.02 | | | | | | 7.00 | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 18.95 | 8.32 | | | | 7.86 | | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | . | New Centrex Customized Common Block | | <u> </u> | UEP9D | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | <u> </u> |
| | <u> </u> | NAR Establishment Charge, Per Occasion | | ! | UEP9D | URECA | 0.00 | 72.75 | | | ļ | <u> </u> | 7.86 | ļ | ļ | | _ |
| | LINE D | CENTREY EWED Wold in AL EL MY LA MC 9 TAIL | 1 | } | | + | | | | | | 1 | 1 | | | | |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) /G Loop/2-Wire Voice Grade Port (Centrex) Combo | - | | | 1 | | | | | | | | | | | + |
| | Z-44116 | LOOP/2-11116 VOICE GLAUE FOR (CERTIES) COMIDO | | 1 | | | | | | | | | | | | | † |
| | UNE Po | rt/Loop Combination Rates (Non-Design) | 1 | <u> </u> | | 1 | 1 | | | | 1 | | | 1 | 1 | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | İ | İ | | | | Ì | | | İ | Ì | | |
| | | Non-Design | | 1 | UEP9E | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | ĺ | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9E | | 15.52 | | | | | ļ | ļ | ļ | ļ | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | ١. | | | | | | | | | | | | | |
| | <u> </u> | Non-Design | | 3 | UEP9E | 1 | 31.74 | | | | ļ | <u> </u> | <u> </u> | ļ | ļ | | 4 |
| | LINE D | rt/I can Cambination Bates (Decign) | 1 | } | | + | | | | | | 1 | 1 | | | | |
| | | rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | | | | | | | | + |
| | | Design | | 1 | UEP9E | | 13.82 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | t : | | 1 | .0.02 | | | | 1 | | | 1 | 1 | | |
| | | Design | I | 2 | UEP9E | | 18.60 | | | l | İ | 1 | 1 | i | | l | |

| LIMIDII | NDI EE | NETWORK ELEMENTS. Kantuaku | | | | | | | | | | | | | | | E 1 11 11 B |
|----------|----------|---|--------|--|----------------|----------------|--------------|-----------------|-----------------|-----------------------|---------------------|---------|--------------|-------------|---------------------|-------------|-------------|
| UNDU | NULEL | NETWORK ELEMENTS - Kentucky | | l | | 1 | ı | | | | | l | l | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | | | N | | | | | ATEO (A) | | |
| | | | | | | | Kec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | FIISL | Add I | FIISL | Auu i | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | | Design | | 3 | UEP9E | | 34.37 | | | | | | | | | | |
| | | Design | | | OLI 3L | + | 54.57 | | | | | | | | | | |
| | UNE Lo | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 9.64 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 14.37 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 30.59 | | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 12.67 | | | | | | 7.86 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 17.45 | | | | | | 7.86 | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 33.22 | | | | | | 7.86 | | | | |
| \vdash | UNE Po | rt Data | 1 | | | + | | | | | | | | | | | |
| | | KY, LA, MS, & TN only | | | | + | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | 0 | 21.20 | .5.40 | 2.00 | 2.07 | | 50 | | | | |
| | | Area | | | UEP9E | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9E | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPY9 | 4.45 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| - | | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP9E | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | Basic Local Area | | | UEP9E | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | LA, MS, & TN Only | | | OLI 3L | OLI 12 | 1.10 | 21.23 | 10.40 | 2.00 | 2.01 | | 7.00 | | | | |
| | AL, IXI, | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP9E | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP9E | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | O Wiss Vision Condo Boot torreinated in an Manalist control in the | | 1 | LIEDOE | LIEBOO | 4.5 | 24.00 | 45.40 | 0.05 | 0.07 | 1 | 7.00 | | | | |
| \vdash | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | 1 | | UEP9E UEP9E | UEPQ9 UEPQ2 | 1.15 1.15 | 21.29 21.29 | 15.49 15.49 | 2.85 2.85 | 2.67 2.67 | | 7.86 7.86 | | | | |
| \vdash | - | 2-vville voice Grade Port Terminated on 800 Service Term | 1 | | OLFSE | UEFUZ | 1.15 | 21.29 | 15.49 | ∠.ช5 | 2.07 | - | 7.86 | | | | |
| | Local S | witching | | | | + | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.8873 | | | | | | 7.86 | | | | |
| | | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | 7.86 | | | | |
| | Feature | | | | | | | | • | | • | | | | | • | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.66 | | | | | 7.86 | | | | |
| <u> </u> | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| \vdash | NARS | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | - | UEP9E UEP9E | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial | 1 | | UEP9E UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | aneous Terminations | | 1 | J_1 J_ | 3, 11, 3, | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Frunk Side | | | | 1 | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |

| UNBU | JNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|---------|---|--|------|----------------|----------------|----------------|--------|-----------|--|-------|----------|---|--|--|--|---|
| CATE GORY | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 29.11 | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | UEP9E UEP9E | MIGBM | 0.01 | | | | | | 7.86 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service | | | UEP9E | IVIIGBIVI | 0.01 | | | | | | 7.80 | | | | |
| | | nnel Bank Feature Activations | e | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | | realtire Activation on 5-4 Channel Bank Centrex Loop Glot | | | OLI SL | II QVVO | 0.02 | | | | | | 7.00 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9E | 1PQW7 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank Filvate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEF9E | IPQVV | 0.62 | | | | | | 7.00 | | | | |
| | | Slot | | | UEP9E | 1PQWQ | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.62 | | | | | | 7.86 | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | 02. 02 | | 0.02 | | | | | | 7.00 | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9E | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 18.95 | 8.32 | 1 | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | 2-wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | - | | | + | | | | | | | |
| | LINE DO | Drt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP93 | | 10.79 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP93 | | 15.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP93 | | 31.74 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 1 | LIEDOS | 1 | 40.00 | | | | | | | | I | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | 1 | UEP93 | + | 13.82 | | | | | - | | | | | † |
| | | Design | l | 2 | UEP93 | | 18.60 | | | | | | | | 1 | 1 | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 93 | | 10.00 | | | | | | | | | | |
| | | Design | L | 3 | UEP93 | | 34.37 | | | <u> </u> | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | | | | | | | | | | | | | | | | | |
| | | oop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 9.64 | | | | | | | | | ļ | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 14.37 | | | | | | | | | | ļ |
| | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | <u> </u> | 3 | UEP93 | UECS1 | 30.59 | | | ļ | | | | | - | - | ļ |
| | | 2 Mira Vaiga Crada Laga (CL 2) 7 4 | ! | 1 | UEP93 | LIECCO | 40.07 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | 1 | 2 | UEP93 UEP93 | UECS2 UECS2 | 12.67 17.45 | | | | | - | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 33.22 | | | | | | | | t | t | 1 |
| | 1 | 2 11110 10100 01000 LOOP (OL 2) - 20110 0 | | - | OL1 30 | 02002 | 33.22 | | | + | | - | | | | t | |
| | UNF Po | ort Rate | 1 | | | + | | | | | | | | | - | - | 1 |
| | | , LA, MS, & TN only | 1 | | | 1 | | | | † | | | | | 1 | 1 | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | 1 | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | l | | UEP93 | UEPYB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | 1 | I | |

| <u>UNB</u> L | JNDLEI | D NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|---------|---|-------------|--|----------------|----------------|--------|--------|-----------|--------------|-------|-------|-----------------------|--|--|----------|--|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | COMEC | COMAN | OSSI | RATES (\$) | COMAN | COMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Area | | | UEP93 | UEPYH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 02. 00 | 02 | 0 | 21.20 | 10.10 | 2.00 | 2.01 | | 7.00 | | | | |
| | | Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | | - Basic Local Area | | | UEP93 | UEPY9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | 1 | 1 | |
| | 1 | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | İ | İ | 1 |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP93 | UEPQZ | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.15 | 21.29 | 15.49 | 2.85 | 2.67 | | 7.86 | | | | |
| | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8873 | | | | | | 7.86 | | | | |
| | | lumber Portability Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.25 | | | | | | | | | | |
| | Feature | | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | 7.86 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | 7.86 | | | | |
| | | -1 | | | | | | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 1 | Unbundled Network Access Register - Indial | | | UEP93 UEP93 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Outdial aneous Terminations | | | UEF93 | UARUX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | 7.86 | | İ | İ | |
| | 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | 7.86 | | | | |
| | | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 15.09 | | | | | 7.86 | | | | |
| | | rice Channel Mileage - 2-Wire | | | UEP93 | MIGBC | 29.11 | | | | | | 7.86 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.01 | | | | | | 7.86 | | | | |
| | | e Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | 021 00 | WIICOW | 0.01 | | | | | 1 | 7.00 | | † | † | † |
| | | nnel Bank Feature Activations | | | | 1 | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.62 | | | | | | 7.86 | | | | |
| | \perp | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.62 | | | | | | 7.86 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.62 | | · | | | | 7.86 | | | | 1 |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.62 | | | | | | 7.86 | | | | |
| | 1 | | | | | | | | | | | | | | | | |
| | 1 | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | UEP93 | 1PQWV | 0.62 | | | | | | 7.86 | | | | |
| | 1 | Slot | | 1 | UEP93 | 1PQWQ | 0.62 | | | | | 1 | 7.86 | | | | I |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.62 | | | | | | 7.86 | | | | 1 |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 0.102 | 0.102 | | | | 7.86 | | | | |

| UNBU | JNDLE | NETWORK ELEMENTS - Kentucky | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|------|----------|---|--------|------|-------|-------|------|--------|-----------|--------------|----------|-------------|-------------|------------------------|------------------------|------------------------|------------------------|
| | | | | | | | | | | | | | | | | Incremental | |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order | Svc Order | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOILS | RATE ELEMENTS | m | Zone | B03 | 0300 | | | KAT LO(ψ) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | Manually | Electronic- | Electronic- | Electronic- | Electronic- | | |
| | | | | | | | | | | | per LSR | 1st | Add'l | Disc 1st | Disc Add'l | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | | 088 | RATES (\$) | | | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 18.95 | 8.32 | | | | 7.86 | | | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 669.80 | 78.32 | 111.05 | 13.27 | | 7.86 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.75 | | | | | 7.86 | | | | |
| | Note 1 - | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | - Requres Interoffice Channel Mileage | | | | | | | · | | | | | | | | |
| | Note 3 - | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| UNBL | INDLED | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|-------|---------|---|-------------|---------|-----------------------|----------------|-------------------|-----------------|------------------|----------------|---------------------|--------------|------------------------------------|---|---|---|---|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonred First | curring Add'l | First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | SOMAN |
| | The Zon | e" shown in the sections for stand-alone loops or loops as p | part of a | comb | ination refers to Geo | graphically | Deaveraged UN | | | | | | | | | | COMPAR |
| | | ww.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | • • | | | | | | | - | | | | |
| OPER/ | TIONAL | SUPPORT SYSTEMS | | | | | | | | | | | | | | | <u> </u> |
| | | Electronic Service Order: CLEC should contact its contract its the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | is rate |
| | | 2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | |
| | | ements that cannot be ordered electronically at present per t | | | | in this cate | gory reflects the | e charge that v | would be billed | I to a CLEC on | ce electronic o | ordering cap | abilities co | me on-line fo | r that element | . Otherwise, | the manual |
| | | g charge, SOMAN, will be applied to a CLECs bill when it sub Electronic OSS Charge, per LSR, submitted via BST's OSS | mits an | LSR | o BellSouth. | 1 | 1 | | | | | I | | 1 | Ι | 1 | |
| | i | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | ĺ |
| UNBU | IDLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 1 2 | UEANL UEANL | UEAL2 UEAL2 | 12.90 23.33 | 36.54 36.54 | 16.87 16.87 | | | | 15.20 15.20 | | - | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 3 | UEANL | UEAL2 | 48.43 | 36.54 | 16.87 | | | | 15.20 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 33.17 | 33.17 | | | | 15.20 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.28 | 19.28 | | | | 15.20 | | | | |
| | | Engineering Information Document (EI) Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL UEANL | UEAMC | | 13.04 7.92 | 13.04 7.92 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | OLANE | OLAWO | | 7.52 | 1.52 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 17.56 | 17.56 | | | | | | | | |
| | | Unbundled COPPER LOOP | | | LIEO | LIEONY | 40.40 | 05.07 | 45.00 | | | | 45.00 | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | <u> </u> | | UEQ UEQ | UEQ2X UEQ2X | 12.40 14.32 | 35.27 35.27 | 15.60 15.60 | | | | 15.20 15.20 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | i | | UEQ | UEQ2X | 16.87 | 35.27 | 15.60 | | | | 15.20 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 7.92 | 7.92 | | | | | | | | |
| - | | Engineering Information Document Loop Testing - Basic 1st Half Hour | | | UEQ UEQ | URET1 | | 13.04 33.17 | 13.04 33.17 | | | | 15.20 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | 1 | 19.28 | 19.28 | | | | 15.20 | | | | |
| UNBU | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| - | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | - 1 | 1 | UEPSR UEPSB | UEALS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Zone 1 | I | 1 | UEPSR UEPSB | UEABS | 12.90 | 36.54 | 16.87 | 0.00 | 0.00 | | 15.20 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | ı | 2 | UEPSR UEPSB | UEALS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | ı | 2 | UEPSR UEPSB | UEABS | 23.33 | 36.54 | 16.87 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Zone 3 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | I | 3 | UEPSR UEPSB | UEALS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | 15.20 | | | | 1 |
| | | Zone 3 | ı | 3 | UEPSR UEPSB | UEABS | 48.43 | 36.54 | 16.87 | 0.00 | 0.00 | | 15.20 | | | | |
| UNBUI | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP CLEC to CLEC Conversion Charge without outside dispatch | | | | 1 | | | | | | | | | | | |
| | (| (UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | UEANL | UREWO | | 36.54 | 16.87 | | | | 15.20 | | | | |
| | (| Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | (| 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.35 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | (| 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 OCOSL | 50.46 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | OCOSL | | 17.56 | | | | | | | | | |
| | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.93 | 102.10 | 65.72 | | | | 15.20 | | 1 | | 1 |

Version 4Q01: 01/31/02 Page 146 of 327

| CATE GORY N | IOTES | | | | | | | | | | | | | | | - |
|-------------------|-------|--|-------------|------|------------|----------------|----------------|------------------|----------------|-------------------------|--------|-----------------------|-------------------------------------|--|---|---|
| | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | 201150 | | OSS F | RATES (\$) | SOMAN | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 2 | UEA | UEAR2 | 25.35 | 102.10 | 65.72 | | | 15.20 | | | | - |
| | | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 50.46 | 102.10 | 65.72 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 17.56 | | | | | | | | |
| 4 | | CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP | | | UEA | UREWO | | 102.10 | 38.22 | | | 15.20 | | | | <u> </u> |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 30.81 | 127.40 | 91.02 | | | 15.20 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | | UEA | UEAL4 | 38.32 | 127.40 | 91.02 | | | 15.20 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UEA UEA | UEAL4 OCOSL | 60.39 | 127.40 17.56 | 91.02 | | | 15.20 | | | | <u> </u> |
| 2 | | ISDN DIGITAL GRADE LOOP | | | OLA | OCCOL | | 17.50 | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | | UDN | U1L2X | 22.09 | 113.34 | 76.96 | | | 15.20 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN UDN | U1L2X U1L2X | 35.28 65.18 | 113.34 113.34 | 76.96 76.96 | | | 15.20 15.20 | | | | |
| -+ | | Order Coordination For Specified Conversion Time (per LSR) | | 3 | UDN | OCOSL | 65.16 | 17.56 | 76.96 | | | 15.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 113.34 | 33.04 | | | 15.20 | | | | |
| 2- | | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 22.09 | 113.34 | 76.96 | | | 15.20 | | | | |
| | | 2-wire Universal Digital Channel (ODC) Compatible Loop - Zone | | 2 | UDC | UDC2X | 35.28 | 113.34 | 76.96 | | | 15.20 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 65.18 | 113.34 | 76.96 | | | 15.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 113.34 | 33.04 | | | 15.20 | | | | |
| 2- | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP Wire Unbundled ADSL Loop including manual service inquiry | ATIBLE | LOOP | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.29 | 117.08 | 68.36 | | | 15.20 | | | | 1 |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | | UAL | UAL2X | 14.09 | 117.08 | 68.36 | | | 15.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| \longrightarrow | | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UAL | UAL2X OCOSL | 15.75 | 117.08 17.56 | 68.36 | | | 15.20 | | | | <u> </u> |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | OCOSL | | 17.56 | | | | | | | | |
| | · | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.29 | 92.83 | 56.02 | | | 15.20 | | | | |
| | i | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 14.09 | 92.83 | 56.02 | | | 15.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | UAL | UAL2W | 45.75 | 00.00 | 50.00 | | | 45.00 | | | | 1 |
| | | facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | 15.75 | 92.83 17.56 | 56.02 | | | 15.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 92.83 | 29.29 | | | 15.20 | | | | |
| 2- | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE L | _OOP | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.79 | 125.50 | 76.77 | | | 15.20 | | | | İ |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 11.52 | 125.50 | 76.77 | | | 15.20 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| \longrightarrow | | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UHL UHL | UHL2X OCOSL | 12.74 | 125.50 17.56 | 76.77 | | | 15.20 | | | | |
| -+ | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OI IL | UCUSL | | 17.30 | | | | | | | | |
| \longrightarrow | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.79 | 101.24 | 64.43 | | | 15.20 | | | | <u> </u> |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 11.52 | 101.24 | 64.43 | | | 15.20 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 12.74 | 101.24 | 64.43 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E ' | | UHL | UREWO | | 101.24 | 29.29 | | | 15.20 | | | | |

| LIMBI | INDI E | NETWORK ELEMENTS Laviniana | | | | | | | | | | | | | | E-17.7 B |
|----------|----------|--|--------|----------|------------|----------------|--|-----------------|---------------|--|-----------|-----------|-------------|--------------|-------------|-------------|
| UNBU | NDLE | NETWORK ELEMENTS - Louisiana | | 1 | | 1 | 1 | | | | 1 | | А | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | NATE ELEMENTO | m | | 200 | 0000 | | | = = (+) | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring Disconnect | | | OSS F | RATES (\$) | | |
| | | | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.24 | 153.26 | 104.54 | | | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 16.65 | 153.26 | 104.54 | | | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 17.34 | 153.26 | 104.54 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 17.56 | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | ١. | | l | | 400 | | | | 4.5.5 | | | | |
| | . | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.24 | 129.00 | 92.20 | | <u> </u> | 15.20 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | 40.0- | 400.00 | 20.00 | [| | 45.00 | | | | |
| - | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 16.65 | 129.00 | 92.20 | | | 15.20 | | | | |
| 1 | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL4W | 47.04 | 400.00 | 00.00 | 1 | | 45.00 | | | | |
| \vdash | | and facility reservation - Zone 3 | | 3 | UHL | | 17.34 | 129.00 | 92.20 | | - | 15.20 | | | | |
| \vdash | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | - | <u> </u> | UHL UHL | OCOSL UREWO | | 17.56 101.24 | 29.29 | | 1 | 15.20 | | | | |
| | | DS1 DIGITAL LOOP | - | | OI IL | UKEWU | 1 | 101.24 | 29.29 | + | | 15.20 | | | | |
| - | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 85.70 | 245.16 | 152.98 | + | 1 | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | | USLXX | 194.96 | 245.16 | 152.98 | | 1 | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 3 | | USLXX | 491.94 | 245.16 | 152.98 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | Ŭ | USL | OCOSL | 401.04 | 17.56 | 102.00 | | 1 | 10.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.07 | 39.99 | | | 15.20 | | | | |
| | 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 30.99 | 121.86 | 85.48 | | 1 | 15.20 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 36.78 | 121.86 | 85.48 | i i | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 38.92 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 30.99 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 36.78 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 38.92 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 17.56 | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 30.99 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 36.78 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 38.92 | 121.86 | 85.48 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 17.56 | | | | 1= 00 | | | | |
| <u> </u> | | CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UDL | UREWO | | 121.86 | 38.63 | | ļ | 15.20 | | | | |
| \vdash | ∠-WIKE | Unbundled COPPER LOOP | | | | + | | | | | | - | | | | |
| 1 | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.29 | 116.18 | 67.46 | 1 | | 15.20 | | | | |
| \vdash | | 2-Wire Unbundled Copper Loop/Short including manual service | - | | UUL | UCLPB | 12.29 | 110.18 | 67.46 | | 1 | 15.20 | | | | |
| 1 | | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 14.09 | 116.18 | 67.46 | 1 | | 15.20 | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | 00L | COLID | 14.09 | 110.10 | 07.40 | 1 | | 13.20 | | | | |
| | | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 15.75 | 116.18 | 67.46 | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | .50 | 7.92 | 7.92 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | 1 | | | | 1 | | | | | | |
| 1 | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.29 | 91.92 | 55.12 | 1 | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 14.09 | 91.92 | 55.12 | 1 | | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | |
| L | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 15.75 | 91.92 | 55.12 | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | |
| <u> </u> | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 17.21 | 116.18 | 67.46 | | ļ | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | l . | | l | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 24.98 | 116.18 | 67.46 | | <u> </u> | 15.20 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | 110101 | 00 | 440.10 | 07.10 | | | 45.00 | | | | |
| \vdash | | inquiry and facility reservation - Zone 3 | | 3 | UCL UCL | UCL2L UCLMC | 39.57 | 116.18 7.92 | 67.46 7.92 | | | 15.20 | | | | |
| \vdash | | Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - without manual service | - | <u> </u> | UUL | UCLIVIC | | 7.92 | 7.92 | | 1 | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 17.21 | 91.92 | 55.12 | | | 15.20 | | | | |
| | | inquiry and facility reservation - 2016 1 | L | | UUL | JUCLEVV | 11.21 | 91.92 | 55.12 | 1 | <u> </u> | 13.20 | | | | |

| LIN'S: | NID: =- | NETWORK ELEMENTO | | | | | | | | | | | 1 | - | | | |
|--------------|-----------|--|-------------|------|-----------------------|--------|--|--------|-----------|--------------------|-------|-------|-----------|--|--|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Louisiana | ļ | | | | 1 | | | | | | 1 | А | ttachment: 2 | 1 | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring Disco | nnect | | | ossi | RATES (\$) | | |
| | | | | | | | 1.00 | First | Add'l | | dd'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | 2 | UCL | UCL2W | 24.98 | 91.92 | 55.12 | | | | 15 20 | | | | |
| | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service | | | UCL | UCLZVV | 24.98 | 91.92 | 55.12 | | | | 15.20 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 39.57 | 91.92 | 55.12 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 91.92 | 31.37 | | | | 15.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-ND) | | | UEQ | UREWO | | 36.53 | 16.16 | | | | 15.20 | | | | |
| | 4-WIRE | COPPER LOOP 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 22.27 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| - | | and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry | | 2 | UCL | UCL4S | 18.95 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 10.99 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 22.27 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | OOLTW | 22.21 | 110.40 | 70.00 | | | | 10.20 | | | | |
| | | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.95 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 10.99 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 10.55 | 7.92 | 7.92 | | | | 13.20 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 26.17 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | 4= 00 | | | | |
| | | inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 2 | UCL | UCL4L | 28.47 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 62.93 | 139.69 | 90.96 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 7.92 | 7.92 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 26.17 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - | OCL | UCL4U | 20.17 | 113.43 | 70.03 | | | | 13.20 | | | | |
| | | inquiry and facility reservation - Zone 2 | ļ | 2 | UCL | UCL4O | 28.47 | 115.43 | 78.63 | | | | 15.20 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 62.93 | 115.43 | 78.63 | | | | 15.20 | | | | |
| — | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | | UCL | UCLMC | 02.93 | 7.92 | 7.92 | | | | 10.20 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| LOOP | MODIFIC | (UCL-Des) | - | | UCL | UREWO | | 91.92 | 31.37 | | | | 15.20 | | | | |
| LOOP | יייסטורונ | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | | | | | | | | | | | | | |
| | | pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEC | ULM2L | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS | ULM2G | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | 7 | | 15.20 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEC | | | 12.15 | 12.15 | | | | 15.20 | | | | |
| SUB-L | OOPS | por annualidatioop | 1 | | O'SE, OF IE, OOE, OEC | | | 12.13 | 12.13 | | | | 10.20 | | | | |
| | | op Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | 1 | | UEANL | USBSA | | 144.09 | 144.09 | | | | 15.20 | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSB | | 10.99 | 10.99 | | | | 15.20 | | | | |

| | | | 1 | | | | | | | | | | 1 | | | | |
|-------|--------|--|-------------|------|-------------------|----------------|--------|-----------------|-----------------|--|---------------------|---|----------------|--|--|---|---|
| UNBL | INDLE | NETWORK ELEMENTS - Louisiana | | | | 1 | 1 | | | | | ı | 1 | А | ttachment: 2 | - | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring I | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | _ | | UEANL | USBSC | | 86.16 | 86.16 | Tilat | Addi | JOINEO | 15.20 | JOHAN | OOMAN | SOMAN | COMPAN |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | i | | UEANL | USBSD | | 27.13 | 27.13 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | i | 1 | UEANL | USBN2 | 7.57 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | ı | 2 | UEANL | USBN2 | 12.75 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | _ | 3 | UEANL | USBN2 | 21.45 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 11.76 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN4 | 16.84 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 19.27 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 2.91 | 51.48 | 17.65 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 6.58 | 57.54 | 23.71 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - 1 | | UEF | UCS2X | 6.26 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS2X | 10.07 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 12.70 | 63.89 | 30.06 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - | | UEF | UCS4X | 8.03 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - 1 | | UEF | UCS4X | 10.71 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 6.08 | 76.75 | 42.92 | | | | 15.20 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 7.92 | 7.92 | | | | | | | | |
| | Unbund | lled Sub-Loop Modification | | | | | | | | | | | | | | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 224.55 | 4.29 | | | | 15.20 | | | | |
| | | Iled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3454 | 14.72 | 14.72 | | | | 15.20 | | | | |
| | | Interface Device (NID) | | | CLIVIVV | OLINI F | 0.3434 | 14.12 | 14.72 | | | | 13.20 | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 42.26 | 27.83 | | | | 15.20 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 62.86 | 48.43 | | | | 15.20 | | | | |
| | | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW UENTW | UNDC2 UNDC4 | | 5.73 5.73 | 5.73 5.73 | | | | 15.20 15.20 | | | | |
| SUB-L | | INCLWOLK IIITELIACE DEVICE CLOSS CONNECT - 444 | | | OLINIVV | UNDC4 | | 5.73 | 5.13 | + | | | 15.20 | | | | |
| | | op Feeder | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL, | USBFW | | 144.09 | | | | | 15.20 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL, | | | 10.99 | 10.99 | | | | 15.20 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 568.98 | 11.30 | | | | 15.20 | | | | |

| UNBL | JNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--------------|-------|---|-------------|------|------------|----------------|----------------|------------------|------------------|-------------------------------------|--------|---|-------------------------|--------------|---|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | 1 | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | - | | FIISL | Add I | FIISL AUUT | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | | Grade - Zone 1 | | 1 | UEA | USBFA | 8.71 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | 40.04 | | | | | | | | | |
| | 1 | Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | 2 | UEA | USBFA | 13.64 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 30.21 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 8.71 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 13.64 | 89.81 | 54.35 | | | 15.20 | | | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | OLA | OODI B | 13.04 | 03.01 | 34.33 | | | 13.20 | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFB | 30.21 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.71 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 13.64 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | OLA | ООВГО | 13.04 | 09.01 | 54.55 | | | 13.20 | | | | |
| | | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 30.21 | 89.81 | 54.35 | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.44 | 103.69 | 67.31 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | - | OLA | OODI D | 21.44 | 105.09 | 07.51 | | | 13.20 | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFD | 24.66 | 103.69 | 67.31 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 42.84 | 103.69 | 67.31 | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA | OCOSL | 42.04 | 17.56 | 67.31 | | | 15.20 | | 1 | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | 0271 | 00002 | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFE | 21.44 | 103.69 | 67.31 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 24.66 | 103.69 | 67.31 | | | 15.20 | | | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | OLA | OODI L | 24.00 | 105.05 | 07.51 | | | 13.20 | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFE | 42.84 | 103.69 | 67.31 | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 17.56 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN UDN | USBFF USBFF | 15.44 23.32 | 102.58 102.58 | 66.20 66.20 | | | 15.20 15.20 | | | | _ |
| | - | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | | UDN | USBFF | 23.32 44.57 | 102.58 | 66.20 | | - | 15.20 | | | | |
| | 1 | Order Coordination For Specified Conversion Time, Per LSR | | 3 | UDN | OCOSL | 44.57 | 17.56 | 00.20 | | + | 15.20 | | 1 | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 15.44 | 102.58 | 66.20 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 23.32 | 102.58 | 66.20 | | | 15.20 | | 1 | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 44.57 | 102.58 | 66.20 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.38 | 98.15 | 61.77 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 167.83 | 98.15 | 61.77 | | | 15.20 | | | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 469.87 | 98.15 | 61.77 | | | 15.20 | | | | 1 |
| | 1 | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | USL UCL | OCOSL USBFH | 6.96 | 17.56 81.36 | 44.98 | | | 15.20 | | | | |
| | 1 | Unbundled Sub-Loop Feeder, 2-wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | - | UGL | USDFF | 0.96 | 01.30 | 44.98 | | + | 15.20 | | | | |
| | | 2 | | 2 | UCL | USBFH | 4.97 | 81.36 | 44.98 | | | 15.20 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 3 | UCL | USBFH | 3.99 | 04.00 | 44.98 | | | 15.20 | | | | |
| | 1 | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 3.99 | 81.36 17.56 | 44.98 | | | 15.20 | | - | | |
| | 1 | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 15.68 | 98.07 | 61.69 | | | 15.20 | | — | | † |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 9.68 | 98.07 | 61.69 | | | 15.20 | | 1 | İ | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 6.39 | 98.07 | 61.69 | | | 15.20 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 17.56 | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 22.61 | 98.15 | 61.77 | | | 15.20 | | | | |
| | 1 | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 22.87 | 98.15 | 61.77 | | | 15.20 | | L | | 1 |

| UNBU | INDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | l A | ttachment: 2 | | Exhibit: B |
|--|--------|---|-------------|----------|----------------|----------------|--|------------------|------------------|-------------------------|----------|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | oss i | RATES (\$) | | |
| <u> </u> | | 0. h L | | | 1151 | LIODENI | 04.05 | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | UDL | USBFN | 24.25 | 98.15 | 61.77 | | | 15.20 | | | | _ |
| ' | | Zone 1 | | 1 | UDL | USBFO | 22.61 | 98.15 | 61.77 | | | 15.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | ĺ | | | | | | | | | |
| igsqcurve | | Zone 2 | | 2 | UDL | USBFO | 22.87 | 98.15 | 61.77 | | | 15.20 | | | | <u> </u> |
| ' | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 24.25 | 98.15 | 61.77 | | | 15.20 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR | | 3 | UDL | OCOSL | 24.23 | 17.56 | 01.77 | | | 13.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UDL | USBFP | 22.61 | 98.15 | 61.77 | | | 15.20 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 22.87 | 98.15 | 61.77 | | | 15.20 | | | | |
| \vdash | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | ODL | OODEF | 22.01 | 30.13 | 01.77 | | + | 15.20 | - | | | + |
| | | Zone 3 | | 3 | UDL | USBFP | 24.25 | 98.15 | 61.77 | | | 15.20 | | | | |
| OUE: | 2002 | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 17.56 | | | | | | | | |
| SUB-LC | | op Feeder | | | | + | | | | | + | - | | | | - |
| | Sub-Lo | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 17.00 | | | | | | | | | - |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 368.44 | 3,381.00 | 406.56 | | | 15.20 | | | | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 17.00 | | | | | | | | | |
| | | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX UDLO3 | USBF7 1L5SL | 395.92 12.90 | 3,381.00 | 406.56 | | | 15.20 | | | | ļ |
| | | Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | UDLU3 | ILSSL | 12.90 | | | | | | | | | 1 |
| ' | | Month | | | UDLO3 | USBF5 | 60.45 | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 594.77 | 3,381.00 | 406.56 | | | 15.20 | | | | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 15.87 | | | | | | | | | |
| ' | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month | | | UDL12 | USBF6 | 683.03 | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,922.00 | 3,381.00 | 406.56 | | | 15.20 | | | | - |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 52.07 | 5,551.55 | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | | | | | | | | | | | | |
| | | Month Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 UDL48 | USBF9 USBF4 | 341.64 1,663.00 | 3,566.00 | 406.56 | | | 45.00 | | | | <u> </u> |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 385.45 | 787.24 | 406.56 | | | 15.20 15.20 | 1 | | | |
| UNBUN | | OOP CONCENTRATION | | | 002.0 | 002.0 | | 707.21 | 100.00 | | | 10.20 | | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 374.26 | 316.00 | 316.00 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 53.40 | 131.67 | 131.67 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - System A (TR303) Unbundled Loop Concentration - System B (TR303) | | | ULC ULC | UCT3A UCT3B | 412.08 89.98 | 316.00 131.67 | 316.00 131.67 | | | 15.20 15.20 | | | | + |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.12 | 61.46 | 44.74 | | † | 15.20 | t | | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | ĺ | | | | | | | | | |
| | | Card) | | | UDN | ULCC1 | 8.12 | 10.23 | 10.18 | | 1 | 15.20 | | | | ļ |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.12 | 10.23 | 10.18 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.03 | 10.23 | 10.18 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | - | | 2.00 | | 101.10 | | T | 10.20 | | | | <u> </u> |
| L! | | Loop Interface (SPOTS Card) | | <u> </u> | UEA | ULCCR | 12.07 | 10.23 | 10.18 | | 1 | 15.20 | | | | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.20 | 10.23 | 10.18 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 35.19 | 10.23 | 10.18 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 10.67 | 10.23 | 10.18 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 10.67 | 10.23 | 10.18 | | | 15.20 | | | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 10.67 | 10.23 | 10.18 | | | 15.20 | | | | |
| \vdash | | | | | | 02000 | 10.07 | 10.20 | 10.10 | | 1 | 10.20 | † | 1 | | |

| UNB | JNDLEI | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|---------|---|-------------|----------|------------------|--------|--------|-----------------|------------------|-----------------------|-----------------------|----------|-----------------------|--|--------------|---|--------------------------|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Order vs. Electronic- |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| UNE C | THER. P | ROVISIONING ONLY - NO RATE | | | | | | FIISL | Auu i | Filat | Auu i | SOMEC | JOWAN | SOWAN | JOWAN | SOWAN | JOWAN |
| | 1 | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UI | UNECN | | | | | | | | | | | |
| UNE C | | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, | JUNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | | no rate | | <u> </u> | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH | | Y UNBUNDLED LOCAL LOOP | | | _ | | | _ | • | | | | | | | | |
| | NOTE: | 4 month minimum billing period | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 10.04 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 362.34 | 438.46 | 256.30 | | | | 15.20 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 10.04 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 374.56 | 438.46 | 256.30 | | | | 15.20 | | | | |
| LOOP | MAKE-U | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 23.29 | 23.29 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 24.70 | 24.70 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.19 | 0.19 | | | | | | | | |
| HIGH | | NCY SPECTRUM | | | | | | 0.10 | | | | | | | | | |
| | | ERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | - 1 | | ULS | ULSDA | 187.17 | 183.33 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | ı | | ULS | ULSDB | 46.79 | 183.33 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | | | ULS | ULSD8 | 15.59 | 183.33 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 83.98 | | 0.00 | | | 15.20 | | | | |
| | | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | Y SPFC | TRUM | | | 1 | 55.56 | | 5.50 | | <u> </u> | 10.20 | 1 | 1 | | 1 |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | | 1 | ULS | ULSDC | 0.61 | 17.97 | 10.29 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | ı | | ULS | ULSDS | | 15.91 | 7.95 | | | | 15.20 | | | | |
| — | | Line Sharing - per Line Activation (DLEC owned Splitter) | i | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | l i | † | UEPSR UEPSB | UREOS | 0.61 | | .0.01 | 3.30 | 0.30 | | .0.20 | | | | |
| | 1 | Line Splitting - per line activation BST owned - physical | i | <u> </u> | UEPSR UEPSB | UREBP | 0.642 | 17.97 | 10.29 | | | | | | | | |
| | | Line Splitting - per line activation BST owned - virtual | I | 1 | UEPSR UEPSB | UREBV | 0.64 | 17.97 | 10.29 | | | | | | | | |
| UNBU | NDLED T | RANSPORT | | | | | | | | | | | | | | | |
| | | DFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | _ | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month | | | U1TVX | U1TR2 | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.013 | | | | | <u> </u> | | | | | <u> </u> |

| IINRI | INDI FI | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|----------|--|--|-------------|--|------------------|----------------|-------------------------|------------------|------------------|-----------------------|-----------------------|--|---|-------------------------|-------------------------|-------------------------|--|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | I | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 19.81 | 39.36 | 26.62 | 7.1101 | 7,00 | | 15.20 | | | 00 | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | 1L5XX | | 00.00 | 20.02 | | | | 10.20 | | | | |
| | | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | U1TDX | | 0.013 | | | | | | | | | | |
| | | Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TDX | U1TD5 | 15.61 | 39.37 | 26.62 | | | | 15.20 | | | | |
| | | per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | U1TDX | 1L5XX | 0.013 | | | | | | | | | | |
| | | Termination per month | | | U1TDX | U1TD6 | 15.61 | 39.37 | 26.62 | | | | 15.20 | | | | |
| | INTERC | FFICE CHANNEL - DEDICATED TRANSPORT - DS1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Termination per month DEFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | U1TD1 | U1TF1 | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | INTERC | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | 1L5XX | 6.04 | | | | | | | | | | |
| | | Termination per month | | | U1TD3 | U1TF3 | 850.45 | 270.69 | 158.05 | | | | 15.20 | | | | |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | | | | | | | | | | | | | <u> </u> |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 6.04 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 830.19 | 270.69 | 158.05 | | | | 15.20 | | | | |
| | | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | NOTE: | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin Local Channel - Dedicated - 2-Wire Voice Grade Per Month | g perio | d - belo | DW DS3=one month | ULDV2 | ove=four month 18.32 | 187.51 | 32.21 | | | | 15.20 | | | - | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per | | | | | | | | | | | | | | | |
| | | month Local Channel - Dedicated - 4-Wire Voice Grade per month | | | ULDVX UNDVX | ULDR2 ULDV4 | 18.32 | 187.51 | 32.21 | | | | 15.20 | | | | <u> </u> |
| | | Local Channel - Dedicated - 4-wire voice Grade per month Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDV4 | 19.41 39.18 | 187.94 172.34 | 32.63 149.27 | | | | 15.20 15.20 | | - | - | + |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 121.58 | 172.34 | 149.27 | | | | 15.20 | | | | 1 |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 70.02 | 172.34 | 149.27 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 7.82 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 469.44 | 438.46 | 256.30 | | | | 15.20 | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 7.82 | 400.40 | 200.00 | | | | 10.20 | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per | | | | | | | | | | | | | | | |
| MIII TI | PLEXER | month | | | ULDS1 | ULDFS | 457.22 | 438.46 | 256.30 | | | | 15.20 | | | | <u> </u> |
| MOLII | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 105.09 | 88.41 | 60.76 | | | | 15.20 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.38 | 6.39 | 4.58 | | | | 15.20 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 2.96 | 6.39 | 4.58 | | | | 15.20 | | İ | İ | |
| - | 1 | Month Voice Grade COCI - DS1 to DS0 Channel System - per month | | ! | UEA | 1D1VG | 2.96 0.6497 | 6.39 | 4.58 | 1 | | 1 | 15.20 | | | | + |
| - | | DS3 to DS1 Channel System per month | | 1 | UXTD3 | MQ3 | 201.48 | 172.99 | 91.25 | | | | 15.20 | | | | 1 |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 201.48 | 172.99 | 91.25 | | | | 15.20 | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 11.78 | 6.39 | 4.58 | | | | 15.20 | | | | |
| DARK | FIBER | | | | | | | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1 | LIDE | 41.500 | 50.00 | | | | | | | | | | |
| - | | Thereof per month - Local Channel NRC Dark Fiber - Local Channel | | ! | UDF UDF | 1L5DC UDFC4 | 52.23 | 620.60 | 133.88 | | | | 15.20 | | - | - | |
| | | Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | ODF | UDFC4 | 1 | ზ∠∪.ზÛ | 133.88 | 1 | 1 | | 15.∠0 | | | | |
| | | Thereof per month - Interoffice Channel | | 1 | UDF | 1L5DF | 25.28 | | | | | | | | | | |
| | 1 | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 620.60 | 133.88 | | | İ | 15.20 | | | | 1 |

| UNBU | INDLE | O NETWORK ELEMENTS - Louisiana | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|---------|--|-------------|------|-----------------|---------|------------------------|-----------------|-----------------|--|----------|---|---|--|-------------------------|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | r Svc Order d Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - | Incremental Charge - | |
| | | | | | | | Rec | | curring | Nonrecurring Discon | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First Add | 'I SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | 1L5DL | 50.00 | | | | | | | | | |
| | | Thereof per month - Local Loop NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | 52.23 | 620.60 | 133.88 | | | 15.20 | | | | + |
| TRANS | PORT O | | | | UDF | UDFL4 | 1 | 620.60 | 133.00 | | | 15.20 | | 1 | | + |
| | | al Features & Functions: | | | | | | | | | | | | t | | + |
| 8XX AC | CESS T | EN DIGIT SCREENING | | | | | ĺ | | | | | | | | | 1 |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006387 | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 2.51 | 0.43 | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 5.77 | 0.78 | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 5.77 | 0.78 | | | 15.20 | | | | |
| | | SXX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 2.51 | 1.26 | | | 15.20 | | | | |
| | | SXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 2.93 | 1.68 | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 2.93 | 0.43 | | | 15.20 | | | | <u> </u> |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 2.51 | | | | 15.20 | | | | |
| | | 8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query | | | OHD | | 0.0006387 | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query | | | OHD | | 0.0006387 | | | | | | | | | |
| LINE IN | | TION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | <u> </u> |
| | | LIDB Common Transport Per Query | | | OQT | | 0.0000221 | | | | | | | | | |
| | | LIDB Validation Per Query LIDB Originating Point Code Establishment or Change | | | OQU OQT, OQU | NRPBX | 0.0135077 | 33.33 | | | | 15.20 | | - | | - |
| SIGNA | LING (C | | | | 001,000 | INICEDA | | 33.33 | | | | 13.20 | | | | + |
| CICITA | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 147.60 | | | | | | | | | 1 |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.000064 | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 15.77 | 34.50 | | | | 15.20 | | | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 15.77 | 34.50 | 34.50 | | | 15.20 | | | | |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB | CTUES | 0.000016 | | | | | | - | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code | | | UDB | STU56 | 732.10 | | | | | | | | | |
| | | Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code | | - | UDB | CCAPO | | 28.17 | 28.17 | | | 15.20 | | | | |
| E911 S | ERVICE | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 28.17 | 28.17 | | | 15.20 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | 18.32 | 187.51 | 32.21 | | | 15.20 | İ | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 18.32 | 187.51 | 32.21 | | | 15.20 | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 18.32 | 187.51 | 32.21 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.013 | | | | | 1 | | - | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination Local Channel - Dedicated - DS1 - Zone 1 | | | | | 22.60 39.18 | 79.61 172.34 | 36.08 149.27 | | | 15.20 15.20 | | | | _ |
| | | Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 | | | | | 39.18 121.58 | 172.34 | 149.27 | | + | 15.20 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | l | | | | 70.02 | 172.34 | 149.27 | | | 15.20 | | 1 | | |
| | | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 70.47 | 147.07 | 111.75 | | | 15.20 | | | | |
| CALLI | | E (CNAM) SERVICE | | | 001 | | 0.001001= | | | | | | - | | | |
| | | CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query | | | OQV OQV | - | 0.0010217 0.0010217 | | | | | + | | | | |
| | | CNAM For DB Owners - Service Establishment | | | OQV | | 0.0010217 | 22.29 | | | + | 15.20 | | | | |
| - | | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 22.29 | | | | 15.20 | | 1 | | |

| UNBUNI | DLEC | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|---------------|---|-------------|--|-----|-------|-----------|----------|-----------|--|----------|-------------|---|---|---|--|--|
| | | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| CATE GORY | OTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring Di | sconnect | P 01 - 2011 | | | RATES (\$) | | |
| | \rightarrow | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | i | |
| | | Establishment | | <u> </u> | OQV | | | 962.22 | 711.64 | | | | 15.20 | | | | |
| | | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | ' | OQV | | | 332.43 | 238.05 | | | | 15.20 | | | ł | |
| LNP Query | | | | | OQV | | | 332.43 | 238.05 | | | | 15.20 | | | | |
| Litti Quoi | | LNP Charge Per query | | | OQV | | 0.0008559 | İ | | | | | | | | | |
| | L | LNP Service Establishment Manual | | | | | | 12.16 | | | | | 15.20 | | | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | 576.33 | 294.43 | | | | 15.20 | | | | |
| OPERATO | | LL PROCESSING | | ! | | | | | | | | | | | | | |
| | L | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | <u> </u> | | | 1.20 | | | | | | | | | <u> </u> | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | , | | | 1.24 | | | | | | | | | i | |
| - | | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | 1.24 | + | | | | | | | | | |
| | | LIDB | | | | | 0.20 | | | | | | | | | l | |
| | | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | i | |
| | | Foreign LIDB | | <u> </u> | | | 0.20 | | | | | | | | | | |
| INWARD C | | ATOR SERVICES | | igspace | | | 1.15 | | | | | | | | | | |
| \vdash | | Inward Operator Services - Verification, Per Minute Inward Operator Services - Verification and Emergency Interrupt | | | | | 1.15 | + | | | | | | | | | |
| | ľ | - Per Minute | | , | | | 1.15 | | | | | | | | | i | |
| BRANDIN | G - OF | PERATOR CALL PROCESSING | | † † | | | _ | | | | | | | | | i | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.20 | | | i | |
| <u> </u> | | Loading of Custom Branded OA Announcement per shelf/NAV | | <u> </u> | | CBAOL | | 500.00 | 500.00 | | | | 15.20 | | | | |
| Un | | ding via OLNS for UNEP CLEC | | igspace | | | | 4 200 00 | 4 200 00 | | | | 45.00 | | | | |
| DIRECTO | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 15.20 | | | | |
| | | ORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| DI | | ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | ACC) | | | | | | | | | | | | | i | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| DI | | ORY TRANSPORT | | | | | | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access Service Call | | | | | 0.0003 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | ŀ | | | 0.00004 | | | | | | | | | | |
| | | Access Tandem Switching per Directory Assistance Access | | † † | | | | | | | | | | | | i | |
| - | 5 | Service Call Directory Assistance Interconnection per Directory Assistance | | | | | 0.00055 | | | | | | | | | | |
| | A | Access Service Call | | ļ! | | | 0.00 | | | | | | | | | <u> </u> | |
| DIDECTO | | DS3 to DS1 Multiplexer per DA Access Service Call | | ₩ | | | 0.00018 | | | | | | | | | | |
| | | SISTANCE SERVICES ORY ASSISTANCE DATA BASE SERVICE (DADS) | | $\vdash \vdash$ | | 1 | | | | - | | | | | | | |
| | | Directory Assistance Data Base Service (Dads) | | $\vdash \vdash$ | | | 0.04 | + | | | | | | | | | |
| | [| Directory Assistance Data Base Service, per month | | \vdash | | DBSOF | 150.00 | | | | | | | | | | |
| | G - DIF | RECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Fa | | Based CLEC | | | | | | | | | | | | | | <u> </u> | |
| | A | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | <u> </u> | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| 10 | NEP C | LEC | | | | | | | | | | | | | | | |
| \coprod | | Recording of DA Custom Branded Announcement | | | - | | | 3,000.00 | 3,000.00 | | | | | | | <u> </u> | |
| | (| Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| Ur | | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | l | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | İ | | | | 1 |

| LIMBI | INDI EE | NETWORK ELEMENTS. Louisiana | 1 | | | | | | | | | | | | | | E-1.2.2. B |
|----------|----------|---|--|------|---|----------|------------------|----------------|----------------|--------------|------------|----------|---|--|--|---|---|
| UNBU | INDLEL | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | per Lore | per Leix | ossı | RATES (\$) | D100 13t | DISC Add 1 |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| L | <u> </u> | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| SELEC | TIVE RO | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 82.25 | 82.25 | | | | 15.20 | | | | |
| VIRTU | AL COLL | OCATION | | | | USKCK | | 02.23 | 02.23 | | | | 13.20 | | | | |
| 1 | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 1,770.40 | | | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 841.54 | | | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 8.32 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| <u> </u> | | cable | | | AMTFS ueanl,uea,udn,udc,u | ESPSX | 16.02 | 44.04 | 44.40 | | | | 45.00 | | | | - |
| \vdash | \vdash | Virtual Collocation - 2-wire Cross Connects (loop) Virtual Collocation - 4-wire Cross Connects (loop) | | | ueani,uea,udn,udc,u uea,uhi,uci,udi,AMTF | | 0.0296 0.0591 | 11.94 12.04 | 11.46 11.53 | | | | 15.20 15.20 | | | | |
| \vdash | | Virtual Collocation - 4-wire Cross Connects (100p) Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 2.65 | 20.29 | 14.76 | | | | 15.20 | | | | |
| | | Virtual Collocation - 2-1 iber Cross Connects | 1 | | AMTFS | CNC4F | 5.31 | 24.81 | 19.29 | - | | | 15.20 | | | | 1 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC1X | 1.04 | 21.39 | 15.47 | | | | 15.20 | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS | CND3X | 13.21 | 20.28 | 14.76 | | | | 15.20 | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0024 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0036 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CD | | 534.79 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | 744111 0 | VETOB | | 004.70 | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.79 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | | | | | |
| VIDTU | | Virtual collocation - Maintenance in CO - Premium per half hour OCATION | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | | | | | |
| VIKTU | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Res | 1 | | UEPSR | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | | UEPSX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | 15.20 | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | | | UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | 15.20 | | | | |
| VIRTII | | OCATION | - | | OLI LA | V L 11\4 | 0.0391 | 12.04 | 11.33 | | | | 13.20 | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | ı | | UEPSR, UEPSB | VE1LS | 0.0296 | 11.94 | 11.46 | 0.00 | 0.00 | | 15.20 | | | | |
| AIN SE | | CARRIER ROUTING | ' | | | | 5.5250 | | | 0.00 | 0.00 | | .0.20 | | | | |
| | | Regional Service Establishment | | | UEBIB | SRCEC | | 100,209.33 | | | | | 15.20 | | | | |
| | | End Office Establishment | | | UEBIB | SRCEO | | 164.29 | 164.29 | | · · · · · | | 15.20 | | | | |
| A 12: | | Query NRC, per query | | | UEBIB | | 0.0030293 | | | | | | | | | | |
| AIN - B | | TH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | A1N | CAMSE | | 38.30 | 38.30 | | | | 15.20 | | | | |

| UNBL | INDLEI | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|--|--|-------------|----------|-------------------|----------------|-----------|-------------------|-------------------|-----------------------------|-----------------|-----------------------|---|--|--------------|---|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnec | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.60 | 7.60 | | | 15.20 | | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 7.60 | 7.60 | | | 15.20 | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User | | | A 4 b 1 | 0.0.0.0.0 | | 00.00 | 00.00 | | | 45.00 | | | | |
| - | | ID Code AIN SMS Access Service - Security Card, Per User ID Code, | | | A1N | CAMAU | | 33.99 | 33.99 | | + | 15.20 | | | | |
| | | Initial or Replacement | | | A1N | CAMRC | | 41.39 | 41.39 | | | 15.20 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0022 | | | | | | | | | |
| | ļ | AIN SMS Access Service - Session, Per Minute | | | | | 0.5795 | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 0.8104 | | | | | | | | | |
| AIN - E | | JTH AIN TOOLKIT SERVICE | | | | | 3.3.34 | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | D. 1 D. C. C. | | | | | | | | | | |
| | | Initial Setup AIN Toolkit Service - Training Session, Per Customer | | | CAM | BAPSC BAPVX | | 38.30 4,175.10 | 38.30 4,175.10 | | | 15.20 15.20 | - | | | |
| | | AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAL AV | | 4,175.10 | 4,175.10 | | 1 | 15.20 | | | | |
| | | DN, Term. Attempt | | | | BAPTT | | 7.60 | 7.60 | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | |
| - | | DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTD | | 7.60 | 7.60 | | | 15.20 | | | | |
| | | DN, Off-Hook Immediate | | | | BAPTM | | 7.60 | 7.60 | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | |
| | | DN, 10-Digit PODP | | | | BAPTO | | 33.47 | 33.47 | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP | | | | BAPTC | | 33.47 | 33.47 | | | 15.20 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | 10.20 | | | | |
| | | DN, Feature Code | | | | BAPTF | | 33.47 | 33.47 | | | 15.20 | | | | |
| | 1 | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.0536446 | | | | | | - | | | |
| | | Subscription, Per Node, Per Query | | | | | 0.006569 | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | | | |
| | | Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 10.90 | 7.60 | 7.60 | | | 15.20 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | CAW | DAFINO | 10.90 | 7.00 | 7.00 | | | 13.20 | | | | |
| | | Subscription | | | CAM | BAPLS | 2.80 | 8.41 | 8.41 | | | 15.20 | | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | DARRO | 0.00 | 7.00 | 7.00 | | | 45.00 | | | - | |
| - | | Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | CAM | BAPDS | 8.20 | 7.60 | 7.60 | | + | 15.20 | | | | |
| | | Service Subscription | | | CAM | BAPES | 0.09 | 8.41 | 8.41 | | | 15.20 | <u> </u> | | | |
| ENHA | ICED EX | TENDED LINK (EELs) | | | | | | | | | | | | | | |
| | | New EELs available in GA, TN, KY, LA, MS, & SC and density | | | | | | | | | | | | | | |
| - | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- In all states, EEL network elements shown below also apply t | | | | | | | As Is Charge a | nnlies to currently combine | ed facilities o | onverted to | UNFs.(Non-re | curring rates | do not apply | <u></u> |
| | NOTE: | In GA, TN, KY, LA, MS & SC the EEL network elements apply | to ordir | narily c | ombined network e | | | | on unge a | ppco to darronaly combine | Lacintios C | | J | Julian India | шо пос арргу | <u> </u> |
| | | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | 15.20 | | | | |
| - | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | OINCVA | UEALZ | 14.93 | 94.21 | 45.09 | | + | 15.20 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | 2 | | | 1 | 15.20 | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | 15.20 | | | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | 15.20 | | | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|------|--------|---|-------------|--------|-----------------|--------|--------|---------------|---------------|---------------------|---------|-----------------------|---------------------------------------|--|-------------------------|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Discon | | _ | | RATES (\$) | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | First | Add'l | First Add | I SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | | 0.1000 | | 0.10 | 0.10 | | | 10.20 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | 15.20 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.6497 | 5.91 | 4.26 | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | 4-WIRE | 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | 15.20 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | 15.25 | | | | |
| | | MONTH OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | | 1D1DD | | | | | | | | | | |
| | | montn (z.4-b4k0s) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 1.38 | 5.91 94.21 | 4.26 45.09 | | | 45.00 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | Ė | | | 30.99 | | | | | 15.20 | | | | |
| | | Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | - | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | |

| LINID | ND: F | NETWORK ELEMENTS audiciona | | | | | | | | | | | 1 | | | | Full 2 2 F |
|--------------|--------|---|-------------|--------|-----------------|---------|--------|-----------------|-----------------|-----------------------|---------------------|-------|-----------|--|--|---|---|
| UNBU | NDLEL | NETWORK ELEMENTS - Louisiana | | 1 | | | 1 | | | | | | | Α | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | FIISL | Add I | FIISL | Auu i | SOMEC | SUMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | | Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | 4-WIRE | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | LINODY | LIBI 04 | 00.00 | 04.04 | 45.00 | | | | 45.00 | | | | |
| | | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | - | | | 15.20 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | • | | | | | | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | LINC4V | MO1 | 405.00 | 50.07 | 40.00 | | | | | | | | |
| - | | Month OCU-DP COCI (data) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | + | | | | | - | | |
| | | Combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | • | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | | 15.20 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.38 | 5.91 | 4.26 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | EROFFI | CE TRA | | ONOCC | | 3.43 | 3.43 | + | | | 13.20 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport - Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | ROFFI | CE TRA | | 5550 | | 5.45 | 0.40 | | | | 10.20 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 6.04 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 201.48 | 107.05 | 48.07 | | | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | - | | | | | | | |
| | | Additional DS1Loop in DS3 interoffice Transport Combination - Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | | 15.20 | | | | |

| CATE GORY NOTES | RATE ELEMENTS | Interi | | | | | | | | | I | | | ttachment: 2 | | Exhibit: B |
|---------------------------------------|--|----------|--------|----------------|----------------|----------------|--------|-----------|--------------|-------|----------|-----------|--|--|---|---|
| | RATE ELEMENTS | | | | | | | | | | | | | | | |
| | | m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 0011411 | | RATES (\$) | 0014411 | 0011411 |
| Additional DS1L | pop in DS3 Interoffice Transport Combination - | 1 | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Zone 3 | sop in 200 interesting transport combination | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | | 15.20 | | | | |
| | nit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | | | | | | |
| Nonrecurring Cu Is Charge | rrently Combined Network Elements Switch -As- | - | | UNC3X | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | 1 |
| | EXTENDED LOOP/ 2 WIRE VOICE GRADE IN | TEROFF | ICE TR | | UNCCC | | 3.43 | 3.43 | | | | 13.20 | | | | |
| 2-WireVG Loop u | used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| Combination - Zo | | | 1 | UNCVX | UEAL2 | 14.93 | 94.21 | 45.09 | | | | 15.20 | | | | |
| Combination - Zo | | | 2 | UNCVX | UEAL2 | 25.35 | 94.21 | 45.09 | | | | 15.20 | | | | ļ |
| 2-WireVG Loop to Combination - Zo | used with 2-wire VG Interoffice Transport | | 3 | UNCVX | UEAL2 | 50.46 | 94.21 | 45.09 | | | | 15.20 | | | | 1 |
| | port - Dedicated - 2-wire VG combination - Per | <u> </u> | - | J | JL/ 11LL | 30.40 | 37.21 | 70.03 | | | | 10.20 | | | | |
| Mile Per Month | port - Dedicated - 2- Wire Voice Grade | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | |
| combination - Fa | cility Termination per month | | | UNCVX | U1TV2 | 22.60 | 72.60 | 41.75 | | | | 15.20 | | | | <u> </u> |
| Is Charge | rrently Combined Network Elements Switch -As- | 1 | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | 1 |
| | EXTENDED LOOP/ 4 WIRE VOICE GRADE IN | TEROFF | ICE TR | | ONCCC | | 3.43 | 3.43 | | | | 13.20 | | | | |
| | used with 4-wire VG Interoffice Transport | | | , , | | | | | | | | | | | | |
| Combination - Zo | one 1 Justin 1 | ļ | 1 | UNCVX | UEAL4 | 30.81 | 94.21 | 45.09 | | | | 15.20 | | | | |
| Combination - Zo | one 2 | | 2 | UNCVX | UEAL4 | 38.32 | 94.21 | 45.09 | | | | 15.20 | | | | |
| Combination - Zo | | | 3 | UNCVX | UEAL4 | 60.39 | 94.21 | 45.09 | | | | 15.20 | | | | <u> </u> |
| Interoffice Transp Mile Per Month | port - Dedicated - 4-wire VG combination - Per | | | UNCVX | 1L5XX | 0.013 | | | | | | | | | | İ |
| | port - Dedicated - 4- Wire Voice Grade icility Termination per month | | | UNCVX | U1TV4 | 19.81 | 72.60 | 41.75 | | | | 15.20 | | | | <u> </u> |
| Nonrecurring Cu Is Charge | rrently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | 1 |
| DS3 DIGITAL EXTENDE | D LOOP WITH DEDICATED DS3 INTEROFFIC | CE TRAI | NSPOR | T (EEL) | | | | | | | | | | | | |
| Mile per month | nbundled Local Loop - DS3 combination - Per | | | UNC3X | 1L5ND | 10.04 | | | | | | | | | | İ |
| | nbundled Local Loop - DS3 combination - | | | LINICOV | LIESDY | 202.24 | 400.45 | 405.54 | | | | | | | | İ |
| Facility Terminati | on per month oort - Dedicated - DS3 - Per Mile per month | 1 | | UNC3X UNC3X | UE3PX 1L5XX | 362.34 6.04 | 188.45 | 125.51 | | | | | | | | |
| | port - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| Termination per | per month rrently Combined Network Elements Switch -As- | | | UNC3X | U1TF3 | 850.45 | 296.68 | 121.16 | | | | 15.20 | | | | |
| Is Charge | · | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | <u> </u> | 15.20 | | | | <u> </u> |
| | ED LOOP WITH DEDICATED STS1 INTEROF | FICE TR | RANSPO | ORT (EEL) | | | | | | | | | | | | |
| Mile per month | nbundled Local Loop - STS1 combination - Per | | | UNCSX | 1L5ND | 10.04 | | | | | | | | | | 1 |
| Facility Terminati | | | | UNCSX | UDLS1 | 374.56 | 188.45 | 125.51 | | | | | | | | <u> </u> |
| Interoffice Transp per month | port - Dedicated - STS1 combination - Per Mile | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | | _ |
| Interoffice Transp Termination per | port - Dedicated - STS1 combination - Facility month | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | | 15.20 | | | | |
| | rrently Combined Network Elements Switch -As- | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | | 15.20 | | | | I |
| 2-WIRE ISDN EXTENDE | D LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | 2.10 | | | | | | | | | |
| First 2-Wire ISDN Transport - Zone | N Loop in a DS1 Interoffice Combination | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | | 15.20 | | | | |
| First 2-Wire ISDN Transport - Zone | N Loop in a DS1 Interoffice Combination | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | | 15.20 | | | | |

| UNBL | UNDLE | D NETWORK ELEMENTS - Louisiana | | | T | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|--------|--|-------------|----------|----------------|--------------|---|-----------------|------------------|-------------------------------------|--|-----------------------|--|--|---|--|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | всѕ | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | OSSI | RATES (\$) | SOMAN | SOMAN |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | |
| | | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.2652 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month | | | UNC1X | U1TF1 | 70.47 | 143.58 | 103.88 | | | 15.20 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - | | | ONOTA | 011111 | 70.47 | 140.00 | 100.00 | | | 10.20 | | | | 1 |
| | | per month | | | UNC1X | MQ1 | 105.09 | 59.97 | 12.96 | | | | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | |
| | | combination - per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.09 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | - | UNCINA | UILZA | 22.09 | 94.21 | 45.09 | | | 13.20 | | | | + |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 35.28 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | 55.25 | · · · · · | | | | | | | | |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 65.18 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | |
| | - | combintaion- per month | | | UNCNX | UC1CA | 2.96 | 5.91 | 4.26 | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | | 011000 | 1 | 0.40 | 0.40 | | | 10.20 | | | | 1 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | ` ' | | | | | | | | | | | 1 |
| | | Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | 15.20 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | _ | LINIOAN | 1101.207 | 404.00 | 100.00 | 400.00 | | | 45.00 | | | | |
| | | Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | 15.20 | | | | |
| | | Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | Ť | 0110171 | 002.01 | 101.01 | .00.22 | 100.00 | | | 10.20 | | | | 1 |
| | | Per Month | | | UNCSX | 1L5XX | 6.04 | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | |
| | - | Termination | | | UNCSX | U1TFS | 830.19 | 296.68 | 121.16 | | | 15.20 | | | | + |
| | | STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month | | | UNCSX UNC1X | MQ3 UC1D1 | 201.48 11.78 | 107.05 5.91 | 48.07 4.26 | | | | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | 1 | ONOTA | OCIDI | 11.70 | 5.51 | 4.20 | | | | | | | |
| | | Zone 1 | | 1 | UNC1X | USLXX | 85.70 | 169.22 | 100.89 | | | 15.20 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | 1 |
| | | Zone 2 | | 2 | UNC1X | USLXX | 194.96 | 169.22 | 100.89 | | | 15.20 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 491.94 | 169.22 | 100.89 | | | 45.00 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X UNC1X | UC1D1 | 11.78 | 5.91 | 4.26 | | | 15.20 | | | | + |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | ONOTA | COIDI | 11.70 | 0.01 | 4.20 | | | | | | | 1 |
| | | Is Charge | | | UNCSX | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 1 | LINODY | LIBLES | 00.55 | 04.04 | 45.00 | | | 45.60 | | | | |
| | + | Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | <u> </u> | 1 | UNCDX | UDL56 | 30.99 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 36.78 | 94.21 | 45.09 | | | 15.20 | | | | |
| | 1 | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | T - | | | 22.70 | | .5.00 | | | 12.20 | | | | 1 |
| | | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 38.92 | 94.21 | 45.09 | | | 15.20 | | | | |
| _ | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | I T | | | | | | | | | |
| | | Per Mile | | <u> </u> | UNCDX | 1L5XX | 0.013 | | | | - | - | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | 1 | UNCDX | U1TD5 | 15.61 | 72.60 | 41.75 | | | 15.20 | | | | |
| | 1 | Nonrecurring Currently Combined Network Elements Switch -As- | | | 5.13B/t | 51100 | 10.01 | 72.00 | 71.73 | | | 10.20 | | | | <u> </u> |
| | | Is Charge | | | UNCDX | UNCCC | <u> </u> | 5.43 | 5.43 | | <u> </u> | 15.20 | | | | |
| | | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | - | _ | | | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | ١. | LINODY | LIBLOA | 00.55 | 04.04 | 45.00 | | | 45.60 | | | | |
| | 1 | Combination - Zone 1 | <u> </u> | 1 | UNCDX | UDL64 | 30.99 | 94.21 | 45.09 | | | 15.20 | | l | | |

| | ND: T | NETWORK ELEMENTO | 1 | | | | | | | | | | 1 | | | |
|---------------|---------|--|-------------|----------|-----------------------|----------------|--|-----------------|-----------------|-----------------------|--------|-----------------------|--|-------------------------------------|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Louisiana | | | | ı | T | | | | 1 | 1 | <i>P</i> | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring Disconne | SOMEC | COMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | 1 | FIRST | Add I | First Add'l | SOWIEC | SUMAN | SOWAN | SOWAN | SUMAN | SUMAN |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 36.78 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 38.92 | 94.21 | 45.09 | | | 15.20 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | |
| | | Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDX | 1L5XX | 0.013 | | | | | | | | | |
| | | Facility Termination | | | UNCDX | U1TD6 | 15.61 | 72.60 | 41.75 | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| ADDITI | | ETWORK ELEMENTS | | | 0.1027 | 0.1000 | | 0.10 | 0.10 | | | 10.20 | | | | |
| | When u | sed as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | |
| | | sed as ordinarilty combined network elements in Georgia, th | e non-r | ecurrin | g charges apply and | the Switch | As Is Charge d | oes not. | | | | | | | | |
| | | to DCS - Customer Reconfiguration (FlexServ) | | | | | | | | | | | | | | |
| | | SynchroNet) urring Currently Combined Network Elements "Switch As Is" | Chargo | (One o | nnlies to each comb | ination\ | | | | | | 1 | - | | | |
| \vdash | HOHIEC | Nonrecurring Currently Combined Network Elements Switch As is | onarge | (One a | ppiles to each come | manoll) | | | | | | 1 | | 1 | | |
| | | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3 | | | UNC3X | UNCCC | | 5.43 | 5.43 | | | 15.20 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | |
| | NOTE: I | ls Charge - STS1 Local Channel - Dedicated Transport - minimum billing period | d - Bolo | W D63- | UNCSX | UNCCC | r months | 5.43 | 5.43 | | | 15.20 | 1 | | | |
| | | Local Channel - Dedicated Transport - Infilmum billing period Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | u - belo | | UNCVX | ULDV2 | 18.32 | 187.51 | 32.21 | | | 15.20 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 19.41 | 187.94 | 32.63 | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 39.18 | 172.34 | 149.27 | | | 15.20 | | | | |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 121.58 | 172.34 | 149.27 | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 70.02 | 172.34 | 149.27 | | | 15.20 | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 7.82 | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per | | | LINCOV | ULDF3 | 400.44 | 400.40 | 250.20 | | | 45.00 | | | | |
| | | month Local Channel - Dedicated - STS-1- Per Mile per month | | | UNC3X UNCSX | 1L5NC | 469.44 7.82 | 438.46 | 256.30 | | | 15.20 15.20 | | | | |
| | | Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination per | | | 0.1007 | ILUINO | 1.02 | | | | | 13.20 | | | | |
| | | month | | | UNCSX | ULDFS | 457.22 | 438.46 | 256.30 | | | | | | | |
| | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | |
| | | ge Ports | | | | | | | • | | | | | | | • |
| | | Although the Port Rate includes all available features in GA, I | KY, LA | & TN, tl | ne desired features v | vill need to b | be ordered usin | g retail USOCs | • | | | | | | | |
| | | VOICE GRADE LINE PORT RATES (RES) | | <u> </u> | LIEBOR | | | | | | | 4= | ļ | | | |
| - | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAS | 1.52 | 2.31 | 2.21 | | | 15.20 | 1 | | | |
| | | Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) | | | UEPSR | UEPAG | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | |
| <u> </u> | | with Caller ID (LUM) | | ļ | UEPSR | UEPAP | 1.52 | 2.31 | 2.21 | | | 15.20 | | ļ | | |
| - | FEATU | Subsequent Activity | | - | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| — | | All Available Vertical Features | | - | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | - | 15.20 | | - | | |
| | | VOICE GRADE LINE PORT RATES (BUS) | 1 | - | OLFOR | OLF VF | 0.00 | 0.00 | 0.00 | | + | 15.20 | | 1 | | |
| $\overline{}$ | _ ***** | 13.32 3.3.32 EINE ON NATEO (500) | I . | l | | l | | | | l | | | L | L | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------|--|---|-------------|--|----------------------|----------------|-----------------|----------------|----------------|-------------------------------|---------------|--|--|---|---|--|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonre | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | Follows Botto OMfor Avaluation Botto No. 10 (1991) | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | OLFSB | OLFBL | 1.52 | 2.31 | 2.21 | | | 13.20 | 1 | | | |
| | | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled LA extended local | | | | | | | | | | | | | | |
| | | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAX | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area | | | UEPSB | UEPBI | 1.52 | 2.31 | 2.21 | | + | 15.20 | - | | | |
| | | Calling Port with Caller ID - Bus (BUC) | | | UEPSB | UEPAA | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | | Subsequent Activity | | <u> </u> | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | 1 | 15.20 | 1 | | | |
| | FEATU | | | | | 1 | 1.00 | 2.00 | 2.00 | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | EXCHA | INGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP UEPSP | UEPPO UEPP1 | 1.52 1.52 | 30.37 30.37 | 14.42 14.42 | | | 15.20 15.20 | - | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.52 | 30.37 | 14.42 | | + | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port | | | UEPSP | UEPL2 | 1.52 | 30.37 | 14.42 | | | 15.20 | 1 | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | 1 | UEPSP | UEPLD | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | 1 |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | 4= 00 | | | | |
| | 1 | Capable Port | | | UEPSP | UEPXE | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | - |
| | | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port | | | UEPSP | UEPXK | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLFSF | OLFAR | 1.52 | 30.37 | 14.42 | | | 13.20 | 1 | | | |
| | | Administrative Calling Port | | | UEPSP | UEPXL | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPSP | UEPXM | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | |
| | | Discount Room Calling Port | | | UEPSP | UEPXO | 1.52 | 30.37 | 14.42 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | LIEDOD | LIEDY'S | 4.50 | 20.67 | 44.00 | | | 45.00 | | | | |
| | | Discount Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP UEPSP | UEPXP | 1.52 1.52 | 30.37 30.37 | 14.42 14.42 | | + | 15.20 15.20 | - | - | | |
| | <u> </u> | Subsequent Activity | | - | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | + | 15.20 | | | | |
| | FEATU | | | | OLI OI | 00/100 | 0.00 | 0.00 | 0.00 | | + | 10.20 | | | | 1 |
| | | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | EXCHA | NGE PORT RATES (COIN) | | | | | | | | | | | | | | |
| | | Exchange Ports - Coin Port | | | | | 1.52 | 2.31 | 2.21 | | | 15.20 | | | | |
| | NOTE: | Transmission/usage charges associated with POTS circuit sy | witched | usage | will also apply to c | ircuit switche | ed voice and/or | circuit switch | ed data transm | nission by B-Channels asso | ciated with 2 | -wire ISDN _I | ports. | L | | <u> </u> |
| INIDI: | | Access to B Channel or D Channel Packet capabilities will be | availa | pie oni | y through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be determined via | the Bona Fi | de Request/ | New Business | Request Pro | cess. | <u> </u> |
| NRO | | OCAL EXCHANGE SWITCHING(PORTS) NGE PORT RATES (DID & PBX) | | ! | | 1 | | | | | + | | | | | |
| | EACHA | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.29 | 115.85 | 18.20 | | + | 15.20 | | 1 | | |
| | | Exchange Ports - DITS Port - 4-Wire DS1 Port with DID | | | OLI LA | JLI I'Z | 0.29 | 115.65 | 10.20 | | | 13.20 | | | | |
| | | capability | | 1 | UEPDD | UEPDD | 68.47 | 196.18 | 92.92 | | | 15.20 | I | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 10.07 | 70.76 | 51.46 | | | 15.20 | | 1 | | |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Transmission/usage charges associated with POTS circuit sy | | | | | | | | | | | | L | | |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be | availa | ble onl | | | | | | lities will be determined via | the Bona Fi | de Request/ | New Business | Request Pro | cess. | <u> </u> |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port | | <u> </u> | UEPTX UEPSX UEPEX | U1UMA UEPEX | 0.00 94.82 | 0.00 197.92 | 0.00 98.62 | | + | 15.20 | ! | 1 | | |
| | L | LAGIANGE PORS - 4-WILE IODIN DO I POR | <u> </u> | 1 | ULPEA | UEPEX | 94.82 | 197.92 | 98.62 | <u> </u> | | 15.20 | 1 | l | | |

| LINDU | INDI E | NETWORK ELEMENTS Lavisions | ı | | | | | | | | | | | | | | E-1322 B |
|----------|----------|--|----------|--------|---------------------|----------------|-----------------------|----------------|-----------------|---------------|--------------|-------------|----------------|---------------|--|-------------|--|
| UNDU | INDLE | NETWORK ELEMENTS - Louisiana | | | | | 1 | | | | | | l | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | | | | | | | | | | _ | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | | Manual Svc | Manual Svc |
| GURT | | | m | | | | | | | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| UNBUN | DLED L | OCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Off | ice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.001868 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.00018 | | | | | | | | | | |
| | | Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU | | | | | 0.0001067 0.000222 | | | | | | | | | | |
| | | n Transport | | | | | 0.000222 | | | | | | | | | | |
| - | | Common Transport - Per Mile, Per MOU | | | | | 0.0000032 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0003748 | | | | | | | | | | |
| UNBUN | IDLED P | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | | sed Rates are applied where BellSouth is required by FCC ar | | | | | | | | | | | | | | | |
| | | s shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | | | | | | | | |
| | | ice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | | | | | |
| | | orgia, Kentucky, Louisiana, MIssissippi, South Carolina and 🛚 | | | | | | | | | | | | | | | |
| | | Not Currently Combined Combos for all states. In GA, KY, L | | | | | | | | | | nonrecurrin | g charges a | re Market Rat | es and are als | o listed in | |
| | | ket Rate section. For Currently Combined Combos in all oth | er state | s, the | nonrecurring charge | s shall be th | nose identified | in the Nonrecu | rring - Current | ly Combined s | ections. | 1 | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.13 | | | | | | | | - | | - |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 23.75 | | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | | 49.62 | | | | | | | | | | |
| | | op Rates | | Ŭ | | | 10.02 | | | | | | | | İ | | İ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 48.26 | | | | | | | | | | |
| | | Voice Grade Line Port Rates (Res) | | | UEDDV | | 1.00 | 20.05 | 10.00 | | | | 4=00 | | | | |
| | | 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | | | UEPRX UEPRX | UEPRL UEPRC | 1.36 1.36 | 38.85 38.85 | 19.08 19.08 | | | | 15.20 15.20 | | | | |
| - | | 2-Wire voice unbundled port with Caller 15 - res 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.36 | 38.85 | 19.08 | | | | 15.20 | | - | | - |
| - | | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | OLI IOX | OLI KO | 1.50 | 30.03 | 19.00 | | | | 13.20 | | | | |
| | | parity port with Caller ID - res | | | UEPRX | UEPAS | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res | | | | | | | | | | | | | | | |
| | | (RUL) | | | UEPRX | UEPAG | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | l | | | | | | | | | | 1 | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| - | FEATU | RES All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | NUMBER PORTABILITY | 1 | | UEPKA | UEPVF | 0.00 | 0.00 | 0.00 | | | 1 | 15.20 | | + | | + |
| | | Local Number Portability (1 per port) | - | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | | | | 5.50 | | | | | | | | 1 | | 1 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| 1 | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | l | | | | | | | | | | 1 | | | | |
| | | Switch with change | ļ | | UEPRX | USACC | | 0.10 | 0.10 | | | | 15.20 | | 1 | | 1 |
| | | ONAL NRCs | ļ | | | | 1 | | | | | | | | 1 | | 1 |
| 1 | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | 1 | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | 1 | | I |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | 1 | | UEPKA | U3A32 | 0.00 | 0.00 | 0.00 | | | 1 | 15.20 | | + | | + |
| | | rt/Loop Combination Rates | - | | | | 1 | | | | | | | | + | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | | | 13.13 | | | | | | | | 1 | | 1 |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 23.75 | | | | | | | | | 20.00 | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 49.62 | | | | | | | | | | |
| | | op Rates | | | - | | | | • | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.77 | | | | | | | | 1 | | 1 |
| <u> </u> | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | <u> </u> | 2 | UEPBX | UEPLX | 22.39 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPBX | UEPLX | 48.26 | | | | | | | | 1 | | 1 |
| | ∠-wire \ | Voice Grade Line Port (Bus) | | | | 1 | 1 | | | l | | | l | | | | |

| UNBUND | LED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|------------------|---|-------------|----------|----------------|---|--|----------------|----------------|---------------------|----------|-----------------------|-------------------------------------|--|----------|---|
| CATE GORY NOT | ES RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Discon | | | oss | RATES (\$) | | T |
| - | O Wine value and and another the out Celler ID. In ce | | | UEPBX | UEPBL | 4.00 | First | Add'I 19.08 | First Add | 'I SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.36 1.36 | 38.85 38.85 | 19.08 | | | 15.20 15.20 | | | | |
| | 2-Wire voice unbundled port with Callet + E464 ID - bus | | | UEPBX | UEPBO | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | 2-Wire voice Grade unbundled Louisiana extended local dialing | | | OLFBX | OLFBO | 1.30 | 30.03 | 19.00 | | | 13.20 | | | | |
| | parity port with Caller ID - bus | | | UEPBX | UEPAX | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | ĺ |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | 2-Wire voice unbundled Louisiana Bus Area Calling Port with | | | | | | | | | | | | | | |
| | Caller ID (BUC) | | | UEPBX | UEPAA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | İ |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| FEA | TURES | | <u> </u> | | | | | | | | <u> </u> | | | | 1 |
| | All Features Offered | | <u> </u> | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | ļ | ļ | | |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | <u> </u> | | + | | | | | | - | - | | | ├ |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | |
| | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | 15.20 | | | | |
| ADL | DITIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 15.20 | | | | |
| | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 10.10 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.13 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 2 | | - | 23.75 49.62 | | | | | - | | | | |
| LINE | E Loop Rates | | 3 | | + | 49.02 | | | | | 1 | | | | - |
| ONL | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.77 | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 22.39 | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 48.26 | | | | | | 1 | | | |
| 2-W | ire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | 15.20 | | | | |
| FEA | TURES | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 7.68 | 1.85 | | | 15.20 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEFRG | USACZ | | 7.00 | 1.00 | | | 15.20 | | | | |
| | Conversion - Switch with Change | | 1 | UEPRG | USACC |] | 7.68 | 1.85 | | | 15.20 | I | 1 | | 1 |
| ADE | DITIONAL NRCs | | † | | 1 | | | | | | | 1 | 1 | | t |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | <u> </u> | | | | | | | | | | | | |
| | Subsequent Activity | | 1 | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | 15.20 | I | 1 | | 1 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.11 | 7.11 | | | 15.20 | | | | |
| 2-W | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | <u> </u> | | | | | | | | 1 | | | | |
| | Port/Loop Combination Rates | | | | | <u> </u> | | | | <u>L</u> | | | İ | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.13 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 23.75 | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | 1 | 49.62 | | | | | 1 | | | | 1 |
| UNE | Loop Rates | | <u> </u> | UEDDY. | luen | | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEPPX | UEPLX | 11.77 | | | | | 1 | ! | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEPPX UEPPX | UEPLX | 22.39 48.26 | | | | | + | - | | - | |
| 2-14/ | ire Voice Grade Line Port Rates (BUS - PBX) | - | 3 | ULFFA | UEPLA | 48.∠6 | | | | | 1 | | 1 | 1 | |
| Z-VV | TO TO STAGE LINE FOR NAIS (BUS - FBA) | | ! | | + | | | | | | + | t | 1 | 1 | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |

| UNBL | <u> JNDLEI</u> | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | • | А | ttachment: 2 | | Exhibit: B |
|--------------|----------------|---|--|------|--------|--------|--|--------|-----------|-----------------------|-------|-----------------------|--|--|----------|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconne | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | . |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana | | | UEPPX | UEPP1 | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | Calling Port | | | UEPPX | UEPL2 | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.36 | 66.91 | 31.29 | | + | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | 4= 00 | | | | |
| | | Capable Port 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional | | | UEPPX | UEPXE | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | Z-wire voice onbundled z-way PBX Louisiana Local Optional Calling Port | | | UEPPX | UEPXK | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | 1 | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPA | UEPAR | 1.36 | 66.91 | 31.29 | | + | 15.20 | | | | |
| | | Administrative Calling Port | | | UEPPX | UEPXL | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | LIEDDY | LIEDVO | 4.00 | 00.04 | 04.00 | | | 45.00 | | | | |
| | | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | UEPPX | UEPXO | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | Discount Calling Port | | | UEPPX | UEPXP | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.36 | 66.91 | 31.29 | | | 15.20 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | FEATU | Local Number Portability (1 per port) | - | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | _ | 15.20 | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | _ | 15.20 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLFFX | OLFVI | 0.00 | 0.00 | 0.00 | | + | 13.20 | | | | |
| | - I CONTRACT | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | + | | | | | |
| | | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.68 | 1.85 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 7.68 | 1.85 | | | 15.20 | | | | |
| | ADDITI | ONAL NRCs | | | UEPPA | USACC | | 7.00 | 1.00 | | | 15.20 | | | | ļ |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | - | - | | | | |
| | | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 7.44 | 7.11 | | | 45.00 | | | | |
| | | Group |) >T | | | | | 7.11 | 7.11 | | _ | 15.20 | | | | ļ |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates | 1 | | | | | - | | | _ | - | | | | |
| | ONLFC | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 13.13 | | | | - | - | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 23.75 | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 49.62 | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.77 | | | | | | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | 2 | UEPCO | UEPLX | 22.39 | | | | | 1 | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 48.26 | - | | | | | | - | - | ├ |
| | 2-Wire | Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without | | | | + | | + | | | _ | 1 | | | | |
| | | Blocking (AL, KY, LA, MS) | 1 | | UEPCO | UEPRF | 1.36 | 38.85 | 19.08 | | 1 | 15.20 | | | | |
| | 1 | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | <u> </u> | | 021 00 | OLI KI | 1.30 | 30.03 | 19.00 | | | 13.20 | | | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.36 | 38.85 | 19.08 | | 1 | 15.20 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | 1 | 2-Wire Coin 2-Way with Operator Screening & Blocking: | 1 | 1 | OLI CO | OLFIND | 1.36 | 30.03 | 19.00 | | + | 13.20 | | | | |
| | | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | Ì | 2-Wire Coin Outward with Operator Screening and 011 Blocking (LA) | | | UEPCO | UEPLA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |

| UNBUNDI F | ED NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|---------------|--|--|--|----------------|----------|------------|----------------|----------|-----------|----------------|-------|---------|-----------------------|---|---|--|--|
| CATE | | Interi | | | | | | | | | | | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| GORY | S RATE ELEMENTS | m | Zone | В | cs | USOC | | | RATES(\$) | | | | Submitted Manually | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Svo Order vs. Electronic- Disc Add'l |
| <u> </u> | | | | | | | Rec | Nonrec | | Nonrecurring I | | 201150 | | | RATES (\$) | 0011411 | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | | UEPRH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| ı l | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | | UEPCN | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only) | | | UEPCO | | UEPNA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (Louisiana only) | | | UEPCO | | UEPCB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | TIONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | | URECU | 1.81 | 0.00 | 0.00 | | | | 15.20 | | | | |
| LOCAL | L NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | | LNPCX | 0.35 | | | | | | | | | | |
| | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPCO | | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| 1 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | | | | | | | - | | - | | | | | | |
| | Switch with change | | | UEPCO | | USACC | | 0.10 | 0.10 | | | | 15.20 | | | | |
| ADDIT | TIONAL NRCs | | | | | | | | | | | | | | | | |
| i l | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | | USAS2 | | 0.00 | 0.00 | | | | 15.20 | | | | |
| | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| | E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | <u> </u> | | | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | <u> </u> | | | | 00.00 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 23.20 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 2 | | | | 33.62 58.73 | | | | | | | | | | |
| | Loop Rates | | 3 | | | | 58.73 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 14.93 | | | | | 1 | 15.20 | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 2 | UEPPX | | UECD1 | 25.35 | | | | | | 15.20 | | | | |
| $\overline{}$ | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | 1 | 3 | UEPPX | | UECD1 | 50.46 | | | | | | 15.20 | | | | |
| UNE P | Port Rate | | | OLITA | | OLOD1 | 00.40 | | | | | | 10.20 | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.27 | 217.95 | 83.92 | | | | 15.20 | | | | |
| | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| <i>i</i> | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| i l | Switch-as-is | | | UEPPX | | USAC1 | | 7.10 | 1.81 | | | | 15.20 | | | | |
| i l | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.10 | 1.81 | | | | 15.20 | | | | |
| ADDIT | TIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 26.01 | 26.01 | | | | 15.20 | | | | |
| Teleph | hone Number/Trunk Group Establisment Charges | ļ | | | | | | | | | | | | | | | 1 |
| | DID Trunk Termination (One Per Port) | <u> </u> | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | ļ |
| | Additional DID Numbers for each Group of 20 DID Numbers | ļ | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | ļ . | | | 15.20 | | | | 1 |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | ! | <u> </u> | UEPPX UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | . | | | 15.20 | | | | 1 |
| | Reserve Non-Consecutive DID numbers | 1 | - | | | ND6 NDV | 0.00 | 0.00 | 0.00 | | | - | 15.20 | | | | 1 |
| 1.004 | Reserve DID Numbers L NUMBER PORTABILITY | | | UEPPX | | INDA | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | 1 |
| LUCAL | Local Number Portability (1 per port) | 1 | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | + | | | | | | | |
| 2-1//101 | E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF | NE SIDI | POPT | | | LINE OF | ა. 15 | 0.00 | 0.00 | + | | | | | | | 1 |
| | Port/Loop Combination Rates | 145 3100 | - i OKI | | | 1 | | | | + | | | | | | | 1 |
| JOINE 11 | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 27.48 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | <u> </u> | | <u> </u> | | 21.40 | | | | | | | | | | |
| | UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port | | 2 | UEPPB | UEPPR | | 40.34 | | | | | | | | | | |
| 1 | UNE Zone 3 | <u>L</u> | 3 | UEPPB | UEPPR | | 70.99 | <u> </u> | | <u> </u> | | <u></u> | <u> </u> | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | | UEPPB | UEPPR | | 19.09 | | | | | | 15.20 | | | | |
| | | | | | 115555 | 1. (20. | | | | | _ | | | | | | 1 |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | | UEPPB | UEPPR | | 31.95 | | | | | <u></u> | 15.20 | | | | |
| | | | | UEPPB UEPPB | UEPPR | | 31.95 62.60 | | | | | | 15.20 15.20 | | | | |

| UNBL | JNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|--|--|-----------|------|----------------|--------|----------------|------------------|---------|-----------|--------------|------------|-----------|----------------|------------------------|------------------------|------------------------|------------------------|
| UND | | THE THORK ELLINEITIO LOGICIANA | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | Incremental | | Incremental |
| CATE | | | Interi | | | | | | | | | | Cua Ordar | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | | RATE ELEMENTS | m | Zone | В | CS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | per LOIX | per LOIX | 130 | Auu | Disc 1st | Disc Add I |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.39 | 184.10 | 128.42 | | | | 15.20 | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | LIEDDD | LIEDDD | 110400 | 0.00 | 07.40 | 00.00 | | | | 45.00 | | | | |
| | ADDITI | Combination - Conversion ONAL NRCs | | | UEPPB | UEPPR | USACB | 0.00 | 37.40 | 26.23 | | | | 15.20 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | B-CHA | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | <u> </u> | CVS (EWSD) | ļ | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | B CITA | CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI | C MC ^ | TAP | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | B-CHA | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI CVS/CSD (DMS/5ESS) | C,IVIO, 8 | IN) | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | - | | |
| \vdash | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | 1 | CSD | 1 | | UEPPB | UEPPR | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | USER 1 | ERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTIC | AL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | INTER | DFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and | | | | | - | 1 | | | | | | | | | | |
| | | facilities termination | | | UEPPB | LIEPPR | M1GNC | 22.613 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel mileage each, additional mile | | | | UEPPR | M1GNM | 0.013 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | - | | | | | | | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | (PORT | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | 400 =0 | | | | | | | | | | |
| | <u> </u> | Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | 1 | UEPPP | | - | 180.52 | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | | | 289.78 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | 02 | | 1 | 200.70 | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 586.76 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 85.70 | | | | | | 15.20 | | | | |
| | ļ | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP UEPPP | | USL4P USL4P | 194.96 491.94 | | | | | | 15.20 15.20 | | | | |
| | LINE D | ort Rate | | 3 | UEPPP | | USL4P | 491.94 | | | | | | 15.20 | | | | |
| - | ONE PO | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 94.82 | 443.08 | 251.60 | | | - | 15.20 | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | 1 | | J=. 1 1 | | , , , , , | 04.02 | 1-10.00 | 201.00 | | | | 10.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | İ | | İ | | | | | | | |
| | <u> </u> | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 115.63 | 76.29 | | | | 15.20 | | | | |
| <u> </u> | ADDITI | ONAL NRCs | ļ | | | | | | | | | | | | | | | ļ |
| 1 | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | | PR7TF | | 0.48 | | | | | 15.20 | | | | |
| — | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | UEFFF | | rk/ IF | + + | 0.48 | | | | | 15.20 | | | | |
| 1 | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 11.18 | 11.18 | | | | 15.20 | | | | |
| | 1 | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | <u> </u> | Subsequent Inward Tel Nos Above Std Allowance | <u> </u> | | UEPPP | | PR7ZT | | 22.35 | 22.35 | | | | 15.20 | | <u> </u> | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | ļ | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | INTER | ACE (Provsioning Only) Voice/Data | ļ | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| - | 1 | Digital Data | 1 | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | t | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional "B" Channel | | | | | | | | | <u> </u> | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 14.11 | | | | | 15.20 | | | | |
| | 1 | New or Additional Inward Data B Channel | <u> </u> | | UEPPP | | PR7BD | 0.00 | 14.11 | | | | | 15.20 | | ĺ | | l |

| UNBU | JNDLEI | NETWORK ELEMENTS - Louisiana | | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | | Α | ttachment: 2 | | Exhibit: B |
|--------------|--|---|-------------|------|-------------------|---------------------------------------|---------------------------------------|--|------------------|---------------------------------------|--|--|-----------------------|--|--|--|---|
| CATE GORY | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CALL T | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ice Channel Mileage | | | LIEDDD | 41.514.5 | 70 7500 | 20.00 | 70.44 | | | | 45.00 | | | | |
| | | Fixed Each Including First Mile | | | UEPPP UEPPP | 1LN1A 1LN1B | 70.7532 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | | Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | UEPPP | ILNIB | 0.2652 | | | | - | 1 | | | | | |
| | | ort/Loop Combination Rates | | | | _ | | | | | - | 1 | | | | - | + |
| | ONE PC | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | + | 154.17 | | | | | | 15.20 | | | t | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | 1 | 263.43 | | | | 1 | | 15.20 | | | 1 | 1 |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | 1 | 560.41 | | | | 1 | | 15.20 | | | 1 | 1 |
| | | op Rates | | | | 1 | | | | | 1 | | | | Ì | 1 | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 85.70 | | | | | | 15.20 | | | | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 194.96 | | | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 491.94 | | | | | | 15.20 | | | | Ì |
| | | ort Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 68.47 | 441.34 | 245.90 | | | | 15.20 | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - | - Conversion with DS1 Changes 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USAWA | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 125.75 | 65.08 | | | | 15.20 | | | | |
| | ADDITI | ONAL NRCs | | | OLFDC | USAWB | | 123.73 | 03.00 | | 1 | 1 | 13.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | + |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.06 | 14.06 | | | | 15.20 | | | | |
| | | AR 8 ZERO SUBSTITUTION | | | LIEBBO | 00005 | | 2.00 | | | | <u> </u> | | | | | <u> </u> |
| | | B8ZS - Superframe Format B8ZS - Extended Superframe Format | | | UEPDC UEPDC | CCOSF | | 0.00 | 605.00 605.00 | | | <u> </u> | 15.20 15.20 | | | 1 | |
| | | te Mark Inversion | | | UEPUC | CCOEF | | 0.00 | 005.00 | | | _ | 15.20 | | - | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | 1 | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | 1 | 0.00 | 0.00 | | | | | | 1 | t | |
| | | one Number/Trunk Group Establisment Charges | | | | | | 0.00 | 0.00 | | † | 1 | | | 1 | † | † |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | 1 | | | 1 | | 15.20 | | | 1 | i e |
| | 1 | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | 1 | | | 1 | | 15.20 | | | 1 | İ |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.20 | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.20 | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | 15.20 | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | ļ | | 15.20 | | | 1 | ļ |
| | | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS | Trunk Port | | | | | | ļ | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | LIEDDO | 41.004 | 70.4- | 20.00 | 70 4: | | 1 | | 45.00 | | | 1 | |
| | 1 | Termination) | | - | UEPDC | 1LNO1 | 70.47 | 86.69 | 79.44 | | | | 15.20 | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.2652 | 0.00 | 0.00 | | 1 | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per fille - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | - | | OLI DO | ILINOA | 0.2032 | 0.00 | 0.00 | | | | | | | | + |
| | 1 | Termination) | l | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | 1 | 1 |] | | Ì | I | |

| UNRU | INDI FI | O NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|-------|----------|--|-----------|----------|---------------------|----------------|------------------|----------------|-----------|--------------|------------|--|------------------|------------------------|------------------------|-------------|--|
| J.,DC | | State Element of Education | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incrementa |
| CATE | | | Interi | | | | | | | | | Cora Carden | Svc Order | Charge - Manual Svc | Charge - Manual Svc | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | | | Manual Svc | |
| COICI | | | | | | | | | | | | 1 | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec per LSR | Manually per LSR | | Electronic- | Electronic- | Electronic- Disc Add'l |
| | | | | | | | l | | | | | perLSR | perLSK | 1st | Add'l | Disc 1st | DISC Add 1 |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | OSS F | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | ĺ |
| | | miles | | | UEPDC | 1LNOB | 0.2652 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | ł |
| | | Termination) | | | UEPDC | ILINO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.2652 | 0.00 | 0.00 | | | | | | | | ł |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | ī |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | | | | | | | | | | | | |
| | | ystem can have up to 24 combinations of rates depending on | type a | nd nun | nber of ports used | | | | | | | <u> </u> | | | | | |
| | | 61 Loop 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 85.70 | 0.00 | 0.00 | | | | 15.20 | | | | l |
| | | 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 | | 1 2 | UEPMG | USLDC | 194.96 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | | UEPMG | USLDC | 491.94 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 60 Channelization Capacities (D4 Channel Bank Configuration | ns) | Ť | 1 | | .004 | 5.50 | 3.30 | | | | | | | | i |
| | | 24 DSO Channel Capacity - 1 per DS1 | ľ | | UEPMG | VUM24 | 97.35 | 0.00 | 0.00 | | | | 15.20 | | | | i |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 194.70 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 389.40 | 0.00 | 0.00 | | | | 15.20 | | | | . |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 584.10 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG UEPMG | VUM19 VUM20 | 778.80 973.50 | 0.00 | 0.00 | | | | 15.20 15.20 | | | | |
| | | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1.168.20 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,166.20 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,947.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,336.40 | 0.00 | 0.00 | | | | 15.20 | | | | ī |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,725.80 | 0.00 | 0.00 | | | | 15.20 | | | | i |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | Multiple | es of this configuration functioning as one are considered Ad | dd'l afte | r the m | ninimum system con | figuration is | counted. | | | | | | | | | | - |
| | | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 146.13 | 8.12 | | | | 15.20 | | | | ł |
| | | Additions at End User Locations Where 4-Wire DS1 Loop wit | th Char | nelizat | | | | | 0.12 | | | 1 | 13.20 | | | | |
| | | ot Currently Combined) In GA, KY, LA, MS & TN Only | lii Gilai | IIICIIZA | lion with r on comb | Tration Curr | Entry Exists and | ' | | | | | | | | | |
| | (11 | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | | Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 715.54 | 467.54 | | | | 15.20 | | | | ł |
| | Bipolar | 8 Zero Substitution | | | | | | | • | | • | | | | - | | |
| | | Clear Channel Capability Format, superframe - Subsequent | | 1 | | | | | | | | | | | | | i |
| | | Activity Only Clear Channel Canability Format Extended Superframe | | <u> </u> | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | 15.20 | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | 1 | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | 15.20 | | | | i |
| | | te Mark Inversion (AMI) | | | ULFINIG | CCOLI | 0.00 | 0.00 | 003.00 | | | | 13.20 | | | | |
| | | Superframe Format | | <u> </u> | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | 1 | | | i |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | _ | | |
| | Exchan | ge Ports | | | | | | | | | | | | | | | |
| | | Live Only Overlivery Observer 1889/7 | | | LIEDDY | LIEDCY | | | | | | | | | | | l |
| | | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX UEPPX | UEPCX | 1.52 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 15.20 | | | | |
| | 1 | Line Side Odiward Channelized FDA Trunk Fort - Business | | <u> </u> | ULFFA | UEPUA | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | 1 | UEPPX | UEP1X | 1.52 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | i |
| | | | | | UEPPX | UEPDM | 8.29 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.20 | | | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPA | | | | | | | | | | | | |
| | | | | | UEFFX | 02. 5 | | | | L I | | | | | | | · |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated | | | | | | | | | | | | | | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.6497 | 25.36 | 13.40 | | | | 15.20 | | | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated | | | | | | 25.36 78.05 | 13.40 | | | | 15.20 15.20 | | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---------|--|-------------|--------|------------------------|----------------|-------------------|-----------------|------------------|-------------------------------------|--------------|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Da.a | N | | N | per Lore | per Lore | • | | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring Disconnect First Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | That Audi | JOINEG | 15.20 | COMPAR | COMPAR | COMPAR | COMPAR |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | ļ |
| | | Reserve Non-Consecutive DID Numbers Reserve DID Numbers | | | UEPPX UEPPX | ND6 NDV | 0.00 | 0.00 | 0.00 | | | 15.20 15.20 | | | | |
| | Local N | Number Portability | | | OLFFX | INDV | 0.00 | 0.00 | 0.00 | | | 13.20 | | | | † |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | 1 |
| | | RES - Vertical and Optional | | | | | | | | | | | | | | |
| | Local S | Switching Features Offered with Line Side Ports Only All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | 45.00 | | | | . |
| LINBIIN | DI ED E | PORT LOOP COMBINATIONS - MARKET RATES | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | + |
| 5.4501 | | Rates shall apply where BellSouth is not required to provide | unbunc | led lo | cal switching or swit | ch ports per | r FCC and/or St | ate Commission | n rules. | | | † | | | | † |
| | These | scenarios include: | | | | | | | | | | | | | | |
| | | undled port/loop combinations that are Not Currently Combin | | | | | | | | | | | | | | |
| | | undled port/loop combinations that are Currently Combined o | | | | | | | | | | - \ | | | | . |
| | | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica | | | | | | | | | | | NC In the in | torim whore | PallCauth an | nnet bill |
| | | Rates, BellSouth shall bill the rates in the Cost-Based section | | | | | | | | | combined ii | I AL, FL and | INC. III IIIe II | iteriii wiiere | belloouth car | mot biii |
| | | arket Rate for unbundled ports includes all available features i | | | ned of the Market IV | ates and res | erves the right | to true-up trie | billing differen | lee. | | | | | | 1 |
| | | fice and Tandem Switching Usage and Common Transport Us | | | ne Port section of the | s rate exhib | it shall apply to | all combination | ons of loop/po | rt network elements except | for UNE Coi | n Port/Loor | Combination | ns which have | a flat rate us | sage charge |
| | | : URECU). | | | | | | | | | | | | | | |
| | For No | t Currently Combined scenarios where Market Rates apply, the | e Nonre | currin | charges are listed | in the First a | and Additional I | NRC columns | or each Port U | ISOC. For Currently Combin | ned scenario | s, the Nonre | ecurring charg | ges are listed | in the NRC - | Currently |
| | | ned section. Additional NRCs may apply also and are categor | ized ac | cordin | gly. | | | | | | | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | ļ |
| | UNE P | ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | + | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | 1 |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 22.39 | | | | | | | | | 1 |
| - | 2-Wire | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) | | 3 | UEPRX | UEPLX | 48.26 | | | | | | | | | + |
| | 2 11110 | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | | 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAS | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) | | | UEPRX | UEPAG | 14.00 | 90.00 | 90.00 | | <u> </u> | | 31.92 | 7.32 | | <u> </u> |
| | | 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7) | | | UEPRX | UEPAH | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | <u> </u> |
| - | LOCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | - | | | | | |
| - | FEATU | | | | OLFKA | LINPUA | 0.35 | | | | + | | | | | + |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | † | 31.92 | 7.32 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | 31.92 | 7.32 | | |
| | ADDITI | ONAL NRCs | | | | | | | · · · · · · | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 31.92 | 7.32 | | |
| <u> </u> | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | 1 | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | l | | | | | | l | l | | | <u> </u> |

Version 4Q01: 01/31/02 Page 172 of 327

| UNBU | INDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|----------|---|--|------|----------------|----------------|----------------|----------------|-----------|--|-------|-----------------------|---|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconne | | Looman | | RATES (\$) | 00441 | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | 1 | 36.39 | | | | | 1 | 1 | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 62.26 | | | | | | | | | |
| | | pop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 48.26 | | | | | | | | | |
| | | Voice Grade Line Port (Bus) | | | | ļ | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | 1 | 31.92 | 7.32 | | |
| | - | 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus | - | | UEPBX UEPBX | UEPBC UEPBO | 14.00 14.00 | 90.00 90.00 | 90.00 | | - | | 31.92 31.92 | 7.32 7.32 | | |
| | | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Louisiana extended local dialing | 1 | | ULFDA | UEPBU | 14.00 | 90.00 | 90.00 | | | + | 31.92 | 1.32 | | + |
| | | parity port with Caller ID - bus | 1 | | UEPBX | UEPAX | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | | 2-Wire voice unbundled Louisiana Bus Area Calling Port with | | | | J=V | 14.00 | 33.55 | 55.50 | | | t | 01.02 | 7.02 | | † |
| | <u> </u> | Caller ID (BUC) | <u> </u> | | UEPBX | UEPAA | 14.00 | 90.00 | 90.00 | <u> </u> | | 1 | 31.92 | 7.32 | | <u> </u> |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | | | | | | | 44.50 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | UEPBX | USAC2 | - | 41.50 | 41.50 | | _ | - | 31.92 | 7.32 | | |
| | | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | 31.92 | 7.32 | | |
| | ADDITI | ONAL NRCs | | | OLI DX | OOACC | | 41.50 | 41.50 | | | + | 31.32 | 1.02 | | + |
| | ADDIII | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 31.92 | 7.32 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 25.77 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 36.39 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 62.26 | | | | | 1 | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.77 | | | | _ | - | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 22.39 | | | | | 1 | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPRG | UEPLX | 48.26 | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 31.92 | 7.32 | | |
| | LOCAL | NUMBER PORTABILITY | | | | 1 | | | | | | | 1 | | | ļ |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | - | | | <u> </u> |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | 1 | | UEPRG | USAC2 | 1 | 41.50 | 41.50 | | | | 31.92 | 7.32 | | |
| | 1 | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-is | | | OLI NO | JUNUZ | 1 | 41.50 | 41.30 | | + | + | 31.92 | 1.32 | | † |
| | | Change | l | | UEPRG | USACC | | 41.50 | 41.50 | | 1 | | 31.92 | 7.32 | | |
| | | ONAL NRCs | | | | 1 | † | | | | | 1 | | 1.02 | | İ |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 31.92 | 7.32 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | l | | | 1 | | | | | | | | | | |
| | | Group | ļ | | | | ļļ | 14.64 | 14.64 | | | 1 | 31.92 | 7.32 | | . |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | | | + | 1 | | | | - | 1 | 1 | | | |
| | UNE PO | ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 25.77 | | | | _ | 1 | | | | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | | + | 36.39 | | | | - | 1 | | 1 | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 3 | | + | 62.26 | | | | | | | | | † |
| | | pop Rates | 1 | | | 1 | 02.20 | | | | | 1 | 1 | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.77 | İ | | | | İ | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPPX | UEPLX | 22.39 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 48.26 | | | | | | | | | |

| UNRU | NDI FI | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|------|--------|---|-------------|------|-------|--------|----------------|--------|-----------|--|-------|-------|---|--|---|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | 2-Wiro | Voice Grade Line Port Rates (BUS - PBX) | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | z-wire | Voice Grade Line Fort Rates (BOS - FBX) | | | | 1 | 1 | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | i . |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port | | | UEPPX | UEPL2 | 14.00 | | | | | | | 31.92 | 7.32 | | i . |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | 1 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | — |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port | | | UEPPX | UEPXK | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | HEDDY | LIEDVI | 44.00 | 00.00 | 00.00 | | | | | 04.00 | 7.00 | | ı |
| | | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | —— |
| | | 2-Wire Voice Unburdled 2-Way PBA Hotel/Hospital Economy 2-Wire Voice Unburdled 1-Way Outgoing PBX Hotel/Hospital | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | Discount Calling Port | | | UEPPX | UEPXP | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | i . |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | L |
| | | All Features Offered CURRING CHARGES - CURRENTLY COMBINED | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 31.92 | 7.32 | | |
| | NUNKE | CURRING CHARGES - CURRENTLY COMBINED | | | | 1 | 1 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| | | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | 1 |
| | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | | |
| | | Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | | ĺ |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | 0.00 | | | | | 31.92 | 1.32 | | |
| | | Group | | | | | 1 | 14.64 | 14.64 | | | | | 31.92 | 7.32 | | 1 |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | T | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | <u> </u> |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 2 | | 1 | 25.77 | | | | | 1 | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | 1 | 36.39 62.26 | | | + | | } | | | | | |
| | | op Rates | | - | | | 02.20 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 48.26 | | | | | 1 | | | | | . |
| | | Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | 1 |
| | | Blocking (AL, NY, LA, MS) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976. 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (AL, LA, MS) | | | UEPCO | UEPRB | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | <u> </u> |

| JNBUNDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: I |
|---|--|---|--|--|---|--|---|--|---|---|--|---|---------------------------------------|--|---|--|
| CATE GORY NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurrin First | g Disconnect Add'l | SOMEC | SOMAN | OSS F | RATES (\$) | SOMAN | SOMAN |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: | | | | | | FIISL | Auu I | FIISL | Audi | SOWIEC | SOWIAN | SOWAN | SOWAN | SUMAN | SOWIAN |
| | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (LA) | | | UEPCO | UEPLA | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | UEPCO | | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | UEPCO | UEPRH | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 14.00 | 90.00 | 90.00 | | | | | 31.92 | 7.32 | | |
| LOCAL | NUMBER PORTABILITY | | | LIEBOO | LNDOV | 0.05 | | | | | | | | | | |
| NONDE | Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LNPCX | 0.35 | | | | - | | | | | | |
| NONKE | LOGALING CHARGES - CORRENTET COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 31.92 | 7.32 | | |
| ADDITI | IONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 31.92 | 7.32 | | |
| | | | | OLFCO | U3A32 | | 0.00 | 0.00 | | | | | 31.92 | 1.32 | | |
| JNBUNDLED C | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | 3 | | | | | | | | | | | | | | |
| 1. Cost | t Based Rates are applied where BellSouth is required by FCC | and/or | | | | | | | | | | | | | | |
| 1. Cost 2. Feat | t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C | and/or | sed Rat | e section in the sam | e manner as | they are applie | d to the Stand | -Alone Unbun | | | | ain Bant/I a | an Cambinat | | | |
| 1. Cost 2. Feat 3. End | t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport | and/or ost Bas Usage | sed Rat rates ir | e section in the sam the Port section of | e manner as this rate exh | they are applie | ed to the Stand to all combina | -Alone Unbun ations of loop/ | port network e | elements excep | t for UNE C | | | | | |
| 1. Cost 2. Feat 3. End For Ge | t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re | and/or ost Bas Usage ecurring | sed Rat rates ir g UNE | e section in the sam the Port section of Port and Loop charg | e manner as this rate exh es listed app | they are applied ibit shall apply oly to Currently | ed to the Stand to all combina Combined and | -Alone Unbun ations of loop/ d Not Currentl | port network of y Combined C | elements except ombos. The the | t for UNE C | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t | t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport | and/or ost Bas Usage ecurring A, MS | sed Rat rates ir g UNE I and TN | e section in the sam the Port section of Port and Loop charg these nonrecurring | e manner as this rate exh les listed app charges are | they are applied ibit shall apply by to Currently commission or | ed to the Stand to all combina Combined and dered cost base | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feati 3. End For Ge apply t listed ii | t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport to rorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rothout Currently Combined Combos for all states. In GA, KY, Le in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rat rates ir g UNE I and TN ther sta | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrir | e manner as this rate exh es listed app charges are g charges si | they are applie libit shall apply by to Currently commission of hall be those id | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mari | t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the re to Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rat rates ir g UNE I and TN ther sta | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrir | e manner as this rate exh es listed app charges are g charges si | they are applie libit shall apply by to Currently commission of hall be those id | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mari | t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport to rorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rothout Currently Combined Combos for all states. In GA, KY, Le in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rat rates ir g UNE I and TN ther sta | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrir | e manner as this rate exh es listed app charges are g charges si | they are applie libit shall apply by to Currently commission of hall be those id | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feati 3. End For Ge apply t listed ii 5. Mar- UNE-P 2-Wire | t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the re to Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rat rates ir g UNE I and TN ther sta | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrir | e manner as this rate exh es listed app charges are g charges si | they are applie libit shall apply by to Currently commission of hall be those id | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feati 3. End For Ge apply t listed ii 5. Mar- UNE-P 2-Wire | t Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rat rates ir g UNE I and TN ther sta | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca | e manner as this rate exh es listed app charges are g charges si | they are applied ibit shall apply oly to Currently commission of hall be those id til further notic | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feati 3. End For Ge apply t listed ii 5. Mar- UNE-P 2-Wire | t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos iket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo—ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo— | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rates irrates irrates irrates irrag UNE is and TN ther stated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrin on an Individual Ca | e manner as this rate exh es listed app charges are g charges si | they are applie ibit shall apply bly to Currently commission or hall be those id til further notic | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feati 3. End For Ge apply t listed ii 5. Mar- UNE-P 2-Wire | t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo— ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo— Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo— Non-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rat rates ir g UNE I and TN ther sta | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca | e manner as this rate exh es listed app charges are g charges si | they are applied ibit shall apply oly to Currently commission of hall be those id til further notic | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feati 3. End For Ge apply t listed ii 5. Mar- UNE-P 2-Wire | t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos iket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo—ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo— | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Rates irrates irrates irrates irrag UNE is and TN ther stated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrin on an Individual Ca | e manner as this rate exh es listed app charges are g charges si | they are applie ibit shall apply bly to Currently commission or hall be those id til further notic | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mar UNE-P 2-Wire | Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport to rorgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in g UNE and TN ther stated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 | e manner as this rate exh es listed app charges are g charges si | they are applied they are applied to the they are appl | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mar UNE-P 2-Wire | Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combootr/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in g UNE and TN ther stated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 | e manner as this rate exh es listed app charges are g charges si | they are applie ibit shall apply obly to Currently commission on hall be those id til further notic 13.13 13.23.75 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mar UNE-P 2-Wire | E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Lort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in g UNE and TN ther stated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 | e manner as this rate exh es listed app charges are g charges si | they are applied they are applied to the they are appl | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mar UNE-P 2-Wire | E Based Rates are applied where BellSouth is required by FCC cures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport to rigia, Kentucky, Louisiana, Mississippi and Tennessee, the real to Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in g UNE and TN ther stated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 | e manner as this rate exh es listed app charges are g charges si | they are applie ibit shall apply obly to Currently commission on hall be those id til further notic 13.13 13.23.75 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed ii 5. Mar UNE-P 2-Wire | E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos iret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Control Combon Section 1997 (Centres) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonoms VG Loop/2-Wire Voice Grade Port (Centrex) Port C | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in g UNE la and TN ther state ottated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurrin on an Individual Ca UEP91 UEP91 UEP91 | e manner as this rate exh es listed app charges are g charges si | they are applie ibit shall apply to Currently commission on hall be those id til further notic 13.13 13.23.75 49.62 16.29 26.71 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos feet Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo— ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in g UNE la and TN ther state ottated | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh es listed app charges are g charges si | they are applied they are applied to the second sec | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos iret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Control Combon Section 1997 (Centres) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Por | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in grant Parameter State Paramet | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh es listed app charges are g charges sl se Basis, un | they are applie they are applie ibit shall apply obly to Currently commission on hall be those id til further notic 13.13 23.75 49.62 16.29 26.71 48.26 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | Ebased Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo— ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo—Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo—Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in Section 1 | e section in the sam i the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh tes listed app charges are g charges si se Basis, un | they are applie ibit shall apply obly to Currently commission or hall be those id itil further notice 13.13 13.23.75 49.62 26.71 48.26 11.77 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | E Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos iret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Control Combon Section 1997 (Centres) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combononsign 2-Wire VG Loop/2-Wire Voice Grade Por | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in grant Parameter State Paramet | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh es listed app charges are g charges sl se Basis, un | they are applie they are applie ibit shall apply obly to Currently commission on hall be those id til further notic 13.13 23.75 49.62 16.29 26.71 48.26 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | Ebased Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for self-states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos on the Composition of the Composition of the Composition of the Composition Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in grant of the sed | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh tes listed app charges are g charges si se Basis, un UECS1 UECS1 UECS1 | they are applie ibit shall apply obly to Currently commission on hall be those id iti further notic iti further notic 23.75 49.62 26.71 48.26 11.77 22.39 48.26 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | Ebased Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo Ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in grant of the state of the s | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring on an Individual Ca UEP91 | e manner as this rate exh tes listed app charges are g charges sise Basis, un UECS1 UECS1 UECS1 UECS2 | they are applie ibit shall apply obly to Currently commission on hall be those id iti further notic ii | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | Ebased Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for self-states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos on the Composition of the Composition of the Composition of the Composition Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in grant of the sed | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring to an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh tes listed app charges are g charges si se Basis, un UECS1 UECS1 UECS1 | they are applie ibit shall apply obly to Currently commission on hall be those id iti further notic iti further notic 23.75 49.62 26.71 48.26 11.77 22.39 48.26 | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |
| 1. Cost 2. Feat 3. End For Ge apply t listed i 5. Mari UNE-P 2-Wire UNE Po UNE Po | Ebased Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport torgia, Kentucky, Louisiana, Mississippi and Tennessee, the reto Not Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos for all states. In GA, KY, L in the Market Rate section. For Currently Combined Combos sket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo lort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | and/or cost Bas Usage ecurring A, MS in all o be neg | sed Raterates in grant Parameter State Paramet | e section in the sam the Port section of Port and Loop charg these nonrecurring ates, the nonrecurring to an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | e manner as this rate exh tes listed app charges are g charges si se Basis, un UECS1 UECS1 UECS1 UECS2 UECS2 | they are applie they are applie ibit shall apply obly to Currently commission on hall be those id iii further notic iii | ed to the Stand to all combina Combined and dered cost base entified in the | -Alone Unbun ations of loop/ d Not Currentl sed rates and i | port network of y Combined C n AL, FL, NC a | elements except ombos. The the and SC these n | t for UNE C ne first and a onrecurring | additional P | ort nonrecurr | ing charges | | |

| UNBU | INDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--|---------|--|-------------|--|----------------|----------------|------------------|----------------|----------------|--|--------------|-----------------------|--|---|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | | | | | ļ | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP91 | UEPYB | 1.36 | 28.85 | 18.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP91 | UEPYH | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP91 | UEPYZ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP91 | UEPY9 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP91 | UEPY2 | 1.36 | 28.85 | 19.08 | | | 15.20 | | | | |
| <u> </u> | | LA, MS, & TN Only | | <u> </u> | | 1 | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP91 | UEPQM | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 13.60 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 UEP91 | UEPQ9 UEPQ2 | 1.36 1.36 | 38.85 38.85 | 19.08 19.08 | | | 15.20 15.20 | | | | |
| | | | | | | | | | | | | | | | | |
| | | witching | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.8577 | | | | | | | | | |
| | | lumber Portability | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | <u> </u> | UEP91 | LNPCC | 0.35 | | | | | | | | | |
| | Feature | | | <u> </u> | LIEDA! | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | 110.00 | | | | 15.00 | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 412.25 | | | | 15.20 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | |
| | NARS | | | | | | | | | | | 45.00 | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Outdial | | 1 | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | ļ | 15.20 | - | | | |
| | | aneous Terminations | | | | - | | | | | | | | | | |
| | | Trunk Side Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.29 | 115.85 | 18.20 | | | 15.20 | | | | |
| | | | | - | UEP91 | CENA6 | 8.29 | 115.85 | 18.20 | | | 15.20 | | | | |
| | | ice Channel Mileage - 2-Wire | | 1 | LIEDO1 | MICRO | 22.60 | 39.36 | 00.00 | | ļ | 45.00 | 1 | - | | 1 |
| | | Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 UEP91 | MIGBC MIGBM | 0.13 | 39.36 | 26.62 | | <u> </u> | 15.20 | | | | |
| | | | | | UEP91 | INIGRIN | 0.13 | | | | <u> </u> | | | | | - |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | 1 | | | | | <u> </u> | | | | | - |
| | | nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.6497 | | | | | 15.20 | | | | |
| | | · | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP91 | 1PQW6 | 0.6497 | | | | | 15.20 | | | | |
| | | Slot - Different Wise Conter. | | | UEP91 | 1PQW7 | 0.6497 0.6497 | | | | | 15.20 15.20 | | | | |
| | | Different Wire Center | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWV | 0.6497 | | | | | 15.20 | | | | |
| | | Slot | | <u> </u> | UEP91 | 1PQWQ | 0.6497 | | | | ļ | 15.20 | | | | |
| l | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.6497 | | | | <u> </u> | 15.20 | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | l | | | | | L |

| UNBU | JNDLEI | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|-------------|----------|----------------|----------------|----------------|------------------|----------------|----------------|--|-------|---|--|--|---|-------------------------------------|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring E | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | LIEDOA | LICACO | | 0.40 | 0.40 | | | | 45.00 | | | | |
| | | changes, per port Conversion of Existing Centrex Common Block | | | UEP91 UEP91 | USAC2 USACN | 0.00 | 0.10 36.66 | 0.10 16.10 | | | | 15.20 | | | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 680.40 | 16.10 | | | | 15.20 | | | | + |
| | 1 | New Centrex Standard Common Block | | | UEP91 | M1ACC | 0.00 | 680.40 | | | | | 15.20 | | | | + |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 79.31 | | | | | 15.20 | | 1 | | 1 |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| | | 5 . | | | | | | | | | | | | | | | |
| | | CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | | | | | | | | , The state of the | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 13.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 49.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | <u> </u> |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | - |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 16.29 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 26.71 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 51.82 | | | | | | | | | | |
| | | P-4- | | | | | | | | | | | | | | | - |
| | UNE LC | pop Rate | | 1 | UEP95 | UECC4 | 44.77 | | | | | | 45.00 | | - | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 UECS1 | 11.77 22.39 | | | | | | 15.20 15.20 | | - | | + |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 48.26 | | | | | | 13.20 | | | | + |
| | | 2 1110 1000 01000 2000 (02 1) 2010 0 | | Ŭ | 02. 00 | 0200. | 10.20 | | | | | | | | | | † |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.93 | | | | | | | | 1 | | 1 |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 25.35 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 50.46 | 102.10 | 65.72 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ort Rate | | | | | | | | | | | | | | | |
| | All Stat | | | | LIEBAE | | 1.00 | | 10.00 | | | | 45.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | - | | + |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP95 | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | AL, KY | , LA, MS, SC, & TN Only | | <u> </u> | LIEBOS | lusa : | | | | | | | | | 1 | ļ | |
| | ļ | 2-Wire Voice Grade Port (Centrex) | | <u> </u> | UEP95 | UEPQA | 13.60 | 38.85 | 19.08 | | | | 15.20 | | | | _ |
| | 1 | 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | <u> </u> | UEP95 | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | 1 | | + |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 UEP95 | UEPQM | 1.36 | 104.41 104.41 | 67.93 67.93 | | | | 15.20 15.20 | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|--|---|-------------|----------|----------------|----------------|---------|-----------------|-----------|--------------|-------|----------|---|--|--------------|---|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | 1 | | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | | |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.8577 | | | | | | 15.20 | | | | |
| | | and a Bostol Phys | | | | | | | | | | | | | | | |
| | | lumber Portability | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | Local Number Portability (1 per port) | | - | OFLAO | LINFOL | 0.35 | + | | | | 1 | | | 1 | | 1 |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | - | | | | | 15.20 | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Indial | | <u> </u> | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | ļ | 15.20 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | ļ |
| | | aneous Terminations Trunk Side | | | | _ | | - | | | | | | | | | |
| | | Trunk Side Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | | Digital (1.544 Megabits) | | | OL: 00 | OLINDO | 0.20 | 110.00 | 10.20 | | | | 10.20 | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 68.47 | 196.18 | 92.92 | 4.90 | | | 15.20 | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.013 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | + | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | | realtire Activation on 5-4 Channel Bank Centrex Loop Glot | | | OLI 93 | II QWO | 0.0431 | | | | | | 13.20 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | Francisco Authorita de la Participa de Participa de la Constantina del Constantina de la Constantina de la Constantina de la Constantina de la Constantina del Constantina de la | | LIEBOE | 1PQWV | 0.6497 | | | | | | 45.00 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | <u> </u> | UEP95 | IPQWV | 0.6497 | | | | | | 15.20 | | | | - |
| | | Slot | | | UEP95 | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.06497 | | | | | | 15.20 | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | 0.00 | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | 1 | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | ļ | 15.20 | | | | <u> </u> |
| | 1 | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | | New Centrex Standard Common Block | | <u> </u> | UEP95 | M1ACS | 0.00 | 680.40 | | | | <u> </u> | 15.20 | | - | | |
| | 1 | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | | | UEP95 UEP95 | M1ACC URECA | 0.00 | 680.40 73.93 | | | | <u> </u> | 15.20 15.20 | | | | |
| | 1 | HALL ESTABLISHITION CHAIGE, FOI OCCASION | | - | OFL 20 | UNLUA | 0.00 | 13.93 | | | | 1 | 15.20 | | 1 | | 1 |
| | UNE-P | CENTREX - DMS100 (Valid in All States) | | | | + | | - | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | 1 | | İ | | | | | | | | | |
| | | • | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | 1 | Non-Design | | 1 | UEP9D | | 13.13 | | | | | ļ | | | | | <u> </u> |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 49.62 | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|--|--|----------------|----------------|----------------|--------|-----------|-------|--------------|-----------------|------------------|--------------------|----------------------|-------------------------|---------------------------|
| 020 | | | | | | | | | | | | | | | Incremental | | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE GORY | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | | Manual Svc |
| GORY | | | m | | | | | | .,, | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec per LSR | Manually per LSR | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | | | | | | perLSK | per LSR | ist | Addi | DISC 1St | DISC Add 1 |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | LINE PO | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 0.1.2.1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9D | | 16.29 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 26.71 | | | | | | | | | | |
| - | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OEP9D | | 20.71 | | | | | | | | | | |
| | | Design | | 3 | UEP9D | | 51.82 | | | | | | | | | | |
| | | op Rate | | | LIEDOD | HEOC: | | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | <u> </u> | 1 2 | UEP9D UEP9D | UECS1 UECS1 | 11.77 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 48.26 | | | | | | | | | | |
| | | • • • | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 14.93 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 2 | UEP9D UEP9D | UECS2 UECS2 | 25.35 50.46 | | | | | | | | | | |
| | UNE Po | | | | 021 02 | OLOGE | 50.40 | | | | | | | | | | |
| | ALL ST | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9D | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | Area | | | UEP9D | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | 00.00 | | | | | | | | | |
| | | Area | | | UEP9D | UEPYC | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | OLI OD | OLI ID | 1.00 | 00.00 | 10.00 | | | | 10.20 | | | | |
| | | Area | | | UEP9D | UEPYE | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | DEF9D | UEFTF | 1.30 | 30.03 | 19.06 | | | | 15.20 | | | | |
| | | Area | | | UEP9D | UEPYG | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| - | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | UEP9D | UEPYT | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | Area | | | UEP9D | UEPYU | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEP9D | UEPYV | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | Area | | | UEP9D | UEPY3 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | 10.00 | | | | 10.20 | | | | |
| | | Basic Local Area | | | UEP9D | UEPYJ | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | 021 00 | JEI IIVI | 1.50 | 107.71 | 01.00 | | | | 10.20 | | | | |
| | | Basic Local Area | | <u> </u> | UEP9D | UEPYO | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | OLFSD | OLF IP | 1.30 | 104.41 | 01.93 | | | | 15.20 | | | | |
| | | Basic Local Area | | | UEP9D | UEPYQ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | LIEDOD | LIEDVD | 4.00 | 404.44 | 07.00 | | | | 45.00 | | | | |
| - | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| L | | Basic Local Area | <u></u> | <u> </u> | UEP9D | UEPYS | 1.36 | 104.41 | 67.93 | | | | 15.20 | | <u> </u> | | |
| | | | | | | | | | | | | | | | | | |

| UNRU | INDI F | D NETWORK ELEMENTS - Louisiana | 1 | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|------|----------|---|-------------|------|----------------|----------------|--------------|----------------|----------------|-------------------------|-------|-----------------------|--|---|---|--|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 1 | | Basic Local Area | | | UEP9D | UEPY4 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | LIEDAD | LIEDVE | 4.00 | 404.44 | 07.00 | | | 45.00 | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY6 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | LIEDOD | UEPY7 | 1.26 | 104.41 | 67.02 | | | 15 20 | | | | 1 |
| | | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY/ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | Term | | | UEP9D | UEPYZ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | ļ |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | İ |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | OLI 3D | JL1 13 | 1.30 | 30.03 | 15.00 | | | 15.20 | | | | |
| | | Local Area | | | UEP9D | UEPY2 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | AL, KY | , LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Fort (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | — |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | i |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | i |
| | | Indication)3 | | | UEP9D | UEPQW | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | + |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPQM | 4.00 | 104.41 | 67.93 | | | 45.00 | | | | i |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D UEP9D | UEPQM | 1.36 1.36 | 104.41 | 67.93 | | | 15.20 15.20 | | | | |
| | | 2-Wire voice Grade Port (Centrex/diller SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQU | 1.30 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | i |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2 | | | | | | | 2.100 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | 1 |
| | | , . | | | | | | | | | | 10.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | ļ |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | 1 |
| | | 2-Wile Voice Grade Fort (Certifex differ SWC /EBS-IVIS200)2, 3 | | | DEP9D | UEFQS | 1.30 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | İ |
| | - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | | UEPSD | UEPQ/ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | Term | | | UEP9D | UEPQZ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2 Wire Voice Crade Port terminated in an Manalish and in the | | | LIEBOD | LIEDOO | 4.00 | 20.05 | 40.00 | | | 45.00 | | | | i |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D UEP9D | UEPQ9 UEPQ2 | 1.36 1.36 | 38.85 38.85 | 19.08 19.08 | | | 15.20 15.20 | | | | |
| | 1 | 2 This 15.00 Stude Fort Terminated on 000 Service Term | | | J_1 JD | JL1 42 | 1.50 | 30.03 | 13.00 | | 1 | 13.20 | | | | |
| | Local S | Switching | | | | İ | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.8577 | | | | | | | | | |
| | | lumber Portability | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | L |

| UNBU | NDLE | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|-------------|------|----------------|----------------|--------|-----------------|-----------|--------------|-------|--|-----------------------|-------------------------------------|--|----------|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | | Nonrecurring | | COMEC | COMAN | | RATES (\$) | SOMAN | COMAN |
| | Feature | 9 | | | | | 1 | FIRST | Add'l | First | Add'l | SOWIEC | SOMAN | SUMAN | SOWAN | SOWAN | SOMAN |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 15.20 | | | | — |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 15.20 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | - |
| | | Unbundled Network Access Register - Outdial aneous Terminations | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.20 | | | | - |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 68.47 | 196.18 | 98.62 | | | | 15.20 | | | | |
| | | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| | | ice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.013 | 39.30 | 20.02 | | | | 13.20 | | | | |
| | | interoffice charmer mileage, per mile of fraction of mile | | | OLI 3D | IVIIODIVI | 0.013 | | | | | | | | | | — |
| | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | 1 | | | | | | | | | | |
| | D4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.6497 | | | | | | 15.20 | | | | |
| | | 5 | | | | | | | | | | | 4= 00 | | | | ĺ |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | İ |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI OD | 11 Q117 | 0.0437 | | | | | | 10.20 | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.6497 | | | | | | 15.20 | | | | İ |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWQ | 0.6497 | | | | | | 45.00 | | | | İ |
| | | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D UEP9D | 1PQWQ 1PQWA | 0.6497 | | | | | | 15.20 15.20 | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | OLF9D | IFQWA | 0.0497 | | | | | | 13.20 | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | 1 | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | İ |
| | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | | | UEP9D UEP9D | M1ACC URECA | 0.00 | 680.40 73.93 | | | | | 15.20 15.20 | | | | <u> </u> |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | OLF3D | UNLUA | 0.00 | 13.93 | | | | | 15.20 | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | 1 | | | | | | | | | | | |
| | | <u> </u> | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates (Non-Design) | | | | | | | - | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEDOE | | | | | | | | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | | 13.13 | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9E | | 23.75 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OL. 0L | + | 20.73 | | | | | | | | | | — |
| | | Non-Design | | 3 | UEP9E | | 49.62 | | | | | | | | | | 1 |
| | | <u> </u> | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | LIEDOE | | 10.00 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | + | 16.29 | | | | | - | } | | | | |
| | | Design | | 2 | UEP9E | | 26.71 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | 201 | | | | | | | İ | | | |
| | | Design | | 3 | UEP9E | | 51.82 | | | | | | | | | | <u> </u> |
| | UNE Lo | op Rate | | | | | | | | | | | | | | | |

| UNBU | NDLE | D NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: E |
|------|----------|---|-------------|----------|----------------|--------|--------|--------|-----------|--|-------|--|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring Dis | | | | | RATES (\$) | | |
| | | 0 Wire Vales Crede Lees (CL 4) - 7 4 | | 4 | UEP9E | UECS1 | 11.77 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | | | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 48.26 | | | | | | | | | | |
| | | 2 Mire Voice Crade Lean (CL 2) Zone 1 | | 1 | UEP9E | UECS2 | 14.93 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E UEP9E | UECS2 | 25.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 50.46 | | | | | | - | | | | |
| | | ort Rate | | 3 | ULFBL | 01032 | 30.40 | | | | | 1 | 1 | | | | |
| | | KY, LA, MS, & TN only | | | | | | | | | | 1 | 1 | | | | |
| | AL, FL, | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP9E | UEPYA | 1.36 | 38.85 | 19.08 | | | 1 | 15.20 | | | | |
| | | 2-Wire Voice Grade Fort (Centrex) Basic Eccar Area Area Area | | | UEP9E | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | A1 107 | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | - |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Fort (Centrex with Canel 15)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPQZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | | | | | | | | | | | | | | | | |
| | Local S | Switching | | <u> </u> | LIEDOE | UDECC | 0.0577 | | | | | | | | | | |
| | L cool * | Centrex Intercom Funtionality, per port | | - | UEP9E | URECS | 0.8577 | | | | | 1 | - | | | | |
| | Local N | lumber Portability Local Number Portability (1 per port) | | 1 | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | - | - | OLIPSE | LINFUU | 0.35 | | | | | } | - | 1 | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | 1 | 15.20 | | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 412.25 | | | | | 15.20 | | | | |
| | 1 | All Centrex Control Features Offered, per port | | <u> </u> | UEP9E | UEPVC | 0.00 | 712.20 | | | | 1 | 15.20 | | | | |
| | NARS | - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | | <u> </u> | | 100.70 | 0.00 | | | | | 1 | 10.20 | | | | <u> </u> |
| | | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | İ | | | |
| | Miscell | aneous Terminations | | | | | | | | | | | | | | | |
| | | Trunk Side | | | | 1 | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.29 | 115.85 | 18.20 | | | | 15.20 | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 68.47 | 196.18 | 92.92 | | | | 15.20 | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.06 | | | | | 15.20 | | | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | · | |
| | | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 22.60 | 39.36 | 26.62 | | | | 15.20 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.013 | | | | | | | | | | |
| | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | <u> </u> | | | | | 1 |
| | | nnel Bank Feature Activations | | | | | | | | | | <u> </u> | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.6497 | | | | | | 15.20 | | | | 1 |

| HINDII | ND: Er | O NETWORK ELEMENTS - Louisiana | 1 | | | | | | | | | | | | ttoohmt- ^ | | Evhilit. B |
|--------------|----------|--|-------------|------|----------------|----------------|--------|-----------------|-----------------|-----------------------|-----------------------|-----------------|----------------|--------------------|----------------------|-------------------------------------|-------------------------------------|
| UNBU | NULEL | O NETWORK ELEMENTO - LOUISIANA | | | | | | | | | | 1 | 1 | | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted | Submitted | | Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. |
| | | | | | | | | | | | | Elec per LSR | per LSR | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Rec | | | | | | | | | | |
| | | | | | | | Kec | Nonred First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9E | 1PQW7 | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLF9L | IFQWI | 0.0497 | | | | | | 13.20 | | | | |
| | | Different Wire Center | | | UEP9E | 1PQWP | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.6497 | | | | | | 15.20 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.6497 | | | | | | 15.20 | | | | |
| - | | curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9E | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 36.66 | 16.10 | | | | 15.20 | | | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 680.40 | | | | | 15.20 | | | | |
| | | New Centrex Customized Common Block | | | UEP9E UEP9E | M1ACC URECA | 0.00 | 680.40 73.93 | | | | | 15.20 15.20 | | 1 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 73.93 | | | | | 15.20 | | | | |
| | UNE-P | CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | 2-Wire \ | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | LINE D | attle on Oraclination Batter (New Booking) | | | | | | | | | | | | | | | |
| - | | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | - | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP93 | | 13.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 49.62 | | | | | | | | | | |
| | | • | | | 02. 00 | | 10.02 | | | | | | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 16.29 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP93 | | 26.71 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLF 93 | | 20.71 | | | | | | | | | | |
| | | Design | | 3 | UEP93 | | 51.82 | | | | | | | | | | |
| | UNFLO | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 22.36 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 48.26 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 14.93 | | | | | | | | - | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 25.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 50.46 | | | | | | | | | | |
| | UNE Po | ort Rate | | | | | | | | | | | | | | | |
| | | LA, MS, & TN only | | | LIEBOO | LIEDY/A | 1.00 | 20.05 | 10.00 | | | | 45.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP93 | UEPYA | 1.36 | 38.85 | 19.08 | | | | 15.20 | | - | | |
| | | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP93 | UEPYB | 1.36 | 38.85 | 19.08 | | | | 15.20 | | ļ | | |
| | | Area | | | UEP93 | UEPYH | 1.36 | 38.85 | 19.08 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.36 | 104.41 | 67.93 | | | | 15.20 | | | | |
| | | Tomi Dadio Local Area | <u> </u> | L | OLI 30 | OLI IZ | 1.00 | 104.41 | 01.33 | L | I | <u> </u> | 13.20 | | 1 | | |

| UNBUND | DLED | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------|----------|---|-------------|------|----------------|----------------|---------------|--|-----------------|------------------------|--------|--|---------------------------------------|--|---|--|
| CATE | DTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring Disconnec | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | - | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | FIRST | Add I | FIRST Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | - | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP93 | UEPY9 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | Basic Local Area | | | UEP93 | UEPY2 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| | (| 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.36 | 104.41 | 67.93 | | | 15.20 | | | | |
| | П | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.36 | 38.85 | 19.08 | | _ | 15.20 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.36 | 38.85 | 19.08 | | | 15.20 | | | | |
| Lo | | witching Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8577 | | | | | - | - | - | | |
| 10 | | umber Portability | | | UEF93 | UKECS | 0.6577 | | | | - | | | | | |
| | | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | |
| Fe | atures | | | | OLI 93 | LIVOCO | 0.33 | | | | - | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | 15.20 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | 15.20 | | | | |
| NA | ARS | | | | | | | | | | | | | | | |
| | l | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | Į | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | 15.20 | | | | |
| | | neous Terminations | | | | | | | | | | | | | | |
| 2-V | | runk Side | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.27 | 115.85 | 18.20 | | | 15.20 | | | | |
| 4-V | | Digital (1.544 Megabits) | | | LIEDOO | MALIDA | 00.47 | 100.10 | 00.00 | | | 45.00 | | | | |
| | | DS1 Circuit Terminations, each DS0 Channels Activated, Per Channel | | | UEP93 UEP93 | M1HD1 M1HDO | 68.47 0.00 | 196.18 14.01 | 92.92 | | _ | 15.20 15.20 | | | | |
| Int | | ce Channel Mileage - 2-Wire | | | UEF93 | MITHDO | 0.00 | 14.01 | | | | 15.20 | | | | |
| 1110 | | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.60 | 39.36 | 26.62 | | | 15.20 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.013 | 39.30 | 20.02 | | - | 13.20 | | | | |
| Fea | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | 00 | 02111 | 0.010 | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | |
| | F | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.6497 | | | | | 15.20 | | | | |
| | F | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.6497 | | | | | 15.20 | | | | |
| | 5 | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP93 | 1PQW7 | 0.6497 | | | | | 15.20 | | | _ | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.6497 | | | | | 15.20 | | | | |
| | F | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.6497 | | | | | 15.20 | | | | |
| | F | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.6497 | | | | | 15.20 | | | _ | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.6497 | | | | | 15.20 | | | | |
| No | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | 15.20 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 36.66 | 16.10 | | _ | 15.20 | | | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 680.40 | | | _ | 15.20 | | | | |
| | | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 680.40 | | | | 15.20 | - | - | | |
| | ľ | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 73.93 | | | - | 15.20 | | | | |
| Na | to 1 | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | + | | | | | | | | | | |
| | , to 1 - | maganica i ortioi deninex donno illi IMEGG, JEGG & EWGD | | | | 1 | | | | | | l . | l | l | | |

| UNBU | JNDLEI | NETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|------|--------|---|-------------|------|-----|------|-----|-----------------|------------------|-----------------------|-----------------------|-------------------|-----------|--|-------------------------------------|--|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | Note 3 | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|---------|----------|---|-----------|----------|-----------------------|----------------|----------------|----------------|----------------|-----------------|--------------|-------------|----------------|---------------------------------------|-----------------|---------------------------------------|---------------------------------------|
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Incremental Charge - Manual Svc | Charge - | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc |
| GORY | | NATE ELEMENTO | m | | | | | | =5(4) | | | Submitted | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | n Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | The Zor | ne" shown in the sections for stand-alone loops or loops as p | oart of a | comb | ination refers to Geo | graphically | Deaveraged UN | E Zones. To v | riew Geograph | ically Deaverag | ged UNE Zone | Designation | ns by Centra | al Office, refe | r to Internet V | /ebsite: | |
| | | ww.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | | | | | | | | | | | |
| OPERA | TIONAL | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | | Electronic Service Order: CLEC should contact its contract its the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | s rate |
| | | Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | v. For |
| | | lements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| | ordering | g charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR t | o BellSouth. | | <u> </u> | | | | | | | | | | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (MS) | | | | SOMAN | | | | 1.97 | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | 1 | | COMEC | | 3.50 | | | | | | | | | İ |
| LINBLIN | IDI ED E | interactive interfaces (Regional) XCHANGE ACCESS LOOP | | | | SOMEC | | 3.50 | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | <u> </u> |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | 1 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 | | 4 | UEANL | UEAL2 | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| - | | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 34.36 19.97 | | | | | 15.75 15.75 | | | | |
| | 1 | Engineering Information Document (EI) | | | UEANL | UKETA | | 13.51 | 13.51 | | | | 15.75 | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.20 | 8.20 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | 00 | 5.05 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 18.19 | 18.19 | | | | | | | | ı |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | L |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | | UEQ | UEQ2X | 11.01 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | |
| - | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | UEQ UEQ | UEQ2X UEQ2X | 11.51 11.57 | 36.53 36.53 | 16.16 16.16 | 22.66 22.66 | 4.42 4.42 | | 15.75 15.75 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 2 Wire Unbundled Copper Loop - Non-Designed - Zone 4 | <u> </u> | 4 | UEQ | UEQ2X | 13.10 | 36.53 | 16.16 | 22.66 | 4.42 | | 15.75 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | <u> </u> | | OLG | OLGEN | 10.10 | 00.00 | 10.10 | 22.00 | 7.72 | | 10.70 | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 8.20 | 8.20 | | | | | | | | 1 |
| | | Engineering Information Document | | | UEQ | | | 13.51 | 13.51 | | | | | | | | 1 |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.36 | | | | | 15.75 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.97 | | | | | 15.75 | | | | |
| LINBUN | IDI ED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 0.4001 | | ANALOG VOICE GRADE LOOP | | | | 1 | | | | | | 1 | | | - | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 1 | - 1 | 1 | UEPSR UEPSB | UEALS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | 1 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | ١ | ٠. ا | LIEDOD LIEDOS | 115450 | 40.00 | 07.00 | 47 | 00.10 | | | 45 | | | | I |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.03 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | l , | 2 | UEPSR UEPSB | UEALS, | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | İ |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | <u> </u> | | OLI OK OLI OB | OL/ILO, | 10.07 | 07.02 | 17.00 | 20.40 | 0.20 | | 10.70 | | | | i |
| | | Zone 2 | 1 | 2 | UEPSR UEPSB | UEABS | 16.87 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | 1 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 3 | I | 3 | UEPSR UEPSB | UEALS, | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | LIEDOD LIEDOD | UEABS | 25.00 | 37.92 | 17.55 | 23.48 | 5.25 | | 45.75 | | | | İ |
| - | | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSR UEPSB | UEAB2 | 25.68 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | |
| | | Zone 4 | L | 4 | UEPSR UEPSB | UEALS, | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | İ |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | <u> </u> | <u> </u> | | | .0.00 | 002 | 50 | 20.70 | 5.20 | | | | | | |
| | | Zone 4 | L | 4 | UEPSR UEPSB | UEABS | 43.85 | 37.92 | 17.55 | 23.48 | 5.25 | | 15.75 | | | | i |
| UNBUN | | XCHANGE ACCESS LOOP | | | | | | | • | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1) | | | UEANL | UREWO | | 37.92 | 17.55 | | | | 15.75 | | | | İ |
| L | <u> </u> | (UVL-OLI) | l | 1 | UEANL | UKEWU | l l | 37.92 | 17.55 | | | l | 15.75 | | I | | |

Version 4Q01: 01/31/02 Page 186 of 327

| | NIDI EE | NETWORK ELEMENTS Mississippi | г | | | | | | | | | | | | | | E-133 B |
|--------------|---------|---|-------------|------|------------|----------------|----------------|------------------|----------------|----------------|----------------|----------|---|--|--|---|---|
| UNBU | NDLEL | NETWORK ELEMENTS - Mississippi | | 1 | | 1 | T | | | | | | l | А | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 4 | UEA | UEAL2 | 45.72 | 405.00 | CO 20 | 52.82 | 10.37 | | 45.75 | | | | |
| | | Ground Start Signaling - Zone 4 Order Coordination for Specified Conversion Time (per LSR) | | 4 | UEA | OCOSL | 45.72 | 105.96 18.19 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | <u> </u> |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | UEA | UEAR2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4 | | 4 | UEA | UEAR2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 4 | UEA | OCOSL | 45.72 | 18.19 | 08.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 105.96 | 38.21 | | | | 15.75 | | | | |
| | 4-WIRE | ANALOG VOICE GRADE LOOP | | | | ļ | | | | | | | | | | | <u> </u> |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | | UEA UEA | UEAL4 UEAL4 | 38.26 50.03 | 132.27 | 94.59 94.59 | 60.68 60.68 | 14.64 14.64 | | 15.75 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4 | | | UEA | UEAL4 | 50.03 | 132.27 132.27 | 94.59 | 60.68 | 14.64 | - | 15.75 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | - | UEA | OCOSL | 30.03 | 18.19 | 34.33 | 00.08 | 14.04 | | 13.73 | | | | |
| | | ISDN DIGITAL GRADE LOOP | | | OLA | CCCCL | | 10.10 | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 4 | | 4 | UDN | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 117.61 | 33.03 | | | | 15.75 | | | | |
| | | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2 | <u> </u> | 2 | UDC | UDC2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | <u></u> | 15.75 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 3 | UDC | UDC2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 4 | | 4 | UDC | UDC2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | 1 |
| | | CLEC to CLEC Conversion Charge without outside dispatch * | | | UDC | UREWO | | 117.61 | 33.03 | | | | 15.75 | | | | |
| | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | , | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.11 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.47 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | | & Vacuumy reservation - Zone 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 11.74 | 121.27 | 70.81 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | 4 | | | | | | | | | | | | | |
| | | & facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR) | | 4 | UAL UAL | UAL2X OCOSL | 12.69 | 121.27 18.19 | 70.81 | 50.38 | 7.93 | 1 | 15.75 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | 1 | 1 | | | | | | | | | | |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.11 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 11.47 | 96.15 | 58.03 | 50.38 | 7.93 | <u> </u> | 15.75 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 11.74 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |

| LINDII | NDI ED | NETWORK ELEMENTS - Mississippi | ı | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|--------------|--------|--|-------------|------|------------|----------------|----------------|------------------|----------------|----------------|----------------|--|-----------------------|-------------|---|---|---|
| UNDU | NDLEL | NETWORK ELEMENTS - MISSISSIPPI | | | | | I | | | | | | l | | | | EXNIBIT: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | OSS | RATES (\$) | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | <u> </u> | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | facility reservation - Zone 4 | | 4 | UAL | UAL2W | 12.69 | 96.15 | 58.03 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 96.15 | 29.28 | | | | 15.75 | | | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.75 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | - | OFFIC | OTILEX | 0.70 | 120.00 | 70.02 | 00.00 | 7.00 | | 10.70 | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 9.22 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | | | | | | =0.4- | | | | | | | |
| - | | & facility reservation - Zone 3 2 Wire Unbundled HDSL Loop including manual service inquiry | 1 | 3 | UHL | UHL2X | 9.87 | 129.98 | 79.52 | 50.38 | 7.93 | 1 | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4 | | 4 | UHL | UHL2X | 10.46 | 129.98 | 79.52 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 10.10 | 18.19 | 70.02 | 00.00 | 1.00 | | 10.10 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 Wire Unbundled HDSL Loop without manual service inquiry | ļ | 1 | UHL | UHL2W | 8.75 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 when unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHI | UHL2W | 9.22 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OFF | OFFICEVV | 5.22 | 104.60 | 00.74 | 30.36 | 7.93 | | 13.73 | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 9.87 | 104.86 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 4 | ļ | 4 | UHL UHL | UHL2W | 10.46 | 104.86 18.19 | 66.74 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | OCOSL UREWO | | 104.86 | 29.28 | | | | 15.75 | | | | |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | OFFE | OKEWO | | 104.00 | 20.20 | | | | 10.70 | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.78 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 13.43 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OFIL | OI IL4X | 13.43 | 130.74 | 100.20 | 30.72 | 10.00 | | 13.73 | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.59 | 158.74 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| - | | and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR) | | 4 | UHL UHL | UHL4X OCOSL | 14.46 | 158.74 18.19 | 108.28 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UNL | OCOSL | | 10.19 | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.78 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | ļ | 2 | UHL | UHL4W | 13.43 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.59 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | J | 10.09 | 100.02 | 55.50 | 55.72 | 10.00 | | | | | | |
| | | and facility reservation - Zone 4 | | 4 | UHL | UHL4W | 14.46 | 133.62 | 95.50 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch DS1 DIGITAL LOOP | - | | UHL | UREWO | | 104.86 | 29.28 | | | | 15.75 | | | | |
| - | | 4-Wire DS1 Digital Loop - Zone 1 | 1 | 1 | USL | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | - | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| <u> </u> | | 4-Wire DS1 Digital Loop - Zone 4 Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | 4 | USL USL | USLXX | 458.46 | 253.93 18.19 | 158.45 | 46.10 | 12.07 | - | 15.75 | | | | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | 1 | 18.19 | 39.98 | | | 1 | 15.75 | | | | |
| - | | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | OI LEVYO | | 130.03 | 55.50 | | | t | 10.73 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| - | | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | 1 | 3 | UDL UDL | UDL19 UDL19 | 40.76 32.25 | 126.53 126.53 | 88.85 88.85 | 60.68 60.68 | 14.64 14.64 | 1 | 15.75 15.75 | | | | |
| - | | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | - | | UDL | UDL19 | 32.25 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | 1 | | UDL | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | | | | - | | | 00 | | | | | | | | | |

| LINDII | NDI E | NETWORK ELEMENTS. Missississis | | | | | | | | | | | | | | | | |
|--------------|--------|--|-------------|-------------|-----|-----|----------------|--|-----------------|---------------|--------------|------------|-------------------|-----------------------|-------------|---|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | | | 1 | | | | | ı | ı | Α | ttachment: 2 | 1 | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Rec | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 | | 4 | UDL | | UDL56 | 32.25 | 126.53 18.19 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | | OCOSL UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 | | 4 | UDL | | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | | OCOSL | | 18.19 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | | UREWO | | 126.53 | 38.62 | | | | 15.75 | | | | |
| - | 2-WIRE | Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop/Short including manual service | 1 | - | - | | | | | | | | | | | | | |
| | | 2-vvire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | | UCLPB | 11.11 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | | JUL | | 302.0 | 11.11 | 120.04 | 03.07 | 30.36 | 1.33 | 1 | 10.73 | | | | |
| | | inquiry & facility reservation - Zone 2 | | 2 | UCL | | UCLPB | 11.47 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | ĺ | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 3 | | 3 | UCL | | UCLPB | 11.74 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | ١. | | | | 40.00 | | | ==== | = | | | | | | |
| | | inquiry & facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop) | | 4 | UCL | | UCLPB UCLMC | 12.69 | 120.34 8.20 | 69.87 8.20 | 50.38 | 7.93 | | 15.75 | | | | |
| - | | 2-Wire Unbundled Copper Loop/Short without manual service | | | UCL | | UCLIVIC | 1 | 0.20 | 0.20 | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | | UCLPW | 11.11 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | - | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | | UCLPW | 11.47 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | | UCLPW | 11.74 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | | UCLPW | 12.69 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 4 | UCL | | UCLMC | 12.09 | 8.20 | 8.20 | 50.56 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | OOL | | OCLIVIC | | 0.20 | 0.20 | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | | UCL2L | 29.29 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | | UCL2L | 43.46 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | 110101 | 04.44 | 400.04 | 00.07 | 50.00 | 7.00 | | 45.75 | | | | |
| | | inquiry and facility reservation - Zone 3 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | 3 | UCL | | UCL2L | 64.44 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | inquiry and facility reservation - Zone 4 | | 4 | UCL | | UCL2L | 87.60 | 120.34 | 69.87 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | <u> </u> | UCL | | UCLMC | 57.55 | 8.20 | 8.20 | 55.50 | 50 | | .00 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | 1 | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | | UCL2W | 29.29 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | 2 | UCL | | UCL2W | 40.40 | 05.04 | F7.00 | 50.00 | 7.00 | | 45.75 | | | | |
| \vdash | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service | | | UCL | | UCLZW | 43.46 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | | UCL2W | 64.44 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | Ť | 555 | | 33 | 54.44 | 33.21 | 07.00 | 55.56 | 7.55 | | 10.70 | | | | |
| | | inquiry and facility reservation - Zone 4 | | 4 | UCL | | UCL2W | 87.60 | 95.21 | 57.09 | 50.38 | 7.93 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | | UCLMC | | 8.20 | 8.20 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | LIDEMO | | 25.01 | 04.00 | | | | 45.75 | | | | |
| \vdash | | (UCL-Des) CLEC to CLEC Conversion Charge without outside dispatch | | <u> </u> | UCL | | UREWO | | 95.21 | 31.36 | | | | 15.75 | | | | |
| | | (UCL-ND) | | | UEQ | | UREWO | | 36.53 | 16.16 | | | | 15.75 | | | | |
| | 4-WIRE | COPPER LOOP | | | J_Q | | | | 33.30 | | | | | .0.70 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | 1 | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | | UCL4S | 17.30 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | 2 | UCL | | UCL4S | 40.04 | 444.00 | 94.22 | 56.72 | 40.00 | | 15.75 | | | | |
| - | | and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry | | | UCL | | UCL45 | 18.84 | 144.68 | 94.22 | 56.72 | 10.68 | - | 15.75 | | | | |
| | | and facility reservation - Zone 3 | 1 | 3 | UCL | | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | 1 | 15.75 | | | | |
| | | | | <u> </u> | | | 1 | 00 | | | | | | | | L | | |

| UNRU | NDI FE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|--------|---------|---|-------------|--|---------------------|----------|--|--------|-----------|--------------|-------|---|---|--|--|-------------------------|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | and facility reservation - Zone 4 | | 4 | UCL | UCL4S | 21.33 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.20 | 8.20 | | | | | | | | 1 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.30 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | 1 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 18.84 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | <u> </u> |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4W | 21.33 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | + | UCL | UCLMC | 21.33 | 8.20 | 8.20 | 30.72 | 10.00 | | 13.73 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | 1 | 5.20 | 5.20 | | | | | | | | <u> </u> |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 54.72 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 97.47 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | 002 | COLTE | 37.47 | 144.00 | 04.EE | 00.72 | 10.00 | | 10.70 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 106.06 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4L | 106.06 | 144.68 | 94.22 | 56.72 | 10.68 | | 15.75 | | | | ↓ |
| | | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | UCL | UCLMC | - | 8.20 | 8.20 | | | | | | | 1 | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 54.72 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | <u> </u> | 002 | COLTO | 04.72 | 110.00 | 01.44 | 00.72 | 10.00 | | 10.70 | | | | 1 |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 97.47 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | _ | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 3 4-Wire Unbundled Copper Loop/Long - without manual service | | 3 | UCL | UCL4O | 106.06 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | 1 |
| | | inquiry and facility reservation - Zone 4 | | 4 | UCL | UCL4O | 106.06 | 119.56 | 81.44 | 56.72 | 10.68 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 100.00 | 8.20 | 8.20 | 00.72 | 10.00 | | 10.70 | | | | 1 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 95.21 | 31.36 | | | | 15.75 | | | | <u> </u> |
| LOOP N | MODIFIC | CATION Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | | | | | | | | | | | | - | |
| | | pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEO | DUI M2I | | 32.57 | 32.57 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | 0, L, 0, L, 00L, 0L | O LIVILL | | 02.01 | 02.01 | | | | 10.70 | | | | |
| | | greater than 18k ft | | | UCL, ULS | ULM2G | | 171.49 | 171.49 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | 1 | 00 == | 00 | | | | 45 | | | | |
| | | less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | UHL, UCL | ULM4L | | 32.57 | 32.57 | - | | | 15.75 | | | - | 1 |
| | | pair greater than 18k ft | | | UCL | ULM4G | 1 | 171.49 | 171.49 | | | | 15.75 | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | | | | | - | | | | | | | | |
| | | per unbundled loop | | <u> </u> | UAL, UHL, UCL, UE | QULMBT | | 32.59 | 32.59 | | | | 15.75 | | | | <u> </u> |
| SUB-LC | | on Distribution | | <u> </u> | 1 | | | | | | | | | | | ļ | |
| | | op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | 1 | | | | | | | | | | - | |
| | | Up | 1 | | UEANL | USBSA | | 259.69 | | | | | 15.75 | | | | |
| | | Sub-Lean Day Cross Boy Leasting Day 25 Dair Danel Set Lin | _ | | UEANL | USBSB | | 22.77 | | | | | 15.75 | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | † | OLAINL | USDSB | | 22.11 | | | | | 15.75 | | | | |
| | | Facility Set-Up | - 1 | | UEANL | USBSC | | 178.47 | | | | | 15.75 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | l . | | UEANL | USBSD | 1 | 56.39 | | | | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | <u> </u> | | | | | | | | | | | | <u> </u> | |
| | | Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | I | 1 | UEANL | USBN2 | 7.15 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | <u> </u> |
| | | Zone 2 | ı | 2 | UEANL | USBN2 | 9.51 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |

| UNBU | JNDLEI | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|--------------|--------|---|-------------|----------|------------------|----------------|--|-----------------|-----------------|-----------------------|---------------------|---|---|--|--|-------------------------|---|
| CATE GORY | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | SOMEC | | SOWAN | SOWAN | SOWIAN | SOWAN |
| | | Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | I | 3 | UEANL | USBN2 | 12.45 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | _ |
| | | Zone 4 | | 4 | UEANL | USBN2 | 18.26 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.27 | 45.27 | | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 7.30 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Zone 2 | | 2 | UEANL | USBN4 | 13.92 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 3 | ULANL | USDIN4 | 10.73 | 19.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Zone 4 | | 4 | UEANL | USBN4 | 16.73 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.27 | 45.27 | | | | 15.75 | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 2.29 | 53.32 | 18.28 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.27 | 45.27 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 4.40 | 59.60 | 24.55 | 51.27 | 9.35 | | 15.75 | | | | |
| | | | | | | | | 45.05 | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | _ | 1 | UEANL UEF | USBMC UCS2X | 6.06 | 45.27 66.18 | 45.27 31.14 | 45.36 | 6.71 | | 15.75 | | | | 1 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | | UEF | UCS2X | 7.09 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | 1 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 8.16 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | UEF | UCS2X | 9.90 | 66.18 | 31.14 | 45.36 | 6.71 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.27 | 45.27 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ı | 1 | UEF | UCS4X | 5.10 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | 1 | İ | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - 1 | | UEF | UCS4X | 9.11 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4 | | 4 | UEF | UCS4X | 14.00 | 79.49 | 44.45 | 51.27 | 9.35 | | 15.75 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.27 | 45.27 | | | | | | | | |
| | | died Sub-Loop Modification | | | UEF | USDIVIC | | 45.27 | 45.21 | | | | | | | | + |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 176.80 | 5.13 | | | | 15.75 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 176.80 | 5.13 | | | | 15.75 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | | | | | | | | | | | | | |
| | | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 279.81 | 6.15 | | | | 15.75 | | | | . |
| | | dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3366 | 30.55 | | | | | 15.75 | | | | |
| | | k Interface Device (NID) | | | OLIVIV | OLINEE | 0.3300 | 30.33 | | | | | 13.73 | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.84 | 28.90 | | | | 15.75 | | 1 | 1 | 1 |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 65.30 | 50.36 | | | | 15.75 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.94 | 5.94 | | | | 15.75 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.94 | 5.94 | | • | | 15.75 | | | | |
| SUB-LO | | | | <u> </u> | | | ļ | | | | | | | | | ļ | . |
| | | op Feeder | | <u> </u> | | | | | | | | | | | - | - | ↓ |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL | USBFW | | 259.69 | | | | | 15.75 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | | | 1 | | | | | | .0.70 | | | | |
| | | set-up | | | UEA, UDN,UCL,UDL | USBFX | | 22.77 | 22.77 | | | | 15.75 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | - | USL | USBFZ | | 534.46 | 11.30 | | | - | 15.75 | | - | - | - |
| | | Grade - Zone 1 | | 1 | UEA | USBFA | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|-------|--|-------------|------|------------|----------------|------------------|------------------|------------------|-----------------------|------------------|--|-----------------------|--|--|--|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSSI | RATES (\$) | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFA | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop, | | Ū | CLA | CODIA | 10.11 | 30.20 | 00.00 | 04.40 | 10.01 | | 10.70 | | | | |
| | | Voice Grade - Zone 4 | | 4 | UEA | USBFA | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | OOD! D | 7.50 | 30.20 | 00.00 | 04.40 | 10.01 | | 10.70 | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | 3 | UEA | USBFB | 40.44 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Grade - Zone 3 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | 3 | UEA | USBFB | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Grade - Zone 4 | | 4 | UEA | USBFB | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | ==== | | | | | | | | |
| | | Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 1 | UEA | USBFC | 7.98 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 10.39 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFC | 16.11 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4 | | 4 | UEA | USBFC | 28.37 | 93.23 | 56.50 | 54.45 | 13.51 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | - | UEA | OCOSL | 20.31 | 18.19 | 30.30 | 34.43 | 13.31 | | 13.73 | | | | 1 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 21.69 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 26.06 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | UEA | USBFD | 20.00 | 107.71 | 70.03 | 63.66 | 17.04 | | 13.73 | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFD | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 4 | | 4 | UEA | USBFD | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | OCOSL | | 18.19 | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFE | 21.69 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFE | 26.06 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start | | | | 300 | | 107.71 | 70.00 | 55.56 | 17.04 | | 10.73 | | | | |
| | | Loop - Zone 4 | | 4 | UEA | USBFE | 34.77 | 107.71 | 70.03 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | _ | UEA | OCOSL | 44.00 | 18.19 | 00.70 | 55.50 | 101.10 | | 45.75 | | | | ļ |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | | UDN UDN | USBFF USBFF | 14.60 18.78 | 106.46 106.46 | 68.78 68.78 | 55.58 55.58 | 131.13 131.13 | | 15.75 15.75 | | | - | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 25.47 | 106.46 | 68.78 | 55.58 | 131.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4 | | 4 | UDN | USBFF | 41.41 | 106.46 | 68.78 | 55.58 | 131.13 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | L. | UDN | OCOSL | 110- | 18.19 | 00.5 | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 2 | UDC UDC | USBFS USBFS | 14.60 18.78 | 106.46 106.46 | 68.78 68.78 | 55.58 55.58 | 131.13 131.13 | | 15.75 15.75 | | | | - |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | UDC | USBFS | 25.47 | 106.46 | 68.78 | 55.58 | 131.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | UDC | USBFS | 41.41 | 106.46 | 68.78 | 55.58 | 131.13 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.19 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 100.03 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | <u> </u> | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | | USL USL | USBFG USBFG | 183.66 430.04 | 101.97 101.97 | 64.29 64.29 | 63.68 63.68 | 17.64 17.64 | - | 15.75 15.75 | | | - | |
| | | Order Coordination For Specified Conversion Time, Per LSR | l | | USL | OCOSL | 450.04 | 18.19 | 04.23 | 05.06 | 17.04 | | 13.73 | | | + | † |

| UNBL | INDLE | O NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---------|--|--|------|------------|----------------|----------------|------------------|-----------------------|----------------|----------------|--|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 1 | UCL | USBFH | 5.88 | First 84.27 | Add'I 46.59 | First 53.14 | Add'l 10.70 | SOMEC | SOMAN 15.75 | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 2 | UCL | USBFH | 5.21 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFH | 4.40 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4 | | 4 | | USBFH | 3.63 | 84.27 | 46.59 | 53.14 | 10.70 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.19 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | | UCL | USBFJ | 13.49 | 101.58 | 63.90 | 59.71 | 13.67 | | 15.75 | | | | |
| - | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL UCL | USBFJ USBFJ | 10.96 8.59 | 101.58 101.58 | 63.90 63.90 | 59.71 59.71 | 13.67 13.67 | 1 | 15.75 15.75 | | | | |
| — | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4 | | | UCL | USBFJ | 8.59 | 101.58 | 63.90 | 59.71 | 13.67 | } | 15.75 | | - | | |
| — | | Order Coordination For Specified Conversion Time, per LSR | | - | UCL | OCOSL | 0.59 | 18.19 | 05.90 | 35.11 | 13.07 | | 10.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | | USBFN | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | | USBFN | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 4 | UDL | USBFN | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | UDL | USBFO | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Zone 4 | | 4 | UDL | USBFO | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 18.19 | | 33.00 | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 22.89 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 25.11 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 30.84 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4 | | 4 | UDL | USBFP | 41.05 | 101.97 | 64.29 | 63.68 | 17.64 | | 15.75 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | 11.00 | 18.19 | 01.20 | 00.00 | | | 10.10 | | İ | | |
| SUB-L | | | | | | | | | | | | | | | | | |
| | | op Feeder | | | | | | | | | | | | | | | |
| UNBU | IDLED L | OOP CONCENTRATION | | | | | 200 07 | | | | | | | ļ | | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC ULC | UCT8A UCT8B | 36367 47.56 | 327.30 | 327.30 | | | 1 | 15.75 15.75 | | - | | |
| — | | Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 397.35 | 136.37 327.30 | 136.37 327.30 | | | 1 | 15.75 | 1 | | | |
| | | Unbundled Loop Concentration - System A (11303) | | | ULC | UCT3B | 80.15 | 136.37 | 136.37 | | | | 15.75 | | | | |
| — | | Unbundled Loop Concentration - DS1 Loop Interface Card | 1 | | ULC | UCTCO | 4.52 | 63.65 | 46.34 | 17.31 | 4.85 | | 15.75 | | 1 | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | - | | | | | | 30 | | | 1 | | | |
| | | Card) Unbundled Loop Concentration - UDC Loop Interface (Brite | | | UDN | ULCC1 | 7.17 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | UDC | ULCCU | 7.17 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | - |
| | | Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | UEA | ULCC2 | 1.80 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | UEA | ULCCR | 10.66 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | - |
| | | (Specials Card) | <u> </u> | | UEA | ULCC4 | 6.36 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 31.07 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|--------|---|--|----------|---|----------------|--|------------------|-----------|------------------|--------------|-------|---|-------------------------|--|---|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interface | | | UDL | ULCC6 | 9.42 | 10.60 | 10.54 | 5.56 | 5.53 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| UNE O | | ROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | 1 | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 1 | | | | | | | | 1 | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | 1 | UEANL,UEF,UEQ,UE | | | | | | | | | | | | |
| UNE O | | ROVISIONING ONLY - NO RATE | | | 0 = 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | | İ | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,I | JUNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | ĺ | | | | | | | | | | |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | 1 | | 1101 | 00055 | | 2.00 | | | | | | | | | |
| шси | | no rate Y UNBUNDLED LOCAL LOOP | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | - | | |
| nion (| | 4 month minimum billing period | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 11.20 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | | - | ĺ | 45.40 | | 100.00 | 20.10 | | | | | | |
| | | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 326.15 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | | month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 11.20 | | | | | | | | | | |
| | | Termination per month | | | UDLSX | UDLS1 | 338.55 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| LOOP | MAKE-U | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 24.12 | 24.12 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.58 | 25.58 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.6652 | 0.6652 | | | | | | | | |
| HIGH F | | NCY SPECTRUM | | | | | | | | | | | | | | | |
| | | ERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | <u> </u> | <u> </u> | ULS | ULSDA | 186.67 | 189.89 | 0.00 | 178.41 | 0.00 | | 15.75 | | | | |
| | 1 | Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | | <u> </u> | ULS ULS | ULSDB ULSD8 | 46.67 15.55 | 189.89 189.89 | 0.00 | 178.41 178.41 | 0.00 | - | 15.75 15.75 | | | | |
| | | Line Sharing Spitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | <u> </u> | | ULS | ULSDG | 15.55 | 88.98 | 0.00 | 49.96 | 0.00 | | 15.75 | | | | |
| | END US | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC | Y SPEC | TRUM | | 32000 | | 00.90 | | 40.00 | | | 10.73 | | † | | 1 |
| | | Line Sharing - per Line Activation (BST Owned Splitter) | 1 | | ULS | ULSDC | 0.61 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | ۱. | | ULS | ULSDS | | 16.48 | 8.24 | | | | 15.75 | | | | |
| | | Line Sharing - per Cubsequent Activity per Line Realitatingement Line Sharing - per Line Activation (DLEC owned Splitter) | l i | <u> </u> | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.75 | | 1 | | 1 |
| | | Line Splitting - per line activation DLEC owned splitter | Ì | | UEPSR UEPSB | UREOS | 0.61 | | | 1 | | | | | | | 1 |
| | | Line Splitting - per line activation BST owned - physical | I | | UEPSR UEPSB | UREBP | 0.639 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | | |
| | | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 0.637 | 18.62 | 10.66 | 10.04 | 4.93 | | 15.75 | | | | |
| UNBU | | RANSPORT | <u> </u> | ļ | | | | | | | | | | | | | |
| | | DFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | <u> </u> | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month | | | U1TVX | U1TR2 | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |

| | | | 1 | | | | | | | | | | | | | | |
|--------------|----------|--|--|----------|----------------|----------------|----------------|--------|-----------|--------------|--------|----------|-----------|--|--|---|---|
| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | 1 | I | | | | | | 1 | A | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001111 | | RATES (\$) | 0014411 | 001141 |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 19.79 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0098 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 15.68 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0098 | 40.77 | 27.01 | 11.20 | 7.11 | | 10.70 | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | 40.77 | | 47.00 | | | | | | | |
| - | INTERO | Termination per month FFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | U1TDX | U1TD6 | 15.68 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | 1L5XX | 0.201 | | | | | | | | | | |
| | | Termination per month | | | U1TD1 | U1TF1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | FFICE CHANNEL - DEDICATED TRANSPORT- DS3 Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 4.76 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | FFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.76 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | NOTE: L | OCAL CHANNEL DEDICATED TRANSPORT - minimum billin | g perio | d - belo | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | ULDVX | ULDV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNDVX | ULDV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDF1 | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 | ULDF1 | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| - | | Local Channel - Dedicated - DS1 per month - Zone 4 Local Channel - Dedicated - DS3 - Per Mile per month | <u> </u> | 4 | ULDD1 ULDD3 | ULDF1 1L5NC | 221.63 9.66 | 178.50 | 154.61 | 22.89 | 15.74 | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per | | | ULUUS | ILDING | 9.00 | | | | | | | | | | |
| | | month | | | ULDD3 | ULDF3 | 413.87 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per | | | ULDS1 | 1L5NC | 9.66 | | | | | | | | | | |
| | | month | | | ULDS1 | ULDFS | 408.02 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| MULTII | PLEXER | | | | LIVTD1 | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 45.75 | | | | |
| - | + | Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per | 1 | \vdash | UXTD1 | IVIQI | 102.85 | 91.5/ | 62.94 | 10.87 | 10.10 | - | 15.75 | | | | |
| | | month (2.4-64kbs) | | | UDL | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | |
| | | STS1 to DS1 Channel System per month | <u> </u> | <u> </u> | UXTS1 | MQ3 | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | |
| DARK | | DS3 Interface Unit (DS1 COCI) used with Loop per month | 1 | | USL | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | | |
| DAKK | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| L | | Thereof per month - Local Channel | | | UDF | 1L5DC | 59.95 | | | | | <u> </u> | <u> </u> | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | | |

| UNBL | JNDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|---------|---------|---|-------------|----------|----------|--------|-----------------|--------|-----------|--------------|--------|-------|---|--|--------------|----------|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | RATES (\$) | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 28.27 | | | | | | | | | | |
| | 1 | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | 20.21 | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | 0_0.01 | | | | | | | |
| | | Thereof per month - Local Loop | | | UDF | 1L5DL | 59.95 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 642.79 | 138.67 | 326.97 | 203.85 | | 15.75 | | | | |
| TRANS | SPORT C | | | | | + | | | | | | | | | | | |
| SYY A | | al Features & Functions: FEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| O/O/C/A | 1 | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006216 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 2.60 | 0.44 | | | | 15.75 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 5.97 | 0.81 | 4.60 | 0.54 | | 15.75 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 5.97 | 0.81 | 4.60 | 0.54 | | 15.75 | | | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 2.60 | 1.30 | | | | 15.75 | | | | |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.04 | 1.74 | | | | 15.75 | | | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination | | | OHD | N8FAX | | 3.04 | 0.44 | | | | 15.75 | | | | |
| | | Features | | | OHD | N8FDX | | 2.60 | | | | | 15.75 | | | | |
| | | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per guery | | | OHD | | 0.0006216 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query | | | OHD | | 0.0006216 | | | | | | | | | | |
| LINE II | NFORM. | ATION DATA BASE ACCESS (LIDB) | | | - | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | OQT | | 0.0000197 | | | | | | | | | | |
| | ļ | LIDB Validation Per Query | | | OQU | Needy | 0.0137053 | 0.1.50 | 0.1.50 | 40.00 | | | | | | | |
| SIGNA | LING (C | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 34.52 | 34.52 | 42.33 | 42.33 | | 15.75 | | | | - |
| SIGNA | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.21 | | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | 1 100% | 0.0000597 | | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 16.55 | 35.74 | 35.74 | 16.53 | 16.53 | | 15.75 | | | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D link) | | | UDB | TPP++ | 16.55 | 35.74 | 35.74 | 16.53 | 16.50 | | 15.75 | | | | |
| | 1 | CCS7 Signaling Usage, Per ISUP Message | | - | UDB | 177++ | 0.0000149 | 35.74 | 35.74 | 10.53 | 16.53 | | 15.75 | | 1 | | + |
| | 1 | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 683.55 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.18 | 29.18 | 35.78 | 35.78 | | 15.75 | | | | ļ |
| E911 S | SERVICE | | | <u> </u> | | 1 | 44.04 | 404.00 | 20.00 | 07.70 | 0.00 | | 45.75 | | | | |
| | 1 | Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | - | | - | 14.91 0.0098 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | <u> </u> |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | | | | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | + | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | 1 | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 4 | | | | | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | - | Interoffice Transport - Dedicated - DS1 Per Mile | | - | | - | 0.2010 | | | | | | | | - | | |
| - | 1 | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 15.75 | | | | |
| CALLI | NG NAM | IE (CNAM) SERVICE | | | | | | | | | | | 10.73 | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.0010231 | | | | | | | | | | |
| | 1 | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010231 | | | | | | | | | | ļ |
| | | CNAM For DB Owners - Service Establishment | 1 | <u> </u> | OQV | 1 | | 23.09 | 23.09 | 21.23 | 21.23 | İ | 15.75 | | | | |

| UNBUNI | DLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|-------------|--------|---|-------------|------|------|-------|--|----------|-----------|--------------|--------|----------|---|--|--|-------------|---|
| CATE | IOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | ONAM For No. DD O Our in Fatal Palmont | | | 001/ | | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code | | | OQV | - | | 23.09 | 23.09 | 21.23 | 21.23 | | 15.75 | | | | |
| | | Establishment | | | oqv | | | 996.62 | 737.08 | 270.49 | 198.89 | | 15.75 | | | <u> </u> | |
| | | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | OQV | | | 344.32 | 246.56 | 276.85 | 198.89 | | 15.75 | | | | |
| LNP Quer | | | | | | | | 011102 | 210.00 | 27 0.00 | 100.00 | | 10.70 | | | | |
| | | LNP Charge Per query | | | OQV | | 0.0008477 | | | | | | | | | i | |
| | | LNP Service Establishment Manual | | | | | | 12.59 | 12.59 | 11.58 | 11.58 | | 15.75 | | | ı | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | 596.94 | 304.96 | 270.49 | 198.89 | | 15.75 | | | | 1 |
| OPERATO | | LL PROCESSING | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | l | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD | | ATOR SERVICES | | | | | 0.20 | - | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BBANDIN | 1G - O | PERATOR CALL PROCESSING | | | | | 1.15 | | | | | | | | | | |
| BIVAINDIN | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.75 | | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | 15.75 | | | | |
| Uı | | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | ĺ . | |
| | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 15.75 | | | | |
| | | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DI | | ORY ASSISTANCE ACCESS SERVICE | | | | | 0.075 | | | | | | | | | | |
| DI DI | | Directory Assistance Access Service Calls, Charge Per Call ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | VVCC) | | | | 0.275 | - | | | | | | | | | - |
| D | | Directory Assistance Call Completion Access Service (DACC), | ACC) | | | | | | | | | | | | | | |
| | | Per Call Attempt | | | | | 0.10 | | | | | | | | | ł | İ |
| DI | | ORY TRANSPORT | | | | | 0.10 | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access Service Call | | | | | 0.000178 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access | | | | | | | | | | | | | | | |
| | | Service Call Mile Access Tandem Switching per Directory Assistance Access | | | | | 0.000017 | | | | | | | | | | |
| | | Service Call | | | | | 0.000287 | | | | | | | | | | |
| | | Directory Assistance Interconnection per Directory Assistance | | | | | 0.00 | | | | | | | | | ł | ĺ |
| | | Access Service Call DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00 0.00018 | - | | | | | | - | - | | |
| DIRECTO | | SSISTANCE SERVICES | | | | - | 0.00018 | | | | | | | | | | |
| | | ORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | 1 | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | i | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | |
| | | RECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| Fa | | Based CLEC | | | | | | | | | | <u> </u> | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | <u> </u> | |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | 1 |
| UI | JNEP C | CLEC | | | | | <u> </u> | | · | | | | | | | i | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | 1 |
| Ui | | ding via OLNS for UNEP CLEC | | | | | | ., | ., | | | | | | | | |
| | uil | g | | | 0 | | | L | | · | | | | · | · | | |

| LINDLI | NDI EF | NETWORK ELEMENTS. Missississis | 1 | | | | | | | | | | | | | | E-1-11 B |
|--------------|--------|---|-------------|---------|----------------------|--------|-----------|------------|-----------|--------------|--------------|-------|-----------|--|--|---|---|
| UNBU | NULEL | NETWORK ELEMENTS - Mississippi | | 1 | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | n Disconnect | | | 088 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | i |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | i |
| SELEC | | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 85.19 | 85.19 | 14.19 | 14.19 | | 15.75 | | | | ĺ |
| VIRTUA | L COLL | OCATION | | | | CONCIN | | 00.10 | 00.10 | | | | 10.70 | | | | $\overline{}$ |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 1,212.25 | | 0.51 | | | | | | | $\overline{}$ |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 926.27 | | 22.62 | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | 1 | AMTFS | ESPAX | 7.33 | | | | | | | | | | i |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | | cable | | | AMTFS | ESPSX | 15.24 | | | | | | | | I | | , , |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | ueanl,uea,udn,udc,u | | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | <u></u> | uea,uhl,ucl,udl,AMTF | | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | 15.75 | | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | 15.75 | | | | 1 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | 15.75 | | | | i |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | 15.75 | | | | i |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0025 | | | | | | | | | | ĺ |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0023 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | AIVITS | VETCC | 0.0037 | | | | | | | | | | |
| | | Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AMTFS | VE1CD | | 534.65 | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 534.65 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 17.02 | 10.79 | | | | | | | | i |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.17 | 13.94 | | | | | | | | i |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.32 | 17.08 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | | | | | |
| VIRTUA | L COLL | OCATION | | | - | | | | 50 | | | | | | 1 | | $\overline{}$ |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | | Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | UEPSB | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | UEPSX | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | UEPTX | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | SDN DS1 | | | UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| VIRTUA | | OCATION | | | | | | | · | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | UEPSR, UEPSB | VE1LS | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| AIN SF | ECTIVE | CARRIER ROUTING | | | | | 3.3200 | .2.07 | | 5.04 | 3.40 | | .5.76 | | † | | |
| | | Regional Service Establishment | | | SRC | SRCEC | 1 | 101,685.12 | | 8,640.51 | | | 15.75 | | 1 | | |
| | | End Office Establishment | | | SRC | SRCEO | | 167.49 | 167.49 | 1.71 | 1.71 | | 15.75 | | 1 | | |
| | | Query NRC, per query | | | SRC | | 0.0030502 | | | | | | | | | | |
| AIN - B | | TH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | | • | • | | | | | | | | | | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|---------|---------|---|--|----------|--------------------|-------------|-----------|----------|----------------|-----------------|---------------|-----------------|---------------------|--------------------|----------------------|-------------------------|--|
| - | | | | | | | | | | | | | | | Incremental | Incremental | |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | .,, | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec per LSR | Manually per LSR | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | | | | 1 | | per Lak | per Lok | 151 | Auu i | DISC ISL | DISC Add I |
| | | | | | | | Rec | Nonred | | Nonrecurring | g Disconnect | | | oss | RATES (\$) | | |
| | | AIN CMC Assess Continue Continue Fotoblish start Day Chate | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 39.67 | 39.67 | 40.92 | 40.92 | | 15.75 | | | | |
| | | initial cotop | | | 7111 | 07 111102 | | 00.0. | | 10.02 | 10.02 | | 10.10 | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| - | | AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User | | | A1N | CAM1P | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | ID Code | | | A1N | CAMAU | | 35.21 | 35.21 | 27.21 | 27.21 | | 15.75 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | | | | | | | | | | | | | |
| | | Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | - | | A1N | CAMRC | 0.0021 | 42.13 | 42.13 | 11.78 | 11.78 | | 15.75 | | | | \vdash |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute | | | | | 0.0021 | | | | | - | | | | | \vdash |
| | | AIN SMS Access Service - Company Performed Session, Per | | | | | 5.55.0 | | | | | | | | | | |
| A10: 5 | -1166 | Minute | | | | | 0.8393 | | | | | 1 | | | | | |
| AIN - B | | ITH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State, | - | | | | | | | | | - | | | | | \vdash |
| | | Initial Setup | | | CAM | BAPSC | | 39.67 | 39.67 | 40.92 | 40.92 | | 15.75 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,226.54 | 4,226.54 | | | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt | | | | BAPTT | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTI | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | DN, Off-Hook Delay | | | | BAPTD | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 7.87 | 7.87 | 9.14 | 9.14 | | 15.75 | | | | |
| | | DN, 10-Digit PODP | | | | BAPTO | | 34.67 | 34.67 | 14.44 | 14.44 | | 15.75 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTC | | 34.67 | 34.67 | 14.44 | 14.44 | | 15.75 | | | | |
| | | DN. Feature Code | | | | BAPTF | | 34.67 | 34.67 | 14.44 | 14.44 | | 15.75 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0535577 | | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0063509 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | 0.0063509 | | | | | | | | | | |
| | | Account, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | CAM | D 4 D 4 4 0 | 44 | 7.00 | 7.0- | | | | 45 | | | | |
| - | | Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | CAM | BAPMS | 11.11 | 7.87 | 7.87 | 5.54 | 5.54 | | 15.75 | | | | |
| | | Subscription | <u></u> | | CAM | BAPLS | 2.71 | 8.71 | 8.71 | | | <u> </u> | 15.75 | | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| - | | Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | CAM | BAPDS | 8.48 | 7.87 | 7.87 | 5.54 | 5.54 | - | 15.75 | | | | |
| | | Service Subscription | | | CAM | BAPES | 0.09 | 8.71 | 8.71 | | | | 15.75 | | | | |
| | CED EX | TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | New EELs available in GA, TN, KY, LA, MS, & SC and density Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem | | | | | | | | | | 1 | | | | | \vdash |
| | | n all states, EEL network elements shown below also apply t | | | | | | | As Is Charge a | pplies to curre | ntly combined | l facilities c | onverted to | UNEs.(Non-re | curring rates | do not apply | .) |
| | NOTE: I | n GA, TN, KY, LA, MS & SC the EEL network elements apply | to ordir | narily c | ombined network el | | | | • | | | | | • | | , | |
| | | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | \vdash |
| | | First 2-Wire VG Loop(SL2) in a DS1 interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | <u> </u> |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | _ | | | | | | | | | | | | | |
| | | Combination - Zone 4 | ļ | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| - | | por monur | | | UNUIA | ILUAA | 0.1013 | | | l | l | L | 1 | 1 | l | | |

| HINRH | NDI FE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Α. | ttachment: 2 | | Exhibit: B |
|----------|----------|--|--------|-------------|-----------------|------------|--------|--------|-----------|--------------|--------------|-----------|-----------|--------------------------|--------------------------|--------------------------|--------------------------|
| OIVE | NDLLL | HETWORK ELLINERTO - MISSISSIPPI | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordar | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | | | |
| 00 | | | | | | | | | | | | Elec | Manually | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per Lok | per Lok | 151 | Add I | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| - | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | <u> </u> | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | i i | ONOVA | OL/ LL | 10.00 | 100.00 | 00.20 | 02.02 | 10.01 | | 10.70 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | - | | | |
| | | Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | 111000 | 404/6 | . ==== | | | | | | | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | 1-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFE | ICE TR | | UNCCC | | 5.65 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | 7 ****** | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 102 | ANOI OILI (LLL) | | | | | | | | | | | | |
| | | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | 11110101 | UEAL4 | 50.03 | 400.07 | 04.50 | 00.00 | 44.04 | | 45.75 | | | | |
| - | | Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | ONOTA | 120701 | 0.1010 | | | | | | | | | | |
| | | Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | | Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | LINOVA | | 07.4- | 400.0- | 04.50 | 00.00 | 44.61 | | 45.35 | | | | |
| \vdash | | Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | 5 v/ | 0 L / (L - | 55.20 | 102.21 | 54.55 | 55.00 | 14.04 | | 10.70 | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | - | | | |
| | | per month | | | UNCVX | 1D1VG | 0.5737 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINCAV | LINICCO | | F 00 | F 00 | 7.00 | 7.00 | | 45.75 | | | | |
| \vdash | 4-WIDE | Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTER | EEICE | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | vvir.c | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | MICK | / FICE | INANGFURI (EEL) | 1 | | | | | | 1 | | | | | |
| | | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | 32200 | 21.74 | 120.00 | 55.55 | 55.56 | 14.04 | | 10.70 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | <u> </u> | 15.75 | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | , | | | | | | | | | |
| \vdash | | Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | 15.75 | | | | |
| \vdash | | Interoffice Transport - Dedicated - DS1 - combination Facility | | | DINOIA | ILUAA | 0.1013 | | | | | | 13.73 | | | | |
| | | Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | | | | | , | 01.72 | 00.70 | 02.20 | 10.00 | 17.30 | | 10.70 | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|--------|--|-------------|--------|--------------|-------|--------|--------|-----------|-------|--------------|-------|-----------|---------------------------------------|--|-------------------------|------------|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | oss i | RATES (\$) | | |
| - | | Channelization - Channel System DS1 to DS0 combination Per | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | | | | | | 55.50 | 54 | | | | | | |
| | | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | 4 WIDE | Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTED | SEEICE | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UND64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 4 | | | | 120.53 | 88.85 | 60.08 | 14.04 | | 15.75 | | | | |
| | | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | | Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System | | 4 | | | | | | 00.00 | 14.04 | | | | | | |
| | | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.22 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | ls Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | EROFFI | CE TRA | NSPORT (EEL) | | | | | | | | | | | | |
| | | Transport - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 3 | UNC1X | USLXX | | | | | | | | | | | |
| | | Transport - Zone 3 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Transport - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.1813 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|--------|--|-------------|--------|------------------------|--------------|-----------------|----------------|---------------|-------|--------------|-------|----------------|---------------------------------------|--|-------------------------|---|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Is Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TRA | NSPORT (EEL) | | | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | | 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 15.75 | | | | |
| | | DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month | | | UNC3X UNC1X | MQ3 UC1D1 | 107.85 12.96 | 179.17 6.62 | 94.52 4.74 | 34.30 | 32.82 | | 15.75 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | | Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | 40.10 | 12.01 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | = 00 | | | | | | | | | |
| | 2-WIRE | Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TR | UNC3X ANSPORT (EEL) | UNCCC | + + | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | • | | | | | | | | | | | | |
| | | Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 1 | UNCVX | UEAL2 | 13.89 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 18.75 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 27.55 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL2 | 45.72 | 105.96 | 68.28 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | | | | | | 33.20 | 32.02 | . 5.67 | | .5.76 | | | | |
| | | Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | | combination - Facility Termination per month | | | UNCVX | U1TV2 | 20.32 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINOVA | LINIOCC | | = 0- | | | | | | | | | |
| | 4-WIRF | Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE TR | UNCVX ANSPORT (EEL) | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 27.47 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| \vdash | | Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 2 | UNCVX | UEAL4 | 38.26 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4 | | 4 | UNCVX | UEAL4 | 50.03 | 132.27 | 94.59 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.00088 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.86 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | Is Charge | | | UNCVX | UNCCC | 1 | 5.63 | 5.63 | 7.20 | 7.20 | 1 | 15.75 | | l | l | 1 |

| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|------|---------|--|--|---------|----------------|----------------|-----------------|--------|-------------|-------------|--------------|-----------|-----------|-------------|--------------|-------------|-------------|
| | | | | | | | | | | | | | | | Incremental | | |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | | |
| GORY | NOTES | KATE EEEMENTO | m | 20116 | 500 | 0000 | | | ιτα ι Ευ(ψ) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Monrocurrin | g Disconnect | | | 000 | RATES (\$) | | |
| | | | | | | | i Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | DS3 DIG | SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E TRA | NSPOR | T (EEL) | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| _ | | Mile per month High Capacity Unbundled Local Loop - DS3 combination - | | | UNC3X | 1L5ND | 11.20 | | | | | | | | | | |
| | | Facility Termination per month | | | UNC3X | UE3PX | 252.17 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| - | | Termination per per month | | | UNC3X | U1TF3 | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | STS1 D | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TF | RANSPO | | 0.1000 | | 0.00 | 0.00 | 7.20 | 71.20 | | 10.10 | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| | | Mile per month | | | UNCSX | 1L5ND | 11.20 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 264.35 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | 011000 | ODEOT | 204.55 | 404.10 | 203.47 | 123.23 | 00.19 | | 13.73 | | | | |
| | | per month | | | UNCSX | 1L5XX | 4.29 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| - | | Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | Nomecuring Currently Combined Network Elements Switch -As- ls Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | 2-WIRE | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | 0.100/ | 0.1000 | | 0.00 | 0.00 | 7.20 | 71.20 | | 10.10 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | ONONA | OTLZX | 21.55 | 117.01 | 19.92 | 32.02 | 10.57 | | 10.73 | | | | |
| | | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | | Transport - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 4 | UNCNX UNC1X | U1L2X 1L5XX | 59.18 0.1813 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Fer Mile Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNCIX | ILSAA | 0.1613 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 51.72 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - | | | | | | | | | | | | | | | |
| | | per month | | | UNC1X | MQ1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | 15.75 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | 5.1517/ | 5516/1 | 2.02 | 0.02 | 7.17 | | | | 10.73 | | | | |
| | | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.01 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | Ţ | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | LINIONIV | 1141.024 | 07.50 | 447.01 | 70.00 | 50.00 | 10.07 | | 45.75 | | | | |
| - | | Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | <u> </u> | 2 | UNCNX | U1L2X | 27.59 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.34 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | 1 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 4 | | 4 | UNCNX | U1L2X | 59.18 | 117.61 | 79.92 | 52.82 | 10.37 | | 15.75 | | | | <u> </u> |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 2.62 | 6.62 | 4.74 | | | | 15.75 | | | | 1 |
| | | combinitation- per month Nonrecurring Currently Combined Network Elements Switch -As- | | | ONONA | JULIUM | 2.02 | 0.02 | 4.14 | | | | 15.75 | | | | \vdash |
| | | ls Charge | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE TI | RANSPORT (EEL) | | | | | | | | | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 70.00 | 252.02 | 150 15 | 46 40 | 10.07 | | 45 75 | | | | |
| | | Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - | 1 | 1 | UNCIA | USLAA | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | \vdash |
| | | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | 1 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| ldot | | LUIIO T | <u> </u> | | 011017 | JULAN | +30.40 | 200.50 | 100.40 | 40.10 | 12.07 | 1 | 13.73 | | L | | |

| UNBU | INDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------|--------|---|-------------|---------|---------------------|---------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|-----------|---------------------------------------|--------------|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | UNCSX | 1L5XX | 4.29 | First | Add I | Filst | Add I | JOINEC | JOWAN | JOWAN | SOWIAN | JOWAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 644.21 | 280.37 | 163.70 | 62.08 | 60.29 | | 15.75 | | | | |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 107.63 | 179.17 | 94.52 | 34.30 | 32.82 | | 15.75 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | 0 1100 | 02.02 | | 15.75 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | 1 | UNCIX | USLXX | 79.08 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | $\overline{}$ |
| | | Zone 2 | | 2 | UNC1X | USLXX | 129.38 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 206.74 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | | Zone 4 | | 4 | UNC1X | USLXX | 458.46 | 253.93 | 158.45 | 46.10 | 12.07 | | 15.75 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | UC1D1 | 12.96 | 6.62 | 4.74 | | | | 15.75 | | | | |
| | | Is Charge | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | RANSF | PORT (EEL) | | | | | | | | | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 3 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 3 | UNCDX | UDL56 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Combination - Zone 4 | | 4 | UNCDX | UDL56 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.00088 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 14.14 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | 4-WIRF | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANSE | | UNCCC | | 5.65 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | 1 | | U. (| | | | | | | | | | | | i |
| | | Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | 1 | UNCDX | UDL64 | 27.44 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 34.55 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 40.76 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 4 | | 4 | UNCDX | UDL64 | 32.25 | 126.53 | 88.85 | 60.68 | 14.64 | | 15.75 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.00088 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 14.14 | 40.78 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | 14.14 | | | | | | | | | | |
| ADDIT | ONAL N | Is Charge ETWORK ELEMENTS | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| ADDITI | | Ised as a part of a currently combined facility, the non-recurr | rng cha | rges do | not apply, but a S | witch As Is c | harge does app | ly. | | | | | | | | | |
| | When u | sed as ordinarilty combined network elements in Georgia, th | e non-r | ecurrin | g charges apply and | d the Switch | As Is Charge do | oes not. | | | | | | | | | |
| | Nonrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | bination) | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | - | | | |
| | | - | • | | | • | | | | | | | | | | | - |

| UNBU | JNDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--|--------|--|--|---------|---------------------|----------------|-----------------|----------------|----------------|----------------|--------------|---|---|--|--|--|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001111 | | RATES (\$) | | Looman |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | ls Charge - DS3 | | | UNC3X | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1 | | | UNCSX | UNCCC | | 5.63 | 5.63 | 7.20 | 7.20 | | 15.75 | | | | |
| | | ocal Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | | d above=fou | r months | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | UNCXV | ULDV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | 15.75 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNCXV | ULDV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 33.83 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 35.99 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | | | |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 | <u> </u> | 3 | UNC1X | ULDF1 | 221.63 | 178.50 | 154.61 | 22.89 | 15.74 | | 15.75 | | ļ | - | |
| - | | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 9.66 | | | | | | | | | 1 | |
| l | | Local Channel - Dedicated - DS3 - Facility Termination per month | l | | UNC3X | ULDF3 | 413.87 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | 1 | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 9.66 | 454.13 | 200.47 | 123.23 | 86.19 | | 15.75 | | | - | |
| | | Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per | | | UNUUA | ILJING | 9.00 | | | | | | | | 1 | t | |
| | | month | l | | UNCSX | ULDFS | 408.02 | 454.13 | 265.47 | 123.23 | 86.19 | | 15.75 | | | 1 | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | | | OHOOX | OLDI O | 400.02 | 404.10 | 200.47 | 120.20 | 00.10 | | 10.70 | | | | |
| | | ge Ports | | | | | | | | | | | | | | | |
| | | Although the Port Rate includes all available features in GA, | KY, LA | & TN, t | he desired features | will need to I | oe ordered usir | g retail USOCs | 3 | | | | | | | | |
| | | VOICE GRADE LINE PORT RATES (RES) | l | | | | | J | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled MS extended local | | | | | | | | | | | | | | | |
| | | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAT | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | FEATU | RES | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | <u> </u> |
| | | Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAY | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | FEATU | | | | | | | | | | | | | | | | ļ |
| ļ | | All Available Vertical Features | ļ | | UEPSB | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | ļ | 1 | |
| <u> </u> | | NGE PORT RATES (DID & PBX) | <u> </u> | | LIEDOE | LIEDES | | 24.45 | | | | | , | | | | |
| - | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | 1 | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | - | UEPSP UEPSP | UEPPC UEPPO | 1.41 1.41 | 31.45 31.45 | 14.93 14.93 | 14.38 14.38 | 0.92 0.92 | | 15.75 15.75 | | | | |
| - | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | 1 | | UEPSP | UEPPO UEPP1 | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | + | + |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | 1 | | UEPSP | UEPLD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | 1 | | + |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | 1 | t | |
| | | 2-Wire Vice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | t | + |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | 1 | | UEPSP | UEPXB | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | 1 | 15.75 | | 1 | † | † |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | İ | 1 | 1 |
| — | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | 1 | | UEPSP | UEPXD | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | 1 | 1 | |

| UNBUNE | IDLED NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|--|---|-------------|----------|----------------------|-------------|------------------------|----------------|---------------|--|-----------------|-------------|---|---------------------------------------|---|---|---|
| CATE | IOTES RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | | g Disconnect | 201150 | | | RATES (\$) | 0011411 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Capable Port | | | UEPSP | UEPXE | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | <u> </u> |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | l |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | l |
| | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy | | | | | | | | | | | | | | | |
| | Calling Port 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional | | | UEPSP | UEPXQ | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| | Calling Port | | L | UEPSP | UEPXR | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | <u> </u> |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.41 | 31.45 | 14.93 | 14.38 | 0.92 | | 15.75 | | | | |
| - | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| FE | EATURES All Available Vertical Features | | - | UEPSP UEPSE | UEPVF | 2.56 | 0.00 | 0.00 | | | 1 | 15.75 | | | | |
| EX | EXCHANGE PORT RATES (COIN) | | | 02, 01 02, 02 | OLI VI | 2.00 | 0.00 | 0.00 | | | | 10.70 | | | | |
| | Exchange Ports - Coin Port | | | | | 1.41 | 2.39 | 2.29 | | 1.33 | | 15.75 | | | | |
| | NOTE: Transmission/usage charges associated with POTS circuit sv | | | | | | | | | | | | | | | i |
| | IOTE: Access to B Channel or D Channel Packet capabilities will be | availal | le only | through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | etermined via t | he Bona Fic | de Request/ | New Business | s Request Pro | cess. | |
| | DLED LOCAL EXCHANGE SWITCHING(PORTS) EXCHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| E^ | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | 1.97 | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | OLI LX | OLITZ | 0.23 | 120.00 | 10.03 | 01.77 | 3.00 | | 10.70 | | | 1.57 | |
| | capability | | | UEPDD | UEPDD | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | 1.97 | ł |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.69 | 73.19 | 53.30 | 47.90 | 10.76 | | 15.75 | | | 1.97 | |
| | All Features Offered | | | UEPTX UEPSX | UEPVF | 2.56 | 0.00 | 0.00 | <u> </u> | | | 15.75 | L | | 1.97 | |
| | NOTE: Transmission/usage charges associated with POTS circuit sw NOTE: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Boguest Bro | 2000 | |
| INC | Exchange Ports - 2-Wire ISDN Port Channel Profiles | avallal | le only | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | lennineu via i | ne bona ric | ie Requesi | New Dusiness | Request Fro | cess. | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 84.63 | 205.00 | 102.14 | 81.65 | 20.69 | | 15.75 | | | 1.97 | |
| UNBUNDL | DLED LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | · |
| En | Ind Office Switching (Port Usage) | | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0010269 | | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.000161 | | | | | | | | | | |
| Та | Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | 0.0004700 | | | | | | | | | | |
| | Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU | | | | | 0.0001723 0.0001828 | | | - | | | | | | | |
| Co | Common Transport | | <u> </u> | | | 0.0001628 | | | | 1 | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000026 | | | <u> </u> | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004541 | | | | | | | | | | |
| | LED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | <u> </u> |
| | Cost Based Rates are applied where BellSouth is required by FCC an | | | | | | | | <u> </u> | | L | | | | | <u> </u> |
| | Features shall apply to the Unbundled Port/Loop Combination - Cost | | | | | | | | | | | n Bort# | Combinet' | L | | |
| | End Office and Tandem Switching Usage and Common Transport Us For Georgia, Kentucky, Louisiana, MIssissippi, South Carolina and T | | | | | | | | | | | | | | ng charges o | only to Not |
| Cu | for Georgia, Remucky, Louisiana, mississippi, South Carolina and incurrently Combined Combos for all states. In GA, KY, LA, MS, SC an For Currently Combined Combos in all other states, the nonrecurring | nd TN th | ese no | nrecurring charges | are commiss | sion ordered co | st based rates | and in AL, FL | | | | | | | | |
| | -WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | y criary | 50 311dl | . Se those luchallet | are None | Couring - Curr | chary combine | . Jeculo113. | | | | | l | | | ſ |
| | JNE Port/Loop Combination Rates | | | | | | | | 1 | İ | | | | | | i |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 17.13 | | • | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 26.26 | | | | | | | | | | <u> </u> |
| | 2-Wire VG Loop/Port Combo - Zone 4 | | 4 | | | 44.91 | | | | | | | ļ | | | |
| UN | JNE Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.98 | | | | | - | | | | | |
| - | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 10.98 | | | - | | | | - | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPRX | UEPLX | 25.04 | | | | 1 | | | 1 | | | ſ |
| | Z TYTE VOICE CTAGE LOOP (OLT) - ZUITE 3 | | | OLI IVA | OLI LA | 20.04 | | | 1 | 1 | <u> </u> | 1 | l | l | L | |

Version 4Q01: 01/31/02 Page 206 of 327

| UNBL | JNDLEI | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A. | ttachment: 2 | | Exhibit: B |
|------|----------|---|-------------|------|----------------|--------|----------------|-----------------|------------------|-----------------------|---------------------|--|-----------------------|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPRX | UEPLX | 43.68 | FIISL | Auu i | FIISL | Add I | SOIVIEC | SUMAN | SOWIAN | SOWAN | SOWAN | SUMAN |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | - | OLITOR | OLI LX | 40.00 | | | | | | | | | | 1 |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | ĺ |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire voice Grade unbundled Mississippi extended local | | | | | | | | | | | | | | | ł |
| | | dialing parity port with Caller ID - res | | | UEPRX | UEPAT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | l |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | ļ | | UEPRX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | NUMBER PORTABILITY | | | LIEDDY | LNDOV | 0.05 | | | | | | | | | | |
| | | Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | ī |
| | | Switch-as-is | | | UEPRX | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | ł |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 0.0988 | 0.0988 | | | | 15.75 | | | | 1 |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLITOR | 00/100 | | 0.0000 | 0.0000 | | | | 10.70 | | | | |
| | | Subsequent Database Update | | | | | | 0.00 | 0.00 | | | | 15.75 | | | | ł |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | 1 |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | OLITIX | UUAUZ | 0.00 | 0.00 | 0.00 | | | | 10.75 | | | | 1 |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | ī |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 17.13 | | | | | | | | | | i |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 26.26 | | | | | | | | | | |
| | UNE Lo | oop Rates | | | LIEDDY | LIEDLY | 40.00 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX UEPBX | UEPLX | 10.98 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 25.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | | UEPBX | UEPLX | 43.68 | | | | | | | | | | 1 |
| | | Voice Grade Line Port (Bus) | | | | | .0.00 | | | | | | | | | | ī |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | . |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAY | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | ł |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | J. 23, | 1.20 | 40.01 | 10.04 | 24.00 | 0.00 | | 10.70 | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 2.56 | 0.00 | 0.00 | | | <u> </u> | 15.75 | ļ | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | 1 | | | | | | | 1 | | | | |
| | | Switch-as-is | | | UEPBX | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | 22. 2/. | 30.00 | | | | | | | | | | | |
| | | Subsequent Database Update ONAL NRCs | | | | - | | 0.00 | 0.00 | | | <u> </u> | 15.75 | | | | |
| | | ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | + | | | | | | | | | | | |
| | | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.75 | | | | l |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | <u> </u> | 2-Wire VG Loop/Port Combo - Zone 1 | <u> </u> | 1 | | 1 | 12.22 | | | | | <u> </u> | | | | | |
| | l . | 2-Wire VG Loop/Port Combo - Zone 2 | l | 2 | | ı | 17.13 | | | | | ı | l | l | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | 1 | 1 | | | | | | | Α | ttachment: 2 | , | Exhibit: B |
|--------------|-----------|--|-------------|------|----------------|------------|----------------|--------|-----------|--------------|-------|----------|-----------|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 26.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 4 | | 4 | | | 44.91 | | | | | | | | | | |
| | | op Rates | | | | LIEBLY . | 10.00 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG UEPRG | UEPLX | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 3 | UEPRG | UEPLX | 25.04 43.68 | | | | | | | | | | |
| | | /oice Grade Line Port Rates (RES - PBX) | | - | OLFRG | OLFLX | 43.00 | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | 1 | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | NUMBER PORTABILITY | | | 52. NO | CLIND | 1.23 | 00.01 | 02.40 | 37.00 | 0.17 | | 10.70 | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.75 | | 1 | | |
| | FEATU | | | | - | 1 - | 1 | 2.20 | 2.30 | | | | | | 1 | | |
| | | All Features Offered | | | UEPRG | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | İ | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPRG | USAC2 | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | | Conversion - Switch with Change | | | UEPRG | USACC | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | DNAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Group | | | | | | 7.36 | 7.36 | | | | 15.75 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 17.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 26.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 4 | | 4 | | | 44.91 | | | | | | | | | | |
| | | op Rates | | | | ļ <u>.</u> | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 15.91 | | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX UEPPX | UEPLX | 25.04 43.68 | | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 /oice Grade Line Port Rates (BUS - PBX) | | 4 | UEPPA | UEPLA | 43.68 | | | | | | | | | | |
| - | Z-MAILG / | roice Grade Lille Fort Rates (DUS - PBA) | - | | | + | + | | | | | | | | 1 | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | İ | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPPX | UEPXM | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | Discount Room Calling Port 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy | | | UEPPX | UEPXO | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | Calling Port | | | UEPPX | UEPXQ | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|---------|--|-------------|--|---------|---------|----------------|-----------------|-----------------|-----------------------|---------------------|--------|-----------------------|--|--|-------------------------|---|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSSI | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional | | | | | | FIISL | Add I | FIISL | Add I | SOWIEC | SOWIAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | | Calling Port | | | UEPPX | UEPXR | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.23 | 69.37 | 32.48 | 37.86 | 6.17 | | 15.75 | | | | |
| | | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | FEATU | | | | OLI I X | LIVI OI | 3.13 | 0.00 | 0.00 | | | | 13.73 | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 7.96 | 1.91 | | | | 15.75 | | | | |
| | | Conversion - Switch with Change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | - | | ULFFA | USACC | | 7.96 | 1.91 | | | | 15.75 | | | | 1 |
| | | Subsequent Database Update | | 1 | 1 | | | 0.00 | 0.00 | | | | 15.75 | | | | |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Group | | | | | | 7.36 | 7.36 | | | | 15.75 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | 7.50 | 7.50 | | | | 13.73 | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 17.13 | | | | | | | | | | |
| <u> </u> | | 2-Wire VG Coin Port/Loop Combo – Zone 3 2-Wire VG Coin Port/Loop Combo – Zone 4 | | 3 | | - | 26.26 44.91 | | | | | | | | | | |
| | | op Rates | | - | | | 44.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 25.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPCO | UEPLX | 43.68 | | | | | | | | | | _ |
| <u> </u> | | Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without | | | | - | | | | | | | | | | | - |
| | | Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | 0.00 | | | | | | |
| | | Blocking; with Dialing Parity (Note 3) (MS) | | | UEPCO | UEPMC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | LIEDOO | LIEDDA | 4.00 | 40.04 | 40.04 | 24.00 | 0.50 | | 45.75 | | | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-W with Operator Screening and Blocking: 011, | | | UEPCO | UEPRA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | - |
| | | 900/976, 1+DDD; with Dialing Parity (MS) | | | UEPCO | UEPMA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (AL, LA, MS) | | | UEPCO | UEPRB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | 1 | LIEBOO | LIEDME | 4.00 | 40.01 | 40.01 | 04.00 | 0.50 | | 45.75 | | | | |
| - | | with Dialing Parity (MS) 2-Wire Coin 2-Way with Operator Screening & Blocking: | | | UEPCO | UEPMB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | 1 | UEPCO | UEPCD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin 2-W Operator Screening: 900 Block: 900/976, | | | | | | | | | | | | | | | |
| | | 1+DDD, 011+, Local; with Dialing Parity (MS) | | | UEPCO | UEPCJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS) | | | UEPCO | UEPRN | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening; With Dailing Parity (MS) | | | UEPCO | UEPME | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (GA, KY, MS) | | | UEPCO | UEPRJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS) | | | UEPCO | UEPMD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |

| UNRU | INDI FI | NETWORK ELEMENTS - Mississippi | 1 | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|----------|--|----------|----------|--------------|----------|-------|--------|-----------|--------------|--------------|-----------|-----------|-------------|--------------|-------------|-------------|
| 0.120 | , TO LL. | THE THORIT ELEMENTO MISSISSIPPI | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| | | | l | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | .,, | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, | | | | | | | | | | | | | | | |
| | | 1+DDD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, | | | | | | | | | | | | | | | |
| | | 011+, and Local; with Dialing Parity (MS) | | | UEPCO | UEPCS | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | | LA) | | | UEPCO | UEPCR | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | ADDITI | ONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 4.62 | 0.00 | 0.00 | | | | | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPCO | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch with change | | | UEPCO | USACC | | 0.0988 | 0.0988 | | | | 15.75 | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.75 | | | | |
| UNBUN | NDLED P | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | 2-WIRE | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 21.32 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 26.16 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 34.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4 | | 4 | | | 53.15 | | | | | | | | | | |
| | UNE Lo | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 13.89 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 18.75 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 27.55 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4 | | 4 | UEPPX | UECD1 | 45.72 | | | | | | | | | | |
| | UNE Po | rt Rate | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 7.43 | 225.96 | 87.13 | 114.59 | 14.25 | | 15.75 | | | 1.97 | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPPX | USAC1 | | 7.35 | 1.88 | | | | 15.75 | | | 1.97 | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | · | | | | | | | | |
| | | with BellSouth Allowable Changes | | | UEPPX | USA1C | | 7.35 | 1.88 | | | | 15.75 | | | 1.97 | |
| | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 26.94 | 26.94 | | | | 15.75 | | | 1.97 | |
| | | one Number/Trunk Group Establisment Charges | | | LIEBBY . | LIST. | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | ļ | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.75 | | ļ | 1.97 | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | ļ | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | ļ | 1.97 | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | ļ | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | Reserve Non-Consecutive DID numbers | ļ | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | 1.00 | Reserve DID Numbers | ļ | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| <u> </u> | | NUMBER PORTABILITY | | <u> </u> | UEDDY. | L LIBS = | ļ . | | | | | | | | | | |
| <u> </u> | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | PORT | | - | | | | | | | | | | | |
| <u> </u> | UNE Po | rt/Loop Combination Rates | <u> </u> | 1 | | - | | | | | | | | | | | |
| 1 | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | 1 . | UEDDD ::==== | I | | | | | | 1 | | | Ì | | |
| | ļ | UNE Zone 1 | | 1 | UEPPB UEPPR | | 28.59 | | | | | | | | | | |
| 1 | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | | | I | | | | | | 1 | | | Ì | | |
| <u> </u> | | UNE Zone 2 | <u> </u> | 2 | UEPPB UEPPR | - | 35.00 | | | | | | | | | | |
| 1 | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | 1 _ | UEDDD ::=5== | I | | | | | | 1 | | | Ì | | |
| <u> </u> | — | UNE Zone 3 | <u> </u> | 3 | UEPPB UEPPR | - | 45.18 | | | | | | | | | | - |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | 4 | | 1 | 07.01 | | | | | | | | | | |
| | | UNE Zone 4 | l . | 4 | | 1 | 67.61 | | | | | ı | i | | ı | | l |

| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|---------|--|--|----------|----------------|----------------|----------------|---------|--------|-----------|--------------|------------|-----------|-----------|------------------------|--|------------------------|------------------------|
| CITE | | METHORIC ELEMENTO IMIGOROSIPPI | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | Incremental | | Incremental |
| CATE | | | Interi | | | | | | | | | | Cua Ordan | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | В | CS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | per LSR | per LSR | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | per Lor | per Lor | 130 | Auu | Disc 1st | Disc Add I |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | | op Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 18.26 | | | | | | 15.75 | | | 1.97 | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 24.67 | | | | | | 15.75 | | | 1.97 | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | | | 34.85 | | | | | | 15.75 | | | 1.97 | |
| | UNE Po | 2-Wire ISDN Digital Grade Loop - UNE Zone 4 | | 4 | UEPPB | UEPPR | USL2X | 57.28 | | | | | | 15.75 | | | 1.97 | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 10.33 | 190.80 | 133.22 | 100.72 | 21.13 | | 15.75 | | | 1.97 | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | OLITB | OLITIK | OLI I D | 10.00 | 100.00 | 100.22 | 100.72 | 21.10 | | 10.70 | | | 1.07 | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.73 | 27.17 | | | | 15.75 | | 1 | 1.97 | |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | NUMBER PORTABILITY | | | | | | | | - | | | | | | | _ | |
| | | Local Number Portability (1 per port) | ļ | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | ļ | | |
| | | NNEL USER PROFILE ACCESS: | | | | | | | 2.22 | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) CVS (EWSD) | - | | UEPPB UEPPB | UEPPR UEPPR | U1UCA U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD (EWSD) | | <u> </u> | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | CMS & | TNI | OLFFB | ULFFR | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | D-CITAL | CVS/CSD (DMS/5ESS) | C,1410, G | 1 111 | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | AL FEATURES | | | | | L | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| - | | PFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile and | | | | | + | | | | | | | | | | | |
| | | facilities termination | | | LIEDDR | UEPPR | M1GNC | 22.5298 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | 1.97 | |
| | | Interoffice Channel mileage each, additional mile | | | | UEPPR | M1GNM | 0.0098 | 0.00 | 0.00 | 17.20 | 7.11 | | 13.73 | | | 1.57 | |
| | | interesting entermed mineage each, additional mine | | | 02 | <u> </u> | | 0.0000 | 0.00 | 0.00 | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPPP | | ļ | 155.43 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 2 | LIEDDD | | | 205.74 | | | | | | | | | | |
| <u> </u> | | Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | <u> </u> | 2 | UEPPP | | - | 205.74 | | | | | | | | - | | |
| | | Zone 3 | | 3 | UEPPP | | | 283.10 | | | | | | | | 1 | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | 3 | J_: ! ! | | 1 | 200.10 | | | | | 1 | | | 1 | | |
| | | Zone 4 | | 4 | UEPPP | | | 534.81 | | | | | | | | 1 | | |
| | | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 79.08 | | - | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | ļ | 2 | UEPPP | | USL4P | 129.38 | | | | | | 15.75 | | ļ | 1.97 | |
| <u> </u> | | 4-Wire DS1 Digital Loop - UNE Zone 3 | <u> </u> | 3 | UEPPP | | USL4P | 206.74 | | | | | | 15.75 | | ļ | 1.97 | |
| - | UNE Po | 4-Wire DS1 Digital Loop - UNE Zone 4 | 1 | 4 | UEPPP | | USL4P | 458.46 | | | | | | 15.75 | | | 1.97 | |
| - | | Exchange Ports - 4-Wire ISDN DS1 Port | | - | UEPPP | | UEPPP | 76.35 | 458.93 | 260.59 | 127.75 | 32.76 | | 15.75 | | - | 1.97 | |
| | | CURRING CHARGES - CURRENTLY COMBINED | 1 | 1 | 02111 | | CLITI | 70.33 | 430.93 | 200.39 | 121.73 | 52.70 | | 15.75 | | | 1.57 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | 1 | | | | | | | | | | |
| L | | Combination - Conversion -Switch-as-is | <u> </u> | | UEPPP | | USACP | 0.00 | 119.76 | 79.01 | | | <u> </u> | 15.75 | | | 1.97 | |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | - | | | | | | | | | _ | | _ | |
| | | Inward/two way tel nos within Std Allowance (except NC) | ļ | | UEPPP | | PR7TF | 1 | 0.49 | | | | | 15.75 | | ļ | 1.97 | |
| 1 | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | LIEDSS | | DD7T0 | | == | | | | | | | 1 | | |
| <u> </u> | | Outward Tel Numbers (All States except NC) | 1 | | UEPPP | | PR7TO | | 11.58 | 11.58 | | | | 15.75 | | | 1.97 | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | | 23.15 | 23.15 | | | | 15.75 | | | 1.97 | |
| | LOCAL | NUMBER PORTABILITY | | | OLFFP | | 1 (1/2) | 1 | 23.15 | 23.13 | | | | 13.73 | | | 1.97 | |
| | LOUAL | HOMBER I ORTABIETT | <u> </u> | 1 | | | 1 | 1 | | | | | 1 | 1 | | 1 | | l |

| Note Part | LINDI | NDI EE | NETWORK ELEMENTS Mississiani | 1 | | | | | | | | | | | | | | E-132 B |
|--|-------------|-----------|---|--|----------|--------|----------|--------|--------|-----------|--------------|------------|--|-----------|-------------|--|-------------|--|
| AATE BLEMENTS Inference | UNBU | NULEL | NETWORK ELEMENTS - MISSISSIPPI | <u> </u> | | | 1 | I | | | | | 1 | | | | | Exhibit: B |
| CATE MATE LEMENTS Mark Date BCS Mark Date BCS Mark Date BCS Mark Date | | | | | | | | | | | | | | | Incremental | | Incremental | Incremental |
| Company Comp | | | | | | | | | | | | | | | Charge - | | Charge - | Charge - |
| Second S | | NOTES | RATE ELEMENTS | Interi | Zone | RCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| No. | GORY | NOTES | NATE ELEMENTO | m | 20116 | 500 | 0000 | | | πΑ1 Ε0(ψ) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | | | | | Electronic- |
| Note Number Foodsign (1 per port) | | | | | | | | | | | | | | | | | | Disc Add'l |
| Cook Number Probability (1 per port) | | | | | | | | | | | | | por north | | | | | |
| Local Number Parceloling (page) LipChy Lip | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| New Processor New Processo | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Document | | | | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| Digital Date Digi | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| New or Additional "VisionData Distances UEPPP PRINS" 0.00 14.61 15.75 1.97 1. | | | | | | | | | | | | | | | | | | |
| New or Additional - VouceDate & Comment UEPPP PRITERY 0.00 14.61 1.575 1.97 | | | | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New or Additional Provided Control ULPPPP PRT/EFF 0.001 14.61 15.75 1.97 | | | | | | | | | | | | | | | | | | |
| New or Additional Insent Data & Channel UEPPP RR70B 0.00 14.61 15.75 15.77 1.97 | | | | | | | | | | | | | | | | | | |
| CALL TYPES | | | | | | | | | | | | | | | | | | |
| Image | | | | | | UEPPP | PR7BD | 0.00 | 14.61 | | | | | 15.75 | | | 1.97 | |
| Cut-word | <u> </u> | | | ! | <u> </u> | LIEDDD | DD704 | 0.00 | 0.00 | 0.00 | | | | | 1 | - | | - |
| Interfere Channel Mileage | <u> </u> | | | | _ | | | | | | | | | | | - | | - |
| Interesting Channel Milesge | | | | ! | | | | | | | | | } | | 1 | ! | | ! |
| Fixed Each Including First Mile | | | | | | UEPPP | PR/CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Sath Aution Frontzional Additional Mole UEPPP 11/118 0.00 | | | | | | LIEDDD | 41 N/4 A | 57.50 | 00.70 | 00.00 | 40.00 | 44.00 | 1 | 45.75 | | | 4.07 | |
| CAMPRE OST DIGITAL LOOP WITH 4-WINE DOTTS TRUNK PORT | | | | | | | | | 89.79 | 82.28 | 10.00 | 14.90 | | 15.75 | | | 1.97 | |
| NNE PortLoop Combination Rates | | | | | | UEFFF | ILINID | 0.20 | | | | | | | | | | |
| AVV DS1 Opinal Loop/AVV DOTTS Trunk Port - VINE Zone 2 2 UEPDC 152.07 157.5 1.97 | | | | | | | | | | | | | | | | | | |
| AW DST Digital Loop/AW DDTS Trunk Port - UNE Zone 3 3 UPPDC 182.07 1.675 1.971 | | | | | -1 | LIEDDC | | 121 70 | | | | | | 15 75 | | | 1.07 | |
| MV DST Optail Loop/W DDTS Trunk Port - UNE Zone 3 3 UEPDC 5511.5 1.97 | | | | | | | + | | | | | | 1 | | | | | |
| AVEC DIST Digital Loop-VWR DDTS Trunk Port - UNE Zone 4 USPDC S11.15 I.575 I | | | | | | | | | | | | | | | | | | |
| Net Loop Rates | | | | | | | + | | | | | | 1 | | | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 1 | | | | | - | OLI DO | | 311.13 | | | | | 1 | 13.73 | | | 1.01 | |
| H-Wire DST Digital Loop - UNE Zone 3 | | | | | 1 | LIEPDC | LISLIDC | 79.08 | | | | | | 15.75 | | | 1 97 | |
| A-Wire DST Digital Loop - UNE Zone 3 3 UEPDC USLDC 206.74 1.575 1.97 | | | | | | | | | | | | | | | | | | |
| A-Wire DS1 Digital Loop / LWR Zone 4 | | | | | | | | | | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | | | | |
| A-Wire DDTS Digital Trunk Port | | | | | | | | | | | | | | | | | | |
| NONRECURRING CHARGES - CURRENTLY COMBINED WIFE DITS Trunk Port Combination UEPDC USAC4 130.24 67.41 15.75 1.97 | | | | | | UEPDC | UDD1T | 52.70 | 457.12 | 254.70 | 120.96 | 14.61 | | 15.75 | | | 1.97 | |
| Switch-as-is | | | | | | | | | | | | | | | | | | |
| 4-Wire DS1 Digital Loop / 4-Wire DS1 Trunk Port Combination UEPDC USAWA 130.24 67.41 15.75 1.97 | | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| Conversion with DS1 Changes | | | - Switch-as-is | | | UEPDC | USAC4 | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| A-Wire DS1 Digital Loop / 4-Wire DDTS Trunk Port Combination UEPDC USAWB 130.24 67.41 15.75 1.97 | | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| Conversion with Change - Trunk | | | | | | UEPDC | USAWA | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| A-Wire DST Loop / 4-Wire DDITS Trunk Port - NRC - UPPC UDTTA 14.56 14.56 15.75 1.97 | | | | | | UEPDC | USAWB | | 130.24 | 67.41 | | | | 15.75 | | | 1.97 | |
| Subsequent Channel Activation/Chan - 2-Way Trunk | <u> </u> | | | ļ | | | | | | | | | | | | ļ | | 1 |
| A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent UEPDC UDTTB 14.56 14.56 15.75 1.97 | 1 | | | 1 | | | l | | | | | | | | | I | | I |
| Channel Activation/Chan - 1-Way Outward Trunk | <u></u> | | | <u> </u> | | UEPDC | UDTTA | | 14.56 | 14.56 | | | <u> </u> | 15.75 | ļ | - | 1.97 | - |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID UEPDC UDTTC 14.56 14.56 15.75 1.97 | 1 | | | 1 | | LIEDDO | LIDTES | | 44.50 | 44.50 | | | | 45.75 | | I | | I |
| Activation/Chan Inward Trunk wout DID | | —— | | ! | | UEPDC | ODITE | | 14.56 | 14.56 | | | } | 15.75 | 1 | ! | 1.97 | ! |
| A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID UEPDC UDTTD 14.56 14.56 15.75 1.97 | | | | 1 | | LIEDDO | LIDTTO | | 44.50 | 44.50 | | | | 45.75 | | I | | I |
| Activation Per Chan - Inward Trunk with DID | - | | | | - | UEPDC | ODITO | | 14.56 | 14.56 | | | | 15./5 | | | 1.97 | |
| A-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | 1 | | LIEDDC | LIDITED | | 14 50 | 14 50 | | | | 15 75 | | 1 | 1.07 | 1 |
| Activation / Chan - 2-Way DID w User Trans | | | | | | ULPDC | טווטט | | 14.56 | 14.56 | | | - | 15.75 | | | 1.97 | |
| BIPOLAR 8 ZERO SUBSTITUTION UEPDC CCOSF 0.00 600.00 15.75 1.97 B8ZS - Superframe Format UEPDC CCOSF 0.00 600.00 15.75 1.97 Alternate Mark Inversion UEPDC MCOSF 0.00 0.00 0.00 15.75 1.97 AMI - Superframe Format UEPDC MCOSF 0.00 0.00 0.00 15.75 1.97 AMI - Extended Superframe Format UEPDC MCOPO 0.00 0.00 15.75 1.97 Telephone Number/Trunk Group Establisment Charges UEPDC UDTGX 0.00 15.75 1.97 Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00 15.75 1.97 Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 15.75 1.97 | 1 | | | 1 | 1 | LIEDDC | LIDTTE | | 1/1 56 | 1/1 56 | | | | 15.75 | | I | 1.07 | I |
| B8ZS - Superframe Format UEPDC CCOSF 0.00 600.00 15.75 1.97 B8ZS - Extended Superframe Format UEPDC CCOEF 0.00 600.00 15.75 1.97 Alternate Mark Inversion UEPDC MCOSF 0.00 0.00 0.00 AMI - Superframe Format UEPDC MCOSF 0.00 0.00 0.00 AMI - Extended SuperFrame Format UEPDC MCOPO 0.00 0.00 0.00 Telephone Number/Trunk Group Establisment Charges UEPDC UDTGX 0.00 0.00 15.75 1.97 Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00 15.75 1.97 Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 15.75 1.97 Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 15.75 1.97 | - | | | | | OLFDC | ODITE | | 14.50 | 14.50 | | | 1 | 13.73 | | | 1.57 | |
| B8ZS - Extended Superframe Format | - | | | | | LIEPDC | CCOSE | | 0.00 | 600.00 | | | 1 | 15.75 | 1 | t | 1 07 | t |
| Alternate Mark Inversion | | | | † | | | | | | | | | | | | t | | t |
| AMI - Superframe Format | | | | 1 | | 02, 00 | JOOLI | | 0.00 | 300.00 | | | 1 | 10.70 | | I | 1.37 | I |
| AMI - Extended SuperFrame Format | | | | | 1 | UEPDC | MCOSE | | 0.00 | 0.00 | | | | | | - | | - |
| Telephone Number/Trunk Group Establisment Charges | - | | | | | | | | | | | | 1 | | | | | - |
| Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00 15.75 1.97 | | | | 1 | | | | | 0.00 | 0.00 | | | 1 | | 1 | † | | t |
| Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00 15.75 1.97 | | | | 1 | | UEPDC | UDTGX | 0.00 | | | | | | 15.75 | | 1 | 1.97 | 1 |
| Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00 15.75 1.97 | - | | | † | | | | | | | | | | | | t | | 1 |
| | | | | 1 | | | | | | | | | 1 | | 1 | † | | t |
| | | | DID Numbers for each Group of 20 DID Numbers | † | | UEPDC | ND4 | 0.00 | | | | | İ | 15.75 | | | 1.97 | 1 |

| UNBU | NDLED | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|------|--------|--|--|----------------|-------------------|----------------|----------------------|--------|-----------|--------------|-------|----------|---|--|--|-------------------------|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | RATES (\$) | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | First | Add'l | First | Add'l | SOMEC | SOMAN 15.75 | SOMAN | SOMAN | SOMAN 1.97 | SOMAN |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | - |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loon | | | 0.00 | 0.00 | 0.00 | | | | 13.73 | | | 1.57 | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | Digital | Г | I | Tunk ron | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | 15.75 | | | 1.97 | |
| | | | | | | | 000 | | | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.20 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | 1 | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | | miles | 1 | 1 | UEPDC | 1LNOB | 0.20 | 0.00 | 0.00 | | | | | | 1 | I | 1 |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | <u></u> | L | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| • | | | | | | | | | | Ī | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.20 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | | | | | | | | | | | | |
| | | ystem can have up to 24 combinations of rates depending on | type ar | d nun | ber of ports used | | | | | | | | | | | | |
| | UNE DS | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 79.08 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 129.38 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 206.74 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 4 | <u> </u> | 4 | UEPMG | USLDC | 458.46 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | O Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 95.06 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 190.12 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 380.24 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 570.36 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 760.48 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 950.60 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,140.72 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,520.96 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | 1 | <u> </u> | UEPMG | VUM40 | 1,901.20 | 0.00 | 0.00 | 1 | | | 15.75 | | - | 1.97 | 1 |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG UEPMG | VUM57 VUM67 | 2,281.44 2,661.68 | 0.00 | 0.00 | | | | 15.75 15.75 | | | 1.97 1.97 | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with | Charr | l Notize: a | | | | | 0.00 | + | | | 15./5 | | - | 1.97 | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | SICIII | | - | | | | | 1 | | |
| | | es of this configuration functioning as one are considered Ad | | | | | | | | + | | | | | 1 | t | t |
| | | NRC - Conversion (Currently Combined) with or without | a ante | | | | Journed. | | | + | | | | | 1 | t | t |
| | | BellSouth Allowed Changes | l | | UEPMG | USAC4 | 0.00 | 151.35 | 8.41 | 1 | | | 15.75 | | | 1.97 | 1 |
| | | Additions at End User Locations Where 4-Wire DS1 Loop wit | h Chan | nelizat | | | | | 0.41 | + | | | 13.13 | | | 1.97 | t |
| | | ot Currently Combined) In GA, KY, LA, MS & TN Only | 511411 | | | | | | | | | 1 | | | | I | I |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | l | | 1 | 1 | | | | 1 | | | | | 1 | 1 | 1 |
| | | Fea Activation - New GA, LA, KY, MS, &TN Only | 1 | 1 | UEPMG | VUMD4 | 0.00 | 715.15 | 327.39 | 148.05 | 17.56 | 1 | 15.75 | | l | 1.97 | I |
| | | 8 Zero Substitution | 1 | | 1 | 1 | 2.20 | | 2=1.00 | | 30 | | | | 1 | | 1 |
| | | Clear Channel Capability Format, superframe - Subsequent | | | | 1 | | | | 1 | | | | | İ | İ | 1 |
| | | Activity Only | l | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | 15.75 | | | 1.97 | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | | Subsequent Activity Only | l | | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | 15.75 | | | 1.97 | |
| | | te Mark Inversion (AMI) | | | | 1 | | | | 1 | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | İ | 1 | 1 | | | | | Ì | | | | 1 | |
| | Exchan | ge Forts Associated with 4-wife DST Loop with Chainlenzant | | | | | | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|----------|--|-------------|----------|-----------------------|----------------|-------------------|-----------------|------------------|--|------------------|--|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | B | | | | | poi zoit | po: 20:1 | | | 2.00 .01 | 2.007.444. |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS F SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | 0020 | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX UEPPX | UEPCX UEPOX | 1.23 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 15.75 | | | 1.97 1.97 | |
| | | Line Side Outward Chambelized PBA Trunk Port - Business | | | UEFFX | UEPUX | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| - | Feature | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration | | | UEPPX | UEPDM | 7.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | - |
| | , outure | Feature (Service) Activation for each Line Side Port Terminated | | | | | | | | | | | | | | | |
| - | | in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated | | | UEPPX | 1PQWM | 0.61 | 25.36 | 13.39 | 4.29 | 4.26 | | 15.75 | | | 1.97 | |
| 1 | | in D4 Bank | | | UEPPX | 1PQWU | 0.61 | 78.03 | 18.39 | 60.66 | 11.85 | | 15.75 | | | 1.97 | |
| | Teleph | one Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| - | | DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States | | | UEPPX UEPPX | NDT ND4 | 0.00 | 0.00 | 0.00 | | | - | 15.75 15.75 | | | 1.97 1.97 | - |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | Reserve Non-Consecutive DID Numbers Reserve DID Numbers | | | UEPPX UEPPX | ND6 NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 15.75 | | | 1.97 1.97 | |
| | Local N | lumber Portability | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | RES - Vertical and Optional witching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | | All Features Available | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | | Rates shall apply where BellSouth is not required to provide | unbund | dled lo | al switching or swit | tch ports per | r FCC and/or St | ate Commissio | n rules. | | | | | | | | |
| - | | scenarios include: undled port/loop combinations that are Not Currently Combin | ned in A | Mahama | La. Florida and North | Carolina. | | | | | | | | | | | - |
| | 2. Unb | undled port/loop combinations that are Currently Combined of | or Not C | Current | ly Combined in Zone | e 1 of the To | | | | | | | | | | | |
| | | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda ath currently is developing the billing capability to mechanica | | | | | | | | | | | | NC In the in | | DallCauth and | an at hill |
| | | Rates, BellSouth shall bill the rates in the Cost-Based section | | | | | | | | | not currently t | ombinea in | AL, FL and | INC. In the Ir | iterim where | BellSouth car | mot bili |
| | The Ma | rket Rate for unbundled ports includes all available features in | n all sta | ates. | | | | | | | | | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us | age rat | es in th | ne Port section of th | is rate exhib | it shall apply to | all combination | ons of loop/po | ort network elen | nents except | for UNE Coi | n Port/Loop | Combination | s which have | a flat rate us | age charge |
| | | URECU). t Currently Combined scenarios where Market Rates apply, the | e Nonre | curring | charges are listed | in the First a | and Additional I | NRC columns f | for each Port I | ISOC. For Curi | rently Combin | ed scenario | s. the Nonre | ecurring char | nes are listed | in the NRC - | Currently |
| | | ned section. Additional NRCs may apply also and are categor | | | | | and Additional I | THE COLUMN S | or caon rone c | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | citily combin | ca sociiailo | o, the 1101111 | couring onar | jes are notea | iii tiic iiito | ouncing |
| LINIBLIN | | ONAL NRCs | | | | | | | | | | | | | | | |
| UNBUN | | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC | | State 0 | Commission rule to | provide Unb | undled Local S | witching or Sw | itch Ports. | | | | | | | | |
| | 2. Feat | ures shall apply to the Unbundled Port/Loop Combination - Co | ost Bas | ed Rat | e section in the sam | e manner as | they are applie | d to the Stand | -Alone Unbun | | | | | | | | |
| | | Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re | | | | | | | | | | | | | | | |
| | | o Not Currently Combined Combos for all states. In GA, KY, L. | | | | | | | | | | | | | | | |
| | | n the Market Rate section. For Currently Combined Combos | | | | | | | Nonrecurring | - Currently Cor | nbined section | ns. | | | | | |
| | | ket Rates for Unbundled Centrex Port/Loop Combination will I CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | otiated | on an Individual Ca | se Basis, un | til further notic | e. | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| - | UNE PO | ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | | | | | | | 1 | | | | | |
| | | Non-Design | | 1 | UEP91 | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 17.13 | | | | | | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLFAI | | 17.13 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP91 | | 26.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP91 | | 44.91 | | | | | | | | | | |
| | | <u> </u> | | | 021 91 | | 77.31 | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

Version 4Q01: 01/31/02 Page 214 of 327

| UNBU | NDLF | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|---------------|---|--|----------|----------|----------------|----------------|----------------|--------|-----------|--------------|--------------|-----------|----------------|------------------------|------------------------|------------------------|--|
| ONDO | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | THE THORK ELEMENTO MISSISSIPPI | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordar | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per Lor | per Lor | 131 | Auu | Diac rat | DISC Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP91 | | 15.12 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP91 | | 19.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | UEP91 | 1 | 19.90 | | | | | | | | | | |
| | | Design | | 3 | UEP91 | | 28.78 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 4 | UEP91 | | 46.95 | | | | | | | | | | |
| | UNE Lo | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 10.98 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 UEP91 | UECS1 UECS1 | 15.91 25.04 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP91 | UECS1 | 43.68 | | | | | | | | | | |
| | | 2 1115 15150 Grado Edop (OE 1) - 20116 4 | | +- | 021 01 | 32001 | 70.00 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 13.89 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 27.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP91 | UECS2 | 45.72 | | | | | | | | | | |
| | UNE Po | orts es (Except North Carolina and Sout Carolina) | | | | - | | | | | | | | | | | |
| | All Stat | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Education Basic Local | | | OLI 01 | OLI IX | 1.20 | 40.01 | 10.04 | 24.00 | 0.00 | | 10.70 | | | | |
| | | Area | | | UEP91 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP91 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| _ | | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP91 | UEPYW | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | | - Basic Local Area | | | UEP91 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP91 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| _ | AL, KY, | LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 15.75 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP91 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOA | LIEDO Z | | | =- =- | | | | | | | | |
| <u> </u> | | Term | | - | UEP91 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated in on Megalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | - | UEP91 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | | | | | | 20 | .0.01 | .0.04 | 200 | 2.00 | | .5.76 | | İ | | |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7947 | | | | | | | | | | |
| | | umber Portability | | | LIEDO4 | LNDCC | 0.05 | | | | | | | | | | |
| | Feature | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| | NARS | | | | | | | | - | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | ļ | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Network Access Register - Indial | | - | UEP91 UEP91 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| — | | Unbundled Network Access Register - Outdial aneous Terminations | | - | OLFSI | UARUX | 0.00 | 0.00 | 0.00 | | - | | | | - | | |
| $\overline{}$ | wiioCtile | anoodo rominationa | ! | - | | 1 | i l | | | | <u> </u> | 1 | 1 | | 1 | | 1 |

| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|--------|--|--------|----------|----------------|----------------|--------|----------------|---------------------------------------|--------------|--------------|-----------|-----------|------------------------|------------------------|------------------------|--|
| ONDO | 11222 | THE THORIT ELEMENTO MISSISSIPPI | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordan | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per Lor | per LOIX | 130 | Auu | Disc 1st | Disc Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| - | | ce Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| _ | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0098 | 40.77 | 21.51 | 17.20 | 7.11 | | 15.75 | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | OLI 01 | WIICEWI | 0.0000 | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.57 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | ļ | | UEP91 | 1PQW6 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | l | | UEP91 | 1PQW7 | 0.57 | | | | | | | | | | |
| \vdash | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLFBI | IF Q VV I | 0.57 | | | | | | | | | | |
| | | Different Wire Center | | | UEP91 | 1PQWP | 0.57 | | | | | | | | | | |
| | | | | | | | | İ | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP91 | 1PQWQ | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex | | | UEP91 | 1PQWA | 0.57 | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | | 1 | | | | | | | | | | | |
| | | changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | | Secondary Block, per Block | | | UEP91 UEP91 | M2CC1 URECA | 0.00 | 77.91 72.63 | | | | | 15.75 | | | | |
| | | NAR Establishment Charge, Per Occasion CENTREX - 5ESS (Valid in All States) | | | UEP91 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| | | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | • | | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | _ | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP95 | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 17.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 021 00 | | 17.13 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP95 | | 26.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design (Total Control Cont | | 4 | UEP95 | 1 | 44.91 | | | | | | | | | | |
| | | rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | - | | | | | | | | | | | |
| | | 2-vvire vG Loop/2-vvire voice Grade Port (Centrex) Port Combo - Desian | | 1 | UEP95 | | 15.12 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | 00 | | 10.12 | | | | | | | | | | |
| | | Design | | 2 | UEP95 | | 19.98 | | | | | | <u> </u> | | <u> </u> | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | | Design | | 3 | UEP95 | 1 | 28.78 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 4 | UEP95 | | 46.95 | | | | | | | | | | |
| - | | Design | | 4 | UEP95 | 1 | 46.95 | | | | | | | | | | |
| | UNE Lo | op Rate | | | | 1 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP95 | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 15.91 | | • | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP95 | UECS1 | 25.04 | | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP95 | UECS1 | 43.68 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 13.89 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP95 | UECS2 | 27.55 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| UNBU | INDI FI | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|-------------|----------|--|--|--|----------------|----------------|--------------|----------------|----------------|----------------|--------------|-----------|----------------|------------------------|------------------------|------------------------|-------------------------|
| 0.120 | | THE TOTAL ELEMENTO IMPOSORPE | | | | | | | | | | | | | | lu anamantal | |
| | | | | | | | | | | | | | | Incremental | | Incremental | Incremental Charge - |
| CATE | | | Interi | | | | | | | | | Sve Order | Sve Order | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| •••• | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | 1 | | | I | | per Lak | per Lok | 151 | Auu i | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | rurring | Nonrecurring | Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP95 | UECS2 | 45.72 | | | | | | | | | | |
| | UNE Po | | | | | | | | | | | | | | | | |
| | All Stat | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP95 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEBOE | LIEDVA 4 | 4.00 | 400.05 | 70.57 | 54.04 | 44.70 | | 45.75 | | | | |
| - | | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | - | UEP95 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| 1 | | 2-wire voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | 1 | | UEP95 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | 1 | 15.75 | | | | |
| - | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | - | | OL1 33 | ULFIZ | 1.23 | 100.33 | 10.51 | 54.24 | 11.70 | | 13.73 | | - | | |
| | | - Basic Local Area | | | UEP95 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | OLI 33 | OLI 13 | 1.23 | 70.31 | 13.04 | 24.90 | 0.30 | | 10.73 | | | | |
| | | Basic Local Area | 1 | | UEP95 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 1 | 15.75 | | | | |
| | | LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | Ú | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP95 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP95 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | OMES Veis Os la Bastancia de l'accentant de la cons | | | LIEBOE | LIEDOS | 4.00 | 40.04 | 40.04 | 04.00 | 0.50 | | 45.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP95 UEP95 | UEPQ9 UEPQ2 | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| - | FL & G | | | | UEF95 | UEPQZ | 1.23 | 40.31 | 19.04 | 24.90 | 0.30 | | 15.75 | | | | |
| | 1 L Q O | - Only | | | | | | | | | | | 13.73 | | | | |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7947 | | | | | | | | | | |
| | | 7 | | | | | | | | | | | | | | | |
| | Local N | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| <u> </u> | | All Standard Features Offered, per port | ļ | | UEP95 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| <u> </u> | | All Select Features Offered, per port | <u> </u> | <u> </u> | UEP95 | UEPVS | 0.00 | 404.98 | | | | ļ | 15.75 | | | | |
| <u> </u> | | All Centrex Control Features Offered, per port | | <u> </u> | UEP95 | UEPVC | 2.56 | | | | | | 15.75 | | - | | |
| — | NARS | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| - | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | 1 | - | UEP95 UEP95 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | 1 | | |
| | | Unbundled Network Access Register - Outdial | | - | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | aneous Terminations | 1 | | 00 | 5, 5,7 | 0.00 | 0.00 | 0.00 | | | | 10.70 | | 1 | | |
| | | Trunk Side | | | | 1 | i i | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | _ | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| ļ | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.56 | | | | | | | | | |
| | | ice Channel Mileage - 2-Wire | ļ | | LIEBAE | | 00.55 | 40 === | | | | | 4 = == | | | | |
| <u> </u> | | Interoffice Channel Facilities Termination | | <u> </u> | UEP95 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | - | | |
| | Foature | Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service | 1 | | UEP95 | MIGBM | 0.0098 | | | | | | | | | | |
| | | nnel Bank Feature Activations | .e | - | | + | | | | | | - | | | 1 | | |
| | D- Clia | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.57 | | | | | | | | | | |
| | | . Jacks 7 Journal of D 4 Originion Dank Control Loop Glot | | | 02. 00 | | 0.07 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| L | | Slot | <u></u> | <u>L</u> | UEP95 | 1PQW7 | 0.57 | | | <u> </u> | | <u></u> | | | <u> </u> | | |
| | | | | | _ | | | | | | | | | | _ | | |

| UNBU | INDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--|--|---|--|----------|----------------|----------------|--|--------|-----------|--------------|-------|--|-----------------------|--|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.57 | | | | | | | | | | |
| | | Silver Will Collect | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.57 | | | | | | | | | | <u> </u> |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.57 | | | | | | | | | | 1 |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | 1 |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | <u></u> | changes, per port | | | UEP95 | USAC2 | <u> </u> | 0.10 | 0.10 | | | | 15.75 | | | | <u> </u> |
| | | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 666.32 | · | | | | 15.75 | | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| | | CENTREX - DMS100 (Valid in All States) | | 1 | | | | | | | | | | | | | <u> </u> |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | ļ | | | | ļ | | | | | <u> </u> | | | ļ | | ↓ |
| | | | | | | | | | | | | | | | | | |
| - | UNE PO | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 17.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 26.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 3 | OLF 9D | | 20.20 | | | | | | | | | | + |
| | | Non-Design | | 4 | UEP9D | | 44.91 | | | | | | | | | | |
| | LINE D | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | + |
| - | UNE PO | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | | + | | | | | 1 | | | | | + |
| | | Design | 1 | 1 | UEP9D | | 15.12 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI OD | | 10.12 | | | | | | | | | | 1 |
| | | Design | | 2 | UEP9D | | 19.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 28.78 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | 1 |
| | | Design | | 4 | UEP9D | | 46.95 | | | | | | | | | | |
| | UNE Lo | oop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 25.04 | | | | | | | | | | |
| | <u> </u> | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | ļ | 4 | UEP9D | UECS1 | 43.68 | | | | | | | | | | + |
| | | O.Wire Veice Crede Lean (CLO) 7:114 | | - | LIEDOD | LIECOS | 10.00 | | | | | | | | 1 | | + |
| <u> </u> | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 13.89 | | | | | ļ | | | ļ. | | + |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | ! | 2 | UEP9D UEP9D | UECS2 UECS2 | 18.75 27.55 | | | | | 1 | | | 1 | - | + |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL21) - Zone 4 | | 4 | UEP9D | UECS2 | 45.72 | | | | | <u> </u> | | | 1 | 1 | + |
| | 1 | 2 11110 10100 Orado Loop (OLZ I) - 20116 4 | | + | OLI 3D | 01002 | 45.12 | | | | | | | | 1 | 1 | + |
| - | UNF Pr | ort Rate | 1 | | | + | | | | | | | | | 1 | | |
| | ALL ST | | | | | + | † | | | | | 1 | | | 1 | 1 | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | † |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | OLI 3D | OLFID | 1.23 | 40.31 | 15.04 | 24.90 | 0.56 | <u> </u> | 15.75 | | 1 | 1 | + |
| | | Area | | | UEP9D | UEPYC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |

| UNBL | INDLE | O NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|------|---------|---|-------------|------|----------------|----------------|--------------|-----------------|------------------|-----------------------|--------------|--------|----------------|---------------------------------------|---|---|---|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | FIISL | Add I | Filst | Auu i | SOWIEC | JOWIAN | JOWAN | SOWAN | JOWAN | JOWAN |
| | | Area | | | UEP9D | UEPYF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | OLI 9D | OLI TO | 1.20 | 40.51 | 13.04 | 24.50 | 0.30 | | 13.73 | | | | |
| | | Area | | | UEP9D | UEPYT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | OLI 9D | OLI 10 | 1.20 | 40.51 | 13.04 | 24.30 | 0.30 | | 15.75 | | | | |
| | | Area | | | UEP9D | UEPYV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | 02. 02 | 020 | 20 | 10.01 | 10.01 | 2 | 0.00 | | 10.10 | | | | |
| | | Area | | | UEP9D | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | OLI OD | OLI IW | 1.20 | 40.01 | 10.04 | 24.50 | 0.00 | | 10.70 | | | | |
| | | Basic Local Area | | | UEP9D | UEPYJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | OLI 9D | OLI II | 1.20 | 100.55 | 70.57 | 34.24 | 11.70 | | 15.75 | | | | |
| | | Basic Local Area | | | UEP9D | UEPYQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | OLI 9D | OLI IIX | 1.20 | 100.55 | 70.57 | 34.24 | 11.70 | | 13.73 | | | | |
| | | Basic Local Area | | | UEP9D | UEPYS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | OLI OD | OLI 14 | 1.20 | 100.00 | 70.07 | 04.24 | 11.70 | | 10.70 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLI OD | OLI 10 | 1.20 | 100.00 | 70.07 | 04.24 | 11.70 | | 10.70 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLI OD | OLI 12 | 1.20 | 100.00 | 70.07 | 04.24 | | | 10.70 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | AL, KY, | LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | - | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D UEP9D | UEPQB UEPQC | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-P5E1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | ļ | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | ļ | UEP9D UEP9D | UEPQF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D UEP9D | UEPQG UEPQT | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| | | 2-Wire Voice Grade Fort (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D UEP9D | UEPQ3 UEPQH | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| Ь | 1 | 2 THE TODO CIAGO FOR (CONTROL WILL CALLE) | 1 | | 021 00 | J WII | 1.23 | 70.31 | 15.04 | 24.30 | 0.56 | · | 15.75 | 1 | I | | l . |

| JNBL | JNDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|----------|--|-------------|--|----------------|----------------|--------------|------------------|----------------|--|----------------|---|----------------|--|--|---|---|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Indication)3 | | | UEP9D | UEPQW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | | 2 | | | UEP9D | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | O MESSA Visitar October 10 Post (October 1886 to OMO (EDO MESSA)) | | | LIEDOD | LIEDOD | 4.00 | 400.05 | 70.57 | 5404 | 44.70 | | 45.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | <u> </u> | UEP9D UEP9D | UEPQP UEPQQ | 1.23 1.23 | 108.35 108.35 | 70.57 70.57 | 54.24 54.24 | 11.70 11.70 | | 15.75 15.75 | | | | |
| | | 2-Wile Voice Grade Fort (Certifex differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.23 | 106.33 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | - " | | 20 | | . 5.51 | J | 0 | | 700 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | 1 | UEP9D | UEPQS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | 1 | 15.75 | | | | |
| | | , , | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | O MESSA Visitar October Post (October 1886 a OMO (EDO MESSA)) | | | LIEDOD | LIEDOS | 1.23 | 400.05 | 70.57 | 5404 | 44.70 | | 45.75 | | | | |
| | - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | <u> </u> | UEP9D | UEPQ6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLFBD | ULFQ1 | 1.23 | 100.33 | 70.57 | 34.24 | 11.70 | | 15.75 | | | | |
| | | Term | | | UEP9D | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | · | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7947 | | | | | | | | | | |
| | | lumber Portability Local Number Portability (1 per port) | | <u> </u> | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | UEF9D | LINFCC | 0.35 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Inward | | <u> </u> | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | - | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | aneous Terminations Trunk Side | | | | + | | | | | | | | | | | |
| | | Trunk Side Trunk Side Terminations, each | | 1 | UEP9D | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | | Digital (1.544 Megabits) | | | 021 00 | 021400 | 0.23 | 120.00 | 10.00 | 01.77 | 5.00 | | 13.13 | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.56 | | | | | | | | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP9D | MIGBM | 0.0098 | | | | | ļ | | | | | |
| | Factor | Astinations (DCO) Control Loss of Character LCC | | <u> </u> | | + | | | | | | | | | - | - | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service nnel Bank Feature Activations | e | - | | + | | | | | | - | | | - | - | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.57 | | | | | | | | 1 | 1 | |
| | | Todation on D-4 onaimer bank denties 200p oldt | | | OL1 3D | 11 Q 110 | 0.37 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | 1 | UEP9D | 1PQW6 | 0.57 | | | | | 1 | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | 3.01 | | | | | | | | | | İ |
| | | Slot | | L | UEP9D | 1PQW7 | 0.57 | | | <u> </u> | | <u> </u> | | | <u></u> | <u></u> | <u> </u> |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | 1 | Different Wire Center | | I | UEP9D | 1PQWP | 0.57 | | | | | l | | | l | l | l |

| UNBU | NDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|----------|---|--|------|----------------|----------------|----------------|------------------|-----------|-----------------------|------------|---------|----------------|-------------|--|-------------|--|
| ONDO | . TO LL. | THE THORK ELEMENTO IMPOSICOIPPI | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| CATE | | | Interi | | | | | | | | | 0 | 0 | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | | | Manual Svc |
| COKI | | | | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| - | | | | | | | 1 | | | ı | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonroa | | Monroourring | Disconnect | | | 220 | RATES (\$) | | |
| | | | | | | | Nec . | Nonrec First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | | | | | | - | 1 | 11131 | Auu | 11130 | Auu i | JOINLO | JOHAN | JONAN | JOHAN | JOHAN | JONAN |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.57 | | | | | | | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | 0.00 | 37.97 | 16.68 | | | | 15.75 | | | | |
| _ | | New Centrex Standard Common Block New Centrex Customized Common Block | | 1 | UEP9D UEP9D | M1ACS M1ACC | 0.00 | 666.32 666.32 | | | | | 15.75 15.75 | | | | |
| - | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.63 | | | | | 15.75 | | + | - | |
| \vdash | | TV II LOCASION | 1 | | OL1 3D | JILOA | 0.00 | 12.03 | | | | | 13.73 | | t | | |
| | UNF-P | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP9E | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9E | | 17.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 3 | LIEDOE | | 20, 20 | | | | | | | | | | |
| - | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 3 | UEP9E | | 26.26 | | | | | | - | | - | | |
| | | Non-Design | 1 | 4 | UEP9E | | 44.91 | | | | | | | | | | |
| | | Hon Bedign | | _ | 021 02 | | 44.01 | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9E | | 15.12 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 2 | UEP9E | | 19.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEDOE | | 00.70 | | | | | | | | | | |
| _ | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 3 | UEP9E | - | 28.78 | | | | | | | | | | |
| | | Design | | 4 | UEP9E | | 46.95 | | | | | | | | | | |
| | UNE Lo | pop Rate | | 7 | OLI 3L | | 40.33 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 25.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP9E | UECS1 | 43.68 | | | | | | | | | | |
| | | | ļ | L . | LIEBAE | LIEOS - | ļ | | | | | | | | 1 | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | <u> </u> | 1 | UEP9E | UECS2 | 13.89 | | | | | | | | - | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | - | 3 | UEP9E UEP9E | UECS2 UECS2 | 18.75 27.55 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL21) - Zone 4 | 1 | 4 | UEP9E UEP9E | UECS2 | 45.72 | | | | | 1 | 1 | | | | |
| | | ort Rate | | 7 | OLI UL | JL002 | 40.12 | | | | | | | | | | |
| | | KY, LA, MS, & TN only | † | | | 1 | 1 | | | | | 1 | | | † | | |
| | , -, | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | l | | | 1 | | | | | | | | | | | |
| | | Area | | | UEP9E | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | | | | | | | | | | | | | | |
| | | Area | ļ | | UEP9E | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEBOE | LIEDVA 4 | 4.00 | 400.05 | 70 | 5401 | 44 === | | 45 | | 1 | | |
| - | | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | | UEP9E | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | Z-wire voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | 1 | | UEP9E | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| \vdash | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | OL1 0L | JLI 12 | 1.23 | 100.35 | 10.31 | J4.24 | 11.70 | | 10.70 | | t | | |
| | | - Basic Local Area | 1 | | UEP9E | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | I | | |
| | | | • | • | | , , | | 10.01 | | 00 | 3.30 | | | | | | |

| <u>JNB</u> L | <u> INDLE</u> | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: E |
|--------------|---------------|--|-------------|------|----------------|----------|--------------|----------------|----------------|----------------|--------------|-------|---|--|--|---|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss i | RATES (\$) | | • |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9E | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | LA, MS, & TN Only | | | UEP9E | UEPQA | 4.00 | 40.04 | 40.04 | 04.00 | 0.50 | | 45.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E UEP9E | UEPQA | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) 1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEF9E | UEFQH | 1.23 | 40.31 | 19.04 | 24.90 | 0.36 | | 15.75 | | | | |
| | | Center)2 | | | UEP9E | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEF9E | UEPQIVI | 1.23 | 100.33 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | Term | | | UEP9E | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | O.W. Villa Cont. Bud translation 11 | | | LIEDOE | LIEDOS | | | | | | | 4 | | 1 | I | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | ļ | - | |
| | 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | - | |
| | Local C | witching | - | | | 1 | | | | | | | | | 1 | | - |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7947 | | | | | | | | 1 | t | - |
| | | Centrex interconn r untionality, per port | | | ULF9L | UNLOS | 0.7347 | | | | | | | | | | |
| | I ocal N | umber Portability | | | | + | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | OLI OL | LIVI OO | 0.00 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| | NARS | , | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Miscella | aneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire | Frunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.56 | | | | | 15.75 | | | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0098 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | <u> </u> | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.57 | | | | | | 15.75 | | | | |
| | | Frature Astination on D. 4 Channel Beats EV line C. In Law 2011 | | | LIEDOE | 400000 | 0.57 | | | | | | 45.75 | | | 1 | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9E | 1PQW6 | 0.57 | | | | | | 15.75 | | | | - |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.57 | | | | | | 15.75 | | | 1 | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | - | | OLFSE | IFQW/ | 0.57 | | | | | | 15.75 | | 1 | | - |
| | | Different Wire Center | | | UEP9E | 1PQWP | 0.57 | | | | | | 15.75 | | | 1 | |
| | + | Different Wife Offiter | | | OLI SL | II- QVVF | 0.57 | | | | | | 13.73 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.57 | | | | | | 15.75 | | | 1 | |
| | | Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop | | | | ~.** | 0.01 | | | | | | 10.70 | | | I | † |
| | | Slot | 1 | | UEP9E | 1PQWQ | 0.57 | | | | | | 15.75 | | l | I | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.57 | | | | | | 15.75 | | İ | İ | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | 1 | | | | | | | | | İ | İ | 1 |
| | i i | NRC Conversion Currently Combined Switch-As-ls with allowed | | | İ | 1 | | | | | | | | | İ | İ | 1 |
| | | changes, per port | | | UEP9E | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | 1 | I | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | | | | | | | 15.75 | | | | |
| | | New Centrex Customized Common Block | | | UEP9E | M1ACC | | | | | | | 15.75 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | | | | | | | 15.75 | | | | |
| | | - · | | 1 | ì | 1 | | | | | | | | | | | 1 |

| UNBU | NDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|--------------|---------|--|--|------|--------|---------|-------|--------|-----------|--|--------------|----------|-----------|-------------|--|--|-------------|
| 0.120 | | THE THORK ELEMENTO IMOGROUPPI | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | |
| CATE | | | Intori | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | | |
| GURT | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | , | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| - | LINE D | CENTREY DOO Walled in All MV LA MC 0 TAIN | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | 2-wire | vo Loop/2-wife voice Grade Port (Centrex) Combo | | | | | - | | | | | | | | | | |
| | LINE Do | rt/Loop Combination Rates (Non-Design) | 1 | | | | | | | | | 1 | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP93 | | 12.22 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 02. 00 | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP93 | | 17.13 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | <u>L</u> | 3 | UEP93 | 1 | 26.26 | | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | | | | | | | | | | | | |
| | | Non-Design | | 4 | UEP93 | | 44.91 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP93 | | 15.12 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | 40.00 | | | | | | | | | | |
| _ | | Design | | 2 | UEP93 | | 19.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 3 | UEP93 | | 28.78 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 3 | UEF93 | | 20.70 | | | | | 1 | | | | | |
| | | Design | | 4 | UEP93 | | 46.95 | | | | | | | | | | |
| | LINELO | op Rate | | - | OLI 33 | | 40.33 | | | | 1 | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 1 | UEP93 | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 25.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP93 | UECS1 | 43.68 | | | | | | | | | | |
| | | · · · | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 13.89 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 27.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL21) - Zone 4 | | 4 | UEP93 | UECS2 | 45.72 | | | | | | | | | | |
| | UNE Po | | | | | | | | | | | | | | | | |
| | | LA, MS, & TN only | | | 115500 | | 4.00 | 10.01 | | 21.22 | 0.50 | | | | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | - | 15.75 | - | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | | OLF 33 | OLF 1D | 1.23 | 40.31 | 19.64 | 24.90 | 0.38 | - | 10.75 | 1 | | 1 | |
| | | Area | | | UEP93 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | 021 00 | JE: 111 | 1.23 | 40.51 | 13.04 | 24.90 | 0.36 | t | 10.70 | 1 | I | | 1 |
| | | Center)2 Basic Local Area | 1 | | UEP93 | UEPYM | 1.23 | 108.35 | 7.57 | 54.24 | 11.70 | | 15.75 | | I | 1 | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP93 | UEPYZ | 1.23 | 108.35 | 7.57 | 54.24 | 11.70 | | 15.75 | | 1 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | | - Basic Local Area | | | UEP93 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | | | | | | | | | | <u> </u> | | | |
| | | Basic Local Area | | | UEP93 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | ļ | | UEP93 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | ļ | ļ | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | <u> </u> | | UEP93 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | - | ļ | ļ |
| - | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | ! | | UEP93 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | - | 15.75 | | 1 | - | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | UEP93 | UEPQM | 1 00 | 100.25 | 7.57 | 54.24 | 11.70 | | 15.75 | | I | 1 | |
| \vdash | | Center)2 | | | UEP93 | UEPQM | 1.23 | 108.35 | 7.57 | 54.24 | 11.70 | - | 15.75 | - | | | 1 |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | 1 | | UEP93 | UEPQZ | 1.23 | 108.35 | 7.57 | 54.24 | 11.70 | | 15.75 | | I | 1 | |
| \vdash | | IOIII | 1 | | OLF 33 | ULFUL | 1.23 | 100.33 | 1.51 | 34.24 | 11.70 | | 10.75 | 1 | t | 1 | 1 |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | I | 1 | |
| | | 2-Wire Voice Grade Port Terminated in 61 Wegamin of equivalent | | | UEP93 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | 1 | | |
| | | | 1 | | | | | | | | 5.00 | | 12.70 | | t | 1 | |
| | | | | | | | | | | | | 4 | · | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|-------------|------|-------|-------|--------|--------|-----------|--------------|------------|-------|---|--|--------------|---|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | 088.1 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local S | witching | | | | | İ | | 71441 | | 7.00. | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.7947 | | | | | | | | | | |
| | | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.56 | İ | | 1 | | | 15.75 | | | | |
| | | / 1 | | | İ | 1 | 1 | İ | | 1 | | | | | | İ | |
| | NARS | | | | | 1 | † † | İ | | 1 | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | 1 | | | 15.75 | | | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.56 | | | | | 15.75 | | | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0098 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.57 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP93 | 1PQW7 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | 2.07 | İ | | 1 | | | | | | | |
| | | Different Wire Center | | 1 | UEP93 | 1PQWP | 0.57 | l | | 1 | | | | | | | |
| | | | | | | | | i | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | i | | | | | | | | | |
| | | Slot | | 1 | UEP93 | 1PQWQ | 0.57 | l | | 1 | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.57 | j | | | | | | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | i i | | | | | İ | | | | | |
| | | changes, per port | 1 | 1 | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | 1 | 37.97 | 16.68 | | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 666.32 | | Ì | | | 15.75 | | | | |
| | | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | | |
| | Note 1 - | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | ĺ | | | Ì | | | | | | | |
| | Note 2 | - Requres Interoffice Channel Mileage | | | | | ĺ | | | Ì | | | | | | | |
| | | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| | | | 1 | | | | | | | | | | | | | T | |
|----------|---------|---|--|------|----------------------|----------------|-------------------|------------------|-----------------|----------------|------------------|-------------|--------------|----------------|--|--------------|--------------|
| UNBU | NDLE | NETWORK ELEMENTS - North Carolina | <u> </u> | | | 1 | | | | | | ı | 1 | Α | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | | Manual Svc | Manual Svc | | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonre | | Monroourrin | g Disconnect | | | 220 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | The Zor | ne" shown in the sections for stand-alone loops or loops as | part of a | comb | nation refers to Geo | graphically | Deaveraged UN | | | | | | | | | | COMPAR |
| | | ww.interconnection.bellsouth.com/become a clec/html/inter | | | | g. upou, | Journa agou on | | .o ooog.up | 200 | .goa | 200.ga | | 000, | | | |
| OPERA | | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | s rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | 2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | ements that cannot be ordered electronically at present per t | | | | in this cate | gory reflects the | e charge that v | vould be billed | I to a CLEC or | nce electronic o | rdering cap | abilities co | me on-line fo | r that elemen | . Otherwise, | the manual |
| - | oraerin | g charge, SOMAN, will be applied to a CLECs bill when it sub Electronic OSS Charge, per LSR, submitted via BST's OSS | omits ar | LSKI | o pensouth. | 1 | 1 | | | | 1 | ı | | | | 1 | |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | 1 | | |
| UNBUN | DLED E | XCHANGE ACCESS LOOP | | | | | | 3.30 | | | 1 | | | | | | |
| | | ANALOG VOICE GRADE LOOP | 1 | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Statewide | | SW | UEANL | UEAL2 | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 78.92 | 78.92 | | | | | 26.94 | 12.76 | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | 26.94 | 12.76 | | |
| | | Engineering Information Document (EI) | | | UEANL | 115 4140 | | 28.74 | 28.74 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 | | | UEANL | UEAMC | | 61.38 | 61.38 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 45.34 | 45.34 | | | | | | | | |
| | | Unbundled COPPER LOOP | | | 02,412 | 00002 | | 10.01 | 10.01 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop Non-Designed - SW | I | SW | UEQ | UEQ2X | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 26.94 | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 61.38 | 61.38 | | | | | 26.94 | 12.76 | | |
| | | Engineering Information Document Loop Testing - Basic 1st Half Hour | | | UEQ UEQ | URET1 | | 28.74 | 28.74 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| | | Loop Testing - Basic 1st Haif Hour Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 78.92 23.33 | 78.92 23.33 | | | | | 26.94 | 12.76 | | |
| UNBUN | | XCHANGE ACCESS LOOP | | | OLQ | UKLTA | | 23.33 | 23.33 | | | | | 20.94 | 12.70 | | |
| 0.120. | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | İ | | |
| | | 2 Wire Analog Voice Grade Loop -Service Level 1-Statewide- | | | | | | | | | | | | | | | |
| | | Line Splitting | - 1 | | UEPSR UEPSB | UEALS | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | | 2 Wire Analog Voice Grade Loop -Service Level 1-Statewide- | | | | | | | | | | | | | | | |
| | UNELA | Line Splitting op Rates for Line Splitting | | | UEPSR UEPSB | UEABS | 15.88 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide | | SW | UEPRX | UEPLX | 14.18 | | | | | | | | | | |
| UNBUN | | XCHANGE ACCESS LOOP | | 344 | OLI TOX | OLI LX | 14.10 | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | 1 | | | | | | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | | | UEANL | UREWO | | 48.07 | 22.00 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | LIEA | UEAL2 | 40.50 | 440.07 | 400 50 | | | | | 00.04 | 40.70 | | |
| - | | Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR) | 1 | SW | UEA UEA | OCOSL | 19.50 | 142.97 45.34 | 106.56 | | - | | | 26.94 | 12.76 | - | |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | OLA | JUUSL | + | 45.34 | | | | | | | | | |
| | | Battery Signaling-Statewide | | sw | UEA | UEAR2 | 19.50 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | İ | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 131.73 | 38.24 | | | | | 26.94 | 12.76 | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | ļ | | | | ļ | | |
| | | 4-Wire Analog Voice Grade Loop - Statewide | | SW | UEA | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 26.94 | 12.76 | | |
| <u> </u> | | Order Coordination for Specified Conversion Time (per LSR) ISDN DIGITAL GRADE LOOP | | | UEA | OCOSL | - | 45.34 | | | | | | | | | |
| — | | 2-Wire ISDN Digital Grade Loop - Statewide | 1 | SW | UDN | U1L2X | 24.98 | 325.91 | 251.31 | | | | | 26.94 | 12.76 | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | 1 | | UDN | OCOSL | 200 | 45.34 | 2001 | | | | | 20.07 | .2.70 | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UDN | UREWO | | 121.08 | 33.06 | | | | | 26.94 | 12.76 | | |
| | | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | • | | | | | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - | | | | | | | | | | | | | | | |
| - | | Statewide | <u> </u> | SW | UDC UDC | UDC2X UREWO | 24.98 | 325.91 121.08 | 251.31 33.06 | | 1 | | | 26.94 26.94 | 12.76 12.76 | - | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | L PΔTIRI F | LOOP | | UKEWU | | 121.08 | 33.06 | | 1 | - | | 26.94 | 12.76 | | |
| <u> </u> | TVIIVE | ACTION PROPERTY OF SOCIETY LINE (ADSL) COMP | AHBLE | LOUP | | 1 | 1 | | | | 1 | | 1 | | 1 | · | |

Version 4Q01: 01/31/02 Page 225 of 327

| LINID | ND: F | NETWORK ELEMENTS North Corolina | 1 | | | | | | | | | | | #==b====== | | Full 2 2 F |
|-------------|----------|--|--|----------|------------|----------------|-------|-----------------|-----------|--|-----------|-----------|-------------|--------------|-------------|-------------|
| UNBU | NULEL | NETWORK ELEMENTS - North Carolina | | | | 1 | 1 | | | | | | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | NATE ELEMENTO | m | 20110 | 200 | 0000 | | | = = (+) | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring Disconnect | | | OSS | RATES (\$) | | |
| | | | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| | | & facility reservation - Statewide | | SW | UAL | UAL2X | 14.60 | 504.90 | 456.17 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 45.34 | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry | | | UAL | UAL2W | 14.60 | 200.05 | 100.10 | | | | 26.94 | 12.76 | | |
| | | and facility reservaton - Statewide Order Coordination for Specified Conversion Time (per LSR) | | SW | UAL | OCOSL | 14.60 | 203.85 45.34 | 128.42 | | - | | 26.94 | 12.76 | | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 137.72 | 29.31 | | + | | 26.94 | 12.76 | | |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | OOP | OAL | OKEVVO | 1 | 157.72 | 23.31 | | 1 | | 20.34 | 12.70 | | |
| | _ ****** | 2 Wire Unbundled HDSL Loop including manual service inquiry | I | 1 | | | | | | | 1 | | | | | |
| | | and facility reservation - Statewide | 1 | sw | UHL | UHL2X | 11.98 | 504.90 | 456.17 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | 1 | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | İ | | | | | |
| | | and facility reservation - Statewide | <u></u> | SW | UHL | UHL2W | 11.98 | 221.08 | 145.65 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 137.66 | 29.31 | | | | 26.94 | 12.76 | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | |
| - | | and facility reservation - Statewide | | SW | UHL UHL | UHL4X OCOSL | 13.97 | 531.35 45.34 | 482.62 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | | UHL | OCOSL | | 45.34 | | | - | | | | | |
| | | and facility reservation - Statewide | | sw | UHL | UHL4W | 13.97 | 277.99 | 202.56 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | SW | UHL | OCOSL | 13.97 | 45.34 | 202.30 | | 1 | | 20.94 | 12.70 | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 137.66 | 29.31 | | | | 26.94 | 12.76 | | |
| | 4-WIRE | DS1 DIGITAL LOOP | | | OTIL | OKEWO | | 107.00 | 20.01 | | | | 20.04 | 12.70 | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | sw | USL | USLXX | 62.78 | 714.84 | 421.47 | | | | 42.19 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 45.34 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.15 | 40.01 | | | | 26.94 | 12.76 | | |
| | 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 32.67 | 489.04 | 337.51 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps | | SW | UDL | UDL56 | 32.67 | 489.04 | 337.51 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | 20.00 | 45.34 | | | | | 20.01 | 10 70 | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Statewide | | SW | UDL | UDL64 | 32.67 | 489.04 | 337.51 | | | | 26.94 | 12.76 | | |
| | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UDL UDL | OCOSL UREWO | | 45.34 131.57 | 38.65 | | - | | 26.94 | 12.76 | | |
| | | Unbundled COPPER LOOP | | | ODL | OKEWO | 1 | 131.37 | 30.05 | 1 | 1 | | 20.94 | 12.70 | | |
| - | | 2-Wire Unbundled Copper Loop/Short including manual service | | | | + | | | | 1 | 1 | | t | | | |
| | | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 13.40 | 281.95 | 162.85 | 1 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | † | <u> </u> | | 1 | 101.0 | | | | | | 12.30 | | | |
| | <u> </u> | inquiry & facility reservation - Zone 2 | <u>L</u> | 2 | UCL | UCLPB | 21.76 | 281.95 | 162.85 | | <u> </u> | <u> </u> | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 3 | <u> </u> | 3 | UCL | UCLPB | 25.01 | 281.95 | 162.85 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | |
| 1 | | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | | | | l l | | | | | | l |] | | |
| <u> </u> | | inquiry and facility reservation - Zone 1 | ! | 1 | UCL | UCLPW | 13.40 | 250.17 | 174.74 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 21.76 | 250.17 | 174.74 | 1 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | | UCL | UCLPVV | 21.76 | ∠50.17 | 1/4./4 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCLPW | 25.01 | 250.17 | 174.74 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| — | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | J | UCL | UCLMC | 20.01 | 61.38 | 61.38 | | 1 | | 13.35 | 13.35 | 10.00 | 13.33 |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | 1 | | - | | | 200 | 200 | | 1 | | | | | |
| | | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCL2L | 37.79 | 268.96 | 149.86 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCL2L | 63.16 | 268.96 | 149.86 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | 1 | | | |
| <u> </u> | | inquiry and facility reservation - Zone 3 | ļ | 3 | UCL | UCL2L | 73.02 | 268.96 | 149.86 | | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | ļ | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | 1 | | UCL | UCL2W | 37.79 | 189.00 | 440.57 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| L | l l | inquiry and facility reservation - Zone 1 | 1 | 1 1 | UUL | UCLZW | 37.79 | 189.00 | 113.57 | <u> </u> | 1 | ı | 19.99 | 19.99 | 19.99 | 19.99 |

| III. | <u> </u> | NETWORK ELEMENTO NEW CONTROL | | | | | | | | | | | | _ | | 1 | |
|--------------|----------|--|-------------|----------|-----------------------|----------------|----------|-----------------|-----------------|----------------|------------|-------------------|-----------------------|-------------|---|--|---|
| UNBU | NDLED | NETWORK ELEMENTS - North Carolina | | 1 | | 1 | 1 | | | | | | | Α | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | ı | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring I | Disconnoct | | | 220 | RATES (\$) | | |
| | | | | | | | 1 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 63.16 | 189.00 | 113.57 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 73.02 | 189.00 | 113.57 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 73.02 | 61.38 | 61.38 | | | | | 10.00 | 19.99 | 13.33 | 13.33 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 148.74 | 31.39 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND) | | | UEQ | UREWO | | 48.07 | 22.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 4-WIRE | COPPER LOOP | | | OLQ | UKLVVO | | 40.07 | 22.00 | | | | | 10.00 | 10.00 | 10.00 | 13.33 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.63 | 330.13 | 211.02 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 28.89 | 330.13 | 211.02 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | 002 | COLTO | 20.00 | 000.10 | 211.02 | | | | | 10.00 | 10.00 | 10.00 | 10.00 |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 33.28 | 330.13 | 211.02 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.63 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | Ė | | 002111 | 17.00 | 200 | | | | | | 10.00 | 10.00 | 10.00 | 10.00 |
| | | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 28.89 | 250.17 | 174.74 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | 3 | UCL | 1101 414 | 33.28 | 250.17 | 174.74 | | | | | 19.99 | 40.00 | 19.99 | 40.00 |
| | | facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCL4W UCLMC | 33.28 | 61.38 | 61.38 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | 01.00 | 01.00 | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 53.68 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 90.07 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCL4L | 90.07 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 104.23 | 317.14 | 198.03 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 4 | UCL | UCL4O | 53.68 | 237.18 | 161.75 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - | UCL | UCL4U | 55.66 | 237.10 | 161.75 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 90.07 | 237.18 | 161.75 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | 1101.40 | 404.00 | 007.10 | 101 == | | | | | 40.00 | 40.00 | 40.00 | 40.00 |
| | | inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL UCL | UCL4O UCLMC | 104.23 | 237.18 61.38 | 161.75 61.38 | - | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | JOL | COLIVIO | | 01.30 | 01.30 | | | | | | | | |
| | | (UCL-Des) | | | UCL | UREWO | | 148.74 | 31.39 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| LOOP N | | | | ļ | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEC | UI M2I | | 64.85 | 64.85 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | 07 L, 01 IL, 00L, 0LC | CLIVIEL | † | 04.00 | U-1.00 | | | | | 20.34 | 12.70 | | |
| | | greater than 18k ft | | <u> </u> | UCL, ULS | ULM2G | | 339.84 | 339.84 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 64.85 | 64.85 | | | | | 26.94 | 12.76 | | |
| - | | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | OI IL, UCL | ULIVI4L | 1 | 04.85 | 04.80 | | | | | 20.94 | 12.76 | | |
| | | pair greater than 18k ft | | <u></u> | UCL | ULM4G | <u> </u> | 339.84 | 339.84 | | | <u></u> | | 26.94 | 12.76 | <u> </u> | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | | | | | | | | | | | | | |
| SUB-LC | ODe | per unbundled loop | | - | UAL, UHL, UCL, UEC | ULMBT | | 64.90 | 64.90 | | | | | 26.94 | 12.76 | | |
| | | op Distribution | | | | | + | | | + | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | İ | | |
| | | Up | | ļ | UEANL | USBSA | | 498.09 | 498.09 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | l , | | UEANL | USBSB | | 45.04 | 45.04 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Odo Loop 1 of Orosa Dox Location - 1 of 20 1 all Fallet Set-Op | <u> </u> | <u> </u> | OL/ WIL | 00000 | | 75.04 | 70.04 | LL | | | | 20.34 | 12.70 | 10.12 | 10.12 |

| UNBL | JNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|-------|--------|--|-------------|--|---------------------|----------------|-------|-----------------|----------------|--------------|-------|--|-----------------------|--|--|---|-------------------------------------|
| CATE | | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | 1 | | RATES (\$) | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Facility Set-Up | - 1 | | UEANL | USBSC | | 313.01 | 313.01 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | LIFANII | HCDCD | | 400.00 | 400.00 | | | | | 26.94 | 12.76 | 45.40 | 45.40 |
| | | Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | <u> </u> | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Zone 1 | - 1 | 1 | UEANL | USBN2 | 7.99 | 126.03 | 54.54 | 71.13 | 10.16 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | 40.00 | 100.00 | | =1.10 | | | | | | 4.5.40 | 4.5.40 |
| | | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN2 | 12.63 | 126.03 | 54.54 | 71.13 | 10.16 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Zone 3 | - 1 | 3 | UEANL | USBN2 | 14.43 | 126.03 | 54.54 | 71.13 | 10.16 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | |
| | | Zone 1 | | 1 | UEANL | USBN4 | 9.23 | 156.52 | 79.66 | 78.56 | 13.53 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEANL | USBN4 | 14.63 | 156.52 | 79.66 | 78.56 | 13.53 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 16.73 | 156.52 | 79.66 | 78.56 | 13.53 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | 2010 0 | | Ŭ | OL/ UVL | OODIV | 10.70 | 100.02 | 70.00 | 70.00 | 10.00 | | | 20.04 | 12.70 | 10.12 | 10.12 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 3.50 | 114.05 | 37.20 | 76.58 | 10.81 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 45.34 | 45.34 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 3.75 | 127.67 | 50.82 | 78.71 | 10.69 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEANL UEF | USBMC UCS2X | 7.33 | 45.34 137.10 | 45.34 60.24 | 76.58 | 10.81 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | 2 Wire Copper Unburidled Sub-Loop Distribution - Zone 1 | l i | 2 | UEF | UCS2X | 10.95 | 137.10 | 60.24 | 76.58 | 10.81 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | | UEF | UCS2X | 12.36 | 137.10 | 60.24 | 76.58 | 10.81 | | | 26.94 | 12.76 | 15.12 | |
| | | 0-10 | | | UEF | USBMC | | 45.04 | 45.04 | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 7.14 | 45.34 162.24 | 45.34 85.38 | 78.56 | 13.53 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | i | | UEF | UCS4X | 11.09 | 162.24 | 85.38 | 78.56 | 13.53 | | | 26.94 | 12.76 | 15.12 | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS4X | 12.63 | 162.24 | 85.38 | 78.56 | 13.53 | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 45.34 | 45.34 | | | | | | | | |
| | | dled Sub-Loop Modification | | | UEF | USBIVIC | | 45.54 | 45.34 | | | | | | | | 1 |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | | | | | | | | | | |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 353.95 | 12.20 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 353.95 | 12.20 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | J | JEIVITA | | 333.33 | 12.20 | | | 1 | <u> </u> | 20.34 | 12.70 | 10.12 | 13.12 |
| | | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 557.78 | 14.23 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | dled Network Terminating Wire (UNTW) | | | LIENTAL | UENPP | 0.44 | 04.00 | 04.00 | | | | | 20.04 | 10.70 | 45.40 | 45.40 |
| | | Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID) | | - | UENTW | UENPP | 0.44 | 64.98 | 64.98 | | | - | - | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 86.37 | 56.69 | | | | | 26.94 | 12.76 | 15.12 | 15.12 |
| | | Network Interface Device (NID) - 1-6 lines | I. | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 26.94 | 12.76 | 15.12 | |
| | | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW UENTW | UNDC2 UNDC4 | | 11.68 11.68 | 11.68 11.68 | | | - | | 26.94 26.94 | 12.76 12.76 | 15.12 15.12 | |
| SUB-L | OOPS | THOUSENING THE PROPERTY OF THE | <u> </u> | | CLIVIVV | 314D04 | | 11.00 | 11.00 | | | 1 | † | 20.34 | 12.70 | 10.12 | 13.12 |
| | Sub-Lo | op Feeder | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | LIEA LIDALLICI LIBI | LICDEW | | 400.00 | | | | | | 40.00 | 40.00 | 40.00 | 40.00 |
| | | Distribution Facility set-up USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, UDN,UCL,UDL | JOBEW | | 498.09 | | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | set-up | | | UEA, UDN,UCL,UDL | | | 45.04 | 45.04 | | | | | 19.99 | 19.99 | 19.99 | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 523.51 | 11.31 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |

| IINRII | NDI FD | NETWORK ELEMENTS - North Carolina | 1 | | | | | | | | | | | Ι | ttachment: 2 | | Exhibit: E |
|--------|--|--|----------|----------|------------|----------------|----------------|------------------|------------------|--------|-----------------------|-----------|--|-------------------------|-------------------------|-------------------------|-------------------------|
| CIABO | NOLLD | NETWORK ELLINENTS - NOTHI CATOMIA | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| CATE | NOTEO | DATE ELEMENTO | Interi | - | D00 | | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | | |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | B | | | | D' | | | 000 | DATEO (A) | | |
| - | | | | | | | Rec | Nonrec First | urring Add'l | First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | - 1 | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | | | | Audi | 11130 | Addi | COMEO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | (| Grade - Zone 1 | | 1 | UEA | USBFA | 11.43 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 18.35 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | UEA | USBFA | 10.33 | 122.52 | 40.01 | 149.46 | 59.57 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | , | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 21.04 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 11.43 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | <u> </u> | 02/1 | 305, 5 | 11.73 | 122.02 | 70.01 | 140.40 | 55.51 | | | 10.00 | 10.05 | 13.33 | 10.55 |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 18.35 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 21.04 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| - | | Order Coordination for Specified Time Conversion, per LSR | 1 | 3 | UEA | OCOSL | ∠1.∪4 | 45.34 | 40.01 | 149.40 | 39.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | ļ | 1 | UEA | USBFC | 11.43 | 122.52 | 46.61 | 149.46 | 59.37 | | ļ | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 18.35 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | OL/ C | OOD! O | 10.00 | 122.02 | 40.01 | 140.40 | 00.07 | | | 10.00 | 10.00 | 10.00 | 10.00 |
| | | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 21.04 | 122.52 | 46.61 | 149.46 | 59.37 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| - | | Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 21.91 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | į. | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFD | 35.92 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 41.37 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | Ŭ | UEA | OCOSL | 11.01 | 45.34 | 111120 | | | | | 10.00 | 10.00 | 10.00 | 10.00 |
| | l | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | - 1 | Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | 1 | UEA | USBFE | 21.91 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Grade - Zone 2 | | 2 | UEA | USBFE | 35.92 | 226.36 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA UEA | USBFE OCOSL | 41.37 | 226.36 45.34 | 144.28 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 19.63 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 31.61 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 36.27 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| - | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | 1 | 1 | UDN UDC | OCOSL USBFS | 19.63 | 45.34 202.01 | 105.88 | | | | 1 | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 31.61 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 36.27 | 202.01 | 105.88 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | - | 1 2 | USL USL | USBFG | 39.69 67.36 | 393.01 393.01 | 153.37 153.37 | | | | | 42.19 42.19 | 12.76 12.76 | | |
| - | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | 1 | 3 | USL | USBFG | 78.12 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | | 1 |
| | (| Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | ļ | 1 | UCL | USBFH | 10.66 | 172.89 | 90.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 2 | UCL | USBFH | 16.44 | 172.89 | 90.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | l | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | _ | | | | | | | | | | | | | |
| | ; | 3 | | 3 | UCL | USBFH | 18.69 | 172.89 | 90.81 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | 1 | 1 | UCL UCL | OCOSL USBFJ | 14.68 | 45.34 207.14 | 134.77 | | | | - | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 23.74 | 207.14 | 134.77 | | | | | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ | 27.26 | 207.14 | 134.77 | | | | | 19.99 | 19.99 | 19.99 | |
| | | Order Coordination For Specified Conversion Time, per LSR | | _ | UCL | OCOSL | 20.74 | 45.34 | 400.00 | | | | 1 | 40.00 | 40.00 | 40.00 | 40.00 |
| - | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL UDL | USBFN | 26.71 44.07 | 215.00 215.00 | 132.92 132.92 | | | | 1 | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 | |
| | | oub-Loop i boddi - Fei 4-Wile 13.2 Nups Digital Glade Loop | <u> </u> | | UDL | OODI IV | 44.07 | 213.00 | 132.92 | l | 1 | · | 1 | 15.55 | 15.99 | 13.99 | 13.99 |

| UNBU | INDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|----------|----------------|----------------|--------------------|--------------------|------------------|------------------|----------------|-------|---|----------------|--|---|-----------------------|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 50.83 | First 215.00 | Add'I 132.92 | First | Add'l | SOMEC | SOMAN | SOMAN 19.99 | SOMAN 19.99 | SOMAN 19.99 | SOMAN 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | ODL | OOD! IV | 30.03 | 213.00 | 102.32 | | | | | 19.99 | 13.33 | 13.33 | 13.33 |
| | | Zone 1 | | 1 | UDL | USBFO | 26.71 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | LIODEO | 44.07 | 045.00 | 400.00 | | | | | 40.00 | 40.00 | 40.00 | 40.00 |
| | - | Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 2 | UDL | USBFO | 44.07 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Zone 3 | | 3 | UDL | USBFO | 50.83 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 45.34 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 26.71 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 40.00 |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | 1 | UDL | USBFP | 26.71 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Zone 2 | | 2 | UDL | USBFP | 44.07 | 215.00 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UDL | USBFP | 50.83 | 215.00 45.34 | 132.92 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| SUB-LO | OOPS | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | + + | 45.34 | | | | | | | | | + |
| | | op Feeder | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 16.03 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UE3 UDLSX | USBF1 1L5SL | 350.32 16.03 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | + |
| | | Sub Loop Feeder - STS-1 - Fer Mile Fer Month Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 376.06 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | |
| | | Sub Loop Feeder – OC-3 – Per Mile Per Month | | | UDLO3 | 1L5SL | 12.16 | 0,000.00 | 100.01 | 101.00 | 00.01 | | | 20.01 | 12.70 | | 1 |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | UDLO3 | USBF5 | 56.60 | | | | | | | | | | |
| | | Month Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF5 USBF2 | 564.14 | 3.383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | + |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 14.97 | 0,000.00 | 400.01 | 104.00 | 30.01 | | | 20.04 | 12.70 | | 1 |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDL12 | USBF6 | 639.50 1.841.00 | 3.383.00 | 400.04 | 404.00 | 93.01 | | | 26.94 | 12.76 | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL12 UDL48 | USBF3 1L5SL | 49.10 | 3,383.00 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | | + |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDL48 | USBF9 | 319.92 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 UDL48 | USBF4 USBF8 | 1,603.00 360.95 | 3,569.00 787.73 | 406.81 406.81 | 160.39 160.39 | 90.92 90.92 | | | 26.94 26.94 | 12.76 12.76 | | 1 |
| UNBUN | IDI FD I | OOP CONCENTRATION | | | UDL48 | USBF8 | 360.95 | 181.13 | 406.81 | 160.39 | 90.92 | | | 26.94 | 12.76 | | + |
| 0.120. | <u> </u> | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 398.41 | 652.26 | 652.26 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 58.36 | 271.78 | 271.78 | | | | | 19.99 | 19.99 | 19.99 | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC ULC | UCT3A UCT3B | 439.73 98.34 | 652.25 271.78 | 652.26 271.78 | | | | | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 | |
| | | Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 5.52 | 126.85 | 92.35 | 33.65 | 9.42 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | .20.00 | | | | 1 | | | | | |
| | | Card) | | <u> </u> | UDN | ULCC1 | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.19 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | - | | | | | | - | | | | | | |
| | | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 13.03 | 21.11 | 21.00 | 10.81 | 10.74 | ļ | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 37.98 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface | | | UDL | ULCC5 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | | | | | | | 2 | 200 | .5.01 | .5.74 | | | .0.00 | | .0.00 | |

| UNBL | JNDLEI | NETWORK ELEMENTS - North Carolina | 1 | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|---------|---|------------------|--|-------------------|--------------|--|----------|-----------|--------------|-------|--------|-----------------------|--|--|-------------------------|--|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | | | RATES (\$) | | |
| LINE | TUED D | ROVISIONING ONLY - NO RATE | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE C | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | - | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | | | | | | | | | - | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | | | | | | | | | | | | |
| UNE C | THER. P | ROVISIONING ONLY - NO RATE | 1 | | OLANE,OLI ,OLQ,OL | ONLON | | | | | | | | | | | |
| O.V.E. C | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,I | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | 1 | | UEA,UDIN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | I | 1 | 1 |
| - | | Unbundled DS1 Loop - Superframe Format Option - no rate | | 1 | USL | CCOSF | 0.00 | 0.00 | | | | | | | - | | — |
| - | | Unbundled DS1 Loop - Superframe Format Option - | ! | † | | 30001 | 0.00 | 0.00 | | | | | | | t | | |
| | | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | 1 | | 1 |
| HIGH | | Y UNBUNDLED LOCAL LOOP | 1 | - | 332 | | 5.00 | 0.00 | | | | | | | <u> </u> | 1 | † |
| | | 4 month minimum billing period | 1 | t | | | † † | | | | | | | | t | 1 | t |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | 1 | İ | | † 1 | | | | | | | | 1 | 1 | |
| | | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | 1L5ND | 11.12 | | | | | | | | | | |
| | | Termination per month | | | UE3 | UE3PX | 404.98 | 1,124.48 | 699.60 | | | | | 53.48 | 53.48 | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 11.12 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 417.70 | 1,124,48 | 699.60 | | | | | 53.48 | 53.48 | | |
| LOOP | MAKE-U | P | | | | | | , | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 56.34 | 56.34 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 58.56 | 58.56 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 1.04 | 1.04 | | | | | | | | |
| шен | | NCY SPECTRUM | 1 | | UIVIK | PSUIVIN | | 1.04 | 1.04 | | | | | | | | |
| півп | | ERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | - |
| - | SELITI | Line Sharing Splitter, per System 96 Line Capacity | <u> </u> | | ULS | ULSDA | 152.73 | 424.61 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | l i | | ULS | ULSDB | 38.18 | 424.61 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | l i | ! | ULS | ULSD8 | 12.73 | 424.61 | 0.00 | | | 1 | | 26.94 | 12.76 | | — |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD) | | | ULS | ULSDG | 12.70 | 146.32 | 31.27 | | | | | 26.94 | 12.76 | | |
| - | | GER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | V SPEC | TRIIM | | ULUDU | | 140.32 | 31.2/ | | | | | 20.94 | 12.76 | 1 | |
| - | | Line Sharing - per Line Activation (BST Owned Splitter) | JOPEC | KUM | ULS | ULSDC | 0.61 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | 1 | |
| - | | Line Sharing - per Line Activation (DS) Owned Splitter) | ' - | | 010 | OLODO | 0.01 | 30.92 | 20.59 | | | | | 20.94 | 12.70 | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | 1 | | ULS | ULSDS |] | 35.14 | 16.29 | | | | | 26.94 | 12.76 | 1 | 1 |
| - | | Line Sharing - per Line Activation (DLEC owned Splitter) | Hi | † | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | | 26.94 | 12.76 | | |
| - | | Line Splitting - per line activation (BEEC owned splitter) | L i | ! | UEPSR UEPSB | UREOS | 0.61 | 77.77 | 10.01 | 20.01 | 12.77 | | | 20.04 | 12.70 | | — |
| | | Line Splitting - per line activation BST owned - physical | t i | - | UEPSR UEPSB | UREBP | 0.641 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | 1 | |
| | | Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual | l i | † | UEPSR UEPSB | UREBV | 0.639 | 56.92 | 28.59 | | | | | 26.94 | 12.76 | 1 | t |
| UNBU | | RANSPORT | | 1 | | | 3.555 | 33.32 | 20.00 | | | | | 20.04 | .20 | 1 | |
| <u> </u> | | OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | Ė | t | 1 | 1 | † | | | | | | | | t | 1 | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | 127.40 | 52.58 | | | | | 38.07 | 20.07 | | |
| | | Facility Termination per month Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 18.00 | 137.48 | 5∠.58 | | | | | 38.07 | 38.07 | | |
| - | | Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | - | | U1TVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Facility Termination per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | - | | U1TVX | U1TR2 | 18.00 | 137.48 | 52.58 | 0.00 | 0.00 | | | 38.07 | 38.07 | | |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.0282 | | | | | | | | | | <u> </u> |

| UNBL | INDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|-------|--------|--|---------|----------|----------------|----------------|----------------|------------------|-----------------|-------|--------------|-----------|-----------|----------------|-------------------------|-------------------------|-------------------------|
| UNDO | | THE THORK ELEMENTS NOTH SALSHING | | | | | | | | | | | | | | Ingramantal | |
| | | | | | | | | | | | | | | Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| CATE | | | Interi | _ | | | | | D.4.TEQ(6) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | U1TVX | U1TV4 | 20.40 | 100.11 | CF 0F | | | | | 20.07 | 20.07 | | |
| | | - Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | UTIVX | 01174 | 22.16 | 106.11 | 65.95 | | | | | 38.07 | 38.07 | | |
| | | per month | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | 0.000 | | | | | | | | | | |
| | | Termination per month | | | U1TDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | | per month | | | U1TDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 17.40 | 137.48 | 52.58 | 0.00 | 0.00 | | | 38.07 | 38.07 | | |
| | INTERC | OFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | C.1DA | 31120 | 17.40 | 137.70 | 32.36 | 0.00 | 0.00 | | | 30.07 | 30.07 | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD1 | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | c | | | | | | | | | |
| - | INTER | Termination per month DEFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | U1TD1 | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | INTERC | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | 1 | 1 | | | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 12.98 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | U1TD3 | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 91.26 | 91.26 | | |
| | INTERC | OFFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 6.14 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | 01131 | ILSAA | 0.14 | | | | | | | | | | |
| | | Termination per month | | | U1TS1 | U1TFS | 790.37 | 642.23 | 408.89 | | | | | 53.48 | 53.48 | | |
| | | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | NOTE: | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin | g perio | d - belo | | | ove=four month | S | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | | | ULDVX | ULDV2 | | | | | | | | 42.17 | 12.76 | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1 | | 1 | ULDVX | ULDV2 | 12.51 | 553.80 | 89.69 | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - | | · | 02077 | 025 12 | 12.01 | 000.00 | 00.00 | | | | | | | | |
| | | Zone 2 | | 2 | ULDVX | ULDV2 | 21.23 | 553.80 | 89.69 | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UNDVX | ULDV2 | 24.62 | 553.80 | 89.69 | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1 | | 1 | UNDVX | ULDV4 | 13.40 | 562.23 | 92.67 | | | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - | | - | ONDVX | OLDV4 | 13.40 | 302.23 | 32.01 | | | | | | | | |
| L | | Zone 2 | | 2 | UNDVX | ULDV4 | 22.73 | 562.23 | 92.67 | | | <u> </u> | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - | | | | | | | | | | | | | | | |
| - | | Zone 3 | | 3 | UNDVX ULDD1 | ULDV4 ULDF1 | 26.37 | 562.23 | 92.67 462.69 | | | | | 42.17 | 40.70 | | |
| - | | Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2 | | 2 | ULDD1 ULDD1 | ULDF1 ULDF1 | 30.12 51.11 | 534.48 534.48 | 462.69 | - | | | - | 42.17 42.17 | 12.76 12.76 | | |
| - | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 59.28 | 534.48 | 462.69 | | | | | 42.17 | 12.76 | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | Ľ | ULDD3 | 1L5NC | 8.66 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | ULDD3 | ULDF3 | 496.76 | 562.25 | 527.88 | | | | | 56.25 | 56.25 | | |
| - | | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per | | | ULDS1 | 1L5NC | 8.66 | | | | | | | | | | |
| | | month | | | ULDS1 | ULDFS | 484.06 | 1,071.00 | 646.12 | | | | | 38.07 | 38.07 | | |
| MULTI | PLEXER | | | | | 322.0 | 104.00 | .,57 1.00 | 0-10.12 | | | | | 55.57 | 55.57 | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 24.85 | 8.16 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| - | | month (2.4-64kbs) | | | UDL | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 3.59 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 24.78 | 7.42 | | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |

| UNRI | INDI FI | O NETWORK ELEMENTS - North Carolina | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|---------|-----------|--|-------------|----------|------------|--------|--|----------|-----------|-------------------------|----------|--|--|---|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | | | | | | 40.00 | First | Add'l | First Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| DARK | FIBER | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 16.07 | 13.09 | 9.38 | | | | 24.85 | 8.16 | | \vdash |
| DAIN | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | |
| | | Thereof per month - Local Channel | | | UDF | 1L5DC | 53.86 | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,807.00 | 562.96 | | | | 38.07 | 38.07 | | <u> </u> |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 27.71 | | | | | | | | | ĺ |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | 27.77 | 1,807.00 | 562.96 | | | | 38.07 | 38.07 | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | |
| | | Thereof per month - Local Loop | | <u> </u> | UDF UDF | 1L5DL | 53.86 | 1 907 00 | ECO 00 | | | | 38.07 | 38.07 | | |
| TRANS | PORT C | NRC Dark Fiber - Local Loop THER | | | UDF | UDFL4 | 1 | 1,807.00 | 562.96 | | | 1 | 38.07 | 38.07 | | |
| | Optiona | al Features & Functions: | | | | | | | | | <u> </u> | | | | | |
| 8XX A | CESS T | EN DIGIT SCREENING | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005 | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 7.05 | 0.96 | | | | 26.94 | 26.94 | | i |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | OHD | NOICIX | | 7.05 | 0.90 | | | | 20.54 | 20.34 | | <u> </u> |
| | | POTS Translations | | | OHD | | | 23.82 | 2.73 | | | | 26.94 | 26.94 | | <u> </u> |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 23.82 | 2.73 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service | | | OLID | NOFOY | | 5.00 | 2.82 | | | | 20.04 | 20.04 | | i |
| | | Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OHD | N8FCX | 1 | 5.63 | 2.82 | | | | 26.94 | 26.94 | | |
| | | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 6.59 | 3.77 | | | | 26.94 | 26.94 | | ĺ |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 8.01 | 0.96 | | | | 26.94 | 26.94 | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | | ĺ |
| LINE | | Features TION DATA BASE ACCESS (LIDB) | | | OHD | N8FDX | | 5.63 | | | | | 26.94 | 26.94 | | |
| LINE II | VI OKIVIA | LIDB Common Transport Per Query | | | OQT | + | 0.0003 | | | | | | | | | — |
| | | LIDB Validation Per Query | | | OQU | | 0.0134 | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 62.26 | | | | | 26.94 | 26.94 | | |
| SIGNA | LING (C | | | | LIDD | DTOCY | 422.02 | | | | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message | | | UDB UDB | PT8SX | 132.83 0.00009 | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | ĺ | | | | | | | | | |
| | | link) | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB UDB | STU56 | 0.00004 338.98 | | | | | | | | | |
| | | CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code | | | UDB | 31036 | 330.96 | | | | | | | | | |
| | | Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | CCS7 Signaling Point Code, per Destination Point Code | | | | | | | | | | | | | | |
| | | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| CALLI | NG NAM | E (CNAM) SERVICE | | | | + | | + | | | 1 | | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | oqv | CDDCH | | 595.00 | 595.00 | | | | 26.94 | 26.94 | | |
| OPER/ | TOR CA | ALL PROCESSING | | | | + | | | | | - | - | | | | |
| J. L.W | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | + | | | | | | 1 | | | | |
| | | LIDB | | | | | 1.20 | | | | | | | | | <u> </u> |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | P | Attachment: 2 | | Exhibit: B |
|--------------|---------|---|-------------|----------|----------------------|-----------------|---------|----------|-----------|--------------|--------------|--|---|-----------|---------------|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | oss | RATES (\$) | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWAR | | ATOR SERVICES | | | | | | | | | | | | | | 1 | |
| | | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRANI | ING - O | PERATOR CALL PROCESSING | | 1 | | | 1.15 | | | | | | | | | | |
| DIVANE | | Recording of Custom Branded OA Announcement | | 1 | | CBAOS | | 7.000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | 10.00 | 10.00 |
| | | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | ĺ | | |
| DIREC | | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | DIRECT | ORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | 1 | | | 0.275 | | | | | | | | | | |
| | | ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.062 | | | | | | | | | | |
| - | | TORY TRANSPORT | | - | | | 0.062 | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access | | | | | | | | | | 1 | | | | | |
| | | Service Call | | | | | 0.0003 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.00004 | | | | | | | | | | |
| - | | Access Tandem Switching per Directory Assistance Access | | | | | 0.00004 | | | | | | | | | | |
| | | Service Call | | | | | 0.00055 | | | | | | | | | | |
| | | Directory Assistance Interconnection per Directory Assistance | | | | | 0.00000 | | | | | | | | | | |
| | | Access Service Call | | | | | 0.00269 | | | | | | | | | | |
| | | DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00018 | | | | | | | | | | |
| DIREC | | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | | ORY ASSISTANCE DATA BASE SERVICE (DADS) | | 1 | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | DDOOF | 0.04 | | | | | | | | | | |
| DDANIE | | Directory Assistance Data Base Service, per month RECTORY ASSISTANCE | | | | DBSOF | 150.00 | | | | | | | | | | |
| BRANL | | Based CLEC | | - | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded | | | | | | | | | | 1 | | | | | |
| | | Announcement | | | AMT | CBADA | | 6.000.00 | 6.000.00 | | | | | | | | |
| | | Loading of Custom Branded Announcement per DRAM | | | , | 02/12/1 | | 0,000.00 | 0,000.00 | | | 1 | | | | | |
| | | Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | UNEP C | | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM | | | | | | 4 470 00 | 4 470 00 | | | | | | | | |
| - | | Card/Switch per OCN ding via OLNS for UNEP CLEC | | - | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| <u> </u> | | Loading of DA per OCN (1 OCN per Order) | | <u> </u> | | | | 420.00 | 420.00 | - | - | _ | | | | | † |
| | | Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | 1 | 1 | | | 16.00 | 16.00 | | 1 | <u> </u> | | | | | 1 |
| SELEC | TIVE RO | | | | | | | 10.00 | 10.00 | | | | | | <u> </u> | — | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | | | Ì | | | | | Ì | İ | | | | İ | 1 | |
| 1 | | Switch | | | | USRCR | | 229.65 | 229.65 | | 1 | | | 40.18 | 9.45 | I | |
| VIRTU | | OCATION | | | | | | | _ | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 2,848.30 | 2,848.30 | | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 2,750.00 | 2,750.00 | ļ | ļ | ļ | | | ļ | ļ | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTES | ESPVX | 3.20 | | | | | ļ | | | ļ | | ļ |
| <u> </u> | | Virtual Collocation - Power, per breaker amp | | 1 | AMTFS | ESPAX | 3.48 | | | 1 | | ļ | | 1 | ļ | ! | 1 |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | 1 | | | | | I | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | | ESPSX EUEAC2 | 0.09 | 41.78 | 39.23 | 4.75 | 4.75 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| - | | Virtual Collocation - 4-wire Cross Connects (loop) | | | uea,uhl,ucl,udl,AMTF | | 0.18 | 41.78 | 39.25 | 4.73 | 4.73 | | | 19.99 | 19.99 | | 19.99 |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 15.99 | 67.34 | 48.55 | 0 | 1.70 | | | 19.99 | 19.99 | | 19.99 |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS | CNC4F | 28.74 | 82.35 | 63.56 | | 1 | 1 | i | 19.99 | 19.99 | | |

| UNBL | INDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|---------|--|-------------|------|----------------|----------------|----------|----------------|----------------|-------------|--------------|---------|--|--|--|--|--|
| | | | | | | | | | | | | | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Monrocurrin | g Disconnect | | | 000 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC1X | 0.97 | 71.02 | 51.08 | | | | | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS | CND3X | 56.25 | 151.90 | 11.83 | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | 7411110 | 12.05 | 0.0020 | | | | | | | | | | |
| | | Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0041 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CD | | 532.72 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AWITTS | VLICD | | 332.72 | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 532.72 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTES | SPTBX | | 41.00 | 25.00 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS AMTFS | SPTOX SPTPX | | 48.00 55.00 | 30.00 35.00 | | | | | | | | |
| | | Virtual collocation - Security Escott - Fremium, per hair hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | | | | |
| VIRTU | AL COLL | OCATION | | | 740111 0 | OI II IVI | | 40.50 | 40.00 | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSR | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | 5.55 | | | | | | | | 1=17.5 | | |
| | | Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | OLI OB | VETIVE | 0.03 | 41.70 | 39.23 | | | | | 20.34 | 12.70 | | |
| | | ISDN | | | UEPSX | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | V/E4D0 | 0.09 | 41.78 | 20.22 | | | | | 26.94 | 12.76 | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | UEPIX | VE1R2 | 0.09 | 41.78 | 39.23 | | | | | 26.94 | 12.76 | | |
| | | ISDN DS1 | | | UEPEX | VE1R4 | 0.18 | 41.91 | 39.25 | | | | | 26.94 | 12.76 | | |
| VIRTU | AL COLL | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 36.72 | 34.84 | | | 19.99 | 19.99 | | |
| AIN SE | LECTIV | E CARRIER ROUTING | | | UEFSK, UEFSB | VEILS | 0.0267 | 33.90 | 32.06 | 30.72 | 34.04 | | | 19.99 | 19.99 | | |
| | | Regional Service Establishment | | | SRC | SRCEC | | 391,788.00 | | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | End Office Establishment | | | SRC | SRCEO | | 320.53 | 320.53 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Line/Port NRC, per end user Query NRC, per query | | | SRC SRC | SRCLP | 0.000448 | 2.06 | 2.06 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN - E | | TH AIN SMS ACCESS SERVICE | | | SKC | | 0.000446 | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | A1N | CAMSE | | 294.77 | 294.77 | | | | | 26.94 | 26.94 | | |
| 1 | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 86.94 | 86.94 | | | | | 26.94 | 26.94 | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 86.94 | 86.94 | | | | | 26.94 | 26.94 | | |
| | | AIN SMS Access Service - User Identification Codes - Per User | | | | | | | | | | | | | | | |
| <u> </u> | | ID Code | | | A1N | CAMAU | | 200.83 | 200.83 | | | - | | 26.94 | 26.94 | | |
| 1 | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | | 172.05 | 172.05 | | | | | 26.94 | 26.94 | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | • | 3, | 0.0023 | 112.00 | 112.00 | | | t | t | 20.04 | 20.04 | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0791 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.08 | | | | | | | | | | |
| AIN - E | ELLSOL | Minute ITH AIN TOOLKIT SERVICE | | | | + | 2.08 | | | | | - | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | 1 | | | | | | | | | | | |
| <u> </u> | | Initial Setup | | | CAM | BAPSC | | 290.05 | 290.05 | | | l | 15.69 | | | | |

| IUNKIIN | ב בי | NETWORK ELEMENTO Needs Constitution | 1 | | | | | | | | | | | | | | |
|----------------|---------|---|-------------|---------|--------------------|-----------------|------------------|-------------------|-------------------|-----------------|---------------|---------------|-----------------------|--|--|---|---|
| 3.1001 | IDLED | NETWORK ELEMENTS - North Carolina | | | | 1 | ı | | | | | 1 | ı | Α | ttachment: 2 | 1 | Exhibit: B |
| CATE GORY | IOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | AINI Tarillit Canina Tarinina Cannina Day Customan | ļ | | | BAPVX | | First 8.363.00 | Add'I 8.363.00 | First | Add'l | SOMEC | SOMAN 15.69 | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPVX | | 8,363.00 | 8,363.00 | | | | 15.69 | | | | |
| | | DN. Term. Attempt | | | | BAPTT | | 72.76 | 72.76 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Off-Hook Delay | | | | BAPTD | | 72.76 | 72.76 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTM | | 70.70 | 70.70 | | | | 45.00 | | | | |
| | | DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 72.76 | 72.76 | | | | 15.69 | | | | |
| | | DN, 10-Digit PODP | | | | ВАРТО | | 149.95 | 149.95 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, CDP | | | | BAPTC | | 149.95 | 149.95 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTE | | 440.0- | 440.0= | | | | 45.00 | | | | |
| - | | DN, Feature Code AIN Toolkit Service - Query Charge, Per Query | | - | | BAPTF | 0.02 | 149.95 | 149.95 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.02 | | | | | | | | | | |
| | ; | Subscription, Per Node, Per Query | | | | | 0.005 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | | | | |
| | | Account, Per 100 Kilobytes | | | | | 1.45 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 15.98 | 71.80 | 71.80 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | CAW | DAF IVIO | 13.90 | 71.00 | 71.00 | | | | 13.09 | | | | |
| | | Subscription | | | CAM | BAPLS | 0.08 | 47.20 | 47.20 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | Subscription | | | CAM | BAPDS | 15.90 | 71.80 | 71.80 | | | | 15.69 | | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.003 | 47.20 | 47.20 | | | | 15.69 | | | | |
| ENHANC | | TENDED LINK (EELs) | | | CAW | DAI LO | 0.003 | 47.20 | 47.20 | | | | 10.00 | | | | |
| N | NOTE: N | lew EELs available in GA, TN, KY, LA, MS, & SC and density | zone 1 | of foll | owing MSAs: Orland | do, FL; Miam | i, FL; Ft. Laude | rdale, FL; | | | | | | | | | |
| | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- | | | | | | | | | | | | | | | |
| | | n all states, EEL network elements shown below also apply to GA, TN, KY, LA, MS & SC the EEL network elements apply | | | | | | | As Is Charge a | pplies to curre | ntly combined | facilities co | onverted to | UNEs.(Non-re | ecurring rates | do not apply. | .) |
| | | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | l linents.(No s | SWITCH AS IS CH | iarge.) | | | | | | | 1 | | |
| H | | First 2-Wire VG Loop - Service Level 2/DS1 Interofficed | | | / (| | | | | | | | | | | | |
| | | Transport Combination - Statewide | | SW | UNCVX | UEAL2 | 19.50 | 142.97 | 106.56 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINGAY | 41.5007 | 0.5750 | | | | | | | | 1 | | |
| | | per month Interoffice Transport - Dedicated - DS1 combination - Facility | | - | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Each Additional 2-Wire Vg Loop(SI2) In The Same Ds1 | | | LINGVO | LIEALO | 19.50 | 440.07 | 400.50 | | | | | 20.07 | 20.07 | | |
| \vdash | | Interoffice Transport Combination Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | UNCVX | UEAL2 | 19.50 | 142.97 | 108.56 | | | | | 38.07 | 38.07 | | |
| | | Each Additional 2-wire vs Loop(sL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | | | | | | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | Ĭ | | | | | | | | | | | | | |
| | | per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| |] | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINGAY | 1111000 | | 04 == | 04 == | 00.55 | 40.00 | | | 00.0= | 00.07 | | |
| - 4 | -WIRE | is Charge VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | FROFE | ICE TP | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4 | | First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport | LKOPF | IOE IK | ANOFORT (EEL) | | | | | | | | | | | | |
| | | Combination - Statewide | | sw | UNCVX | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 38.07 | 38.07 | | |
| | | nteroffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | l | | | | | | | | | |
| <u> </u> | | Per Month | ļ | ļ | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | ONOTA | 51111 | 71.29 | 211.11 | 100.73 | | | | | 30.07 | 30.07 | | |
| | | Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |

| UNBU | NDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|---------|---|-------------|----------|----------------|---------|--|---------|-----------|-------|--------------|-------|-----------|---------------------------------------|--|---|-------------------------|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | per month Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport Combination - Statewide | | sw | UNCVX | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 38.07 | 38.07 | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE | 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | | 20 | 20 | 02.20 | 10.00 | | | 00.01 | 00.01 | | |
| | | First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL56 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINGAY | 41.500/ | 0.5750 | | | | | | | | | | |
| | | Per Month Interoffice Transport - Dedicated - DS1 - combination Facility | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL56 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | 1 | 21.75 | 21.75 | 32.20 | 10.90 | | | 30.07 | 36.07 | | |
| | | First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL64 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Per Month | | 3,, | UNC1X | 1L5XX | | 400.04 | 007.01 | | | | | 00.07 | 00.01 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | 0.5753 | | | | | | | | | | |
| | | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | Month OCU-DP COCI (data) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide | L | sw | UNCDX | UDL64 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | EROFFI | CE TRA | | 011000 | | 21.70 | 21.70 | 02.20 | 10.50 | | | 00.01 | 00.07 | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Statewide | | sw | UNC1X | USLXX | 62.78 | 714.84 | 421.47 | | | | | 38.07 | 38.07 | | |
| | | Per Month | | <u> </u> | UNC1X | 1L5XX | 0.5753 | | | | | | | 30.31 | 55.57 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | 0.47 :- | 100 | | | | | | | | |
| | | Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | 4-WIDE | Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | EROFFI | CE TD | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | <u> </u> |
| | +-441KE | First DS1Loop in DS3 Interoffice Transport Combination - | LAUFFI | OE IKA | NITOFONI (EEL) | | | | | | | | - | | | | \vdash |
| - | | Statewide Interoffice Transport - Dedicated - DS3 combination - Per Mile | | sw | UNC1X | USLXX | 62.78 | 714.84 | 421.47 | | | | | 38.07 | 38.07 | | |
| | | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | UNC3X | 1L5XX | 12.98 | | | | | | ļ | | | | |
| | | month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 38.07 | 38.07 | | |

| UNBU | NDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---------|---|----------|--------|----------------|----------------|----------------|-----------------|----------------|-----------------------|--------------|--|--|----------------|----------------|-------------|-------------|
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | | Manual Svc |
| GORY | NOTES | NATE ELEMENTO | m | 20116 | 500 | 0000 | | | π. Ευ(ψ) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | ļ | | , | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonroo | urrina | Nonroourring | , Diagonnoot | | | 220 | RATES (\$) | | |
| | | | | | | | Rec | Nonrec First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | = | | | | | | | | | |
| | | Statewide DS3 Interface Unit (DS1 COCI) combination per month | | SW | UNC1X UNC1X | USLXX UC1D1 | 62.78 16.07 | 714.84 13.09 | 421.47 9.38 | | | | | 38.07 38.07 | 38.07 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOTA | OCIDI | 10.07 | 13.03 | 9.30 | | | | | 30.07 | 30.07 | | |
| | | Is Charge | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 2-WIRE | VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN | TEROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | UNCVX | UEAL2 | 19.50 | 142.97 | 400.50 | | | | | 38.07 | 20.07 | | |
| | | Combination - Statewide Interoffice Transport - Dedicated - 2-wire VG combination - Per | | SW | UNCVX | UEAL2 | 19.50 | 142.97 | 106.56 | | | | | 38.07 | 38.07 | | |
| | | Mile Per Month | | | UNCVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | | | | | | | | | | | |
| | | combination - Facility Termination per month | | | UNCVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | 1 | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN | TEROFF | ICE TR | | UNCCC | + + | 21.75 | 21.75 | 32.20 | 10.96 | | | 36.07 | 36.07 | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Statewide | | SW | UNCVX | UEAL4 | 27.49 | 288.47 | 237.45 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | 11000 | 41.500/ | 0.0000 | | | | | | | | | | |
| | | Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge | | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | DS3 DIG | GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per | CE TRA | NSPOR | T (EEL) | 1 | 1 | | | | | | | | | | |
| | | Mile per month | | | UNC3X | 1L5ND | 11.12 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - | | | 011000 | TESIND | 11.12 | | | | | | | | | | |
| | | Facility Termination per month | | | UNC3X | UE3PX | 404.98 | 1,071.00 | 646.12 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 12.98 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCOX | 01113 | 720.36 | 754.54 | 379.33 | | | | | 36.07 | 36.07 | | |
| | | Is Charge | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | STS1 D | IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TE | RANSPO | ORT (EEL) | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | LINCSY | 1L5ND | 11.12 | | | | | | | | | | |
| - | | High Capacity Unbundled Local Loop - STS1 combination - | | | UNCSX | ILDIND | 11.12 | | | | | | | | | | |
| L | | Facility Termination per month | <u> </u> | | UNCSX | UDLS1 | 417.70 | 1,071.00 | 646.12 | | | <u> </u> | <u> </u> | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| <u> </u> | | per month | ļ | | UNCSX | 1L5XX | 6.14 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 790.37 | 794.94 | 679.55 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | . | | 011007 | 51110 | 130.31 | 134.54 | 010.00 | | | | | 30.07 | 30.07 | | |
| | | Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 2-WIRE | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | |
| 1 | | First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport - Statewide | | sw | UNCNX | U1L2X | 24.98 | 325.91 | 251.31 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | 1 | οW | UNC1X | 1L5XX | 0.5753 | 323.91 | 231.31 | | | - | | 30.07 | 30.07 | | |
| | | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| 1 | | Channelization - Channel System DS1 to DS0 combination - | | | LINCAV | MO1 | 440.00 | 107.70 | 440.00 | | | | | 20.07 | 20.07 | | |
| - | | per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | 1 | 1 | 38.07 | 38.07 | | |
| 1 | | combination - per month | | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Statewide | 1 | SW | UNCNX | U1L2X | 24.98 | 325.91 | 251.31 | | | <u> </u> | 1 | 38.07 | 38.07 | | |

| HINDH | INDI EI | O NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|---------|---|-------------|--|----------------------------|----------------------|-----------------|-----------------|----------------|--------------|------------|---------|------------------------------------|--|---|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - |
| | | | | | | | 1 | | | I | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss i | RATES (\$) | | |
| | | O using ICDNI COCI (DDITE) DC4 to DC0 Channel Curtain | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | 0.4 == | | | 40.00 | | | | | | |
| | 4-WIRE | Is Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | UNC1X RANSPORT (EEL) | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | , , | | | | | | | | | | | | |
| | | Statewide Interoffice Transport - Dedicated - STS1 combination - Per Mile | | SW | UNCIX | USLXX | 62.78 | 714.84 | 421.47 | | | | | 38.07 | 38.07 | | |
| | | Per Month | | | UNCSX | 1L5XX | 6.14 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 790.37 | 794.94 | 679.55 | | | | | 38.07 | 38.07 | | |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 233.10 | 403.90 | 234.40 | | | | | 38.07 | 38.07 | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | LINIOAN | 1101.307 | 00.70 | 74404 | 101 17 | | | | | 00.07 | 00.07 | | |
| | | Statewide DS3 Interface Unit (DS1 COCI) combination per month | | SW | UNC1X UNC1X | USLXX UC1D1 | 62.78 16.07 | 714.84 13.09 | 421.47 9.38 | | | | | 38.07 38.07 | 38.07 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOTA | OOIDI | 10.07 | 10.00 | 0.00 | | | | | 00.07 | 00.01 | | |
| | | Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRE | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | ļ |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Statewide | | sw | UNCDX | UDL56 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| - | | Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | ļ |
| | | Facility Termination | | | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| - | 4-WIDE | Is Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | EEICE 1 | DANG | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | - |
| | 4-WIIKE | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | I IOL I | IVAINO | OKT (EEE) | | | | | | | | | | | | |
| | | Combination - Statewide | | SW | UNCDX | UDL64 | 37.67 | 489.04 | 337.51 | | | | | 38.07 | 38.07 | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOBA | OTTE | 17.40 | 137.40 | 32.30 | | | | | 30.07 | 30.07 | | |
| | L | ls Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| ADDITI | | ETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr | na cha | race de | not apply but a S | witch As Is a | hargo doos ann | alse | | | | | | | | | - |
| | | ised as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | 1 |
| | Node (S | SynchroNet) | | | | | , | | | | | | | | | | |
| | Nonrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | ļ |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | 1 | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | NOTE: | ls Charge - STS1 Local Channel - Dedicated Transport - minimum billing perio | d - Belo | w DS3: | UNCSX one month. DS3 an | UNCCC d above=fou | r months | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | - |
| UNBUN | IDLED L | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | <u> </u> | | | | | | | <u> </u> |
| | | ge Ports | | | | | | | | | | | | | | | |
| | | Although the Port Rate includes all available features in GA, I VOICE GRADE LINE PORT RATES (RES) | KY, LA | & TN, t | he desired features | will need to | oe ordered usin | g retail USOCs | 3 | | | | | | | | - |
| - | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | + |
| | | | | | | · · · - | | 00 | 00 | | | | | | | | |

| | | N==W==W== | 1 | | | | | | | | | | | | | | |
|----------|--------|--|-------------|----------|-------------------------------|----------------|------------------------|----------------|-----------------------|-------------------|-----------------|-------------|-------------|--|--|---|---|
| UNBU | NDLE | NETWORK ELEMENTS - North Carolina | | | | 1 | T | | | | | | | Α | ttachment: 2 | | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | F | Po | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | OSSI | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| | FEATU | | | | - | | | | | | | | | | _ | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| — | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | OLFOD | OLFBL | 2.19 | ∠1.00 | ∠1.00 | | | | | 20.94 | 12.70 | | |
| | | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| - | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.94 | 12.76 | | |
| | FEATU | | | | 02. 02 | 007100 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| | EXCHA | NGE PORT RATES (DID & PBX) | | | | | ļ | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSE UEPSP | UEPRD UEPPC | 2.18 2.18 | 21.60 21.60 | 21.60 21.60 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP UEPSP | UEPXB UEPXC | 2.18 2.18 | 21.60 21.60 | 21.60 21.60 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 02. 0. | 02.7.2 | 20 | 21.00 | 21.00 | | | | | 20.0 | 12.70 | | |
| | | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPSP | UEPXL | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Room Calling Port | | | UEPSP | UEPXM | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | FEATU | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| | | NGE PORT RATES (COIN) | | | OLI OF OLI OL | OLI VI | 0.40 | 0.00 | 0.00 | | | | | 20.04 | 12.70 | | |
| | | Exchange Ports - Coin Port | | | | | 2.59 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Transmission/usage charges associated with POTS circuit st | | | | | | | | | | | | | | | |
| LIMPLE | | Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS) | availal | ole only | through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | lities will be de | etermined via t | he Bona Fid | ie Request/ | New Business | s Request Pro | cess. | |
| UNBUN | | NGE PORT RATES (DID & PBX) | | | | 1 | 1 | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 12.36 | 108.78 | 84.60 | | | | | 26.94 | 12.76 | | |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 123.65 | 143.53 | 82.68 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 24.50 | 117.59 | 117.59 | | | | | 55.30 | 55.30 | .0.00 | |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | |
| | | Transmission/usage charges associated with POTS circuit su | | | | | | | | | | | | | | | |
| - | | Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles | availal | ole only | V through BFR/New UEPTX UEPSX | U1UMA | quest Process. 0.00 | Rates for the | packet capabi 0.00 | iities will be de | etermined via t | ne Bona Fid | ie Request/ | New Business | s kequest Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDIN Port Channel Profiles | 1 | | DEL IY DELOY | UTUIVIA | U.00 | 0.00 | U.UU | | | | l | | | | |

| UNBU | NDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|--------|---|-------------|---------|-----------------------|----------------|--|---------------|-------------|--------------|----------------|-------------|---|--|--|---|--|
| CATE GORY | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 179.75 | 241.63 | 241.63 | | | | | 53.89 | 53.89 | | |
| UNBUN | | OCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0015 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU n Switching (Port Usage) (Local or Access Tandem) | | | | | 0.00023 | | | | <u> </u> | | | | | | ļ |
| | | Tandem Switching Function Per MOU | | | | | 0.0006 | | | | | | | 1 | | | - |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0003 | | | | | | | | | | † |
| | | on Transport | | | | | 0.0000 | | | Ì | Ì | | | 1 | | | † |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.00001 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.00034 | | • | | | | | | | | |
| UNBUN | | PORT/LOOP COMBINATIONS - COST BASED RATES | L | | | L | <u>. </u> | | | ļ | ļ | | | ļ | | | <u> </u> |
| | | ased Rates are applied where BellSouth is required by FCC an | | | | | | | | 15 | (// | | | | | | |
| | | es shall apply to the Unbundled Port/Loop Combination - Cost fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/I oo | Combination | 1 | - | |
| | | orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T | | | | | | | | | | | | | | na characa a | nnly to Not |
| | | tly Combined Combos for all states. In GA, KY, LA, MS, SC an | | | | | | | | | | | | | | | |
| | | rrently Combined Combos in all other states, the nonrecurring | | | | | | | | and NC mese | e nonrecurring | charges are | e Warket Ka | tes and are an | so iistea iii tii | e market Kate | section. |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | g charg | es siia | i be those identified | I III the Noni | l l | entry Combine | u sections. | 1 | I | 1 | | | l | l | I |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide | | SW | | | 16.46 | | | | | | | | | | |
| | | oop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | SW | UEPRX | UEPLX | 14.18 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | FEATU | RES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPRA | USACZ | † | 2.11 | 0.40 | | | | | 40.16 | 9.45 | | 1 |
| | | Switch with change | | | UEPRX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| 1 | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | 1 | | |] | | | | I | | | |
| | | Subsequent Database Update | | | | | ļ | 1.42 | | | | ļ | | 10.27 | | | |
| | | ONAL NRCs | | | | 1 | | | | | | <u> </u> | 1 | 1 | | | ļ |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | 02.700 | 23/102 | 5.00 | 0.00 | 0.00 | | | | | 70.10 | 0.40 | | |
| | | ort/Loop Combination Rates | | | | | † | | | Ì | Ì | | | 1 | | | † |
| | | 2-Wire VG Loop/Port Combo - Statewide | | SW | | | 16.46 | | | | | | | | | | |
| | | op Rates | | | - | | | | - | | | | | | | _ | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | SW | UEPBX | UEPLX | 14.18 | | | ļ | ļ | | | ļ | | | |
| | | Voice Grade Line Port (Bus) | | | HEDDY | HEDDI | 0.00 | 00.00 | 00.00 | | | ļ | | 40.10 | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 2.28 | 90.00 | 90.00 | - | ļ | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus | | | UEPBX UEPBX | UEPBC UEPBO | 2.28 | 90.00 | 90.00 | - | + | | | 40.18 40.18 | 9.45 9.45 | - | |
| | | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 2.28 | 90.00 | 90.00 | 1 | <u> </u> | | | 40.18 | 9.45 | | |
| | | NUMBER PORTABILITY | | | 0 L1 D/ | J. LD. | 2.20 | 30.00 | 30.00 | 1 | 1 | 1 | 1 | 40.10 | 3.43 | | — |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | 1 | 1 | | | 1 | | | |
| | FEATU | | | | | | | | | | 1 | | | | 1 | | |
| | | All Features Offered | | | UEPBX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |

Version 4Q01: 01/31/02 Page 241 of 327

| Column C | UNBU | NDLED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--|----------|-------|--|----------|----------|---------|--|--------|-------|-----------|----------|------|-----------|-----------|---------------|--------------|-------------|--|
| No. 1 | 0.120 | | | | | | | | | | | | | | | | Incremental | |
| ATE LEARNY OF A PARE L | | | | | | | | | | | | | | | | | | |
| Summer S | | NOTES | DATE ELEMENTO | Interi | Zana | DCC. | usoc | | | DATES(\$) | | | Svc Order | Svc Order | | | | |
| Part | GORY | NOTES | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | | | | | | |
| Note | | | | | | | | | | | | | | | | | | |
| Prest | | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| Prest | | | | | | | | _ | | | | | | | | | | |
| Wife Food Conde Loop / Line Port Combination / Commission Use/Ass | | | | | | | | Rec | | | | | COMEC | COMAN | OSSI | RATES (\$) | COMAN | COMAN |
| Selection-de-late 1.00 1 | - | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | FIRST | Add I | FIRST | Addi | SOMEC | SOWAN | SUMAN | SOWAN | SUMAN | SOMAN |
| System visce Cand Lazer Lare Perf Commentation - Convention Section | | | | | | UEPBX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| 2-View Vacas Control Export 1-View Port Combination 2-View Vacas Control Export 1-View 1-Vie | | | | | | | | | | | | | | | | | | |
| Subsequent Distallation Update Port Combination - Subsequent 1.42 | | | | | | UEPBX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| ADDITIONAL NRGS ADDITIONAL | | | | | | | | | | | | | | | 40.00 | | | |
| E-Vive Votes Grade Lope Name Port Commission - Sussequent UsePux UseP | | | | | | | | | 1.42 | | | | | | 10.27 | | | |
| Activity Comparison Compa | - | | | | | | | | | | | | | | | | | |
| Description | | | | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2-Wine Vol Long/Prior Combo - Statements | | | | | | | | | | | | | | | | | | |
| UPE Loop Rates | | | | | | | | 10.10 | | | | | | | | | | |
| 2-Wive Votor Grade Lop (St. 1) - Streewed | | | | | SW | | | 16.46 | | | | | | | | | | |
| 2-Wine Voice Grade Line Port Rates (RES. PRX) | - | | | | SW | LIEPRG | UEPLX | 14 18 | | | | | | | | | | |
| Res | | | | | | 02.110 | 02.27 | 10 | | | | | | | | | | |
| COAL NUMBER PORTABILITY | | | | | | | | | | | | | | | | | | |
| EACH Number Portablety (1 per port) | | | | | | UEPRG | UEPRD | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| FEATURES | - | | | | | LIEDDO | LNDCD | 2.45 | 0.00 | 0.00 | - | | | | | | | |
| All Features Offered UEPRG UEPRG UEPRG UEPRG USAC2 2.77 0.40 0.00 | - | | | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| NONRECURRING CHARGES (NIRCs) - CURRENTLY COMBINED | | | | | | UEPRG | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| Conversion - Switch-As-Is | | | | | | | | | | | | | | | | | | |
| Conversion - Switch with Change UEPRG USACC 2.77 | | | | | | | | | | | | | | | | | | |
| Conversion - Switch with Change UEPRG USACC 2.77 0.40 40.18 9.45 | | | | | | UEPRG | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 1.42 10.27 1 | | | | | | LIEDRG | LISACC | | 2 77 | 0.40 | | | | | 40.18 | 9.45 | | |
| Subsequent Database Update | - | | | | | OLI IKO | UUAUU | - | 2.11 | 0.40 | + | | | | 40.10 | 3.43 | | |
| ADDITIONAL NRCs | | | | | | | | | 1.42 | | | | | | 10.27 | | | |
| Subsequent Activity - ChangerRearrange Multiline Hunt Group 14.64 16.64 | | | | | | | | | | | | | | | | | | |
| PRX Subsequent Activity - Change/Rearrange Multiline Hunt Group 14.64 14.64 40.18 9.45 14.64 40.18 | | | | | | LIEBBO | 110 400 | 0.00 | 0.00 | 0.00 | | | | | 40.40 | 0.45 | | |
| STOUD 14.64 14.6 | - | | | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | - | | | | 40.18 | 9.45 | | - |
| 2-Wire Voice GRADE LOOP WiTH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| 2-Wire VG Loop/Port Combo - Statewide | | | | | | | | | | | | | | | | 91.10 | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (St. 1) - Statewide | | | | ļ | SW | | | 16.46 | | | | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | C/W | LIEPPX | LIEPLY | 1// 19 | | | - | | | | | | | + |
| Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPC 2.28 90.00 90.00 40.18 9.45 Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 2.28 90.00 90.00 40.18 9.45 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPPC 2.28 90.00 90.00 90.00 40.18 9.46 2-Wire Voice Unbundled PBX LD Terminal Ports UEPPX UEPPX UEPPX UEPXB 2.28 90.00 90.00 90.00 40.18 9.46 2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPPX UEPXB 2.28 90.00 90.00 90.00 40.18 9.45 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UE | | | | | JW | OLI I X | OLI LA | 14.10 | | | | | | | | | | |
| Line Side Unbundled Outward PBX Trunk Port - Bus UEPPX UEPPD 2.28 90.00 90.00 90.00 40.18 9.45 | | | ` , | | | | | | | | | | | | | | | |
| Line Side Unbundled Incoming PBX Trunk Port - Bus | | | | ļ | ļ | | | | | | | | | | | | | ļl |
| 2-Wire Voice Unbundled PBX_LD Terminal Ports | \vdash | | | <u> </u> | <u> </u> | | | | | | | | | | | | | + |
| 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX | \vdash | | | 1 | - | | | | | | - | | | | | | | \vdash |
| 2-Wire Voice Unbundled PBX LD Terminal Hotel Ports UEPPX UEPX UEPX | | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | | | | | | + | | | | | | | \vdash |
| 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPX | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port UEPX UEPX UEPX 2.28 90.00 90.00 40.18 9.45 40.18 9.45 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPX UEPX UEPX 2.28 90.00 90.00 40.18 9.45 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPX UEPX UEPX UEPX UEPX 0.28 90.00 90.00 40.18 9.45 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPX UEPX 0.2.28 90.00 90.00 40.18 9.45 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPX UEPX 0.2.28 90.00 90.00 90.00 40.18 9.45 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPX 0.2.28 90.00 90 | | | | | | | | | | | | | | | | | | |
| Capable Port | | | | ļ | | UEPPX | UEPXD | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPX | | | | | | LIEDDY | LIEDYE | 2 20 | 90.00 | 90.00 | | | | | <i>1</i> 0 19 | 0.45 | | |
| Administrative Calling Port UEPX | | | | | | OLI I A | JLI AL | 2.20 | 50.00 | 50.00 | + | | | | 40.10 | ₹.40 | | \vdash |
| Room Calling Port UEPX UEPXM 2.28 90.00 90.00 40.18 9.45 | | | Administrative Calling Port | <u>L</u> | <u>L</u> | UEPPX | UEPXL | 2.28 | 90.00 | 90.00 | <u> </u> | | <u> </u> | | 40.18 | 9.45 | | <u> </u> |
| 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPPX UEPXO 2.28 90.00 90.00 40.18 9.45 | | | | | | | | | | | | | | | | | | |
| Discount Room Calling Port UEPPX UEPX UEPX UEPX 90.00 90.00 40.18 9.45 | | | | ļ | | UEPPX | UEPXM | 2.28 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | | | | LIEPPX | LIEPYO | 2 29 | 90.00 | മറ വ | | | | | <i>I</i> O 19 | 0.45 | | |
| | | | | 1 | - | | | | | | + | | | | | | | \vdash |
| | | | | | | | | | | | | | | | | | | |

| UNBL | INDLEI | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|-------|---------|---|-------------|------|----------------|----------------|--|---------------|---------------|-------------------------|--|-----------------------|---|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | ossi | RATES (\$) | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | First 0.00 | Add'l 0.00 | First Add'l | SOMEC | SOMAN | SOMAN 40.18 | SOMAN 9.45 | SOMAN | SOMAN |
| | FEATU | | | | UEPPA | LINECE | 3.15 | 0.00 | 0.00 | | | | 40.16 | 9.43 | | |
| | | All Features Offered | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | 40.18 | 9.45 | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 2.77 | 0.40 | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 2.77 | 0.40 | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 1.42 | | | | | 10.27 | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 40.18 | 9.45 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | OLFFX | USASZ | 0.00 | 14.64 | 14.64 | | | | 40.18 | 9.45 | | |
| | | STOUP: VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR ort/Loop Combination Rates | Т | | | | | 14.04 | 14.04 | | | | 40.10 | 5.40 | | |
| | | 2-Wire VG Coin Port/Loop Combo – Statewide | | SW | | | 16.80 | | | | | | | | | |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | SW | UEPCO | UEPLX | 14.18 | | | | | | | | | |
| | 2-Wire | Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (NC) 2-Wire Coin 2-Way with Operator Screening (NC) | | | UEPCO UEPCO | UEPND UEPNC | 2.62 2.62 | 90.00 | 90.00 | | | | 40.18 40.18 | 9.45 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening (NC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | DEPCO | UEFING | 2.02 | 90.00 | 90.00 | | | | 40.16 | 9.45 | | |
| | | 900/976, 1+DDD (NC, TN) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEPRP | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| | | (NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: | | | UEPCO | UEPNB | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| | | 900/976, 1+DDD, 011+, and Local (NC, TN) 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | UEPCO | UEPCA | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| | | (NC) | | | UEPCO | UEPNE | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC) | | | UEPCO | UEPCL | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 2.62 | 90.00 | 90.00 | | | | 40.18 | 9.45 | | |
| - | | ONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate) | | - | UEPCO | URECU | 3.70 | 90.00 | 90.00 | | | <u> </u> | 40.18 | 9.45 | | |
| | | NUMBER PORTABILITY | | | OLFOO | UNLOU | 3.70 | 90.00 | 90.00 | | + | | 40.18 | 9.40 | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 2.77 | 0.40 | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 2.77 | 0.40 | | | | 40.18 | 9.45 | | |
| | ADDITI | ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | |
| IINDI | ים ביים | Activity PORT/LOOP COMBINATIONS - COST BASED RATES | | - | UEPCO | USAS2 | | 0.00 | 0.00 | | 1 | | 40.18 | 9.45 | | |
| UNDUI | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | 1 | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | <u> </u> | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide | | SW | | | 31.07 | | | | | | | | | |
| | | pop Rates | | | | | 10.50 | 440.0= | 400 F0 | | | ļ | 40.40 | 0.45 | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Statewide | | SW | | + | 19.50 | 142.97 | 106.56 | | + | | 40.18 | 9.45 | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 12.36 | 485.00 | 75.00 | | | | 40.18 | 9.45 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|---------|--|----------|--|-------|--------|------------|--|------------------------|-----------|--------------|------------|-----------|-----------|-------------------------|-------------------------|-------------------------|--|
| 0.120 | | THE I TORK ELEMENTO HOLLING GALOMIA | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | Incremental | Incremental | I I |
| CATE | | | Interi | | | | | | | | | | Cua Ordar | Cua Order | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | Е | CS | USOC | | | RATES(\$) | | | | Submitted | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. |
| | | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | per LSR | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | per Lor | per Lor | 131 | Auu | Disc 1st | Disc Add I |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPPX | | USAC1 | | 13.26 | 8.39 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | ADDITI | with BellSouth Allowable Changes DNAL NRCs | | <u> </u> | UEPPX | | USA1C | | 13.26 | 8.39 | | | | | 40.71 | 9.45 | | - |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 53.49 | | | | | | 40.18 | 9.45 | | |
| | Telepho | one Number/Trunk Group Establisment Charges | | | OLITA | | 00/101 | 1 | 00.40 | | | | | | 40.10 | 0.40 | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | | |
| | | of 20 DID Numbers | ļ | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | ļl |
| | ļ | Additional DID Numbers for each Group of 20 DID Numbers | ļ | <u> </u> | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| - | 1 | DID Numbers, Non- consecutive DID Numbers , Per Number | 1 | - | UEPPX | | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | | | - | | |
| | | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | - | | | | |
| | LOCAL | NUMBER PORTABILITY | | | OLFFX | | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | ISDN DIGITAL GRADÉ LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | PORT | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | _ | | | | | | | | | | | |
| - | LINELA | Statewide | | SW | UEPPB | UEPPI | R | 44.49 | | | | | | | | | | |
| | | op Rates 2-Wire ISDN Digital Grade Loop - Statewide | | SW | UEPPB | UEPPR | HIGH OV | 20.12 | 325.91 | 251.31 | | | | | 19.99 | 19.99 | | - |
| | UNE Po | | | SW | OLFFB | ULFFR | USLZA | 20.12 | 323.91 | 231.31 | | | | | 15.55 | 19.99 | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 24.37 | 525.00 | 400.00 | | | | | 19.99 | 19.99 | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 174.35 | 174.35 | | | | | 19.99 | 19.99 | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| | LOCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | - |
| | B-CHAI | NNEL USER PROFILE ACCESS: | | | OLFFB | ULFFR | LINEUX | 0.33 | 0.00 | 0.00 | | | | | | | | |
| | 2 01.01 | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, 8 | TN) | | · | | | , in the second second | | | | | | | | | $oxed{oxed}$ |
| | | ERMINAL PROFILE | | | UEPPB | UEPPR | 11411540 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | <u> </u> | UEPPB | UEPPR | UTUMA | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | OFFICE CHANNEL MILEAGE | | | OLITE | OLITIK | OLI VI | 0.40 | 0.00 | 0.00 | | | | | 10.00 | 10.00 | | |
| | | Interoffice Channel mileage each, including first mile and | l | | | | | 1 | | | | | | | | 1 | | |
| | | facilities termination | | | | UEPPR | M1GNC | 17.42 | 137.48 | 52.58 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0282 | 0.00 | 0.00 | | | | 0.00 | | | | |
| - | 4 14"5- | DOLDIOTAL LOOP WITH A WIRE IONS DOLDIOTS. TOUR | (BCS= | <u> </u> | | | - | | | | | | | | | | | |
| \vdash | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK ort/Loop Combination Rates | YORI | | | | - | + | | | | | | | | | | ├ |
| — | JINE PO | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - | | | | | | + + | | | | | | | | | | \vdash |
| 1 | | Statewide | | sw | UEPPP | | | 241.72 | | | | | | | | | | |
| | UNE Lo | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | | | - | | | | | | | | |
| | UNE Po | | ļ | | == | | LIEBE- | | | | | | | | | | | |
| <u> </u> | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 179.01 | 1,150.00 | 1,150.00 | | | | | 19.99 | 19.99 | | |
| - | NONKE | CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | - | - | | | 1 | + | | | | | | - | | | | \vdash |
| | | Combination - Conversion -Switch-as-is | 1 | | UEPPP | | USACP | 0.00 | 481.51 | 481.51 | | | | | 19.99 | 19.99 | | |
| | ADDITI | ONAL NRCs | 1 | | | | 1 | 5.50 | .0 | .001 | | | | | .0.00 | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | Subsequent Inward/2-Way Tel Nos - (NC Only) | <u> </u> | | UEPPP | | PR7TG | | 1.17 | 1.17 | | | | | 19.99 | 19.99 | | |

| UNBU | NDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|--------------------|--|-------------|------|----------------|----------------|-------------------|----------------|------------------|--------------|-------|--|--|--|--|----------|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | Looman | | RATES (\$) | 001111 | |
| | | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Activity Outward tel nos. (NC only) | | | UEPPP | PR7TP | | 28.17 | 28.17 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | | Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | PR7ZT | | 56.33 | 56.33 | | | | | 19.99 | 19.99 | | |
| | | NUMBER PORTABILITY Local Number Portability (1 per port) | | 1 | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | | FACE (Provsioning Only) | | | UEPPP | LINPCIN | 1.75 | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional "B" Channel | | | LIEDDD | DD3C; | | 22.25 | | | | | | | 10.0- | | |
| | | New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel | | - | UEPPP | PR7BV | 0.00 | 36.92 | | | | | - | 19.99 19.99 | 19.99 | | 1 |
| | | New or Additional - Digital Data B Channel New or Additional Inward Data B Channel | | | UEPPP UEPPP | PR7BF PR7BD | 0.00 | 36.92 36.92 | | | | | | 19.99 | 19.99 19.99 | | |
| | CALL T | | | 1 | OLFFF | רויוטט | 0.00 | 30.92 | | | | | | 19.99 | 19.99 | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile Each Airline-Fractional Additional Mile | | 1 | UEPPP UEPPP | 1LN1A 1LN1B | 71.3683 0.0783 | 217.17 | 163.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | UEPPP | ILINIB | 0.0783 | - | | | | | | | | | <u> </u> |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide | | sw | UEPDC | | 186.23 | | | | | | | 19.99 | 19.99 | | |
| | | pop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Statewide | | SW | UEPDC | USLDC | 62.71 | 714.84 | 482.62 | | | | | 19.99 | 19.99 | | |
| | | ort Rate | | | LUEBBO | | 100.05 | | | | | | | 10.00 | 40.00 | | |
| | | 4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED | | | UEPDC | UDD1T | 123.65 | | | | | | | 19.99 | 19.99 | | <u> </u> |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | † | | | | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 288.86 | 133.87 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 288.86 | 133.37 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | ADDIT | - Conversion with Change - Trunk ONAL NRCs | | | UEPDC | USAWB | | 288.86 | 133.37 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | - | - | | | | | | | | | <u> </u> |
| | | Service Activity Per Service Order | | | UEPDC | USAS4 | 1 | 127.63 | 127.63 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | 1 | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.81 | 28.81 | | | ļ | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | LIEDDO | LIDTES | | | | | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | - | UEPDC | UDTTB | | 28.81 | 28.81 | | | | - | 19.99 | 19.99 | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire DDHS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | 1 | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | l | 1 | 021 00 | 00110 | | 20.01 | 20.01 | | | 1 | | 13.33 | 13.33 | | 1 |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | i | | | | | | | | | | |
| | | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | ļ | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | | AR 8 ZERO SUBSTITUTION | | 1 | LIEDDO | 00005 | | 0.00 | 015.00 | | | <u> </u> | | 10.00 | 10.00 | | |
| | | B8ZS -Superframe Format | - | | UEPDC UEPDC | CCOSF | - | 0.00 | 615.00 615.00 | | | | | 19.99 19.99 | 19.99 19.99 | | |
| | | | | | OLFDO | OUUEF | | 0.00 | 015.00 | | | | | 19.99 | 19.99 | | |
| | | B8ZS - Extended Superframe Format | | | | | | | | | | | | | | | |
| | Alterna | B8ZS - Extended Superframe Format te Mark Inversion | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | Alterna | B8ZS - Extended Superframe Format te Mark Inversion AMI - Superframe Format AMI - Extended SuperFrame Format | | | UEPDC UEPDC | MCOSF MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | Alterna | B8ZS - Extended Superframe Format te Mark Inversion AMI - Superframe Format AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges | | | UEPDC | МСОРО | | | | | | | | | | | |
| | Alterna Telepho | B8ZS - Extended Superframe Format te Mark Inversion AMI - Superframe Format AMI - Extended SuperFrame Format | | | | | 0.00 | | | | | | | 19.99 19.99 | 19.99 | | |

| UNBU | INDLE | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|--------------|---------|---|-------------|---------|---------------------|--|------------------|--------|-----------|--------------|------------|----------|-----------------------|--|--|---|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | l | | | | | | | | | | | |
| | | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC UEPDC | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | | | - | | - |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loon | | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | Digital | СООР | With 4-Wile DDITO | I | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | | | 19.99 | 19.99 | | |
| | | Tommason | | | 02. 50 | | 7 1.20 | 2 | | 0.00 | 0.00 | | | 10.00 | 10.00 | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.0783 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | 1 | | 5.55 | 2.20 | | | | | | 1 | İ | |
| | | miles | | | UEPDC | 1LNOB | 0.0783 | 0.00 | 0.00 | | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.0783 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | 4-WIRE | DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | | | | | | | | | | | | |
| | | ystem can have up to 24 combinations of rates depending on | type ar | nd nun | ber of ports used | | | | | | | | | | | | |
| | UNE DS | | | | | | | | | | | | | | | | |
| | | 4-wire DS1 Loop UNE - Statewide | | SW | UEPMG | USLDC | 62.71 | | | | | | | 19.99 | | | |
| | | 60 Channelization Capacities (D4 Channel Bank Configuration | 18) | | LIEDMO | \ (I I I I I I I I I I I I I I I I I I I | 100.00 | 0.00 | 0.00 | | | | | 10.00 | 40.00 | | |
| | | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG UEPMG | VUM24 VUM48 | 123.06 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 96 DSO Channel Capacity - 1 per 2 DS1s | | - | UEPMG | VUM96 | 246.12 492.24 | 0.00 | 0.00 | | | | | 19.99 19.99 | 19.99 19.99 | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,230,60 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,476,72 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | 1 |
| i | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,461.20 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | 1 |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | İ | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | Non-Re | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | A Minin | num System configuration is One (1) DS1, One (1) D4 Channel | l Bank, | and U | p To 24 DSO Ports w | ith Feature A | Activations. | | | | | | | | | | |
| | | es of this configuration functioning as one are considered Ad | ld'I afte | r the m | ninimum system con | figuration is | counted. | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | | |
| | | Additions at End User Locations Where 4-Wire DS1 Loop wit | h Chan | neliza | tion with Port Comb | ination Curre | ntly Exists and | | | | | | | | | | |
| | | ot Currently Combined) In GA, KY, LA, MS & TN Only | | | | 1 | | | | | | | | | - | ļ | - |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 140.00 | 17.68 | | | 19.99 | 1 | | |
| | | Fea Activation - New GA, LA, KY, MS, &TN Only 8 Zero Substitution | - | - | ULFIVIG | VUIVID4 | 0.00 | 143.14 | 320.22 | 149.02 | 17.08 | | | 19.99 | | | |
| | | Clear Channel Capability Format, superframe - Subsequent | - | | | + | - | + | | | | | | | | 1 | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | 1 | | |
| | | Clear Channel Capability Format - Extended Superframe - | - | | OLI IVIG | 00001 | 0.00 | 0.00 | 015.00 | | | | | | | | 1 |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | I | | I |
| | | te Mark Inversion (AMI) | | | 1 | 30021 | 0.00 | 0.00 | 310.00 | | | | | | I | 1 | I |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | 1 | | 1 |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | 1 | İ | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| | Exchan | ge Forts Associated with 4-wire DST Loop with Channelization | JII WILLI | | | | | | | | | | | | | | |

| UNBU | INDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|----------|--|----------|--|-----------------------|------------------|----------------------|-----------------|------------------|------------------|-----------------------|--------------|--------------|---------------|---------------------|-----------------|-------------|
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | | | Incremental |
| CATE | | | Interi | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | | | Manual Svc |
| GOKI | | | | | | | | | | | | Submitted | | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Names | | Namaanimi | Di | | | 222 | DATES (A) | | |
| | | | | | | | Rec | Nonred First | Add'l | First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | | FIISL | Add I | FIISL | Add I | SOMEC | SOWAN | SUMAN | SOWAN | SUMAN | SUMAN |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | | Ellie Glad Gatward Gharmonzod i Ext Haritti Git Basiness | | | OLI I X | OLI OX | 2.20 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.10 | 5.46 | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 13.26 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | Feature | Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | | Feature (Service) Activation for each Line Side Port Terminated | | | | | | | | | | | | | | | |
| | | in D4 Bank | | | UEPPX | 1PQWM | 0.65 | 25.27 | 13.34 | 4.15 | 4.12 | | | 40.18 | 9.45 | | |
| 1 | | Feature (Service) Activation for each Trunk Side Port Terminated | | | | | | | |] | | | | | | | |
| | <u> </u> | in D4 Bank | | | UEPPX | 1PQWU | 0.65 | 77.75 | 18.33 | 58.74 | 11.48 | | | 40.18 | 9.45 | | |
| | releph | one Number/ Group Establishment Charges for DID Service | | <u> </u> | UEDDY. | | | | | | | | | | | | |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | 1 | UEPPX UEPPX | NDZ ND4 | 0.00 | 0.00 | 0.00 | ļ | | | | | | | |
| - | - | DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number | - | | UEPPX UEPPX | ND4 ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | - | Reserve Non-Consecutive DID Numbers | - | | UEPPX | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local N | lumber Portability | | | ULFFX | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATU | RES - Vertical and Optional | | | 02. TX | 2.11 0. | 0.10 | 0.00 | 0.00 | | | | | | | | |
| | | witching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | | All Features Available | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| UNBUN | | ORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| | Market | Rates shall apply where BellSouth is not required to provide | unbund | dled loc | al switching or swit | ch ports per | FCC and/or St | ate Commission | n rules. | | | | | | | | |
| | | scenarios include: | | | | | | | | | | | | | | | |
| | | undled port/loop combinations that are Not Currently Combin | | | | | | | | | | | | | | | |
| | | undled port/loop combinations that are Currently Combined of | | | | | | | | | | | l . | | | | |
| - | | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | | | | | | | | | | | | | | | |
| | | uth currently is developing the billing capability to mechanica | | | | | | | | | not currently o | combined in | AL, FL and | NC. In the II | nterim where i | BellSouth can | not bill |
| | | Rates, BellSouth shall bill the rates in the Cost-Based section rket Rate for unbundled ports includes all available features in | | | lieu of the Market R | ates and res | erves the right | to true-up tne | billing differen | ice. | ı | 1 | | | 1 | | |
| | | | | | a Dant acation of the | | it als all ammiss to | all assubinati | | | | ian LINE Cal | n Dant/Laan | Cambinatia | | - flat | |
| | | fice and Tandem Switching Usage and Common Transport Us URECU). | age rat | es in tr | ie Port Section of th | is rate exhib | it snaii appiy to | an combination | ons or loop/po | ort network eiei | nents except | OF UNE COI | n Port/Loop | Combination | is which have | a nat rate us | age charge |
| | | | a Nanza | | a charges are listed | in the First s | nd Additional I | NDC salumns | or sook Bort I | ISOC For Cur | rantly Cambin | ad acanaria | a the Neur | aurring shar | noo oro lintod | in the NBC | ?reantly |
| | | t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor | | | | iii tiie riist a | ina Additional i | NRC COIUIIIIS | or each Fort C | JSOC. FOI Cui | rentry Combin | eu scenano | s, the Nonie | curring char | ges are iisieu | III the NKC - v | Jurrently |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | izeu ac | Coraing | gry. | | | | | 1 | I | 1 | | | 1 | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide | | SW | | | 28.18 | | | | | | | | | | |
| | | oop Rates | | T-" | | | 200 | | | 1 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPRX | UEPLX | 14.18 | | | | | | | | | | |
| | | Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | |] | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | NUMBER PORTABILITY | | <u> </u> | LIEBBY | L N ID C : : | | | | | | | | | | | |
| - | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| - | FEATU | | | | LIEDDY | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| - | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | - | | | | 40.18 | 9.45 | | |
| | | 2 Wire Voice Grade Leep / Line Bort Combination Switch as in | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | l |
| - | - | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with | - | 1 | ULPRA | USAUZ | | 41.50 | 41.50 | 1 | | | | 40.18 | 9.45 | | |
| | | change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | ADDITI | ONAL NRCs | | | J_1 1// | 30,100 | | 41.50 | 41.50 | | | | | 40.10 | 3.43 | | |
| - | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | † | | | | | | | | | | | |
| | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | • | | | | • | | | | • | | • | | | | | |

Version 4Q01: 01/31/02 Page 247 of 327

| UNRU | NDI FI | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|----------|---|----------|----------|---------|--------|--|--------|-----------|--------------|------------|-----------|-----------|------------------------|------------------------|------------------------|------------------------|
| O.T.DO | | THE I TOTAL CEEMENTO HOLDING | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordar | Sua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per Lore | por Lore | 130 | Auu | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | 1 | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | 00.40 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide op Rates | | SW | | - | 28.18 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL1) - Statewide | | SW | UEPBX | UEPLX | 14.18 | | | - | | | | | | | |
| | | Voice Grade Line Port (Bus) | | 0 | 02. 5% | 02.27 | | | | | | | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| - | | NUMBER PORTABILITY | | - | LIEDBY | LNPCX | 0.05 | | | | | - | | | | | |
| <u> </u> | FEATU | Local Number Portability (1 per port) | <u> </u> | | UEPBX | LINPUX | 0.35 | | | - | | | | | | | |
| — | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | + | | | | 40.18 | 9.45 | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | J=. 71 | 0.00 | 0.00 | 0.00 | <u> </u> | | | | 70.10 | 5.70 | | |
| | | | Ì | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | | DNAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | - | | | | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | OLI DX | 00/102 | | 0.00 | 0.00 | | | | | 40.10 | 0.40 | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide | | SW | | | 28.18 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | SW | UEPRG | UEPLX | 14.18 | | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | - | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | NUMBER PORTABILITY | | | OLI IKO | OLI ND | 14.00 | 50.00 | 30.00 | | | | | 40.10 | 0.40 | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | 1 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| - | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | OLI IKO | OOAOZ | | 41.50 | 41.50 | - | | | | 40.10 | 3.43 | | |
| | | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | - | | | | | | | | | | | | |
| <u> </u> | | Subsequent Activity- Nonrecurring | ļ | ļ | | | 1 | 0.00 | 0.00 | <u> </u> | | | | 40.18 | 9.45 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| — | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | + + | 14.64 | 14.04 | + | | | | 40.18 | 9.45 | | |
| | | ort/Loop Combination Rates | | | | | | | | + | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Statewide | | SW | | | 28.18 | | | | | | | | | | |
| | | op Rates | | | | | | - | - | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | SW | UEPPX | UEPLX | 14.18 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | ļ | <u> </u> | | - | 1 | | | 1 | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | 1 | 1 | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | + | | | | 40.18 | 9.45 | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | + | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | ļ | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| - | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | ļ | <u> </u> | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | |
| <u> </u> | <u> </u> | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | <u> </u> | <u> </u> | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | l | i | 40.18 | 9.45 | | |

| UNRI | INDI FI | D NETWORK ELEMENTS - North Carolina | 1 | | | | | | | | | | | Λ | ttachment: 2 | | Exhibit: B |
|-------------|----------|--|--|---------|--------------------|-------------|--|----------------|--------------|-------------------|-----------------|----------|-------------|-------------|--------------|-------------|--|
| SINDO | HULL | FIRE THORIT CELINICITY OF HOTHI Carollila | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | | Incremental | Incremental |
| CATE | | | | | | | | | | | | | _ | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | 1 | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | | _ | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | OSSI | RATES (\$) | | |
| | | OM's Ve's Hele of the DDVID Town's LO Stell cont IDD | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | HEDDY | LIEDVE | 44.00 | 00.00 | 00.00 | | | | | 40.40 | 0.45 | | |
| - | | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | HEDDY | UEPXL | 44.00 | 00.00 | 90.00 | | | | | 40.40 | 9.45 | | |
| | | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | + |
| | | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLFFX | OLFAIVI | 14.00 | 90.00 | 90.00 | | | | | 40.16 | 9.43 | | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | ĺ |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | LOCAL | NUMBER PORTABILITY | | | OLITA | OLI AO | 14.00 | 50.00 | 50.00 | | | | | 40.10 | 0.40 | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | | | | | | 0.10 | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | ĺ | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | ĺ |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| - | 0.14/105 | Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | Ļ | | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| | | ort/Loop Combination Rates | (I | | | | | | | | | | | | | | - |
| | | 2-Wire VG Coin Port/Loop Combo – Statewide | | SW | | | 28.18 | | | | | | | | | | |
| | | pop Rates | | SW | | | 20.10 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Statewide | | sw | UEPCO | UEPLX | 14.18 | | | | | | | | | | |
| | | Voice Grade Line Port Rates (Coin) | | 0 | 02. 00 | 02.21 | 1 11.10 | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | | Blocking (NC) | | | UEPCO | UEPND | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | ĺ |
| | | 2-Wire Coin 2-Way with Operator Screening (NC) | | | UEPCO | UEPNC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 14.00 | | | | | | | 40.18 | 9.45 | | İ |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | İ | | | | | | | |
| | <u> </u> | (NC) | | | UEPCO | UEPNB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | 1 |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | 1 | | | |] | | | | | | | | _ | | 1 |
| | ļ | 900/976, 1+DDD, 011+, and Local (NC, TN) | ļ | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | ! |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | l | | LIEBOO | LIEDV: | | | | | | | | | | | 1 |
| | | (NC) | ļ | | UEPCO | UEPNE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| 1 | | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | LIEDOO | LIEDO | 4400 | 20.00 | 20.00 | | | | | 40.18 | | | 1 |
| - | 1.004 | 900/976, 1+DDD, 011+, and Local (NC) NUMBER PORTABILITY | | | UEPCO | UEPCL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| - | LUCAL | Local Number Portability (1 per port) | 1 | | UEPCO | LNPCX | 0.35 | | | | | | | | + | | 1 |
| - | NONPE | CURRING CHARGES - CURRENTLY COMBINED | - | | ULFCU | LINECA | 0.35 | | | | | | | | | | |
| | NONKE | SOUTH OF STANDED - SOUTH ATEL COMBINED | | | | 1 | | | | | | | | | t | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | l | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | 1 |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | 1 | | 02. 00 | 20,102 | | 71.50 | 71.50 | | | | | 40.10 | 0.40 | | |
| 1 | | Change | 1 | | UEPCO | USACC |] | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | 1 |
| | ADDITI | ONAL NRCs | 1 | | | | | 50 | 50 | 1 | | | | | 50 | | |
| | | | | | | | | | | İ | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | l | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | 1 |
| UNBUN | DLED (| CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | s | | | | i | 2.20 | 3.30 | i i | | | | | | | |
| | | Based Rates are applied where BellSouth is required by FCC | | State (| Commission rule to | provide Unb | undled Local S | witching or Sw | ritch Ports. | İ | | | | | | | |
| | | ures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dled Port section | on of this Rate | Exhibit. | | | | | |
| | | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | oin Port/Lo | op Combinat | ions. | | |

Version 4Q01: 01/31/02 Page 249 of 327

| LINDLI | NDI E | NETWORK ELEMENTS North Corolina | | | | | | | | | | | | | | | Exhibit: B |
|----------|----------|--|----------|----------|--------------------|----------------|--------------------|--------|-----------------|--|--------------|---------|-------------|---------------|--------------|-------------|--|
| UNDU | NDLE | NETWORK ELEMENTS - North Carolina | | l | | 1 | 1 | | | | | | | A | ttachment: 2 | | EXNIBIT: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| 0.475 | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | ļ., | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring Add'l | Nonrecurring D | Add'l | COMEC | COMAN | | RATES (\$) | SOMAN | SOMAN |
| | F 0. | and Manager I and the Material Control of The Control of the Contr | | | No. of | | | First | | • | | | | SOMAN | | SOWAN | SOWAN |
| | | orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re | | | | | | | | | | | | | | | ĺ |
| | | Not Currently Combined Combos for all states. In GA, KY, L | | | | | | | | | | | cnarges are | e Market Rate | es and are | | i |
| | | the Market Rate section. For Currently Combined Combos tet Rates for Unbundled Centrex Port/Loop Combination will | | | | | | | Nonrecurring | - Currently Comb | inea section | S. | | | | | 1 |
| | J. Wair | et Rates for Oribunated Centrex For (Loop Combination will | be nego | liateu | on an mulvidual Ca | Se Basis, un | I luitilei liotici | J. | | | | | | | | | — |
| | UNE-P | CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - | | | | | | | | | | | | | | | ĺ |
| | | Non-Design | | SW | UEP95 | | 16.46 | | | | | | | | | | I |
| | UNE Po | rt/Loop Combination Rates (Design) | | | | | | | | | | | | | ļ | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - | | 1 | LIEDOS | | | | | | | | | | | | 1 |
| <u> </u> | LINE: | Design an Retain | | SW | UEP95 | | 21.78 | | | | | | | | | | |
| | UNE LO | op Rate 2-Wire Voice Grade Loop (SL 1) - Statewide | | SW | UEP95 | UECS1 | 14.18 | | | | | | | | | | |
| | | 2-wire voice Grade Loop (SL 1) - Statewide | | SW | UEP95 | UECST | 14.18 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Statewide | | SW | UEP95 | UECS2 | 19.50 | | | | | | | | | | |
| | | 2-Wile Voice Grade Loop (OL 2) - Statewide | | SW | OLI 33 | OLOGZ | 13.30 | | | | | | | | | | — |
| | UNE Po | rt Rate | | | | | İ | | | | | | | | | | |
| | All Stat | | | | | | İ | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | ĺ |
| | | Area | | | UEP95 | UEPYH | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | ĺ |
| | | Center)2 Basic Local Area | | | UEP95 | UEPYM | 2.28 | | | | | | | 40.18 | 9.45 | | ! |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 2.28 | | | | | | | 40.18 | 9.45 | | ĺ |
| - | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPYZ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | - Basic Local Area | | | UEP95 | UEPY9 | 2.28 | | | | | | | 40.18 | 9.45 | | i |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OL1 00 | OLI 10 | 2.20 | | | | | | | 40.10 | 5.46 | | — |
| | | Basic Local Area | | | UEP95 | UEPY2 | 2.28 | | | | | | | 40.18 | 9.45 | | ĺ |
| | NC Only | 1 | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPUA | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPUB | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPUH | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | | | | | | | | | | 1 |
| \vdash | | Center)2 | | <u> </u> | UEP95 | UEPUM | 2.28 | | | | | | | 40.18 | 9.45 | | + |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPUZ | 2.28 | | | | | | | 40.18 | 9.45 | | 1 |
| \vdash | | IEIIII | - | <u> </u> | ULF90 | UEFUL | 2.28 | | | - | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP95 | UEPU9 | 2.28 | | | | | | | 40.18 | 9.45 | | 1 |
| | | 2-Wire Voice Grade Port terminated in on Weganitk of equivalent | | l | UEP95 | UEPU2 | 2.28 | | | | | | | 40.18 | 9.45 | | <u> </u> |
| | Local S | witching | | | | | 2.20 | | | | | | | | 5.40 | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.903 | | | | | | | | İ | | |
| | | | | | | | | | | | | | | | | | ſ |
| | | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | <u> </u> | UEP95 | UEPVF | 3.40 | | | | | | | | | | ├ |
| \vdash | | All Select Features Offered, per port | | <u> </u> | UEP95 | UEPVS | 0.00 | 457.83 | | | | | | | | | + |
| - | NADO | All Centrex Control Features Offered, per port | | - | UEP95 | UEPVC | 3.40 | | | | | | | | | | |
| \vdash | NARS | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | - | | | | 40.18 | 9.45 | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP95 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | + | | | | 40.18 | 9.45 | | |
| | | Unbundled Network Access Register - India Unbundled Network Access Register - Outdial | <u> </u> | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | + | | | | 40.18 | 9.45 | | |
| | Miscella | aneous Terminations | | | | 2. 11.07. | 3.00 | 5.00 | 3.00 | | | | | | 5.40 | | |
| | | | | ı | | | | | | | | | | | | | |

| UNBU | NDLF | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|---------|--|--|------|----------------|--|--------------|------------------|------------------|-----------------------|-----------------------|----------------------------|-----------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 0.1.20 | | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GOKT | | | | | | | | | | | | Submitted Elec | Submitted Manually | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | P • · · · · · · · · | <u> </u> | | | | |
| | | | ļ | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire | Trunk Side | | | | | | Filst | Auu i | First | Addi | JOWIEC | JOWIAN | JOWAN | JOWAN | SOWAN | SOWAN |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | | | | | | | |
| | | Digital (1.544 Megabits) DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 186.23 | | | | | | | 40.18 | 9.45 | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 18.00 | | | | | | | | | | |
| - | | Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service | `` | | UEP95 | MIGBM | 0.0282 | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | 1 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.65 | | | | | | | | | | |
| | | Easture Activation on D. 4 Channel Bank EV line Side Loop Slat | | | UEP95 | 1PQW6 | 0.65 | | | | | | | | | | |
| <u> </u> | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLF90 | 150440 | 0.05 | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQW7 | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | LIEDOS | 4D0)MD | 0.05 | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 UEP95 | 1PQWQ 1PQWA | 0.65 0.65 | | | | | | | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | UEF95 | IFQWA | 0.65 | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP95 | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP95 UEP95 | M1ACS M1ACC | 0.00 | 695.11 695.11 | | | | | | 40.18 40.18 | 9.45 9.45 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | | - | | | | | | | | | | | | | | | |
| | | CENTREX - DMS100 (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | 2-wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | + | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - | | | | | 40.40 | | | | | | | | | | |
| - | | Non-Design | | SW | UEP9D | | 16.46 | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates (Design) | | | | | 1 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - | | | | | | | | | | | | | | | |
| | LINE LO | Design op Rate | <u> </u> | SW | UEP9D | 1 | 21.78 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Statewide | | SW | UEP9D | UECS1 | 14.18 | | | | | | | | | | |
| | | • • • | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Statewide | | SW | UEP9D | UECS2 | 19.50 | | | | | | | | | | |
| | UNE Po | ort Rate | | | | | + + | | | | | | | | | | |
| | ALL ST | ATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 2.28 | | - | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYD | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 2.28 | | | | | | | 40.18 | 9.45 | | |

| UNBL | INDLEI | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|----------|----------|---|-------------|------|----------------|-------|--------------|----------------|------------------|----------------------|-----------------------|----------|-----------------------|-------------------------------------|--|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | ı | | | Submitted Manually | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonre First | curring Add'l | Nonrecurrin First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area Wire Code Port (Centre Vidit a CNIC (CDC DOCTO) | | | UEP9D | UEPYM | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYO | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | Basic Local Area | | | UEP9D | UEPYP | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | NC Onl | y 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPUA | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPUB | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPUC | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | - | UEP9D UEP9D | UEPUD | 2.28 2.28 | | | ! | | | | 40.18 40.18 | 9.45 9.45 | | |
| | 1 | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | - | UEP9D UEP9D | UEPUE | 2.28 | | 1 | + | | | - | 40.18 | 9.45 | | + |
| | | 2-Wire Voice Grade Fort (Centrex / EBS-M5312)3 | | | UEP9D | UEPUG | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPUT | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPUU | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPUV | 2.28 | | | L | | | | 40.18 | 9.45 | | |
| <u></u> | <u> </u> | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPU3 | 2.28 | | - | 1 | - | <u> </u> | | 40.18 | 9.45 | | |
| <u> </u> | <u> </u> | 2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | UEP9D | UEPUH | 2.28 | | | - | | | | 40.18 | 9.45 | | |
| | | Indication)3 | | | UEP9D | UEPUW | 2.28 | | | | | | <u> </u> | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 2.28 | | | 1 | | | | 40.18 | 9.45 | | |

| IINRI | INDI FI | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|----------|----------|---|----------|----------|--------|---------------|--------|--------|-----------|-------------|--------------|-----------|-----------|-------------|--|-------------|-------------|
| CIADO | INDELL | THE I WORK ELEMENTS - NOTH Carolina | | | | | l | | | | | 1 | 1 | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | 200 | 0000 | | | | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | F | | | 1 | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | i | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | | 2 | | | UEP9D | UEPUM | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPUO | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | , | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPUP | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPUQ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPUR | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPUS | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPU4 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | , , | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPU5 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPU6 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPU7 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP9D | UEPUZ | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPU9 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPU2 | 2.28 | | | | | | | 40.18 | 9.45 | | |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.903 | | | | | | | | | | |
| | Local N | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | s | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.40 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 457.83 | | | | | | 40.18 | 9.45 | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.40 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 12.36 | | | | | | | | 1 | | |
| | | Digital (1.544 Megabits) | | | | 1 | | | | | | | | | . | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 186.23 | | | | | | | | . | | |
| ļ | | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| | | | | | | _ | | | | | | | | 40.18 | 9.45 | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | ļ | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.00 | | | | | | | | | | |
| <u> </u> | — | Interoffice Channel mileage, per mile or fraction of mile | | \vdash | UEP9D | MIGBM | 0.0282 | | | ļ | | | | 1 | - | | |
| <u> </u> | Faster | Activations (DCO) Contravil agent and Character I DCC | <u> </u> | \vdash | | 1 | | | | ļ | | | | 1 | - | | |
| <u> </u> | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | - | | 1 | | | | | - | | | | 1 | | |
| <u> </u> | D4 Cha | nnel Bank Feature Activations | | - | LIEDOD | 4001440 | 0.05 | | | | - | | | | 1 | | |
| - | 1 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | - | | UEP9D | 1PQWS | 0.65 | | | - | 1 | ļ | ļ | - | | | |
| | | Francis Astrontian on D. A. Channel Beals EV line 2015 1 2015 | | | LIEDOD | 400046 | 0.05 | | | | | 1 | 1 | | I | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.65 | | | | | | | | 1 | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDOD | 400147 | 0.05 | | | | | | | | 1 | | |
| - | 1 | Slot | | - | UEP9D | 1PQW7 | 0.65 | | | | - | | | | | | |
| 1 | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | LIEDOD | 4 DOW D | 0.05 | | | | | 1 | 1 | | I | | |
| - | - | Different Wire Center | | \vdash | UEP9D | 1PQWP | 0.65 | | | | | | | | | | |
| 1 | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.65 | | | | | 1 | 1 | | I | | |
| | | Teature Activation on 2-4 Channel Bank Private Line Loop 510t | <u> </u> | | OLFBD | I I C C V V V | 0.03 | | | I | l | L | L | I | I | 1 | |

| IINDI | INDI EI | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | • | ttachment: 2 | I | Exhibit: B |
|-------|---------|---|--------|------|-------|-------|------|--------|-----------|--------------|--------------|------------|-------------|-------------|--------------|-------------|------------------------|
| UNDU | INDLE | O NETWORK ELEMENTS - NOTHI Carollia | | | | 1 | | | | | | | 1 | А | ttacnment: 2 | | EXNIDIT: B |
| | | | | | | | | | | | | | | | | Incremental | |
| CATE | | | Interi | | | | | | | | | Cura Oudan | Core Corden | Charge - | Charge - | Charge - | Charge - Manual Svc |
| CATE | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | l l | | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | | | |
| | | | | | | | | | | | | per LSR | , | 1st | Add'l | | Disc Add'l |
| | | | | | | | | | | | | per zen | po | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | OSS F | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.65 | | | | | | | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | | |
| | | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | - Requres Interoffice Channel Mileage | | ļ | | ļ | | | | | | | | | | | |
| | Note 3 | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| UNBU | NDLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | , , | Attachment: 2 | | Exhibit: B |
|---------|----------|---|-----------|---------|-------------------------|----------------|--|-----------------|-----------------|-----------------|-----------------|-------------|--------------|-----------------|-----------------|----------------|-------------|
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | | | Interi | | | | | | | | | Sua Ordar | Sua Ordar | Manual Svc | | | • |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | | | | Manual Svc |
| COKI | | | | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | | | SOMAN | | SOMAN | SOMAN |
| | | ne" shown in the sections for stand-alone loops or loops as p | | | | graphically | Deaveraged UN | IE Zones. To v | iew Geograph | ically Deaverag | ged UNE Zone | Designation | ns by Centra | al Office, refe | r to Internet W | lebsite: | |
| | | ww.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | tm | | | | | | | | | | | | |
| OPERA | TIONAL | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | s rate |
| | exhibit | is the BellSouth regional electronic service ordering charge. | CLEC I | may ele | ect either the state sp | ecific Comr | nission ordered | rates for the | electronic serv | ice ordering ch | narges, or CLE | C may elect | the region | al electronic | service orderii | ng charge. | |
| | NOTE: (| Any element that can be ordered electronically will be billed | ed acco | rding | to the SOMEC rate lis | sted in this o | category. Pleas | e refer to Bell | South's Busine | ess Rules for L | ocal Ordering | (BBR-LO) to | determine | if a product | can be ordere | d electronical | ly. For |
| | those e | ements that cannot be ordered electronically at present per t | he BBR | LO, th | ne listed SOMEC rate | in this cate | gory reflects the | e charge that v | would be billed | to a CLEC on | ce electronic o | rdering cap | abilities co | me on-line fo | r that element | . Otherwise, | the manual |
| | ordering | g charge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR t | to BellSouth. | | | - | | | | | | | | | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (SC) | | | | SOMAN | | | | 1.97 | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | 1 | | | SOMEC | | 3.50 | | | | 1 | | l | | | |
| UNBUN | DLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | İ | İ | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.23 | 34.23 | | | | 15.69 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | | | | 15.69 | | | | |
| | | Engineering Information Document (EI) | | | UEANL | | | 13.47 | 13.47 | | | | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.17 | 8.17 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 18.13 | 18.13 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 12.94 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | 1 | | UEQ | UEQ2X | 14.51 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | | | UEQ | USBMC | | 8.17 | 8.17 | | | | 15.69 | | | | |
| | | Engineering Information Document | | | UEQ | | | 13.47 | 13.47 | | | | 15.69 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.23 | 34.23 | | | | 15.69 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.90 | 19.90 | | | | 15.69 | | | | |
| UNBUN | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | 1 | | | |
| | | Zone 1 | 1 | 1 | UEPSR UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | |] . |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| L | | Zone 1 | L_I | 1 | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | <u></u> | 15.69 | <u> </u> | <u> </u> | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | _ | | | | | | | | | |
| <u></u> | L | Zone 2 | L | 2 | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | <u></u> | 15.69 | <u> </u> | <u> </u> | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | _ | | | | | | | | | |
| | | Zone 2 | L | 2 | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | _ | | | | | | | | | |
| L | | Zone 3 | <u></u> ı | 3 | UEPSR UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | <u></u> | 15.69 | <u> </u> | <u> </u> | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| L | | Zone 3 | <u></u> ı | 3 | UEPSR UEPSB | UEABS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | <u></u> | 15.69 | <u> </u> | <u> </u> | | |
| UNBUN | DLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | <u></u> | | UEANL | UREWO | <u> </u> | 48.22 | 22.06 | <u> </u> | <u></u> | <u></u> | 15.69 | <u> </u> | <u> </u> | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 1 | 1 | 1 | UEA | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | 1 | 15.69 | l | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 2 | 1 | 2 | UEA | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | 1 | 15.69 | l | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 3 | l | 3 | UEA | UEAL2 | 28.48 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | |] . |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

Version 4Q01: 01/31/02 Page 255 of 327

| UNBL | JNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|------|---------|---|-------------|------|------------|----------------|----------------|------------------|----------------|----------------|----------------|-------|-----------------------|---|--|-------------------------|--|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | RATES (\$) | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | UEA | UEAR2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.48 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 20.10 | 18.13 | | 00.00 | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch ANALOG VOICE GRADE LOOP | | | UEA | UREWO | | 132.12 | 38.36 | | | | 15.69 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | | UEA | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA UEA | UEAL4 OCOSL | 43.38 | 132.38 18.13 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | 1 | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | | | UDN UDN | U1L2X U1L2X | 32.76 37.70 | 117.58 117.58 | 80.03 80.03 | 53.05 53.05 | 10.61 10.61 | | 15.69 15.69 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | 00 | 18.13 | | 33.33 | | | | | | | |
| | 2 WIDE | CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP | | | UDN | UREWO | | 121.44 | 33.16 | | | | 15.69 | | | | |
| | Z-VVIKE | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 1 | | 1 | UDC | UDC2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDC | UDC2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 3 | UDC | UDC2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | 01.10 | 18.13 | 00.00 | 00.00 | 10.01 | | 15.69 | | | | |
| | 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | T | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.19 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| - | | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | | UAL UAL | UAL2X OCOSL | 14.14 | 120.84 18.13 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | | | 10.13 | | | | | | | | | |
| | | facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | 14.14 | 18.13 | 31.02 | 30.37 | 1.55 | | 13.09 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 138.14 | 29.40 | | | | 15.69 | | | | |
| - | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry | TIBLE | _OOP | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UHL | | | | | | | | | | | | |
| | 1 | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | - | | UHL | UHL2X OCOSL | 11.40 | 129.52 18.13 | 79.24 | 50.37 | 7.93 | 1 | 15.69 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| - | | and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | | and facility reservation - Zone 3 | <u></u> | | UHL | UHL2W | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |

| LINDII | NDI ED | NETWORK ELEMENTS - South Carolina | 1 | | | | | | | | | | | | 44h4- A | | Fubible D |
|----------|--------|--|--|----------|--------------|----------------|----------------|------------------|----------------|----------------|----------------|---------|----------------|-------------|--------------|-------------|--|
| UNBU | NULEL | NET WORK ELEMENTS - South Carolina | | ı | | 1 | T | | | | | 1 | 1 | | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | 1 | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | *** | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | ļ |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | 0 50 + 0 50 0 0 | | | UHL | LIDEWO | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDLE I | 000 | UHL | UREWO | | 138.07 | 29.40 | | | | 15.69 | | | | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | IIBLE | LOOP | | - | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | İ |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OFIL | OFILTA | 10.02 | 130.10 | 107.03 | 33.12 | 10.50 | | 13.03 | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | ļ ' |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.84 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | L |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | | l | I | | | | | | | | | | | 1 ' |
| | | and facility reservation - Zone 2 | ļ | 2 | UHL | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | _ | | | 100. | 400.41 | 05.40 | 55.40 | 10.00 | | 45.00 | | | | 1 ' |
| <u> </u> | | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL UHL | UHL4W OCOSL | 16.84 | 133.14 18.13 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | - | 138.07 | 29.40 | | | | 15.69 | | | | |
| | | DS1 DIGITAL LOOP | | | OFIL | UKLWO | + | 130.07 | 29.40 | | | | 13.09 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 79.51 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 136.00 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 229.15 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 130.54 | 40.13 | | | | 15.69 | | | | |
| | 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL UDL | UDL56 | 29.93 33.99 | 126.66 | 89.12 89.12 | 59.35 59.35 | 14.61 14.61 | | 15.69 | | | | |
| - | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | _ | UDL | UDL56 UDL56 | 34.74 | 126.66 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 15.69 | | | | |
| - | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 34.74 | 18.13 | 09.12 | 39.33 | 14.01 | | 13.09 | | | | - |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 131.96 | 38.77 | | | | 15.69 | | | | |
| | | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | 1 | ١ | l <u>.</u> . | 1 | [[| | | | _ | | l | | | | 1 |
| <u> </u> | | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | ├ |
| | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | 1 | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | 1 ' |
| - | | Inquiry & facility reservation - Zone 2 Wire Unbundled Copper Loop/Short including manual service | <u> </u> | | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.09 | | | | |
| | | inquiry & facility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | 1 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | 1 | | UCL | UCLMC | 17.14 | 8.17 | 8.17 | 30.37 | 1.33 | | 10.08 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | 2 | 2 | | | | | | | | |
| 1 | | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | 1 ' |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | 1 | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 |] | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| 1 | | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | 1 | | I | I T | | | | | | 1 | | | | 1 |
| <u> </u> | | inquiry and facility reservation - Zone 3 | <u> </u> | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | ├ |
| <u> </u> | | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | <u> </u> | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | ├ |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | l | | UCL | UCL2L | 38.22 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | 1 |
| - | | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - includes manual svc. | 1 | | UOL | UULZL | 38.22 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.09 | | | | |
| 1 | | inquiry and facility reservation - Zone 2 | 1 | 2 | UCL | UCL2L | 55.33 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | 1 |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | 1 | | 001 | JOLEL | 55.55 | 110.91 | 03.02 | 30.37 | 1.93 | | 10.09 | | | | |
| 1 | | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL2L | 67.95 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | 1 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 1 | 8.17 | 8.17 | 22.01 | . 100 | | | | | | |
| | | | • | | | , | | 57 | J | | | | | | | | |

| LINIB | ND: == | NETWORK ELEMENTO O 4 O 4 | 1 | | | | | | | | | | | | | | |
|--------------|---------|--|-------------|------|--------------------|----------------|--|----------------|---------------|--------------|------------|---|-----------|--|--|---|---|
| UNBU | NDLED | NETWORK ELEMENTS - South Carolina | | | | 1 | T | | | | | 1 | 1 | А | ttachment: 2 | 1 | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring | Disconnect | | | 088.1 | RATES (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 38.22 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service | | 2 | UCL | UCL2W | 55.33 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 67.95 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 149.19 | 31.48 | | | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND) | | | UEQ | UREWO | | 44.69 | 22.06 | | | | 15.69 | | | | |
| | 4-WIRE | COPPER LOOP | | | UEQ | UKEWU | 1 | 44.09 | 22.06 | | | | 15.09 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | † | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 19.54 | 8.17 | 8.17 | 33.12 | 10.50 | | 10.03 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | _ | | | | | | | | | | | | | |
| | | facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL UCL | UCL4W UCLMC | 19.34 | 119.13 8.17 | 81.15 8.17 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | CCLING | | | 0.11 | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 77.29 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 118.78 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 144.10 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCL4L UCLMC | 144.10 | 8.17 | 93.88 8.17 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| <u> </u> | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 77.29 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCL4O | 118.78 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 144.10 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 144.10 | 8.17 | 8.17 | 00.12 | 10.00 | | 10.00 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | | 31.48 | | | | 15.69 | | | | |
| LOOP | MODIFIC | | | | UCL | UKEWU | + | 149.19 | 31.48 | | | | 15.09 | | | | |
| 20071 | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | | | | 22.4- | 20.1- | | | | 4-0- | | | | |
| | | pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | UAL, UHL, UCL, UEC | ULM2L | | 32.46 | 32.46 | | | | 15.69 | | | | |
| | | greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | UCL, ULS | ULM2G | | 170.89 | 170.89 | | | | 15.69 | | | | |
| | | less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 32.46 | 32.46 | _ | | | 15.69 | | | | |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 170.89 | 170.89 | | | | 15.69 | | | | |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | | | | | | | | | | | | | |
| SUB-LO | ODE | per unbundled loop | | | UAL, UHL, UCL, UEC | ULMBT | | 32.48 | 32.48 | | | | 15.69 | | | | |
| 30B-LC | | op Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | 1 | | | | | | | | | | |
| | | Up | | | UEANL | USBSA | | 241.42 | 241.42 | | |] | 15.69 | | | | |

| LINDLI | UDI EF | NETWORK ELEMENTS South Corolina | ı | | | | | | | | | | | | | | E 4 2 2 B |
|----------|-----------|--|--|--|---|----------------|--------|--------|-----------|--------------|-------|---------|-----------|-------------|--------------|-------------|-------------|
| UNBU | NDLEL | NETWORK ELEMENTS - South Carolina | | 1 | 1 | | I | | | | | 1 | 1 | А | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | l | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | OSSI | RATES (\$) | 0011411 | 001111 |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 22.69 | 22.69 | | | | 15.69 | | | | |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | OLANL | USBSB | | 22.09 | 22.09 | | | | 13.09 | | | | |
| | | Facility Set-Up | 1 | | UEANL | USBSC | | 177.84 | 177.84 | | | | 15.69 | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | <u> </u> | | OL7 WIL | CODOC | | 177.04 | 177.04 | | | | 10.00 | | | | |
| | | Set-Up | 1 | | UEANL | USBSD | | 55.58 | 55.58 | | | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 1 | - 1 | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 2 | - 1 | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 3 | I | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 0.10 | | | | 1100140 | | 0.47 | 0.47 | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Zone 1 | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | <u>'</u> | ULANL | USBIN4 | 14.11 | 19.21 | 44.23 | 49.02 | 9.09 | | 13.09 | | | | |
| | | Zone 2 | | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | <u> </u> | OL7 WIL | CODIT | 10.40 | 70.21 | 44.25 | 40.02 | 0.00 | | 10.00 | | | | |
| | | Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Order Consideration for Habrard and Cub Lance and the Lance and | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| - | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | <u> </u> | 1 | UEF | UCS2X | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | l i | | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | l i | | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | = ····· = ··· = ···· = ···· = ···· = ···· = ···· = ·· = ··· = | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | 1 | 1 | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 7.85 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | Ī | 2 | UEF | UCS4X | 14.17 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS4X | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | | 1 | 1 | l | | | | | | | | | | | | |
| \vdash | I laste : | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | <u> </u> | UEF | USBMC | | 8.17 | 8.17 | | - | | | | | | |
| \vdash | | Iled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | <u> </u> | - | | - | | | | | | | | | | |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 176.17 | 5.11 | | | | 15.69 | | | | |
| \vdash | | Unbundled Sub-loop Modification - 4-W Copper Dist Load | 1 | | 0-1 | CLIVIZA | | 170.17 | 5.11 | | | | 13.09 | | | | |
| | | Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 176.17 | 5.11 | | | | 15.69 | | | | |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | 1 | | İ | | | | 3.71 | | | | .0.00 | | | | |
| | | Tap Removal, per PR unloaded | 1 | 1 | UEF | ULM4T |] | 278.82 | 6.13 | | | | 15.69 | | | | |
| | Unbund | lled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | | 15.69 | | | | |
| | | k Interface Device (NID) | | | | | | | | | | | | | | | |
| \vdash | | Network Interface Device (NID) - 1-2 lines | ļ | <u> </u> | UENTW | UND12 | | 43.68 | 28.79 | | | | 15.69 | | | | |
| \vdash | | Network Interface Device (NID) - 1-6 lines | <u> </u> | | UENTW | UND16 | | 64.42 | 49.53 | | | | 15.69 | | | | |
| \vdash | | Network Interface Device Cross Connect - 2 W | | <u> </u> | UENTW | UNDC2 UNDC4 | | 5.92 | 5.92 | | | | 15.69 | | | | |
| SUB-LC | | Network Interface Device Cross Connect - 4W | <u> </u> | | UENTW | UNDC4 | | 5.92 | 5.92 | | | | 15.69 | | | | |
| | | op Feeder | | | | | | | | | | | | | | | |
| | CUD-LU | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | 1 | | | | | | | | | | | | |
| | | Distribution Facility set-up | 1 | 1 | UEA, UDN,UCL,UDL, | USBFW |] | 241.42 | | | | | 15.69 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | , | | | | | | | | | | | | |
| | | set-up | 1 | 1 | UEA, UDN,UCL,UDL, | USBFX |] | 22.69 | 22.69 | | | | 15.69 | | | | |
| | | | | | | | | | | | | | - | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|-------|--|-------------|----------|------------|----------------|----------------|------------------|----------------|----------------|----------------|--------|---|--|--|---|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | | | RATES (\$) | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | First 523.87 | Add'I 11.34 | First | Add'l | SOMEC | SOMAN 15.69 | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFA OCOSL | 14.74 | 93.28 18.13 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | - |
| | | Order Coordination for Specified Conversion Time, per LSR Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | UEA | UCUSL | | 18.13 | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFB | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3 | | 3 | UEA | USBFB | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | |] |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.93 | 93,28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 2 | UEA | USBFC | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | | | | | |
| | | Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | | | | | | | 15.69 | | | | |
| | | Battery, Voice Grade - Zone 3 Order Coordination For Specified Conversion Time, per LSR | | 3 | UEA UEA | USBFC OCOSL | 14.74 | 93.28 18.13 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA | OCOSL | 20.04 | 18.13 | 70.30 | 02.20 | 17.52 | | 13.09 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | 2 | | | | | | | | | | | | | |
| | | Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | USBFE | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA UEA | USBFE OCOSL | 26.04 | 107.91 18.13 | 70.36 | 62.26 | 17.52 | - | 15.69 | | | | - |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | | UDN | USBFF | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | <u> </u> | UDN | OCOSL | 4= | 18.13 | | | 10 | | 45.63 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS USBFS | 17.05 | 106.47 | 68.92 68.92 | 55.81 55.81 | 13.37 13.37 | - | 15.69 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 20.92 | 106.47 106.47 | 68.92 | 55.81 55.81 | 13.37 | | 15.69 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 23.49 55.85 | 106.47 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 109.16 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | <u></u> | | |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 203.35 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 18.13 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 1 | UCL | USBFH | 5.98 | 83.97 | 46.42 | 53.14 | 10.69 | - | 15.69 | | | | - |
| | | 2 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 2 | UCL | USBFH | 4.80 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | | 3 | | 3 | UCL | USBFH | 4.59 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | 1 | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UCL | OCOSL | 40 | 18.13 | | =0 | | | 48.63 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 2 | UCL | USBFJ | 13.21 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | ļ. | | 1 |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ USBFJ | 8.28 8.42 | 101.22 101.22 | 63.67 63.67 | 58.03 58.03 | 13.29 13.29 | | 15.69 15.69 | | † | 1 | |
| | | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 0.42 | 18.13 | 03.07 | 30.03 | 13.29 | | 13.09 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | <u> </u> | | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|--------|---|--------|--|----------------|----------------|--------------------|-----------------|-----------|-------------|--------------|-----------|-----------|------------|--------------|-------------|-------------|
| 0.120 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordar | Cua Order | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | | Manual Svc |
| J COILL | | | | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | | Electronic- | Electronic- | Electronic- |
| | | | | | | - | - | | | ı | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | 0881 | RATES (\$) | | |
| | | | | | | | 1,00 | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UDL | USBFO | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UDL | USBFO | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | _ | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UDL UDL | USBFO OCOSL | 20.17 | 102.19 18.13 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Order Coordination For Specified Time Conversion, per LSR | - | | UDL | UCUSL | | 18.13 | | | | | | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | 1 | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | ODL | CODIT | 21.02 | 102.10 | 04.04 | 02.20 | 17.02 | | 10.00 | | | | |
| | | Zone 2 | | 2 | UDL | USBFP | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | T - | | 1 | 253 | .020 | 004 | 02.20 | 52 | | | | Ì | | |
| | | Zone 3 | | 3 | UDL | USBFP | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | 1 | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| SUB-LC | | | | | | | | | | | | | | | | | |
| | Sub-Lo | op Feeder | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 20.44 | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 | USBF1 | 348.12 | 3,392.00 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX UDLSX | 1L5SL USBF7 | 20.44 369.07 | 2 202 00 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| - | | Sub Loop Feeder - STS-1 - Facility Termination Per Month Sub Loop Feeder - OC-3 - Per Mile Per Month | | | UDLO3 | 1L5SL | 15.51 | 3,392.00 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | | Sub Loop Feeder - OC-3 - Fer Mile Fer Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | UDLO3 | ILSSL | 15.51 | | | | | | | | | | |
| | | Month | | | UDLO3 | USBF5 | 56.04 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 565.50 | 3,392.00 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 19.08 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDL12 | USBF6 | 669.82 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,840.00 | 3,392.00 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 62.60 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | | | LIDI 40 | USBF9 | 200.40 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | | UDL48 UDL48 | USBF9 USBF4 | 326.16 1,560.00 | 3,578.00 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 366.86 | 789.85 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| UNBUN | DLED L | OOP CONCENTRATION | 1 | <u> </u> | | 302.0 | 500.00 | 700.00 | 107.50 | 100.00 | 51.17 | | 10.00 | | 1 | | |
| | | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 318.73 | 326.13 | 326.13 | | | | 15.69 | | | | |
| | | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 46.69 | 135.89 | 135.89 | | | | 15.69 | | | | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 351.78 | 326.13 | 326.13 | | | | 15.69 | | | | |
| | | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 78.67 | 135.89 | 135.89 | | | | 15.69 | | ļ | | |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | <u> </u> | ULC | UCTCO | 4.42 | 63.43 | 46.18 | 16.83 | 4.71 | | 15.69 | | | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | 1 | LIDN | | 7.00 | 40.50 | 10.50 | F | F 07 | | 45.00 | | 1 | | |
| \vdash | | Card) Unbundled Loop Concentration - UDC Loop Interface (Brite | 1 | | UDN | ULCC1 | 7.02 | 10.56 | 10.50 | 5.41 | 5.37 | - | 15.69 | 1 | - | | |
| | | Card) | | | UDC | ULCCU | 7.02 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | 22000 | 7.02 | 10.00 | 10.00 | 5.41 | 5.57 | | 10.00 | | | | |
| | | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.75 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 10.42 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | 1 | | | | | | | | | | |] | | |
| | | (Specials Card) | 1 | <u> </u> | UEA | ULCC4 | 6.22 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | ļ | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | <u> </u> | ULC | UCTTC | 30.38 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | 1 | LIDI | 111.007 | 001 | 40.50 | 10.50 | F | 5.07 | | 45.00 | | 1 | | |
| \vdash | | Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop | 1 | | UDL | ULCC7 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | - | 15.69 | 1 | 1 | | |
| | | Interface | | 1 | UDL | ULCC5 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | 1 | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | 1 | 1 | | 22000 | J.21 | 10.00 | 10.00 | 5.41 | 5.57 | | 10.00 | | | | |
| | | Interface | | 1 | UDL | ULCC6 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | 1 | | |
| | | | • | | • | | | | | | | | | | • | | |

| UNBL | JNDLEI | O NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|--|--|-------------|--------|----------------------------|----------------|---------------|--------|-----------|--------|--------------|-----------|-----------|-------------|--------------|-------------|--|
| 0.120 | 1 | | | | | | | | | | | | | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | | | Interi | _ | | | | | | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | • | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINE O | THER R | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| OIAL O | I III IX, I | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | | | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 1 | | | | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | UNECN | | | | | | | | | | | |
| UNE O | THER, P | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | ļ | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,U | JUNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| - | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | OLA,ODIN,OOL,ODC | UUDI Q | 0.00 | 0.00 | | | | | | | | | |
| 1 | 1 | rate | 1 | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | 1 | | 1 | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | <u> </u> | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH | | Y UNBUNDLED LOCAL LOOP 4 month minimum billing period | | | | | | | | | | | | | | | |
| | NOTE: | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 12.26 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | 020 | 120.12 | 12.20 | | | | | | | | | | |
| | | Termination per month | | | UE3 | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | | |
| | ļ | month | | | UDLSX | 1L5ND | 12.26 | | | | | | 15.69 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| LOOP | MAKE-U | | | | ODLOX | UDLST | 313.49 | 432.32 | 204.33 | 119.73 | 03.77 | | 13.09 | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | | spare facility queried (Manual). | | | UMK | UMKLW | | 24.04 | 24.04 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | ļ | queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.34 | 0.34 | | | | | | | | |
| HIGH F | REQUE | NCY SPECTRUM | | | OWIN | FOUNIK | 1 | 0.34 | 0.34 | | | | | | | | |
| | | ERS-CENTRAL OFFICE BASED | | | | | 1 | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity | I | | ULS | ULSDA | 216.22 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | | |
| | | Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 54.05 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | | |
| <u> </u> | | Line Sharing Splitter, Per System, 8 Line Capacity | - 1 | | ULS | ULSD8 | 18.02 | 378.42 | 0.00 | 356.76 | 0.00 | | 15.69 | | | | |
| 1 | 1 | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 86.67 | | 49.95 | | | 15.69 | | | | |
| | FND US | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC | Y SPEC | TRUM A | | | | 80.07 | | 49.93 | | | 13.09 | | | | |
| | | Line Sharing - per Line Activation (BST owned Splitter) | I | | ULS | ULSDC | 0.61 | 18.55 | 10.62 | 10.04 | 4.93 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | 1 | | ULS | ULSDS | | 16.42 | 8.21 | | | | 15.69 | | | | |
| - | <u> </u> | Line Sharing - per Line Activation (DLEC owned Splitter) | I | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.69 | | | | |
| - | | Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB UEPSR UEPSB | UREOS UREBP | 0.61 0.644 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| - | 1 | Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual | H | | UEPSR UEPSB | UREBV | 0.642 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| UNBUN | DLED T | RANSPORT | | | | | 5.5.2 | 355 | 22 | 20.07 | 0.30 | | .0.00 | | | | |
| | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADI | Ē | | | | | | | | | | | | | | |
| | 1 | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | I T | | | | | | | | | | |
| | <u> </u> | Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| 1 | 1 | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| - | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | 01117 | UTIVZ | 24.30 | 40.03 | 21.41 | 10.77 | 0.91 | | 15.69 | | | | |
| | | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | 1 | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | | | | | | | | | | | | | | |
| | 1 | Facility Termination per month | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | 1 | | | | | | | | | | | | | | |
| | 1 | Per Mile per month | <u> </u> | | U1TVX | 1L5XX | 0.0167 | | | l | | l | <u> </u> | | 1 | | |

| LINES: | IND: == | NETWORK ELEMENTO COMPANY | | | | | | | | | | | | 1 | | | |
|--------------|----------------|---|-------------|----------|-----------------|----------------|------------------|------------------|----------------|----------------|----------------|-------|----------------|--|--|---|---|
| UNBU | NDLEL | NETWORK ELEMENTS - South Carolina | | | | ı | 1 | | | | | 1 | 1 | P | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| ļ | | PFFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | | | | ļ <u> </u> | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.3415 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month | | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | INTERC | FFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | | 0.1.5. | 0 | | 00.11 | 01.00 | 10.00 | 0 | | 10.00 | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| - | | month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | 1L5XX | 8.02 | | | | | | | | | | |
| | | Termination per month | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | FFICE CHANNEL - DEDICATED TRANSPORT- STS-1 | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 8.02 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month | | | U1TS1 | U1TFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | CHANNEL - DEDICATED TRANSPORT OCAL CHANNEL DEDICATED TRANSPORT - minimum billing | n nerio | l - helo | w DS3-one month | DS3 and aho | ove-four month | e | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Per Month | g period | i - Delo | ULDVX | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month | | | ULDVX | ULDR2 | 15.33 | 193.53 | 33,24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNDVX | ULDV4 | 16.54 | 193.57 | 33.68 | 37.19 | 3.68 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 1 | ULDD1 | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 2 | | 3 | ULDD1 ULDD1 | ULDF1 ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| - | | Local Channel - Dedicated - DS1 per month - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | ULDD3 | 1L5NC | 190.68 11.93 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per month | | | ULDD3 | ULDF3 | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 11.93 | 102.02 | 207.00 | 110.70 | 00.77 | | 10.03 | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per | | | | | | , | | | | | | | | | |
| MUII TI | PLEXER | month S | | | ULDS1 | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | - | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| <u> </u> | | DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month | | | UXTD3 UXTS1 | MQ3 MQ3 | 144.02 144.02 | 178.54 178.54 | 94.18 94.18 | 33.33 33.33 | 31.90 31.90 | | 15.69 15.69 | | | | |
| — | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 144.02 8.64 | 6.59 | 94.18 4.73 | 33.33 | 31.90 | | 15.69 | | | | |
| DARK | FIBER | , | | | | 30101 | 0.04 | 0.03 | 7.13 | | | | 15.09 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| - | | Thereof per month - Local Channel NRC Dark Fiber - Local Channel | | | UDF UDF | 1L5DC UDFC4 | 97.65 | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| - | | Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | ODE | UDFC4 | | 040.51 | 138.17 | 317.76 | 198.11 | | 15.09 | | | | |
| | | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 36.41 | | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------|---------|---|-------------|----------|------------|----------|---------------------|--------|-----------|--------------|--------|-------|---|-------------------------|--------------|-------------------------|---|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | LIDE | 1L5DL | 97.65 | | | | | | | | | | |
| | | Thereof per month - Local Loop | | 1 | UDF UDF | | 97.65 | 040.54 | 400.47 | 247.70 | 400.44 | 1 | 45.00 | | | - | - |
| TDANG | SPORT O | NRC Dark Fiber - Local Loop | | <u> </u> | UDF | UDFL4 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| INAN | | al Features & Functions: | | 1 | | | | | | | | 1 | | | | | |
| 8XX A | | EN DIGIT SCREENING | | | | | | | | | | | | | | | |
| OXX A | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006673 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | | | | | | | | | |
| | | Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | OHD | N8R1X | | 2.59 | 0.44 | | | | 15.69 | | | | |
| | | POTS Translations | | | OHD | | | 5.95 | 0.81 | 4.58 | 0.54 | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 5.95 | 0.81 | 4.58 | 0.54 | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 2.59 | 1.30 | | | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.03 | 1.74 | | | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 3.03 | 0.44 | | | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination | | | OTID | 1401700 | | 0.00 | 0.44 | | | | 10.00 | | | | |
| | | Features | | | OHD | N8FDX | | 2.59 | 2.59 | | | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, w/ 8XX No. Delivery | | | OHD | | 0.0006673 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery | | | OHD | | 0.0006673 | | | | | | | | | | |
| LINE I | NFORMA | TION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | OQT | | 0.0000246 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQU | | 0.0138158 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 34.40 | | 42.18 | | | 15.69 | | | | |
| SIGNA | LING (C | | | | LIDD | TPP++ | 40.00 | 05.04 | 05.04 | 40.40 | 16.48 | | | | | | |
| | | CCS7 Signaling Connection, Per 56 Kbps Facility CCS7 Signaling Termination, Per STP Port | | <u> </u> | UDB UDB | PT8SX | 16.93 163.49 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | | CCS7 Signaling Termination, Fer STF Fort | | 1 | UDB | F100A | 0.0000692 | | | | | 1 | | | | | |
| | | CCS7 Signaling Usage, Fer TOAF Message CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | 15.69 | | | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | | link) | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | 15.69 | | | | |
| | | CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB UDB | STU56 | 0.0000173 791.37 | | | | | | | | | | |
| | | CCS7 Signaling Osage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code | | | UDB | 51006 | 791.37 | | | | | | | | | - | - |
| | | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | 15.69 | | | | |
| | | CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected | | L | UDB | CCAPD | | 29.08 | 29.08 | 35.65 | 35.65 | | 15.69 | | | | |
| E911 S | ERVICE | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade | | | | 1 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0167 | | | | | | | | | 1 | 1 |
| | | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination | | L | | | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | | | | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | | | 1 | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Mile | | <u> </u> | | | 0.3415 | | | | | ļ | | | | | |
| | | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| CALLI | | E (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | | CNAM For DB Owners - Service Establishment | | | OQV | 1 | | 23.00 | 23.00 | 21.15 | 21.15 | | 15.69 | | | | |
| | | CNAM For Non DB Owners - Service Establishment | | | OQV | 1 | | 23.00 | 23.00 | 21.15 | 21.15 | | 15.69 | | ļ | ļ | |
| | | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | OQV | <u>l</u> | | 993.09 | 734.47 | 269.53 | 198.18 | | 15.69 | | | | |
| | | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | | | | | | | _ | _ | | |
| | | Code Establishment | | | OQV | | | 343.09 | 245.69 | 275.87 | 198.18 | | 15.69 | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.0010433 | | | | | | | | | | |

| UNBU | NDLE | O NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------------|--------|---|-------------|------|-----|--------|-----------|----------|-----------|----------|--|----------|--|--|--|----------|---|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010433 | | | | | | | | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | oqv | CDDCH | | 595.00 | 595.00 | | | | 15.69 | | | | |
| LNP Qu | | | | | OQV | CDDCIT | | 393.00 | 393.00 | | | | 13.03 | | | | |
| | | LNP Charge Per query | | | | | 0.0008837 | | | | | | | | | | |
| | | LNP Service Establishment Manual | | | | | | 25.09 | 25.09 | 23.07 | 23.07 | | 15.69 | | | | |
| | | LNP Service Provisioning with Point Code Establishment | | | | | | 594.82 | 303.88 | 269.53 | 198.18 | | 15.69 | | | | |
| OPERA | | ALL PROCESSING | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | | LIDB Oper. Call Processing - Oper. Provided, Per Min Using | | | | | 1.20 | | | | | | | | | | |
| | | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWAR | | ATOR SERVICES | | | | | 0.20 | | | | 1 | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| | | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRAND | | PERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.69 | | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV ding via OLNS for UNEP CLEC | | | | CBAOL | - | 500.00 | 500.00 | | | | 15.69 | | | | |
| | | Loading of OA per OCN (Regional) | | | | | † | 1,200.00 | 1,200.00 | | 1 | | 15.69 | | | | |
| DIRECT | | SSISTANCE SERVICES | | | | | | 1,200.00 | 1,200.00 | | | | 10.00 | | | | |
| | | TORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| | DIRECT | ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | | Per Call Attempt TORY TRANSPORT | | | | | 0.10 | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access | | | | | - | | | | | | | | | | |
| | | Service Call | | | | | 0.0003 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.00004 | | | | | | | | | | |
| | | Access Tandem Switching per Directory Assistance Access | | | | | | | | | | | | | | | |
| \vdash | | Service Call Directory Assistance Interconnection per Directory Assistance | | | | 1 | 0.00055 | | | - | | | - | - | - | | |
| | | Access Service Call | | | | | 0.00 | | | | | | | | | | |
| | | DS3 to DS1 Multiplexer per DA Access Service Call | | | | | 0.00018 | | | | | | | | | | |
| | | SSISTANCE SERVICES | | | | | | | | | | | | | | | _ |
| \vdash | | ORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing | - | | | | 0.04 | | | - | | | | - | - | | |
| \vdash | | Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | - | | | - | - | - | | |
| BRAND | | IRECTORY ASSISTANCE | | | | DDOOF | 150.00 | | | | | | | | | | |
| | | Based CLEC | | | | 1 | | | | | - | 1 | | | | | |
| | | Recording and Provisioning of DA Custom Branded | | | | | 1 | | | İ | 1 | | | İ | İ | | |
| | | Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | | 1 |
| | | Loading of Custom Branded Announcement per DRAM Card/Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | UNEP C | | | | · · | | | ., | ., | 1 | 1 | | | 1 | 1 | | |
| | Ì | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Loading of DA Custom Branded Announcement per DRAM | | | | | | | | | | | | | | | |
| | | Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | <u> </u> | ļ | | | | |
| - | | ding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | - | | | | | | |
| \vdash | | Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | 1 | | 1 | 1 | 1 | 1 | | 1 |
| | | Loading of DA per Switch per CON | l | L | l | 1 | 1 | 10.00 | 10.00 | 1 | 1 | 1 | 1 | 1 | 1 | l | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|------------|---------|---|----------|---------------|---------------|---------|-----------|------------|------------|----------|--------------|---------|-----------|-------------|--------------|-------------|--|
| ONDO | | THE INORIA ELEMENTO GOULT GATOLINA | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | | Incremental | Incremental |
| CATE | | | Intori | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SELEC | TIVE RO | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | | Switch | | | | USRCR | | 84.89 | 84.89 | 14.14 | 14.14 | | 15.69 | | | | |
| VIRTU | | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 1,207.95 | 1,207.95 | 0.51 | 0.51 | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 794.22 | 794.22 | 22.54 | 22.54 | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.95 | | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | | | AMTFS | ESPAX | 9.19 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | | cable | | | AMTFS | ESPSX | 18.66 | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | | JUEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | | Virtual collocation - DS3 Cross Connects | | | USL,ULC,AMTFS | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0022 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | | Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0033 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | | Support Structure,per cable | | | AMTFS | VE1CD | | 536.56 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 536.56 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | | | | | | |
| VIRTU | | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Analog - Res | | | UEPSR | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | | Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| 1 | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | 1 | | l | l |] | | | | | 1 | | Ì | Ì | | |
| | | Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| 1 | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | 1 | | | | | | | | _ | | | 1 | 1 | | |
| <u> </u> | | Analog Bus | ļ | \longmapsto | UEPSB | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | _ | | | | | | |
| | | ISDN | ļ | \longmapsto | UEPSX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| 1 | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | 1 | | | | | | | | _ | 1 | | Ì | Ì | | |
| | | ISDN | | | UEPTX | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | HEDEV | VE4D: | | | | | | | | | | | |
| | | ISDN DS1 | | | UEPEX | VE1R4 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | 15.69 | | | | |
| VIRTU | | OCATION | | | | | | | | | | | | | | | |
| 1 | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | | | | 40 | | | | 1 | | Ì | Ì | | |
| A 13.1 G = | | Splitting | <u> </u> | ├ | UEPSR, UEPSB | VE1LS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | 1 | | |
| AIN SE | | E CARRIER ROUTING | <u> </u> | ├ | CDC | CDCEC | | 404 004 01 | 404 004 01 | 0.000.0= | 0.000.0= | | | 10.00 | 10.00 | 10.00 | 10.00 |
| <u></u> | | Regional Service Establishment | <u> </u> | | SRC | SRCEC | | 101,324.34 | 101,324.34 | 8,609.85 | 8,609.85 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| <u> </u> | | End Office Establishment | | \vdash | SRC | SRCEO | | 175.66 | 175.66 | 1.70 | 1.70 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| <u> </u> | | Line/Port NRC, per end user | | \vdash | SRC | SRCLP | 0.0005000 | 2.06 | 2.06 | - | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN' 5 | | Query NRC, per query | | 1 | SRC | | 0.0035036 | | | | | | | | | | |
| AIN - B | | JTH AIN SMS ACCESS SERVICE | | ├ | | - | | | | 1 | | 1 | - | 1 | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, | | | A1N | CAMSE | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | |
| <u> </u> | 1 | Initial Setup | 1 | 1 | AIN | CAIVIOE | ı | 39.53 | 39.53 | 40.78 | 40.78 | 1 | 15.09 | 1 | 1 | | |

| IINRI | INDI FI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Α. | ttachment: 2 | | Exhibit: B |
|---------|----------|---|-------------------|---------|------------------|-------------------|--------------------|----------------|----------------|-----------------|---------------|-----------------|------------------------|---------------------------------------|---|--|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | |
| | | | | | | | | | | T | | Elec per LSR | Manually per LSR | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred | urring | Nonrecurring | Disconnect | | | OSS F | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | | SOMAN | SOMAN |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 35.08 | 35.08 | 27.12 | 27.12 | | 45.00 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAMAU | | 35.08 | 35.08 | 27.12 | 27.12 | | 15.69 | | | | |
| | | Initial or Replacement | | | A1N | CAMRC | | 41.98 | 41.98 | 11.74 | 11.74 | | 15.69 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute | | | | | 0.0027 0.7121 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Militate AIN SMS Access Service - Company Performed Session, Per | | | | | 0.7121 | | | | | | | | | | |
| | <u> </u> | Minute | | | | | 0.8364 | | | | | | | | | | |
| AIN - B | ELLSO | ITH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State, | | - | | | | | | | | - | | | | | |
| | | Initial Setup | | | CAM | BAPSC | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 4,211.54 | 4,211.54 | 0.00 | 0.00 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Term. Attempt | | | | BAPTT | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | - | - | | | | | | |
| | | DN, Off-Hook Delay | | | | BAPTD | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | ВАРТО | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.0558238 | | | | | | | | | | |
| | | Subscription, Per Node, Per Query | | | | | 0.0069214 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.07 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 11.87 | 7.85 | 7.85 | 5.52 | 5.52 | | 15.69 | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPLS | 3.51 | 8.68 | 8.68 | | | | 15.69 | | | | <u> </u> |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 8.48 | 7.85 | 7.85 | 5.52 | 5.52 | | 15.69 | | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.12 | 8.68 | 8.68 | | | | 15.69 | | | | |
| ENHAN | | TENDED LINK (EELs) New EELs available in GA, TN, KY, LA, MS, & SC and density | 7000 ⁴ | of foll | owing MSAs: C | Orlando El · Mica | ni El : Et llaurda | rdale El · | | | | - | | | | | |
| | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- | | | | | | | | | | | | | | | |
| | NOTE: | n all states, EEL network elements shown below also apply t | o curre | ntly co | mbined facilitie | es which are conv | erted to UNE ra | ites. A Switch | As Is Charge a | pplies to curre | ntly combined | l facilities co | onverted to | UNEs.(Non-re | curring rates | do not apply | .) |
| | | n GA, TN, KY, LA, MS & SC the EEL network elements apply VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | | Switch As Is Ch | narge.) | | | | - | | | | | |
| | Z-VVINE | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | LIVOFF | .SE 18 | CATOLOGIC (CEL | -, | | | | | | | | | | | |
| | | Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | - |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.2732 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |

| IINRII | NDI FO | NETWORK ELEMENTS - South Carolina | 1 | | | | | | | | | | | Λ. | ttachment: 2 | | Exhibit: B |
|----------|-----------|---|----------|----------|-----------------|-------|--------|-----------------|------------------|-----------------------|---------------------|-----------|-----------|-------------------------|-------------------------|-------------------------|-------------------------|
| UNBU | NDLEL | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| CATE | NOTEO | DATE ELEMENTO | Interi | - | 200 | 11000 | | | DATEC(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | | | | | | | | |
| - | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS F SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | FIRST | Addi | FIRST | Addi | SOMEC | SOWAN | SUMAN | SOMAN | SUMAN | SOWAN |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | | nteroffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVA | UEALZ | 20.40 | 105.96 | 00.43 | 55.05 | 10.61 | | 15.09 | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | ĺ | | | | | | | | | | | | | | |
| \vdash | 4 14/155 | S Charge | EDCE | CF T- | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| \vdash | 4-WIKE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | EKOFF | ICE IR | ANSPURT (EEL) | | | | | | | | | | | | |
| | ŀ | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.2732 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | |
| | | Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | LINGAV | MO4 | 407.57 | 04.04 | CO 74 | 40.50 | 0.04 | | 45.00 | | | | |
| | | Month Voice Grade COCI - DS1 to DS0 Channel System combination - | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVA | UEAL4 | 43.09 | 132.30 | 94.03 | 59.55 | 14.61 | | 13.09 | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | 4 14/15/5 | s Charge | INITEDO | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | OI TODA | JULJU | 34.14 | 120.00 | 05.12 | 39.35 | 14.01 | | 15.09 | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.2732 | | | | | | | | | | |
| | | nteroffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| \vdash | | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | <u> </u> | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | 5.1517 | | 107.07 | 51.24 | 02.71 | 10.50 | 5.01 | | 10.00 | | | | |
| | | month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | 400 | | =0 | | | 4 6 | | | | |
| - | | Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 4 40 | 0.50 | 4.70 | | | | 45.00 | | | | |
| \vdash | | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | טטוטו | 1.19 | 6.59 | 4.73 | - | | | 15.69 | | | | |
| | | s Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | <u> </u> | • | | - | | | | | | | | | | | | |

| UNBU | INDLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|--------|---|-------------|--------|-----------------|-------|--------|--------|-----------|-------------|--------------|-------|-----------|---------------------------------------|--|-------------------------|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. |
| | | | | | | | Rec | Nonrec | curring | Nonrecurrin | g Disconnect | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-WIRE | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | ļ |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | 1 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | | | | 120.00 | 09.12 | 39.33 | 14.01 | | 15.09 | | | | |
| | | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.2732 | 20.47 | 04.00 | 40.00 | 44.40 | | 45.00 | | | | <u> </u> |
| | | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | EROFFI | CE TRA | | UNCCC | | 5.61 | 5.01 | 7.00 | 7.00 | | 13.09 | | | | |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | <u> </u> |
| | | Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | <u> </u> |
| | | Transport - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.2732 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | EROFFI | CE TRA | | | | | | | | | | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 6.42 | | | | | | | _ | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| <u> </u> | | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | <u> </u> |
| | | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | _ | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |

| HNDI | NDI EE | NETWORK ELEMENTS South Caralina | | | | | | | | | | | | | | | Full 2 2 F |
|--------------|--------|---|--------------|--------|--------------------|----------------|-----------------|--------|-----------|--------------|-------|-------|-----------|--|--|---|---|
| ONRO | NULEL | NETWORK ELEMENTS - South Carolina | | | | | l | | | | | 1 | l | | ttachment: 2 | | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TR | | UNCCC | | 3.01 | 3.01 | 7.00 | 7.00 | | 10.00 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.60 | | | | |
| \vdash | | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | 3 | OINC VA | UEAL2 | ∠8.46 | 105.98 | 08.43 | 53.05 | 10.01 | | 15.69 | | | | |
| | | Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | combination - Facility Termination per month | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | ls Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EBOE | ICE TO | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport | EKOFF | ICE IN | ANSPORT (EEL) | | | | | | | | | | | | |
| | ŀ | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | | nteroffice Transport - Dedicated - 4-wire VG combination - Per | | | | | | | | | | | | | | | |
| | | Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | ŀ | combination - Facility Termination per month | | | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- s Charge | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Per | EIRA | NSPOR | I (EEL) | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 combination - Fellowship Company - DS3 combination - | | | UNC3X | 1L5ND | 12.26 | | | | | | | | | | |
| | | Facility Termination per month | | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | LINICCO | | | | 7.00 | 7.00 | | 45.00 | | | | |
| \vdash | | IS Charge GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | L FICE TE | RANSPO | UNC3X ORT (FFL) | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Per | 102 11 | | (===/ | | | | | | | | | | | | |
| | | Mile per month | | | UNCSX | 1L5ND | 12.26 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | · | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | L | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | | ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | ŀ | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | LINONIN | 1141.037 | | | | =0.0= | | | 4= 6- | | | | |
| | | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCNX UNC1X | U1L2X 1L5XX | 37.70 0.2732 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | moromoo rransport - Dedicated - Do I combination - Pel Mile | <u> </u> | 1 | 014017 | ILOAA | 0.2132 | | | | | 1 | · | | 1 | | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|---------|---------|--|--|---------|-----------|---------|--|--------|-----------|-------|--------------|-----------------|------------------|--------------------|--|-------------|--|
| 0.1.20 | | | | | | | | | | | | | | | Incremental | | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec per LSR | Manually per LSR | Electronic- 1st | Electronic- Add'l | Electronic- | Electronic- Disc Add'l |
| | | | | | | | | | | I | | per Lak | perLok | 151 | Add I | Disc 1st | DISC Add I |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | Later Control De Porte L. DO4 and College Control | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | Channelization - Channel System DS1 to DS0 combination - | | | ONOTA | 011111 | 01.71 | 00.41 | 01.00 | 10.00 | 14.40 | | 10.00 | | | | |
| | | per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | LINIONIV | LICACA | 2.50 | 6.50 | 4.70 | | | | 45.00 | | | | |
| | | combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | | Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | ļ | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | | combintaion- per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | 1 | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE TI | | 011000 | | 3.01 | 3.01 | 7.00 | 7.00 | | 13.03 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | İ | | | | | | | | | | |
| | | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - | | _ | ONOTA | OOL/OC | 100.40 | 200.00 | 107.00 | 44.00 | 11.70 | | 10.00 | | | | |
| | | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month | | | LINICEY | 1L5XX | 6.42 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | ILOAA | 0.42 | | | | | | | | | | |
| | | Termination | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | Ü | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 44.00 | 11.70 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | 4-WIDE | Is Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | EEICE 1 | DANCE | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-VVIKE | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | FFICE | KANSI | OKI (EEL) | + | | | | | | | - | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | _ | LINODY | LIDL 50 | 22.25 | /00.0- | | =0.5- | | | | | | | |
| - | | Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | ĺ | | | | | | | | | | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | | 10.41 | | | | | | | | | | |
| | 4 1405 | Is Charge | | D 4 | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 4-WIKE | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | FFICE 1 | KANSI | OKI (EEL) | - | | | | | | | <u> </u> | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | | COMMUNICATION LOTTO C | | | J. 10DA | JULUT | J7.14 | 120.00 | 00.12 | 39.33 | 17.01 | 1 | 10.09 | L | 1 | l | 1 |

| UNBUNDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|-------------------|---|-------------|----------|-----------------------|----------------|-----------------|------------------|----------------|----------------|--------------|----------|---|-------------------------------------|--|----------|---|
| CATE GORY NOTE | S RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | 201150 | Looman | | RATES (\$) | 001111 | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0134 | First | Add'I | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | NETWORK ELEMENTS | | | | | | | 0.01 | 7.00 | 7.00 | | 10.00 | | | | |
| | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | used as ordinarilty combined network elements in Georgia, the | e non-r | ecurrin | g charges apply and | the Switch | As Is Charge d | oes not. | | | | | | | | | |
| | (SynchroNet) ecurring Currently Combined Network Elements "Switch As Is" | Chara- | (Onn i | nnline to each as | ination\ | | | | | | | | | | | |
| Nonre | Nonrecurring Currently Combined Network Elements Switch As- | Cnarge | (One a | pplies to each come | ination) | | | | | | | | | | | |
| | Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1 | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| NOTE | : Local Channel - Dedicated Transport - minimum billing period | l - Belo | w DS3: | | | | 100 50 | 20.01 | | | | 1= 00 | | | | |
| - | Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month | | | UNCXV UNCXV | ULDV2 ULDV4 | 15.33 16.54 | 193.53 193.97 | 33.24 33.68 | 36.72 37.19 | 3.21 3.21 | | 15.69 15.69 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | | 1L5NC | 11.93 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination per month | | | UNC3X | ULDF3 | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 11.93 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination per month | | | UNCSX | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| UNBUNDLED | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | ange Ports | | | | | | • | | | | | | | | | |
| | : Although the Port Rate includes all available features in GA, I | (Y, LA | & TN, tl | ne desired features v | vill need to b | oe ordered usin | g retail USOC: | 3 | | | | | | | | 1 |
| 2-WIR | E VOICE GRADE LINE PORT RATES (RES) | | | LIEDOD | HEDE: | | | | | | <u> </u> | .= - | ļ | ļ | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | - |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAU | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8) | | | UEPSR | UEPAJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEAT | | | | LIEBOR | | | | | | | ļ | 4= | | | | |
| 0.14 | All Available Vertical Features | | | UEPSR | UEPVF | 3.04 | 0.00 | 0.00 | | ļ | <u> </u> | 15.69 | ļ | ļ | | |
| 2-WIR | E VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | <u> </u> | ļ | | | | ļ |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |

| UNRUN |)I FD | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|--------------|-------|--|-------------|--------|----------------------------|--|----------------|----------------|----------------|-----------------|---------------|--|---|----------------|--|---|---|
| CINDOINE | | HETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | | | |
| CATE GORY | OTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred | curring | Nonrecurring | g Disconnect | | | oss i | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | C | Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAZ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | E | Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB) | | | UEPSB | UEPAB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 2 | 1.00 | | 15.69 | | | | |
| FE | ATUR | RES | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | All Available Vertical Features | | | | UEPVF | 3.04 | 0.00 | 0.00 | ļ | | | 15.69 | ļ | | | |
| EX | | NGE PORT RATES (DID & PBX) | | | HEDOE | HEDES | 1.0- | 0101 | 11.00 | 10.00 | 2.00 | <u> </u> | 45.00 | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSE | UEPRD UEPPC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| \vdash | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP UEPSP | UEPPC | 1.65 1.65 | 31.34 31.34 | 14.88 14.88 | 13.97 13.97 | 0.90 | | 15.69 15.69 | | | | |
| \vdash | | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPPO UEPP1 | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | (| 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | / | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | ı | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 1 | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port | | | UEPSP | UEPXT | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FE | ATUR | | | | | | | | | | | | 4 = 00 | | | | |
| FV | | All Available Vertical Features NGE PORT RATES (COIN) | | | UEPSP UEPSE | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | - |
| EX | | Exchange Ports - Coin Port | | | | - | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | - | 1 | | - |
| | | witching Features offered with Port | | | | | 1.05 | 2.30 | 2.20 | 1.42 | 1.33 | <u> </u> | 13.09 | | | | |
| | | Transmission/usage charges associated with POTS circuit sv | vitched | usage | will also apply to ci | rcuit switche | d voice and/or | circuit switch | ed data transm | nission by B-Cl | nannels assoc | iated with 2 | wire ISDN : | oorts. | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| | i | Exchange port - 4-wire ISDN trunk port -all available features included | | | | UEPEX | 251.00 | 311.73 | 311.73 | | | | 15.69 | | | | |
| | f | Exchange Port - 2-wire ISDN digital line side port with three features included | | | | U1PMA | 36.01 | 70.32 | 70.32 | | | | 15.69 | | | | |
| | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| EX | | NGE PORT RATES (DID & PBX) | | | LIEBEY | LIEBE - | | | | | | ļ | | ļ | | | |
| - | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | <u> </u> | 15.69 | | | | |
| | (| Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX UEPTX UEPSX | U1PMA UEPVF | 13.38 3.04 | 72.93 0.00 | 53.11 0.00 | 47.90 | 10.76 | | 15.69 | | | | |
| NC | | All Features Offered Transmission/usage charges associated with POTS circuit sv | witchad | Heada | | | | | | ission by B.C. | nannele secon | iated with a | wire ISDN - | norte | | | |
| | | Transmission/usage charges associated with POTS circuit sy Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | CASS | |
| INC | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | avandi | ve out | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | January VIA I | ווים ביוומ רונ | ac nequest | LIGHT DUSINESS | , Request P10 | | - |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 107.44 | 204.27 | 101.78 | 79.35 | 20.10 | | 15.69 | 1 | | | |
| UNBUNDL | | OCAL SWITCHING, PORT USAGE | | | | | | | | 12.50 | | | | | | | |
| En | | ice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0010519 | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|---------|---|-------------|---------|----------------------|----------------|----------------|-----------------|-----------------|--------------|-----------------------|-----------------|------------------------|--|--|--|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. |
| | | | | | | | | | | | | Elec per LSR | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | | Rec | Name | | Namasannia | - Di | | | 000 | DATES (6) | | |
| | | | | | | | Rec | Nonrec First | arring Add'l | First | g Disconnect Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.0002136 | | 71441 | | 7.44 | | | 00 | | 00/ | |
| | Tanden | Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0001634 | | | | | | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002863 | | | | | | | | 1 | | |
| | Commi | Common Transport - Per Mile, Per MOU | | | | | 0.0000045 | | | | | | | | 1 | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0004095 | | | | | | | | | | |
| UNBUN | DLED P | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | | ised Rates are applied where BellSouth is required by FCC ar | | | | | | | | | | | | | | | |
| - | | s shall apply to the Unbundled Port/Loop Combination - Cos ice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | - Dawl | Cambinatia | | | |
| - | | rgia, Kentucky, Louisiana, MIssissippi, South Carolina and ⁻ | | | | | | | | | | | | | | na sharasa si | mly to Not |
| | | orgia, Kentucky, Louisiana, Mississippi, South Carolina and ly Combined Combos for all states. In GA, KY, LA, MS, SC ar | | | | | | | | | | | | | | | |
| | | rently Combined Combos in all other states, the nonrecurrin | | | | | | | | and NO these | nomecuning | cital ges ale | i wantet ital | es and are ar | so nstea in th | e market itale | Section. |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | Guialy | J 31101 | De allose identified | the North | counting - our | Jimy Combine | a dections. | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| | | op Rates | | | HEDDY | LIEDLY | 40.70 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPRX UEPRX | UEPLX UEPLX | 13.76 20.38 | | | | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 26.04 | | | | | | | | | | |
| | | /oice Grade Line Port Rates (Res) | | | OLI TOC | OLI DX | 20.04 | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAU | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID | | | UEPRX | UEPAJ | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | FEATU | | | | | | | 21100 | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | NONKE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | | Switch with change | | | UEPRX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | 1 | | | | | | | | | | | | | | |
| | UNE PO | rt/Loop Combination Rates | | 4 | | | 44.00 | | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 1 2 | | | 14.89 21.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | | | 27.17 | | | | | | | | — | | |
| | | op Rates | 1 | | | | 2, | | | | 1 | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 20.38 | | · · · · · · | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 26.04 | | | | | | | | | | |
| <u> </u> | 2-Wire | /oice Grade Line Port (Bus) | 1 | | LIEDDY | LIEDDI | 4.40 | 27.00 | 40.70 | | | | 45.00 | | | | |
| <u> </u> | | 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus | 1 | | UEPBX UEPBX | UEPBL UEPBC | 1.13 1.13 | 37.93 37.93 | 16.72 16.72 | | | | 15.69 15.69 | | | | |
| - | | 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus | 1 | | UEPBX | UEPBO | 1.13 | 37.93 | 16.72 | | 1 | | 15.69 | | | | |
| | | = 11.15 15.50 dilbulidiod port odigollig olily - bus | 1 | 1 | 0 L I D/ | כב | 1.13 | 31.33 | 10.72 | 1 | 1 | | 10.09 | | 1 | | |

Version 4Q01: 01/31/02 Page 274 of 327

| LINIDII | NDI EE | NETWORK ELEMENTS Court Corolina | 1 | | | | | | | | | | | | | E-1.2.2. B |
|----------|--------|---|--|----------|---------|------------|----------|--------|-----------|--|-----------|--|-------------|--------------|-------------|-------------|
| ONRO | NULEL | NETWORK ELEMENTS - South Carolina | | 1 | | | 1 | | | | 1 | | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | | | Interi | l_ | | | | | DATEO(6) | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted | | Order vs. | Order vs. | Order vs. |
| •••• | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | OSS | RATES (\$) | | |
| | | | | | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | | | | |
| | | dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | | | | | | | | | | | | |
| | | with Caller ID (LMB) | | | UEPBX | UEPAB | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | 1 | | | | | | |
| | FEATUR | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 3.04 | 0.00 | 0.00 | | | 15.69 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | 1 | 5.54 | 3.50 | 0.50 | | 1 | .0.00 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | İ | 1 | | | | 1 | 1 | | | | |
| | | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | 1 | 1 | 15.69 | | | | |
| — | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | 3002 | | 0.10 | 0.10 | | + | 10.00 | | | | |
| | | Switch with change | 1 | | UEPBX | USACC |] | 0.10 | 0.10 | 1 | I | 15.69 | | | | |
| | | ONAL NRCs | | | טבו אַ | USACC | | 0.10 | 0.10 | 1 | + | 13.09 | | | | |
| - | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | 1 | 1 | | 1 | 1 | | | | + | | | | | 1 |
| | | 2-Wire voice Grade Loop/Line Fort Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 15.69 | | | | |
| | | | | | UEPBA | U3A32 | | 0.00 | 0.00 | | | 15.69 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | - | | | - | | | | | | | | | | |
| | UNE PO | rt/Loop Combination Rates | | | | | 44.00 | | | | | ļ | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | ļ | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | |
| | | op Rates | | | | ļ <u>.</u> | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | 15.69 | | | | |
| | FEATUR | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 3.04 | 0.00 | 0.00 | | | 15.69 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| 1 | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | |] | | | | 1 | | | | | 1 |
| | | Conversion - Switch-As-Is | <u></u> | <u> </u> | UEPRG | USAC2 | <u> </u> | 7.93 | 1.91 | | | 15.69 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | - | | | l |
| | | Conversion - Switch with Change | <u></u> | <u> </u> | UEPRG | USACC | <u> </u> | 7.93 | 1.91 | | | 15.69 | | | | |
| | | DNAL NRCs | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | |
| | | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | 1 | 1 | 15.69 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | İ | | | | | | |
| | | Group | 1 | | | |] | 7.34 | 7.34 | | I | 15.69 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | İ | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | 1 | 21.52 | | | 1 | 1 | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | 1 | 1 | | | | |
| | | op Rates | | | | 1 | 27.17 | | | | + | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | | + | 1 | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | † | 2 | UEPPX | UEPLX | 20.38 | | | | + | i | | | | |
| — | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 3 | UEPPX | UEPLX | 26.04 | | | | + | - | | | | |
| — | | /oice Grade Line Port Rates (BUS - PBX) | | - | 521 1 X | JL, LX | 20.04 | | | | + | - | | | | |
| - | Z-WILE | Toice Grade Line Fort Nates (DOG - FDA) | | | | + | | | | | + | 1 | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.13 | 37.93 | 16.72 | 1 | 1 | 15.69 | | | | |
| - | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus | | 1 | UEPPX | UEPPO | 1.13 | 37.93 | 16.72 | | + | 15.69 | | | | 1 |
| <u> </u> | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | 1 | UEPPX | UEPP0 | 1.13 | 37.93 | 16.72 | | - | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | 1 | UEPPX | UEPLD | 1.13 | 37.93 | 16.72 | | - | 15.69 | | | | |
| | | 2-vviile voice undunalea PBA LD Terminal Ports | <u> </u> | 1 | UEPPA | UEPLD | 1.13 | 37.93 | 16.72 | <u> </u> | _1 | 15.69 | |] | | L |

| UNBL | JNDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|------|--------|---|--|------|-------|-------|-------|----------------|----------------|-------------------------|-------|-----------------------|--|--------------|---|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | T 001111 |
| | - | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.13 | First 37.93 | Add'l 16.72 | First Add'l | SOMEC | SOMAN 15.69 | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | + |
| | + | 2-Wire Voice Unbundled PBX LD DDD Terminal Poter Fors | | | UEPPX | UEPXC | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | + |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | + |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | ĺ | | | | | | | | | |
| | | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPPX | UEPXM | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port | | | UEPPX | UEPXT | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | 15.69 | | | | |
| | FEATU | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | 15.69 | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 7.93 | 1.91 | | | 15.69 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 7.93 | 1.91 | | | 15.69 | | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | 15.69 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.34 | 7.34 | | | 15.69 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | - | | 7.34 | 7.34 | | | 13.09 | | | | |
| | | ort/Loop Combination Rates | ì | | | | | | | | | | | | | † |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.89 | | | | | | | | | 1 |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.52 | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 27.17 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPCO | UEPLX | 20.38 | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 26.04 | | | | | | | | | |
| | | Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without Blocking (SC) | | | UEPCO | UEPSD | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 1.13 | 37.93 | 16.72 | | | 15.69 | _ | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSH | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC) | | | UEPCO | UEPSC | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC) | | | UEPCO | UEPCE | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC) | | | UEPCO | UEPCF | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator Screening (SC) | | | UEPCO | UEPSG | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSF | 1.13 | 37.93 | 16.72 | | | 15.69 | | | | |

| UNBL | INDLE | O NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|----------|--|-------------|----------|---------|-------|--------|----------------|--------|-----------|--------------|-------|-------|-----------------------|------------------------|--|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | ВС | s | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | O. William Code On the read with Consented Communication and Planting | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC) | | | UEPCO | | UEPSJ | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | [|
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | | UEPCM | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC) | | | UEPCO | | UEPCP | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | [|
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | | UEPCK | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | ĺ | | | | | | | | | | |
| | | LA) | | | UEPCO | | UEPCR | 1.13 | 37.93 | 16.72 | | | | 15.69 | | | | ļ |
| | | ONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | | URECU | 4.05 | 37.93 | 16.72 | | | | 15.69 | | - | | |
| | | NUMBER PORTABILITY | | | UEPCO | | UKECU | 4.05 | 37.93 | 10.72 | | | | 13.69 | | 1 | | |
| | | Local Number Portability (1 per port) | | | UEPCO | | LNPCX | 0.35 | | | | | | | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPCO | | USAC2 | | 0.40 | 0.40 | | | | 45.00 | | | | [|
| - | | Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPCO | | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | <u> </u> |
| | | Switch with change | | | UEPCO | | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | LIEBOO | | 110400 | | 0.00 | 0.00 | | | | 45.00 | | | | [|
| UNRU | IDI ED E | Activity ORT/LOOP COMBINATIONS - COST BASED RATES | | | UEPCO | | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | - | | |
| ONDO | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 23.75 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 30.20 35.52 | | | | | | | | | | |
| | UNF L | pop Rates | | 3 | | | | 35.52 | | | | | | | | 1 | | |
| | ONE E | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 16.68 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 23.13 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 28.46 | | | | | | | | | | |
| | | ort Rate Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 7.06 | 225.55 | 87.21 | 113.08 | 14.38 | | | 15.69 | - | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | OLFFX | | OLFDI | 7.00 | 223.33 | 07.21 | 113.06 | 14.30 | | | 13.09 | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPPX | | USAC1 | | 7.32 | 1.87 | | | | | 15.69 | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.32 | 1.87 | | | | | 15.69 | | | ĺ |
| | ADDITI | ONAL NRCs | | | UEPPA | | USAIC | | 1.32 | 1.07 | | | | | 15.69 | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 26.84 | | | | | | 15.69 | | | |
| | | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | 15.69 | - | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | Ĭ |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | Reserve DID Numbers NUMBER PORTABILITY | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | - | | 15.69 | - | | |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | t | | | † | | † |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN | NE SIDE | PORT | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 30.86 | | | | | | | | | | 1 |
| — | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | <u> </u> | OLI I'D | OLFFR | | 30.00 | | | | | 1 | | | | | |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 38.60 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | HEDES | HEBBE | | 44.00 | | | | | | | | | | |
| | 1 | UNE Zone 3 | | 3 | UEPPB | UEPPR | l | 44.23 | | | | | 1 | l | | l | l | <u> </u> |

| LINIDII | NDI EF | NETWORK ELEMENTS - South Carolina | 1 | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|--------|---|-------------|------|----------------|----------------|----------------|--|--------|-----------|--------------|--------------|----------|-----------|-------------|--------------|-------------|-------------|
| UNBU | NDLEL | NETWORK ELEMENTS - South Carolina | | | | | | 1 | | | | | | | | | | |
| | | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Intori | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | Interi m | Zone | Е | CS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GOKI | | | "" | | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| - | | | - | | | | - | 1 | | | I | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | 0881 | RATES (\$) | | |
| | | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNE Lo | op Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 21.90 | | | | | | | 15.69 | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 29.64 | | | | | | | 15.69 | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 35.27 | | | | | | | 15.69 | | | |
| | UNE Po | | | | LIEDDD | LIEDDD | LIEDDD | 0.00 | 100.51 | 100.11 | 100.05 | 04.07 | | | 45.00 | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port CURRING CHARGES - CURRENTLY COMBINED | | | UEPPB | UEPPR | UEPPB | 8.96 | 190.51 | 133.14 | 100.95 | 21.37 | | | 15.69 | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 38.59 | 27.08 | | | | | 15.69 | | | |
| | | DNAL NRCs | 1 | | 1 | | 1 | | 22.20 | | | | | | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | | INEL USER PROFILE ACCESS: | 1 | | LIEBER | LIEBBE | 114110: | | | 2.5- | | | | | | | | ļ |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) CSD | - | | UEPPB UEPPB | UEPPR UEPPR | U1UCB U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | CMS & | TN) | OLFFB | ULFFR | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | D OILA | CVS/CSD (DMS/5ESS) | T | T, | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | AL FEATURES | | | LIEDDD | LIEDDD | LIED\ /E | 0.04 | 0.00 | 0.00 | | | | | 45.00 | | | |
| | | All Vertical Features - One per Channel B User Profile | - | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | 1 | † | | | | | | | | | | |
| | | facilities termination | | | UEPPB | UEPPR | M1GNC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | 15.69 | | | |
| | | Interoffice Channel mileage each, additional mile | | | | | M1GNM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| | | • | | | | | | | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | K PORT | | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | UEPPP | | | 470.00 | | | | | | | | | | |
| | | Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 | UEPPP | | - | 176.82 | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | | | 241.38 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | | J 1 1 | | | 2-11.00 | | | | | | | | | | 1 |
| | | Zone 3 | | 3 | UEPPP | | | 347.84 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 90.87 | | | | | | | 15.69 | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | <u> </u> | 2 | UEPPP | | USL4P | 155.43 | | | | - | | | 15.69 | | | - |
| - | UNE Po | 4-Wire DS1 Digital Loop - UNE Zone 3 | 1 | 3 | UEPPP | | USL4P | 261.89 | | | | | | | 15.69 | | | |
| - | | Exchange Ports - 4-Wire ISDN DS1 Port | 1 | | UEPPP | | UEPPP | 85.95 | 457.30 | 259.67 | 124.15 | 31.83 | 1 | 1 | 15.69 | | | 1 |
| — | | CURRING CHARGES - CURRENTLY COMBINED | - | | OLI FF | | OLI I'F | 05.35 | +51.50 | 239.07 | 124.13 | 31.03 | | | 15.09 | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | † | | | | | | | | | | İ |
| | | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 119.34 | 78.73 | | <u></u> | <u> </u> | <u> </u> | 15.69 | <u> </u> | | |
| | | DNAL NRCs | | | | | | | | · | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | l | | L | 1 | | _ | | | | | l | | | 1 |
| | | Inward/two way tel nos within Std Allowance (except NC) | 1 | | UEPPP | | PR7TF | | 0.49 | 0.49 | | | | | 15.69 | | | ļ |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 44 54 | 11.54 | | | | | 15.69 | | | |
| <u> </u> | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | - | | UEPPP | | PRIIU | | 11.54 | 11.54 | - | - | | | 15.69 | 1 | | - |
| | | Subsequent Inward Tel Nos Above Std Allowance | | | UEPPP | | PR7ZT | 1 | 23.07 | 23.07 | | | | | 15.69 | | | |
| | | NUMBER PORTABILITY | 1 | | CLITI | | | | 20.01 | 20.07 | | | | | 10.03 | | | |
| | | Local Number Portability (1 per port) | 1 | | UEPPP | | LNPCN | 1.75 | | | | | | | 1 | | | |
| | | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |

| UNBL | JNDLE | D NETWORK ELEMENTS - South Carolina | | | • | | | | | | | | | Α | ttachment: 2 | | Exhibit: E |
|--------------|--------|--|-------------|--|----------------|----------------|---------|-----------------|-----------------|-----------------------|------------|-------|-----------------------|--|--|---|--|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | New or | Additional "B" Channel | | | | | | | | | | | | | | | 1 |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.56 | | | | | | 15.69 | | | 1 |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.56 | | | | | | 15.69 | | | 1 |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.56 | | | | | | 15.69 | | | 1 |
| | CALL T | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | T. |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | | | 15.69 | | | |
| | | Each Airline-Fractional Additional Mile | | <u> </u> | UEPPP | 1LN1B | 0.3415 | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | <u> </u> | | 1 | | | | | | | | | ļ | ļ | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 149.77 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 214.33 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 320.78 | | | | | | | | | | |
| | | pop Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 90.87 | | | | | | | 15.69 | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 155.43 | | | | | | | 15.69 | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 261.89 | | | | | | | 15.69 | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 58.90 | 455.50 | 253.79 | 117.55 | 14.20 | | | 15.69 | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | UEPDC | ווטטטו | 58.90 | 455.50 | 253.79 | 117.55 | 14.20 | | | 15.69 | | | + |
| | NONKE | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | 1 | | + |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 129.78 | 67.17 | | | | | 15.69 | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | 1 |
| | | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 129.78 | 67.17 | | | | | 15.69 | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | 1 |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 129.78 | 67.17 | | | | | 15.69 | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | T. |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.51 | 14.51 | | | | | 15.69 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.51 | 14.51 | | | | | 15.69 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.51 | 14.51 | | | | | 15.69 | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.51 | 14.51 | | | | | 15.69 | | | |
| | | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | 15.69 | | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | | 15.69 | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | | 15.69 | | | |
| | | te Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC UEPDC | MCOSF MCOPO | | 0.00 | 0.00 | | | | | | | | - |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | reieph | one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group | | 1 | UEPDC | UDTGX | 0.00 | | | | | | | 15.69 | - | - | + |
| | + | Telephone Number for 2-way Trunk Group Telephone Number for 1-Way Outward Trunk Group | - | | UEPDC | UDTGX | 0.00 | | | | | - | | 15.69 | | - | + |
| | + | Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | - | | | | 15.69 | | - | + |
| | + | DID Numbers, Establish Trunk Group and Provide First Group | 1 | | OLFDO | UDIGE | 0.00 | | | | | | | 15.69 | t | | + |
| | | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | 15.69 | 1 | | |
| | 1 | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | <u> </u> | | 1 |
| | 1 | DID Numbers, Non- consecutive DID Numbers , Per Number | | 1 | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | + |
| | 1 | Reserve Non-Consecutive DID Nos. | | 1 | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | 15.69 | | | + |
| | 1 | Reserve DID Numbers | | 1 | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | 15.69 | - | | + |
| | | ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loon | | | 0.00 | 0.00 | 0.00 | | | 1 | | 13.09 | I | | 1 |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | gu | | | | | | | | | | | | t | 1 | 1 |
| 1 | 1 | Termination) | 1 | 1 | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | I | | 15.69 | 1 | I | 1 |

| | ND: =- | NETWORK ELEMENTO COMO COMO | ı | | | | | | | | | | | ı | | | |
|----------|----------|--|----------|----------|---------------------|----------------|------------------|-----------------|-----------|-----------------------|-------|------------------------------|----------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|
| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | П | | | | | 1 | 1 | Α | ttachment: 2 | - | Exhibit: B |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | 1 | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc |
| GORT | | | m | | | | | | | | | Submitted Elec per LSR | Submitted Manually per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'I | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | N | | | | | | 000 | DATEO (A) | | |
| | | | | | | | Rec | Nonred First | Add'l | Nonrecurring First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | | miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNOB | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | | Interdifice Charine Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| - | | DS1 LOOP WITH CHANNELIZATION WITH PORT is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | ivations | | | | | | | | | | | | | | |
| | | ystem can have up to 24 combinations of rates depending on | | | her of ports used | | | | | | | | | | | | |
| | | 1 Loop | l type a | la mam | ber or ports asea | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | L, | 3 | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | | |
| | | O Channelization Capacities (D4 Channel Bank Configuration | ns) | | UEPMG | VUM24 | 00.70 | 0.00 | 0.00 | | | | | 45.00 | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG UEPMG | VUM24 VUM48 | 82.78 165.56 | 0.00 | 0.00 | | | | | 15.69 15.69 | - | | |
| | | 96 DSO Channel Capacity -1 per 4 DS1s | | | UEPMG | VUM96 | 331.12 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 496.68 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 662.24 | 0.00 | 0.00 | | | | | 15.69 | İ | | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 827.80 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 993.36 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,324.48 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 1,655.60 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,986.72 | 0.00 | 0.00 | | | | | 15.69 | | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chani | | UEPMG | VUM67 | 2,317.84 | 0.00 | 0.00 | | | | | 15.69 | - | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | Stelli | | | | | | | | | |
| | | es of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | 1 | | |
| L | | BellSouth Allowed Changes | <u>L</u> | | UEPMG | USAC4 | 0.00 | 150.81 | 8.58 | | | | <u> </u> | 15.69 | <u> </u> | | |
| | | Additions at End User Locations Where 4-Wire DS1 Loop with | th Chan | nelizat | ion with Port Combi | ination Curre | ently Exists and | | • | | • | | | | | | |
| | New (N | ot Currently Combined) In GA, KY, LA, MS & TN Only | ļ | | | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | | | 15.69 | | | |
| | Bipolar | 8 Zero Substitution | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| — | Alterna | te Mark Inversion (AMI) | | | OLI IVIO | JUULI | 0.00 | 0.00 | 303.00 | | | | † | | † | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | L | | |
| | Exchan | ge Ports | | | | | | | | | | <u> </u> | | | - | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | 1 | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | 1 | | UEPPX | UEPOX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | | |
| | | 2.10 5.55 Suthard Gridinion256 F DA Hullet Fort - Dualifess | | | CLITA | JLI JA | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | † | 10.09 | | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | | 15.69 | | | |
| | Foature | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Activations - Unbundled Loop Concentration | 1 | | UEPPX | UEPDM | 7.09 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | 15.69 | 1 | | |
| | - cature | Activations - Officialidied Foot Colicentiation | | <u> </u> | | 1 | <u> </u> | | | l | | <u> </u> | 1 | l | 1 | | |

| | NDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|--|--|------------------------------------|--|---|---|---|--|--|------------------------------------|----------------------|--|---|--|--|----------------|---|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Feature (Service) Activation for each Line Side Port Terminated | | | UEPPX | 1PQWM | 0.56 | First | Add'I | First 4.20 | Add'l 4.17 | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated | | | | 1PQWU | | 25.45 | 13.44 | | | | | 15.39 | | | |
| | Teleph | in D4 Bank one Number/ Group Establishment Charges for DID Service | | | UEPPX | IPQWU | 0.56 | 78.31 | 18.46 | 59.37 | 11.60 | | | 15.39 | | | |
| | . с.ср | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local N | Reserve DID Numbers Number Portability | <u> </u> | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Local | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | FEATU | RES - Vertical and Optional | | l | OLI I A | LIVI OF | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | | All Features Available | l | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | 15.69 | | | |
| UNBUN | IDLED F | ORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| | | Rates shall apply where BellSouth is not required to provide | unbun | dled lo | cal switching or swi | itch ports per | r FCC and/or Sta | ate Commissio | n rules. | | | | | | | | |
| | | scenarios include: | | | | | | | | | | | | | | | |
| | 1. Unb | oundled port/loop combinations that are Not Currently Combin | ned in A | Mabam | a, Florida and North | Carolina. | | | | | | | | | | | |
| | | oundled port/loop combinations that are Currently Combined | | | | | | | | | | | | | | | |
| | | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd | | iiii); G | | | - (Greensboro-v | winston Salem | -nigripoini/Cii | ariotte-Gaston | ia-Rock mili); | in (nasiiviii | e). | | | | |
| | | | | | | | Barra ta di ta a | | | | | and the self-to- | A1 E1 | | | | |
| | | uth currently is developing the billing capability to mechanica | | | | | | | | | | combined in | AL, FL and | NC. In the ir | nterim where I | BellSouth | |
| | cannot | bill Market Rates, BellSouth shall bill the rates in the Cost-Ba | ased se | ction p | receding in lieu of t | | | | | | | combined in | AL, FL and | I NC. In the ir | nterim where I | BellSouth | |
| | cannot The Ma End Of | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features ifice and Tandem Switching Usage and Common Transport Us | ased sed in all sta | ction pates. | receding in lieu of t | he Market Ra | ates and reserve | s the right to t | rue-up the bill | ing difference. | - | | | | | | age charge |
| | cannot The Ma End Of (USOC | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). | ased see in all sta sage rat | ction p ates. es in th | receding in lieu of t | he Market Ra | ites and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the | ased see in all sta sage rat | ction p ates. es in th | receding in lieu of t ne Port section of the | he Market Ra | ites and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are category. | ased see in all sta sage rat | ction p ates. es in th | receding in lieu of t ne Port section of the | he Market Ra | ites and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | Cannot The Ma End Of (USOC For No Combin 2-WIRE | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios where Market Rates apply, the med section. Additional NRCs may apply also and are categor. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | ased see in all sta sage rat | ction p ates. es in th | receding in lieu of t ne Port section of the | he Market Ra | ites and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | Cannot The Ma End Of (USOC For No Combin 2-WIRE | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are category. | ased see in all sta sage rat | ction p ates. es in th | receding in lieu of t ne Port section of the | he Market Ra | ites and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | Cannot The Ma End Of (USOC For No Combin 2-WIRE | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates | ased see in all sta sage rat | ction p ates. es in the ecurring cordin | receding in lieu of t ne Port section of the | he Market Ra | ates and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios where Market Rates apply, the descrion. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | ased see in all sta sage rat | ction p ates. es in the ecurring cording | receding in lieu of t ne Port section of the | he Market Ra | ates and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates | ased see in all sta sage rat | ction p ates. les in the ecurring coording | receding in lieu of t | the Market Ra | ates and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 | ased see in all sta sage rat | ction p ates. les in the ecurring coording 1 2 3 | receding in lieu of the Port section of the grand gly. | the Market Ra | ates and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the grand gly. UEPRX UEPRX UEPRX | ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx | ates and reserve it shall apply to and Additional N 27.76 34.38 40.04 13.76 20.38 | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the grand gly. | the Market Ra | ates and reserve | es the right to to | ons of loop/po | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if tice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Toop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the Port section of the graph charges are listed gly. UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX | 27.76 34.38 40.04 13.76 20.38 26.04 | es the right to to | rue-up the bill | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the Port section of the graph charges are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | 27.76 34.38 40.04 13.76 20.38 26.04 | es the right to to all combination of the columns o | ons of loop/po or each Port U | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop s, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Dop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Uepre | ates and reserve it shall apply to and Additional N 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | es the right to to all combination of the columns o | nue-up the bill ons of loop/po or each Port U 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop s, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) bort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | ueprx X UEPRC UEPRO | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | es the right to to all combination of the columns o | 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loops, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC) For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the Port section of the grapes are listed gly. UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Ueplx Uepre | ates and reserve it shall apply to and Additional N 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | es the right to to all combination of the columns o | nue-up the bill ons of loop/po or each Port U 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loop s, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC) For No Combin 2-WIRE UNE Po | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP FOR Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) NUMBER PORTABILITY | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the Port section of the grapes are listed gly. UEPRX PLX UEPLX UEPRC UEPRO | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 | es the right to to all combination of the columns o | 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loops, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC) For No Combin 2-WIRE UNE Po UNE Lo 2-Wire | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 - Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled prot outgoing only - res 2-Wire voice unbundled prot outgoing only - res 2-Wire voice unbundled prot outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | ueprx X UEPRC UEPRO | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 | es the right to to all combination of the columns o | 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loops, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po UNE Lo 2-Wire LOCAL | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the discount of the Cost of th | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | ueprx C UEPRC UEPRO UEPAP | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 | 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po 2-Wire LOCAL | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundle | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | receding in lieu of the Port section of the Port section of the grapes are listed gly. UEPRX PLX UEPLX UEPRC UEPRO | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 | es the right to to all combination of the columns o | 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | n Port/Loops, the Nonro | Combination | ns which have | a flat rate us | |
| | cannot The Ma End Of (USOC For No Combin 2-WIRE UNE Po 2-Wire LOCAL | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the discretion. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination - | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | ueprx X UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 15.69 | Combination | ns which have | a flat rate us | |
| | cannot The Mir For Mir Guesses For No Combis UNE Pr UNE Pr LOCAL FEATU ADDITI | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire voice outgoing only - res 3-Wire vo | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | ueprx C UEPRC UEPRO UEPAP | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 | 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 | Combination | ns which have | a flat rate us | |
| | cannot The Min General Min Gen | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice on bundled port outgoing only - res 2-Wire voice | ased see in all sta sage rat | ection pates. es in the ecurring coording 1 1 2 3 1 1 2 | ueprx X UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 15.69 | Combination | ns which have | a flat rate us | |
| | cannot The Min General Min Gen | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the med section. Additional NRCs may apply also and are categore. Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOR Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice of unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire vo | ased see in all sta sage rat | ates. es in the scurring in th | ueprx | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 15.69 | Combination | ns which have | a flat rate us | |
| | cannot The Min General Min Gen | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categoric VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Undurdled port outgoing only - res 2-Wire voice Undurdled port outgoing only - res 2-Wire voice Undurdled port outgoing only - res 2-Wire voice Undurdled port outgoing only - res 2-Wire voice Undurdled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port out | ased see in all sta sage rat | es in the coordinates. | ueprx X UEPRC UEPRC UEPRO UEPAP | 27.76 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 0.35 0.00 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 15.69 | Combination | ns which have | a flat rate us | |
| | cannot The Min General Min Gen | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the med section. Additional NRCs may apply also and are categore. Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOR Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice of unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire vo | ased see in all sta sage rat | ates. es in the scurring in th | ueprx | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 15.69 | Combination | ns which have | a flat rate us | |
| | cannot remain the Market Remains and the Mark | bill Market Rates, BellSouth shall bill the rates in the Cost-Barket Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore. Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port with Caller ID fill ULUM) NUMBER PORTABILITY Local Number Portability (1 per port) RES All Features Offered ONAL NRCs NRC - 2-Wire Voice Grade Loop WITH 2-WIRE LINE PORT (BUS) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 1 | ased see in all sta sage rat | ection p ates. Les in the courring coording at a second at a secon | ueprx ueprx X UEPRC UEPRC UEPRO UEPAP | 27.76 34.38 40.04 14.00 14.00 14.00 14.00 27.76 34.38 | 90.00 90.00 90.00 | 90.00 90.00 90.00 | ing difference. rt network eler | nents except | for UNE Coi | 15.69 15.69 | Combination | ns which have | a flat rate us | |

Version 4Q01: 01/31/02 Page 281 of 327

| UNBL | JNDLEI | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|--|---|--|------|---------|----------|-------|--------|---------------------------------------|-------------------------|--|-----------------------|--|--|---|--|
| CATE GORY | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring Disconnect | | | | RATES (\$) | | |
| | | | | | LIEBBY | LIEBLY. | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPBX | UEPLX | 20.38 | | | | | | | | | |
| | 0 14/: | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) | | 3 | UEPBX | UEPLX | 26.04 | | | | 1 | | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | 1 | 15.69 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |
| | | 2-Wire voice unbundled port with earler 1 2-0-1 bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |
| | | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | | | | |
| | | dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | i |
| | | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | | | | | | | | | | | | |
| | | with Caller ID (LMB) | | | UEPBX | UEPAB | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | 1 |
| | | NUMBER PORTABILITY | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | |
| | FEATU | | ļ | | | 1 | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.69 | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | + |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | 15.69 | | | | ĺ |
| | | : VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | UEPBA | U3A32 | 1 | 0.00 | 0.00 | | | 15.09 | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | 1 | | | | | |
| | ONLFC | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | 1 | 27.76 | | | | 1 | | | | | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 34.38 | | | | | | | | | — |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 40.04 | | | | | | | | | |
| | | pop Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | ĺ |
| | | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | | |
| | FEATU | | | | LIEDDO | LIEDVE | 0.00 | 0.00 | 0.00 | | 1 | 45.00 | | | | |
| | | All Features Offered CURRING CHARGES - CURRENTLY COMBINED | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | 15.69 | | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | |
| | ADDIII | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | — |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | 15.69 | | | | ĺ |
| | 1 | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | 1 | | | | |
| | <u> </u> | Group | | | | <u> </u> | | 14.64 | 14.64 | | | 15.69 | | | | L |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | • | | | | | • | | |
| | | ort/Loop Combination Rates | | | | | | | | | ļ | | | | | |
| | ļ | 2-Wire VG Loop/Port Combo - Zone 1 | ļ | 1 | | 1 | 27.76 | | | | | | | | | |
| | <u> </u> | 2-Wire VG Loop/Port Combo - Zone 2 | <u> </u> | 2 | | 1 | 34.38 | | | | <u> </u> | | ļ | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | 1 | 40.04 | | | | | | | | | |
| | | pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | <u> </u> | 1 | UEPPX | UEPLX | 13.76 | | | | | - | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | - | 2 | UEPPX | UEPLX | 20.38 | | | | | - | 1 | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 3 | UEPPX | UEPLX | 26.04 | | | | | 1 | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | 1 | 3 | OLI I A | OLI LX | 20.04 | | | | | | | | | |
| | | TOTAL DESIGNATION OF TRACES (BOO 1 BA) | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | l | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | 1 |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | ſ |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | <u></u> | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | 15.69 | | | _ | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |
| | <u> </u> | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |
| | ļ | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | ļ | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | <u> </u> | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | 15.69 | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---|---|----------|------|----------------|--------|--|----------------|-----------|--------------|-------|-----------|----------------|-------------|-------------------------|-------------|-------------|
| 0.120 | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | THE THORK ELEMENTO GOULD GARDING | | | | | | | | | | | | | | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Incremental Charge - | Charge - | Charge - |
| CATE | | | Interi | _ | | | | | DATEO(8) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | OWEN Visit Hele and I BRIVER Transfer I OWEN AND INC. | ļ | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLITA | OLI AL | 14.00 | 30.00 | 30.00 | | | | 10.00 | | | | |
| | | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | HEDDY | LIEDVO | 44.00 | 00.00 | 00.00 | | | | 45.00 | | | | |
| \vdash | | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | | UEPPX UEPPX | UEPXO | 14.00 14.00 | 90.00 90.00 | 90.00 | | | | 15.69 15.69 | | | | |
| | | NUMBER PORTABILITY | | | OLI 1 X | OLI AU | 14.00 | 30.00 | 30.00 | | | | 15.05 | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| \vdash | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | ļ | | | 15.69 | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED ONAL NRCs | | | | | | | | | | | | | | | |
| | ADDITIO | ONAL NRCS | | | | | + | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | + | + | 7.34 | 7.34 | | | | 15.09 | | | | |
| | | ort/Loop Combination Rates | Ì | | | | 1 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 27.76 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 op Rates | | 3 | | 1 | 40.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPCO | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 26.04 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | LIEBOO | LIEDOD | 44.00 | 90.00 | 00.00 | | | | 45.00 | | | | |
| | | Blocking (SC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | UEPCO | UEPSD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSH | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | UEPCO | UEPSH | 14.00 | 90.00 | 90.00 | | | | 13.09 | | | | |
| | | with Dialing Parity (SC) | | | UEPCO | UEPSC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (SC) | <u> </u> | | UEPCO | UEPCC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+ & Local; Enhanced Calling OPT 3YV (SC) | | | UEPCO | UEPCE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| - | | 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, | 1 | | OLFOO | ULFUE | 14.00 | 90.00 | 90.00 | | | | 15.09 | | | | |
| | | & Local; Enhanced Calling OPT AP7 (SC) | L | | UEPCO | UEPCF | 14.00 | 90.00 | 90.00 | | | <u> </u> | 15.69 | | | | <u> </u> |
| | | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | | | | | | | | | |
| | | Screening (SC) | ļ | | UEPCO | UEPSG | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | 021 00 | JLI JI | 14.00 | 50.00 | 30.00 | | | | 15.09 | | | | |
| | | 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSJ | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | 1 | | | | | | | | | | |
| \vdash | | 900/976, 1+DDD, 011+, and Local (SC) 2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, | | | UEPCO | UEPCM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | & Local ; w/ Enhanced Call OPT 3YW (SC) | | | UEPCO | UEPCP | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | J. J. | 14.00 | 33.30 | 55.50 | | | | 10.00 | | | | |
| | | · | | | | • | | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | 1 | | | | | 1 | | Α | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|-------|---------------------|----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|-------------|--|----------------|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | FIISL | Add I | FIISL | Auu i | SOWIEC | SOWAN | SOWAN | SOWAN | SUMAN | SOWAN |
| | ADDITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| UNBUN | DLED C | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | 3 | | OLFCO | 03A32 | | 0.00 | 0.00 | | | | 13.09 | | | | |
| | | Based Rates are applied where BellSouth is required by FCC | | | | | | | | U. 1 B | | F. J. 9. 9 | | | | | |
| | | res shall apply to the Unbundled Port/Loop Combination - Co Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | l Coin Port/I o | op Combinat | ions. | | |
| | For Ged | orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re | curring | UNE I | ort and Loop charge | es listed app | ly to Currently | Combined and | d Not Currently | Combined Co | mbos. The th | e first and | additional P | ort nonrecur | ing charges a | | |
| | | ly Combined Combos for all states. In GA, KY, LA, MS and Th | | | | | | | | | nonrecurring of | charges are | Market Rate | es and are lis | ted in the Mar | ket Rate | |
| - | | For Currently Combined Combos in all other states, the no set Rates for Unbundled Centrex Port/Loop Combination will | | | | | | | Combined sec | ctions. | | I | | | | | |
| | | • | _ U .loge | | O | uoio, uiii | | - | | | | | | | | | |
| | | CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| \vdash | Z-AAILG | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP95 | | 14.89 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 21.52 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 27.17 | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | 3 | OLF 95 | | 21.11 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 17.81 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP95 | | 24.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 29.59 | | | | | | | | | | |
| | UNE Lo | op Rate | | 3 | UEP95 | | 29.59 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 13.76 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 3 | UEP95 | UECS1 | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 26.04 | | | | | | + | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.68 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 UEP95 | UECS2 UECS2 | 23.13 28.46 | | | | | | 1 | | | | |
| | UNE Po | rt Rate | | | JLI 33 | JL002 | 20.40 | | | | | | | | | | |
| | All Stat | | | | LIEBOE | LIEDV. | | 10.0- | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) | | - | UEP95 UEP95 | UEPYA UEPYB | 1.13 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | 15.69 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex and termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP95 | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | AL, KY | Basic Local Area LA. MS. SC. & TN Only | | | UEP95 | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | , 181, | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | Center)2 | | | UEP95 | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | 1 | | |

Version 4Q01: 01/31/02 Page 284 of 327

| UNBL | JNDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|-------------|--|----------------|----------------|---------------|-----------------|-----------|--|------------|-------|-----------------------|--|--|-------------------------|---|
| CATE GORY | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port Terminated in 61 Wegamin of equivalent | | | UEP95 | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | 1 |
| | | | | | | | | | | | | | | | | | |
| | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7996 | | | | | | | | | | ļ |
| | I ocal N | lumber Portability | | | | | | | | | | | | | | - | + |
| | | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.04 | | | | | | 15.69 | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.04 | 1 | | | | | 15.69 | | | | 4 |
| | NARS | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | Unbundled Network Access Register - Indial | | 1 | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | İ | | | 15.69 | | | | 1 |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| | | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each DS0 Channels Activated, each | | | UEP95 UEP95 | M1HD1 M1HDO | 73.62 0.00 | 202.47 14.51 | 95.90 | 72.75 | 2.47 | | 15.69 15.69 | | | | |
| | | ice Channel Mileage - 2-Wire | | | UEP95 | MIHDO | 0.00 | 14.51 | | | | | 15.69 | | | | 1 |
| | | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0167 | .0.00 | 2 | | 0.01 | | 10.00 | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | 0.0.0 | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | <u> </u> | UEP95 | 1PQWA | 0.56 | | | | | | 15.69 | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed | | <u> </u> | ļ | | | 1 | | | | | | | - | 1 | <u> </u> |
| | | changes, per port | | | UEP95 | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | |
| | | New Centrex Standard Common Block | | <u> </u> | UEP95 | M1ACS | 0.00 | 668.70 | | | | | 15.69 | | | 1 | |
| | | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | | | UEP95 UEP95 | M1ACC URECA | 0.00 | 668.70 72.89 | | | | | 15.69 15.69 | | | - | 1 |
| | | TV 11 Locabioni on Charge, 1 of Occasion | | l - | OLI 33 | UNLUA | 0.00 | 12.09 | | | | | 13.09 | | | † | |
| | UNE-P | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | 1 |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | | | | | | | | • | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | <u> </u> | ļ | | ļ | | | | | | | | | | <u> </u> |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 14.89 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 21.52 | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|----------|--------|---|-------------|------|-------|--------|-------|-----------------|-----------------|-----------------------|---------------------|-------|-----------|---------------------------------------|--------------|---|---|
| | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 27.17 | THOU | Addi | 11130 | Auu | SOMES | JOHAN | JOMAN | SOMAN | SOMAN | JOMAN |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 17.81 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 24.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 29.59 | | | | | | | | | | |
| | LINELO | on Bata | | | | | | | | | | | | | | | |
| - | ONE LO | op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP9D | UECS1 | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 26.04 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.68 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 23.13 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.46 | | | | | | | | | | |
| | UNE Po | art Rate | | | | 1 | | | | | | | | | | | |
| | ALL ST | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | UEP9D | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | UEP9D | UEPYC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | UEP9D | UEPYD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | Area | | | UEP9D | UEPYF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| L | | Dasic Local Alea | <u> </u> | | OLFAD | JUEFTU | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.09 | | I | | |

| UNBU | INDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Δ. | ttachment: 2 | | Exhibit: B |
|------|---------|--|-------------|----------|----------------|----------------|--------------|------------------|-----------------|----------------|---------------------|-------|----------------|--|---------------------|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonros | | Monroourrin | Disconnect | | | 000 | DATES (\$) | | |
| | | | | | | | Rec | Nonrec First | urring Add'l | First | Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | 02.00 | | 0 | 100.00 | 70.7 | 0 | | | 10.00 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | OLF9D | OLF13 | 1.13 | 108.30 | 70.71 | 34.47 | 11.54 | | 13.09 | | | | |
| | | Basic Local Area | | | UEP9D | UEPY6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 52. 55 | 02117 | 1.13 | 100.00 | 10.11 | 54.47 | 11.34 | t | 10.00 | | | | |
| | | Term | | | UEP9D | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | OLF9D | OLF19 | 1.13 | 40.30 | 19.90 | 24.90 | 0.03 | | 13.09 | | | | - |
| | | Local Area | | | UEP9D | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | AL, KY, | LA, MS, SC, & TN Only | | | LIEDAD | LIEDOA | 1.10 | 40.00 | 10.00 | 04.00 | 0.05 | | 45.00 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D UEP9D | UEPQA UEPQB | 1.13 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | 15.69 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | - |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | UEP9D | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | Indication)3 | | | UEP9D | UEPQW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | 0.00 | | | | | | |
| | | 2 | | | UEP9D | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | O MESSA Visitar October 10 Post (October 1886 to OMO (EDO MESSA)) | | | UEP9D | UEPQP | 4.40 | 400.00 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D UEP9D | UEPQP | 1.13 1.13 | 108.36 108.36 | 70.71 | 54.47 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wile voice Grade Fort (Centrewaller GWG /LBG-3203)2, 3 | | | OLI 3D | OLI QQ | 1.13 | 100.50 | 70.71 | 54.47 | 11.54 | | 13.03 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 0.14% V. 1 0 1 D 1/0 1 1/0 01/0 (ED0.14E010) | | | | | | | ==== | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | - |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | <u> </u> | UEP9D | UEPQ7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | ICIIII | | | OLFAD | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | - | 15.09 | | | | \vdash |
| L | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | <u> </u> | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | | | 1 | 1 | | <u> </u> | | | | l | | | l | l | l | | |

| JNBU | INDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|------|----------|---|-------------|------|--|-------|----------|--------|-----------|--------------|------------|-------|-----------------------|-------|--|---|---|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7996 | | | | | | 15.69 | | | | |
| | Local N | lumber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.04 | | | | | | 31.38 | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 406.42 | | | | | 31.38 | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.04 | | | | | | 31.38 | | | | |
| | | | | | | | | | | | | | 31.38 | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 31.38 | | | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 31.38 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 31.38 | | | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| | 4-Wire I | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.51 | | | | | 15.69 | | | | |
| | Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0167 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | | 15.69 | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.56 | | | | | | 15.69 | | | | 1 |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | 15.69 | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | 1 |
| | | changes, per port | | | UEP9D | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | <u> </u> |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 668.70 | | | | | 15.69 | | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 668.70 | | | | | 15.69 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.89 | | | | | 15.69 | | | | |
| | Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | - Required Port for Centrex Control in TAESS, 5ESS & EWSD | | 1 | + | + | + | | | | | | H | | - | - | |
| | | - Requires Interomice Channel Mileage - Requires Specific Customer Premises Equipment | | 1 | - | + | - | | | | | | | | | | ⊢— |
| | MOIG 3. | - requires openine oustomer Premises Equipment | 1 | 1 | <u>i </u> | | <u> </u> | | | | | 1 | i . | | <u> </u> | <u> </u> | |

| LINIBI | NDI ED | NETWORK ELEMENTO. T. | | | | | | | | | | | | | | | |
|----------|---------|--|---------|----------|-------------------------|------------------|--|-----------------|-----------------|-----------------|-------------------|--------------|---------------|------------------|--------------------|----------------|----------------|
| UNBU | NDLED | NETWORK ELEMENTS - Tennessee | | | T | 1 | 1 | | | | | ı | 1 | Α | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | 200 | 0000 | | | ==(+) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonre | | Nonrecurring | | | | | RATES (\$) | | |
| | ليبيا | | L., | | | ļ <u>.</u> | Ļ | First | Add'l | First | Add'l | | SOMAN | | | SOMAN | SOMAN |
| | | ne" shown in the sections for stand-alone loops or loops as | | | | eographically | Deaveraged U | NE Zones. To | view Geograp | hically Deavera | ged UNE Zone | Designation | ons by Cent | ral Office, refe | er to Internet | Nebsite: | |
| OBERA | | ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS | connec | tion.ni | m | 1 | 1 | | | ı | | | 1 | 1 | | | 1 |
| OFERA | HONAL | SUFFORT STSTEMS | | l | | | | | | | | | | l . | | | l . |
| | NOTE: / | 1) Electronic Service Order: CLEC should contact its contract | t nogot | istor i | it profess the state of | enocific aloc | ronic convice o | rdoring charge | se as ordorod b | w the State Co | nmiccione T | ho oloctroni | ie service e | rdorina chara | o currently or | ntained in th | ic rato |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | is rate |
| - | | 2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | ly For |
| | | ements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| | | g charge, SOMAN, will be applied to a CLECs bill when it sub | | | | o iii tiiio oato | gory reneots th | e onarge that t | rould be billed | . 10 0 0220 011 | oc cicoti oillo c | racining out | Jubilities 66 | inc on mic io | i tilat ciciliciii | . Otherwise, | tile manaai |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | | l | | SOMEC |] | 3.50 | | | | 1 | | | 1 | | |
| UNBUN | DLED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | ļ | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | - | 78.92 23.33 | 78.92 23.33 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| - | | Engineering Information Document (EI) | | | UEANL | UKETA | | 28.80 | 28.80 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 36.46 | 36.46 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | OL7 II VL | OL7 WIO | | 00.40 | 00.40 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 36.52 | 36.52 | | | | | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | ı | 1 | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | ı | 3 | UEQ | UEQ2X | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | LIFO | 1100110 | | 00.50 | 00.50 | | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| | | Designed (per loop) Engineering Information Document | | | UEQ UEQ | USBMC | | 36.52 28.80 | 36.52 28.80 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNBUN | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 1 | - 1 | 1 | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | l . | LIEDOD LIEGOS | LIEAGO | | | | | | 1 | | | | | |
| - | | Zone 1 | ı | 1 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| — | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | OLI OK OLFOD | JEALO | 11.23 | 31.99 | 20.02 | 10.05 | 1.41 | | | 20.35 | 10.34 | 13.32 | 10.02 |
| | | Zone 2 | 1 | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 3 | - 1 | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 3 | ı | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch (UVL-SL1) | | | UEANL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - | | (UVL-SL1) 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | OLAINL | UKEWU | | 31.99 | 20.02 | | | - | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | i i | | | . 5.50 | . 5.50 | .0.20 | 200 | 54 | | | 20.00 | .5.54 | 10.02 | .0.02 |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | l . | | LIEADO | | | | | .= | 1 | | | | | |
| | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | <u> </u> | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |

Version 4Q01: 01/31/02 Page 289 of 327

| A-WI | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 1 2 | UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA | UEAR2 UEAR2 OCOSL UREWO UEAL4 UEAL4 UEAL4 UEAL4 OCOSL U1L2X U1L2X | 21.63 28.28 24.70 32.25 42.17 | Nonrec First 75.06 75.06 34.29 75.06 122.76 122.76 | 48.20 48.20 38.34 85.57 | Nonrecurring First 28.70 28.70 | Disconnect Add'I 17.64 | | Svc Order Submitted Manually per LSR SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l RATES (\$) SOMAN 10.54 | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN 13.32 | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|---------|---|--|---------------------------------|---|--|---|---|----------------------------------|---|------------------------------|-------|--|--|--|---|---|
| 2-WI | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 3 1 2 3 1 1 2 | UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA | UEAR2 OCOSL UREWO UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 | 21.63 28.28 24.70 32.25 | 75.06 75.06 34.29 75.06 122.76 122.76 122.76 | 48.20 48.20 38.34 85.57 | 28.70 | Add'l 17.64 | SOMEC | SOMAN | 20.35 20.35 | 10.54 10.54 | 13.32 | 13.32 |
| 2-WI | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 3 1 2 3 1 1 2 | UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA | UEAR2 OCOSL UREWO UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 | 28.28 24.70 32.25 | 75.06 75.06 34.29 75.06 122.76 122.76 122.76 | 48.20 48.20 38.34 85.57 | 28.70 | 17.64 | SOMEC | SOMAN | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 3 1 2 3 1 1 2 | UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA | UEAR2 OCOSL UREWO UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 | 28.28 24.70 32.25 | 75.06 34.29 75.06 122.76 122.76 122.76 | 48.20 38.34 85.57 | | | | | 20.35 | 10.54 | | |
| 2-WI | Battery Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | | 1 2 3 | UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA | OCOSL UREWO UEAL4 UEAL4 UEAL4 OCOSL U1L2X | 24.70 32.25 | 34.29 75.06 122.76 122.76 122.76 | 38.34 85.57 | 28.70 | 17.64 | | | | | 13.32 | 12 22 |
| 2-WI | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 1 2 3 | UEA UEA UEA UEA UEA UEA UEA UEA UEA UEA | OCOSL UREWO UEAL4 UEAL4 UEAL4 OCOSL U1L2X | 24.70 32.25 | 34.29 75.06 122.76 122.76 122.76 | 38.34 85.57 | 28.70 | 17.64 | | | | | 13.32 | 12 22 |
| 2-WI | CLEC to CLEC Conversion Charge without outside dispatch RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 | | 3 1 2 | UEA UEA UEA UEA UEA UDN UDN UDN | UEAL4 UEAL4 UEAL4 UEAL4 OCOSL U1L2X | 32.25 | 75.06 122.76 122.76 122.76 | 85.57 | | | | | 20.35 | | | 13.32 |
| 2-WI | RE ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 3 1 2 | UEA UEA UEA UEA UEA UEA UDA UDN UDN | UEAL4 UEAL4 UEAL4 OCOSL U1L2X | 32.25 | 122.76 122.76 122.76 | 85.57 | | | | | | 10.54 | 13.32 | 13.32 |
| 2-WI | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 3 1 2 | UEA UEA UEA UDN UDN UDN | UEAL4 UEAL4 OCOSL U1L2X | 32.25 | 122.76 122.76 | | | | | | 20.00 | 10.04 | 10.02 | 10.02 |
| 2-WI | 4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 1 2 | UEA UEA UDN UDN UDN | UEAL4 OCOSL U1L2X | | 122.76 | | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | Order Coordination for Specified Conversion Time (per LSR) RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 1 2 | UEA UDN UDN UDN | OCOSL U1L2X | 42.17 | | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | RE ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 2 | UDN UDN UDN | U1L2X | | 0.4.6. | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDN UDN | | | 34.29 | | | | | | | | | <u> </u> |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | 2 | UDN UDN | | 22.00 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | | UDN | | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | | | U1L2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | RE Universal Digital Channel (UDČ) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | - | UDN | OCOSL | | 34.29 | | | | | | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | | UDN | UREWO | | 121.37 | 33.14 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | 1 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2 | | - | | | | | | | | | | | | | - |
| 2-WI | 2 | , | 1 | UDC | UDC2X | 21.15 | 228.92 | 152.42 | 110.01 | 21.63 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | O Wine Helicanel Digital Channel (UDC) Consequent | 1 | 2 | UDC | UDC2X | 27.62 | 228.92 | 152.42 | 110.01 | 21.63 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3 | | 3 | UDC | UDC2X | 36.12 | 228.92 | 152.42 | 110.01 | 21.63 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-W | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 121.37 | 33.14 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| \perp | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | PATIBLE | LOOF |) | | | | | | | | | | | | |
| 士 | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | 1 | + '- | UAL | UALZX | 13.82 | 270.01 | 234.03 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.05 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | ١. | ١. | | 1141 0141 | 40.00 | 04.00 | 00.00 | 40.05 | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| -+ | facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | +- | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | facility reservaton - Zone 2 | 1 1 | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | _ | 0712 | 07.2211 | 10.00 | 01.00 | 20.02 | 10.00 | | | | 20.00 | | 10.02 | 10.02 |
| | facility reservaton - Zone 3 | 1 | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| 0.140 | CLEC to CLEC Conversion Charge without outside dispatch | ATIDI E | 1 000 | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry | AIIBLE | LOOP | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | 1 | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| -+ | 2 Wire Unbundled HDSL Loop including manual service inquiry | | +- | | OT ILEX | 10.03 | 270.01 | 204.00 | 74.54 | 33.14 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | & facility reservation - Zone 2 | <u> </u> | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry | | - | UHL | OCOSL | | 34.29 | | | | | | | | | - |
| | and facility reservation - Zone 1 | 1 . | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| -+ | 2 Wire Unbundled HDSL Loop without manual service inquiry | + '- | + '- | | OI ILEVV | 10.03 | 31.33 | 20.02 | 10.03 | 1.41 | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | and facility reservation - Zone 2 | 1 | 2 | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | ĺ | | | | | | | | | |
| | | 1 1 | 3 | UHL | UHL2W | 18.50 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | and facility reservation - Zone 3 | + ' | | UHL | OCOSL | | 34.29 31.99 | 20.02 | | | | l | | | 13.32 | 13.32 |
| 4-WI | | | | LUMI | UREWO | | | | | | | | 20.35 | 10.54 | | |

| UNBL | JNDLEI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|--|--|-----------------|------|------------|----------------|-------|-----------------|---------------------------------------|--|-----------------------|--------|--|--|--|---|--|
| CATE GORY | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS F | RATES (\$) | SOMAN | SOMAN |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | FIISL | Auu i | Filst | Addi | SOWIEC | JOWIAN | JOWAN | JOWAN | JOWAN | SOWAN |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 23.80 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 23.00 | 34.29 | 244.22 | 74.54 | 39.14 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | CCCCE | | 04.20 | | | | | | | | | |
| | | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | ı | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | ١., | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | - | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | 3 | UHL | OCOSL | 23.00 | 34.29 | 20.02 | 10.65 | 1.41 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 57.73 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 75.40 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |
| | | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | USL USL | OCOSL UREWO | | 34.29 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-WIRE | 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UKLVVO | | 130.47 | 40.11 | | | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 31.10 | 207.01 | 141.38 | 90.70 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL UDL | UDL56 OCOSL | 53.11 | 207.01 34.29 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL | UDL64 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 131.89 | 38.75 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & fac. reservation - Statewide | ١., | sw | UCL | UCLPB | 12.16 | 131.99 | 120.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | Order Coordination for Unbundled Copper Loops (per loop) | - '- | JW | UCL | UCLMC | 12.10 | 36.52 | 36.52 | 10.03 | 1.41 | | | 20.33 | 10.34 | 10.32 | 13.32 |
| | 1 | 2-Wire Unbundled Copper Loop/Short without manual svc. | | | | 1 | | 00.02 | 30.3 <u>L</u> | 1 | | | | | | | † |
| | | inquiry and facility reservation - Statewide | | SW | UCL | UCLPW | 12.16 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc | | | LICI | LICI CI | 10.10 | 404.00 | 100.00 | 10.5- | | | | 20.05 | 10.51 | 10.00 | 40.00 |
| | | inquiry and facility reservation - Statewide Order Coordination for Unbundled Copper Loops (per loop) | | SW | UCL UCL | UCL2L UCLMC | 12.16 | 131.99 36.52 | 120.02 36.52 | 10.65 | 1.41 | - | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Unbundled Copper Loop/Long - without manual svc. | | | UUL | UCLIVIC | | 30.52 | 30.52 | | | | + | | | | |
| | | inquiry and facility reservation - Statewide | - 1 | sw | UCL | UCL2W | 12.16 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | - | | | | | | | | |
| | | (UCL-Des) | L | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | LIEO | LIBENIO | | 04.00 | 20.00 | 1 | | | | 20.25 | 40.54 | 40.00 | 40.00 |
| | 4.WIDE | (UCL-ND) COPPER LOOP | | | UEQ | UREWO | | 31.99 | 20.02 | | | - | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | + | | | | | | - | | | | | + |
| | | and facility reservation - Statewide | - 1 | sw | UCL | UCL4S | 12.16 | 131.99 | 120.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | | facility reservation - Statewide | | SW | UCL | UCL4W | 12.16 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | 1 | | | | | | | 1 |

| UNBL | INDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-----------------|----------|--------------------|----------------|---------------|------------------|------------------|-----------------------|-----------------------|--|---|----------------|--|---|----------------|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS F | RATES (\$) | SOMAN | SOMAN |
| | | 4-Wire Unbundled Copper Loop/Long - includes manual svc | | | | | | 11131 | Auu i | | Addi | JOINEC | JOHIAN | | | | JOHAN |
| | | inquiry and facility reservation - Statewide | ı | SW | UCL | UCL4L | 12.15 | 131.99 | 120.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | 4 |
| | | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Statewide | ١, | sw | UCL | UCL4O | 12.16 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | SW | | UCLMC | 12.10 | 36.52 | 36.52 | 10.03 | 1.41 | | | 20.33 | 10.34 | 13.32 | 13.32 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | 002 | COLING | | 00.02 | 00.02 | | | | | | | | 1 |
| | | (UCL-Des) | - 1 | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| LOOP | MODIFIC | | | | | | | | | | | | | | | | |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | ı | | UAL, UHL, UCL, UEC | ULM2L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | | | | | | | | | | |
| | | greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | \vdash | | UCL, ULS | ULM2G | | 710.71 | 23.77 | | | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification Removal of Load Coils - 4 Wire Unbundled Loop Modification Removal of Load Coils - 4 Wire | ı | | UHL, UCL | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | pair greater than 18k ft | 1 | | UCL | ULM4G | | 710.71 | 23.77 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | 1 | | UAL, UHL, UCL, UEG | ULMBT | | 65.44 | 65.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| SUB-L | OOPS | | | | | | | | | | | | | | | | 1 |
| | Sub-Lo | op Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | - | | UEANL | USBSA | | 517.25 | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | | UEANL | USBSB | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | ı | | UEANL | USBSC | | 313.01 | 313.01 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide | | sw | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | _ |
| | | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | 1154411 | 11001.0 | | | | | | | | | | | |
| | 1 | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | . | | UEANL UEANL | USBMC USBR2 | 1.35 | 34.29 94.56 | 34.29 29.35 | 94.41 | 13.09 | <u> </u> | ļ | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | oub-Loop z-vviie iiitiabuiiuiiig ivetwork Cable (iivo) | - '- | | OLAINL | OODKZ | 1.35 | 94.00 | 29.35 | 94.41 | 13.09 | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | 1 | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 2.26 | 116.14 | 37.10 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | , , | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | <u> </u> | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | <u> </u> | 1 | UEF | UCS2X | 5.16 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | |
| | <u> </u> | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 2 | UEF UEF | UCS2X | 6.74 8.81 | 110.71 110.71 | 37.89 37.89 | 94.41 94.41 | 13.09 13.09 | | 1 | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | 1 | z wire copper unbundied Sub-Loop Distribution - Zone 3 | | 3 | ULF | UCS2X | 8.81 | 110.71 | 31.89 | 94.41 | 13.09 | - | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | 0.55 | 34.29 | 34.29 | 22.4- | 10.55 | | | 22.2- | 10.5: | 10.5- | 10 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | <u> </u> | 1 | | UCS4X | 6.52 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | <u> </u> | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | _ | 3 | | UCS4X UCS4X | 8.52 11.14 | 117.12 117.12 | 44.30 44.30 | 99.96 99.96 | 16.98 16.98 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | | | | 3 | | | 11.14 | | | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | ļ | | | | | ↓ |
| | Unbun | dled Sub-Loop Modification | | <u> </u> | | | | | | | | <u> </u> | | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|-------------|--------|--|-------------|--|-------------------|----------------|----------------|------------------|----------------|--|----------------|-------|---|---------------------------------------|--|---|----------------|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 335.36 | 7.82 | | | | | 20.34 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 335.36 | 7.82 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | | uss | | | 500.40 | 0.74 | | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| | Unbune | Tap Removal, per PR unloaded Iled Network Terminating Wire (UNTW) | | ļ | UEF | ULM4T | | 528.48 | 9.74 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | k Interface Device (NID) | | | | | 51.1000 | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Network Interface Device (NID) - 1-6 lines | | | | UND16 | | 129.65 | 94.51 | 0.6522 | 0.6522 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW UENTW | UNDC2 UNDC4 | | 11.11 | 11.11 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| SUB-LO | | Network Interface Device Cross Connect - 44V | | | UEINTW | UNDC4 | | 11.11 | 11.11 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 002 2 | | op Feeder | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | | | | | | | | | | | | | |
| | | Distribution Facility set-up | | | UEA, UDN,UCL,UDL, | USBFW | | 517.25 | | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL, | USBFX | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 531.04 | 11.34 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade- Statewide | | SW | UEA | USBFA | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide | | sw | UEA | USBFB | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Time Conversion, per LSR | | SW | UEA | OCOSL | 12.03 | 34.29 | 83.03 | 70.33 | 39.10 | | | 20.33 | 10.34 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | · · · · · | | | | | | | | | |
| | | Voice Grade Loop - Statewide | | sw | UEA | USBFC | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 4 | UEA | USBFD | 21.52 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | UEA | USBFD | 21.52 | 137.31 | 61.93 | 110.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Grade - Zone 2 | | 2 | UEA | USBFD | 28.11 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFD | 36.76 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFE | 21.52 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | ' | 02/1 | JODI L | 21.02 | 107.01 | 01.00 | 110.04 | 30.13 | | | 20.33 | 10.54 | 10.02 | 10.02 |
| | | Grade - Zone 2 | | 2 | UEA | USBFE | 28.11 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | 40= - | | | | | | | 40 = : | 40 | 46 |
| | | Grade - Zone 3 | | 3 | UEA UEA | USBFE OCOSL | 36.76 | 137.31 34.29 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 16.11 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 21.04 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 27.51 | 142.83 | 67.45 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 16.11 21.04 | 142.83 | 67.45 | 104.67 | 18.53 | ļ | | 19.99 | 19.99 | 19.99 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC UDC | USBFS USBFS | 21.04 | 142.83 142.83 | 67.45 67.45 | 104.67 104.64 | 18.53 18.53 | } | | 19.99 19.99 | 19.99 19.99 | 19.99 | 19.99 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | | USBFG | 39.74 | 116.00 | 40.62 | 104.84 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 51.90 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 67.86 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | L. | USL | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 1 | UCL | USBFH | 9.52 | 114.27 | 38.89 | 104.64 | 18.53 | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| I | | onbundied oub-Loop reeder Loop, z-wire Copper Loop - Zone | | 2 | UCL | USBFH | 12.43 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |

| LINIDI | NIDI EE | NETWORK ELEMENTS. Townsers | | | | | | | | | | | | | | 1 | |
|--------------|---------|---|-------------|----------|----------------|----------------|-----------------|------------------|-----------------|-----------------------|----------------|--|---|----------------|--|---|--|
| ONBO | NDLEL | NETWORK ELEMENTS - Tennessee | | 1 | | 1 | 1 | | | | | | | A | ttachment: 2 | | Exhibit: I |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Namaa | | Namaaaaa | . Di | | | 000 | DATES (6) | | |
| | | | | | | + | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | 1 1130 | Addi | 11130 | Addi | JOINED | COMPAR | COMPAR | COMPAR | COMPAN | COMPAR |
| | | 3 | | 3 | UCL | USBFH | 16.26 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UCL | OCOSL | | 34.29 | 10.00 | 110.11 | | | | 10.00 | 10.00 | 10.00 | 40.00 |
| <u> </u> | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 1 2 | UCL | USBFJ | 14.37 18.76 | 123.41 123.41 | 48.03 48.03 | 110.44 110.44 | 22.53 22.53 | | | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ | 24.53 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 34.29 | | | | | | | | | 10.00 |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | |
| | | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | UDL | USBFN | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | - | | | | | | | | | | | 10.00 |
| | | Zone 2 | | 2 | UDL | USBFO | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | 40.00 | | |
| | | Zone 3 Order Coordination For Specified Time Conversion, per LSR | | 3 | UDL UDL | USBFO OCOSL | 44.50 | 116.00 34.29 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | ODL | OCOSE | | 34.29 | | | | | | | | | |
| | | Zone 1 | | 1 | UDL | USBFP | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UDL | USBFP | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Order Coordination For Specified Conversion Time, per LSR | | 3 | UDL | OCOSL | 44.50 | 34.29 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| SUB-L | | oraci decramation i or openina conversion rime, per zon | | | 002 | 00002 | | 020 | | | | | | | | | |
| | | op Feeder | | | | | | | | | | | | | | | |
| | | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 14.11 | | | | | | | | | | ļ |
| - | | Sub Loop Feeder - DS3 - Facility Termination Per Month | | | UE3 UDLSX | USBF1 1L5SL | 333.26 14.11 | 3,390.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | | Sub Loop Feeder – STS-1 – Per Mile Per Month Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 359.02 | 3,390.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | | Sub Loop Feeder – OC-3 – Per Mile Per Month | | | UDLO3 | 1L5SL | 10.71 | 0,000.00 | 407.00 | 100.17 | 001.01 | | | 20.00 | 10.04 | 10.02 | |
| | | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | | Month | | | UDLO3 | USBF5 | 56.64 | | | | | | | | | | <u> </u> |
| - | | Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDLO3 UDL12 | USBF2 1L5SL | 546.31 13.18 | 3,390.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | <u> </u> |
| | | Sub Loop Feeder - OC-12 - Fer Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | ODLIZ | ILSSL | 13.10 | | | | | | | | | | |
| | | Month | | | UDL12 | USBF6 | 639.98 | | | | | | | | | | |
| | | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,697.00 | 3,390.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | | Sub Loop Feeder - OC-48 - Per Mile Per Month | | | UDL48 | 1L5SL | 43.22 | | | | | ļ | | | | | ļ |
| | | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | | | UDL48 | USBF9 | 320.36 | | | | | | | | | | |
| — | | Sub Loop Feeder - OC-48 - Facility Termination Per Month | | <u> </u> | UDL48 | USBF9 | 1,457.00 | 3,576.00 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 361.44 | 789.41 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| UNBUN | IDLED L | OOP CONCENTRATION | | | | | | | | | | | | | | | |
| | | Loop Channelization System | | ļ | ULC | ULCCS | 307.07 | 307.34 | 74.37 | 4.18 | 0.00 | | | 20.35 | 10.54 | 13.32 | |
| | | CO Channel Interface - 2-Wire Voice Grade Unbundled Loop Concentration - System A (TR008) | | - | ULC | ULCC2 UCT8A | 1.20 500.18 | 9.57 613.60 | 9.52 613.60 | 8.66 | 8.60 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| | | Unbundled Loop Concentration - System B (TR008) | | - | ULC | UCT8B | 54.82 | 255.67 | 255.67 | | | - | | 20.35 | 10.54 | 13.32 | |
| | | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 539.00 | 613.60 | 613.60 | | | | | 20.35 | 10.54 | 13.32 | |
| | | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 92.37 | 255.67 | 255.67 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 6.23 | 74.39 | 53.07 | 30.23 | 8.46 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | LIDNI | LII CC4 | 0.40 | 0.00 | 0.05 | 0.74 | 0.05 | | | 20.05 | 40.54 | 40.00 | 40.00 |
| | | Card) Unbundled Loop Concentration - UDC Loop Interface (Brite | | | UDN | ULCC1 | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Card) | | | UDC | ULCCU | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | | | | | | | | | | |
| | | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.32 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |

| UNBL | JNDLEI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|--|--|-------------|----------|----------------------|----------------|-----------------|---------------|---------------|----------------|-----------------|--------------|---|--------------|--|---|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urrina | Nonrecurrin | g Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 12.45 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.53 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.332 |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 35.77 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | ļ | Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | UDL | ULCC7 | 11.03 | 8.069 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Interface | | | UDL | ULCC5 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | | |
| UNE O | THER, P | ROVISIONING ONLY - NO RATE | | | LICATON | LINIDDY | | | - | | | | | | | | |
| | - | NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate | | - | UENTW UENTW | UNDBX UENCE | | | | | | - | - | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,UE | | | | | | | | | | | | |
| UNE O | THER, P | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL,U | JUNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| HIGH | CADACIT | no rate Y UNBUNDLED LOCAL LOOP | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | _ |
| HIGH (| | 4 month minimum billing period | | | | | | | | | 1 | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | 91.19 | | | | | | | | | | |
| | | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 374.24 | 595.67 | 304.50 | 234.83 | 170.16 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | - | month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 9.19 | | | | | | | | | | |
| | | Termination per month | | <u> </u> | UDLSX | UDLS1 | 389.35 | 595.37 | 304.50 | 215.82 | 151.15 | | <u> </u> | 36.84 | 36.84 | 19.01 | 19.01 |
| | |): Rates provided in TN for both electronic and manual Loop are established per TRA Docket No. 01-00526 as of January 25. | | p are in | terim and subject to | retro-active | true-up adjusti | ments pending | j a permanent | rate ruling on | these rate eler | nents from t | he Tenness | ee Regulator | Authority. I | he interim ra | tes offered |
| LOOP | MAKE-U | | , 2002. | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | I | | UMK | UMKLW | | 0.76 | 0.76 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | 1 | | UMK | UMKLP | | 0.76 | 0.76 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.76 | 0.76 | | | | | | | | |
| HIGH I | | NCY SPECTRUM | | | | | | 3 0 | 50 | | | | | | | | |
| | SPLITT | ERS-CENTRAL OFFICE BASED | | | 111.0 | ULSDA | 100.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 40.00 |
| | | Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | + | - | ULS ULS | ULSDA | 25.00 | 150.00 | 0.00 | 0.00 | 0.00 | | - | 20.35 | 10.54 | 13.32 | 13.32 13.32 |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | i | | ULS | ULSD8 | 8.33 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | 1 | | ULS | ULSDG | | 163.06 | | 92.71 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | | TRUM | | | | | | | | | | | | | |
| | 1 | Line Sharing - per Line Activation (BST owned Splitter) | | - | ULS | ULSDC | 0.61 | 40.00 | 31.39 | 0.00 | 0.00 | - | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | 1 | | ULS | ULSDS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | Line Splitting - per line activation DLEC owned splitter | | | | UREOS | 0.61 | 40.00 | 04.00 | 05.00 | 40 === | | | 00.05 | 10 = 1 | 40.00 | 40.00 |
| | 1 | Line Splitting - per line activation BST owned - physical | | <u> </u> | UEPSR UEPSB | UREBP | 0.97 | 48.96 | 21.39 | 35.06 | 10.79 | <u> </u> | l | 20.35 | 10.54 | 13.32 | 13.32 |

Version 4Q01: 01/31/02 Page 295 of 327

| LINDI | INDI ED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|---------|---|----------|----------------|-------------------|---------------|---------------|----------------|----------------|----------------|------------|--|-----------|-------------------------|-------------------------|------------------------|-------------------------|
| UNBU | INDLEL | NETWORK ELEMENTS - Tellilessee | | | | | 1 | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordan | Svo Ordor | Charge - | Charge - | Charge - Manual Svc | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Manual Svc Order vs. | Manual Svc Order vs. | Order vs. | Manual Svc Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per zerr | Po | | | | |
| | | | | | | | Rec | Nonrec | | | Disconnect | | | | RATES (\$) | | |
| - | | Line College and line and institut DCT annual citation | | - | UEPSR UEPSB | UREBV | 0.91 | First 48.96 | Add'I 21.39 | First 35.06 | Add'I | SOMEC | SOMAN | SOMAN | SOMAN 10.54 | SOMAN | SOMAN |
| UNRUN | | Line Splitting - per line activation BST owned - virtual RANSPORT | - | | UEPSK UEPSB | UKEBV | 0.91 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| ONDON | | FFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | ĺ | | | | | | | | | | |
| | | Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month | | | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | UTIVA | 01172 | 10.56 | 55.59 | 17.37 | 27.90 | 3.51 | | | 20.35 | 21.09 | 9.00 | 10.54 |
| | | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | | | | | | | | | | |
| | | Facility Termination per month | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | OTTVX | TESTON | 0.0034 | | | | | | | | | | |
| | | - Facility Termination per month | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | 8.66 | 8.66 |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| - | | per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | - | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Termination per month | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | 0115% | 01120 | | 00.00 | 17.01 | 21.00 | 0.01 | | | 20.00 | 21.00 | 0.00 | 10.01 |
| | | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | INTERO | Termination per month FFICE CHANNEL - DEDICATED TRANSPORT - DS1 | | - | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | U1TD1 | 1L5XX | 0.3525 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| - | | Termination per month FFICE CHANNEL - DEDICATED TRANSPORT- DS3 | | - | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | - | | | | | | | | | | | | | |
| | | month | | | U1TD3 | 1L5XX | 2.34 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | İ | | | | | | | | | | |
| | | Termination per month | | | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | | FFICE CHANNEL - DEDICATED TRANSPORT- STS-1 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | - | | 1 | | | | | | | | | | | |
| | | month | | | U1TS1 | 1L5XX | 2.34 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | - | | | | | | | | | | | | |
| | | Termination per month | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| - | | CHANNEL - DEDICATED TRANSPORT OCAL CHANNEL DEDICATED TRANSPORT - minimum billin | a norio | d - bolo | W DS3-one menth | DS3 and aba | ye-four month | • | | | | | | | | | |
| - | | Local Channel - Dedicated - 2-Wire Voice Grade per month - | y perio | u - pelc | ow טפט=une month, | , vos and abo | ve=rour month | 5 | | | | | | | | | |
| | | Zone 1 | | 1 | ULDVX | ULDV2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - | | | | | ĺ | | | | | | | | | | |
| | | Zone 2 | | 2 | ULDVX | ULDV2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3 | | 3 | UNDVX | ULDV2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per | | - | CIADAY | JLDVZ | 25.34 | 122.33 | 24.10 | 34.01 | 4.00 | | | | | | |
| L | | month | | | ULDVX | ULDR2 | | | | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per | | | L | | | | | | | | | | | | |
| <u> </u> | 1 | month - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per | | 1 | ULDVX | ULDR2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | 1 | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2 | | 2 | ULDVX | ULDR2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per | | † - | *** | | | .00.00 | 210 | 301 | | | | | | | |
| | | Month - Zone 3 | | 3 | ULDVX | ULDR2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - | | ٠. ا | LINDVA | | 40.10 | 004.50 | 04.00 | 55.50 | | | | | | | |
| | | Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade per month - | | 1 | UNDVX | ULDV4 | 18.18 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | | Zone 2 | | 2 | UNDVX | ULDV4 | 23.74 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | · | E0110 E | <u> </u> | | J. 10 V/ | 102017 | 25.14 | 201.00 | 24.00 | 55.52 | 5.51 | 1 | | · | | | L |

| UNRU | NDI FI | NETWORK ELEMENTS - Tennessee | 1 | | | | | | | | | | | Ι Δ. | ttachment: 2 | | Exhibit: B |
|---------|----------|--|--|--------|----------------|----------------|--------------------|------------------|------------------|----------------|----------------|--|--|--|---|---|----------------|
| CATE | NOTES | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | per Lon | per Lon | | RATES (\$) | DISC 1St | DISC Add I |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Channel - Dedicated - 4-Wire Voice Grade per month - | | _ | LINIDAN | | 04.05 | 004.50 | 04.00 | 55.50 | 5.54 | | | | | | |
| | | Zone 3 Local Channel - Dedicated - DS1 per month - Zone 1 | | 3 1 | UNDVX ULDD1 | ULDV4 ULDF1 | 31.05 36.24 | 201.53 277.35 | 24.83 233.26 | 55.52 33.18 | 5.51 22.30 | | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 1 | | 2 | ULDD1 | ULDF1 | 47.33 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | | Local Channel - Dedicated - DS1 per month - Zone 3 | | 3 | ULDD1 | ULDF1 | 61.89 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 7.15 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | ULDD3 | ULDF3 | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 7.15 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination per month | l | | ULDS1 | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| MULTI | PLEXER | | | | ונטטו | OLDL9 | 299.29 | 388.07 | 297.20 | ∠15.82 | 151.15 | | - | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 80.77 | 141.67 | 77.11 | 14.51 | 13.46 | 1 | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UDL | 1D1DD | 1.82 | 6.07 | 4.66 | 1 1.01 | 10.10 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 MQ3 | 222.98 | 308.03 308.03 | 108.47 108.47 | 44.47 44.47 | 42.62 42.62 | | | 20.35 20.35 | 9.80 21.09 | 11.49 9.80 | 1.18 9.80 |
| | | STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month | | | UXTS1 USL | UC1D1 | 222.98 17.58 | 6.07 | 4.66 | 44.47 | 42.62 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| DARK | FIRER | DOS Interface Offic (DOT COCI) used with Loop per month | | | USL | OCIDI | 17.36 | 0.07 | 4.00 | | | | | 20.33 | 9.00 | 11.45 | 1.10 |
| DAILLE | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel | | | UDF | 1L5DC | 58.83 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 28.74 | | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop | | | UDF | 1L5DL | 58.83 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | 58.83 | 1,121.00 | 153.19 | 580.26 | 357.17 | 1 | - | 20.35 | 21.09 | 9.80 | 10.54 |
| TRANS | PORT O | | | | ODI | ODI L4 | | 1,121.00 | 100.10 | 300.20 | 337.17 | | | 20.55 | 21.03 | 3.00 | 10.54 |
| | | EN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005192 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 5.21 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations | | | OHD | N8FTX | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.47 | 2.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | OLID | NOTMY | | F 00 | 2.22 | | | | | 20.05 | 20.25 | 40.00 | 40.00 |
| | | Routing Per CXR Requested Per 8XX No. 8XX Access Ten Digit Screening, Change Charge Per Request | - | | OHD OHD | N8FMX N8FAX | | 5.23 5.97 | 3.00 0.76 | | | | | 20.35 20.35 | 20.35 20.35 | 13.28 13.28 | 13.28 13.28 |
| | | SXX Access Ten Digit Screening, Change Charge Fer Request SXX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.47 | 0.70 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| LINF IN | | TION DATA BASE ACCESS (LIDB) | 1 | | J. 1D | .401 57 | | 7.7/ | | | | | | 20.55 | 20.55 | 10.20 | 13.20 |
| | | LIDB Common Transport Per Query | | | OQT | İ | 0.0000354 | | | | | | | İ | | | |
| | | LIDB Validation Per Query | | | OQU | | 0.0117403 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 49.03 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| SIGNA | LING (C | | | | | DT00:: | | | | | | | | | | | <u> </u> |
| | | CCS7 Signaling Termination, Per STP Port | ļ | | UDB | PT8SX | 138.41 | | | | | | | | | | <u> </u> |
| | | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) | | | UDB UDB | TPP++ | 0.0000916 17.84 | 130.84 | 130.84 | | | | - | 20.35 | 20.35 | 13.32 | 13.32 |
| | | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | | מטט | 1000 | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.33 | 13.32 | 13.32 |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB UDB | TPP++ | 17.84 0.0000373 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |

| UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------|----------|--|-------------|----------|-----|-------|-----------|-----------------|-----------------|-----------------------|-----------------------|----------|--|--|--|---|--|
| | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | RATES (\$) | SOMAN | SOMAN |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 352.30 | 11130 | Add I | 11130 | Auu | JOHLE | JONIAN | JONAN | JONIAN | JOHAN | JOINAIN |
| | | CCS7 Signaling Point Code, per Originating Point Code | | | - | | | | | | | | | | | | 1 |
| | | Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | | CCS7 Signaling Point Code, per Destination Point Code | | | UDB | CCAPD | | 0.00 | 8.00 | | | | | 20.25 | 20.35 | 13.32 | 40.00 |
| | | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| CALLIN | IG NAM | E (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | | CNAM for DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | | |
| | | CNAM for Non DB Owners, Per Query | | | OQV | | 0.01 | | | | | | | | | | |
| | | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) | | | OQV | CDDCH | | 595.00 | 595.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| OPERA | TOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | | LIDB | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWAR | | ATOR SERVICES | | | | | | | | | | | | | | | |
| | | Inward Operator Services - Verification, Per Call | | | | | 1.00 | | | | | | | | | | ļ |
| DD AND | 1110 | Inward Operator Services - Verification and Emergency Interrupt - Per Call PERATOR CALL PROCESSING | | | | | 1.95 | | | | | | | | | | |
| BRANL | | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | - | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | 19.99 | 13.33 |
| | Unbran | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| | | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | | ORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service Calls, Charge Per Call | | | | + | 0.2286787 | | | | | | | | | | |
| | | ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | ACC) | | | | 0.2200707 | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.0364771 | | | | | | | | | | |
| | | TORY TRANSPORT | | | | | | | | | | | | | | | |
| | | SWA Common transport per Directory Assistance Access Service Call | | | | | 0.000271 | | | | | | | | | | |
| | | SWA Common Transport per Directory Assistance Access Service Call Mile | | | | | 0.0000165 | | | | | | | | | | |
| | | Access Tandem Switching per Directory Assistance Access Service Call | | | | | 0.0001875 | | | | | | | | | | |
| | | Directory Assistance Interconnection per Directory Assistance Access Service Call | | | | | 0.00 | | | | | | | | | | |
| DIRECT | | SSISTANCE SERVICES FORY ASSISTANCE DATA BASE SERVICE (DADS) | | - | | | 1 | | | | | | - | | | | - |
| | | Directory Assistance Data Base Service Charge Per Listing | | <u> </u> | | + | 0.04 | | | | | - | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | <u> </u> | | | | | |
| BRAND | ING - DI | RECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | Facility | Based CLEC | | | | ļ | ļ | | | | | ļ | 1 | | | | ļ |
| | | Recording and Provisioning of DA Custom Branded Announcement Loading of Custom Branded Announcement per DRAM | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | | | | | |
| | UNEP C | Card/Switch . | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | - | | + | - | 3,000.00 | 3,000.00 | - | 1 | | - | - | - | - | + |

| IINRI | NDI FI | NETWORK ELEMENTS - Tennessee | 1 | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|----------|---|--|--|----------------------|----------------|--------------|-----------------|-----------------|-----------------------|----------------|--|-----------|--------------|---------------------|--------------|--|
| ONBO | NDLLL | NETWORK ELEMENTS - Tellilessee | 1 | | | | 1 | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Intori | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | B | | | | | | | | | | |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | Loading of DA Custom Branded Announcement per DRAM | | | | | | FIRST | Addi | FIRST | Addi | SOWIEC | SUMAN | SUMAN | SOWAN | SUMAN | SUMAN |
| | | Card/Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Unbran | ding via OLNS for UNEP CLEC | | | | | | 1,170.00 | 1,170.00 | | | 1 | 1 | | | | |
| | Ulibrail | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| SELEC | TIVE RC | | | | | | | 10.00 | 10.00 | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | | Switch | | | | USRCR | | 179.60 | 179.60 | | | | | 30.89 | 7.03 | | |
| VIRTU | L COLL | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 2,633.00 | 2,633.00 | | | | | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 1,749.00 | 1,749.00 | | | | | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | |
| | | Virtual Collocation - Power, per breaker amp | <u> </u> | | AMTFS | ESPAX | 6.79 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance | 1 | | | | | | | | | | | | | | |
| | | cable | ļ | <u> </u> | AMTFS | ESPSX | 17.87 | | | 10.5- | | | | 2.5- | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | ueanl,uea,udn,udc,u | | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | <u> </u> | uea,uhl,ucl,udl,AMTF | | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS AMTFS | CNC2F CNC4F | 3.03 6.06 | 41.56 50.53 | 29.82 38.78 | 12.96 16.97 | 10.34 14.35 | | | 2.69 2.69 | 2.69 2.69 | 1.56 1.56 | 1.56 1.56 |
| | | Virtual collocation - 4-Fiber Cross Connects Virtual collocation - DS1 Cross Connects | | | USL,ULC,AMTFS | CNC4F CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | 2.09 | 2.69 | 0.67 | 1.56 |
| | | Virtual collocation - DS1 Cross Connects Virtual collocation - DS3 Cross Connects | 1 | | USL,ULC,AMTFS | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | 1 | | USL,ULC,AWIT S | CINDSX | 12.32 | 29.91 | 10.30 | 12.03 | 0.55 | | | 2.07 | 2.01 | 0.07 | 1.41 |
| | | Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0031 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | 744111 0 | VETOB | 0.0001 | | | | | | | | | | |
| | | Cable Support Structure, per linear ft | | | AMTFS | VE1CC | 0.0045 | | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | | Support Structure,per cable | | | AMTFS | VE1CD | | 555.03 | | | | | | | | | |
| | | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 555.03 | | | | | | | | | |
| | | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | | | | |
| | | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 41.50 | 25.61 | | | | | | | | |
| | | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 49.86 | 30.79 | | | | | | | | |
| | | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | 30.64 | | | | | | | | |
| | | Virtual collegation Maintenance in CO. Constitute and Late | 1 | | AMTFS | SPTOM | | 35.77 | 35.77 | | | | | | | | |
| — | | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AIVITO | SPIUN | | 35.77 | 35.// | | | | | - | | | - |
| 1 | | Virtual collocation - Maintenance in CO - Premium per half hour | 1 | | AMTFS | SPTPM | | 40.90 | 40.90 | | | | | 1 | | |] |
| VIPTII | I COL | OCATION | | | , 40/11 0 | OI II IVI | | 40.30 | 40.30 | 1 | | 1 | | 1 | | | |
| 711(10) | 1 | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | 1 | | | | | | | | | | | | | | |
| | | Wire Analog - Res | 1 | | UEPSR | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | 1 | | | | 5.50 | | | Ì | | | | 20.00 | 10.04 | 10.02 | 5 |
| 1 | | Wire Line Side PBX Trunk - Bus | 1 | | UEPSP | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | - | - | | | İ | | | | | |
| L | | Voice Grade PBX Trunk - Res | <u> </u> | | UEPSE | VE1R2 | 0.30 | 19.20 | 19.20 | | | <u> </u> | <u> </u> | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | - | | | | | | | | |
| | | Analog Bus |] | | UEPSB | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| 1 | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | 1 | | | | | | |] | | | | 1 | | |] |
| | | ISDN | | | UEPSX | VE1R2 | 0.30 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | 1 | | LIEDTY | VE4D0 | 0.00 | 10.00 | 10.00 | | | | | 20.65 | 10.51 | 10.00 | 4.40 |
| <u> </u> | | ISDN | 1 | - | UEPTX | VE1R2 | 0.30 | 19.20 | 19.20 | ļ | | 1 | - | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1 | 1 | | UEPEX | VE1R4 | 0.50 | 19.20 | 19.20 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| VIDTU | I COL | OCATION | | | OLPEA | v = 1 1 1 4 | 0.50 | 19.20 | 19.20 | | | | | ∠0.35 | 10.54 | 13.32 | 1.40 |
| VIKTU | L COLL | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | 1 | | 1 | | 1 | | | |
| 1 | | Splitting | 1 | | UEPSR, UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SF | LECTIVI | E CARRIER ROUTING | <u> </u> | | 52. 5K, 5E1 5B | | 5.57 | 11.02 | 5.90 | 10.00 | 3.00 | | | 10.00 | 10.99 | 10.99 | 10.99 |
| | | Regional Service Establishment | 1 | | SRC | SRCEC | | 391,788.00 | | 1 | | | 15.69 | 1 | | | |
| | | End Office Establishment | 1 | | SRC | SRCEO | | 320.53 | 320.53 | İ | | | 15.69 | | | | i |
| | | | • | • | | | | | | • | | • | | • | | | |

| UNBU | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|-------|---|-------------|----------|----------------|--------------|-----------------|----------|----------------|-----------------|---------------|--------------|---|-------------------------|-------------------------|---|---|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Line/Port NRC, per end user | | | SRC | SRCLP | | 2.06 | 2.06 | | | | 15.69 | | | | |
| | | Query NRC, per query | | | SRC | | 0.000448 | | | | | | | | | | |
| AIN - B | | ITH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State, | | | | | - | | | | | | | | | | + |
| | | Initial Setup | | | A1N | CAMSE | | 135.56 | 135.56 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 41.75 | 41.75 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 41.75 | 41.75 | | | | | 20.35 | 20.35 | 13.28 | |
| | | AIN SMS Access Service - User Identification Codes - Per User | | | | | | | | | | | | | | | 1 |
| | | ID Code | | | A1N | CAMAU | | 96.63 | 96.63 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | | | | | | | | | | | | 1 | 1 |
| | | Initial or Replacement | | | A1N | CAMRC | | 113.67 | 113.67 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0024 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0820123 | | | | | | | | | | - |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.27 | | | | | | | | | | |
| AIN - B | | ITH AIN TOOLKIT SERVICE | | | | _ | 2.21 | | | | | | | | | | + |
| AIN - D | | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | 1 | | | | | | | | | | + |
| | | Initial Setup | | | CAM | BAPSC | | 132.04 | 132.04 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 7,915.00 | 7,915.00 | | | | | 20.35 | 20.35 | 13.28 | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | · | | | | | | | | 1 |
| | | DN, Term. Attempt | | | | BAPTT | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Off-Hook Delay | | | | BAPTD | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | ВАРТО | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTC | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | DN, Feature Code | | | | BAPTF | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0211882 | | | | | | | | | | |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | | 0.0054774 | | | | | | | | | | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | | | | |
| | | Account, Per 100 Kilobytes | | | | | 1.50 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription | | | CAM | BAPMS | 17.43 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | Subscription | | | CAM | BAPLS | 0.1321116 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 17.35 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription | | | CAM | BAPES | 0.0511435 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| ENHAN | | TENDED LINK (EELs) | | | | | 2.23.1.00 | 55.25 | 33.20 | | | | | 20.00 | 20.00 | .3.20 | 10.20 |
| | | New EELs available in GA, TN, KY, LA, MS, & SC and density | | | | | | | | | | | | | <u> </u> | İ | |
| | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- | | | | | | | | | | | | | | | |
| | | n all states, EEL network elements shown below also apply t | | | | | | | As Is Charge a | pplies to curre | ntly combined | facilities c | onverted to | UNEs.(Non-re | ecurring rates | do not apply | -) |
| <u> </u> | | n GA, TN, KY, LA, MS & SC the EEL network elements apply | | | | elements.(No | Switch As Is Ch | arge.) | | | | | | - | 1 | | + |
| | | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | EKOFF | ICE IF | KANSPUKI (EEL) | - | | | | | | 1 | | | | | + |
| | | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | <u> </u> | OI NO VA | ULALZ | 10.56 | 100.76 | 33.47 | 12.94 | 10.00 | | | 20.33 | 21.09 | 3.00 | 10.54 |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 3 | <u></u> | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | <u></u> | <u> </u> | 20.35 | 21.09 | 9.80 | 10.54 |

| UNRU | NDI F | NETWORK ELEMENTS - Tennessee | 1 | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|------|--------|---|----------|---------|-----------------|---------|--------|--------|-----------|--------------|---------|-------------|-------------|------------------------|-------------------------|------------------------|--|
| ONDO | NDLLL | HETWORK ELEMENTS - Tellilessee | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | |
| CATE | | | Interi | | | | | | | | | Core Conden | Cora Cardan | Charge - Manual Svc | Charge - | Charge - Manual Svc | Charge - |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | Manual Svc Order vs. | Order vs. | Manual Svc Order vs. |
| •••• | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per Lor | per Lor | 131 | Auu | Disc 1st | Disc Add I |
| | | | | | | | Rec | Nonred | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | LINIOAN | 41.5307 | 0.0500 | | | | | | | | | | |
| | | per month Interoffice Transport - Dedicated - DS1 combination - Facility | <u> </u> | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.00 | 21100 | 0.00 | 10.01 |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | 1 | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| - | | Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | 1 | | UNCVA | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport Combination - Zone 3 | 1 | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | _ | | | 20.20 | | 33.11 | , 2.54 | .5.50 | | | 20.00 | 250 | 0.50 | 10.04 |
| | | per month . | <u> </u> | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | <u></u> | | | | | | <u> </u> |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| | | ls Charge | <u> </u> | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 4 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| - | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | 1 | - 1 | UNCVA | UEAL4 | 24.70 | 100.76 | 35.47 | 72.94 | 10.00 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | | Per Month | ļ | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - Channel System DS1 to DS0 combination Per | 1 | | UNCIX | UTIFT | 77.00 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | | Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | ļ | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | ONCVA | OLAL4 | 32.20 | 100.70 | 33.47 | 72.54 | 10.80 | | | 20.33 | 21.09 | 9.60 | 10.54 |
| | | Interoffice Transport Combination - Zone 3 | 1 | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | 1 |
| | | per month | <u> </u> | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | ļ |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINGAY | LINIOGG | | | | | | | | | | | |
| | 1-WIDE | Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTER | EEICE | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | /- TIUE | INANGFURI (EEL) | | | | | | 1 | | | | | | |
| | | Transport Combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | 1 | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 2 | 1 | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | 1 | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 3 | ļ | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | 1 | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | 1 |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility | 1 | | 014017 | ILUAA | 0.3302 | | | | | | | | | | † |
| | | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - Channel System DS1 to DS0 combination Per | Ì | | | | | | | | | | | | | | 1 |
| | | Month | <u> </u> | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | ļ |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | _ | | | | | | | | | | |
| | | month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | 1 |
| | | Additional 4-wire 56kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | 1 | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | interession transport Combination - ZUITE 1 | 1 | | OHODA | JULJU | 31.10 | 100.70 | 33.47 | 12.34 | 10.00 | 1 | 1 | 20.33 | 21.09 | 3.00 | 10.34 |

| LINE | NDI F | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ttachment: 2 | | Exhibit: B |
|----------|----------|---|--------|----------|-----------------|--------------|------------------|------------------|-----------------|----------------|---------------|-----------|-----------|------------------------|--------------------------|------------------------|------------------------|
| ONBO | NDLLL | NETWORK ELEMENTS - Tellilessee | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| CATE | | | Interi | | | | | | | | | Cua Ordar | Cua Ordar | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc | Charge - Manual Svc |
| GORY | NOTES | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | | | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Order vs. Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | per Lore | por Lore | 130 | Auu | D100 10t | DISC Add I |
| | | | | | | | Rec | Nonred | | | g Disconnect | | | | RATES (\$) | | |
| | | A. I. I. I. I. I. I. I. I. I. I. I. I. I. | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDX | UDL36 | 40.61 | 100.76 | 35.47 | 72.94 | 10.00 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | | | | | | | | | | | | | |
| | | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | ==== | | | | | | | | | |
| - | 4-WIDE | IS Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTED | CEICE | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | FFICE | TRANSFORT (EEL) | | | | | | | | | | | | |
| | | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDA | UDL64 | 55.11 | 100.76 | 35.47 | 72.94 | 10.00 | | | 20.35 | 21.09 | 9.60 | 10.54 |
| | | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | LINIOAN | | 00.77 | 105.70 | 44.40 | 0.04 | 0.74 | | | 00.05 | 04.00 | 0.00 | 10.51 |
| | | Month OCU-DP COCI (data) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | 0.1027 | 10.00 | 0.01 | 0.70 | 2 | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | _ | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System | | Ť | 0.1027 | 00201 | 00.11 | 100.70 | 00.11 | 12.01 | 10.00 | | | 20.00 | 21100 | 0.00 | 10.01 |
| | | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | 4 WIDE | s Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | DOFF | CE TD | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | I | CE IKA | ANSPORT (EEL) | + | | | | | | | | | | | |
| | | Fransport - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| <u> </u> | | Transport - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | 014017 | JULAA | 90.39 | 220.40 | 101.74 | 19.01 | 24.00 | | | 20.33 | 21.09 | 5.00 | 10.34 |
| | | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | <u> </u> | <u> </u> | <u> </u> | | | |
| | | nteroffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| <u></u> | | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INT | EROFFI | CE TRA | | 5.4000 | | 52.73 | 24.02 | 3.12 | 3.12 | | | 20.33 | 21.09 | 3.00 | 10.34 |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | , | | | | | | | | | | | | |
| | | 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | LINCAV | LIELVY | 75.40 | 000.40 | 404.74 | 70.07 | 04.00 | | | 00.05 | 04.00 | 0.00 | 40.54 |
| - | | 2 First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | | | 50 | | | | | 2.30 | |
| | | Per Month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | LINGOV | LIATES | 0=.0= | | | 2 | | | | | | | |
| <u> </u> | | month DS3 to DS1 Channel System combination per month | | - | UNC3X UNC3X | U1TF3 MQ3 | 854.97 222.98 | 482.01 156.02 | 153.81 49.41 | 64.43 17.12 | 35.43 6.77 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| L | I | וסם זו סום או Charmer System combination per month | l | <u> </u> | OINCOV | IVIUJ | 222.98 | 156.02 | 49.41 | 17.12 | 0.77 | 1 | l | l | l | l | 1 |

| DS DS DS DS DS DS DS DS | RATE ELEMENTS PASS Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch - As Scharge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mille Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade | | Zone 1 2 3 | BCS UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X | UC1D1 USLXX USLXX | Rec 17.58 | Nonrec First 5.70 | RATES(\$) urring Add'I | Nonrecurring | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
|--|--|---------|-------------|---|-------------------|-----------|----------------------|------------------------|--------------|-------|---|-------|--|---|---|---|
| Ad Zo Ad Zo Ad Zo Ad Zo Ad Zo Ad Zo DS DS DS DS DS DS DS D | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As S Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | 3 | UNC1X UNC1X UNC1X | USLXX | 17.58 | First | | | | | | | | | |
| Ad Zo Ad Zo Ad Zo Ad Zo Ad Zo Ad Zo DS DS DS DS DS DS DS D | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As S Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | 3 | UNC1X UNC1X UNC1X | USLXX | | | Add'l | | | | | | RATES (\$) | | |
| Ad Zo Ad Zo Ad Zo Ad Zo Ad Zo Ad Zo DS DS DS DS DS DS DS D | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As S Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 Z-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | 3 | UNC1X UNC1X UNC1X | USLXX | | | 4.42 | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Zo | Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As s Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | 3 | UNC1X UNC1X | | | 5.75 | 4.42 | | | | | + | | | |
| Zo | Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As so Ange VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | 3 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Ad Zo DS | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As s Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 1-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 1-WireVG Loop used with 2-wire VG combination - Per Mile Per Month | | 3 | UNC1X | USLAA | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| DS No Is (| DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As s Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | | | 75.40 | 220.40 | 101.74 | 79.07 | 24.00 | | | 20.33 | 21.09 | 9.00 | 10.54 |
| No No No No No No No No | Nonrecurring Currently Combined Network Elements Switch -Ass Ararge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 1-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 1-WireVG Loop used With 2-wire VG Combination - Per Wile Per Month | | ICE TE | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Is 6 | s Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN E-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 E-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 E-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | FICE TE | | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | - |
| 2-V Co 2-V Co 2-V Co Int Mii Int cor No Is 6 4-WIRE VC Co 4-V Co Int Mii Int Cor Int High Int Int Int Int Int Int Int Int Int Int | 2-WireVG Loop used with 2-wire VG Interoffice Transport 2-mbination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport 2-mbination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport 2-mbination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | TEROFF | ICE T | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Co 2-V Co Co Co Co Co Co Co C | Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | RANSPORT (EEL) | | | | | | | | | | | | |
| 2-V Co 2-V Co 2-V Co Int Miii Int Cor No Is (4-WIRE VC Co 4-V Co Int Miii Int Cor Int Miii Int Int Int Int Int Int Int Int Int Int | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 nteroffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Co 2-V Co Int Mili Int Cor Co Co Co Co Co Co C | Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 nteroffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | + ' | OI VOVA | ULALZ | 10.56 | 100.76 | 33.47 | 12.94 | 10.00 | | | 20.33 | 21.09 | 5.00 | 10.54 |
| Co Intri Mill Intri COI NO Is (4-WIRE VC CO 4-V CO 4-V CO Intri Mill Intr COI NO Is (Intri DIST DIST DIST DIST HIE | Combination - Zone 3 nteroffice Transport - Dedicated - 2-wire VG combination - Per ville Per Month | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Intervention of the control of the c | nteroffice Transport - Dedicated - 2-wire VG combination - Per vile Per Month | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Introcor No No No Is (4-WIRE VC Co 4-V Co 4-V Co Intr Mii Intr cor No Is (DS3 DIGIT Hii Hii Hii Hii | | | Ť | | - | 20.20 | 100.70 | 00.47 | 72.04 | 10.00 | | | 20.00 | 21.00 | 0.00 | 10.04 |
| Coi No Is 4 4-WIRE VC Co 4-V Co Int Mill Int Coi No Is 6 DS3 DIGIT Hig | | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| No Is (4-WIRE VC Co 4-V- Co 4-V- Co Introduction Introduction So Is (DS3 DIGIT High | combination - Facility Termination per month | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE VC Co 4-V Co 4-V Co Int Mili Int cor No Is DS3 DIGIT Hii | Nonrecurring Currently Combined Network Elements Switch -As | 5- | | OTTO VA | | 20 | | | | | | | | | | |
| 4-V Co 4-V Co 1-V Co Int Mil Int cor No Is (DS3 DIGIT Hig | s Charge | TEDOE | LOE TO | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Co 4-V- Co 4-V- Co Intri Mil Intr Col No Is (DS3 DIGIT Hig Mil Hil | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN INVIOLE US USED USED WITH 1-WIRE VG Interoffice Transport | ILEKOFI | -ICE II | RANSPORT (EEL) | | | | | | | | | + | | | |
| Co 4-V Co Intermediate Intermed | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-V Co Intr Mil Intr cor No Is (DS3 DIGIT Hig Mil | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Co Intr Mil Intr COI NO Is (DS3 DIGIT Hig Mil | 4-WireVG Loop used with 4-wire VG Interoffice Transport | + | | UNCVX | UEAL4 | 32.20 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Mil Intercor No Is (DS3 DIGIT Hig Mil | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Inti- coi No Is (DS3 DIGIT Hiç Mil | nteroffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | 1 | |
| cor No Is (DS3 DIGIT Hig Mil | nteroffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | ILJAA | 0.0174 | | | | | | | | | | <u> </u> |
| DS3 DIGIT Hig Mil | combination - Facility Termination per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| DS3 DIGIT Hig Mil Hig | Nonrecurring Currently Combined Network Elements Switch -As s Charge | 5- | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| Mil Hiç | ITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFF | CE TRA | NSPOR | | 011000 | | 02.70 | 24.02 | 0.12 | 0.12 | | | 20.00 | 21.00 | 0.00 | 10.04 |
| Hig | High Capacity Unbundled Local Loop - DS3 combination - Per | | | LINCOV | 41.5N/5 | 0.40 | | | | | | | | | 1 | |
| | Mile per month High Capacity Unbundled Local Loop - DS3 combination - | + | + | UNC3X | 1L5ND | 9.19 | | | | | | | | | | + |
| | Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | nteroffice Transport - Dedicated - DS3 - Per Mile per month nteroffice Transport - Dedicated - DS3 combination - Facility | + | 1 | UNC3X | 1L5XX | 2.34 | 7 | | | | | | \vdash | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| No | Nonrecurring Currently Combined Network Elements Switch -As | 5- | | | | | | | | | | | | | | |
| | s Charge | FICE TO | RANSP | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | T T | - CHOP | J (LLL) | + | | | | | | | | | | | |
| | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI- ligh Capacity Unbundled Local Loop - STS1 combination - Per | | | UNCSX | 1L5ND | 9.19 | | | | | | | <u> </u> | | | ļ |
| | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI -ligh Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI ligh Capacity Unbundled Local Loop - STS1 combination - Per wlile per month ligh Capacity Unbundled Local Loop - STS1 combination - | | 1 | 0.130/ | | 554.50 | 240.20 | 100.01 | 100.70 | 70.24 | | | 20.00 | 21.00 | 3.00 | 10.04 |
| | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI ligh Capacity Unbundled Local Loop - STS1 combination - Per Mile per month ligh Capacity Unbundled Local Loop - STS1 combination - -acility Termination per month nteroffice Transport - Dedicated - STS1 combination - Per Mile | | 1 | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI iligh Capacity Unbundled Local Loop - STS1 combination - Per while per month iligh Capacity Unbundled Local Loop - STS1 combination - 'acility Termination per month interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| No | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROI ligh Capacity Unbundled Local Loop - STS1 combination - Per wille per month ligh Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile per month Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | 3.0.03 | | | 55 | 00.70 | | | 20.00 | 255 | | 13.54 |
| 2-WIRE IS | GITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROIT | 3- | | UNCSX | UNCCC | 1 | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |

| UNRU | NDI FO | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Ι Δ | ttachment: 2 | | Exhibit: B |
|------|--------|--|-------------|-------------|-----------|----------|--------|--------|-----------|-------|--------------|-------|---|---------------------------------------|--------------|-------------------------|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | LINONIY | 1141.00/ | 00.00 | 100.70 | 05.47 | 70.04 | 40.00 | | | 00.05 | 04.00 | 0.00 | 40.54 |
| | | Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combintion - Facility | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Channelization - Channel System DS1 to DS0 combination - | | | | | | | | | | | | | | | |
| | | per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | combination - per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINGNIV | U1L2X | 22.22 | 108.76 | 25.47 | 70.04 | 40.00 | | | 20.35 | 21.09 | 9.80 | 40.54 |
| - | | Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 1 | UNCNX | UILZX | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | OI VOI VX | | 37.93 | 100.70 | 33.47 | 12.54 | 10.00 | | | 20.55 | 21.03 | 3.00 | 10.54 |
| | | combintaion- per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE TI | | 011000 | | 02.70 | 24.02 | 0.12 | 0.12 | | | 20.00 | 21.00 | 0.00 | 10.04 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| - | | First DS1 Loop in STS1 Interoffice Transport Combination - | | <u> </u> | ONCIA | USLAA | 31.13 | 220.40 | 101.74 | 19.01 | 24.00 | | | 20.55 | 21.09 | 9.00 | 10.54 |
| | | Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | 014017 | OOLXX | 30.33 | 220.40 | 101.74 | 13.01 | 24.00 | | | 20.55 | 21.03 | 3.00 | 10.54 |
| | | Per Month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS1 combination - Facility Termination | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Additional DSTLoop in STST Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | į. | Additional DS1Loop in STS1 Interoffice Transport Combination - | | _ | | | | | | | | | | | | | |
| - | | Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | 1 | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE T | RANSI | | 5200 | | 320 | 232 | U.I.E | 5.12 | | | 20.00 | 250 | 5.50 | |
| | Ī | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1 | | 4 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | |] | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | - | | ONCDA | UDLOO | 31.10 | 108.76 | 35.47 | 12.94 | 10.86 | 1 | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | nteroffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | 33.11 | 100.70 | 55.47 | 12.34 | 10.00 | | | 20.55 | 21.09 | 3.00 | 10.34 |
| | | Per Mile | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | s Charge | |] | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | |] | 20.35 | 21.09 | 9.80 | 10.54 |

| LINDI | NDI EF | NETWORK ELEMENTS Tannages | | | | | | | | | | | | | | | Fubible D |
|---------|--|---|--------------|---------|---------------------|----------------|---------------------------------------|------------------|----------------|----------------|----------------|-----------|-----------|----------------|----------------|--------------|--------------|
| UNDU | NULEL | NETWORK ELEMENTS - Tennessee | | | | ı | ı | | | | | 1 | l | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | | m | | | | | | *** | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | RATES (\$) | | |
| | 4 14/105 | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FEIOE T | 24110 | ODT (EEL) | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-WIRE | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | FFICE I | KANSF | ORI (EEL) | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | ONODA | ODLOT | 31.10 | 100.70 | 33.47 | 72.54 | 10.00 | | | 20.55 | 21.03 | 3.00 | 10.54 |
| | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | . Buony | | | | | | | | 1 | | | | |
| | | Facility Termination | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| ADDITI | ONAL N | Is Charge ETWORK ELEMENTS | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | 1 | - | 20.35 | 21.09 | 9.80 | 10.54 |
| | | sed as a part of a currently combined facility, the non-recurr | na chai | raes do | not annly but a Si | witch As Is c | harge does and | alv | | | | | | | | | |
| | | sed as ordinarilty combined network elements in Georgia, th | | | | | | | | | | | | | | | |
| | | | | | 9 9pp-) | 1 | l l l l l l l l l l l l l l l l l l l | | | 1 | | | | | | | |
| | Node (S | ynchroNet) | | | | | | | | | | | | | | | |
| | Nonrec | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | bination) | | | | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | ls Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | ls Charge - 56/64 kbps | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCIA | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.60 | 10.54 |
| | | Is Charge - DS3 | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | **** | | | | | | | |
| | | ls Charge - STS1 | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | ocal Channel - Dedicated Transport - minimum billing period | d - Belo | | | d above=fou | r months | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | | UNCVX | ULDV2 | 17.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV2 | 22.44 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCXV | ULDV2 | 29.34 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 18.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| - | | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade Zone 3 | | 2 | UNCVX UNCXV | ULDV4 ULDV4 | 23.74 31.05 | 108.76 108.76 | 35.47 35.47 | 72.94 72.94 | 10.86 10.86 | | | 20.35 20.35 | 21.09 21.09 | 9.80 9.80 | |
| 1 | \vdash | Local Channel - Dedicated - 4-Wire Voice Grade Zone 3 Local Channel - Dedicated - DS1 per month Zone 1 | - | 1 | UNC1X | ULDV4 | 36.24 | 228.40 | 161.74 | 79.87 | 24.88 | } | | 20.35 | 21.09 | 9.80 | |
| - | | Local Channel - Dedicated - DS1 Per Month Zone 2 | | | UNC1X | ULDF1 | 47.33 | 228.40 | 161.74 | 79.87 | 24.88 | 1 | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 | | | UNC1X | ULDF1 | 61.89 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 7.15 | | | | | | | | | | 1 |
| | | Local Channel - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | | month | | | UNC3X | ULDF3 | 611.30 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 7.15 | | | ļ | ļ | | | ļ | ļ | ļ | ļ |
| 1 | | Local Channel - Dedicated - STS-1 - Facility Termination per | | | LINCOV | DEC | 500 50 | 0.40.00 | 100.5= | 100 == | 45.01 | | 1 | 20.65 | 04.00 | 2.00 | 10.51 |
| LINDII | | month DCAL EXCHANGE SWITCHING(PORTS) | | | UNCSX | ULDFS | 599.59 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | ge Ports | - | | | 1 | | | | + | 1 | } | | 1 | 1 | 1 | 1 |
| - | | Although the Port Rate includes all available features in GA, I | KY. I A | R TN + | ne desired features | will need to ! | ne ordered usin | ng retail USOC | <u> </u> | | | | | <u> </u> | <u> </u> | | |
| | | VOICE GRADE LINE PORT RATES (RES) | , L A | , 1 | | | 2.0.00.00 0311 | .g G.G GGGGG | - | 1 | 1 | | | 1 | 1 | | 1 |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | L | UEPSR | UEPRC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | | | | | | | | | | | | | 1 | 1 | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| 1 | | Exchange Ports - 2-Wire VG unbundled TN extended local | | | LIEDOD | LIEDAG | | 0.00 | 0.10 | | | | 1 | 00.00 | 40 - 1 | 40.00 | |
| | | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAQ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | } | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7) | | | UEPSR | UEPAH | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | 1 | 20.35 | 10.54 | 13.32 | 1.40 |
| Ь | | with Galler ID - NES (AGF) | L | L | OLFOR | ULFAN | 1.09 | 9.93 | 9.19 | 3.00 | 2.92 | <u> </u> | | 20.35 | 10.54 | 13.32 | 1.40 |

| UNBU | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|--------------|-------|--|-------------|----------|----------------|----------------|--------------|-----------------|-----------------|-----------------------|---------------------|-------|-----------------------|--|----------------|---|---|
| CATE GORY | | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R) | | | UEPSR | UEPAK | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | COMEC | COMPAN | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER) | | | UEPSR | UEPAL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR) | | | UEPSR | UEPAM | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X) | | | UEPSR | UEPAN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR) | | | UEPSR | UEPAO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | bott with Caller ID - Res (2NIK) Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1.89 | 9.93 | 9.19 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS) | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | + | | | | | | | | | | | |
| | | Bus Exchange Ports - 2-Wire VG unbundled Line Port with | | | UEPSB | UEPBL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAV | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1) | | | UEPSB | UEPAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area | | | | | | | | | | | | | | | |
| | | Calling Port Standard Option - Bus (TACC2) Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville | | | UEPSB | UEPAD | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | & Memphis Local Calling Port - Bus (B2F) | | | UEPSB | UEPAE | 1.89 0.00 | 9.93 0.00 | 9.19 | 3.66 | 2.92 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.40 |
| | FEATU | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | NGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | <u> </u> | UEPSP UEPSP | UEPPO UEPP1 | 1.79 1.79 | 9.93 9.93 | 9.19 9.19 | 3.66 3.66 | 2.92 2.92 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.40 |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | 1 | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus | | 1 | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire TN Outward Calling Plan PBX Trunk - Bus | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | <u> </u> | UEPSP | UEPXA | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | <u> </u> | <u> </u> | UEPSP | UEPXB | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | <u> </u> | <u> </u> | UEPSP | UEPXC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | <u> </u> | | UEPSP | UEPXD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | B.1.7 | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | B.1.7 | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |

| UNRU | INDI FI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: B |
|----------|----------|---|-------------|----------|-------------------------------|----------------|------------------------|------------------|-----------------|-----------------------|---------------------|-------------|------------------------------------|---|-------------------------|---|---|
| CATE | | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | <u> </u> | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy | | | | | | | | | | JOINEC | JOWAN | | | | |
| | B.1.7 | Administrative Calling Port TN Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPSP | UEPXN | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | B.1.7 | Discount Room Calling Port | | | UEPSP | UEPXO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | | | | | | | | | | | | |
| | B.1.7 | Port | | | UEPSP | UEPXU | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | B.1.7 | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port | | | UEPSP | UEPXV | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 0.00 | 2.02 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | FEATU | RES | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | NGE PORT RATES (COIN) | | | | | 0.44 | 0.00 | 0.10 | 0.00 | 0.00 | | | 00.05 | 10.51 | 40.00 | 4.40 |
| | | Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit so | witched | HESON | will also annly to ci | rouit switch | 2.11 | 9.93 | 9.19 | 3.66 | 2.92 | ated with 2 | wire ISDN r | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | s Request Pro | cess. | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | l | | | T | 1 | - ruiso ioi iiio | paonor capas. | | | | - roquoou | | - Hoquoot I I I | 1 | |
| | EXCHA | NGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.97 | 47.75 | 47.01 | 9.21 | 8.47 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability | | | UEPDD | UEPDD | 35.74 | 75.93 | 38.15 | 8.77 | 8.04 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 16.26 | 30.23 | 29.49 | 4.10 | 4.10 | | | 41.43 | 42.17 | 9.80 | 9.80 |
| | | Transmission/usage charges associated with POTS circuit sy | | | | | | | | | | | | | <u> </u> | | |
| | | Access to B Channel or D Channel Packet capabilities will be | availal | ole only | V through BFR/New UEPTX UEPSX | | | | | lities will be de | termined via t | he Bona Fid | le Request/ | New Busines | s Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | U1UMA UEPEX | 0.00 75.04 | 0.00 148.66 | 0.00 147.18 | 38.46 | 36.98 | | | 40.69 | 42.17 | 9.07 | 10.54 |
| UNBUN | | OCAL SWITCHING, PORT USAGE | | | OLI LX | OLILX | 73.04 | 140.00 | 147.10 | 30.40 | 30.30 | | | 40.03 | 72.17 | 3.01 | 10.54 |
| | | ice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0008041 | | | | | | | | | | |
| | | n Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.0009778 | | | | | | | | | | |
| - | | on Transport | | | | | 0.0000004 | | | | | | | | | | |
| | | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | | | | | 0.0000064 0.0003871 | | | | | | | | | | |
| UNBUN | | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | 0.0003671 | | | | | | | | | | |
| 0.120. | | ased Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to pro | ovide Unbun | dled Local Swi | tching or Swite | ch Ports. | | | | | | | | |
| | | s shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate E | xhibit. | | | | | |
| | | ice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | | | | | |
| | | orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T | | | | | | | | | | | | | | | |
| | | ly Combined Combos for all states. In GA, KY, LA, MS, SC ar | | | | | | | | and NC these | nonrecurring | charges are | Market Rat | es and are al | so listed in th | e Market Rate | e section. |
| | | rently Combined Combos in all other states, the nonrecurring | g charg | es sha | Il be those identified | in the Nonr | ecurring - Curr | ently Combine | d sections. | 1 | | | | ı | 1 | ı | 1 |
| — | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | 1 | | | | | | | - | | 1 | | 1 |
| — | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | 1 | 14.18 | | | | | | | | - | | - |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| <u></u> | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | | | | | | | | | | 1 |
| - | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX UEPRX | UEPLX | 16.31 21.32 | | | | | | | | | | |
| — | | Voice Grade Line Port Rates (Res) | | 3 | OLI IXX | JLI LA | 21.32 | | | | | | | | | | 1 |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) | | | UEPRX | UEPAH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |

Version 4Q01: 01/31/02 Page 307 of 327

| UNBU | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|------|---------|--|-------------|--|----------------|--------|----------------|-----------------|------------------|-----------------------|---------------------|-------|-----------------------|--|---------------------|---|--|
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS | RATES (\$) SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) | | | UEPRX | UEPAK | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) | | | UEPRX | UEPAL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR) | | | UEPRX | UEPAM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X) | | | UEPRX | UEPAN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR) | | | UEPRX | UEPAO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | <u> </u> |
| | FEATU | RES All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | NUMBER PORTABILITY | | | OLFKA | OLF VI | 0.00 | 0.00 | 0.00 | | | | | 30.69 | 7.03 | | + |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPRX | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | Switch with change | | | UEPRX | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.76 | | | | | | 7.97 | | | |
| | ADDITIO | DNAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | - | | | | | | | | | | | |
| | | rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | - | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | + | 18.01 | | | | | | | | | | + |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX UEPBX | UEPLX | 16.31 21.32 | | | | | | | | 1 | | + |
| | | /oice Grade Line Port (Bus) | | 3 | UEPBA | UEPLA | 21.32 | | | | | | | | 1 | | + |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | + |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local | | 1 | LIEDDY | UEPAV | 4.70 | 00.44 | 45.05 | 0.45 | 2.24 | | | 30.89 | 7.00 | | 1 |
| | | dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX UEPBX | UPEB1 | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | | 30.89 | 7.03 7.03 | | + |
| | | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1) | | | UEPBX | UEPAC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2) | | | UEPBX | UEPAD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F) | | | UEPBX | UEPAE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | NUMBER PORTABILITY | | <u> </u> | LIEDDY | LNDOV | 0.00 | | | | | | | | | | |
| | FEATU | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | - | | + |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | + |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | | 1 | 5.50 | 0.00 | 5.50 | | | | | 55.55 | 1.30 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |

| CATE GORY NOTES RATE ELEMENTS Interior Zone BCS USOC RATES(\$) Svc Order | Incremental Charge - Manual Svo Order vs. Electronic- 1st OSS | Order vs. Electronic- Add'I RATES (\$) SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
|--|--|---|---|--|
| NATE ELEMENTS Max 20ne BCS USCC NATES(s) Submitted | Charge - Ir Manual Svo d Order vs. IElectronic- 1st OSS SOMAN 7.97 | Charge - Manual Svo Order vs. Electronic- Add'I RATES (\$) SOMAN | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- |
| NATE ELEMENTS Max 20ne BCS USCC NATES(s) Submitted | Manual Svo Order vs. Electronic- 1st OSS SOMAN | Manual Svo Order vs. Electronic- Add'I RATES (\$) SOMAN | Manual Svc Order vs. Electronic- Disc 1st | Manual Svc Order vs. Electronic- |
| NATE ELEMENTS Max 20ne BCS USCC NATES(s) Submitted | d Order vs. Electronic- 1st OSS SOMAN 7.97 | Order vs. Electronic- Add'I RATES (\$) SOMAN | Order vs. Electronic- Disc 1st | Order vs. Electronic- |
| Submitted Submitted Submitted Submitted Submitted Submitted Submitted Submitted Submitted Submitted Submitted Per LSR Pe | USS SOMAN 7.97 | Electronic- Add'I RATES (\$) SOMAN | Electronic- Disc 1st | Electronic- |
| Rec Nonrecurring | OSS SOMAN 7.97 | RATES (\$) SOMAN | Disc 1st | |
| Rec | OSS SOMAN 7.97 | RATES (\$) | | Disc Add'l |
| Pirst Add'l First Add'l First Add'l SOMEC SOMAN | 7.97 | SOMAN | | i |
| Pirst Add'l First Add'l First Add'l SOMEC SOMAN | 7.97 | SOMAN | | |
| 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 0.76 | 7.97 | | | |
| Subsequent Database Update | | | SOMAN | SOMAN |
| ADDITIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPBX USAS2 0.00 0 | | | | ' |
| 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | 30.89 | ' | | |
| Activity | 30.89 | | | |
| 2-Wire Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) UNE Port/Loop Combination Rates 1 | 30.89 | | | l l |
| UNE Port/Loop Combination Rates | | 7.03 | | ļ |
| 2-Wire VG Loop/Port Combo - Zone 1 | | | | ļ |
| 2-Wire VG Loop/Port Combo - Zone 2 2 18.01 2-Wire VG Loop/Port Combo - Zone 3 3 23.02 | - | + | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | + | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | + | + | + | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPRG UEPLX 16.31 | + | + | t | + |
| 2-Wire Voice Grade Line Port Rates (RES - PBX) 2-Wire Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res UEPRG UEPRD 1.70 22.14 15.25 8.45 3.91 | + | + | t | + |
| 2-Wire Voice Grade Line Port Rates (RES - PBX) 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | 1 | 1 | |
| 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | | |
| Res | | | | † |
| Local Number Portability (1 per port) | 30.89 | 7.03 | | l l |
| FEATURES | | | | |
| All Features Offered | 30.89 | 7.03 | | |
| NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPRG USAC2 1.03 0.29 UEPRG USACC 1.03 0.29 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | |
| 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is UEPRG USAC2 1.03 0.29 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPRG USACC 1.03 0.29 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 30.89 | 7.03 | | |
| Conversion - Switch-As-Is | | | | |
| 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change UEPRG USACC 1.03 0.29 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | l l |
| Conversion - Switch with Change UEPRG USACC 1.03 0.29 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 30.89 | 7.03 | | |
| 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | l l |
| | 30.89 | 7.03 | | |
| | 7.97 | | | l l |
| ADDITIONAL NRCs | 7.97 | + | | |
| 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | + | | |
| Subsequent Activity UEPRG USAS2 0.00 0.00 0.00 | 30.89 | 7.03 | | l l |
| PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 00.00 | 7.00 | | |
| Group 14.64 14.64 | 30.89 | 7.03 | | l l |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | † |
| UNE Port/Loop Combination Rates | | | | † † |
| 2-Wire VG Loop/Port Combo - Zone 1 1 14.18 | | | | ı |
| 2-Wire VG Loop/Port Combo - Zone 2 2 18.01 | | | | |
| 2-Wire VG Loop/Port Combo - Zone 3 3 23.02 | | | | |
| UNE Loop Rates | | | 1 | ļ |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEPPX UEPLX 12.48 12.48 | | | _ | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 16.31 1.00 (SC 1) - Zone 2 2 UEPPX UEPLX 16.31 | - | + | + | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 21.32 | - | + | + | |
| 2-Wire Voice Grade Line Port Rates (BUS - PBX) | + | + | + | ļ |
| Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 1.70 22.14 15.25 8.45 3.91 | 30.89 | 7.03 | 1 | |
| Line Side Unbundled Outward PBX Trunk Port - Bus | 30.89 | | | + |
| Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 1.70 22.14 15.25 8.45 3.91 Line Side Unbundled Incoming PBX Trunk Port - Bus UEPPX UEPP1 1.70 22.14 15.25 8.45 3.91 | 30.89 | | | |
| Line Side Ontolling Fish Hulls Ports | 30.89 | | | + |
| 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | 55.09 | 7.00 | t | + |
| Calling Port | 30.89 | 7.03 | 1 | |
| 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | 55.00 | 1.00 | 1 | 1 |
| Calling Port UEPPX UEPTO 1.70 22.14 15.25 8.45 3.91 | 30.89 | 7.03 | 1 | |
| 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port UEPPX UEPX 1.70 22.14 15.25 8.45 3.91 | 30.89 | | | |
| 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPPX | 30.89 | 7.03 | | |
| 2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPPX UEPXC 1.70 22.14 15.25 8.45 3.91 | 30.89 | | | |
| 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPPX UEPXD 1.70 22.14 15.25 8.45 3.91 | 30.89 | 7.03 | | |
| 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | | 1 | |
| Capable Port UEPPX UEPX 1.70 22.14 15.25 8.45 3.91 | 30.89 | 7.03 | 1 | 1 ' |

| UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|--------|--|-------------|------|----------------|----------------|----------------|--------|-----------|-------------|--------------|-----------------|-----------|---------------------------------------|--|-------------------------|---|
| CATE | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred | curring | Nonrecurrin | g Disconnect | P 31 31. | | | RATES (\$) | | |
| | | | | | | | 1 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | i l |
| | | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy | | | UEFFX | UEPAIVI | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | | 30.09 | 7.03 | | |
| | | Administrative Calling Port TN Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPPX | UEPXN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 1.70 | 22.14 | 15.25 | 8.45 | | | | 30.89 | 7.03 | | i l |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port | | | UEPPX | UEPXU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | OLI I X | OLI AO | 1.70 | 22.14 | 10.20 | 0.40 | 0.01 | | | 00.00 | 7.00 | | |
| | | Callling Port | | | UEPPX | UEPXV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | FEATU | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | \vdash |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLI I X | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 00.00 | 7.00 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPPX | USAC2 | | 4.00 | 0.00 | | | | | 30.89 | 7.00 | | |
| - | | Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | UEPPX | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | Conversion - Switch with Change | | | UEPPX | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | i l |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | - | | | | | | | | | | | | |
| | | Subsequent Database Update | | | | | | 0.76 | | | | | | 7.97 | | | |
| | ADDITI | ONAL NRCs | | | | 1 | 1 | | | | | | | | | | \vdash |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 1 2 | | | 14.18 18.01 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| | | op Rates | | 3 | | | 25.02 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPCO | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | | |
| | 0.145 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 21.32 | | | | | | | | | | |
| | 2-wire | Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | | Blocking (TN) | | | UEPCO | UEPTB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN) | | | UEPCO | UEPTA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (TN) 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | UEPCO | UEPTC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 1 | 30.89 | 7.03 | | \vdash |
| | | 900/976, 1+DDD, 011+, and Local (TN) | <u> </u> | | UEPCO | UEPOT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | | 30.89 | 7.03 | | <u> </u> |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.88 | | | | | | | 30.89 | 7.03 | - | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCR | 1.88 | | | | | | | 30.89 | 7.03 | | <u> </u> |
| | ADDITI | ONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| - | | UNE Coin Port/Loop Combo Usage (Flat Rate) Local Number Portability (1 per port) | 1 | - | UEPCO UEPCO | URECU LNPCX | 3.45 0.35 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | \vdash |
| - | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLFOO | LINEON | 0.33 | | | | | | | | | | \vdash |
| | | Switch-as-is | | | UEPCO | USAC2 | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |

| UNBL | INDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--|--|---|----------------|--|-----------|--------|------------|--------|-----------------|------------------|-----------------------|------------|----------|-----------------------|------------------------|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | E | scs | USOC | | | RATES(\$) | | | | Submitted Manually | Charge - Manual Svc | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. |
| | | | | | | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| - | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | 1 | FIRST | Add I | FIRST | Addi | SOMEC | SUMAN | SOMAN | SOMAN | SUMAN | SOWAN |
| | | Switch with change | | | UEPCO | | USACC | | 1.03 | 0.29 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | İ | | | | | | | | | | 1 |
| | | Activity | | | UEPCO | | USAS2 | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | <u> </u> |
| UNBU | | ORT/LOOP COMBINATIONS - COST BASED RATES VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | DODT | | | | | 1 | | | | | | | | | | + |
| | | ort/Loop Combination Rates | PURI | | | | | 1 | | | | | | | | | | + |
| - | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 18.38 | | | | | | | | | | + |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 19.87 | | | | | t e | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 24.78 | | | | | | | | | | 1 |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 9.60 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 11.09 | | | | | | | | | | |
| | <u> </u> | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 16.00 | 45 11 | 00.01 | 0 1- | 0.01 | | | 00.00 | 7 | | 4 |
| | | Exchange Ports - 2-Wire DID Port | | 1 | UEPPX | | UEPD1 | 8.78 | 45.44 | 29.94 | 8.45 | 3.91 | | | 30.89 | 7.03 | | + |
| - | | CURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | 1 | | | + + | | | | | + | | | | | + |
| | | Switch-as-is | | | UEPPX | | USAC1 | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | 1 |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | i i | | | | | | | | | | + |
| | | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | |
| | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | | UEPPX | | ND6 NDV | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | NUMBER PORTABILITY | | | UEFFX | | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | + |
| | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIF | NE SIDE | PORT | | | | | | | | | | | | | | † |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | | 1 |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 32.27 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | 0.4 =0 | | | | | | | | | | |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 34.78 | | | | | | | | | | + |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.32 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | | <u> </u> | | + |
| | 1 | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 18.71 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 16.07 | 141.75 | 118.37 | 49.20 | 43.26 | | | 19.99 | 19.99 | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | LIEBBB | LIEBBB | LICACE | 0.00 | 447.00 | 117.00 | | | | | 10.00 | 10.00 | | |
| <u> </u> | ADDIT | Combination - Conversion ONAL NRCs | | - | UEPPB | UEPPR | USACB | 0.00 | 117.23 | 117.23 | | | 1 | 1 | 19.99 | 19.99 | | + |
| - | ADDITI | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy - | <u> </u> | 1 | - | | 1 | + | | | | | - | - | | 1 | - | + |
| | | Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | 19.99 | 19.99 | | 1 |
| — | LOCAL | NUMBER PORTABILITY | | | J = . 1 D | 521110 | 3000 | 1 | 212.00 | | | | | | 10.09 | 10.00 | | 1 |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | 1 |
| | B-CHAI | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | <u> </u> | <u> </u> | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | 4 |
| | | CSD | O MO | TA!\ | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | B-CHAI | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC CVS/CSD (DMS/5ESS) | ک,۱۷۱ک, 8 آ | : 1N) | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | - | | + |
| - | 1 | CVS/CSD (DMS/3ESS) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | 1 | 1 | 1 | 1 | | + |
| <u> </u> | | CSD (EWSD) | | 1 | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | ERMINAL PROFILE | | | CLITO | JEITIN | 5 1001 | 5.50 | 5.00 | 5.00 | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | CAL FEATURES | | | | | | | | | | | | | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Δ | ttachment: 2 | | Exhibit: E |
|--------------|--------|---|-------------|--|----------------|----------------|-----------------|-----------------|------------------|-----------------------|------------|--------|-----------------------|--|--|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSS | RATES (\$) | SOMAN | SOMAN |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | FIISL | Add I | SOWIEC | SOWAN | SOWAN | SOWAN | SOMAN | SOWAN |
| | | Interoffice Channel mileage each, including first mile and | | | OLITE OLITIC | OLI VI | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | facilities termination | | | UEPPB UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel mileage each, additional mile | | | | M1GNM | 0.173 | 0.00 | 0.00 | | | | | | | | |
| | 4-WIRE | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPPP | | 132.58 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | _ | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | . | 150.25 | | | | | | | | | | 1 |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | _ | UEPPP | | 470 44 | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | USL4P | 173.44 57.73 | | | | | | | | | | + |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P USL4P | 75.40 | | | | | | | | | | + |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P USL4P | 75.40 98.59 | | | | | | | | 1 | 1 | 1 |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | 3 | UEPPP | UEPPP | 74.85 | 415.53 | 366.90 | 89.28 | 77.43 | | | 19.99 | 19.99 | | 1 |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | 02 | 02 | 7 1.00 | 110.00 | 000.00 | 00.20 | | | | 10.00 | 10.00 | | + |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-as-is | | | UEPPP | USACP | 0.00 | 328.53 | 328.53 | | | | | 19.99 | 19.99 | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | | Inward/two way tel nos within Std Allowance (except NC) | | | UEPPP | PR7TF | | 0.94 | | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 22.36 | 22.36 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | 44.00 | | | | | | | | |
| | | Subsequent Inward Tel Nos Above Std Allowance NUMBER PORTABILITY | | | UEPPP | PR7ZT | | 44.71 | 44.70 | | | | | 19.99 | 19.99 | | |
| | | Local Number Portability (1 per port) | | 1 | UEPPP | LNPCN | 1.75 | | | | | | | | | | - |
| | | FACE (Provsioning Only) | | | UEPPP | LINECIN | 1.75 | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or | Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 29.11 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.39 | | | | | | 19.99 | 19.99 | | |
| | CALL T | | | | LIEBBB | 22201 | | | | | | | | | | | ļ |
| | | Inward | | | UEPPP UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | 1 | Outward Two-way | - | | UEPPP | PR7C0 PR7CC | 0.00 | 0.00 | 0.00 | | | | | | - | - | |
| | | ice Channel Mileage | | | OLFFF | 1.11.00 | 0.00 | 0.00 | 0.00 | | | | | | 1 | 1 | 1 |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3525 | 7-10.00 | 100.00 | 10.00 | | | | 10.00 | 10.55 | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | 1 | 3.0023 | | | | | | | | İ | İ | 1 |
| | UNE Po | ort/Loop Combination Rates | | | | 1 | | | | | | | | | | 1 | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 93.28 | | | | | | | 19.99 | 19.99 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 110.95 | _ | | | • | | | 19.99 | 19.99 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 134.14 | | | | | | | 19.99 | 19.99 | | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 57.53 | | | | | | | | | | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 75.40 | | | | | | | | ļ | ļ | 1 |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 98.59 | 242.00 | 057.07 | 64.44 | 40.40 | | | 19.99 | 40.00 | ļ | 1 |
| | | 4-Wire DDITS Digital Trunk Port CURRING CHARGES - CURRENTLY COMBINED | | - | UEPDC | UDD1T | 35.55 | 342.80 | 257.87 | 61.41 | 48.49 | | | 19.99 | 19.99 | | + |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | 1 | | + | + | | | | | | | | | | + |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | 1 |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | 02. 00 | 23/104 | | 012.01 | 012.01 | | | | | 10.00 | 10.99 | | 1 |
| | 1 | - Conversion with DS1 Changes | | I | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | 1 | 1 |

| LINIDI | NDI EE | NETWORK ELEMENTS. T | 1 | | | | | | | | | | | | | | |
|----------|--------|--|--|----------|---------------------|----------------|------------------|--------|-----------|--|-------|-----------|-----------|----------------|----------------|-------------|--------------|
| UNBU | NULEL | NETWORK ELEMENTS - Tennessee | | | | 1 | 1 | | | | | | | А | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GORY | | NATE ELEMENTO | m | 20.10 | 500 | 0000 | | | = = (+) | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | OSS | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | | DNAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | UEPDC | USAS4 | | 94.00 | 94.00 | | | | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | OLI DO | OBTIN | | 100.01 | 100.07 | | | | | 10.00 | 10.00 | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel | | | | | | | | | | | | | | | |
| | | Activation/Chan Inward Trunk w/out DID | 1 | | UEPDC | UDTTC | | 108.67 | 108.67 | | | | 1 | 19.99 | 19.99 | |] |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | R 8 ZERO SUBSTITUTION | | | LIEBBO | 00005 | | 0.00 | 500.00 | | | | | 40.00 | 40.00 | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 590.00 | | | | | 19.99 | 19.99 | | |
| | | B8ZS - Extended Superframe Format e Mark Inversion | | | UEPDC | CCOEF | | 0.00 | 590.00 | | | - | | 19.99 | 19.99 | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | | one Number/Trunk Group Establisment Charges | | | OLI DO | WIGGI G | | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | Digital | Loop | with 4-Wire DDITS I | runk Port | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | | Termination) | | | OLFDC | ILINOT | 73.63 | 143.30 | 109.00 | 19.00 | 14.55 | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | 02. 50 | 12.10/1 | 0.0020 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | - | | | | | | | | | 1 |
| | | miles | | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | l | | | | | | | | | | 1 | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Interesting Channel Milleren Additional Section 2012 | 1 | | LIEDDO | 41.000 | 0.0505 | 2.22 | 0.00 | | | | 1 | | | | 1 |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | - | UEPDC | 1LNOC LNPCP | 0.3525 | 0.00 | 0.00 | 0.00 | | | | | ļ | | |
| <u> </u> | | Local Number Portability, per DS0 Activated Central Office Termininating Point | <u> </u> | | UEPDC UEPDC | CTG | 3.15 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| - | | DS1 LOOP WITH CHANNELIZATION WITH PORT | 1 | | ULFUC | UIG | 0.00 | | | | | 1 | - | | | | 1 |
| - | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | ivations | | | 1 | | | | | | | | | | | |
| | | stem can have up to 24 combinations of rates depending on | | | ber of ports used | 1 | | | | | | | | | | | 1 |
| | UNE DS | | | | p | İ | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 57.73 | 0.00 | 0.00 | | | | | | | | İ |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 75.40 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |
| | | O Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| <u> </u> | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| <u></u> | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| — | | 96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG UEPMG | VUM96 VUM14 | 527.48 791.42 | 0.00 | 0.00 | | | - | | 19.99 19.99 | 19.99 19.99 | | |
| <u> </u> | | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM14 VUM19 | 791.42 827.76 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | - |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,318.70 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 2-10 DOG Channel Capacity - 1 per 10 DO 15 | ! | | OLI IVIO | V CIVIZU | 1,310.70 | 0.00 | 0.00 | L | | L | · | 13.38 | 15.55 | | |

| UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|----------|----------|---|--|----------|-----------------------|--|----------------------|----------------|------------------|------------------|------------------|--------------|-----------------|--|--|-------------------|--|
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi | Zono | BCS | USOC | | | RATES(\$) | | | Svc Order | Svc Order | Manual Svc | | Manual Svc | |
| GORY | NOTES | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | | curring | Nonrecurring | | | | | RATES (\$) | | |
| | | 200 200 01 10 10 10 10 10 10 | | | | | 4.500.44 | First | Add'I | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG UEPMG | VUM38 VUM40 | 2,109.92 2,637.40 | 0.00 | 0.00 | | | | | 19.99 19.99 | 19.99 19.99 | | |
| | | 576 DS0 Channel Capacity - 1 per 24 DS1s | | | UEPMG | VUM57 | 3.164.88 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692,36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | Non-Re | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chani | neliztio | | | | | 0.00 | | | | | 10.00 | 10.00 | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | Multiple | es of this configuration functioning as one are considered Ad | dd'I afte | r the m | inimum system con | figuration is | counted. | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 19.99 | 19.99 | | |
| | | Additions at End User Locations Where 4-Wire DS1 Loop wi | th Chan | nelizat | ion with Port Combi | nation Curre | ently Exists and | | | | | | | | | | |
| <u> </u> | New (N | ot Currently Combined) In GA, KY, LA, MS & TN Only 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | 1 | | | | | | 1 | - | | 1 | | |
| | | Fea Activation - New GA, LA, KY, MS, &TN Only | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 19.99 | | | |
| | Rinolar | 8 Zero Substitution | | | OLFING | VOIVID4 | 0.00 | 704.00 | 441.40 | 130.30 | 10.41 | | | 15.55 | | | |
| | Dipolai | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| | Alterna | te Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | D | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | - | | |
| | Exchan | ge Ports | | | | | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | | | | | | | | | | | | | | | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.79 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.97 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Feature | Activations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | | Feature (Service) Activation for each Line Side Port Terminated | | | | | | | | | | | | | | | |
| | | in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated | | | UEPPX | 1PQWM | 0.66 | 23.94 | 12.64 | 3.82 | 3.80 | | | 30.89 | 7.03 | | |
| | | in D4 Bank | | | UEPPX | 1PQWU | 0.66 | 73.67 | 17.37 | 54.09 | 10.57 | | | 30.89 | 7.03 | | |
| — | Teleph | one Number/ Group Establishment Charges for DID Service | † | | CLITA | | 0.00 | 13.01 | 17.57 | 34.09 | 10.37 | 1 | | 50.09 | 7.03 | | |
| | 2.207.11 | DID Trunk Termination (1 per Port) | <u> </u> | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | 1 | 1 | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | 1 | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | umber Portability | ļ | | LIEDDY | LNDCD | 0.45 | 0.00 | 0.00 | | | | | | 1 | | |
| | | Local Number Portability - 1 per port RES - Vertical and Optional | <u> </u> | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | 1 | - | | | | |
| \vdash | | witching Features Offered with Line Side Ports Only | 1 | | | | | | | | | 1 | - | | t | | |
| | | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | † | | |
| UNBUN | DLED P | ORT LOOP COMBINATIONS - MARKET RATES | 1 | | | | 1.10 | 2.30 | 2.30 | | | | | İ | 1 | | |
| | Market | Rates shall apply where BellSouth is not required to provide | unbund | lled lo | al switching or swit | ch ports per | FCC and/or St | ate Commissio | on rules. | | | | | | | | |
| | These s | cenarios include: | | | | | | | | | | | | | | | |
| | | undled port/loop combinations that are Not Currently Combin | | | | | | | L | | L | <u> </u> | | | | | |
| | | undled port/loop combinations that are Currently Combined | | | | | | | | | | | | | | | |
| - | | o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd | | • | | | • | | | | | _ | • | <u> </u> | <u> </u> | | L |
| | | th currently is developing the billing capability to mechanica | | | | | | | | | not currently of | combined in | AL, FL and | NC. In the i | nterim where | BellSouth car | not bill |
| <u></u> | | Rates, BellSouth shall bill the rates in the Cost-Based section | | | ileu of the Market R | ates and res | erves the right | to true-up the | billing differen | ce. | 1 | 1 | | 1 | 1 | | 1 |
| <u> </u> | | rket Rate for unbundled ports includes all available features | | | a Dant acetics - (1) | L. | is aball anni: 1 | all assuble of | | nt materials -1 | | for UNIT Co. | . Dant/L c - :: | Combine | l | a flat nate · · · | |
| 1 | | ice and Tandem Switching Usage and Common Transport Us URECU). | saye rat | es in tr | e For section of th | is rate exhibi | n ənan appıy to | an combinati | 0115 01 100p/p0 | it lietwork eler | nems except | IUI UNE CO | III FUIULOOF | Oliminatio | na winch nave | a nat rate us | age charge |
| | (USUC: | UNEGUJ. | | | | | | | | | | | | | | | |

| LINDU | NDI E | NETWORK ELEMENTS. Torresons | | | | | | | | | | | | | | E-122 B |
|----------|---------|---|-------------|----------|--------------------|--|--|-------------|----------------|--|-------------|--------------|---------------|--|----------------|--|
| ONBO | NULEL | NETWORK ELEMENTS - Tennessee | | 1 | | 1 | ı | | | | | | A | ttachment: 2 | | Exhibit: B |
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| CATE | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| GURT | | | m | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | Elec | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | 1 | | | _ | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonre | rurrina | Nonrecurring Disconnect | | | oss | RATES (\$) | | ļ |
| | | | | | | | 1 | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | For Not | Currently Combined scenarios where Market Rates apply, the | e Nonre | currin | charges are listed | in the First a | and Additional N | IRC columns | or each Port U | JSOC. For Currently Combin | ed scenario | s. the Nonre | ecurring char | ges are listed | in the NRC - 0 | Currently |
| | Combin | ed section. Additional NRCs may apply also and are categor | | | | | | | | | | | 3 | • | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | 1 | | | 00.40 | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 26.48 30.31 | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | |
| | | op Rates | | Ľ | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | • | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 16.31 | | | | | | | | | |
| - | 2-101: | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 21.32 | | | | | | | ! | | |
| - | ∠-vvire | Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | | - | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| — | | 2-Wire voice unbundled port vith Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | i |
| | | dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | LIEDDY | UEPAK | 44.00 | 00.00 | 00.00 | | | | 20.00 | 7.00 | | i |
| - | | ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPRX | UEPAK | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | ID - res (TACER) | | | UEPRX | UEPAL | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | ł |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | i |
| | | ID - res (TACSR) | | | UEPRX | UEPAM | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | <u> </u> |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | i |
| - | | ID - res (1MF2X) 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPRX | UEPAN | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | ID - res (2MR) | | | UEPRX | UEPAO | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | ł |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | OLI TOX | OLITIO | 14.00 | 50.00 | 50.00 | | | | 00.00 | 7.00 | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | <u> </u> |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | L |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | |
| | FEATU | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | |
| - | | CURRING CHARGES - CURRENTLY COMBINED | | | OLFKA | OLFVI | 0.00 | 0.00 | 0.00 | | | | 30.09 | 7.03 | | |
| | | | | | | | | | | | | | | | | i |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | HEDDY | 110463 | | | | | | | | | | |
| - | ADDIT | change DNAL NRCs | | | UEPRX | USACC | | 41.50 | 41.50 | | | | 30.89 | 7.03 | | i |
| \vdash | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | + + | | | | | | | | | |
| | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 30.89 | 7.03 | | İ |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | |
| | UNE Po | rt/Loop Combination Rates | | | | | | | | | | | | | | ļ |
| - | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | |
| <u> </u> | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 30.31 35.32 | | | | | | | - | | |
| - | | op Rates | | 3 | | 1 | 33.32 | | | | | | | | | ſ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.31 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 21.32 | | | | | | | L | | |
| <u> </u> | 2-Wire | /oice Grade Line Port (Bus) | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| - | | 2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus | | - | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | |
| | | dialing parity port with Caller ID - bus | | | UEPBX | UEPAV | 14.00 | 90.00 | 90.00 | | | | 30.89 | 7.03 | | ļ |
| | | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | HEDDY | HEDAG | 4400 | 00.00 | 00.00 | | | | 00.00 | 7.00 | | İ |
| <u> </u> | L | Port Economy Option (TACC1) | <u> </u> | <u> </u> | UEPBX | UEPAC | 14.00 | 90.00 | 90.00 | 1 | | 1 | 30.89 | 7.03 | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Α | ttachment: 2 | | Exhibit: B |
|--------------|--------|--|-------------|----------|--------------|---------|-------|-----------------|-----------------|-----------------------|------------|----------|---|--|--|---|---|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect | SOMEC | SOMAN | OSSI | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | 11131 | Auu i | Tillat | Addi | JOHILO | JOHAN | JOWAN | JONAN | JOHAN | JONAN |
| | | Port Standard Option (TACC2) | | | UEPBX | UEPAD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F) | | | UEPBX | UEPAE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | LOCAL | NUMBER PORTABILITY | | | 02. 27. | OZ. 7.Z | 100 | 00.00 | 00.00 | | | | | 00.00 | 7.00 | | |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | - |
| | NONKE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | - | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | <u> </u> |
| | | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | ĺ |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| | | pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | 1 | | | - | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPRG | UEPLX | 21.32 | | | | | | | | | | |
| | | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | 1 |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | RES All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.00 | | - |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | - |
| | NONKE | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | 1 | | 00.102 | | 41.00 | 71.50 | | | | | 00.00 | 7.00 | | |
| | | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | 1 |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | 1 |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | <u> </u> | | | | 14.64 | 14.64 | | | ļ | | 30.89 | 7.03 | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | <u> </u> | | + | | | | | | | | | | | <u> </u> |
| | | ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 26.48 | | | | | | | | | 1 | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | 1 | 35.32 | | | | | | | | | | |
| | | oop Rates | | | | | | | | | | | | | | 1 | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | 1 | | 1 |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | <u> </u> | | + | | | | | | | | | 1 | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | 1 |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | <u> </u> | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |

| UNBU | JNDLEI | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|----------|--|-------------|------|----------------|--------|----------------|-----------------|-----------------|-----------------------|-----------------------|--|---|--|--|---|------------|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | | | | FIISL | Add I | FIISL | Addi | SOMEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWIAN |
| | | Calling Port | | | UEPPX | UEPT2 | 14.00 | | | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPPX | UEPTO | 14.00 | | | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | - | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | - | UEPPX UEPPX | UEPXB | 14.00 14.00 | 90.00 90.00 | 90.00 | | | | | 30.89 30.89 | 7.03 7.03 | | |
| | - | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 1 | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | 1 | ULFFA | ULFAD | 14.00 | 90.00 | 90.00 | | | | | 30.09 | 7.03 | | |
| | | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 1 | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | T | | | | | | | | 22.20 | 1.30 | | |
| | <u> </u> | Administrative Calling Port | <u></u> | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | <u> </u> | <u> </u> | <u> </u> | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Administrative Calling Port TN | | | UEPPX | UEPXN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | - | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | - | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | ULFFX | OLFAG | 14.00 | 90.00 | 90.00 | | | | | 30.69 | 7.03 | | |
| | | Port | | | UEPPX | UEPXU | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | | | | | | | | | | |
| | | Callling Port | | | UEPPX | UEPXV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | | | | | | | | | | |
| | FEATU | | | | UEPPX | LIEDVE | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.00 | | |
| | | All Features Offered CURRING CHARGES - CURRENTLY COMBINED | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | INCINIC | CORRING CHARGES - CORRENTET COMBINED | | | | | - | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | = 00 | | |
| | | Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | - | | | - | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | 1 | | 14.04 | 14.04 | | | | | 50.08 | 7.03 | | |
| | | ort/Loop Combination Rates | Ī | | | İ | | | | | İ | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 30.31 | | - | _ | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 35.32 | | | | ļ | | | | ļ | | |
| | | pop Rates | <u> </u> | | LIEBOO | LIEDLY | 10.10 | | | | | | | | ļ | | 1 |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 2 | UEPCO | UEPLX | 12.48 | | | | | 1 | | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | - | 3 | UEPCO UEPCO | UEPLX | 16.31 21.32 | | | | | | | | - | | |
| | 2-Wire | Voice Grade Line Port Rates (Coin) | | 3 | 021 00 | OLI LA | 21.32 | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | 1 | | | | | | | | | | | | | | |
| | | Blocking (TN) | <u>L</u> | | UEPCO | UEPTB | 14.00 | 90.00 | 90.00 | | <u> </u> | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 14.00 | | | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | L | | | · | | | | | | | | |
| | 1 | (TN) | <u> </u> | 1 | UEPCO | UEPTA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 1 | 2-Wire Coin Outward with Operator Screening and 011 Blocking | 1 | | ULFCU | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 1.03 | | |
| | | (TN) | 1 | 1 | UEPCO | UEPTC | 14.00 | 90.00 | 90.00 | | i | 1 | | 30.89 | 7.03 | | 1 |

| ## ATT ELEMENTS ## ATT ELEMENTS ## ADDRESS ## ATT ELEMENTS ## ADDRESS ## ATT ELEMENTS ## ADDRESS ## ATT ELEMENTS ## ADDRESS ## ADDRE | | | | | | | | | | | | | | | | | , | |
|--|------|----------|---|---------|------|--------|--------|-------|-------|-----------|------------------|-------|-----------|-------------|-------------------------------------|--|-------------------------------------|-------------------------------------|
| ATT ALT | UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | T | 1 | ı | | | | | 1 | 1 | Α | ttachment: 2 | | Exhibit: B |
| Pres | | NOTES | RATE ELEMENTS | | Zone | BCS | usoc | | | RATES(\$) | | | Submitted | Submitted | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. |
| Part | | | | | | | | | | | | | | | | | | |
| Piret | | | | | | | | | | | | | per Lak | Per LOR | 151 | Auu i | ואני שנים | DISC MUUT |
| SWING CORP CONTROL WITH CORPORT SECONDAY AND THE SECONDAY OF THE CORPORT OF THE SECONDAY OF | | | | | | | | Rec | | | | | | | | | | |
| MONTHELIST HORSE (11) MONTHELIST HORSE MONTHE | - | | 2 Wire Coin Outward with Operator Serencing and Blastics | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Concess | | | | | | UEPCO | UEPOT | 14.00 | 90,00 | 90.00 | | | | | 30,89 | 7,03 | | |
| NONECCERRING CHARGES - CURRENTLY COMBINED | | LOCAL | NUMBER PORTABILITY | | | | | | 00.00 | | | | | | - | | | |
| 2-Wise Vision Grade Loop Line Port Combination - Switch-Aprils UEPCO UEACC 41.50 41.50 30.80 7.00 | | | | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| 2-Wire Value Guide Looy Line Part Combination - South with UEPCO | | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| Change | | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| DISPUNDED CONTROL CONT | | | | | | | | | | | | | | | | | | |
| Description | | | | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| UNBSUNCED CENTREX PORTICOP COMENIATIONS - COST BASED SATES 1. Cost Based Rate as an applied where Bellischen is experied by PCC and/or State Commission rule to provide Unburided Local Switching or Switch Ports. 2. Early Commission of the Switching of Switch Ports. 3. Early Commission of the Switching of Switch Ports. 4. Early Commission Commission of the Switching of Switching or Switchin | | ADDITIO | JNAL NRGS | | | | | | | | | | | | | | | |
| UNBSUNCED CENTREX PORTICOP COMENIATIONS - COST BASED SATES 1. Cost Based Rate as an applied where Bellischen is experied by PCC and/or State Commission rule to provide Unburided Local Switching or Switch Ports. 2. Early Commission of the Switching of Switch Ports. 3. Early Commission of the Switching of Switch Ports. 4. Early Commission Commission of the Switching of Switching or Switchin | | | | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| 2. Features shall apply to the Unbundled Port Section of this State Exhibit. S. End Office and Tanders Switching Usage and Common Transport Usage rates in the Port section of this state Exhibit. For Georgia, Kentucky, Louisians, Missessippl and Tennessee, the recurring UNB Port and Loop charges listed apply to Currently Combined And Not Currently Combined Combines. The the first and additional Port nonrecurring charges spept Not Currently Combined Combines. The the first and additional Port nonrecurring charges spept Not Currently Combined And Not Currently Combined Combines. The the first and additional Port nonrecurring charges spept Not Currently Combined And Not Currently Combined and Not Currently Combined And SC these homecurring charges spept Not Currently Combined And SC these homecurring charges are spept to Not Currently Combined And SC these homecurring charges are specific in the Market Res section. For Currently Combined Combine | | | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: | | | | | | | | | | | | | | | |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin PortU-op Combination Combos for all states. In CA, KY, LA, MS and TN these nonrecurring Charges are for the Coin PortU-op Combination Combos in all other states, the nonrecurring charges are commission ordered cost based rates and in AL, FL, NC and SC these nonrecurring charges are lated in the Market Rates and are listed in the Market Rates | | | | | | | | | | | allad Barrier ** | | Fullit ' | | | | | |
| For Georgia, Kentucky, Louisians, Mississippi and Temesses, the recurring UNE Port and Loop charges listed apply to Combined Combos or all states. In GA, KYL, LAN Sand 17th these nonrecurring charges are commission or ordered cost based ratio of IA., FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Schools all other states, the nonrecurring charges shall be those identified in the Nonrecurring Currently Combined sections. 5. Market Rates for Unbunded Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring Currently Combined sections. 5. Market Rates for Unbunded Combos in all other states, the nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined sections. 5. Market Rates for Unbunded Combos in all other states, the nonrecurring charges are Market Rates and are listed in the Market Rates section. For Currently Combined Schools and IA., FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Schools and IA., FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos and IA., FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos and IA., FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rate section. For Currently Combined Combos and IA., FL, NC and SC these nonrecurring charges are Market Rates and are listed in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rates said in the Market Rate | | | | | | | | | | | | | | oin Port/Lo | on Combinat | ions | | |
| Combined Combos in all states. In GA, KY, LA, MS and TM these nonnecuring charges are commission ordered cost based rates and in La, NX and SC these nonnecuring charges are Market Rates exciton. For Currently Combined Combos in all other states, the nonnecuring charges shall be those (elementary coursely) combined combos. 5. Market Rates for Unbundled Centrex PortLoop Combination will be negotiated on an individual Case Basis, until further notice. 9. Where Victoria Charles (Archiver) and the Combined Combos. 1. Where Victoria Charles (Non-Design) and the Combos. 1. Where Victoria Charles (Non-Design) and the Combos. 1. Where Victoria Charles (Non-Design) and the V | | | | | | | | | | | | | | | | | annly to Not C | Lurrently |
| Combined Combos in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. 5. Market Rates for Unburdied Centre, Port Logo Combination will be negotiated on an individual Case Basis, until further notice. View Port Logo Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | | |
| UNEP CENTREX - TAESS - (Valid in AL,FL,GA,KY,LAMS,ATN only) | | | | | | | | | | , | | 3 | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | 5. Mark | et Rates for Unbundled Centrex Port/Loop Combination will | be nego | | | | | | | | | | | | | | |
| UNE Port/Log Combination Rates (Non-Design) 2-Wire Visice Gride Fort (Centrex) Port Combo-Non-Design 1 UEP91 14.18 | | | |) | | | | | | | | | | | | | | |
| 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire VG Lo | | 2-Wire | VG Loop/z-Wire Voice Grade Port (Centrex) Combo | 1 | | | | | | | | | | | | - | | |
| 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire Voice Grade Port (Centrex)Port Combo- Design 2.Wire VG Loop?-Wire VG Lo | | UNE Po | rt/Loop Combination Rates (Non-Design) | 1 | | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire VG Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire VG Grade Port (Centrex)Port Combo-Design 2-Wire VG Grade Loop (St. 1) - Zone 1 1-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 1) - Zone 1 1-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 1) - Zone 1 1-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 1) - Zone 3 3-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 1 1-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 1 1-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 1 1-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 2 2-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 2 2-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 3 3-WieP91 2-Zene VG Loop/2-Wire VG Grade Loop (St. 2) - Zone 3 3-Zene VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Grade Port (Centrex VG Loop/2-Wire VG Gra | | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | 1 | | |
| Non-Design 2 UEP91 18.01 | | | | | 1 | UEP91 | | 14.18 | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 1 UEP91 18.26 2 2 2 2 2 2 2 2 2 | | | | | 2 | LIED01 | | 10.04 | | | | | | | | | | |
| Non-Design | | | | | | UEF91 | | 18.01 | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1 UEP91 18.26 | | | | | 3 | UEP91 | | 23.02 | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1 UEP91 18.26 | | | | | | | | | | | | | | | | | | |
| Design | | | | | | | | | | | | | | | | | | |
| 2 | | | | 1 | 1 | LIEP91 | | 18.26 | | | | | | | | | | |
| Design 2 UEP91 23.33 | | | | | | OE1 01 | | 10.20 | | | | | | | | † | | |
| Design 3 UEP91 29.98 | | | Design | | 2 | UEP91 | | 23.33 | | | | | | | | | | |
| UNE Loop Rate | | | | | _ | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | IINE I ^ | | 1 | 3 | UEP91 | | 29.98 | | | | | | | | - | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP91 UECS1 16.31 | | | | | 1 | UEP91 | UECS1 | 12.48 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP91 UECS2 21.63 | | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 21.32 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP91 UECS2 21.63 | | | O Miss Vision Conda Lean (CLO). Total | ļ | _ | LIEDO4 | LIECCO | 10.50 | | | | | | | | <u> </u> | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP91 UECS2 28.28 | - | | | | 2 | | | | | | - | - | | | | | | |
| UNE Ports All States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP91 UEPYA 1.70 22.14 15.25 8.45 3.91 30.89 7.03 | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP91 UEPYB 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP91 UEPYH 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP91 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP91 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 | | | | | | | | | | | | | | | | | | |
| Area | - | | | | | UEP91 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP91 UEPYH 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP91 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | UEP91 | LIEPYB | 1 70 | 22 14 | 15 25 | 8 45 | 3 91 | | 30.89 | 7 03 | | | |
| Area | | | | | | 02101 | JE1 1D | 1.70 | 22.14 | 10.20 | 0.40 | 5.31 | | 30.09 | 7.03 | | | |
| Center)2 Basic Local Area UEP91 UEPYM 1.70 22.14 15.25 8.45 3.91 30.89 7.03 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | Area | | | UEP91 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | UEP91 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | UEP91 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

Version 4Q01: 01/31/02 Page 318 of 327

| UNBUN | IDLED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|-----------|----------|--|-------------|----------|----------------|----------------|--------------|------------------|-----------------|-----------------------|-----------------------|----------|---|--|--|---|--|
| CATE | IOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svo Order vs. |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS I | RATES (\$) | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 | | | | | | JONIEC | | | JONAN | JOHIAN | JOWAN |
| | | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP91 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| <u> </u> | | Basic Local Area LA, MS, & TN Only | | | UEP91 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| А | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | - | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | OLF91 | ULFQII | 1.70 | 22.14 | 13.23 | 0.40 | 3.51 | | 30.09 | 7.03 | | | |
| | | Center)2 | | | UEP91 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 UEP91 | UEPQ9 UEPQ2 | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 30.89 30.89 | 7.03 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| L | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.6381 | | | | | | | | | | |
| L | | umber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| F | eature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | All Select Features Offered, per port | | <u> </u> | UEP91 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | IARS | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| N | | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | - | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Indian | | 1 | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| М | | aneous Terminations | | | OLI 31 | OAROX | 0.00 | 0.00 | 0.00 | | | | 30.03 | 7.03 | | | + |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| In | nteroffi | ce Channel Mileage - 2-Wire | | | | | | | | | | | | | | | 1 |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | MIGBM | 0.0174 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | 1 |
| D | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | - | - | | | - | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | <u> </u> | <u> </u> | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | 1 | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWV | 0.66 | | | | | | | ļ | | | |
| | | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | 1 |
| N | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | LIEBO4 | | | 4.00 | 0.00 | | | | 00.00 | 7.00 | | | |
| | | changes, per port | | | UEP91 UEP91 | USAC2 | 0.00 | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block New Centrex Customized Common Block | | - | UEP91 UEP91 | M1ACS M1ACC | 0.00 | 658.60 658.60 | | | | | 30.89 30.89 | 7.03 7.03 | | | |
| | | Secondary Block, per Block | - | | UEP91 UEP91 | M2CC1 | 0.00 | 73.55 | | 1 | 1 | - | 30.89 | 7.03 | | | 1 |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 68.57 | | 1 | 1 | | 30.89 | 7.03 | | | 1 |
| | | The Late Distriction of Grands of Goodston | | | 02101 | JILOA | | 00.07 | | | | <u> </u> | 30.03 | 7.03 | | | † |
| U | JNE-P (| CENTREX - 5ESS (Valid in All States) | | 1 | | 1 | | | | | | | | † | | | 1 |
| | | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |

| <u>N</u> BL | <u>IND</u> LEI | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Α | ttachment: 2 | <u> </u> | Exhibit: |
|-------------|--|--|-------------|------|----------------|----------------|--------------|----------------|----------------|--------------|--------------|--|---|--------------|--|---|---|
| ATE ORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | LINE D | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | UNE PO | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP95 | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP95 | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP95 | | 23.02 | | | | | | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP95 | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | | 23.33 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | LINEL | Design op Rate | | 3 | UEP95 | | 29.98 | | | | | | | | | | |
| | UNE LO | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP95 | UECS1 | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | | | | | | | | |
| | | | | Ť | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | |
| | LINE D | ort Rate | | ļ | | + | | | | | | 1 | | | | | - |
| | All Stat | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP95 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Basic Local Area | | | UEP95 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | AL, KY | LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Fort (Centrex with Canel 15)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP95 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | - | UEP95 UEP95 | UEPQ9 UEPQ2 | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 30.89 30.89 | 7.03 7.03 | | | 1 |
| | FL & G | | | | OLI 33 | JLI QZ | 1.70 | 22.14 | 13.23 | 0.40 | 3.91 | | 50.09 | 7.03 | | | |
| | | Switching | | | | İ | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.6381 | | | | | | | | | | |
| | l ocal N | lumber Portability | | | | + | | | | | | 1 | | | | | |
| | _ooai i | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | | | 0.00 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| _ | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |

| UNBL | INDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|--------------|----------|--|-------------|----------|--------|----------|--------|--------|-----------|--------------|-------|----------|-----------------------|--|--------------|---|--|
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | ļ | All Control Control Footises Officed and and | | | LIEDOE | LIED) (C | 0.00 | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | NARS | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | NAKS | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | 1 |
| | Miscell | aneous Terminations | | | | | | | | | | | | | | | 1 |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | |
| | | Digital (1.544 Megabits) | | | | _ | | | | | | | | | | | <u> </u> |
| | | DS1 Circuit Terminations, each | | - | UEP95 | M1HD1 | 35.55 | 75.93 | 38.15 | | | 1 | 30.89 | 7.03 | - | - | + |
| | | DS0 Channels Activated, each ice Channel Mileage - 2-Wire | | | UEP95 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | + |
| - | | Interoffice Channel Facilities Termination | | - | UEP95 | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | 1 | 1 | + |
| — | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0174 | 22.14 | 15.25 | 0.40 | 3.91 | 1 | 30.09 | 7.03 | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | 3.3.74 | | | | | | | | İ | İ | † |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | _ |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | 1 |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP95 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | 1 | UEP95 | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | + |
| | UNF-P | CENTREX - DMS100 (Valid in All States) | | | | 1 | | | | | | | | | | | + |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | - | | | | | | | | | | | |
| | | | | | | 1 | | | | | | | | | | | 1 |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9D | | 23.02 | | | | | | | | | | |
| | <u> </u> | | | | | 1 | | | | | | <u> </u> | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | _ |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 23.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP9D | | 29.98 | | | | | | | | | | |
| - | | pop Rate | | 3 | OFLAD | 1 | 29.98 | | | | | 1 | 1 | | 1 | 1 | + |
| | SIVE EC | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.48 | | | | | 1 | | | | | |
| | <u> </u> | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 16.31 | | | | | | | | 1 | 1 | 1 |
| | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 21.32 | | | | | | | | Ì | Ì | † |
| | | , | | | | | | | | | | | | | | | 1 |

| LINDII | NDI EE | NETWORK ELEMENTS. Tamasass | T | | | | | | | | | | 1 | _ | | | |
|--------------|--------|--|-------------|------|-------|-------|-------|--------|-----------|--------------|-------|-------|-----------|--|--|---|---|
| UNBU | NDLEL | NETWORK ELEMENTS - Tennessee | | | | | 1 | | | | | | 1 | A | ttachment: 2 | 1 | Exhibit: B |
| CATE GORY | NOTES | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.56 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.28 | | | | | | | | | | |
| - | UNE Po | rt Pata | 1 | | | | - | | | | | | | | | | |
| | ALL ST | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | 1 | | UEP9D | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area Wire Country (Country Coun | | | UEP9D | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex differ SWC /EBS-1/8009)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPYP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Pasic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-3209)2, 3 | | | UEP9D | UEPYQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPY4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPY6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Basic Local Area | | | UEP9D | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

| JNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: E |
|------|---------|--|-------------|--|----------------|-------------|--------|--------|-----------|--|-------|-------|---|--|--|---|--|
| CATE | NOTES | | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 2.04 | | 20.00 | 7.03 | | | |
| | VI KA | Local Area , LA, MS, SC, & TN Only | | | UEP9D | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.70 | 22.14 | 15.25 | | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.70 | 22.14 | 15.25 | | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | <u> </u> | UEP9D | UEPQU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ļ |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | <u> </u> | UEP9D | UEPQ3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | ļ | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtq Lamp | | | UEP9D | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Indication)3 | | | UEP9D | UEPQW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPQJ | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | 1 |
| | | 2-ville voice Grade Fort (Gentlex Horri dill Gerving ville Gentler) | | | UEP9D | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | | 2 1110 1000 01440 1 011 (001110) 41101 0110 / 250 1 02 1/2, 0 | | | 02.05 | 02. 00 | | | .0.20 | 00 | 0.01 | | 00.00 | 7.00 | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | - W. W O. I. B (O / W O / F. O | | | | | . =- | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2 Mira Vaina Crada Bart (Cantanidiffar CMC /EBC ME24C)2 2 | | | LIEDOD | UEPQ6 | 4.70 | 22.44 | 45.05 | 0.45 | 2.04 | | 20.00 | 7.00 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 3D | OLI Q7 | 1.70 | 22.14 | 13.23 | 0.43 | 5.51 | | 30.03 | 7.03 | | | |
| | | Term | | 1 | UEP9D | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | 1 | 02 | | | | .3.20 | 5.40 | 3.01 | | 55.00 | | | | † |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP9D | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | 1 | | UEP9D | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| | | lumber Portability | | | L | 1 | ļ | | | ļ | | | | | | | <u> </u> |
| | | Local Number Portability (1 per port) | | <u> </u> | UEP9D | LNPCC | 0.35 | | | ļ | | | | | | | |
| | Feature | | | <u> </u> | LIEDOD | LIEDY'E | | | | - | | | | | | ļ | |
| | | All Standard Features Offered, per port | | | UEP9D UEP9D | UEPVF | 0.00 | 400.70 | | | | | 30.89 30.89 | 7.03 | | | |
| | | All Select Features Offered, per port All Centrex Control Features Offered, per port | | | UEP9D UEP9D | UEPVS | 0.00 | 433.78 | | - | | 1 | 30.89 | 7.03 7.03 | | - | |
| | NARS | All Centrex Control Features Oriered, per port | - | | OFLAD | UEFVC | 0.00 | - | | | | 1 | 30.89 | 7.03 | | 1 | |
| | | Unbundled Network Access Register - Combination | - | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | 1 | 30.89 | 7.03 | | 1 | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward | - | <u> </u> | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | t | | + | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Outdial | 1 | † | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | I | | 1 | 30.89 | 7.03 | | 1 | † |
| | Miscell | aneous Terminations | | † | 02 | 0, 11, 0, 1 | 0.00 | 0.00 | 0.00 | 1 | | | 50.00 | 7.00 | | | |
| | | Trunk Side | | <u> </u> | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | i – | UEP9D | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | İ | 1 |
| | | Digital (1.544 Megabits) | | | | 1 | | | | | | | 1 | | | | 1 |

| UNBU | JNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: E |
|--------------|------------|--|--|------|--------|---------|--------|----------------|----------------|--------------|-------|-------|---|--|--|---|---|
| CATE GORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | RATES (\$) | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 35.55 | First 75.93 | Add'l 38.15 | First | Add'l | SOMEC | 30.89 | SOMAN | SOMAN | SOMAN | SOMAN |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HD0 | 0.00 | 108.67 | 38.15 | | | | 30.89 | 7.03 7.03 | | | |
| | | ice Channel Mileage - 2-Wire | | | UEP9D | MINDO | 0.00 | 100.67 | | | | | 30.69 | 7.03 | | - | - |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.0174 | 22.17 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | |
| | | g-, | | | | | | | | | | | | | | | |
| | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | |
| | | | l | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | 1 | | l | 1 | _ | | | | | | | | 1 | I | 1 |
| | | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | 1 | | LIEDOD | 1001410 | 0.00 | | | | | | | | | | |
| | + | Different Wire Center | | - | UEP9D | 1PQWP | 0.66 | | | | | | | | - | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tilvate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | OLI 3D | II QVVV | 0.00 | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | 0.00 | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | ļ <u>.</u> | | | | | | | | | | | | | | | | |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | 2-wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | _ | | | | | | | | | | | |
| | LINE PO | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 1 | UEP9E | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9E | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP9E | | 23.02 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | ١., | LIEDOE | | 40.00 | | | | | | | | | 1 | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | 1 | UEP9E | + | 18.26 | | | | | | | | | 1 | 1 |
| | | 2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design | 1 | 2 | UEP9E | | 23.33 | | | | | | | | 1 | I | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLFSE | + | 23.33 | | | | | | | | 1 | | 1 |
| | | Design | 1 | 3 | UEP9E | | 29.98 | | | | | | | | | | |
| | | pop Rate | 1 | | | 1 | 20.00 | | | | | | | | 1 | 1 | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.48 | | | | | | | | | 1 | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 16.31 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 21.32 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 16.56 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | ļ | 3 | UEP9E | UECS2 | 28.28 | | | | | | | | ļ | ļ | |
| | UNE Po | | ļ | | | | | | | | | | | | | - | - |
| | AL, FL, | KY, LA, MS, & TN only | 1 | | LIEDOE | LIEDYA | 4.70 | 00.44 | 45.05 | 0.45 | 2.01 | | 20.00 | 7.00 | | 1 | 1 |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9E | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | i |

| CATE GORY NOT | LED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | , A | ttachment: 2 | | |
|--|--|--------|------|----------------|----------------|--------------|----------------|----------------|--------------|--------------|----------|----------------|--------------|--------------|-------------|-------------|
| | | | | | | | | | | | | | | | | Exhibit: B |
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | Interi | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GOKT | ES RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | | "" | | | | | | | | | | Submitted | | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| ——— | | | | | | | | | 1 | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urrina | Nonrocurring | Disconnect | | | 000 | RATES (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | 71441 | | 71441 | 0020 | | | | | |
| | Area | | | UEP9E | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | LIEBOE | LIEDVO | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.00 | | | |
| \vdash | - Basic Local Area | | | UEP9E | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| ΔΙ | KY, LA, MS, & TN Only | | | UL1 UL | JL1 12 | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | 1 | 30.09 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP9E | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | OWEN Vision Cond. Book and the U.S. of Manager Land and the U.S. | | | LIEBOE | LIEBOO | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.00 | | | |
| - | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E UEP9E | UEPQ9 UEPQ2 | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 30.89 30.89 | 7.03 7.03 | | | |
| ——— | 2-Wife Voice Grade Port Terminated on 800 Service Term | | | UEF9E | UEFQZ | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | |
| Loc | al Switching | | | | | | | | | | | | | | | |
| 1200 | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.6381 | | | | | | | | | | |
| Loc | al Number Portability | | | | | 0.000. | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Fea | tures | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| NAF | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NAF | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| Mis | cellaneous Terminations | | | | | 5.50 | 3.50 | 5.50 | | | | 30.00 | | | | |
| 2-W | ire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 4-W | ire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| \vdash | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 35.55 | 75.93 | 38.15 | | | <u> </u> | 30.89 | 7.03 | | | |
| le.t. | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| inte | roffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | - | | |
| \vdash | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.0174 | 22.14 | 13.25 | 0.45 | 3.91 | | 30.09 | 7.03 | | | |
| Fea | ture Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | U_1 U_ | .viiODivi | 5.0174 | | | | | 1 | | 1 | | | |
| | Channel Bank Feature Activations | | | | 1 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| \vdash | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | 1 | - | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| \vdash | Dilibion wing Center | | | OLF #E | IPQWF | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop | | | | ~.** | 0.00 | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Nor | -Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | • | | | | | | | | |

| UNBU | INDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | A | ttachment: 2 | | Exhibit: B |
|--------------|----------|---|-------------|------|-------|-------|-------|--------|-----------|--------------|-------|-------|-----------------------|--|--|---|------------|
| CATE GORY | | | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | RATES (\$) | | |
| | | NIDO Conservações Comentalo Combined Contralo An Institute allocated | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 658.60 | 0.29 | | | 1 | 30.89 | 7.03 | | | + |
| | | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | + |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | † |
| | | g-, | | | | | | | | | | | | | | | 1 |
| | UNE-P | CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | 1 |
| | 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP93 | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 23.02 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 23.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP93 | | 29.98 | | | | | | | | | | |
| | UNE Lo | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | - |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 21.63 | | | | | 1 | | | | | + |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 3 | UEP93 | UECS2 | 28.28 | | | | | 1 | | | | | + |
| | | ort Rate | | Ŭ | 02.00 | 02002 | 20.20 | | | | | | | | | | † |
| | | LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP93 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ↓ |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | _ | |
| | | 2-Wire Voice Grade Port (Centrex) | <u></u> | | UEP93 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | _ | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Local S | witching | | | | | | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | А | ttachment: 2 | | Exhibit: B |
|----------|---------|--|--------|----------|--------|--------|--------|----------|-----------|--------------|------------|-----------|-----------|-------------|--------------|--------------|--------------|
| | | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | | | | |
| CATE | | | Interi | | | | | | | | | | | Charge - | Charge - | Charge - | Charge - |
| GORY | NOTES | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | | | Manual Svc | | Manual Svc | |
| GORY | | | m | | | | | | | | | Submitted | Submitted | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | Elec | Manually | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | per LSR | per LSR | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | ossi | RATES (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | |
| | | lumber Portability | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEP93 | LNCCC | 0.35 | | | | | | | | | | |
| | Feature | | | | 02. 00 | 2.1000 | 0.00 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | 1 | | | | + | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | | | | | |
| | NARS | , an estimon estimon i outures enteres, per per | | I | 02.00 | JE1 VO | 0.00 | <u> </u> | | | | + | 1 | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | - | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Indial | | I | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | + | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | aneous Terminations | | | ULF 93 | UANUX | 0.00 | 0.00 | 0.00 | | | | 30.09 | 7.03 | | | |
| | | Trunk Side | | | | - | | - | | | | + | | | | - | |
| | | Trunk Side Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | + | 30.89 | 7.03 | | - | |
| | | Digital (1.544 Megabits) | | | UEF93 | CENDO | 0.70 | 22.14 | 15.25 | 0.40 | 3.91 | + | 30.69 | 7.03 | | - | |
| | | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | | | | | UEP93 | M1HD0 | 0.00 | 108.67 | 38.15 | | | | 30.89 | 7.03 | | | |
| - | | DS0 Channels Activated, Per Channel ice Channel Mileage - 2-Wire | | | UEP93 | MIHDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| - | | | | | UEP93 | MIGBC | 40.50 | 22.14 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.03 | | | |
| - | | Interoffice Channel Facilities Termination | | | | MIGBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.0174 | | | | | | | | | | |
| - | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | | | LIEDOO | 400040 | 0.00 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP93 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | 1 | | | | 1 | |
| | | changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | Note 3 | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

AMENDMENT TO THE AGREEMENT BETWEEN

ACCESS POINT, INC. AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED MAY 3, 2001

Pursuant to this Agreement, (the "Amendment"), Access Point, Inc. ("Access Point"), a North Carolina corporation on behalf of itself, and BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself, hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 3, 2001 ("Agreement").

WHEREAS, BellSouth and Access Point entered into the Agreement on May 3, 2001_ and;

WHEREAS, the Parties desire to Amend the Agreement to include Unbundled Remote Call Forwarding (URCF) service.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. Section 4.1.3 of Attachment 2 is amended to include a new Section 4.1.3.9 Remote Call Forwarding incorporated herein below:

4.1.3.9 Remote Call Forwarding

- 4.1.3.9.1 As an option, BellSouth shall make available to Access Point an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Access Point will ensure that the following conditions are satisfied:
- 4.1.3.9.2 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);

- 4.1.3.9.3 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.1.3.9.4 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.1.3.9.5 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.1.3.9.6 In addition to the charge for the URCF service port,
 BellSouth shall charge Access Point the rates set forth in
 Exhibit B for unbundled local switching, tandem switching,
 and common transport, including all associated usage,
 incurred for calls from the URCF service telephone number
 (the number dialed by the calling party) to the forward- to
 number (service).
- 2. Attachment 2 Exhibit B –UNE Rates of the Agreement is amended to add URCF Service rates, incorporated herein by reference as Exhibit 1 to this Amendment.
- 3. This Agreement shall be deemed effective thirty calendar days following the date of the last signature of both Parties ("Effective Date").
- 4. All of the other provisions of the Agreement, dated May 3, 2001 shall remain in full force and effect.
- 5. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

| BellSouth Telecommunications, Inc. | Access Point, Inc. |
|------------------------------------|--------------------|
| Ву: | Ву: |
| Name: | Name: |
| Title: | Title: |
| Date: | Date: |

Exhibit 1

| UNBUNDLED N | ETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|-------------|--|----------|------|-------|-------|------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | F | p | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | | | | | | | 150 | Addi | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | <u> </u> | | | | | | | | | | | | | | |
| UNBUNDLED | | | | | | | | | | | | | | | | i |
| NETWORK | | | | | | | | | | | | | | | | i |
| ELEMENTS | | | | | | | | | | | | | | | | 1 |
| | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | 1 |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.38 | 2.38 | 2.27 | | 1.33 | | 15.66 | | | | <u> </u> |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.38 | 2.38 | 2.27 | | 1.33 | | 15.66 | | | | 1 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | 1 |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | 1- | | | | | | | | | | | | | | i |
| | as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | 1 |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | i |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | 1 |
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.38 | 2.38 | 2.27 | | 1.33 | | 15.66 | | | | 1 |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | 1 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | <u> </u> | | UEPVB | UERTR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Unbundled Remote Call Forwarding Service Expanded and | 1 | | | | | | | | | | | | | | 1 |
| | Exception Local Calling | | | UEPVB | UERVJ | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | Non-Recurring | | | | | | | | | | | 1 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | - | | | | | | | | | | | | | | 1 |
| | as-is | <u> </u> | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| 1 | Unbundled Remote Call Forwarding Service - Conversion with | 1 | 1 | | | | | | | | | | 1 | | | 1 |
| | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.10 | 0.10 | | | | 15.66 | | | | 1 |

| UNBUNDLED NE | TWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------------|---|---------|------|-------|--------|------|--------|-----------|--------------|------------|-----------|---|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 131 | Addi | Disc 1st | Disc Add i |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| UNBUNDLED | | | | | | | | | | | | | | | | |
| NETWORK | | | | | | | | | | | | | | | | |
| ELEMENTS | | | | | | | | | | | | | | | | |
| | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | - | | | | | | | | | | | | | | |
| | as-is | | | UEPVR | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.102 | 0.102 | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service Expanded and | 1 | 1 | | 1 | | | | | | | | | | İ | İ |
| | Exception Local Calling | | 1 | UEPVB | UERVJ | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | 1 | l |
| | Non-Recurring | | 1 | 1 | 1 | | 2.7 . | 2.00 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch- | | 1 | | | | | | | | | 1 | | | | |
| | as-is | | | UEPVB | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | 1 | | 20,102 | | 502 | 3.102 | | | | | | | | |
| | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.102 | 0.102 | | | 1 | | | | | 1 |

| UNBUNDLED N | ETWORK ELEMENTS - Georgia | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|-------------|--|---------|----------|-------|-------|----------|--------|-----------|----------------|------------|------------|-----------|-------------|-------------|-------------|--------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | Par = 2.11 | P | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 150 | Addi | Disc 1st | l Disc Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring D | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | ļ |
| UNBUNDLED | | | | | | | | | | | | | | | | 1 |
| NETWORK | | | | | | | | | | | | | | | | i |
| ELEMENTS | | | | | | | | | | | | | | | | 1 |
| | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | 1 |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | 1 |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | ł |
| | Non-Recurring | | | | | | | | | | | | | | | ł |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | H | | | | | | | | | | | | | | i |
| | as-is | | | UEPVR | USAC2 | | 2.01 | 0.31 | | | | | 33.67 | 7.88 | 11.17 | 3.9 |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | i |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 2.01 | 0.31 | | | | | | | | ł |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | | | | | | | | | | | | | | | | ł |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | 1 |
| | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | 1 | | | | 1 |
| | Exception Local Calling | | | UEPVB | UERVJ | 1.85 | 17.16 | 17.16 | | | | | 18.94 | 8.42 | | |
| | Non-Recurring | | | | | | | | | | 1 | | | | | ! |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | 1 | | | | | | | | | | 1 | | | | 1 |
| | as-is | | | UEPVB | USAC2 | | 2.01 | 0.31 | | | 1 | 1 | 33.67 | 7.88 | 11.17 | 3.91 |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | 1 | | | | ĭ |
| | allowed change (PIC and LPIC) | <u></u> | <u> </u> | UEPVB | USACC | <u> </u> | 2.01 | 0.31 | <u> </u> | | <u> </u> | <u></u> | <u> </u> | | L | |

| UNBUNDLED NE | TWORK ELEMENTS - Kentucky | | | | | | | | | | | | Attach | ment: 2 | Exhib | oit: B |
|---------------------|--|---------|------|-------|-------|------|----------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interin | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | 1 ' | T . | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | + | 1 | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | l . | OSS | Rates(\$) | | L |
| | | | | | | Kec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| UNBUNDLED | | | | | | | | | | | | | | | | l |
| NETWORK ELEMENTS | | | | | | | | | | | | | | | | 1 |
| ELEWIENTS | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILIT | Υ | 1 | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENC | | 1 | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | _ | 1 | UEPVR | UERAC | 1.49 | 3,74 | 3.63 | | | | 7.86 | | | | |
| | ggg | | | | | | Ţ., . | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | l |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | ſ |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Swite | ch- | | | | | | | | | | | | | | |
| | as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | l |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | | l |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | ĺ |
| | Oriburialed Remote Call Forwarding Service, Area Calling - Bus | | + | UEFVB | UERAC | 1.49 | 3.74 | 3.03 | | | + | 7.00 | | | | - |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | Í |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | 1 | | UEPVB | UERTR | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service Expanded and | | 1 | | | | . | | | | | | | | | i e |
| | Exception Local Calling | | | UEPVB | UERVJ | 1.49 | 3.74 | 3.63 | | | | 7.86 | | | | l |
| | Non-Recurring | | | | | | | | | | 1 | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | h- | 1 | | | | | | | | | | | | | |
| | as-is | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 7.86 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | _ | | | | | | | | | |
| | allowed change (PIC and LPIC) | | 1 | UEPVB | USACC | | 0.10 | 0.10 | | | | | | | | 1 |

| UNBUNDLED N | ETWORK ELEMENTS - Louisiana | | | | | | | | | | | | Attachi | nent: 2 | Exhib | oit: B |
|-------------|--|---------|------|----------------|----------|------|--------------|-----------|------------------|---------|-----------|----------------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | , | | | poi zoit | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 131 | Auu | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring Dis | connect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| UNBUNDLED | | | | | | | | | | | | | | | | |
| NETWORK | | | | | | | | | | | | | | | | |
| ELEMENTS | | | | | | | | | | | | | | | | |
| | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Unbundled Demote Cell Fernanding Centing Level Celling Dec | | | UEPVR | UERLC | 1.52 | 2.31 | 2.24 | | | | 15.20 | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res | - | - | | UERTE | 1.52 | | 2.21 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res | - | - | UEPVR UEPVR | UERTR | 1.52 | 2.31 2.31 | 2.21 | | | | 15.20 15.20 | | | | |
| | | - | - | UEPVR | UERIR | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Non-Recurring | - | - | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | 1- | | | USAC2 | | 0.40 | | | | | 4= 00 | | | | |
| | as-is Unbundled Remote Call Forwarding Service - Conversion with | - | - | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.40 | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | 1 | - | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - BUS | - | - | | _ | | | | | | | | | | | |
| | Links and and Demote Call Foresarding Consider Area Calling Due | | | UEPVB | UERAC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | + | - | UEPVB | UERAC | 1.52 | 2.31 | 2.21 | | | - | 15.20 | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus | - | + | UEPVB | UERTE | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | + | - | UEPVB | UERTR | 1.52 | 2.31 | 2.21 | | | - | 15.20 | | | | |
| - | Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and | + | + | UEFVD | UENTR | 1.52 | 2.31 | 2.21 | - | | | 15.20 | | | | |
| | Exception Local Calling | | 1 | UEPVB | UERVJ | 1.52 | 2.31 | 2.21 | | | | 15.20 | | | | |
| | Non-Recurring | + | - | UEPVB | UERVJ | 1.52 | 2.31 | 2.21 | | | - | 15.20 | | | | |
| - | Unbundled Remote Call Forwarding Service - Conversion - Switch | + | + | | + | | | | - | | | | | | | |
| | as-is | - | 1 | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | + | + | UEFVD | USACZ | | 0.10 | 0.10 | | | | 15.20 | | | | |
| | allowed change (PIC and LPIC) | | 1 | UEPVB | USACC | | 0.10 | 0.10 | | | | | | | | |
| | allowed change (FTC and LPTC) | 1 | | UEFVB | USACC | | 0.10 | 0.10 | | | l | l | l | | | |

| UNBUNDLED NE | TWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhib | oit: B |
|---------------------|--|---------|------|---------|---------|------|--------|-----------|--------------|------------|----------------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | l ⁻ | - | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | - | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | <u> </u> |
| UNBUNDLED | | | | | | | | | | | | | | | | ı |
| NETWORK ELEMENTS | | | | | | | | | | | | | | | | l |
| ELLIMILIAI 3 | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | 1 | | | | İ | | | 1 | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | : | | | | | | | | | | | | | | í |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| ĺ | | | | | | | | | | | | | | | | l |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.41 | 2.39 | 2.29 | | 1.33 | | 15.75 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.41 | 2.39 | 2.29 | | 1.33 | | 15.75 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch as-is | h- | | UEPVR | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | l |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | OLI VIC | 00/102 | | 0.0900 | 0.0900 | | | | 13.73 | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.0988 | 0.0988 | | | | | | | | ı |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | ***** | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | ł |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | + | DEPAR | UERAC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | l |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.41 | 2.39 | 2.29 | | 1.33 | | 15.75 | | | | ſ |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.41 | 2.39 | 2.29 | | 1.33 | | 15.75 | | | | ſ |
| | Unbundled Remote Call Forwarding Service Expanded and | | | 02. 15 | OZ.KIIK | | 2.00 | 2.20 | | 1.00 | | 10.70 | | | | |
| | Exception Local Calling | | | UEPVB | UERVJ | 1.41 | 2.39 | 2.29 | 1.42 | 1.33 | | 15.75 | | | | l |
| | Non-Recurring | | | | | | | | | | | | | | | í |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | 1- | | | | | Ì | | | | | | | | | |
| | as-is | | | UEPVB | USAC2 | | 0.0988 | 0.0988 | | | | 15.75 | | | | 1 |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | 1 |
| | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.0988 | 0.0988 | | | | | | | | 1 |

| UNBUNDLED NE | TWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: B |
|--------------|---|---------|------|----------------|----------------|--------------|----------------|----------------|--------------|-------|-----------|-----------|----------------|----------------|-------------|-----------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interin | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs |
| | | | | | | | | | | | - | • | Electronic- | Electronic- | Electronic- | Electroni |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| UNBUNDLED | | | | | | | | | | | | | | | | |
| NETWORK | | | | | | | | | | | | | | | | |
| ELEMENTS | | | | | | | | | | | | | | | | |
| | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | : | | LIEDUD. | LIEDAO | 0.40 | 04.00 | | | | | | | 40.70 | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 2.19 | 21.60 | 21.60 | | | ļ | | 26.94 | 12.76 | | |
| | | | | | | 0.40 | | | | | | | | 40.70 | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res | | - | UEPVR UEPVR | UERLC UERTE | 2.19 2.19 | 21.60 21.60 | 21.60 21.60 | | | 1 | | 26.94 26.94 | 12.76 12.76 | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res | | - | UEPVR | UERTR | 2.19 | 21.60 | 21.60 | | | 1 | | 26.94 | 12.76 | | |
| | | | - | UEPVR | UERTR | 2.19 | 21.60 | 21.60 | | | 1 | | 26.94 | 12.76 | | |
| | Non-Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch | | - | | - | | | | | | 1 | | | | | |
| | as-is | n- | | UEPVR | USAC2 | | 2.77 | 0.40 | | | | | 26.94 | 12.76 | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | _ | UEPVK | USACZ | | 2.11 | 0.40 | | | | | 20.94 | 12.76 | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 2.77 | 0.40 | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | + | UEPVK | USACC | | 2.11 | 0.40 | | | 1 | | | | | |
| | UNBONDLED REMOTE CALL FORWARDING - Bus | | | | 1 | | | | | | 1 | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Oribunated Nemote Gail Forwarding Gervice, Area Gailing Bus | | + | OLI VD | OLIVIO | 2.10 | 21.00 | 21.00 | | | 1 | | 20.54 | 12.70 | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | + | UEPVB | UERTE | 2.19 | 21.60 | 21.60 | | | 1 | | 26.94 | 12.76 | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | 1 | UEPVB | UERTR | 2.19 | 21.60 | 21.60 | | | + | | 26.94 | 12.76 | | |
| | Unbundled Remote Call Forwarding Service Expanded and | | | 02. 15 | OZ.KIIK | 2.10 | 21.00 | 21.00 | | | 1 | | 20.01 | 12.10 | | |
| | Exception Local Calling | | | UEPVB | UERVJ | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | - | | | 1 | | | | | İ | | | | | | |
| | as-is | 1 | 1 | UEPVB | USAC2 | | 2.77 | 0.40 | | | | | 26.94 | 12.76 | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | - | | i | | | | | | | | 1 | | |
| | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 2.77 | 0.40 | | 1 | | | 1 | 1 | 1 | |

| UNBUNDLED NE | TWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: B |
|--------------|---|---------|------|-------|-------|------|--------|-----------|--------------|-------|----------------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | l [*] | - | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | NCC | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| UNBUNDLED | | | | | | | | | | | | | | | | |
| NETWORK | | | | | | | | | | | | | | | | |
| ELEMENTS | | | | | | | | | | | | | | | | |
| | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.65 | 2.38 | 2.28 | | 1.33 | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.65 | 2.38 | 2.28 | | 1.33 | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Non-Recurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | - | | | | | | | | | | | | | | |
| | as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.65 | 2.38 | 2.28 | | 1.33 | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.65 | 2.38 | 2.28 | | 1.33 | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| | Exception Local Calling | | | UEPVB | UERVJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Non-Recurring | | | | 1 | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch- | 1 | 1 | 1 | | | | | | | | | | 1 | | |
| | as-is | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | 1 | | | | |
| | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.10 | 0.10 | | | | <u> </u> | | | | |

| UNBUNDLED NE | ETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: B |
|--------------|---|---------|------|---------|---------|------|--------------|-----------|--------------|-------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | · | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | 1 |
| | | | - | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | - | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNDUNDUED | | - | - | | | | | | | | | | | | | + |
| UNBUNDLED | | | | | | | | | | | | | | | | i |
| NETWORK | | | | | | | | | | | | | | | | i |
| ELEMENTS | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY | , | + | | 1 | - | | | | | | | | | | |
| | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | + | | 1 | | | | | | | | | | | t |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | · | + | UEPVR | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Oriburialed Nerriote Cair Forwarding Service, Area Cairing, Nes | + | + | OLI VIX | OLIVAC | 1.03 | 5.55 | 3.13 | 3.00 | 2.32 | | | 20.55 | 10.54 | 10.02 | 1.4 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | 1 | + | UEPVR | UERTE | 1.89 | 9.93 | 9.19 | | 2.92 | | † | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | 1 | + | UEPVR | UERTR | 1.89 | | 9.19 | | 2.92 | | | 20.35 | 10.54 | 13.32 | |
| | Non-Recurring | | 1 | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | า- | | | | | | | | | | | | | | |
| | as-is | | | UEPVR | USAC2 | | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 1.03 | 0.29 | | | | | | | | i |
| | UNBUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | (|
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | | | | | | | | | | | | | | | i |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.89 | | 9.19 | | 2.92 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.89 | | 9.19 | | 2.92 | | | 20.35 | 10.54 | 13.32 | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | _ | UEPVB | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service Expanded and | | | | LIEDILL | | | | | | | | | 40 | 40 | 1 |
| | Exception Local Calling | 1 | - | UEPVB | UERVJ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Non-Recurring | 1 | + | | 1 | 1 | | | 1 | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch | - | | LIEDVD | 110400 | | 4 | 0.00 | | | | | 00.05 | 40 = 1 | 40.00 | 1 |
| | as-is | 1 | + | UEPVB | USAC2 | - | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| 1 | Unbundled Remote Call Forwarding Service - Conversion with | 1 | | UEPVB | USACC | | 1.03 | 0.29 | | | | | | | | 1 |
| | allowed change (PIC and LPIC) | 1 | | DELAR | USACC | | 1.03 | 0.29 | | | | l | l | l | | 1 |