Amendment to the Agreement Between Tel West Communications, LLC and BellSouth Telecommunications, Inc. Dated July 17, 2003

Pursuant to this Amendment, (the "Amendment"), Tel West Communications, LLC (Tel West), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated July 17, 2003 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the amendment.

WHEREAS, BellSouth and Tel West entered into the Agreement on July 17, 2003 and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 3. All of the other provisions of the Agreement, dated July 17, 2003, shall remain in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

Name: Kristen E.

Title: Digrector

Date: 2/2/64

Tel West Communications, LLC

Name:

Title: Presiden

Date: $1/(\ell/200)$

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

Ra	tes <u>Exhibit</u>	A
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	60
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	59
12	CALLING NAME (CNAM) DATABASE SERVICE	58
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	57
10	SIGNALING	51
9	LINE INFORMATION DATABASE (LIDB)	49
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN SERVICE	
7	DATABASES	48
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	43
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	40
4	LOCAL SWITCHING	32
3	LINE SHARING	26
2	UNBUNDLED LOOPS	5
1	INTRODUCTION	3

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Tel West in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Tel West (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Tel West to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Tel West used in the provision of a qualifying service, as defined by the FCC. Tel West may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Tel West, and to the extent technically feasible, provide to Tel West access to its Network Elements for the provision of Tel West's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Tel West may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to Tel West under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Tel West and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Tel West will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Tel West will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Tel West may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Tel West may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Tel West, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Tel West has obtained at wholesale from BellSouth, or

the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCIs) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Tel West reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Tel West for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

1.11 Rates

- 1.11.1 The prices that Tel West shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Tel West purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Tel West modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Tel West in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premise, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. Tel West shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Tel West on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Tel West. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Tel West seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Tel West with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 Tel West may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.

- 2.1.2 The provisioning of a Loop to Tel West's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Tel West in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Tel West wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Tel West may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Tel West (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Tel West for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 **Loop Testing/Trouble Reporting**

2.1.6.1 Tel West will be responsible for testing and isolating troubles on the Loops. Tel West must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble

report, Tel West will be required to provide the results of the Tel West tests which indicate a problem on the BellSouth provided Loop.

- 2.1.6.2 Once Tel West has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If Tel West reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Tel West for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Tel West (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Tel West for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 Order Coordination (OC) allows BellSouth and Tel West to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Tel West's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 Order Coordination Time Specific (OC-TS) allows Tel West to order a specific time for OC to take place. BellSouth will make every effort to accommodate Tel West's specific conversion time request. However, BellSouth reserves the right to negotiate with Tel West a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Tel West may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Tel West specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order

due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Tel West when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Tel West's Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to Tel West pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

Version 3Q03: 11/12/2003

For UVL-SL1 and UCLs, Tel West must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 **Bulk Migration**

2.1.9.1 If Tel West requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, Tel West must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Tel West should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Tel West will be able to continue to provide any advanced services over the new

facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.2.1 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Tel West. Tel West may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.2.2 For an additional charge BellSouth will make available Loop Testing so that Tel West may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.3 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Tel West. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Tel West to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Tel West will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Tel West or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Tel West may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of Tel West in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of

twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.8.1 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.8.2 Tel West may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of Tel West for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Tel West may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Tel West, BellSouth shall perform the routine network modifications.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Tel West.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Tel West to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- Upon the Effective Date of this Amendment, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Tel West or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Tel West can request LMU for which additional charges would apply.

- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Tel West may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Tel West to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Tel West may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by Tel West which has over 6kft of combined bridged tap will be modified, upon request from Tel West, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to Tel West. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 Tel West may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Tel West requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Tel West will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Tel West shall request Loop make up information pursuant to this Attachment prior to submitting a SI and/or a LSR for the Loop type that Tel West desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Tel West, Tel West will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Tel West is available at the location for which the ULM was requested, Tel West will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Tel West will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where Tel West has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Tel West. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Tel West (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from Tel West, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Tel West will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Tel West to connect Tel West's Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Tel West may access the End User's premise wiring by any of the following means and Tel West shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Tel West to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the premise wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the premise wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Tel West may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Tel West's responsibility to ensure there is no safety hazard, and Tel West will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Tel West shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Tel West shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Tel West to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to Tel West's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Tel West may request BellSouth to do additional work to the NID on a time and material basis. When Tel West deploys its own local Loops in a multiple-line termination device, Tel West shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Tel West requests a UCSL and it is not available, Tel West may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Tel West, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Tel West's use on this cross-connect panel. Tel West will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Tel West shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a

BellSouth technician within the BellSouth cross-box during the set-up process. Tel West's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Tel West is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Tel West's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Tel West can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Tel West's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Tel West will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Tel West requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Tel West for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, or where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide

access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Tel West will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Tel West for each pair activated commensurate to the price specified in Tel West's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for

NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Tel West will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based rates have not been negotiated and Tel West has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Tel West any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties'

interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Tel West, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Tel West to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Tel West may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Tel West, BellSouth shall perform the routine network modifications.

2.8.6.3 <u>Requirements</u>

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 Tel West is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Tel West information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Tel West.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Tel West within twenty (20) business days after Tel West submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide

Interconnection (LGX)) to enable Tel West to connect Tel West provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to Tel West LMU information so that Tel West can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Tel West intends to install and the services Tel West wishes to provide. This section addresses LMU as a preordering transaction, distinct from Tel West ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Tel West LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Tel West as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Tel West may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Tel West and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Tel West's ability to provide advanced data services over the ordered Loop type. Further, if Tel West orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible

Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Tel West is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Tel West may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Tel West needs further Loop information in order to determine Loop service capability, Tel West may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMU, Tel West may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Tel West may reserve up to three (3) Loop facilities.
- 2.9.3.2 Tel West may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Tel West. During and prior to Tel West placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Tel West does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Tel West will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Tel West does not reserve facilities upon an initial LMUSI, Tel West's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.

2.9.3.5 Where Tel West has reserved multiple Loop facilities on a single reservation, Tel West may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Tel West, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Tel West.

3 <u>Line Sharing</u>

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which Tel West provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Tel West using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Tel West. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, Tel West may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Tel West may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Tel West, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Tel West the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Tel West shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Tel West on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Tel West requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Tel West shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Tel West desires to continue providing xDSL service on such Loop, Tel West shall be required to purchase a full standalone Loop UNE. To the extent commercially practicable, BellSouth shall give Tel West notice in a reasonable time prior to disconnect, which notice shall give Tel West an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Tel West purchases the full stand-alone Loop, Tel West may elect the type of Loop it will purchase. Tel West will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event Tel West purchases a voice grade Loop, Tel West acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Tel West reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Tel West for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide Tel West with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Tel West must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.

- 3.2.1.2 Tel West may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of Tel West's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group (CRSG).
- 3.2.1.3 Once a splitter is installed on behalf of Tel West in a CO in which Tel West is located, Tel West shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and Tel West shall pay the electronic or manual ordering charges as applicable when Tel West orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Tel West's data.

3.3 <u>BellSouth Provided Splitter – Line Sharing</u>

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Tel West access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Tel West's xDSL equipment in Tel West's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Tel West with a carrier notification letter, informing Tel West of change. Tel West shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Tel West shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Tel West's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Tel West's DS0 termination point as possible. Tel West shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Tel West on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross connect the splitter data ports to a specified Tel West DS0 at such time that a Tel West End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

3.4.1 Tel West may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Tel West may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.2 Any splitters installed by Tel West in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Tel West may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

- 3.5.1 Tel West shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Tel West the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Tel West access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Tel West shall pay the rates for such services, as described in Exhibit A.

3.6 <u>Maintenance and Repair – Line Sharing</u>

- 3.6.1 Tel West shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Tel West is using a BellSouth owned splitter, Tel West may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Tel West provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Tel West will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Tel West shall inform its End Users to direct data problems to Tel West, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Tel West, BellSouth will notify Tel West. Tel West will

provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Tel West will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Tel West's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 **Line Splitting**

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Tel West provides its own switching or obtains switching from a third party, Tel West may engage in line splitting arrangements with another CLEC using a splitter, provided by Tel West, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Tel West is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Tel West shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Tel West will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Tel West or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Tel West for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Tel West or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Tel West or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Tel West or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Tel West or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 <u>Ordering – Line Splitting</u>

- 3.9.1 Tel West shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide Tel West the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Tel West access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Tel West shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Tel West on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures

for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Tel West will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Tel West shall inform its End Users to direct all problems to Tel West or its authorized agent.
- 3.10.3 If Tel West is not the data provider, Tel West shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Tel West for the provision of a telecommunications service.

4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Tel West when Tel West: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Tel West is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Tel West or BellSouth shall convert such

arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Tel West's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Tel West purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Tel West local End User, or originated by a BellSouth local End User and terminated to a Tel West local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Tel West the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Tel West shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where Tel West purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Tel West End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Tel West the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Tel West shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Tel West the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to Tel West selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Tel West will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to Tel West an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Tel West will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Tel West the rates set forth in Exhibit A for unbundled local switching, tandem

switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Tel West all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Tel West.

4.2.13 <u>Local Switching Interfaces.</u>

- 4.2.13.1 Tel West shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;

- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Tel West who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 Tel West shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Tel West shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Tel West will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Tel West utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem

Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Tel West and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Tel West.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Tel West's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.

4.3.3 Upon Tel West's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Tel West's traffic overflowing from direct end office high usage trunk groups.

4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to Tel West, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Tel West. AIN SCR will provide Tel West with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Tel West shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Tel West, the routing of Tel West's End User calls shall be pursuant to information provided by Tel West and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Tel West shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each Tel West End User activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. Tel West shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) calendar days to respond to Tel West's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Tel West, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.

- 4.4.7 The NRC End Office Establishment Charge will be billed to Tel West following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End User Establishment Charges will be billed to Tel West following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Tel West following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 <u>Selective Call Routing Using Line Class Codes</u>

- 4.5.1 Where Tel West purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Tel West's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Tel West to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Tel West specific and unique LCCs are programmed in each BellSouth end office switch where Tel West intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Tel West's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Tel West intends to provide Tel West-branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Tel West to order dedicated trunking from each BellSouth end office identified by Tel West, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Tel West Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.

- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Tel West to the BellSouth TOPS.
- 4.5.7 The rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth CO. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Tel West are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Tel West are not already combined by BellSouth in the location requested by Tel West but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Tel West are not elements that BellSouth combines for its use in its network.
- Upon request, BellSouth shall perform the functions necessary to combine UNEs in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to UNEs or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links

- 5.2.1 Enhanced Extended Links (EELs) are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Tel West with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.

- By placing an order for a high-capacity EEL, Tel West thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Tel West's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Tel West may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Tel West, BellSouth shall perform the routine network modifications.

5.2.5 <u>Service Eligibility Criteria</u>

- 5.2.5.1 Tel West must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Tel West has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which Tel West will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Tel West will have at least one (1) active DS1 local service interconnection trunk over which Tel West will transmit the calling party's number in connection with calls exchanged over the trunk;

- 5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Tel West's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Tel West failed to comply with the service eligibility criteria, Tel West must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Tel West did not comply in any material respect with the service eligibility criteria, Tel West shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Tel West did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Tel West for its reasonable and demonstrable costs associated with the audit. Tel West will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Tel West converts special access services to UNEs, Tel West shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.
- BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Tel West if Tel West's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent

that Tel West is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Tel West or BellSouth shall convert such arrangement to tariff pricing. The filing of this Amendment with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Tel West's UNE port/Loop combinations. BellSouth will not bill Tel West for 911 surcharges. Tel West is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Tel West in addition to those specifically referenced in this Section 5 above, where available. To the extent Tel West requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 **Transport**

6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission

facilities described in this Section 6 on an unbundled basis to Tel West for the provision of a qualifying service, as set forth herein.

- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Tel West uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport is defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport is defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Tel West.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Tel West exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Tel West to connect such interoffice facilities to equipment designated by Tel West, including but not limited to, Tel West's collocated facilities; and
- Permit, to the extent technically feasible, Tel West to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.

- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- As a circuit (e.g., DS0, DS1, DS3) dedicated to Tel West.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 Tel West may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Tel West may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Tel West, BellSouth shall perform the routine network modifications.

6.2.6 <u>Technical Requirements</u>

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Tel West designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer

Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Tel West shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Tel West may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:

- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCIs are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, Tel West's channelization equipment must adhere strictly to form and protocol standards. Tel West must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Tel West to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Tel West may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Tel West, BellSouth shall perform the routine network modifications.
- 6.4.3 Requirements
- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or

- (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 Tel West is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Tel West information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Tel West. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Tel West within twenty (20) business days after Tel West submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Tel West to connect Tel West provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 <u>Databases</u>

- Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Tel West.
- 7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and/or CNAM at market based rates pursuant to a separate agreement or tariff.
- 8. <u>BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service</u>

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Tel West's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Tel West.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 <u>Line Information Database</u>

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Tel West must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 <u>Technical Requirements</u>
- 9.2.1 BellSouth will offer to Tel West any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Tel West's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Tel West what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Tel West, BellSouth shall provide Tel West with a list of the customer data items, which Tel West would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Tel West data to the LIDB shall be solely at the direction of Tel West. Such direction from Tel West will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Tel West data upon Tel West's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Tel West customer records will be missing from LIDB, as measured by Tel West audits. BellSouth will audit Tel West records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Tel West contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Tel West within one (1) business day of audit. Once reconciled records are received back from Tel West, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Tel West to negotiate a time frame for the updates, not to exceed three (3) business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of Tel West's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Tel West with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Tel West and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Tel West data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Tel West in writing.

- 9.2.13 BellSouth shall provide Tel West performance of the LIDB Data Screening function, which allows LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Tel West at least at parity with BellSouth Customer Data. BellSouth shall obtain from Tel West the screening information associated with LIDB Data Screening of Tel West data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Tel West under the BFR/NBR process.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Tel West customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Tel West shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Tel West shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 Signaling Link Transport

- Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Tel West designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- 10.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.2.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.2.2.1 An A-link layer shall consist of two (2) links.
- 10.2.2.2.2 A B-link layer shall consist of four (4) links.
- 10.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.2.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.3 Interface Requirements
- There shall be a DS1 (1.544 Mbps) interface at Tel West's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 **Signaling Transfer Points**

10.3.1 A Signaling Transfer Point (STP) is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and STPSs.

10.3.2 <u>Technical Requirements</u>

- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Tel West local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Tel West local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Tel West or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Tel West database, then Tel West agrees to provide BellSouth with the Destination Point Code for Tel West database.
- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical

references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).

10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Tel West or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

10.4 <u>SS7 AIN Access</u>

- 10.4.1 When technically feasible and upon request by Tel West, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Tel West's SS7 network to exchange TCAP queries and responses with a Tel West SCP.
- 10.4.2 SS7 AIN Access shall provide Tel West SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Tel West SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Tel West SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

10.4.3 Interface Requirements

- 10.4.3.1 BellSouth shall provide the following STP options to connect Tel West or Tel West-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from Tel West local switching systems; and,
- 10.4.3.1.2 A B-link interface from Tel West local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Tel West local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Tel West switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Tel West local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Tel West switching system has a valid signaling relationship.
- BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Tel West from any signaling point or network interconnected through BellSouth's SS7 network where the Tel West SCP has a valid signaling relationship.

10.5 <u>Service Control Points/Databases</u>

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and DA.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of Tel West local signaling transfer point switches or Tel West local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Tel West local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Tel West or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Tel West local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Tel West local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
- 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Tel West local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages

to a gateway pair of Tel West local STPs and shall not include SCCP Subsystem Management of the destination.

- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 <u>Interface Requirements</u>
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Tel West or Tel West-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from Tel West local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from Tel West STPs.
- The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the SPOI and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from Tel West local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Tel West switching system has a valid signaling relationship.

11 <u>Automatic Location Identification/Data Management System</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Tel West will be required to provide BellSouth daily updates to E911 database. Tel West shall also be responsible for providing BellSouth with complete and accurate

data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 <u>Technical Requirements</u>

- BellSouth shall provide Tel West the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Tel West after Tel West provides End User information for input into the ALI/DMS database.
- Tel West shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 <u>Calling Name Database Service</u>

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Tel West the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Tel West shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Tel West's access to BellSouth's CNAM Database Services and shall be addressed to Tel West's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Tel West requires interconnection from Tel West to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Tel West shall provide its own CNAM SSP. Tel West's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Tel West elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Tel West desires to query.
- 12.6 If Tel West queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification

document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- 12.7 The mechanism to be used by Tel West for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Tel West in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Tel West to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Tel West CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 <u>Service Creation Environment and Service Management System Advanced</u> Intelligent Network Access

- BellSouth's SCE/SMS AIN Access shall provide Tel West the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Tel West. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Tel West service logic and data from unauthorized access.
- When Tel West selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Tel West to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Tel West access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Tel West to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Tel West may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 <u>Denial/Restoral OSS Charge</u>
- 14.3.1 In the event Tel West provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 <u>Cancellation OSS Charge</u>
- 14.4.1 Tel West will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive NRC charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

CATEGORY RATE ELEMENTS Minor Son Window																		
ATECONY PATE LIMENTS Display D	UNBU	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
RATE BLEMENTS IN THE PROPERTY OF THE PROPERTY													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
### CATEGORY BATE ELEMENTS BPGS BPGS USCC FRITES (1)													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
A Substitute Part A A A A A A A A A				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
PERIOD CONTROL OF CONT	CATE	SORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
The Proper shown in the sections for stand-close loops or loops as part of a combination refers to Geographically Descriped URE Zone. To view Geographically Cone. To view Geographically Descriped URE Zone. To view Geographically Cone. To view Geographic													· .		Electronic-	Electronic-	Electronic-	Electronic-
Page															1st	Add'l	Disc 1st	Disc Add'l
The "Sone" shown in the sections for stand-dione loops or loops as part of a combination refers to Geographically Deservanged UNE Zone: To love Secgraphically Deservanged UNE Zone: Section By Central Office, refer to internet Website: PERATORIAL SUPPLY TRY STEAS (CIb.): The SECRETION ACCURATE TO SECRETION SECRETIO																		
The Table "thorn in the sections for stand-alone loops or loops as part of a confinitation refers to loopsignifically beaveraged UNIC Zones. To view designations by Certail Office, refer to internet Website: PREAD							ļ	Rec										
INCLUSIONAL SUPPLICATION STREET, 1985. PROCEEDING ALL CONTINUES AND ADMINISTRATION AND					<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INCLUSIONAL SUPPLICATION STREET, 1985. PROCEEDING ALL CONTINUES AND ADMINISTRATION AND		The "7	ene" chaven in the costions for stand clans leans or leans so	nort of	0.00	hination refere to Co	o aronhiooll	v Degvereded II	NE Zanas Ta	view Coogran	hiaally Daayar	and LINE Zon	. Dooignotic	nna hu Cant	ral Office rafe	or to internet l	Noboitos	
PRIVATIONAL SUPPORT SYSTEMS (DSB) - RECORDAL RATES* NOTE (1) CLE Challed contained managinate in the profess the "state species" DSS charges controlled by the State Commissions. The DSS charges committy contained in this rate exhibits on the Ballisouth "regions" service ordering charges. CLEC may deat the regional service ordering charges charges in the control of the service ordering charges. CLEC may deat the regional service ordering charges charges or the DSS charges cannot be undered celectronically and be balled according the service ordering charges for the DSS charges and the service ordering charges. CLEC may deat the regional service ordering charges charges or the DSS charges cannot be undered celebrate in the case, and the service ordering charges charges in the class of the service ordering charges and t							ograpilicali	y Deaverageu U	NE Zones. 10	view Geograp	ilically Deaver	aged ONE ZOII	e Designano	ons by Cent	rai Office, reie	er to internet i	website.	
NOTE: The Expedite Change or Contract Insportation of the profess the "state specific" CSS changes as orthorized by the Sisted Commissions. The CSS changes currently contained in this rate which are the BillSouth's replease share expediting shares. CLEC may be stated as specific Commission orthorized that the regional service ordinging shares controlling shares. CLEC may be stated as specific Commissions. The CSS changes currently contained in this rate which are the interconsciolor control enablished in the control shares of the CSS changes currently contained in this rate which are the change that can be ordered electronically will be billed according to the SMMC rate listed in this category. Please refer to BellSouth's Local Critering Manabook (COH) to determine it a product can be ordered electronically. For those stemans that cannot be ordered electronically will be billed according to the SMMC rate listed in this category. Please refer to BellSouth's Local Critering Manabook (COH) to determine it a product can be ordered electronically. For those stemans that cannot be ordered electronically in the product of the second	OPER			Connec	lion.ni	un T	I	1		I	I	1	I	1	1	1		1
elect either the state specific Commission ordered retars for the service ordering charges, noverword. CECC and obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of this deliver. The service ordering charges, noverword. CECC can not obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of the service ordering charges. Noverword. CECC can not obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of the service ordering charges. Noverword. CECC can not obtain a mixture of the two regardless of CECC has a interconnection contract established in seal of the service ordering charges. Noverword. CECC can not obtain a mixture of the redeement. Of the service ordering charges. Noverword. CECC can not obtain a mixture of the redeement. Of the service ordering charge. Noverword. CECC can not obtain a mixture of the redeement. Of the service ordering charge. Noverword. CECC can not obtain a mixture of the redeement. Obtained in the service ordering charge. Noverword control ordering charges. Noverword control ordering charges. Obtained the service ordering charge. Noverword control ordering charges. Obtained the service ordering charge. Noverword control ordering charges. Obtained the service ordering charge. Obtained the service ordering charges or ordering charge. Obtained the service ordering charge.	0. 2.0			e "state	sneci	fic" OSS charges as	ordered by	the State Comm	issions The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	CLEC may
Section of the 9 states. NOTE: (The Expedite Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge will be maintained commensurate with BellSouth's Excellance to the Charge willow to the Charge will be maintained commensurate with BellSouth's																		
NOTE: (2) Any element that can be ordered electronically all the Dilled according to the SOMEC rate listed in this casegory. Please refer to BellSouth's Local Ordering Nambook (LOR) to determine if a product can be ordered electronically and the product can be ordered electronically and the product of the				100 01 00	iiig oi	narges, or occoming	, cicor tile ic	ogional scrittoc (oracining onling	,		Julii a illixtare	or the two	reguraless i	i occo nas a	microomicon	on contract c	Stabilotica III
that cannot be ordered electronically at present per the LORt, the Islands SOMEC rate in this category reflects the charge that would be billied to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be papied to a CLEC to lith when it submits and also to billiows. SOSIA will be papied to a CLEC to lith when it submits and also to billiows. It is a submit to the company of th				led acco	rdina	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIv. For those	e elements
SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.		1			•						•	` '		•			•	
OSS - Risconnic Sorvice Charge, Per Local Service Request SOMEC 3.50 0.00 3.50 0.00						o timo outogot y to.		.a. go anar mound		00 000 0		g capaziiic						g 0.1.a. g0,
Request (LSR1 - LNR Only Color Charge, Per Local Service Request SOMAN 15.66 0.00 1.97 0.00				1	Ī													
ILSR1 - UNE Only SOMAN 15.66 0.00 1.97 0.00							SOMEC		3.50	0.00	3.50	0.00						
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's ECC No.1 Tariff, Section 5 as applicable. VALUERAL UCL, UEF, UDF, UEO, UDL, UERTWO, UNL, UEF, UDF, UEO, UDL, UERTW, UDN, UEA, UHL, ULC, USL, UTITS, UTTA, UTTD, UT							SOMAN		15.66	0.00	1.97	0.00						
UNIL (UEF, UEF, UEF) UNIL (UFF, UEF) UNITE, UTTS, UEF, UEF, UEF, UEF, UEF, UEF, UEF, UEF	UNE S	ERVICE	DATE ADVANCEMENT CHARGE															
URE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.		NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	on 5 as appl	icable.										
URE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day. UNE Expedite Charge per Circuit or Line Assignable USOC, per Day.																		
UDL, UENTW, UDN, UER, UHL, ULC, USL, UTT2, UTT48, UTT51, UTT03, UTT51, UTT03, UTT51, UTT03, UTT51, UTT03, UTT51, UTT03, UTT51, UTT04, UTT51, UTT04, UTT51, UTT05, UTT51, UTT04, UT51, UTT04, UT51, U																		
URE UNITE CHIEF CAPTER POR CITCUIT C Line Assignable USOC, per UNITE UNITE, UTITIA, UNITE, UTITIA, UNITE, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNE Expedite Charge per Circuit or Line Assignable USOC, per play UNINUPLICATION OF CONTROL OF CONTRO																		
UTIDI, UTIDO, UT																		
UITDX, UITOX, UI																		
UTST, UTTXL UCHG, UGHB, UFG, UCHG, UCHG, UCHG, UCHG, UCHG, UCHG, UFG, UGHB, UPO1,2 UPLAB, UPL																		
UCIEC, UCICL, UC																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUL, UTTUL, UDAY, UNEXX, UNEXX, ULDS1, ULDS2, UNEXX,						/ - /												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLE DE EXCHANGE ACCESS LOOP UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLE DE EXCHANGE ACCESS LOOP UNE DAY OF THE DAY UNCOLOR OF THE DAY OF THE																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNITUD, U																		
UCIFC, UCIFL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFG, (LOTGIL, UCIFC, UCIFL, UDL12, UDL48, UDL03, UDL5X, UB.3, UDD03, ULD03, ULD05, UNCVX, UNCVX, UNCVX, UNCVX, UNCVX, UNCVX, UNCVX, UNCVD, UNCVX, UNLD1, UNLD03, UXTD1, UXTD3,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																		
UCHC, UCHL, UDLSX, UDLSX, UDLSX, ULD 12, UDLAB, ULDO1, ULDDS, ULDSX, UES, ULDD1, ULDD3, UDDSX, ULDD1, ULDD3, ULDD5, ULDD5, ULDD6, ULDB5, ULDD7, ULDD7, UNCHX, UNCSX, UNCXX, UNCXX																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTIUG, UTUG, UNESX, UNCOX, UNCOX																		
UDLG3, UDLGX, UD																		
UE3, UL12, ULD48, ULD12, ULD48, ULD14, ULD3, ULD03, ULD01, ULD03, ULD05, ULD03, ULD05, ULD03, ULD05, ULD05, ULD03, ULD05, ULD05, ULD07, UNC1X, UNC08, ULD07, UNC08,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTURD, UNCOX, UNCO																		
ULDO3, ULDS1, ULDVX, UNC1X, UNC0X, UN						ULD48, ULDD1,												
ULDVX, UNC1X, UNC2X, UNCDX, UNCX, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNCNX, UNCSX, UNCVX, UNLD1, U						ULDD3, ULDDX,												
UNCOX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLD1, UNTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UX						ULDO3, ULDS1,												
UNC Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNTURS, UNTS1, U1TUC, U1TUD, U1TUB, U1TUA SDASP 200.00 UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 12.58 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DUTTUB, UTTUC, UTTUD, UTTUB, UTTUA SDASP 200.00 UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTUC, UTTUD, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 3-3-3-4 3-3-8-1 3-3-																		
Day																		
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	LIMBIT	I .		!	-	U1TUB, U1TUA	SDASP	1	200.00							 		-
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.58 37.81 17.56 23.49 5.30	ONRO			├	-	1	ļ	1					ļ	-	-	 		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.05 37.81 17.56 23.49 5.30	<u> </u>	2-WIRI		-	1	LIEANII	LIEALO	12.50	27.04	17.50	22.40	F 20	 	1	 	 		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 34.34 37.81 17.56 23.49 5.30	-	1		+									 	-		 	-	
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		 		 	_								}		 	+		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.05 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 24.90 25.40 25.		 		 									}		 	+		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 34.34 37.81 17.56 23.49 5.30	-	 		t									 	-	 	 		
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83 UEANL URETL 8.34 UEANL URETL 8.35 UEANL URETL 8.36 UEANL URETL 8.36 UEANL URETL 8.37 UEANL URETL 8.38 UEANL URETL		 		 												-		
Premise UEANL URETL 8.33 0.83 Loop Testing - Basic 1st Half Hour UEANL URET1 34.16 34.16	<u> </u>	 		 		02.442	52/10L	04.04	57.01	17.50	20.40	5.50				+		
Loop Testing - Basic 1st Half Hour UEANL URET1 34.16 34.16	1			1	1	UEANL	URETL		8.33	0.83						I		
		1		1								İ			İ	1		İ
						UEANL	URETA		19.85	19.85								

UNBU	INDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
			1		1							Submitted	Submitted		Charge -	Charge -	Charge -
			lmta:	1	İ							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							B	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15							Î	
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.09									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15					Î	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
L	<u></u>	Premise	<u></u>	<u> </u>	UEQ	URETL		8.33	0.83								<u> </u>
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
L		Non-Designed (per loop)			UEQ	USBMC		8.15									
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
L		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u> </u>	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
		EXCHANGE ACCESS LOOP	!	-	 	1				1				 	 	 	
\vdash	Z-WIKE	ANALOG VOICE GRADE LOOP	-	-	1	+								-	 	 	
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	4	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44	1			I		I
\vdash	1		-	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44			-	 	 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	22.85	88.00	FF 00	47.24	7.44				1		1
\vdash	-	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	- 2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44				 		
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	30.14	18.09	55.00	41.24	7.44						
-	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UCUSL		10.09									
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	ULA	ULANZ	14.30	88.00	33.00	47.24	7.44						
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
\vdash	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		OLA.	JLAK	22.03	00.00	55.00	41.24	7.44	-	-	l	+	1	+
1	1	Battery Signaling - Zone 3	1	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44	1	1		I		I
\vdash	 	Order Coordination for Specified Conversion Time (per LSR)	 		UEA	OCOSL	30.14	18.09	55.00	77.24	7.44	-		1	t		t
	†	CLEC to CLEC Conversion Charge without outside dispatch	†	 	UEA	UREWO		87.72	36.36	1		-	-		I		I
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10						<u> </u>		<u> </u>
	4-WIRF	E ANALOG VOICE GRADE LOOP			1			21	0						<u> </u>		<u> </u>
	1	4-Wire Analog Voice Grade Loop - Zone 1	t	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50				1	i	1
	t	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51		14.50			i	1	i	1
		4-Wire Analog Voice Grade Loop - Zone 3	l –		UEA	UEAL4	60.02	131.97	94.51		14.50			İ	1	İ	1
-	1	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL		18.09	231		30	İ	İ	l	1	İ	1
1					UEA	UREWO		87.72	36.36								

UNBUN	IDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
	1	7.000.000	1									Svc Order	Svc Order	Incremental		Incremental	
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
$\sqcup \sqcup$							Rec	Nonrec			Disconnect				Rates (\$)		
<u> </u>			ļ			\perp		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2		ISDN DIGITAL GRADE LOOP	ļ														
\vdash		2-Wire ISDN Digital Grade Loop - Zone 1	1		UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
\vdash		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
\vdash		2-Wire ISDN Digital Grade Loop - Zone 3	1		UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
\vdash		Order Coordination For Specified Conversion Time (per LSR)	1		UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDN	UREWO		91.63	44.16								
2		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOOP	<u>'</u>												
		2 Wire Unbundled ADSL Loop including manual service inquiry		1		1141.07	44.04	440.00	00.00	47.04	7.44						
\vdash		& facility reservation - Zone 1	ļ	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	2		LIMINY	12.73	440.00	00.00	47.24	7.44		1				I
$\vdash \!$		& facility reservation - Zone 2	!	2	UAL	UAL2X	12./3	110.00	68.00	47.24	7.44	-	ļ		 	 	
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		1				I
$\vdash \!$		& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	!	3	UAL	OCOSL OCOSL	14.30	110.00	68.00	47.24	7.44	-	ļ		 	 	
\vdash			.	-	UAL	UCUSL		18.09									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1			UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
\vdash		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	UALZVV	11.01	90.00	57.00	47.24	7.44	-					
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
\vdash		2 Wire Unbundled ADSL Loop without manual service inquiry &	.		UAL	UALZVV	12.73	90.00	57.00	47.24	7.44						
				3	1141	1141 014/	14.30	90.00	57.00	47.24	7.44						
\vdash		facility reservaton - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UAL UAL	UAL2W OCOSL	14.30	18.09	57.00	47.24	7.44						
\vdash			1	-	UAL	UREWO		86.20	40.40			-					
		CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	000	UAL	UREWO		86.20	40.40			-					
		2 Wire Unbundled HDSL Loop including manual service inquiry	TIDLE L	LUUP		+						-					
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
\vdash		2 Wire Unbundled HDSL Loop including manual service inquiry	-	1	UHL	UHLZX	8.74	110.00	68.00	47.24	7.44	-					
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
\vdash		2 Wire Unbundled HDSL Loop including manual service inquiry	1		OFIL	UTILZX	10.17	110.00	00.00	41.24	7.44						
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	3	UHL	OCOSL	11.44	18.09	00.00	41.24	7.44	1					-
\vdash		2 Wire Unbundled HDSL Loop without manual service inquiry	1		OFIL	OCOSL		10.09				1					
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
\vdash		2 Wire Unbundled HDSL Loop without manual service inquiry		-	OFF	OTILZVV	0.74	90.00	37.00	41.24	7.44				1	1	
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
\vdash		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	10.17	30.00	37.00	71.27	7.44				1	1	
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
\vdash		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	0	UHL	OCOSL	11.44	18.09	37.00	71.27	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		86.14	40.40			†					
1		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		0.12770		00.14	70.70			 	 				I
H		4 Wire Unbundled HDSL Loop including manual service inquiry	T	<u> </u>		1									i	i	1
		and facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		1				I
		4-Wire Unbundled HDSL Loop including manual service inquiry	t	Ė			.0.00	0.00	33.30	50	00				i	i	1
		and facility reservation - Zone 2	1	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		1				I
		4-Wire Unbundled HDSL Loop including manual service inquiry				1									İ	İ	t
		and facility reservation - Zone 3	1	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73		1				I
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							ĺ	ĺ	
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1	1	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		1				I
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2	1	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		1				I
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4		DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82.55	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09									

UNBUI	NDLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
011201	<u> </u>	7										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													"	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—							1										
\vdash							Rec	Nonrec		Nonrecurring					Rates (\$)		
+		CLEC to CLEC Conversion Charge without outside dispatch	-	-	USL	UREWO		First 101.09	Add'l 43.05	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEVVO		101.09	43.05								
	4-WIILE	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50	ļ		 	ļ		
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-		UDL	UDL64 UDL64	35.95 37.88	126.27	88.80	59.14 59.14	14.50 14.50				-		
\vdash		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UDL UDL	OCOSL	37.88	126.27 18.09	88.80	59.14	14.50	-	 				
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	1		UDL	UREWO		102.13	49.75	 		-		 	 		
-		Unbundled COPPER LOOP	 		552	5112470		102.13	43.13				 				
		2-Wire Unbundled Copper Loop-Designed including manual				1				1					İ		
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	i i	2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	ŀ	2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
-		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
-		service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual	-	'	UCL	UCLPVV	11.01	91.40	54.50	47.24	7.44						
		service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>		002	OOL! W	12.70	31.40	04.00	77.24	7						
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		97.23	42.48								
		COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry		1	UCL	UCL4S	47.00	405.04	88.05	54.70	9.73						
-		and facility reservation - Zone 1	-	1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		1				
+		4-Wire Copper Loop-Designed including manual service inquiry	 		OOL	JULTU	20.10	133.21	00.05	31.70	5.73		 				
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15			İ		İ			
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1	I	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
		4-Wire Copper Loop-Designed without manual service inquiry	l .	_		I											
\vdash		and facility reservation - Zone 2	- 1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	ľ	4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	20.04	444.04	07.05	F4 70	9.73		1				
+		and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4W UCLMC	28.21	114.21 8.15	67.05 8.15	51.70	9.73		-	-	-		
 		CLEC to CLEC conversion Charge without outside dispatch	 		UCL	UREWO		97.23	42.48			-		 	 		
LOOP M			l –			3.1.2.770		57.25	72.70						1		
	Ĩ				UAL, UHL, UCL,	1						İ		İ			
			1		UEQ, ULS, UEA,								1				
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,								1				
		pair less than or equal to 18k ft. per Unbundled Loop	I		UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	١.										1				
\vdash		ess than or equal to 18K ft, per Unbundled Loop	I	-	UHL, UCL, UEA	ULM4L		0.00	0.00	 			 	 	.		
			1		UAL, UHL, UCL, UEQ,ULS,UEA,								1				
		Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,								1				
		per unbundled loop	L		UEPSB	ULMBT		32.41	32.41								
SUB-LO	OPS		_			1		02	32.71						1		
			•			•						•	•	•	•		

UNBUN	IDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										"	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
S	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.		LIFANI	USBSA		044.40									
-		ОР	'		UEANL	USBSA		244.42									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	l ,		UEANL	USBSB		22.64									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		ULANL	USBSB	 	22.04							1		1
		Facility Set-Up	l ,		UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		OLTUVE	CODOC		177.40				1					
		Set-Up	L		UEANL	USBSD		55.15									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	1	2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70		1				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	Ì														
		Zone 3	<u></u>	3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70	<u></u>	<u></u>		<u> </u>		<u></u>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15	45.05	. =-						
-		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
+		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	-					
-		Sub-Loop 4-Wile intrabuliding Network Cable (INC)	<u>'</u>		OLANL	USBK4	3.10	39.23	24.41	49.71	9.07	1					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16			1					
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ì	3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L	<u></u>	UEF	USBMC	<u> </u>	8.15	8.15								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
			1		l								1				
$\perp \perp$		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		8.15	8.15								
$\vdash \vdash$		Loop Testing - Basic 1st Half Hour	!	<u> </u>	UEF	URET1		34.16	34.16								
 		Loop Testing - Basic Additional Half Hour	ļ	ļ	UEF	URETA	 	19.85	19.85			-			ļ		ļ
ļ ļu	Inbunc	dled Network Terminating Wire (UNTW)	-	₩	LIENTA	UENPP	0.40	20.01				-			-		-
I	lotura	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)	!	+	UENTW	UEINPP	0.40	30.01				-	-	-		-	
l IN	AGTMOLI	Network Interface Device (NID) - 1-2 lines	-	-	UENTW	UND12		43.23	28.38			-			-		-
+		Network Interface Device (NID) - 1-2 lines	 	!	UENTW	UND12	 	63.97	49.11			H			 		
+		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	 	5.87	5.87			-	-		 		
+		Network Interface Device Cross Connect - 2 W	1	†	UENTW	UNDC4		5.87	5.87			 	 				
UNE OTH	HER. P	ROVISIONING ONLY - NO RATE			02	5.1504		5.07	5.07								
3.12 311		NID - Dispatch and Service Order for NID installation	l -		UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							1		1
		The second secon	i e		UEANL,UEF,UEQ,U	1	0.00	5.50							İ		İ
		Unbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0.00	0.00					1				
		ROVISIONING ONLY - NO RATE		t	i			0		1		1	i e				

HINDHINDI	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit. A
ONDONDE	LED NETWORK ELEMENTS - Alabama				ı	ı					Cur Ouden	Cua Ondan				
													Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																ı l
				UAL,UCL,UDC,UDL,												ı l
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı l
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															ı l
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
	Unbundled DS1 Loop - Expanded Superframe Format option -															1
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	ACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															ı l
	month			UE3	1L5ND	8.38										ı l
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						ı l
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	8.38										ı l
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						ı l
LOOP MAKE	E-UP															$\overline{}$
	Loop Makeup - Preordering Without Reservation, per working or															$\overline{}$
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								ı l
	Loop Makeup - Preordering With Reservation, per spare facility															$\overline{}$
	gueried (Manual).			UMK	UMKLP		21.00	21.00								ı l
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								ı l
LINE SHARI	ING AND LINE SPLITTING															
NOT	TE 1: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							$\overline{}$
	TE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
NOT	TE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		ľ	,	ľ											
	TE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	TE 1: Above will apply to USOCS: ULSDT and ULSCT															
	OTE 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cir	cuits install	ed and inservic	e on or before	October 1, 20	03							
	E SHARING				l			,								
SPL	LITTERS-CENTRAL OFFICE BASED															
1 - 1	Line Sharing Splitter, per System 96 Line Capacity	1	1	ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						$\overline{}$
	Line Sharing Splitter, per System 24 Line Capacity	1	1	ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						$\overline{}$
	Line Sharing Splitter, Per System, 8 Line Capacity	1	1	ULS	ULSD8	12.73	377.58	0.00	355.96	0.00						$\overline{}$
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1	1						1							$\overline{}$
1 1	deactivation (per LSOD)	1	1	ULS	ULSDG		86.47	0.00	49.84	0.00	1					, l
END	D USER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	1	-				2.30		2.30						
1 1	Line Sharing - per Line Activation (BST Owned splitter) -	1	1		İ				İ							
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						ı l
	Line Share Service, TRO per line activation, BST owned splitter -															$\overline{}$
	Central Office Located (25% of UCLND) - please see NOTE 1															ı l
	(E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						ı l
	Line Share Service, TRO per line activation, BST owned splitter -			020	0200.	2.00	10.01	10.00	10.01							$\overline{}$
	Central Office Located (50% of UCLND) - please see NOTE 1															ı l
1 1	(E:10/2/2004)	l	1	ULS	ULSDT	5.60	18.51	10.60	10.01	4.92	I					(l
	Line Share Service, TRO per line activation, BST owned splitter -	 	t			0.00	10.01	10.00	10.01	7.02	t e					
1 1	Central Office Located (75% of UCLND) - please see NOTE 1	l	1		1						I					(l
1 1	(E:10/2/2005)	1	1	ULS	ULSDT	8.40	18.51	10.60	10.01	4.92	1					, l
\vdash	Line Sharing - per Subsequent Activity per Line	 	 	OLO	OLOD I	0.40	10.51	10.00	10.01	4.92	 					$\overline{}$
1 1	Rearrangement(BST Owned Splitter	l		ULS	ULSDS		16.39	8.19								ı l
\vdash	Line Sharing - per Subsequent Activity per Line	-	1	OLO	OLODO		10.38	0.19			-					$\overline{}$
1 1	Rearrangement(DLEC Owned Splitter	1	1	ULS	ULSCS		16.39	8.19			1					, 1
	Line Sharing - per Line Activation (DLEC owned Splitter) -	 	 	OLO	OLOGO		10.39	0.19			 					$\overline{}$
1 1	OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						ı l
\Box	ODGOLLIL SEE NOIL Z	L	<u> </u>	OLO	OLOCO	0.01	47.44	15.51	20.02	5.03	1			l		

UNBU	INDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
220				1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	1	Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		-	m									per LSK	per LSK	Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect	t		oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						ĺ
		Line Share Service, TRO per line activation, CLEC owned										t					
		splitter - Central Office Located (75% of UCLND) - please see															ĺ
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						ĺ
	LINE S	PLITTING			020	02001	0.10			20.02	0.00	1					
		SER ORDERING-CENTRAL OFFICE BASED	<u> </u>	t						1		1	1	1		1	
		Line Splitting - per line activation DLEC owned splitter	i		UEPSR UEPSB	UREOS	0.61			†	İ			1	Ì	i	
		Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83	1		†		i	
		Line Splitting - per line activation BST owned - physical	-	 	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83	†		t	†		
	MAINT	ENANCE		t	52. OK 621 65	J. (LD)	0.01	07.01	21.10	20.02	5.05	 	 	 	 	 	
	WICHIA	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			+					
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50			+					
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			+					
LINBLIN	IDI ED I	DEDICATED TRANSPORT				1		100.00	110.00						1		
ONDO		OFFICE CHANNEL - DEDICATED TRANSPORT				1									1		
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1									1		
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTTVA	ILSAA	0.000030								1		\vdash
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
-	-	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-	-	UTTVA	UTIVZ	21.13	40.54	27.41	10.74	0.90	ł	-	-			
					U1TVX	1L5XX	0.008838										
-	-	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-	-	UTIVA	ILSAA	0.00000					ł	-	-			
		Facility Termination	1		U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	-	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-	-	UTTVX	UTIKZ	21.13	40.54	27.41	16.74	6.90	-					
			1		11477.07	41.500	0.000000										
	-	Per Mile per month	-	-	U1TVX	1L5XX	0.008838					-					
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			11477.07	U1TV4	10.70	40.54	07.44	40.74	0.00						
		- Facility Termination			U1TVX	U11V4	18.73	40.54	27.41	16.74	6.90	 	-				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	41.500	0.000000										
		per month		-	U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															ĺ
<u> </u>	-	Termination	 	-	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90	}	-	 	1	 	
1		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	l		LIATOV	41.5307	0.000000			1				1			1
<u> </u>	—	per month	ļ	<u> </u>	U1TDX	1L5XX	0.008838			-		<u> </u>		-	ļ	-	├
1		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		LIATOV	LIATER	45.0	40 = 1	07	40	0.00	1	1	I			1
<u> </u>	—	Termination	ļ	<u> </u>	U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	<u> </u>		-	ļ	-	├
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l		LIATE	41.5307				1				1			1
<u> </u>	—	month	ļ	<u> </u>	U1TD1	1L5XX	0.18			-		<u> </u>		-	ļ	-	├
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		LIATE	LIATE4	00.10	00.0=	04.04	40.00		1	1	I			1
	ļ	Termination Page 17 August	.	-	U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44	1		-	ļ		↓
1		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l	1	l	1				I	1		l	I			1
		month			U1TD3	1L5XX	4.09										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month	ļ	<u> </u>	U1TS1	1L5XX	4.09			ļ		ļ		ļ	ļ		
1		Interoffice Channel - Dedicated Transport - STS-1 - Facility	1							I		1	1	I			1
		Termination	ļ		U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			L		ļ	
DARK	FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l														1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
		Thereof per month - Local Loop	L	<u></u>	UDF, UDFCX	1L5DL	60.32			<u> </u>		<u> </u>	<u> </u>	<u> </u>			1
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66						

ACCIDION RATE BLEMENTS Ref Room BCS USO RATES (D)	UNBUNDI I	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
CATEORY RATE ELEMENTS Intel More SCS USOG RATE (1) Cate Rate (1)	CHOUNDLI	- ITE I TOTAL ELEMENTO - Alabama				T	I					Svc Order	Svc Order				Incremental
### DESCRIPTION OF PATER REMEMTS ### DESCRIPTION OF PATER 16 Description Descripti																	Charge -
CATEGORY RAYE ELEMENTS In 200e SCS USOC SATES (5) Opt Uso Uso																	Manual Svc
Section Process Proc	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								Order vs.
State			m						***			per Loix	per Lor				Electronic-
No. No.																	Disc Add'l
Mach Piral Addr. Piral Addr. South																Disc 1st	Disc Add I
STATE Content Conten							Pac										
SEX_ACCESS TEXT DIPLE SECRETARY, PROCEEDING Charge Per DXX							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BXX Access To Rigit Screening, Reservations Charge Per BXX OHD NRTIX 2.58 O.44 O.54 O.55 O.54 O.55 O.	8XX ACCESS																
Number Reserved OHO NSRIX 2.28 0.44		8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
ACC Access in the Dig Scenario, Per SCX No. Established WID OHD NSFTX 6.54 0.51 4.57 0.54																	
SOTS Transferors					OHD	N8R1X		2.58	0.44								
December December					OLID			5.04	0.04	4.57	0.54						
POTS Translations					OHD	+		5.94	0.81	4.57	0.54						
SXX Access Tem Dig Screening, Authorities And Access Tem Dig Screening, Authorities And Access Tem Dig Screening, Authorities And Access Tem Dig Screening, Calling Household Pt (SXX No.).					OHD	NRETY		5 9/	0.81	1 57	0.54						
Per BXX Number Straces for Digit Sciencing, Multiple Inter LATA COR					OTID	INOI IX		5.54	0.01	4.57	0.54				1		
BOX Access Ten Digit Screening, Minipple InterLATA CXR Report Per CXP Required For EXX No. OHD NePMX 3.02 1.73 1.75					OHD	NSECX		2 58	1 29								
Routing Fet CVER Requested the SXX No. OHD NRFRX 3.02 1.75								2.00	1.20						1		
BXX.Access Ton Digit Screening, Culterfully and Descriptions Compared to the Compared to t					OHD	N8FMX		3.02	1.73								
BXX Access Ten Digit Streening, and Est Handing and Destination Child NaTifix Child Natifix		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX									1		
Festures		8XX Access Ten Digit Screening, Call Handling and Destination	1			1		İ							1		
BOX. Access Ten Digit Screening, w POTS No. Delivery DID D.0000056		Features				N8FDX		2.58									
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
LIDS Common Transport Per Query					OHD		0.000565										
LIDB Validation Fer Guery	LINE INFORM																
LIDB Originating Point Code Establishment or Change OOT, OOU NRBPX 34.32 42.08																	
SIGNALNG (CCS7) Signaling Connection, Per 58(Ops Facility DB PT8SX 15.66 35.53 36.53 16.44 16.44 16.44 16.45 1							0.012002										
CGSF Signaling Connection, Per 18 (APP Prof	OLONIAL INO (LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
CGSF Signaling Termination, Per STP Port	SIGNALING (45.40	25.52	25.52	40.44	40.44	-					
CCS7 Signaling Usage, Per CAP Message				-	IIDD	DTOCY		35.53	33.33	16.44	16.44						
CCS7 Signaling Usage, Per TCAP Message					ODB	F 100X											
CCS7 Signaling Connection, Per link (A link) UDB TPP++ 15.46 35.53 35.53 16.44 16.44 16.44 16.44 16.45					LIDB	1											
CCS7 Signaling Connection, Per link (8 link) (also known as D link) UDB TPP++ 15.46 35.53 35.53 16.44 16.44	1					TPP++		35.53	35.53	16.44	16.44						
Ink																	
CCSF Signaling Usage Surrogate, per link per LATA					UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
CCST Signaling Point Code, per Originating Point Code UDB CCAPO 29.01 29.01 35.57 35.57		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142										
Establishment or Change, per STP affected		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
E911 SERVICE																	
Local Channel - Dedicated - 2-wt Voice Grade Per Mile 0.008838 13.97 193.10 33.17 36.64 3.20					UDB	CCAPO		29.01	29.01	35.57	35.57						
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	E911 SERVIC																
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination								193.10	33.17	36.64	3.20						
Termination 21.13 40.54 27.41 16.74 6.90				-		+	0.008838			1			 		 		
Local Channel - Dedicated - DS1 - Zone 1 35.76 17.47 153.72 22.19 15.26							24.40	40.54	27.44	16.74	6.00		1				
Local Channel - Dedicated - DS1 - Zone 2			-	-		+						-	-			-	
Local Channel - Dedicated - DS1 - Zone 3 107.63 177.47 153.72 22.19 15.26			1			+									 		
Interoffice Transport - Dedicated - DS1 Per Mile	-					+							 				
Interoffice Transport - Dedicated - DS1 Per Facility Termination 60.16 89.27 81.81 16.35 14.44						1		111.41	100.72	22.13	10.20				1		
CALLING NAME (CNAM) SERVICE OQV 22.95 21.11 OXAM For DB Owners - Service Establishment OQV 22.95 21.11 OXAM For DB Owners - Service Establishment OQV DESCRIPTION ON DB Owners - Service Provisioning With Point Code Establishment OQV 990.88 732.84 268.93 197.74 197.74 197.74 OXAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 342.33 245.14 275.25 197.74 197.74 OXAM For Non DB Owners, Per Query OQV 0.000902 OXAM For Non DB Owners, Per Query OQV 0.000902 OXAM For Non DB Owners, Per Query OQV 0.000902 OXAM FOR NON DB Owners, Per Query OQV 0.000902 OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY O						1	50								İ		
CALLING NAME (CNAM) SERVICE OQV 22.95 21.11 OXAM For DB Owners - Service Establishment OQV 22.95 21.11 OXAM For DB Owners - Service Establishment OQV DESCRIPTION ON DB Owners - Service Provisioning With Point Code Establishment OQV 990.88 732.84 268.93 197.74 197.74 197.74 OXAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 342.33 245.14 275.25 197.74 197.74 OXAM For Non DB Owners, Per Query OQV 0.000902 OXAM For Non DB Owners, Per Query OQV 0.000902 OXAM For Non DB Owners, Per Query OQV 0.000902 OXAM FOR NON DB Owners, Per Query OQV 0.000902 OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB Owners, Per Query OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY OXAM FOR NON DB OWNERS, PER QUERY O		Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44		1				
CNAM For DB Owners - Service Establishment	CALLING NA																
CNAM For DB Owners - Service Provisioning With Point Code Establishment		CNAM For DB Owners - Service Establishment								21.11							
Establishment					OQV			22.95		21.11							
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment OQV 342.33 245.14 275.25 197.74																	
Code Establishment					OQV	1		990.88	732.84	268.93	197.74				ļ		
CNAM for DB Owners, Per Query					001/			6 40 0-					1				
CNAM for Non DB Owners, Per Query				-		+	0.00000	342.33	245.14	275.25	197.74		ļ		 		
SELECTIVE ROUTING Selective Routing Per Unique Line Class Code Per Request Per 84.70 84.70 14.11 14.11				-		+				1			-				
Selective Routing Per Unique Line Class Code Per Request Per Switch 84.70 14.11 14.11 Switch Sw	SELECTIVE P			-	UQV	+	0.000902			1			-				
Switch 84.70 84.70 14.11 14.11	OLLEGIIVE P		-	 		+				1		-	 		 		
VIRTUAL COLLOCATION Virtual Collocation-2 Wire Cross Connects (Loop) for Line								84 70	84 70	14 11	14 11		1				
Virtual Collocation-2 Wire Cross Connects (Loop) for Line	VIRTUAL CO		†			1		04.70	04.70	17.11	17.11	-	 				
	CAL 00					1									1		
		Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		1				

UNBUNDLE	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order Submitted	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COI	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							
	End Office Establishment Query NRC, per query			SRC SRC	SRCEO	0.002749	169.88	169.88	1.70	1.70						
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE			SKC		0.002749										
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						.
 	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - User Identification Codes - Per User				C, WITT		7.00	7.00	3.03	5.03						
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN SMS Access Service - Security Card, Per User ID Code,			A 4 B 1	OAMBO		44.00	44.00	44.74	44.74						
-	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.002188	41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.73										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer			-	BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		7.83	7.83	9.09	9.09						
	DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DALTO		54.47	34.47	14.50	14.50						
	DN, CDP				BAPTC		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.05	34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.03										
	Subscription, Per Node, Per Query					0.00582										1
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.00										. 7
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					0.05										
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						,
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.87	8.66	8.66								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			O/ 11V1	טאוויסט	7.39	1.03	1.03	5.50	5.50						
	Service Subscription			CAM	BAPES	0.10	8.66	8.66								
	TENDED LINK (EELs)				L											
NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t	apply a	nd the	Switch-As-Is Charge	e will not app	INE combined	one provisions	visioned as ' C	Indinarily Combined A	oned' Network	Liements.					
	THE MONTHLY RECURRING AND THE SWITCH-AS-IS CHARGE AND HOLD TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					OITE COMBINALI	ona provisione	su as Current	iy combined r	CLWOIK EIGHIG	111.0.					
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18										,
\Box	F = · · · · · · · · · · · · · · · · · ·				1.20,01	5.10					·	·				

UNBUNDI F	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhil	bit: A
CHESHOLL											Svc Order	Svc Order	Incremental		Incremental	Incremental
1		1			1						Submitted	Submitted		Charge -	Charge -	Charge -
ĺ											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
ĺ																
İ													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
1																
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
1	Fact A LEG and O Mine VO Lang (OLO) in Occal in all and a 7 and 0			111000	115410	00.05	00.00	55.00	47.04							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	-	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	111000	UEAL2	36.14	88.00	55.00	47.24	7.44						
\vdash	Voice Grade COCI - Per Month		3	UNCVX UNCVX	1D1VG	0.53	6.58	55.00 4.72	47.24	7.44						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	IDIVG	0.55	0.30	4.72						1		
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER				0.00	0.00	0.50	0.00						
		1	1		T											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		1				
					1											
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
\sqsubseteq	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
1	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1		2						==							
	Interoffice Transport Combination - Zone 2	-	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
\vdash	Additional Voice Grade COCI in combination - per month	1	3	UNCVX	1D1VG	0.53	6.58	4.72	59.14	14.50						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.55	0.30	7.72						1		
1	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN				5.55	5.55	0.30	0.30						
	The state of the s	1												İ		
1 1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
		1									İ			İ		l
<u></u>	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u></u>	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	<u> </u>	<u></u>		<u> </u>		<u> </u>
\Box	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
1 1 -	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
\vdash	Per Month			UNC1X	1L5XX	0.18								ļ		ļ
1 1	Interoffice Transport - Dedicated - DS1 - combination Facility	1			1							1				
	Termination Per Month	ļ	—	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
\vdash	1/0 Channel System in combination Per Month	-	1	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				ļ		
\vdash	OCU-DP COCI (data) per month (2.4-64kbs)	_	.	UNCDX	1D1DD	1.12	6.58	4.72								
1 1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDLEC	20.00	400.07	00.00	50.11	44.50						
 	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	+	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	-	-			-	-
1 1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		1				
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		OINCDA	UDLOO	აა.95	120.27	00.80	59.14	14.50	-					
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination per month (2.4-	 	-	5.10DX	35200	37.00	120.21	00.00	33.14	17.50		-		 		
1	64kbs)	1		UNCDX	1D1DD	1.12	6.58	4.72				1				
	Nonrecurring Currently Combined Network Elements Switch -As-	 	1	222.1		1.12	0.00	7.12						i		
	Inonfeculting Cufferly Complifed Network Elements Switch -As-															i
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDL	.ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					ļ	ļ										
						Rec	Nonred			Disconnect				Rates (\$)		
			-		+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						i .
-	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	120.27	88.80	59.14	14.50						\vdash
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						l .
	I list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone 2			UNCDX	ODL04	33.93	120.27	00.00	39.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0.1027	02201	07.00	120.21	00.00	00	1 1.00						
	Per Month			UNC1X	1L5XX	0.18										1
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						l .
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				Ī											
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						l .
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						l .
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															l .
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Additional OCU-DP COCI (data) - in combination - per month															l .
	(2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															1
EVE	Is Charge	ED D04	INITED	UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXII	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER			00.55	050.47	457.54	44.70	44.74						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X UNC1X	USLXX	82.55 154.18	252.47 252.47	157.54 157.54	44.70 44.70	11.71 11.71	-	-				
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	314.52	252.47	157.54		11.71						——
 	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIX	USLAA	314.32	232.41	137.34	44.70	11.71			1	1		
	Per Month			UNC1X	1L5XX	0.18										l .
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120701	0.10			1							—
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						l .
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17		00.10	00.21	01.01	10.00							
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						l .
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR												
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															1
	Per Month			UNC3X	1L5XX	4.09			<u> </u>							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per							-								1
	month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46			ļ	ļ		
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
\vdash	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	 				ļ	ļ		
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINGAV	LICLYY	00.5-	050 47	457.5								1
\vdash	Zone 1	-	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71			 	 		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	LINC4V	LIELVY	45440	050 47	457.54	44.70	44 74						1
 -	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -	-	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71			 	 		
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						1
\vdash	Additional DS1 COCI in combination per month	 	3	UNC1X UNC1X	UC1D1	12.70	6.58	4.72	44.70	11.71	-	-	 	 		
 	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>		011017	00101	12.70	0.56	4.72	1	1			 	 		
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						1
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTF				0.09	0.00	5.50	0.90						
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44			İ	İ		
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44			İ	İ		
	2-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	İ	İ	İ	İ		ſ
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				1				1	1			1	1		
	Month	<u></u>		UNCVX	1L5XX	0.008838			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		1
	Interoffice Transport - 2-wire VG - Dedicated - Facility															1
	Termination per month	<u></u>	<u></u>	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
		/ MANAITA	1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurring	Disconnect	 		OSS	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-				1		11100	Addi	7 11 30	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAN	COMPAR
		Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
-	EVTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	EINITE				5.59	3.39	0.90	0.90		-		-		
-	EVIEN	4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	1 1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
						UEAL4	38.58		94.51								
		4-WireVG Loop in combination - Zone 2		2	UNCVX			131.97		59.14	14.50						
-	-	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
		Month			UNCVX	1L5XX	0.008838										
		Interoffice Transport - 4-wire VG - Dedicated - Facility				l											
		Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
1		Nonrecurring Currently Combined Network Elements Switch -As-	1		l <u></u> .	l		_	_	1	_	1	I		I	1	
		Is Charge	<u> </u>		UNCVX	UNCCC		5.59	5.59	6.98	6.98		ļ		L		
	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1					ļ	ļ		ļ	ļ	ļ	
		DS3 Local Loop in combination - per mile per month	ļ	L	UNC3X	1L5ND	8.38						ļ				
			1												1		
		DS3 Local Loop in combination - Facility Termination per month	ļ	L	UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58		ļ				
		Interoffice Transport - Dedicated - DS3 - Per Mile per month	ļ		UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	8.38										
		STS-1 Local Loop in combination - Facility Termination per									Î			Î			
		month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
		Interoffice Transport - Dedicated - STS-1 combination - per mile									Î			Î			
		per month .			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility									Î			Î			
		Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
	EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN	SPORT													
		First 2-Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Interoffice Transport - Dedicated - DS1 combination - per mile	i –	Ť			.0.00	24		02.00	.5.04		1	1	1	1	
		per month	1		UNC1X	1L5XX	0.18					1	1		I		
		Interoffice Transport - Dedicated - DS1 combination - Facility	i –	i –		. 20,01	5.10				1		1	1	1	1	
1		Termination per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	1		I		
—		1/0 Channel System in combination - per month	t	t	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	-	 	 	t	†	
-		2-wire ISDN COCI (BRITE) - in combination - per month	†	t	UNCNX	UC1CA	2.41	6.58	4.72		3.13	 	 	 	 	 	
\vdash	H	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	1	0140147	JUIUA	2.41	0.50	4.12	1	 			 	 	 	
1		Combination - Zone 1	I	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	1	l		I	l	
-	-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	+-	OINOINA	UILZA	∠1.00	117.24	13.11	32.00	10.54		-	-		-	
1			1	2	LINCNY	U1L2X	32.85	117.24	79.77	52.88	10.54	1	1		I		
—	I	Combination - Zone 2	1	-	UNCNX	UILZĀ	3∠.85	117.24	79.77	5∠.88	10.54	-	-		 		
1		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	3	LINCNY	U1L2X	48.55	117.24	79.77	52.88	10.54	1	1		I		
—	I	Combination - Zone 3	1	3	UNCNX	UILZĀ	48.55	117.24	79.77	5∠.88	10.54	-	-		 		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per month	1		UNCNX	UC1CA	2.41	6.58	4.70						1		
<u> </u>	-		!	 	UNCINA	UCTCA	2.41	6.58	4.72	1	 	ļ	-	 	 	 	
1		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGAY					0.00	0.00	1	l	l	I	l	
 	EVTE	Is Charge	ED OTO	4 15:77	UNC1X	UNCCC		5.59	5.59	6.98	6.98	ļ	-	 	 	 	
<u> </u>	EXIEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 IN I E			00.55	050.45	457.51	44.70		ļ	-	 	 	 	
<u> </u>		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				-		
<u> </u>		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				-		
L		First DS1 Loop Combination - Zone 3	ļ	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71			ļ	.		
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1		l 	1									1		
		Per Month	ļ	<u> </u>	UNCSX	1L5XX	4.09							ļ	.		
1		Interoffice Transport - Dedicated - STS-1 combination - Facility	I									1	l	l	I	l	
		Termination per month	<u> </u>	<u> </u>	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						

UNBUN	IDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			In test									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1	+		1		Nonrec	urring	Nonrecurring	Disconnoct	-	1	088	Rates (\$)		
\vdash				+			Rec			First		COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		0/4 0/		-	LINIOOV	1400	400.40	First	Add'l		Add'I	SOWIEC	SUMAN	SOMAN	SOWAN	SUMAN	SUMAN
\vdash		3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
\vdash		DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
		DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
		Nonrecurring Currently Combined Network Elements Switch -As-	•			İ											
		Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
-	XTFN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF				0.00	0.00	0.50	3.50	i e	i e	i e	i e		i e
		4-wire 56 kbps Local Loop in combination - Zone 1	1	1 1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	 	 	l	 		1
\vdash		4-wire 56 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	 	 	 	 		
\vdash		4-wire 56 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	 	 	 	 		
\vdash			 	3	OINCDV	UDLOB	37.88	120.27	88.80	59.14	14.50	-	-				-
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	1	LINCDY	41.577	0.000000					l	l	l	l		1
-		Per Mile per month			UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
E	XTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	3PS INT	EROFF	ICE TRANSPORT												
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	t -														
		Per Mile per month			UNCDX	1L5XX	0.008838										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	†	+	ONODA	TLOVOX	0.000000										
		Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
\vdash				+	UNCDA	01100	13.12	40.54	27.41	10.74	0.90						
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCDX	1111000		5.50	5.50	0.00	0.00						
	VTEN	Is Charge	DANOR	ODT		UNCCC		5.59	5.59	6.98	6.98						
	XIEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	_					== 00	47.04							
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
\sqcup		First 2-wire VG Loop (SL2) in Combination - Zone 3	ļ	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	ļ	ļ	ļ	ļ		ļ
		First Interoffice Transport - Dedicated - DS1 combination - Per	1	1								l	l	l	l		1
		Mile			UNC1X	1L5XX	0.18										
T		First Interoffice Transport - Dedicated - DS1 combination -							· · · · · · · · · · · · · · · · · · ·								l
		Facility Termination per month	1	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	l	l	l	l		1
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
		Per each Voice Grade COCI - Per Month per month	Ì		UNCVX	1D1VG	0.53	6.58	4.72					İ	İ		
		3/1 Channel System in combination per month	1	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	ĺ	ĺ	İ	İ		İ
		Per each DS1 COCI in combination per month	i i	1	UNC1X	UC1D1	12.70	6.58	4.72		200	1	1	1			
\vdash		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	t	† 			.2.70	0.00	2			.	.				
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
\vdash		Each Additional 2-Wire VG Loop(SL2) in the same DS1	 	+ '-	0140 V /	JLALL	14.50	00.00	55.00	41.24	7.44	 	 	 	 		
		Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	l	l	l	l		1
\vdash			 		OINOVA	ULALZ	22.00	00.00	55.00	41.24	7.44	 	 	 	 		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	3	UNCVX	UEAL2	20.44	88.00	55.00	47.04	7.44	l	l	l	l		1
\vdash		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCVA	UEAL2	36.14	88.00	55.00	47.24	7.44	.	.	ļ	-		
\vdash		Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72			ļ	ļ				
1		Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1								l	l	l	l		1
		Channel System per month	Ь		UNC1X	1L5XX	0.18							L			<u> </u>
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
		Each Additional DS1 COCI combination per month	Ì		UNC1X	UC1D1	12.70	6.58	4.72					İ	İ		
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1								ĺ	ĺ	İ	İ		İ
1 1		Is Charge	1	1	UNC1X	UNCCC		5.59	5.59	6.98	6.98	l	l	l	l		1
1 1					ANSPORT w/ 3/1 M			0.00	0.00	5.50	0.00				-		-

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
\Box	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_													
<u> </u>	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per			11041/	41.500/	0.40										
\longrightarrow	Mile Per Month	-	-	UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility			11041/	U1TF1	00.40	00.07	04.04	40.05							
\vdash	Termination Per Month			UNC1X UNC1X	MQ1	60.16 101.06	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79	-					
\vdash	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	-	 	UNCVX	1D1VG	0.53	91.04 6.58	4.72	10.54	9.79		-		-		-
\vdash	3/1 Channel System in combination per month	 	-	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	-	 		 		
\vdash	Per each DS1 COCI in combination per month	 	-	UNC1X	UC1D1	12.70	6.58	4.72	33.26	31.03	-	 		 		
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		014017	30101	12.70	0.56	4.12	t	 				 		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	 	- '-	01101/	OLALT	25.54	151.91	37.31	55.14	14.50		 				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OL/1L-I	00.00	101.07	04.01	00.14	14.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť	0.10171	027121	00.02	101.01	0	00	1 1.00						
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in				1.20.00	00										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/2	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
\vdash	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						400.00									
\longrightarrow	Zone 2	-	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
\vdash			3	UNCDX	UDL56	37.88	120.27	88.80	59.14	14.50	-					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18			1							
-	First Interoffice Transport - Dedicated - DS1 - combination	 	 	ONOIA	ILUAA	0.10			 					 		
1 1	Facility Termination Per Month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1				
	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72						İ		
	3/1 Channel System in combination per month	i –		UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				1		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
_	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1														
\vdash	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				ļ		ļ
	OCU-DP COCI (data) COCI in combination per month (2.4-				1,5,55				1							
\vdash	64kbs)	_	_	UNCDX	1D1DD	1.12	6.58	4.72	-							
1 1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINICAV	11 5 7 7	0.40			I			1				
\vdash	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	+	+	UNC1X	1L5XX	0.18			 		-	-	-		-	-
1 1	same 3/1 Channel System per month	1		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1				
\vdash	Each Additional DS1 COCI in the same 3/1 channel system	 		014017	31111	00.10	03.27	01.01	10.33	14.44				 		
1 1	combination per month	1		UNC1X	UC1D1	12.70	6.58	4.72	I			1				
	Nonrecurring Currently Combined Network Elements Switch -As-		†	5.1017	30151	12.70	0.00	7.72	I		-	 				1
1 1	Is Charge	1	I	UNC1X	UNCCC	1	5.59	5.59	6.98	6.98	1	l				
1 1	lis Charge															

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add 1
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						, !
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						ł
	First Interoffice Transport - Dedicated - DS1 combination - Per									Î						
	Mile Per Month			UNC1X	1L5XX	0.18										ł
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ł
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						i
	Per each OCU-DP COCI (data) in combination - per month (2.4-															i
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								ł
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									Î						i T
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						í
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															i
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						í
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						ł
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System									Î						i T
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								ł
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										ı
	Each Additional DS1 Interoffice Channel Facility Termination in															i
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						l
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								ı
	Nonrecurring Currently Combined Network Elements Switch -As-	-														í
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															ł
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															ł
\vdash	Transport - Zone 2	<u> </u>	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		ļ		ļ		.
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1								1	1				1
\sqcup	Transport - Zone 3	<u> </u>	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		ļ		ļ		.
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	1		1						1	1				1
\vdash	Mile per month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -	1	1								1	1				1
\vdash	Facility Termination per month	!	1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		ļ	 	.		
\vdash	Per each Channel System 1/0 in combination - per month	<u> </u>	-	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						.
	D	1	1								1	1				1
\vdash	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>	-	UNCNX	UC1CA	2.41	6.58	4.72								.
\vdash	3/1 Channel System in combination per month	!	1	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83		ļ	 	.		
	Per each DS1 COCI in combination per month	├		UNC1X	UC1D1	12.70	6.58	4.72	1	-	-			-		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIX	1141.00/	04.00	447.04	70.77	50.00	40.54						í
\vdash	Combination - Zone 1	!	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		ļ	 	.		
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINIONIV	1141.037	20.0-	447.01	70	50.00	10.51						l .
\vdash	Combination - Zone 2	!	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	-	ļ	-	 		
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINIONIV	1141.037	40.5-	447.01	70	50.00	10.51						l .
\vdash	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						.
1 1	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINIONIX	11046											l .
\vdash	system combination- per month	!	1	UNCNX	UC1CA	2.41	6.58	4.72	ļ	-		ļ	 	-		
1 1	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINGAY	41.572	0.40						1				1
	Channel System per month	├		UNC1X	1L5XX	0.18			1	-	-			-		
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	LINICAV	U1TF1	60.16	89.27	04.61	10.0=		1	1				1
	same 3/1 Channel System per month	<u> </u>	<u> </u>	UNC1X	UTIFT	60.16	89.27	81.81	16.35	14.44	L	l	L	L		1

UNBUNDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
CHECHEL	Adduna	I				I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											1					_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-			1	Nonred	urrina	Nonrecurring	Disconnect	-	1	220	Rates (\$)		
\vdash		-	-			Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system	-	-		-		FIISL	Add I	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
				LINICAY	UC1D1	12.70	0.50	4.70								1
\vdash	combination per month			UNC1X	OCIDI	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		5 50	5.50	0.00	0.00						ł
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN	_		1101101	00.55			44.70							
———	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
———	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															ł
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -	1	1	l .	I						1			1		1
	Facility Termination Per Month	<u> </u>	L	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	ļ		ļ		1
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								l .
	Each Additional DS1 Interoffice Channel per mile in same 3/1															ł
	Channel System per month			UNC1X	1L5XX	0.18										l
	Each Additional DS1 Interoffice Channel Facility Termination in															ĺ
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ł
	Each Additional DS1 COCI in the same 3/1 channel system															i T
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								í
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i T
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						í
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															i T
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						ł
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						ł
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						ł
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						·
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						·
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť													
	per month			UNCDX	1L5XX	0.008838										ł
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						í
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120	10.12	10.01		10.7 1	0.00	1	1		1		
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98				I		1
FXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		5555		0.00	0.00	0.00	0.30	<u> </u>	 		†		(
EXTE	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	<u> </u>	 		†		(
	First 4-wire 64 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50				+		
	First 4-wire 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	<u> </u>	 		†		(
 	First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	 	- 3	01100/	ODLO4	31.00	120.27	00.00	35.14	14.30	H	 		 		
	per month			UNCDX	1L5XX	0.008838								1		1
 	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	 	 	OHODA	ILOAA	0.000030					 	 		 		
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90				1		1
\vdash	Nonrecurring Currently Combined Network Elements Switch -As-	 	 	OHODA	סטווט	13.12	40.54	21.41	10.74	0.90	 	 		 		
	Is Charge	1		UNCDX	UNCCC		5.59	5.59	6.98	6.98				I		1
ADDITIONAL	NETWORK ELEMENTS	-	-	UNCDA	UNCCC		3.38	3.38	0.90	0.30		-				
	used as a part of a currently combined facility, the non-recurr	rna sh-	race al-	not apply but - f	Switch Ac Ic -	harao daga sii ii	N.				-	-		 		
	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, the										-	-		 		
	used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"					AS IS CHARGE O	ioes not.				 	 		 		
Nonre	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	cnarge	(One a	ipplies to each con	inination)						 	 		 		
		1		LINCV	UNCCC		5.59	5.59	0.00	6.98				I		1
	Is Charge - 2 wire/4-Wire VG	!	-	UNCVX	UNCCC		5.59	5.59	6.98	6.98	 	-		 		
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOO				0.00	0.00				I		1
	Is Charge - 56/64 kbps	!	-	UNCDX	UNCCC		5.59	5.59	6.98	6.98	 	-		 		
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINICOO				0.00	0.00				1		, ,
\Box	Is Charge - DS1	L	<u> </u>	UNC1X	UNCCC		5.59	5.59	6.98	6.98	1	1				1

UNBUN	IDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
0.1.201		7.2.2	I	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							D	Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						ł
		Nonrecurring Currently Combined Network Elements Switch -As-															i T
		Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						ł
	ption	al Features & Functions:															i T
					U1TD1,												i T
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	OI	OI						í
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	01	OI						ł
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						ł
					U1TD3, ULDD3,												i T
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S	1	1				1
1	/ULTII	PLEXERS															1
		DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						i .
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						i I
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															i T
		month (2.4-64kbs) used for connection to a channelized DS1															ł
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						ł
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1													
		month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						1
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															1
		in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						i I
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1													
		used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						ł
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															1
		same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						1
		DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						i
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
		DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						i T
		DS1 COCI (used for connection to a channelized DS1 Local															i T
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						ı
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						ĺ
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															ı
		month	<u> </u>	L	ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00			<u> </u>			<u> </u>
		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s								
2	-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						
T									l					I			
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						
1 T	_	Exchange Ports - 2-Wire VG unbundled AL extended local	1		<u> </u>	1								<u> </u>			ı ¬
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						<u> </u>
1 T		Exchange Ports - 2-Wire VG unbundled res, low usage line port											1				·
		with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33						
T		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan							l					l			ı ———
		without Caller Id	<u> </u>	<u></u>	UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33			<u> </u>	L		<u> </u>
		2-Wire voice unbundled Low Usage Line Port without Caller ID															ı
		Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33						L
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
F	EATU																
		All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
	-WIRE	VOICE GRADE LINE PORT RATES (BUS)															

UNBI	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	hit: A
0.12		7.2.2	1	1		T						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
-	1	Bus But O Will NO other Health's Both it			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
-	+	unbundied port with Caller+E464 ID - Bus.		-	UEPSB	UEPBC	1.30	2.30	2.21	1.42	1.33	-					
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
	1	Exchange Ports - 2-Wire VG unbundled AL extended local		<u> </u>	OLI OD	OLI DO	1.50	2.50	2.21	1.42	1.55	-					
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	1	Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
		Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
		without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
	EXCHA	NGE PORT RATES (DID & PBX)				ļ											
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	1	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
-	1	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<u> </u>	UEPSP UEPSP	UEPPO UEPP1	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90 0.90		-				
-	+	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90	-					
-	+	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		<u> </u>	UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90	-					
	+	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	1	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	ļ	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
-	1	Discount Room Calling Port			UEPSP UEPSP	UEPXO	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90 0.90						
-	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity		<u> </u>	UEPSP	UEPXS USASC	0.00	0.00	0.00	13.94	0.90		-				
-	FEATU		 	 	OLFOF	JUAGU	0.00	0.00	0.00	 			-	 	 	 	
-		All Available Vertical Features		1	UEPSP UEPSE	UEPVF	1.98	0.00	0.00	 				 	 		
		NGE PORT RATES (COIN)	1	 	011 01 0L1 0L	JE: VI	1.30	0.00	0.00	†		t	†	1	1	1	1
	20,0,10	Exchange Ports - Coin Port		t –		1	1.38	2.38	2.27	1.42	1.33			İ	İ		
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	ircuit switche						ated with 2	wire ISDN r	oorts.		İ	
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU	NDLED L	OCAL EXCHANGE SWITCHING(PORTS)															
		INGE PORT RATES							•								
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											riff rates or	a separate ag	reement.		
	Reques	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after the	effecti								iscretion.		ļ	ļ		
<u> </u>	1	Exchange Ports - 2-Wire DID Port	!	<u> </u>	UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76						
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1		LIEDDD	LIEDES											
<u> </u>	 	capability (E:4/1/2004)	 	!	UEPDD HERCY	UEPDD U1PMA	60.09	202.02	95.69	72.59	2.46			 	 	 	
-	1	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered	 	 	UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	9.79 1.98	72.77 0.00	52.99 0.00	47.79	10.74	1		 	 	-	-
—	+	Exchange Ports - 2-Wire ISDN Port Channel Profiles	!	1	UEPTX, UEPSX UEPTX. UEPSX	U1UMA	0.00	0.00	0.00	 		-	-				
—	NOTE:	Transmission/usage charges associated with POTS circuit st	witched	lisado						ission by R.C.	nannels associ	iated with 2	wire ISDN -	norts	 		
-		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
—		NGE PORT RATES (continued)	, uvanai	T 0111	ougii Di NiiteW	_uomess Ne	queen 100635.	. according the	paonor capabi		via t	55114 111	moquest	Lon Duames			
			L	<u> </u>		1	1			1		1	1	1	1	l	

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add 1
						Rec	Nonred		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per															
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Deta	iled E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.14									
New	or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]												Î			
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New	or Additional Channel															
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53									
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53									
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53									
CALI	L TYPES															
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
	UNDLED PORT with REMOTE CALL FORWARDING CAPABILIT															
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Res	<u> </u>		UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)	<u></u>		UEPVR	USACC		0.10	0.10		<u></u>			<u> </u>			
UNB	UNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33						
- 1	Unbundled Remote Call Forwarding Service, Local Calling - Bus	;	1	UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33		I	1	1	1	

HINDHINDI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	.:4. A
ONBONDE	LED NETWORK ELEMENTS - Alabama	1	1		1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted				
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	NATE ELEMENTO	m	20116	B00	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1		1		Nonred	urring	Nonrecurring	Disconnect			220	Rates (\$)		
		1	1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	1	1	UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33	JOINEC	JONAN	JONAN	JOINAIN	JOHIAN	JOINAIN
\vdash	Unbundled Remote Call Forwarding Service, IntelEATA - Bus	1	1	UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and	1	1	OLI VD	OLIVIIX	1.50	2.30	2.21	1.42	1.00						
	Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
Non	-Recurring	1	1	OLI VB	OLIVO	1.00	2.00	2.21	1.72	1.00						
INOIN	Unbundled Remote Call Forwarding Service - Conversion -	1	1		+											
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with	1	1	OLI VD	00/102		0.10	0.10				1				
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
LINBLINDI E	D LOCAL SWITCHING, PORT USAGE	1	1	OLI VD	00/100		0.10	0.10								
	Office Switching (Port Usage)	1	1		1							1				
12.10	End Office Switching Function, Per MOU	1	1	<u> </u>	1	0.0007025			i	i						
	End Office Trunk Port - Shared, Per MOU	1	1	<u> </u>	1	0.0007623			i	i						
Tano	dem Switching (Port Usage) (Local or Access Tandem)	t	1	t	1	0.0001000					-	 				
- and	Tandem Switching Function Per MOU	t	1	t	1	0.000095						 				
	Tandem Trunk Port - Shared, Per MOU	t -	1	<u> </u>	1	0.0002015										
	Tandem Switching Function Per MOU (Melded)				1	0.000040993										
	Tandem Trunk Port - Shared, Per MOU (Melded)				1	0.000046336										
	Melded Factor: 43.15% of the Tandem Rate	1	1		+	0.000000041										
0	nmon Transport	1	1		1							1				
	illon transport	+	+		1	0.0000023						1				
Com	Common Transport - Per Mile Per MOLI															
Com	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	-			1	0.0003224										
	Common Transport - Facilities Termination Per MOU					0.0003224										
UNBUNDLE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES	nd/or S	tate Co	mmission rule to pr	ovide Unbun		tching or Swite	ch Ports.								
UNBUNDLE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC a					dled Local Swi			ed Port section	of this Rate E	xhibit.					
UNBUNDLEI Cost	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rate s	section in the same	manner as th	dled Local Swi	to the Stand-A	lone Unbundle				n Port/Loor	Combination	ns.		
UNBUNDLEI Cost Feat End	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ai ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Usage	st Based sage rat	d Rate s tes in th	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLE Cost Feat End	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC are ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curi	st Based sage rat	d Rate s tes in th	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ai ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Usage	st Based sage rat	d Rate s tes in th	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	st Based sage rat	d Rate s tes in th	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	st Based sage rat	d Rate stes in the	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	st Based sage rat	tes in the ombine	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat	tes in the combined of the com	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2	st Based sage rat	d Rate stes in the ombine	section in the same he Port section of the	manner as th is rate exhib	dled Local Swi ey are applied it shall apply to ned Combos th	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage rat	d Rate stes in the ombine 1 2 3	section in the same he Port section of the ed Combos. For Cui	manner as th is rate exhib rently Comb	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates	st Based sage rat	d Rate stes in the combined of	section in the same the Port section of the ed Combos. For Cul	manner as the sis rate exhibits rate exhibits rently Combination (Combination)	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Vice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same he Port section of the ed Combos. For Cui	manner as the is rate exhibit rently Combination (Combination) (Combinat	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Utifirst and additional Port nonrecurring charges apply to Not Curl REV VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 ELoop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same he Port section of the ed Combos. For Cui	wanner as the is rate exhibit rently Combination of the interest of the intere	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04	to the Stand-A	lone Unbundle ons of loop/po	rt network eler	ments except	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res)	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same he Port section of the ed Combos. For Cul- UEPRX UEPRX UEPRX UEPRX	manner as this rate exhib rently Comb	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin	lone Unbundle ons of loop/po g charges sha	rt network eler	ments except intified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curi IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) FOrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	very contract of the same to be port section of the ded Combos. For Culture to the contract of the ded Combos for Culture to the contract of t	wanner as the is rate exhibit rently Combination of the interest of the intere	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65	to the Stand-A all combination ne nonrecurrin 40.19	ione Unbundle ons of loop/po g charges sha	ort network elei II be those idei	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	wanner as the is rate exhib rently Combination of the combination of t	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination on nonrecurring 40.19 40.19	lone Unbundle ons of loop/po g charges sha	ut network elei II be those idei	ments except intified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 ELOOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	wanner as the is rate exhib rently Combination of the combination of t	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15	to the Stand-A all combination on nonrecurring 40.19 40.19	lone Unbundle ons of loop/po g charges sha	ut network elei II be those idei	ments except intified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19 40.19	ione Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	ut network eler ii be those ider	ments except intified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ar tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC	dled Local Swi ey are applied it shall apply to ned Combos ti 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15	to the Stand-A all combination ne nonrecurrin 40.19 40.19 40.19	ione Unbundle ons of loop/po g charges sha 19.83 19.83 19.83	ut network eler ii be those ider	ments except intified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Ut first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 3-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	wanner as the is rate exhib rently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	died Local Swi ey are applied t shall apply to ned Combos ti 12.70 21.19 34.80 11.55 1.15 1.15 1.15 1.15 1.15	to the Stand-A all combination on nonrecurring 40.19 40.19 40.19	19.83	24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE	Common Transport - Facilities Termination Per MOU D PORT/LOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port using only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	wanner as the is rate exhib rently Comb UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	died Local Swi ey are applied t shall apply to ned Combos ti 12.70 21.19 34.80 11.55 1.15 1.15 1.15 1.15 1.15	to the Stand-A all combination on nonrecurring 40.19 40.19 40.19	19.83	24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83	24.91 24.91 24.91	6.63 6.63	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC at tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR	dled Local Swi ey are applied it shall apply to ned Combos th 12.70 21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83	24.91 24.91 24.91	6.63 6.63	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Utifirst and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 ELoop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES All Features Offered	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ar tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 21.19 34.80 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE UNE 2-Wi FEA	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ar tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) POrt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port - residence 2-Wire voice unbundled sers, low usage line port with Caller ID 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port)	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAR UEPAP UEPAP	12.70 21.19 34.80 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE UNE 2-Wi FEA	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Use first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 1-Wire Voice Grade Loop (SL1) - Zone 3 1-Wire Voice Grade Loop (SL1) - Zone 3 1-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE 2-Wi FFEA	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) INFECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA UEPVF	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-WI UNE UNE 2-WI LOC	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port wi	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAR UEPAP UEPAP UEPAP UEPWA	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE 2-Wi Feat LOC	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC an tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 E-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) INFECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPAP UEPC UEPC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC UEPAC	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					
UNBUNDLEI Cost Feat End The 2-Wi UNE UNE 2-Wi FEA	Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC al tures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curl IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1-Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 ire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port without Caller ID 2-Wire Voice Unbundled Low Usage Line Port wi	st Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA UEPVF	dled Local Swi ey are applied t shall apply to ned Combos ti	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	ments except ntified in the N	or UNE Coi					

UNBUND	LED NE	TWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wi	re Voice Grade Loop/Line Port Combination - Subsequent															
	Activ				UEPRX	USAS2	0.00	0.00	0.00								<u> </u>
		undled Miscellaneous Rate Element, Tag Loop at End User															l .
	Pren				UEPRX	URETL		8.33	0.83								
OF		EMISES EXTENSION CHANNELS															
		re Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						ļ
		re Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						
		re Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
		re Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
		re Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
L		re Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INT		CE TRANSPORT				1							 		 		
		office Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.60	04.40	40.54	07.44	40.74	0.00						l .
\vdash		nination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90		ļ		.		——
		office Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.000000	0.00	0.00								l .
		raction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								+
		CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UN		pop Combination Rates re VG Loop/Port Combo - Zone 1		4			10.70										
				7			12.70										
		re VG Loop/Port Combo - Zone 2		2			21.19					-					
	E Loop R	re VG Loop/Port Combo - Zone 3		3			34.80					-					
UN				1	UEPBX	UEPLX	11.55										——
-		re Voice Grade Loop (SL1) - Zone 1 re Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20.04					-					
—		re Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	33.65					-	-				
2 14		e Grade Line Port (Bus)		3	UEPDA	UEPLA	33.03					-	-				
2-4		re voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						<u> </u>
—		re voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
 		re voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
		re voice Grade unbundled Alabama extended local dialing			OLI DX	OLI DO	1.10	40.10	10.00	24.01	0.00						—
		y port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						l .
		re voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
		re Voice Unbundled Alabama Business Dialing Plan without			02. 5/1	02. 2.	0	10.10	10.00	2	0.00						
	Calle				UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						1
	2-Wi	re voice unbundled Incoming Only Port without Caller ID															
		ability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						l .
LO		MBER PORTABILITY															
	Loca	l Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE	ATURES	, , , ,															
		eatures Offered			UEPBX	UEPVF	1.98	0.00	0.00								
NO	NRECUR	RING CHARGES (NRCs) - CURRENTLY COMBINED															
		re Voice Grade Loop / Line Port Combination - Conversion -															1
		ch-as-is			UEPBX	USAC2		0.10	0.10							<u> </u>	1
		re Voice Grade Loop / Line Port Combination - Conversion -															1
		ch with change			UEPBX	USACC		0.10	0.10								
AD	DITIONAL																
		re Voice Grade Loop/Line Port Combination - Subsequent				I											1
$\sqcup \sqcup$	Activ				UEPBX	USAS2		0.00	0.00						ļ		
		undled Miscellaneous Rate Element, Tag Loop at End User										1	1				1
\vdash	Pren				UEPBX	URETL		8.33	0.83								
OF		EMISES EXTENSION CHANNELS			UEDDV												
\vdash		re Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
\vdash		re Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
\vdash		re Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
\vdash		re Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
\vdash		re Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						⊢
		re Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						⊢
INT	EROFFIC	CE TRANSPORT															

UNBUN	IDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK			Electronic-	
														Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	urring	Nonrecurring	Disconnect	†	l	OSS	Rates (\$)		
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility							71441	1 01	7.44	0020					
		Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02. 5/	02	21110	10.01	2	10.7 1	0.00						
		or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
U	INE Lo	pop Rates		Ť													
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04			İ					İ		
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65			İ					İ		
2	-Wire	Voice Grade Line Port Rates (RES - PBX)															
Гf		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -								i	İ				i		
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
F	EATU						00										
		All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
Α	DDITI	ONAL NRCs				-											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										İ					
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt										İ					
		Group						7.32	7.32								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83								
0	FF/OI	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40						
11	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.008838	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
U	JNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										<u> </u>
$oxed{\Box}$		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										ļ
U	JNE L	pop Rates								ļ			ļ		ļ		ļ
igsquare		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55			ļ			ļ		ļ		ļ
igsquare		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.04			ļ			ļ		ļ		ļ
oxdot		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65			ļ			ļ		ļ		ļ
2	-Wire	Voice Grade Line Port Rates (BUS - PBX)								ļ			ļ		ļ		ļ
		L			l	[]							1				
$\vdash \!$		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20						<u> </u>
$\vdash \vdash$		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20	.			ļ		
i 1		Line Side Unbundled Incoming PBX Trunk Port - Bus	1	l	UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20	1			I		1

UNBU	NDLF	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
320.												Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama															i .
		Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	+	6.20						——
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41		6.20						——
—		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41		6.20						
—		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
		Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						I
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDY"		20.00	00 **	07.10	0.00				1		1
\vdash		Administrative Calling Port	!	-	UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20	-	-	 	 	 	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1	LIEDDY	LIEDVM	4.45	00.00	20.44	27.40	0.00	1	1		I		1
\vdash		Room Calling Port	├	-	UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20	-	-	-	 	-	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	LIEDYO		20.00	00 **	07.10	0.00				1		1
		Discount Room Calling Port	-	-	UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20						
-	LOCAL	NUMBER PORTABILITY			UEPPX	LNPCP	2.45	0.00	0.00	+			-				
	FEATU	Local Number Portability (1 per port)	-	-	UEPPX	LNPCP	3.15	0.00	0.00								
-	FEATU				HEDDY	LIEDVE	4.00	0.00	0.00	+			-				
-	NONDE	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00	+			-				
\vdash	NUNKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-			_											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.04	4.00								1
\vdash		Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-		UEFFA	USACZ		7.91	1.90								
		Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								l .
-	A DDITI	ONAL NRCs	1	-	UEPPA	USACC		7.91	1.90	1					-		—
	ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+				1				1			
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								l .
-		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	00/102	0.00	0.00	0.00								—
		Group						7.32	7.32								l .
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		1.32	1.32	+				1			
		Premise			UEPPX	URETL		8.33	0.83								1
	OFF/OI	N PREMISES EXTENSION CHANNELS			OLITA	OILLIE		0.00	0.00	1							——
	0 , 0.	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						——
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00		7.44						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00		7.44						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22.41	131.60	61.92		13.40			i	1	i	
		Non-Wire Direct Serve Channel Voice Grade	l –	2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40			İ	1	İ	
		Non-Wire Direct Serve Channel Voice Grade	l –		UEPPX	SDD2X	33.72	131.60	61.92		13.40			İ	1	İ	
	NTER	OFFICE TRANSPORT	1			1				1		İ	İ	İ	1	İ	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	İ	İ													
		Termination	1	1	UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90	1	1		I		1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	i –											1		1	
		or Fraction Mile	1	1	UEPPX	U1TVM	0.008838	0.00	0.00			1	1		I		1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
		ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19										1
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without									-						1
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63						
$\sqcup \sqcup$		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63						
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1											1
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63						

UNRU	NDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhi	bit: A
ONDO	IVEL	NETWORK ELLINENTO Alabama	I	1		1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
CAILO	OICI	KATE ELEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1	1		+		Nonred	urring	Nonrecurring	Disconnoct	†		220	Rates (\$)		
\vdash							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking				+		FIISL	Auu i	FIISt	Addi	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						1
\vdash		2-Wire Coin 2-Way with Operator Screening & Blocking:	 		OLI CO	OLITO	1.10	40.13	13.03	24.31	0.03						
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						1
		2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI CO	OLI OD	1.10	70.10	10.00	24.01	0.00						
		(AL. FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						1
		2-Wire Coin Outward with Operator Screening and Blocking:			OLI GO	OLI IXIX	1.10	70.10	10.00	24.01	0.00	†	1				
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						1
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI OO	OLI IXII	1.10	40.10	10.00	24.01	0.00						
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						1
\vdash		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63	†	1				
\vdash		2-Wire Coin Outward Smartline with 900/976 (all states except			OLI GO	OLI OIL	1.10	70.10	10.00	24.01	0.00	†	1				
		LA)	1	1	UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		1				i
	ΔΠΟΙΤΙ	ONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OIL	1.10	70.10	10.00	24.01	0.00						
	ADDIII	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
\vdash	LOCAL	NUMBER PORTABILITY			OLI GO	OREGO	1.00	0.00	0.00	0.00	0.00	†	1				
\vdash	LOOAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					†	1				
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED			OLI GO	LIVI OX	0.00					†	1				
	TTO TTI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
		Switch-as-is			UEPCO	USAC2		0.10	0.10								1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI GO	00/102		0.10	0.10			†	1				
		Switch with change			UEPCO	USACC		0.10	0.10								1
	ΔΠΟΙΤΙ	ONAL NRCs			OLI GO	00/100		0.10	0.10			†	1				
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+						†	1				
		Activity			UEPCO	USAS2		0.00	0.00								1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			02. 00	007.02		0.00	0.00								
		Premise			UEPCO	URETL		8.33	0.83								1
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (
		ort/Loop Combination Rates		,	-,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76					İ					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										ĺ
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
	2-Wire	Voice Grade Line Port Rates (Res)															ĺ
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						ĺ
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						ĺ
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice Grade unbundled Alabama extended local dialing								l							i ——
		parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						
		2-Wire voice unbundles res, low usage line port with Caller ID															1
		(LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						
		2-Wire Voice Unbundled Alabama Residence Dialing Plan															
		without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						
	INTER	DEFICE TRANSPORT				1											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															i - 1
		Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
		or Fraction Mile	<u> </u>	<u> </u>	UEPFR	1L5XX	0.008838										
	FEATU		<u> </u>	<u> </u>		1							ļ				
		All Features Offered	<u> </u>	<u> </u>	UEPFR	UEPVF	1.98	0.00	0.00				ļ				
	LOCAL	NUMBER PORTABILITY	<u> </u>	<u> </u>		1							ļ				
		Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEPFR	LNPCX	0.35						ļ				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	 		<u> </u>											
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															i '
\Box		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87								

UNBUNDL	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1	1								Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise	<u> </u>		UEPFR	URETN		11.21	1.10								
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	LINE	PORT (BUS)	_							-				
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-	15.76					-					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2			24.23					1			-		
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		-	37.52					-					
LINE	E Loop Rates	1	3			31.32					1			-		
OIVE	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	14.38					-					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85					1			1		
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFB	UECF2	36.14							i	t	i	
2-W	ire Voice Grade Line Port (Bus)	1	۲		02012	00.14					 	-		I		1
	2-Wire voice unbundled port without Caller ID - bus	†	t	UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77			1	<u> </u>	1	
	2-Wire voice unbundled port with Caller + E484 ID - bus	t	1	UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77			i	1	i	i
	2-Wire voice unbundled port outgoing only - bus	l		UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77			İ	t	İ	
	2-Wire voice Grade unbundled Alabama extended local dialing							****								
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without	:	1													
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	1L5XX	0.000000										
FEA	or Fraction Mile	ļ		UEPFB	1L5XX	0.008838			-					1		
FEA	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00			-					
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	-	UEPFB	UEFVF	1.90	0.00	0.00			1			-		
1401	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			-						-					
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02.1.5	00/102		0.10				1			1		
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	t	t				50		1				İ	1	İ	İ
1 1	End User Premise	1		UEPFB	URETN		11.21	1.10						I		
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (PBX)									1		1	
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			37.52										
UNE	Loop Rates															
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 1	ļ	1	UEPFP	UECF2	14.38							ļ	1	ļ	ļ
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFP	UECF2	22.85							ļ	1	ļ	ļ
<u> </u>	2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFP	UECF2	36.14					-		ļ	-	ļ	ļ
2-W	(ire Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	├		+								-	 	-	
1 1	Line Side Unbundled Combination 2 Way DDV Tarrational	1		UEPFP	UEPPC	1.38	119.27	60.05	61.40	0.04				I		
\vdash	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	1	 	UEPFP	UEPPC	1.38	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34	-	-		 		-
+	Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus	1	 	UEPFP	UEPPO UEPP1	1.38	119.27	69.85	61.18	8.34	 	-	 	 	 	
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	 	1	ULFFF	UEFFI	1.38	119.27	09.85	01.18	0.34			 	 	 	
	Calling Port	1		UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34				I		1
\vdash	2-Wire Voice Unbundled PBX LD Terminal Ports	1	 	UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34	 	-		I		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	t	UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34			1	<u> </u>	1	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	i –	UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34		İ		1		İ
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	i –	i –	UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34	t e	1		t	t	l

UNDUNDLED NETWORK ELEMENTS - Alabama	ntal Incremental Charge - Svc Manual Svc Order vs. iic- Disc 1st	Charge - Manual Svo Order vs.
CATEGORY RATE ELEMENTS Interigue RATE (S) Submitted Electropic Submitted Electro	Charge - Svc Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interim m	Svc Manual Svc ors. Order vs. lic- lic- Disc 1st	Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS	ors. Order vs. Electronic-Disc 1st	Order vs. Electronic- Disc Add'l
Rec	Electronic- Disc 1st	Electronic- Disc Add'l
1st Add Add Add First Add First Add First Add First Add First Add SOME SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN Soman	Disc 1st	Disc Add'l
Rec Honrecurring Nonrecurring Disconnect OSS Rates (8 First Add1 Fi		
Continued Cont	N SOMAN	SOMAN
Committee Comm	N SOMAN	SOMAN
2-Wire Voice Unbundled PSK ID Terminal Switchboard IDD UEPFP UEPXE 1.38 119.27 69.85 61.18 8.34	N SOMAN	SOMAN
Capable Port Capa		
Ca-Wire Votice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPXL 1.38 119.27 69.85 61.18 8.34		
Administrative Calling Port		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy UEPFP UEPXM 1.38 119.27 69.85 61.18 8.34		
Room Calling Port		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital UEPFP UEPXO 1.38 119.27 69.85 61.18 8.34		
Discount Room Calling Port UEPF UEPX 1.38 119.27 69.85 61.18 8.34		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPF UEPXS 1.38 119.27 69.85 61.18 8.34		
LOCAL NUMBER PORTABILITY LOCAL NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABILITY LUCAD NUMBER PORTABLE NUMBER PORTAB		
Local Number Portability (1 per port)		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFP U1TV2 21.13 40.54 27.41 16.74 6.90		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		1
Termination		
Interdice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	- 1	
DEFP 1L5XX 0.008838 DEFP 1L5XX 0.008838 DEFP 1.5XX 0.008838 DEFP DEFP DEFE DEFE DEFE DEFE DEFP		
FEATURES		
All Features Offered		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is UEPFP USAC2 8.48 1.87		
Combination - Conversion - Switch-as-is		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change UEPFP USACC 8.48 1.87		
Combination - Conversion - Switch with change		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPFP URETN 11.21 1.10		
End User Premise		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES 2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT		
2-Wire Voice Grade Loop- BUS ONLY - WITH 2-WIRE DID TRUNK PORT UNE Port/Loop Combination Rates		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 1 22.40 2 30.88 2 2 30.88 2 2 30.88 2 2 30.88 2 2 30.88 30		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2 30.88 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 44.17		
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 3 44.17		
UNE Loop Rates		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		
UNE Port Rate		
Exchange Ports - 2-Wire DID Port UEPPX UEPD1 8.02 207.31 73.74 107.14 11.20		
NONRECURRING CHARGES - CURRENTLY COMBINED		ļ
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		
Switch-as-is		1
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		
with BellSouth Allowable Changes UEPPX USA1C 7.31 1.87		1
ADDITIONAL NRCs		
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk UEPPX USAS1 26.78 26.78		
Unbundled Miscellaneous Rate Element, Tag Designed Loop at		
End User Premise		ļ
Telephone Number/Trunk Group Establisment Charges		1
DID Trunk Termination (One Per Port) UEPPX NDT 0.00 0.00 0.00		
Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 0.00		
DID Numbers, Non- consecutive DID Numbers , Per Number UEPPX ND5 0.00 0.00 0.00		
LOCAL NUMBER PORTABILITY		
Local Number Portability (1 per port) UEPPX		
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT		
UNE Port/Loop Combination Rates		
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		
UNE Zone 1 1 UEPPB UEPPR 27.28 27.28		

UNBUND	LED	NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit: A
	Ť												Svc Order	Svc Order	Incremental	Incremental		
													Submitted	Submitted		Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		
CATEGORY	Υ	RATE ELEMENTS	Interi	Zone	E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
															151	Auu	DISC 1St	DISC Add I
								Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		37.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNI		op Rates																
	:	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
UNI		rt Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
NO		CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02								
ADI		DNAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Į.	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LO	CAL	NUMBER PORTABILITY						ĺ										
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								1
B-C	CHAN	INEL USER PROFILE ACCESS:																1
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								1
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-C	CHAN	INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	: TN)														1
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								1
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USI	ER T	ERMINAL PROFILE																1
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
VEI	RTIC	AL FEATURES																ĺ
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00								1
INT	TERO	FFICE CHANNEL MILEAGE																1
		Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00								
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
The	e UNI	E-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire I	SDN DS1	Digital Tru	nk Port in th	is rate exhibit a	pply to the em	bedded base i	n place as of 1	0/2/03 until 4/	I/04. After 4	/1/04 these	rates shall re	vert to tariff ra	ites or a sepa	ırate
	reeme																	
		ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effe	ctive date o	f this amend	lment shall be p	rovided pursu	ant to a separ	ate agreement	or tariff at Bel	South's dis	scretion.				
UNI		rt/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP			166.87										<u> </u>
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2	<u> </u>	2	UEPPP			238.50								L		<u></u>
	T	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			398.85										
UNI		op Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	314.52										
UN		rt Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77						
NO		CURRING CHARGES - CURRENTLY COMBINED																
	- 1	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
1 1		Combination - Conversion -Switch-as-is (E:4/1/2004)	l		UEPPP		USACP	0.00	119.07	78.56								
		DNAL NRCs			T .		1							1				1

	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Intori									Elec	Manually		Manual Svc		Manual S
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zort	po. 2011	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
													130	Addi	Diac rat	Disc Add I
						Rec	Nonre	curring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.53									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
CALL	. TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44						
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The U	JNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire D	DITS Trunk Port in	this rate exhi	ibit apply to the	embedded b	ase in place as	of 10/2/03 unti	il 4/1/04. After	4/1/04 these	rates shall	revert to tarif	fratac araca	narata aaraar	mont
								acc iii piacc ac	01 10/2/00 unt	, .,	., .,	Tutos silaii	Tevert to tain	Trates or a se	parate agreer	Hent.
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe	ective d	late of	this amendment sh	all be provide	d pursuant to	a separate agr	eement or tarif	f at BellSouth's	discretion.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	rutes shan	levert to tarr	i rates or a se	parate agreer	nent.
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates	ective d			all be provide	d pursuant to	a separate agr	eement or tarif	f at BellSouth's	discretion.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	rates snan	levert to tarn	Traces or a se	parate agreer	nent.
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	ective d	1	UEPDC	all be provide	d pursuant to	a separate agr	eement or tarif	f at BellSouth's	s discretion.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	rates shan	revert to tarn	Trates or a se	parate agreer	nent.
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	ective d	1 2	UEPDC UEPDC	all be provide	142.64 214.26	a separate agr	eement or tarif	f at BellSouth's	s discretion.		rates shan	Tevert to tarri	Trates or a se	parate agree	Herrt.
UNE F	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ective d	1 2	UEPDC	all be provide	d pursuant to	a separate agr	eement or tarif	f at BellSouth's	discretion.		Tutes shan	Tevert to tarn	Trates of a se	parate agreer	
UNE F	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates	ective d	1 2 3	UEPDC UEPDC UEPDC	all be provide	142.64 214.26 374.61	a separate agr	eement or tarif	f at BellSouth's	s discretion.		Tutos snan	Tevent to tarn	Trates of a se	parate agreer	
UNE F	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC	USLDC	142.64 214.26 374.61 82.55	a separate agr	eement or tarif	f at BellSouth's	s discretion.		Tutos snan	Tevert to tarri	Traces Of a se	parace agreer	
UNE F	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC	142.64 214.26 374.61 82.55 154.18	a separate agr	eement or tarif	f at BellSouth's	s discretion.		Tutes shan	Tever to tarii	Traces of a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC	USLDC	142.64 214.26 374.61 82.55	a separate agr	eement or tarif	f at BellSouth's	s discretion.			Teverit to tarif	Traces of a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	s discretion.				Traces Of a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC	142.64 214.26 374.61 82.55 154.18	a separate agr	eement or tarif	at BellSouth's	s discretion.				1 ales 01 a se	parate agreer	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) 8ECURRING CHARGES - CURRENTLY COMBINED	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	s discretion.				Tales of a se	parate agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	s discretion.				Tales Of a Se	parate agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 PORT Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	s discretion.				lides of a se	parate agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 PORT Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	s discretion.				indes to a se	pante agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	a separate agr	eement or tarif	f at BellSouth's	s discretion.				Tales to a se	parate agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) 8ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - University Digital Loop / 4-Wire DDITS Trunk Port Combination - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	s discretion.				Tides to a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	s discretion.				lides of a se	pante agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effer Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	s discretion.				ales Ura se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02	f at BellSouth's	s discretion.				and the state of t	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49	253.23 67.02	f at BellSouth's	s discretion.				Tales Of a Se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effee Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 PORT Rate 1-Wire DDITS Digital Loop - UNE Zone 3 PORT RATE 1-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) TIONAL NRCS 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02 14.48	f at BellSouth's	s discretion.				and the state of t	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 10NAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC USLDC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02	f at BellSouth's	s discretion.				Tales Of a Se	parate agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 PORT Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) 8ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 11-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk	ective d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48	253.23 67.02 67.02 14.48	f at BellSouth's	s discretion.				Tales Ut a se	parate agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 10NAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49	253.23 67.02 67.02 14.48	f at BellSouth's	s discretion.				and the state of t	partice agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1TONAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk Wout DID	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWA USAWB	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	s discretion.				Tales VI a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 1-Way Dutward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation Per Chan - Inward Trunk with DID	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48	f at BellSouth's	s discretion.				Tales VI a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Loop - UNE Zone 3 PORT Rate 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTB UDTTC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	s discretion.				Tides to a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1TONAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Chan Activation / Chan - 2-Way DID w User Trans	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	s discretion.				Tales VI a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTC UDTTC UDTTE	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48 14.48	253.23 67.02 67.02 14.48 14.48 14.48	f at BellSouth's	s discretion.				Tales VI a se	parace agree	
UNE I	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DS1 Digital Loop - UNE Zone 3 PORT Rate 4-Wire DS1 Digital Loop - UNE Zone 3 PORT RATE 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID W User Trans LAR 8 ZERO SUBSTITUTION B8ZS - Superframe Format	active d	1 2 3	UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAWA USAWA USAWB UDTTA UDTTB UDTTC UDTTC UDTTC UDTTC	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48	253.23 67.02 67.02 14.48 14.48	f at BellSouth's	s discretion.				Tales Ut a se		
UNE I UNE I UNE I ADDIT	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Loop - UNE Zone 3 Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 1-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsque Chan Activation Per Chan - Inward Trunk w/out DID	active d	1 2 3	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USLDC USLDC USLDC USLDC USLDC USLDC USLDC UDD1T USAC4 USAWA USAWB UDTTA UDTTC UDTTC UDTTE	142.64 214.26 374.61 82.55 154.18 314.52	454.49 129.49 129.49 14.48 14.48 14.48	253.23 67.02 67.02 14.48 14.48 14.48 14.48	f at BellSouth's	s discretion.				Tales VI a se		

	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
		1									Svc Order	Svc Order	Incremental		Incremental	Incremental
1					1						Submitted	Submitted		Charge -	Charge -	Charge -
ĺ		1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
ĺ																
ĺ													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teler	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
igsquare	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
igwdow	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	Loop	with 4-Wire DDITS T	runk Port											
1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1		LIEDDC	11 NO4	00.40	00.07	04.04	40.05	44.44		1				
	Termination)	1	+	UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44	-	-				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
\vdash	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	 	1	OLI DO	ILINOA	0.10	0.00	0.00			 					
1	Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00				1				
\vdash	Interoffice Channel Mileage - Additional rate per mile - 9-25	†		021 00	ILINUZ	0.00	0.00	0.00			-	-				
	miles			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			02. 50	12.102	0.10	0.00	0.00			1					
1	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
							0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point	i		UEPDC	CTG	0.00										
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syste	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	S													
	System can have up to 24 combinations of rates depending on															
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	lests for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive date	e of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE	DS1 Loop		<u> </u>													
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
LINE	4-Wire DS1 Loop - UNE Zone 3 DS0 Channelization Capacities (D4 Channel Bank Configuration		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE	24 DSO Channel Capacity - 1 per DS1	115)		UEPMG	VUM24	101.40	0.00	0.00			-					
	48 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM48	202.80	0.00	0.00	1		1					
 	96 DSO Channel Capacity -1 per 4 DS1s	 		UEPMG	VUM96	405.60	0.00	0.00	1		H			l		
 	144 DS0 Channel Capacity - 1 per 6 DS1s	†		UEPMG	VUM14	608.40	0.00	0.00			-	-				
 	192 DS0 Channel Capacity -1 per 8 DS1s	†		UEPMG	VUM19	811.20	0.00	0.00			-	-				
 	240 DS0 Channel Capacity - 1 per 10 DS1s	1	†	UEPMG	VUM2O	1,014.00	0.00	0.00	1		 	 				
	288 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM28	1,216.80	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s	t		UEPMG	VUM38	1,622.40	0.00	0.00						İ		
	480 DS0 Channel Capacity - 1 per 20 DS1s	1		UEPMG	VUM4O	2,028.00	0.00	0.00						l		
	576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	2,433.60	0.00	0.00						l		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
Non-	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multi	ples of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system con	figuration is	counted.										
1 1 -	NRC - Conversion (Currently Combined) with or without	1			I											
ļ [BellSouth Allowed Changes		<u> </u>	UEPMG	USAC4	0.00	150.48	8.36								
			nolizat	ion with Port Comb	ination Curre	ntly Exists and										
	em Additions at End User Locations Where 4-Wire DS1 Loop wit				T .				1	l .	1					
	(Not Currently Combined) in all states, except in Density Zone 1															
	(Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			's	VIIMDA	0.00	716.44	469.04	140.75	17.05						
New	(Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)				VUMD4	0.00	716.11	468.04	148.75	17.65						
New	(Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution			's	VUMD4	0.00	716.11	468.04	148.75	17.65						
New	(Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent			's UEPMG	VUMD4				148.75	17.65						
New	(Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) lar 8 Zero Substitution			's		0.00		468.04 600.00s	148.75	17.65						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
					T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											l .	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
ļ							N		I M	. B'				D-((A)		
						Rec	Nonrec			Disconnect				Rates (\$)		
		-	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Altern	ate Mark Inversion (AMI) Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			-	-				
	Extended Superframe Format		-	UEPMG	MCOPO	0.00	0.00	0.00								
Evcha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLFIVIG	IVICOFO	0.00	0.00	0.00								
	nge Ports	I WILLI	lon													
Exona	Line Side Combination Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business															
	(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID															
	(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
	(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
	2-Wire Channelized PBX Area Calling Service Combination Port															
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
Footon	Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
Featur	re Activations - Unbundled Loop Concentration		-		-	-										
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.56	54.55									
	Feature (Service) Activation for each Trunk Port Terminated in	-	-	UEFFA	TPQVVIVI	0.56	54.55									
	D4 Bank			UEPPX	1PQWU	0.56	77.03									
Teleni	none Number/ Group Establishment Charges for DID Service		-	OLITA	II QWO	0.50	77.05									
. с.ор.	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE				1									ļ		
	t Based Rates are applied where BellSouth is required by FCC								<u> </u>	L						
	tures shall apply to the Unbundled Port/Loop Combination - C													<u> </u>		
	Office and Tandem Switching Usage and Common Transport														A alalisia L Arm	Co
	first and additional Port nonrecurring charges apply to Not Co	urrently	comb	inea Compos. For	Currently Co	mpinea Combo	s, tne nonrecu	rring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections.	additional NR	us may
	also and are categorized accordingly.	hores	ntiot 1	on on Individual O	oo Bosis	til franthær '-			1		1	1	1			
	rket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Juated	on an maividuaí Ca	ise ¤asis, un T	ui rurtner notic	t.		1	-				 		
	V CENTREX - TAESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	_	-		+		-				-	-		 		
	Port/Loop Combination Rates (Non-Design)		 		+	 								 		
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1				1		-	-		 		
	Non-Design		1	UEP91		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė		1	.20								1		
	Non-Design		2	UEP91		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T		1									İ		
	Non-Design		3	UEP91		34.80										
UNE P	Port/Loop Combination Rates (Design)				1					l	1	1		İ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		15.53										

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		١									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111	10112 =======	m			0000			= (4)			per LSR	perLSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	I	Nonrec	rurring	Nonrecurring	Disconnect		l	oss	Rates (\$)	I.	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1		+		11100	Addi	11100	Auui	COME	COMPAR	OOMAN	COMPAN	COMPAR	COMPAN
	Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF91	+	24.00										
	Design		3	UEP91		37.29										
LINE	Loop Rate	-	3	OLF91	+	31.25					-	-				
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP91	UECS1	11.55					-	-				-
			2													
	2-Wire Voice Grade Loop (SL 1) - Zone 2		_	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										↓
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										.
UNE																<u> </u>
All St	ates (Except North Carolina and Sout Carolina)															ļ
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				İ											
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL K	Y, LA, MS, & TN Only			02. 0.	022	0	10.10	10.00	2	0.00						
, t <u>=</u> , .t	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						+
	2-Wire Voice Grade Fort (Centrex with Galler 15)1			OLI 31	OLI QII	1.10	40.13	13.03	24.31	0.03						+
	Center)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLF91	OLFQIVI	1.13	90.30	31.21	40.00	0.77						
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	Service Term		1	UEF91	UEFQZ	1.15	90.36	31.21	40.00	0.11						-
	O Mira Vaina Canda Dark torrainated in an Manalink or any indust			UEP91	LIEDOO	4.45	10.10	40.00	24.04	0.00						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-		UEP91	UEPQ9	1.15 1.15	40.19 40.19	19.83 19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching	ļ	<u> </u>	UEP91	LIDECO	0.5488					-					├
- 	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local	Number Portability		1		Lunco							 			ļ	
	Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35						 			ļ	
Featu			1									ļ				
	All Standard Features Offered, per port	ļ	L	UEP91	UEPVF	1.98					ļ	ļ		ļ		<u> </u>
	All Select Features Offered, per port	ļ		UEP91	UEPVS	0.00	405.52					ļ		ļ	ļ	<u> </u>
	All Centrex Control Features Offered, per port		L	UEP91	UEPVC	1.98					ļ					L
NARS			L		1						ļ					L
	Unbundled Network Access Register - Combination		L	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	ļ	<u> </u>				L
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90	ĺ	1		ĺ	1	
	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP91	M1GBM	0.008838					1			İ	İ	
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e									İ			İ		
	nannel Bank Feature Activations	Ĺ	1		1						i e	i		i e		1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP91	1PQWS	0.56										

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted S Elec per LSR I Nonrecurring Disconnect				chment: 2		ibit: A
CATEGORY RATE ELEMENTS Interf. m Zone BCS USOC RATES (5) Submitted Elec per LSR	Svc Order Inc	Svc Order Sv	c Order Increment		I Incremental	
CATEGORY RATE ELEMENTS Intert					Charge -	Charge -
CATEGORY RATE ELEMENTS Minimal Zone BCS USOC RATES (\$) per LSR						
Rec	-				Order vs.	Order vs.
Feature Activation on D-4 Channel Bank FX line Side Loop Stot UEP91 1POWF 0.56		per LSK p	Electroni			
Feature Activation on D-4 Channel Bank FX line Side Loop Stot UEP91 1POW7 0.56	-					
Feature Activation on D-4 Channel Bank FX line Side Loop Stot UEP91 1POW7 0.56			1st	Add'l	Disc 1st	Disc Add'l
Feature Activation on D-4 Channel Bank FX line Side Loop Stot UEP91 1POW7 0.56			0:	SS Rates (\$)	-	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot UEP91 1PQW7 0.56	SOMAN :	SOMEC S			SOMAN	SOMAN
Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1PQW7 0.56						
Stot						
Stot						1
Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP91 1PQWP 0.56						
Different Wire Center						1
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56						
Feature Activation on D-4 Channel Bank Tije LipeTrunk Loop UEP91 1POWQ 0.56						1
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP91 1POWQ 0.56						
Stot						
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 IPOWA 0.56						
Non-Recurring Charges (NRC) Associated with UNE-P Centrex UEP91 USAC2						
Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91		<u> </u>			1	†
Changes, per port USACZ 0.10 0.10						
Conversion of Existing Centrex Common Block UEP91 USACN 37.75 16.58 New Centrex Standard Common Block UEP91 MIACS 0.00 667.21 New Centrex Customized Common Block UEP91 MIACC 0.00 667.21 Secondary Block, per Block UEP91 MIACC 0.00 78.02 NAR Establishment Charge, Per Occasion UEP91 URECA 0.00 77.73 Additional Non-Recurring Charges (NRC) UEP91 URECA 0.00 77.73 Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP91 URETL 8.33 0.83 Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETN 11.21 1.10 UNEP CENTREX - SESS (Valid in All States) UEP91 URETN 11.21 1.10 UNEP OFTICop Combination Rates (Non-Design) UEP95 UEP95 12.70 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2 UEP95 21.19 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 3 UEP95 34.80 USEP95 24.00 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2 UEP95 24.00 2 UEP95 2 UEP						
New Centrex Customized Common Block UEP91 MIACS 0.00 667.21		 			+	†
New Centrex Customized Common Block UEP91 MIACC 0.00 667.21		 			+	†
Secondary Block, per Block DEPBI						
NAR Establishment Charge, Per Occasion						
Additional Non-Recurring Charges (NRC)					+	+
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Premise UEP91 URETL 8.33 0.83					+	+
Premise					+	+
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91						
End Use Premise					+	+
UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire Vol Loop/2-Wire Volce Grade Port (Centrex) Port Combo UNE Port/Loop Combination Rates (Non-Design 1 UEP95 12.70 1.19 1.53 1.53 1.53 1.53 1.53 1.53 1.53 1.53 1.55 1.53 1.55						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					+	+
UNE Port/Loop Combination Rates (Non-Design) 1 UEP95 12.70					+	+
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design					+	+
Non-Design					+	+
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design						
Non-Design 2 UEP95 21.19					+	+
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP95 34.80						
Non-Design 3 UEP95 34.80					+	+
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 15.53						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP95 15.53 15.					+	+
Design					+	+
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2 UEP95 24.00 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 3 UEP95 37.29 37.2						
Design 2 UEP95 24.00				+	+	+
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1						
Design 3 UEP95 37.29				+	+	+
UNE Loop Rate					1	1
2-Wire Voice Grade Loop (SL 1) - Zone 1		 -			+	
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP95 UECS1 20.04				+	+	+
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP95 UECS1 33.65 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP95 UECS2 14.38 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UECS2 22.85 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 36.14 UNE Port Rate UNE Port Rate UEP95 UECS2 36.14 UECS2 36.14 UECS2 36.14 UECS2 36.14 UECS2 UECS		 -			+	
2-Wire Voice Grade Loop (SL 2) - Zone 1				+	+	+
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP95 UECS2 22.85 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 36.14 UNE Port Rate	-			+	+	+
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP95 UECS2 36.14 UNE Port Rate				+	+	+
UNE Port Rate	 	 -			1	+
		 			+	
I IMILIAREA				+	+	+
				+	+	+
2-Wire Voice Grade Port (Centrex 800 termination) UEP95 UEPYB 1.15 40.19 19.83 24.91 6.63				+	+	+
2-Virie Voice Grade Port (Centrex with Caller ID)1Basic Local				+	+	+
2-vine voice Grade For Centrex with Carlet ID/16ast Educal UEP95 UEPYH 1.15 40.19 19.83 24.91 6.63					1	1
2-Wire Voice Grade Port (Centrex from diff Serving Wire	 	+		+	+	+
2-vite voice Grade For Centrex horifold and Serving vite						
Center 12,3 Basic Local Area	 			+	+	+
2-vite Vote Glade Full, bill serving Wile Center 2,3 - 600						
Service 1etini - Basic Local Artea 12-Wire Voice Grade Port terminated in on Megalink or equivalent	 	+		+	+	+
2-vivile votice Grade Profit terminated in on integrating to equivalent						

UNBUND	LEC	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
01120112		7.000.00		1		1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	_	·····-	m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add 1
							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						1
AL,		LA, MS, SC, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63		İ				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63		İ				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	ŀ	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63	1					1
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						1
Loc		witching		1		1								ĺ	ĺ		ſ
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Loc	al N	umber Portability				Ī								Î			
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35							ĺ			
Fea	ture	s												ĺ			
		All Standard Features Offered, per port		i –	UEP95	UEPVF	1.98										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52						Î			
		All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98							Î			
NA	RS	· ·				Ī								Î			
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			ĺ			
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00			Î			
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00			ĺ			
Mis	cella	aneous Terminations												ĺ			
2-W		Trunk Side															
	ľ	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-W	/ire [Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Inte	eroffi	ce Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						1
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										1
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e:e														l
D4		nnel Bank Feature Activations															1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										1
																	1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															l .
		Slot			UEP95	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
		Different Wire Center			UEP95	1PQWP	0.56										
																	1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															l .
		Slot			UEP95	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP95	1PQWA	0.56					ļ		ļ			
Not		curring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		1						1					⊢——
		NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBOE	110465											1
$\vdash \vdash$	_	changes, per port		1	UEP95	USAC2		0.10	0.10			<u> </u>	-	.	-		—
$\vdash \vdash$	_	Conversion of Existing Centrex Common Block, each		1	UEP95	USACN		37.75	16.58			<u> </u>	-	.	-		—
\vdash		New Centrex Standard Common Block		<u> </u>	UEP95	M1ACS	0.00	667.21				-					
\vdash		New Centrex Customized Common Block		<u> </u>	UEP95	M1ACC	0.00	667.21				-					
		NAR Establishment Charge, Per Occasion		<u> </u>	UEP95	URECA	0.00	72.73				-					
Add		nal Non-Recurring Charges (NRC)		<u> </u>		+						 	-	-	-		
1 1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use			LIEBOE	LIDET		2.00	0.00								1
		Premise		1	UEP95	URETL		8.33	0.83			<u> </u>	1	1	l		<u> </u>

UNBUN	DLF	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
3.12311		The state of the s										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>				-		+	1	Nonred	urrina	Nonrecurring	Disconnect	.		088	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at						11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPART
		End Use Premise			UEP95	URETN		11.21	1.10								1
U	NE-P	CENTREX - DMS100 (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
U	NE Po	rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•		LIEDOD		40.70										
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D	+	12.70					.					-
		Non-Design		2	UEP9D		21.19										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI OD		21.10					1					
		Non-Design		3	UEP9D		34.80										1
U	NE Po	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD	1	04.00										1
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		24.00										ļ
		2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		37.29										
U	NE Lo	op Rate			OLI 3D	+	51.23										
H		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	22.85										
<u> </u>	NE Da	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9D	UECS2	36.14										
	LL ST	rt Rate		-		-						 					
<u> </u>	LLOI	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63	1					
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02. 03	02	0	10.10	10.00	2	0.00						
		Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
		Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local							40.00								
-		Area	-	-	UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
—		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLF 9D	OLFIL	1.13	40.19	19.03	24.91	0.03						
		Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						1
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
		Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
		Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						1
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		-	UEP9D	UEPTU	1.15	40.19	19.03	24.91	0.03						
		Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				1	0	0			2.00			İ			[
		Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						1
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
\vdash		Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63				ļ		ļ
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDVAN		40.40	10.00	24.24	0.00						l
\vdash		Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	1		UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63	1		-			
		2-wire voice Grade Port (Centrex/Msg wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						
+		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			021 00	JEI 10	1.13	70.13	13.03	24.31	0.03	 					
		2,3-Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						į ,
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
		Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						

ATECOPY RATE ELEMENTS Manual Core BCS USOC RATES (I) RATES (I) RATES (I) RATES (II) RATES (III) RATES (III)	UNBUNDU	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhi	bit: A
ATECORY BATE LIMENTS BIND BOS BOS BOS BOS BATE (LIMENTS) BIND BOS BOS BOS BOS BOS BOS BOS BO	CHECHEL	Alabama	1	1		I						Svc Order	Svc Order				
## PATE CLEMENTS Manual Property Manual Prop												1					
CATEGORY RATE ELEMENTS III 2009 ROSS R												1					
Pace Pace	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part			m						- (1)			per Lor	per LSK				
Part Part																	
Mode Pirst														151	Add I	DISC ISI	DISC Add I
200 200							Dee	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Base Load Area LiPPO LiP							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SAME SAME		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
Basic Local Area Local Print Local Pri		Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						<u> </u>
SWING Code Part Contractable SWING CESS 461 122.3.4 Bent Code Annual State Code		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
Basic Local Area					UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						L
2-Vitre Varoe Grane Part Generocatifier SWC (FBS N6039) 2.4		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															l .
Basic Local Area Local Part					UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
EPSD UEPV6 1.15 90.36 57.77 44.66 8.77		, , , ,															1
Seec Local Axes					UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
2-Wire Vooc Grade Prof. (Centravolitier SWIC / ESS-MSC0092, 3 UEPPD UEPY6 1.15 90.36 57.27 48.66 8.77																	l .
Basic Local Area 2-Wire Voice Grade Per (Centrevillifer SWC-/EBS-M55162.34 UEPD UEPY6 1.15 90.38 57.27 46.66 8.77					UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
2-Wire Voor Grade Port Contracelified SWC (EBS-MSC19(2.3.4) UEPSO UEPYS 1.15 90.38 57.27 48.66 8.77		` '			LIEBAB					40.00							l .
Basic Local Area					UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
2-Wire Votas Grade Port Contrace/differ SWO (ESS-MSS102.3.4 UEPPD UEPV 1.15 90.36 57.27 48.66 8.77					LIEDOD	LIEDVO	4.45	00.00	F7.07	40.00	0.77						l .
Sasic Local Area					UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						+
2-Wire Voca Grade Port, Diff Serving Wire Center - 600 Service UEP90 UEPV2 1.15 90.38 57.27 48.66 8.77					LIEDOD	LIEDV7	4.45	00.00	F7.07	40.00	0.77						1
Term 2,3	—				UEP9D	UEPY/	1.15	90.38	57.27	48.66	8.77						
2-Wire Votes Grade Port terminated on Mogalink or equivalent Basic Local Aires UEP9D UEP9D UEP0D UEP					LIEDOD	LIEDVZ	1 15	00.30	57.07	40.66	0.77						l .
Basic Local Area					UEF9D	UEFTZ	1.10	90.36	31.21	40.00	0.11	-					
2-Wire Votos Grade Port Terminated on 800 Service Term Basic Local Area UEP90 UEPV2 1.15 40.19 19.83 24.91 6.63					LIEDOD	LIEDVO	1 15	40.10	10.00	24.04	6.63						1
Local Area					UEP9D	UEP19	1.15	40.19	19.03	24.91	0.03	1					—
AL, KY, LA, MS, SC, & TN Only UEPBD UEPDA 1.15 40.19 19.83 24.91 6.63					HEDAD	HEDV2	1 15	40.10	10.83	2/ 01	6 63						l .
2-Wire Voice Grade Port (Centrex) UEPOD UEPOB UEPOB 1.15 40.19 19.83 24.91 6.63	AI K				OLI 3D	OLI 12	1.10	40.13	13.03	24.51	0.03	-					—
2-Wire Voice Grade Part (Centrex 800 termination)	/AL, IX				UFP9D	UEPOA	1 15	40 19	19.83	24 91	6.63	-					—
2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPOC 1.15 40.19 19.83 24.91 6.63												-					—
2-Wire Voice Grade Port (Centrex / EBS-M5009)4 UEP9D UEPQD 1.15 40.19 19.83 24.91 6.63												-					—
2-Wire Voice Grade Port (Centrex / EBS-M5012)4																	
2-Wife Voice Grade Port (Center / EBS-M512)4 UEP90																	
2-Wire Voice Grade Port (Centrex / EBS-M50312)4 UEPBD UEPGG 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M508)4 UEPBD UEPGG 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M508)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M526)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M526)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 40.19 19.83 24.91 6.63 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 UEPBD UEPGU 1.1.5 90.3																	
2-Wire Voice Grade Port (Centrex /EB3-M5009)4		` ,															
2-Wire Voice Grade Port (Centrex (EBS-M5209)4 UEP9D UEPQU 1.15 40.19 19.83 24.91 6.63																	
2-Wire Voice Grade Port (Centrex/, EBS-M5216)4 UEPBD UEPDV 1.15 40.19 19.83 24.91 6.63																	
2-Wire Voice Grade Port (Centrex with Caller ID)							1.15	40.19				İ					
2-Wire Voice Grade Port (Centrex with Caller ID)		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Port (Centrex/Galler ID/Msg Wtg Lamp Indication)4					UEP9D	UEPQH	1.15	40.19		24.91		İ					
2-Wire Voice Grade Port (Centrex/Mgg Wig Lamp Indication)4				i i													
2-Wire Voice Grade Port (Centrex/frim diff Serving Wire Center) 2,3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQD 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77 48.66 8.77		Indication)4			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63						i .
2,3		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPQP 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 UEP9D UEPQP 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M509)2,3,4 UEP9D UEPQQ 1.15 90.38 57.27 48.66 8.77		2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M509)2,3,4 UEP9D UEPQQ 1.15 90.38 57.27 48.66 8.77																	l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77				ļ		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQA 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77			1		l <u>_</u>	l							1				1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 UEP9D UEPQR 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77																	l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77	L	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 UEP9D UEPQS 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		0 M/2 - 1/2 - 0 - 1 - D - 1 / 0 - 1/2 - 1/2 / 1/2 - 0 M/2 / EDO M/2 / 1/2 0 / 4			LIEDOD	LIEBOD	4.45	00.00	F7.07	40.00	0.77						l .
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77	L	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 UEP9D UEPQ4 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		O Miss Vaiss Conds Bost (Control/differ CMC /FFC MFC40)0 0 4	1		LIEDOD	LIEBOO	4.45	00.00	F7 07	40.00	0.77						1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-vvire voice Grade Port (Centrex/differ SVVC /EBS-M5312)2,3,4	-	1	UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 UEP9D UEPQ5 1.15 90.38 57.27 48.66 8.77 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2 Wire Voice Orado Bort (Contraviditta- CWO /EBO MESSONO A	1		LIEDOD	LIEDO 4	4 4-	00.00	F7 07	40.00	0						1
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77	\vdash	2-vviile voice Grade Fort (Gentiex/differ SVVC /EBS-IVI5008)2,3,4	-	—	OLFAD	UEFQ4	1.15	90.38	51.21	48.00	8.77	-	 	-	-		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 UEP9D UEPQ6 1.15 90.38 57.27 48.66 8.77		2-Wire Voice Grade Port (Centrey/differ SWC /EBS M5209)2.2.4	1		LIEPAD	LIEPO5	1 15	00.30	57 27	18 66	9 77						1
	\vdash	2-vviile voice Glade Foit (Centiexidillei SVVC/EDS-IVIS208)2,3,4	 	 	OLFBD	ULF Q5	1.15	90.38	51.21	40.00	0.77	 	 	 	 		
		2-Wire Voice Grade Port (Centrey/differ SWC /ERS-M5246\2.2.4	1		LIEP9D	LIEPO6	1 15	OU 30	57 27	18 66	Ω 77		1				1
2-Wire Voice Grade Port (Centrex/differ SWC /ERS-M5316)2.3.4 UEP9D UEP07 1.15 90.38 57.27 48.66 8.77		2 1110 10100 Stade For Octive Vallet Stro / LBS-WIS210)2,3,4	 		OL1 3D	OLI QU	1.13	30.30	51.21	70.00	0.77		 				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	1		UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		1				1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
		1									Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		_ m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ			1	Rec	Nonrec		Nonrecurring		001			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDO7	4.45	00.00	57.07	48.66	0.77						
	Term 2,3	1		UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		-				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
-	2-Wire Voice Grade Port Terminated in on Megalink of equivalent	-		UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						
Loca	Switching	1		UEP9D	UEFQZ	1.15	40.19	19.03	24.91	0.03						
Loca	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488							1			
Loca	Number Portability	1		OLI 3D	OKEGO	0.5400										
2000	Local Number Portability (1 per port)	1		UEP9D	LNPCC	0.35										
Featu				02. 02	2.1.00	0.00										
- July	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										
NAR																
1	Unbundled Network Access Register - Combination	t		UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			İ	İ		
	Unbundled Network Access Register - Inward	1	1	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	1	1	İ	İ		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wii	e Digital (1.544 Megabits)												Î	Î		
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46			ĺ			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48						ĺ			
Inter	office Channel Mileage - 2-Wire												ĺ			
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 C	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
\vdash	Different Wire Center	<u> </u>		UEP9D	1PQWP	0.56							ļ	ļ		
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP9D	1PQWV	0.56			ļ				ļ	ļ		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1									1					
\vdash	Slot	!	<u> </u>	UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	ļ	UEP9D	1PQWA	0.56			-		ļ		ļ	ļ		
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	ļ		+				-		ļ		ļ	ļ		
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	110400		0.10									
\vdash	changes, per port	ļ	_	UEP9D	USAC2		0.10	0.10	-							
\vdash	Conversion of existing Centrex Common Block, each	!	-	UEP9D	USACN	2.22	37.75	16.58	1				 	 		
\vdash	New Centrex Standard Common Block	!	-	UEP9D	M1ACS	0.00	667.21		ļ		-	-	-	-		
\vdash	New Centrex Customized Common Block	 	-	UEP9D	M1ACC	0.00	667.21		+							
A	NAR Establishment Charge, Per Occasion ional Non-Recurring Charges (NRC)	 	-	UEP9D	URECA	0.00	72.73		1				-	-		
Addi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	 	-		+				1				-	-		
	Premise	1	1	UEP9D	URETL		8.33	0.83			1	1				
\vdash	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	-	OLFAD	UKEIL		8.33	0.83	1		-	-	 	 		
	End Use Premise	1		UEP9D	URETN		11.21	1.10			1					
LIME	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	 		OLF3D	UNLIN		11.21	1.10	1				 	 		
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 	1		+				+		-	-				
	Port/Loop Combination Rates (Non-Design)	 			1				1				 	 		
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	 		+				 				 	 		
	Non-Design		1	UEP9E		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	 	- 	J_1 J_	+	12.70			1		-					
	Non-Design	1	2	UEP9E		21.19					1	1				
	n.o., boolgii	1		U-1 V-	1	21.13					1	1	·	·		

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
			to to all									Elec		Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	1
														1st	Add'l	DISC 1St	Disc Add'l
							Boo	Nonred	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		34.80										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
		Design Control of the		1	UEP9E		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		04.00										
		Design		2	UEP9E		24.00					-		-			
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		37.29										
	LINE L	Design Dop Rate		3	UEF9E		31.29					 	1				
-	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9E	UECS1	11.55			1		1	1		-		1
-		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04					†	-				
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	33.65					1	†				
-	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	†		UEP9E	UECS2	14.38			1		1	 		I		t
—	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85				1			1	<u> </u>		<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9E	UECS2	36.14								1	İ	
	UNE P	ort Rate															
	AL, FL	, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDV7	4.45	00.00	F7.07	40.00	0.77						
-		Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77	.			-		-
		- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
-		2-Wire Voice Grade Port Terminated on 800 Service Term -		1	OLF 9L	OLF 19	1.13	40.19	15.03	24.51	0.03	1			1		1
		Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
	AL. KY	, LA, MS, & TN Only			OLI OL	OLI 12	1.10	40.10	10.00	24.01	0.00	i e					
	/ t <u>=</u> , rt:	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63	†					
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63	İ					
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77				<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term		ļ	UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	l					1									1		1
<u> </u>		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	-	UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		1			ļ	<u> </u>
<u> </u>	1 ' '	2-Wire Voice Grade Port Terminated on 800 Service Term	-	-	UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63	ļ		.	 	 	
<u> </u>	Local S	Switching Centrex Intercom Funtionality, per port	-	-	UEP9E	URECS	0.5488			1	 	ļ		.	 	 	
<u> </u>	Local	Number Portability		-	UEPSE	UKEUS	0.5488			1		-			 		
-	∟ocai i	Local Number Portability (1 per port)	 	 	UEP9E	LNPCC	0.35			+	1	1	 	1	 	 	
—	Featur		-		OLI OL	LIVI OU	0.33					 	-	 	t		t
—	. Jacan	All Standard Features Offered, per port			UEP9E	UEPVF	1.98				1			1	<u> </u>		t
—	1	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52			1			1	<u> </u>		t
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98				İ			İ	1		
	NARS											İ		1			
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations			ļ												
L	2-Wire	Trunk Side		<u> </u>	LIEBAE	05115						ļ					ļ
	4 167 -	Trunk Side Terminations, each		-	UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76			-	 		
<u> </u>	4-wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each	-	-	UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	ļ		.	 	 	
	l	DOT GIRGUIT TEITHINAUOTIS, EACH	l	<u> </u>	OLFSE	ואווחאו	60.09	202.02	95.69	12.59	∠.46	1	1	1	1	l	L

UNBUNDL	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fxhi	bit: A
ONDONDE	Adding	1		1							Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48									
Inter	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90						
\vdash	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 C	Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	ļ	UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP9E	TPQW5	0.56					-					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
\vdash	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	+	-	OLF3L	IF QVV0	0.50					-	-				-
	Slot			UEP9E	1PQW7	0.56										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	+	1	OLI SL	IF QVVI	0.36										
	Different Wire Center			UEP9E	1PQWP	0.56										
	Billiotetti VVIII Genter	1	1	OLI OL	11 00111	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56						1				I
	Feature Activation on D-4 Channel Bank Tilvate Line Loop Glot	1	t -	02. 02		0.00										<u> </u>
	Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9E	1PQWA	0.56										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1														
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each	1	i –	UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Addi	itional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
<u> </u>	End Use Premise	1		UEP9E	URETN		11.21	1.10								
	-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1														
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1													
UNE	E Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1													
	Non-Design	1	4	UEP93		12.70										
+-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	UEP93	+	12.70					1					-
	Non-Design		2	UEP93		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 95		21.13					†					
	Non-Design		3	UEP93	1	34.80						1				I
UNE	Port/Loop Combination Rates (Design)	1	Ť		1	200										1
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	i -	1	1											t
	Design		1	UEP93	1	15.53						1				I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93	1	24.00										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-						_								
$\sqsubseteq \sqsubseteq$	Design	1	3	UEP93	1	37.29										
UNE	Loop Rate	1			1											
$\sqcup \sqcup \sqcup$	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP93	UECS1	11.55										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP93	UECS1	20.04										1
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP93	UECS1	33.65										
$\vdash \vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP93	UECS2	14.38										-
$\vdash \vdash \vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP93	UECS2	22.85						 		 	 	
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3	+	3	UEP93	UECS2	36.14					-					1
	EPort Rate KY, LA, MS, & TN only	+	 	 	+						1			-	-	
	NI. LA. IVIO. OLIN ONIV	1	1	1	1						1	<u> </u>			<u> </u>	!
AL,				LIEDOS	LIEDVA	1 15	40.40	10.00	24.04	6 63						1
AL,	2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63						-

UNB	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
				1								Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					l .
CAIL	OOKI	KATE ELEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1			1		+		Nonred	urring	Nonrecurring	Disconnect	1		220	Rates (\$)		
	+			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				+		FIISL	Auu i	FIISL	Addi	JOINEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 33	OLI III	1.13	40.13	19.00	24.31	0.03						+
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			OLI 00	OLI TIVI	1.10	50.00	01.21	40.00	0.11						+
		Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 33	OLI 12	1.13	30.30	31.21	40.00	0.11						+
		- Basic Local Area			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
	+	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	OLI 95	OLI 13	1.13	40.13	13.03	24.31	0.03	1					
		Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63	1		1		1	-
	+	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63						+
		2-Wire Voice Grade Port (Centrex vith Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63	1		1		1	-
	+	2-Wire Voice Grade Port (Centrex with Caller ID) I		 	OL: 30	OLFQII	1.15	40.19	13.03	24.91	0.03	 	-		+		
		Center)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77				1		
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		 	OLFSS	UEFQIVI	1.15	90.38	51.21	48.00	8.77	-		-		-	
		Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	+	Service Term		<u> </u>	UEF93	UEFQZ	1.15	90.36	31.21	40.00	0.11	-	-		-		-
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	-	2-Wire Voice Grade Port terminated in on wegalink of equivalent		1	UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63	-					
	Lasali			1	UEP93	UEPQ2	1.15	40.19	19.83	24.91	0.03	-					
	Local	Switching Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.5488					-					
	Lasali	Number Portability		1	UEP93	URECS	0.5488					-					-
	Local	Local Number Portability (1 per port)		1	UEP93	LNPCC	0.35					-					
	Faatuu	7 (1 1 7		1	UEF93	LINFCC	0.33					-					-
	Featur	All Standard Features Offered, per port		1	UEP93	UEPVF	1.98					-					-
	-	All Centrex Control Features Offered, per port		1	UEP93	UEPVF	1.98					-					
	NARS	All Certifex Control Features Offered, per port		<u> </u>	UEF93	UEFVC	1.90					-	-		-		-
	INAKS	Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	-					
	-	Unbundled Network Access Register - Combination		1	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	-					
	+	Unbundled Network Access Register - Outdial		<u> </u>	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	-	-		-		-
	Miccol	laneous Terminations		<u> </u>	UEF93	UARUX	0.00	0.00	0.00	0.00	0.00	-	-		-		-
		Trunk Side		<u> </u>		+						1			-		-
	Z-VVII e	Trunk Side Trunk Side Terminations, each		1	UEP93	CEND6	8.05	119.31	18.74	59.90	3.76	-					
	4 Miro	Digital (1.544 Megabits)		-	UEF93	CENDO	6.05	119.31	10.74	59.90	3.76	-					+
	4-11116	DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46	-	-		-		
	+	DS0 Channels Activated, Per Channel		<u> </u>	UEP93	M1HD0	0.00	14.48	95.09	72.59	2.40	-	-		-		
	Interes	fice Channel Mileage - 2-Wire		<u> </u>	UEF93	MINDO	0.00	14.40				1			-		-
	interor	Interoffice Channel Facilities Termination		<u> </u>	UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90	-	-		-		
	+	Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP93	M1GBC	0.008838	40.34	21.41	10.74	0.90	-	-		-		
	Footur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>	UEF93	IVITGDIVI	0.000030					-	-		-		
		annel Bank Feature Activations	е	<u> </u>		+						-	-		-		-
	D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP93	1PQWS	0.56					1			-		1
	-	realure Activation on 5-4 Charmer Bank Centrex Loop Slot		1	UEF93	IFQWS	0.36					-					
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<u> </u>	UEF93	IFQW6	0.36					-	-		-		-
		Slot			UEP93	1PQW7	0.56										
	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	OLF 93	IF QVVI	0.30					1					
		Different Wire Center			UEP93	1PQWP	0.56										
	+	Dinordir Wile Celler		 	OLF 33	IF QVVF	0.00			-		-		-		-	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56								1		
	+	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop		 	OLF 30	IF Q VV V	0.00			1		 	-	1	+	1	
		Slot			UEP93	1PQWQ	0.56								1		
	+	Feature Activation on D-4 Channel Bank WATS Loop Slot		 	UEP93	1PQWQ	0.56			-		-		-		-	
	Non P	ecurring Charges (NRC) Associated with UNE-P Centrex		 	OLF 33	IF QVVA	0.00			-		-		-		-	
	NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed		 		+					-	 	-	-			
	1	changes, per port			UEP93	USAC2		0.10	0.10				1		I		
	+	Conversion of Existing Centrex Common Block, each		 	UEP93	USACN		37.75	16.58	1		 	-	1	+	1	
	+	New Centrex Standard Common Block		 	UEP93	M1ACS	0.00	667.21	10.38	-		-		-		-	
	_1	INOW COMIEX Standard Common DIOCK			OLF 30	INITAGO	0.00	007.21		1	l	L	l	1	1	1	

UNB	JNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additi	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
		- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		2 - Requres Interoffice Channel Mileage															
		- Installation is combination of Installation charge for SL2 Lo	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	ns and Condition	ons.				1				1	1

														1		T	
UNB	UNDLE	D NETWORK ELEMENTS - Florida					,						T -		ment: 2		bit: A
												1	Svc Order			Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					1		Nonre	curring	Nonrecurrin	g Disconnect	1		088	Rates (\$)		
	+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								11100	Addi	11130	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	oination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet	Website:	
	http://v	vww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m				٠.	•	•		•	,			
OPER	ATIONAL	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	ic" OSS charges as	ordered by t	the State Comm	issions. The	OSS charges c	urrently contain	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges	. CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill		•						•	` '		•			•	
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the m	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
1		OSS - Electronic Service Order Charge, Per Local Service											1	I		I	
<u> </u>	-	Request (LSR) - UNE Only				SOMEC	1	3.50	0.00	3.50	0.00	-		-	 	-	
1		OSS - Manual Service Order Charge, Per Local Service Request				SOMAN		44.00	0.00	4.00	0.00		1	I		I	
LINE	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE		-		SOMAN		11.90	0.00	1.83	0.00			1		1	
UNE		The Expedite charge will be maintained commensurate with I	PallCau	th'o E	C No 1 Tariff Coatio	n E ao anni	iooblo				-	-		-	1	-	
	NOTE:	The Expedite charge will be maintained commensurate with i	Belloou	ui s ru	l No.1 Tariii, Sectio	on 5 as appii	icable.				-	1		-	1	-	
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,	1					1			1		1	
		Day			U1TUB, U1TUA	SDASP		200.00			I		1	I		I	
UNBU	NDLED E	EXCHANGE ACCESS LOOP						200.00	İ	İ	1			1	i e	1	
		ANALOG VOICE GRADE LOOP								İ	1			1	İ	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57				1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User									_			_		_	l
		Premise			UEANL	URETL		8.33	0.83		.				ļ		ļ
<u> </u>	-	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65		-			-	1	-	
Щ		Loop Testing - Basic Additional Half Hour		L	UEANL	URETA	1	23.95	23.95	L	L	<u> </u>	l	1	<u> </u>	1	

UNBUNI	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	.	·····-	m						(+)			per LSK	per LSK				Electronic-
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		23.02									
2-	WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
	-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						ļ
	-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45	-					
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
-		Manual Order Coordination 2 Wire Unbundled Copper Loop -			UEQ	UKEIL		0.33	0.63								+
		Non-Designed (per loop)			UEQ	USBMC		9.00									
h		Unbundled Copper Loop, Non-Design Cooper Loop, billing for			ULQ	USBIVIC		9.00									-
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65						1		†
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBUNDL	.ED E	XCHANGE ACCESS LOOP															
2-1	WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
<u> </u>	_	Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
-		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	15.20	49.57	22.03	23.02	6.57						<u> </u>
		Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
H	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI OK OLI OD	OLABO	13.20	49.51	22.00	25.02	0.57						
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-													t		
		Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
UNBUNDL	.ED E	XCHANGE ACCESS LOOP															
2-	WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					4= 40										
	_	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	30.87	135.75	00.47	C2 F2	40.04						
	-	Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.87	23.02	82.47	63.53	12.01				-		-
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	OCOSL		23.02							1		1
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	OLA	OL7 II (Z	12.24	100.70	02.47	00.00	12.01						
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3	<u></u>	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01		<u> </u>		<u> </u>		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
\Box		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10						L	ļ	ļ
4-	WIRE	ANALOG VOICE GRADE LOOP		<u> </u>											ļ		!
\vdash		4-Wire Analog Voice Grade Loop - Zone 1	.	1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56		 		 	!	├
\vdash	-	4-Wire Analog Voice Grade Loop - Zone 2	-	3	UEA UEA	UEAL4 UEAL4	26.84 47.62	167.86 167.86	115.15 115.15	67.08 67.08	15.56 15.56				 	 	-
\vdash	-	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	47.62	23.02	115.15	80.10	15.56	-	 		+		
 	-	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.71	36.35						 	 	
$\overline{}$		OLLO TO OLLO CONVENSION CHARGE WITHOUT OUTSIDE DISPATCH	<u> </u>	<u> </u>	IOFU	DIVEAAO		01.11	30.33			l	l		<u> </u>	l	

UNBU	INDLE	NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	ibit: A
													Svc Order	Svc Order	Incremental	Incremental		
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone		BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
															ist	Addi	DISC 1St	DISC Add I
								_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP																
	İ	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN		U1L2X	19.28	147.69	94.41	62.23	10.71						
	İ	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN		U1L2X	27.40	147.69	94.41	62.23	10.71						
	İ	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN		U1L2X	48.62	147.69	94.41	62.23	10.71						
	İ	Order Coordination For Specified Conversion Time (per LSR)			UDN		OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO	ĺ	91.61	44.15								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	-			ĺ										
		2 Wire Unbundled ADSL Loop including manual service inquiry																
		& facility reservation - Zone 1		1	UAL		UAL2X	8.30	149.53	103.85	75.05	15.63						
		2 Wire Unbundled ADSL Loop including manual service inquiry						j										
	<u> </u>	& facility reservation - Zone 2	<u> </u>	2	UAL		UAL2X	11.80	149.53	103.85	75.05	15.63	<u> </u>			<u> </u>	<u> </u>	
		2 Wire Unbundled ADSL Loop including manual service inquiry																
1	1	& facility reservation - Zone 3	1	3	UAL		UAL2X	20.94	149.53	103.85	75.05	15.63		1				
		Order Coordination for Specified Conversion Time (per LSR)		L	UAL		OCOSL	i	23.02									
		2 Wire Unbundled ADSL Loop without manual service inquiry &																
		facility reservaton - Zone 1		1	UAL		UAL2W	8.30	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &																
		facility reservaton - Zone 2		2	UAL		UAL2W	11.80	124.83	71.12	60.64	9.12						
		2 Wire Unbundled ADSL Loop without manual service inquiry &																
		facility reservaton - Zone 3		3	UAL		UAL2W	20.94	124.83	71.12	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86.19	40.39								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP														
		2 Wire Unbundled HDSL Loop including manual service inquiry																
		& facility reservation - Zone 1		1	UHL		UHL2X	7.22	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry																
		& facility reservation - Zone 2		2	UHL		UHL2X	10.26	159.09	113.41	75.05	15.63						
		2 Wire Unbundled HDSL Loop including manual service inquiry																
		& facility reservation - Zone 3		3	UHL		UHL2X	18.21	159.09	113.41	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23.02									
		2 Wire Unbundled HDSL Loop without manual service inquiry																
		and facility reservation - Zone 1		1	UHL		UHL2W	7.22	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry																
		and facility reservation - Zone 2		2	UHL		UHL2W	10.26	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry																
	ļ	and facility reservation - Zone 3		3	UHL		UHL2W	18.21	134.40	80.69	60.64	9.12						ļ
		Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		23.02									.
		CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86.12	40.39								.
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP	 													
		4 Wire Unbundled HDSL Loop including manual service inquiry						10.00	400.01	400.00	1-	10.01						
	<u> </u>	and facility reservation - Zone 1	-	1	UHL		UHL4X	10.86	193.31	138.98	77.15	12.61						-
		4-Wire Unbundled HDSL Loop including manual service inquiry		2	l		1 11 11 437	45.44	400.04	400.00	77.45	40.04						
-		and facility reservation - Zone 2		2	UHL		UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry			l		1 11 11 437	07.00	400.04	400.00	77.45	40.04						
-	.	and facility reservation - Zone 3	-	3	UHL		UHL4X	27.39	193.31	138.98	77.15	12.61						
-	1	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry	-	-	UHL		OCOSL		23.02				-					
		and facility reservation - Zone 1		1	UHL		UHL4W	10.86	168.62	115.47	62.74	11.22						
	<u> </u>	4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL		UHL4VV	10.86	108.02	115.47	62.74	11.22						
1	1	and facility reservation - Zone 2	1	2	UHL		UHL4W	15.44	168.62	115.47	62.74	11.22		1				
-	 	4-Wire Unbundled HDSL Loop without manual service inquiry	 		OI IL		JI IL+VV	15.44	100.02	115.47	02.14	11.22	 			 	 	
1	1	and facility reservation - Zone 3	1	3	UHL		UHL4W	27.39	168.62	115.47	62.74	11.22		1				
—	 	Order Coordination for Specified Conversion Time (per LSR)	 	"	UHL		OCOSL	21.39	23.02	110.47	02.14	11.22	H			 	 	
-	 	CLEC to CLEC Conversion Charge without outside dispatch	 	\vdash	UHL		UREWO		86.12	40.39								
-	4-WIRE	DS1 DIGITAL LOOP	 	 	JIIL		U.V.E.V.O		00.12	70.00				 				
—	7	4-Wire DS1 Digital Loop - Zone 1	 	1	USL		USLXX	70.74	313.75	181.48	61.22	13.53	<u> </u>	 		 	 	
	1	4-Wire DS1 Digital Loop - Zone 1	†	2	USL		USLXX	100.54	313.75	181.48	61.22	13.53	 	 				
	†	4-Wire DS1 Digital Loop - Zone 3	1		USL		USLXX	178.39	313.75	181.48	61.22	13.53						
	1	Order Coordination for Specified Conversion Time (per LSR)	†	Ť	USL		OCOSL		23.02	.070	J22	.5.50				 	 	†
		The state of the s							20.02		1			L		1	1	

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
						1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	,	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL -Des)			UCL	UREWO		97.21	42.47								
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP I	MODIFIC	CATION															
					UAL, UHL, UCL,												
	1	L	1		UEQ, ULS, UEA,					I			1				
	l	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	I		_	_	1							
	ļ	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
	l	Unbundled Loop Modification Removal of Load Coils - 4 Wire			l	I		_	_	1							
	ļ	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	l				UAL, UHL, UCL,					1							
1	1	l	1		UEQ, ULS, UEA,					I			1				
	l	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,					1]
01/5	1	per unbundled loop			UEPSB	ULMBT		10.52	10.52	ļ							
SUB-LO	JOPS					1				1		1	l				

UNBUND	DLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		BL CH C						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Su	ub-Lo	op Distribution		-													
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		487.23									
-	_	о р	- 1		UEANL	USBSA		487.23					-				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6.25									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '		ULANL	USBSB	 	0.25						1			
		Facility Set-Up	1		UEANL	USBSC		169.25									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	i i		027.112	00200		100.20									
		Set-Up	1		UEANL	USBSD		38.65									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -												ĺ			
		Zone 2	L	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26	<u></u>	<u> </u>	<u></u>	<u> </u>		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													
		Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	USBN4	10.50	00.00	00.40	40.74	0.00						
—	_	Zone 3		3	UEANL	USBIN4	18.58	68.83	30.42	49.71	6.60		-				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-	-	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26	1					
		Sub-Loop 2-Wife intrabuliding Network Cable (INO)	-		OLANE	CODINZ	3.30	31.04	10.44	47.50	3.20	-					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
					-												
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65					ĺ			
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
					l			_									
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ .	UEF	USBMC		9.00	9.00	40.00							
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-		UEF	UCS4X	5.36	68.83	30.42	49.71	6.60			 	 		
\vdash		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60	-		-	-		
+		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60	-	-				-
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour		1	UEF	URET1	 	48.65	48.65					 	 		
+	-	Loop Testing - Basic Additional Half Hour	-		UEF	URETA		23.95	23.95			-		 	 		
Un	nbunc	Iled Network Terminating Wire (UNTW)			<u></u>	J.KLI/K		20.00	20.00								
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02			İ			İ	İ		
Ne	etwor	k Interface Device (NID)				1					l		İ	İ	İ		
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE OTHE	ER, P	ROVISIONING ONLY - NO RATE							· · · · · · · · · · · · · · · · · · ·								
]	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
\vdash		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00						ļ	ļ		
					UEANL,UEF,UEQ,U												
		Unbundled Contract Name, Provisioning Only - No Rate		-	ENTW	UNECN	0.00	0.00									
UNE OTHE	⊏K, P	ROVISIONING ONLY - NO RATE			<u> </u>	1					l	1					

HINDH	NDI E	D NETWORK ELEMENTS - Florida												Attack	ment: 2	Fulcil	bit: A
UNBU	NDLE	D NETWORK ELEMENTS - FIORIDA			I	ı	ı					Cur Ouden	Cua Ondan				
														Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	1
					UAL,UCL,UDC,UDL,												1
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									<u> </u>
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<u> </u>
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									<u> </u>
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									1
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.92										1
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	10.92										1
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						1
LOOP N	ΛΔKF-I				OBLOX	05201	120.00	000.01	0.10.01	100.10	00.01						
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								1
		Loop Makeup - Preordering With Reservation, per spare facility			OWIX	OWINE		32.17	32.17								
		queried (Manual).			UMK	UMKLP		55.07	55.07								1
\vdash		Loop MakeupWith or Without Reservation, per working or			OWIN	OWINE		33.01	33.07								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								1
I INE CI	LADING	S AND LINE SPLITTING			OWIN	UNIKIVIQ		0.0704	0.0704								
		1: The Line Sharing monthly recurring rates for all installation	is comi	aleted f	rom October 02, 200	3 through m	idnight Octobe	r 01 2004 shal	l he hilled as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lunight octobe	1 01, 2004 31101	i be billed as i	onows.							
		1: 10/02/2004 – 10/01/2004: 25 % of the rate for UCLND	Тррегіо	OP HOI	I-designed (OOLIAD	,											
		1: 10/02/2004 = 10/01/2003: 30 % of the rate for UCLND															
		1: Nove will apply to USOCS: ULSDT and ULSCT															
\vdash		E 2: The Line Sharing monthly recurring rates with USOCs ULS	EDC on	1111 60	C annliae anly to air	l Invito inotalli	od and incomic	o on or hoforo	Ootobor 1 200	0.2		-	-				
\vdash		HARING	SDC and	ULSC	c applies only to cit	Luits mstani	eu anu mservic	e on or before	October 1, 200	U3 							—
\vdash		TERS-CENTRAL OFFICE BASED		-													—
\vdash	SFLII	Line Sharing Splitter, per System 96 Line Capacity	-	 	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
\vdash				-		ULSDA				347.90	0.00						—
\vdash		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	-	+	ULS ULS	ULSDB ULSD8	29.93 8.33	379.13 379.13	0.00	347.90	0.00	-					
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-	-	-	ULO	OLODO	8.33	3/9.13	0.00	347.90	0.00	-					—
			l	1	111.0	LII CDC		470.00	0.00	07.40	0.00	I					1
\vdash	END	deactivation (per LSOD)	-	 	ULS	ULSDG		173.66	0.00	97.42	0.00	 					
\vdash	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	 	-		-											
		Line Sharing - per Line Activation (BST Owned splitter) -	1	1	111.0	III enc	0.01	00.00	04.00	40.57	0.01	1					1
\vdash		OBSOLETE see **NOTE 2	ļ	-	ULS	ULSDC	0.61	29.68	21.28	19.57	9.61	.					\vdash
		Line Share Service, TRO per line activation, BST owned splitter -	l														1
		Central Office Located (25% of UCLND) - please see NOTE 1															1
\vdash		(E:10/2/2003)	ļ	1	ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						\vdash
		Line Share Service, TRO per line activation, BST owned splitter -															1
		Central Office Located (50% of UCLND) - please see NOTE 1	l														1
\vdash		(E:10/2/2004)	ļ	L	ULS	ULSDT	3.98	29.68	21.28	19.57	9.61	ļ					
		Line Share Service, TRO per line activation, BST owned splitter -	1	1		1						1					1
		Central Office Located (75% of UCLND) - please see NOTE 1	l														1
\square		(E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
1 7		Line Sharing - per Subsequent Activity per Line Rearrangement	1	1		I											1
		- (BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
		Line Sharing - per Subsequent Activity per Line Rearrangement	l			l			-								
		- (DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44								
1 7		Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1		I											ı 7
L!		OBSOLETE see **NOTE 2	<u> </u>	<u> </u>	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	<u> </u>			<u> </u>		

UNBL	INDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
							1					Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por zon	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
-		NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						ļ
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
-		Line Share Service, TRO per line activation, CLEC owned			OLO	ULSCI	3.90	47.44	15.51	20.07	12.74			1	1		-
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
	LINE S	PLITTING															
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
L		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUI		DEDICATED TRANSPORT															ļ
-	INTER	DFFICE CHANNEL - DEDICATED TRANSPORT	-	-													
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1	-	UTIVA	ILSAA	0.0091			-		1					1
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	011172	20.02	47.55	31.70	10.51	7.03						
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.				1											
		Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility						47.05									
-		Termination	-	-	U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091										
-		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1	-	UTIDA	ILSAA	0.0091			-		1					1
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIDA	01100	10.44	47.00	01.70	10.01	7.00						
		month			U1TD1	1L5XX	0.1856										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month OTO 4 5 111			U1TS1	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			114704		4.050.00	005.40	040.00	70.00	70.50						
DARK	EIDED	Termination	+	-	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	-	-			-	
DAKK	IDEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 	-		+				+		-	-				
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85			1							
		NRC Dark Fiber - Interoffice Channel	 		UDF, UDFCX	UDF14	20.00	751.34	193.88	356.21	230.11		 				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		,	32		701.04	100.00	000.21	200.11			1	1		
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55.04			1							
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11						
_																	

HINDHINDI E	D NETWORK ELEMENTS - Florida												Attack		Ful:	b.ia. A
UNBUNDLE	D NETWORK ELEMENTS - FIORIDA	1	1		1	1					Sua Ordar	Sua Ordan		ment: 2		bit: A Incremental
													Incremental	Incremental		
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RAIE ELEMENIS	m	Zone	всэ	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-		+	<u> </u>	Nonrec	urrina	Nonrecurring	Disconnect			000	Rates (\$)		
\vdash		-	-		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OVY ACCESS	I TEN DIGIT SCREENING	-	-		+		riist	Add I	LIISI	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
OAA ACCESS	8XX Access Ten Digit Screening, Per Call	-	-	OHD	+	0.0006252					-					
\vdash	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1		OUD	+	0.0006252										\vdash
	Number Reserved			OHD	N8R1X		4.15	0.70								1
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD	INDICTA		4.13	0.70								-
	POTS Translations			OHD			8.78	1.18	5.77	0.70						1
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+	 	0.70	1.10	5.11	0.70						\vdash
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						1
	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INOI IX		0.70	1.10	5.11	0.70						-
	Per 8XX Number			OHD	N8FCX		4.15	2.07								1
\vdash	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	INOI OX		4.10	2.07								
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								1
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	INOI AX		4.00	0.70								-
	Features			OHD	N8FDX		4.15	4.15								1
 	i eatures			OHD	INOI DX	 	4.13	4.13	1							
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										1
\vdash	8XX Access Ten Digit Screening, w/ or E No. Delivery, per query			OTID	+	0.0000232										
	query			OHD		0.0006252										1
LINE INFORM	ATION DATA BASE ACCESS (LIDB)			OTID	+	0.0000202										
LINE IN OKW	LIDB Common Transport Per Query			OQT	+	0.0000203										
	LIDB Validation Per Query			OQU	+	0.0136959										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0100000	55.13	55.13	55.13	55.13						
SIGNALING (C				041, 040	TATABLEX		00.10	00.10	00.10	00.10						
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						1
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						1
E911 SERVICE	G - 1				İ											
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination	<u> </u>	Ц_		1	25.32	47.35	31.78	18.31	7.03	<u> </u>			<u> </u>	<u> </u>	<u>1 </u>
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05						
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05						
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05					<u> </u>	1
CALLING NAM	IE (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01						
	CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01						ldot
	CNAM For DB Owners - Service Provisioning With Point Code	1	1		1	ı 7									<u> </u>	1 7
	Establishment	ļ	ļ	OQV	1		1,592.00	1,177.00	352.36	259.09						
	CNAM For Non DB Owners - Service Provisioning With Point	1	1		1	ı 7									<u> </u>	1 7
	Code Establishment			OQV			546.51	393.82	358.06	259.09						
	CNAM for DB Owners, Per Query			OQV	1	0.001024										$ldsymbol{ldsymbol{eta}}$
	CNAM for Non DB Owners, Per Query		<u> </u>	OQV	1	0.001024										ullet
SELECTIVE R		<u> </u>	<u> </u>		1									ļ		igspace
	Selective Routing Per Unique Line Class Code Per Request Per	1	1		1						1					1 1
	Switch		L		1		93.55	93.55	12.71	12.71						igsquare
VIRTUAL COL	LOCATION		<u> </u>								1				I	1

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
011201122											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>									L NI	D'			000	D-1 (A)		
						Rec	Nonrec		Nonrecurring		001450	001441		Rates (\$)	001141	001141
	Virtual Callegation 2 Wise Come Comments (Lana) for Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL CO				OLFSK OLFSB	VLILO	0.0302	11.57	11.57	0.00	0.00						
THIOIDAL O	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTI	VE CARRIER ROUTING					0.0=.0	****		Ţ							
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AINI CMC Access Conice Dort Connection Dial/Charact Access			A4NI	CAMDP		0.04	0.01	40.00	40.00	1	1				,
 	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P	 	8.64 8.64	8.64 8.64	10.03 10.03	10.03 10.03				-		
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMIP		8.64	8.64	10.03	10.03						
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAWAO		30.00	30.00	23.00	23.00						
	Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4609										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,439.00	8,439.00								
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 11 11		0.04	0.04	10.00	10.00						
1 1	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
1 1	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		20.06	20.06	15.00	15.00						
	AIN Toolkit Service - Query Charge, Per Query				DAFIF	0.0535927	38.06	38.06	15.86	15.86	 					
 	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				 	0.0333827								 		
	Subscription, Per Node, Per Query					0.0063698					1	1				,
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
1 1	Account, Per 100 Kilobytes					0.06					1	1				,
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				D 4 D 4 -											,
	Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	DADDO	4 70	0.04	0.01	0.00	0.00	1	1				,
\vdash	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	\vdash	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	-	-	-		-	
	Service Subscription			CAM	BAPES	0.12	9.56	9.56			1					,
ENHANCED F	EXTENDED LINK (EELs)			O/ 11V1	DAI LO	0.12	3.30	3.30								
	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE com	binations prov	isioned as ' C	ordinarily Comb	ined' Network	Elements.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for	UNE combination	ons provisione	d as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	OFFICE TRANSPOR	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

HINDHINE) E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit. A
UNDUNL	JLEI	D NETWORK ELEWENTS - FIORIGA		1		1	1					Cua Ordar	Cvo Ordor	Incremental		Incremental	Incremental
												1					
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGOR	·v	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	(T	RATE ELEMENTS	m	Zone	ВСЗ	0500			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>				-				Manna		Managarini	- Dianamant			222	D-4 (A)		
				-			Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates (\$)	0011411	001141
\vdash		Intereffice Transport Dedicated DC4 combination Dec Mile		-		+		First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5007	0.4050										, !
\vdash		per month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAN	U1TF1	00.44	474.40	400.40	45.04	47.05						1
\vdash		Termination per month		-	UNC1X	MQ1	88.44 146.77	174.46	122.46	45.61	17.95						
		1/0 Channelization System in combination Per Month		-	UNC1X			101.42	71.62	0.00	0.00						
		Voice Grade COCI - Per Month		-	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Foot Additional 2 Miss VC Loop (CL 2) in Combination 7 and 4		1	LINOVA	UEAL2	40.04	407.50	60.54	42.79	2.81						i I
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
																	1
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		Foot Additional Station VC Loop (CL Stip Combination 7000 S	1	3	LINICVAY	LIEALO	20.07	407.50	00.54	40.70	0.04		1		I		1
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2 1D1VG	30.87 1.38	127.59 10.07	60.54	42.79 0.00	2.81 0.00	 	ļ		 		
\vdash		Voice Grade COCI - Per Month		-	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															ł
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX	IEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRI											
				١.			40.00										ł
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
				_		l											ł
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
				_		l											1
\vdash		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
		Per Month			UNC1X	1L5XX	0.1856										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per				l											i I
\vdash		Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
\vdash		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						-
		Additional 4-Wire Analog Voice Grade Loop in same DS1															ł
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											ł
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											ł
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															ł
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						——
EX	IEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIED	DS1 IN	TEROFFICE TRANS	SPURI									-		
		First A Wiss FOlders Birthal Out 1			LINIODY	1101.50									1		l .
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
							0.4 = 0			40 =0							ł
\vdash		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
							== 00			40 =0							ł
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
\vdash		Per Month		1	UNC1X	1L5XX	0.1856					-	ļ		-		
		Interoffice Transport - Dedicated - DS1 - combination Facility				l											ł
\vdash		Termination Per Month		—	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				_		.
\vdash		1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	146.77	101.42	71.62						-		
$\vdash \vdash$		OCU-DP COCI (data) per month (2.4-64kbs)		1	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	-	ļ		-		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	١.	LINIODY	LIDL 50		,					1		I		1
\vdash		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				_		.
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	_						40 ==			1		I		1
\vdash		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				.		-
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1					_				1		1
\vdash		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				_		<u> </u>
		Additional OCU-DP COCI (data) - in combination per month (2.4-	1	1	LINIODY	10100							1		I		1
\Box		64kbs)		<u> </u>	UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00	1	l		1		

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CITECITE	I I I I I I I I I I I I I I I I I I I	I	I		1	1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IXILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
H			-		+		Nonrec	urrina	Nonrecurring	n Diagonnoot		l .	000	Rates (\$)		
-			-		+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Name and the Common State of Materials Flaggers and Contact An		-		+		FIISL	Add I	FIISL	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	LINICOC		0.00	0.00	0.00	0.00						ł
EVE	Is Charge ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN		UNCCC		8.98	8.98	8.98	8.98						
EAI	ENDED 4-WIKE 64 KBFS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DOTIN	TEROFFICE TRAINS	PORT											
	First A Wiss Odd as Bistist Ossils Laws to Ossils are a 7		1	LINODY	LIBLOA	00.00	407.50	00.54	40.70	0.04						, ,
———	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First A Wiss Odd as Bistist Ossils Laws to Ossils are a 7000		2	LINODY	LIBLOA	04.50	407.50	00.54	40.70	0.04						1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	-	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First A Wiss Odd as Bistist Ossils Laws to Ossils are a 7000			LINODY	LIBLOA	55.00	407.50	00.54	40.70	0.04						ł
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
\vdash	Per Month	.	-	UNC1X	1L5XX	0.1856								_		<u> </u>
	interoffice Transport - Dedicated - DS1 combination - Facility															1
\vdash	Termination Per Month	ļ	L	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				ļ		ļ
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						1
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						1
	Nonrecurring Currently Combined Network Elements Switch -As-															(T
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						, !
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						(T
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ł
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	0	00.11		122.10	10.01	11.00		1				(
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						1
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER				0.00	0.00	0.00	0.00				1		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 1	1	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45			 	†		1
\vdash	First DS1Loop in Combination - Zone 3	-		UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	-	 	 	t		
\vdash	Interoffice Transport - Dedicated - DS3 combination - Per Mile	l -	Ť			1.0.00	20	.202	J44		†	l		<u> </u>		
1 1	Per Month	l	1	UNC3X	1L5XX	3.87				1	l	1	1	1		1
\vdash	Interoffice Transport - Dedicated - DS3 - Facility Termination per	 	t	5.100/	TEO///	5.07					†	 		t		
1 1	month	1	1	UNC3X	U1TF3	1.071.00	314.45	130.88	38.60	18.23	1	1		I		1
\vdash	3/1Channel System in combination per month	 	 	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	 	l		 		
 	DS1 COCI in combination per month	 	 	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	 	l		 		
\vdash	Additional DS1Loop in DS3 Interoffice Transport Combination -	 	 	ONOIA	CIDI	13.76	10.07	1.00	0.00	0.00	 	l		 		
	Zone 1	l	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	l	1	1	1		1
\vdash	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	- '-	OIVOIA	JJLAA	70.74	211.13	121.02	31.44	14.40	-		 	+		
1 1	Zone 2	1	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	1	1		I		1
\vdash		-	_	UNUIA	USLAA	100.54	211.75	121.02	31.44	14.45		-		 		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	l	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45				1		1
\vdash	Zone 3	 	3		USLXX UC1D1									 		
\vdash	Additional DS1 COCI in combination per month	 	-	UNC1X	UCIDI	13.76	10.07	7.08	0.00	0.00				 		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICOV	LINICOC		0.00	0.00	0.00	0.00				1		1
<u> </u>	Is Charge		<u> </u>	UNC3X	UNCCC		8.98	8.98	8.98	8.98		ļ	 	-		
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD				10.0	/0==-					ļ	 	-		
\vdash	2-WireVG Loop in combination - Zone 1	ļ		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		ļ	 	-		
\vdash	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		ļ				
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		l		l		

UNBL	NDLE	D NETWORK ELEMENTS - Florida				<u> </u>			-		-	-	-	Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			1					
OAIL		TOTAL ELEMENTO	m	20110	500	0000			ππι Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			 		1	1	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)	l	<u> </u>
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				1		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility			O. COTA	120701	0.0001										
		Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-										İ					
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE								İ					
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81	i e					
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per				1											
	l	Month		1	UNCVX	1L5XX	0.0091					1	1				
	Ì	Interoffice Transport - 4-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
						1											
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-	•														
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													ļ
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						ļ
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	l	Interoffice Transport - Dedicated - DS1 combination - per mile		1	l .							1	1				
		per month			UNC1X	1L5XX	0.1856										ļ
		Interoffice Transport - Dedicated - DS1 combination - Facility				l											
		Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ļ
		1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	101.42	71.62								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						ļ
	l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1 .	LINICALY	U1L2X	10.00	407.50	20.00	40.70	0.01	1	1				
	-	Combination - Zone 1	-	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	-					
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	LINIONIN	1141.01/	07.40	407.50	00.00	40.70	0.04						
	-	Combination - Zone 2			UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	-					
	l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
-	-		-	3	OINCINA	UILZX	48.62	127.59	00.00	42.79	∠.81	1		-	-	-	
	l	Additional 2-wire ISDN COCI (BRITE) - in combination- per			UNCNX	UC1CA	3.66	10.07	7.00	0.00	0.00						
_	 	month Nonrecurring Currently Combined Network Elements Switch -As-	-	+	ONCINA	UCTCA	3.00	10.07	7.08	0.00	0.00	1		-			
	l	Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98	1	1				
	EYTEN	IS Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	_1 INTE	5			8.98	8.98	8.98	8.98	}	-	 	 	 	
	LAIEN	First DS1 Loop Combination - Zone 1	_ 313	-1 IN I E	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	 	-				
-	-	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	+		 	 		
	1	First DS1 Loop Combination - Zone 3	 	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1	-	1	1	 	1
<u> </u>	l	I har bo i coop combination - 2016 3		J	OIVOIA	UGLAA	170.39	211.15	121.02	31.44	14.45	L	l .	1	1	l	

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
0.1.2				1		1	1					Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OA!L		KATE EEEMERTO	m		500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	urring	Nonrecurring	Disconnect	 	l	oss	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile							71441		71441	0020					
		Per Month			UNCSX	1L5XX	3.87										ĺ
		Interoffice Transport - Dedicated - STS-1 combination - Facility			0.100/1	120701	0.07										
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		3/1 Channel System in combination per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
		DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						ĺ
		Additional DS1Loop in the same STS-1 Interoffice Transport				1											
		Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	i	DS1 COCI in combination per month		1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1		1				1					İ	İ	
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	EROFF													
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	i	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				1											
		Per Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -								ĺ						Î	
		Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	i	Nonrecurring Currently Combined Network Elements Switch -As-		1													
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT	EROFF	ICE TRANSPORT												
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w													
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
1	1	First Interoffice Transport - Dedicated - DS1 combination - Per	1									1	1		I		1
		Mile			UNC1X	1L5XX	0.1856										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	101.42	71.62								
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
<u> </u>	ļ	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				-		
<u> </u>	!	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	ļ	ļ		-	ļ	├
1	1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	Ι.,	1,10,0,0/	LIENIO	40.01	407.50	00 = 1	40 =0	0.01	1	1		I		1
<u> </u>	!	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	ļ	ļ		-	ļ	├
1	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	2	LINGVO	LIEALO	47.40	407.50	00.54	40.70	0.01	1	1		I		1
\vdash	 	Interoffice Transport Combination - Zone 2		- 2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81				 		
1	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	1	1		I		1
<u> </u>	 	Interoffice Transport Combination - Zone 3 Each Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	1.38	127.59	7.08	0.00	0.00				 		
—	 	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	 	ONOVA	טיוטו	1.38	10.07	1.08	0.00	0.00	 	-			-	
1	1	Channel System per month			UNC1X	1L5XX	0.1856					1	1		I		1
<u> </u>	 	Each Additional DS1 Interoffice Channel Facility Termination in		 	OINCIA	ILOAA	0.1000								+		
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				1		1
<u> </u>	 	Each Additional DS1 COCI combination per month		 	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00		-				
	1	Lacit Additional Do Foods combination per month		1	ONOIN	וחוסטו	13.70	10.07	7.08	0.00	0.00	l	l		1	1	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					-		N		T. N	B'		l		D-1 (A)		
—						Rec	Nonrec			Disconnect	001150	001441		Rates (\$)	0011411	001441
	Nonrecurring Currently Combined Network Elements Switch -As-				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						i
EXTEN	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	ICF TR				0.90	0.30	0.30	0.30						
	First 4-Wire Analog Voice Grade Local Loop in Combination -				1											
	Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -															i
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						l
	First 4-Wire Analog Voice Grade Local Loop in Combination -															i
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															ł
\vdash	Mile Per Month			UNC1X	1L5XX	0.1856			 							
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						ı
\vdash	Per each 1/0 Channel System in combination Per Month	-	\vdash	UNC1X UNC1X	MQ1	146.77	174.46	71.62	45.61	17.95		-		-		
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	101.42	71.02	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1					0.00						i e
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						i
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						i .
	Additional 4-Wire Analog Voice Grade Loop in same DS1															i
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i
-	Channel System per month			UNC1X	1L5XX	0.1856			1							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						i
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	1.50	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						i
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/												i
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															i
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															í
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		3	LINODY	1101 50	55.00	407.50	00.54	40.70	0.04						ł
-	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Mile Per Month			UNC1X	1L5XX	0.1856										ı
	First Interoffice Transport - Dedicated - DS1 - combination	t			. 20, 51	3.1000			†		†			1		1
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1				1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								i
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						i
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						i
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		l . l									1				1
\vdash	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		 		 		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	21 56	127.59	60.54	42.79	2.04						i
\vdash	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-		OIACDV	UDLOB	31.56	127.59	60.54	42.79	2.81		-		-		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						ı
	OCU-DP COCI (data) COCI in combination per month (2.4-	l	Ť		0000	00.00	127.00	00.04	72.13	2.01				1		1
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						ı
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1								- /-	İ					i
	Channel System per month	<u></u>	<u>L</u>	UNC1X	1L5XX	0.1856			<u></u>							<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in												_		_	i
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		ļ		ļ		1
	Each Additional DS1 COCI in the same 3/1 channel system			LINIOAY	11045											1
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	l	l				

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
ONDONDE					T						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
\perp						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT W/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
\vdash	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- 1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODX	ODLO4	31.50	127.55	00.54	42.73	2.01						
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		_													
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1								40.00							
	Interoffice Transport Combination - Zone 1	-	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
\vdash	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
—	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	ONODX	ODLOT	55.55	127.55	00.54	42.73	2.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.1027		2.10	10.01	7.00	0.00	0.00						
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	≺Γw/3/	1 MUX		+									ļ		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	LINCNIV	U1L2X	40.00	407.50	00.00	40.70	0.01						
\vdash	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	1	UNCNX	UTLZX	19.28	127.59	60.60	42.79	2.81	-	-			-	-
	Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		1				
 	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		OI TOTAL	JILZA	21.40	121.39	00.00	42.19	2.01				 		
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť			.5.02	.200	22.00	.2.70	2.01				İ		
	Mile per month			UNC1X	1L5XX	0.1856						1				
	First Interoffice Transport - Dedicated - DS1 combination -													1		
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	101.42	71.62		•						
																l
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
\vdash	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				ļ		
\vdash	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINONIV	1141.054	40.00	407.50	00.00	40.70	0.01		1				
\vdash	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				 		-
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
\vdash	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 		OINOINA	UILZA	21.40	127.59	00.00	42.19	2.01	-	 		 		
1 1	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		_	0014/		70.02	127.00	00.00	72.13	2.01						
1 1	system combination- per month	I	1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00		l		I		l

LINBLINDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	nit: Δ
CHECHEL			1		1	I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
OATE CORT	KATE EEEMENTO	m		500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			 		+		Nonred	rurring	Nonrecurring	Disconnect		l .	220	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1				+		11100	Addi	11130	Auu	COME	COMPAR	COMPAR	COMPAR	OOMAN	- COMPAR
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120/01	0.1000						1				
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	00.44	17-1-10	122.40	40.01	17.00						
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	15.70	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EYTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANG	PORT		ONCCC		0.30	0.30	0.30	0.30						
EXIL	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	11171111	1 1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Legal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
 	First Interoffice Transport - Dedicated - DS1 combination - Per		-	CHOIN	JOLAA	170.39	211.13	121.02	31.44	14.43						
	Mile Per Month			UNC1X	1L5XX	0.1856					1	1				
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	 	 	014017	ILUAA	0.1000					-					
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	3/1 Channel System in combination per month		1	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI combination per month	-	-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	-	-				
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	-	UNCIA	OCIDI	13.70	10.07	7.00	0.00	0.00	-	-				
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in		-	UNCIX	ILSXX	0.1856										
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
	Each Additional DS1 COCI in the same 3/1 channel system		-	UNCIX	UTIFT	88.44	174.46	122.46	45.61	17.95						
				LINICAV	UC1D1	40.70	40.07	7.08	0.00	0.00						
	combination per month		-	UNC1X	UCIDI	13.76	10.07	7.00	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.,	LINIOAN	1101.707	70.74	047.75	101.00	54.44	44.45						
	1	-	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	LINICAV	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4 Wins DC4 Digital Level Level in Countries 7	-		UNC1X	USLAA	100.54	217.75	121.02	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	LINIOAN	1101.707	470.00	047.75	101.00	54.44	44.45						
	Newscaries Committee Committee of Florida Committee Comm	-	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAN			0.00	0.00	0.00	0.00						
EVE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NITEDO		UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXIE		NIERO	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
—	First 4-wire 56 kbps Local Loop in combination - Zone 1	-														
—	First 4-wire 56 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
—	First 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			UNCDX	1L5XX	0.0091										
—	per month	-	-	UNCDX	ILSXX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINCDY	U1TD5	18.44	94.70	52.59	50.49	04.50						
	Termination per month	-	-	UNCDX	לעווט	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	UNCCC		0.00	0.00	0.00	8.98						
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDA	EEICE :	UNCDX	UNCCC		8.98	8.98	8.98	8.98		-				
EVIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKU	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
			2			31.56				2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64 UDL64	55.99	127.59 127.59	60.54	42.79	2.81						
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			LINCDY	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	-	-	UNCDX	ILDAX	0.0091					 					
				LINCDY	LIATEC	40.44	04.70	50.50	50.40	04.50	1	1				
\vdash	Termination per month	-	-	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICCO		0.00	0.00	0.00	0.00	1	1				
A DDITION: 41	Is Charge	-	-	UNCDX	UNCCC		8.98	8.98	8.98	8.98	-	ļ				
	NETWORK ELEMENTS	ma sh		not onnir but - 0	witch A- I-	horae dana a	ds.				-	ļ				
	used as a part of a currently combined facility, the non-recurr										-	ļ				
	used as ordinarily combined network elements in All States, the					AS IS Charge of	ioes not.				-	ļ				
Nonre	curring Currently Combined Network Elements "Switch As Is"		(One a	ipplies to each com	pination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCVY	LINICCO		0.00	0.00	8.98	8.98	1	1				
	Is Charge - 2 wire/4-Wire VG	<u> </u>	<u> </u>	UNCVX	UNCCC		8.98	8.98	8.98	8.98	L	l		l		

ATTECHN RATE BLEMENTS INSIGN BOS USOC RATES (\$) RATE BLEMENTS (\$) RA	UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATTERLEMENTS RATE ELEMENTS RATE SUBMINIST RATE SUBM													Svc Order	Svc Order				
CATEGORY BATE R.EMENTS Interest Inte																		
ATTEMPT SATE ELEMENTS IN PARTS (1) P																		
Bright B	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
Part				m						.,			per Lor	per Lor				
Non-couring Currenty Contributed Newark Elements Seatch - No-																		
No. No.																	DISC 1St	DISC Add I
Noncouring Customly Common Networks instructs Satistive Apr UNCDX NUCCC Mode								Poc	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
Name								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Norsectoring Currently Continued Network Elements Switch - Apr No. Co.																		
In Charge Charge		ļ				UNCDX	UNCCC		8.98	8.98	8.98	8.98						
Noncocining Currently Cortisioned Network Exernation Shallon And Inches Nacional Control Nacional Cont																		
Is Change, DSS	-	1			<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98						
Noncestanting Controlled National Control of the						I INIC3V	LINICCC		9.09	9.09	9.09	9.09						
Schurge - ST91 UNCSX		1			1	UNCSA	UNCCC		0.90	0.90	0.90	0.90	1			1		
Optional Features & Functiones:						UNCSX	UNCCC		8 98	8 98	8 98	8 98						
Claser Channel Capabelly, Estended Frame Option - per DS1		Option			<u> </u>	01100/1	CHOOC		0.00	0.00	0.50	0.50						
Clear Channel Capability Super FrameOption _ par DS1					1	U1TD1.												
Clear Channel Capability Super FrameOption _ par DS1			Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	01	OI	OI						
Clear Channel Capability (SFESF) Option - Subsequent 1 NUCTIX NRCCC 184.525 22.825 2075 0.8		1	, , , , , , , , , , , , , , , , , , , ,			U1TD1,												
Activity - per DS1				- 1		ULDD1,UNC1X	CCOSF		01	01	OI	OI						
C-BB Parity Option - Subsequent Activity - per DBS			Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
C-bit Parky Option - Subsequent Anniby - per DS3 1 US3, UNC3X NRCC3 219,095 7,78 0,773 0.00 0.00			Activity - per DS1	- 1			NRCCC		184.92S	23.82S	2.07S	0.8S						
MUTPLEERER																		
OSH to OSD Channel System per month				i		UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0S						
OCU-DP CODI (class) - DST to DSD Channel System - per month LPCA State LP		MULTI				1000			101.10	=1.00								
month (2.4-4-bids) used for a Local Loop		1				UNC1X	MQ1	146.77	101.42	/1.62								
COLUPP COCI (data) - DS1 to DS0 Channel System - per month (Local Channel in the same SWC as cellocation Local Channel in the same SWC as cellocation Local						LIDI	4D4DD	0.40	40.07	7.00								
month (2.4-64(s)) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD 1D1DD 2.10 10.07 7.08 0.00 0.00		1			<u> </u>	UDL	טטוטו	2.10	10.07	7.08	 		-			-		
Local Channel in the same SWC as collocation																		
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel with the same SWC as collocation UTUL						U1TUD	1D1DD	2 10	10.07	7.08	0.00	0.00						
month for a Local Loop Local Charmer System - per month Local Channel						01102		20	10.01	7.00	0.00	0.00						
2-wire ISDN COCI (BRITE) - DSI to DSO Channel System-per month used for connection to a channelized DSI Local Channel in the same SWC as collocation UTUB UCICA 3.66 10.07 7.08 0.00 0						UDN	UC1CA	3.66	10.07	7.08								
In the same SWC as collocation																		
Voice Grade COCI - DST to DS0 Channel System - per month UEA 101VG 1.38 10.07 7.08			month used for connection to a channelized DS1 Local Channel															
Used for a Local Loop						U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
Vicice Grade COCT - DS1 to DS0 Channel System - per month used for connection to a channel system of the connection to a channel system per month unit of the same SWC as collocation in																		
Same SVC as collocation to a channelized DS1 Local Channel in the same SVC as collocation U1TUC D1VG 1.38 10.07 7.08 0.00 0.00						UEA	1D1VG	1.38	10.07	7.08								
Same SWC as collocation																		
DS3 to DS1 Channel System per month						14710	4541/0	4.00	40.07	7.00	0.00	0.00						
STS-1 to DS1 Channel System per month		ļ																
DSI COCI used with Loop per month USL UCID1 13.76 10.07 7.08	-	1											-			-		
DST COCI (used for connection to a channelized DST Local Channel in the same SWC as collocation) per month		1			1							39.07	1			1		
Channel in the same SWC as collocation) per month		1			<u> </u>	OOL	OCIDI	13.70	10.07	7.00			-					
DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 13.76 10.07 7.08 0.00 0						U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 13.76 10.07 7.08 0.00					1													
MONTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES)		1		1	i i					1.50	2.30	1.30				1	1	1
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRL 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Display Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended Display Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAS 1.40 3.74 3.63 1.88 1.80			month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRL 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPSR UEPAR 1.40 3.74 3.63 1.88 1.80	UNBU																	
2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPSR UEPAP 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPSR UEPAI 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended UEPSR UEPAI 1.40 3.74 3.63 1.88 1.80																		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.				KY, LA	& TN, tl	ne desired features	will need to b	e ordered usir	ng retail USOC	s	ļ					ļ		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.40 3.74 3.63 1.88 1.80 UEPSR UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80	<u> </u>	2-WIRE		1	<u> </u>	LIEDOD	HEDD:			2			1				ļ	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended	<u> </u>	<u> </u>	Exchange Ports - 2-Wire Analog Line Port- Res.		!	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		 		 	 	
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG unbundled Florida extended Exchange Ports - 2-Wire VG unbundled Florida extended			Evolvango Borte, 2 Wiro Analog Line Bort with Caller ID, Bort			LIEDOD	LIEDDO	1.40	274	3.00	4.00	1.00				1		
Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80	 	1	Livinange Fulls - 2-vville Analog Line Port with Caller ID - Res.	-	 	ULFOR	UEFKU	1.40	3.74	3.03	1.88	1.80	-	-		 	-	
Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. UEPSR UEPAF 1.40 3.74 3.63 1.88 1.80	1		Exchange Ports - 2-Wire Analog Line Port outgoing only - Pes			LIEPSR	LIEPRO	1.40	3.74	3 63	1 22	1.80		1		I		
Caller ID - Res.	\vdash	 		-	t	OLI OIX	JLI INO	1.40	3.74	3.03	1.00	1.00	-	-		t		
Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended	1					UEPSR	UEPAF	1 40	3 74	3 63	1.88	1.80		1		I		
Calling Plan, without Caller ID capability UEPSR UEPA9 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended		1			1				0.74	5.50	50					<u> </u>		
Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID UEPSR UEPA1 1.40 3.74 3.63 1.88 1.80 Exchange Ports - 2-Wire VG unbundled Florida extended						UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80				1		
Exchange Ports - 2-Wire VG unbundled Florida extended		1			1													
Exchange Ports - 2-Wire VG unbundled Florida extended		<u> </u>		<u></u>	<u></u>	UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80					<u></u>	L
dialing port for use with CREX7, without Caller ID capability UEPSR UEPA8 1.40 3.74 3.63 1.88 1.80																		
			dialing port for use with CREX7, without Caller ID capability		I	UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		_	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	E de la Carte Carte de la lacte de la Cart						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						, '
	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSK	UEFAF	1.40	3.74	3.03	1.00	1.00						
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						· '
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.00	1.00						
FEATU				02. O.K	00,100	0.00	0.00	0.00								
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-WIRI	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															<u> </u>
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.		L	UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80				ļ		
	Estado Para OMina Analas III Bura da Cara			LIEDOD	LIEDES											ı
\vdash	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80			 	ļ		
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	4 40	0.74	2.00	4.00	4.00						ı
\vdash	Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID		-	UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		-			-	
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						I
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00						
FEATL				OLI OD	00/100	0.00	0.00	0.00								
1 = 711 0	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)						0.00									
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187						1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						ļ
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPAD	1.40	39.00	10.10	12.33	0.7107						
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						I
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	1.40	00.00	10.10	12.00	0.7107						
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						I
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187						I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187						
	Subsequent Activity		\vdash	UEPSP	USASC	0.00	0.00	0.00								
FEATU		<u> </u>		HEDOD HEDOE	UEPVF	2.26	0.00	0.00				 	-	.		
EVOLU	All Available Vertical Features	-	\vdash	UEPSP UEPSE	UEPVF	2.26	0.00	0.00					-	 		
EXCHA	Exchange Ports - Coin Port	-			+	1.40	3.74	3.63	1.88	1.80	-					
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to c	ircuit switche						ated with 2	wire ISDN r	orts.	 		
	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)							, •apab								
	ANGE PORT RATES										İ		İ			
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit apply t	o the embedo	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tai	riff rates or	a separate ag	reement.		
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports			ve date of this ame	ndment shall			parate agreen	ent or tariff at							
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															. <u></u>
	capability (E:4/1/2004)			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		ļ		ļ		ļ
\vdash	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		\vdash	UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						ļ!
\vdash	All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	0.000	ala cat	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	lition will be 1	torming -1 - d - d	ha Barra E'	la Barress'	New Bueles	Boguest C	2000	
NOTE:	Access to B Channel or D Channel Packet capabilities will be	avalia	ne only	unougn BFK/NeW	Dusiness Re	quest Frocess.	rates for the	раскег сарабі	iiiies will be de	termined via t	ne bona Flo	ie Request/	NEW DUSINES	s Request Pro	vess.	

UNBU	JNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
				I								Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonre	curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l		SOMAN			SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	de Request/	New Busines	Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77						
		Virtual collocation - Special Access & UNE, cross-connect per			LIEBEY LIEBBY	0110414		.==									
	5	DS1			UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
	1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		1							1				I
	1	Locator Capability - Initial Profile Establishment per CLEC per State		1	LIEDEV	LIED4A	0.00	1 900 00		151 40			1				1
	 	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-	+	UEPEX	UEP1A	0.00	1,809.00		151.12		-	-				-
						1											
	1	Locator Capability - Subsequent Profile Changes, Additions, Deletions		1	UEPEX	UEP1B	0.00	175.66					1				I
	Maur an	Additional PRI Telephone Numbers		-	UEPEX	UEPIB	0.00	1/5.00				-					
	new or	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				-						-					
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
	1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLILX	OLI IO	0.0033	0.5412				1					
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
	<u> </u>	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLI LX	OLI ID	0.0033	12.71	12.71			-					
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.5412									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			OLI DX	OLI IL	0.00	0.0412				1					
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	FACE (Provsioning Only)										İ					
	İ	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	İ	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00					ĺ	ĺ		
	New or	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48						ĺ	ĺ		
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00										
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
	<u> </u>	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	15.48			ļ			ļ	ļ	ļ	
	CALL 1					 					ļ			ļ	ļ	ļ	
	<u> </u>	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	<u> </u>	Outward		L	UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way	<u> </u>	—	UEPEX	PR7CC	0.00	0.00	0.00	ļ							
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY		_		+											
	ONBON	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	-	├	UEPVR	UERAC	1.40	0.74	2.22	4.00	1.80	 	-	 	 	 	
	 	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	+	UEPVK	UERAC	1.40	3.74	3.63	1.88	1.80	-		-	-		-
		Unbundled Remote Call Forwarding Conice Lead Calling De-			UEPVR	UERLC	1.40	2.74	3.63	1.00	1 00						1
	 	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res		-	UEPVR	UERTE	1.40	3.74 3.74	3.63	1.88 1.88	1.80 1.80						
	 	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res	-	-	UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80		-	 	 	 	
	Non-Pr	ecurring	-	1	OLF VK	UERIR	1.40	3.74	3.03	1.88	1.80	 	-				
	MOII-RE	Unbundled Remote Call Forwarding Service - Conversion -	 	 		+	 			1	1	 	-	1	1	1	
		Switch-as-is			UEPVR	USAC2		0.102	0.102								1
 	 	Unbundled Remote Call Forwarding Service - Conversion with	H		OLI VIX	JUAUZ		0.102	0.102	1	1	H		 	 	 	
Í		allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
-	LINBUN	DLED REMOTE CALL FORWARDING - Bus	H	 	OLI VIX	JUAGO	 	0.102	0.102	1	 	H		 	 	 	
	3.1001	SEED WELL ONLY ON THE PORT OF		1		t				1		<u> </u>					l
1	1	Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		1				1
	<u> </u>	5			V_1 VD	JL1770	1.70	5.74	5.05	1.00	1.00	<u> </u>	1	1	1	1	L

ONBONDE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
	LED NET WORK ELEMENTS - Florida	Т			1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	KATE ELEMENTO	m	20116	B00	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash		 	1		+		Nonrec	urring	Nonrecurring	Disconnoct	†		088	Rates (\$)		
-		1			1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		1			1		FIISL	Add I	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
-	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1		UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80	1					
-	Unbundled Remote Call Forwarding Service, InterEATA - Bus	1		UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80	1					
\vdash	Unbundled Remote Call Forwarding Service Expanded and			OLI VD	OLIVIIV	1.40	0.7 4	0.00	1.00	1.00						
	Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
Non.	Recurring			OLI VD	OLIVO	1.40	5.74	5.05	1.00	1.00						
Iton	Unbundled Remote Call Forwarding Service - Conversion -	1			+						-					
	Switch-as-is			UEPVB	USAC2		0.102	0.102								
\vdash	Unbundled Remote Call Forwarding Service - Conversion with	t	 	J_1 VD	30,102	 	0.102	0.102		l	H			 		
1 1	allowed change (PIC and LPIC)		1	UEPVB	USACC		0.102	0.102				1				
UNBUNDI EI	D LOCAL SWITCHING, PORT USAGE	 	t	OLI VD	COACC		0.102	0.102			1			 		
	Office Switching (Port Usage)	1			+						-					
Ind	End Office Switching Function, Per MOU	1	 		+	0.0007662								 		
\vdash	End Office Switching Function, Fer MOU End Office Trunk Port - Shared, Per MOU	t	 		1	0.0007662				l	H			 		
Tanc	lem Switching (Port Usage) (Local or Access Tandem)	+	 		1	0.000104					 	l				
Tanu	Tandem Switching Function Per MOU	1			1	0.0001319					1					
-	Tandem Trunk Port - Shared, Per MOU	1			1	0.0001319					1					
	Tandem Switching Function Per MOU (Melded)	+	-		-	0.000233					-	-				
	Tandem Trunk Port - Shared, Per MOU (Melded)	+	-		-	0.000027183					-	-				
	Melded Factor: 20.61% of the Tandem Rate	+	-		-	0.000046434					-	-				
Com	mon Transport	 			1						1					
Com	Common Transport - Per Mile, Per MOU	 			1	0.0000035					1					
	Common Transport - Facilities Termination Per MOU	+	-		-	0.0004372					-	-				
HINDHINDI EL	D PORT/LOOP COMBINATIONS - COST BASED RATES	1			1	0.0004372					1					
	Based Rates are applied where BellSouth is required by FCC at	nd/or St	ato Co	mmission rulo to nr	ovido Unbun	dlad Lacal Swit	tching or Swite	sh Borte			1					
	ures shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Pate F	vhihit					
Fnd	Office and Tandem Switching Usage and Common Transport Us	eane rat	oe in th	a Port section of th	ie rato ovhih	it shall annly to	all combination	one of loon/no	rt network eler	ments except	for UNE Coi	n Port/Loor	Combination	ne .		
	first and additional Port nonrecurring charges apply to Not Curi															
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	I I	I	o dombos. I or our	Tentry Comb	lica combos a	ic nomeounn	g onarges sna	li be those idei	l	I	l	COMBINE S	1		
	Port/Loop Combination Rates				+											
- ONE	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		1	10.94					†	1				
	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		1	15.05					†	1				
\vdash	2-Wire VG Loop/Port Combo - Zone 3		3		+	25.80										
LINE	Loop Rates		Ľ		+	20.00										
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPRX	UEPLX	9.77					†	1				
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRX	UEPLX	13.88					1					
	2-Wire Voice Grade Loop (SL1) - Zone 3	l –	3	UEPRX	UEPLX	24.63								i		
2-Wi	re Voice Grade Line Port Rates (Res)	1	Ť			250				 				i		
<u> </u>	2-Wire voice unbundled port - residence	1	t	UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37				i		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with earlier is res	l –	t	UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37				i		
	and an area per cargoning only 100	1	t		2 1.0	,	33.51	20.70	250	3.57				i		
1 1	2-Wire voice unbundled Florida Area Calling with Caller ID - res		1	UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		1				
\vdash	2-Wire voice unbundles res, low usage line port with Caller ID	1	t		1	,	33.51	20.70	250	3.57				i		
1 1	(LUM)		1	UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37		1				
\vdash	2-Wire voice unbundled Florida extended dialing with Caller ID	1	t	UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37				i		
	2-Wire voice unbundled Florida extended dialing port without			02.100	02.7		00.01	20:10	27.00	0.01						
1 1	Caller ID capability		1	UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37		1				
\vdash	2-Wire voice unbundled Florida Area Calling Port without Caller	1	t		1	,	33.51	20.70	250	3.57				i		
1 1	ID Capability		1	UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37		1				
1 1	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	t		32	,	55.51	20.70	27.50	5.57				i		
		1	1	UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		1				
\vdash	ICapability ICapability							20.70	27.50	0.01						
	Capability FURES															
FEAT	TURES					2.26	0.00	0.00								
	FURES All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00								
	TURES					2.26	0.00	0.00								

CATEGORY RATE ELEMENTS Interior m	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ATE BLEMOTS None BCS USOC PATES () Charge C		2 2 2 12 12 12 12 12 12 12 12 12 12 12 1										Svc Order	Svc Order				
ATTECOMY RATE ELEMENTS PROC. RATE OF PROC. RATE												1					
CATEGORY MATE ELEMENTS																	
Non-territy December Decemb	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part Part			m						.,,			per Lor	per Lor				
Rec																	
March Marc														151	Auu	DISC 1St	DISC Add I
Difference Dif							Poc	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Selection-as-in Selection-as-in Selection Sele							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sylvier Vace Crade Locy Law Part Combination - Orientation -		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
South-with change UEPOX USACC 0.102					UEPRX	USAC2		0.102	0.102								
ADDITIONAL NICE STATEMENT OF CONTROL CONTR																	
SWING VISIO CORPORATION TO CONSTRUCT OF THE ADMITSTANCE AND CONTROL OF THE ADMITSTANCE AND					UEPRX	USACC		0.102	0.102								
Activity Disconfined Miscellamens Pare Element, Tag Loop of End User USPAS USAS 0.00 0.0	ADDI																
Unburded Miscolamous Rate Earment, Tig. Local or End User Permiss					LIEDDY	110400	0.00	0.00	0.00								l
Pierrise	-			-	UEPRX	USAS2	0.00	0.00	0.00								
Comparison Com					LIEDDY	LIDETI		0.00	0.00								
2 Wine Ansato Valor Grade Extension Loop - Not-Design 1 UEPRX UEARN 10.69 49.77 22.83 25.62 6.57	OFF/				UEPKX	UKEIL		8.33	0.83								—
2 Ween Analog Votor Goade Extransic Logs — Non-Design 2 EPPEX UEARN 15.00 49.57 22.83 26.00 6.07	OFF/C			1	LIEDDV	LIEAEN	10.60	40 F7	22.02	25.62	6.57	-					-
2 Wine Analog Voice Grade Exmansion Log — Non-Design 3 UPPRX UPARN 26.07 49.57 22.83 25.62 6.57	 		H	<u> </u>								H			 	l	
2 Wire Analog Votes Grade Exmens Loop - Design	 														 		
2 Wire Anabag Vince Grant Enternation Loop — Design 2 LEPRX UEAED 17.40 185.76 82.47 83.53 12.01	 		H	1								H			 	l	
EVERY AND VISION OF CONTROL TO PURPORT 1 1 1 1 1 1 1 1 1	 		-	2								-	-		 		
Interest Francisco Description Descrip			†	_								 	 				—
Interdifice Transport - Dedicated - 2 Wier Vaice Grade - Part Met	INTER			Ť	101	327.22	33.07	.00.70	32.47	55.00	.2.01				i		
Termination USPRX UTIV2 25.32 47.35 31.76																	
Output Company Compa					UEPRX	U1TV2	25.32	47.35	31.78								
Output Company Compa		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
UNR PortLoop Combination Rates					UEPRX	U1TVM	0.0091	0.00	0.00								
2-Wire VG LoopProt Combo - Zone 1	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
2-Wire VG LoopProt Combo - Zone 3 3 258.0	UNE F	Port/Loop Combination Rates															
2-Wire Voto Grade Loop (SL1) - Zone 3 3 UEPBX UEPLX 9.77				1													
Net Loop Rates				_													
2-Wire Voice Grade Loop (SL1) - Zone 1				3			25.80										
2-Wire Voice Grade Lopp (SLT) - Zone 2	UNE I					<u> </u>											
2-Wire Voice Grade Long (St.1) - Zone 3 3 UEPBX UEPLX 24.63																	
2-Wire voice Orade Line Port (Bus)	ļļ																
2-Wire voice unbundled port without Caller IP- bus UEPBX UEPBX UEPBC 1.17 53.31 26.46 27.50 8.37	0.14/			3	UEPBX	UEPLX	24.63										
2-Wire voice unbundled port with Caller + E484 ID - bus UEPBX UEPBC 1.17 53.31 28.46 27.50 8.37	2-Wire				HEDDY	LIEDDI	4.47	F0 04	00.40	07.50	0.07						
2-Wire voice unbundled port outgoing only - bus UEPBX UEPBO 1.17 53.31 26.46 27.50 8.37												-					
2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled incoming Only port without Caller ID 2-Wire voice unbundled incoming Only Port without Caller ID 2-Wire voice unbundled incoming Only Port without Caller ID 2-Wire voice unbundled incoming Only Port without Caller ID 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Loop / Line Port Combination - Subsequent 2-Wire Voice Grade Extension Loop - Non-Design 2-Wire Voice Grade Extension Loop - Non-Design 2-Wire Voice Grade Extension Loop - Non-Design 2-Wire Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Voice Grade Extension Loop - Non-Design 3-Wire Nation Vo												-					-
2-Wire voice unbundled Incoming Only Port without Caller ID UEPBX UEPBE 1.17 53.31 26.46 27.50 8.37																	
Capability UEPBX UEPBK UEPBK 1.17 53.31 26.46 27.50 8.37					OLI DX	OLIDI	1.17	33.31	20.40	21.50	0.57	-					
LOCAL NUMBER PORTABILITY					LIFPRX	LIEPBE	1 17	53 31	26 46	27 50	8.37						
Local Number Portability (1 per port)	LOCA				02. 2/	02. 52		00.01	20.10	21.00	0.01						
FEATURES					UEPBX	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEAT																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00								
Switch-as-is	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change																	
Switch with change UEPBX USACC 0.102		Switch-as-is			UEPBX	USAC2		0.102	0.102								
ADDITIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPBX USAS2 0.00																	
2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPBX					UEPBX	USACC		0.102	0.102								
Activity	ADDI																
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPBX																	
Premise					UEPBX	USAS2		0.00	0.00								
OFF/ON PREMISES EXTENSION CHANNELS	1 1				HEDDY	LIDET:							1				1
2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UEPBX UEAEN 10.69 49.57 22.83 25.62 6.57	0551			-	UEPBX	UKETL		8.33	0.83				 		 	 	
2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPBX UEAEN 15.20 49.57 22.83 25.62 6.57	OFF/C		-	4	LIEDDY	LIEAENI	40.00	40.57	20.00	05.00	0.57	1			 	-	
2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 26.97 49.57 22.83 25.62 6.57 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPBX UEAED 12.24 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 17.40 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01 3 UEPBX UEAED 30.87 30	\vdash		-									1			 	-	
2 Wire Analog Voice Grade Extension Loop – Design 1 UEPBX UEAED 12.24 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop – Design 2 UEPBX UEAED 17.40 135.75 82.47 63.53 12.01 2 Wire Analog Voice Grade Extension Loop – Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01	\vdash		-	_								1			 	-	
2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 17.40 135.75 82.47 63.53 12.01	\vdash		-	Ŭ								-	-	-		-	
2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 30.87 135.75 82.47 63.53 12.01	\vdash		-										 		 	 	
	 		-	_								-	-		 		
	INTER				OLI DA	JEALD	30.07	155.75	02.47	00.00	12.01				 		

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental		
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	25.32	47.35	31.78								ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates		L .			10.01										
\vdash	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE	Loop Rates			LIEDDO	LIEDLY	0.77										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1 2	UEPRG UEPRG	UEPLX UEPLX	9.77 13.88										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2	 														
0.14	2-Wire Voice Grade Loop (SL 1) - Zone 3	!	3	UEPRG	UEPLX	24.63					 	ļ		 	-	
2-1/1	ire Voice Grade Line Port Rates (RES - PBX)	!	 	 	_						 	ļ		 	-	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1		UEPRG	UEPRD	1.17	474.01	400.0=	75.00	10 =0		1				
1.00	1100			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73						
LOC	AL NUMBER PORTABILITY			LIEDDO	LNDOD	0.45	0.00	0.00								
FEA	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES			LIEDDO	LIED)/E	0.00	0.00	0.00								
NO.	All Features Offered	1	1	UEPRG	UEPVF	2.26	0.00	0.00								├
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED				_						-					₩
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
\vdash	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	UEPRG	USAC2		8.45	1.91								├
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADE	ITIONAL NRCs			UEPRG	USACC		8.45	1.91			-					
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	<u> </u>								1					1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
\vdash	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	<u> </u>	OLFKG	03A32	0.00	0.00	0.00			1					1
	Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			1	+		7.00	7.00						1		-
	Premise			UEPRG	URETL		8.33	0.83								
OFF	/ON PREMISES EXTENSION CHANNELS			OLFKG	UNLIL		0.33	0.03						1		-
0.17	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01	1					
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						+
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01	†	1				
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54	1					<u> </u>
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTE	ROFFICE TRANSPORT		Ť													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRG	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															†
	or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00								
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															†
	Port/Loop Combination Rates															†
	2-Wire VG Loop/Port Combo - Zone 1	1	1	İ		10.94								İ		
	2-Wire VG Loop/Port Combo - Zone 2		2	İ		15.05								ĺ		
	2-Wire VG Loop/Port Combo - Zone 3		3	İ		25.80								ĺ		
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24.63										
	ire Voice Grade Line Port Rates (BUS - PBX)															
2-Wi	re voice Grade Line Port Rates (BUS - PBX)															
2-Wi																
2-Wi	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73						
2-Wi	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73						
2-Wi	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus															

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Boo	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	-	Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	LIEDY'S							1		I		1
	1	Discount Room Calling Port		ļ	UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73				-		├
	1.001	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		ļ	UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73				-	ļ	
	LOCAL	NUMBER PORTABILITY		ļ	LIEDDY	LNDCD									-	ļ	
		Local Number Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00								
-	FEATU			-	LIEDDY	LIED) (E	0.00	0.00	0.00								
	NOND	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00			-					
-	NONKI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-													
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	USAC2		0.45	4.04								
	+	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91			-					
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	USACC		0.45	4.04								
	ADDIT	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
	ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
-	+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	UEPPA	USASZ	0.00	0.00	0.00						-		
		Group						7.86	7.86								
	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.00	7.00				1				
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS			02.17	O.K.E.I.E		0.00	0.00								
	0,0	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	1	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
	1	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
	1	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
	1	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.05										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			25.80										
	UNE L	oop Rates		.	LIEDOO	LIEDLY									-	ļ	
	1	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77								-	ļ	
	+	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88						ļ		 	 	
	2 /4/:	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63								 	 	
<u> </u>	∠-wire	Voice Grade Line Ports (COIN)	-	+		+						-	-	-	 		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37				1		1
 	+	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		-	ULFCU	UEPZF	1.17	33.31	20.46	21.50	0.37					-	
	1	(FL)	1		UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37	1	1		I		1
	+	2-Wire Coin 2-Way with Operator Screening and Blocking:		 	OLFOO	OLFFA	1.17	33.31	20.46	21.30	0.37	-			 	1	
1	1	900/976, 1+DDD, 011+, and Local (FL)	1		UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37	1	1		I		1
	+	2-Wire Coin Outward with Operator Screening and 011 Blocking	-	 	02.100	52, 50	1.17	55.51	20.40	21.50	0.37		 		†		—
1	1	(AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37		1		I		1
		[//		<u> </u>	102. 00	OEI IVIV	1.17	00.01	20.70	27.50	0.01	L	L				

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)							Order vs.	
OA!L	30111	KATE EEEMERTO	m	20110	200	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+	1	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)	I.	-
	1					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire Coin Outward with Operator Screening and Blocking:				+		11100	Addi	11100	Addi	COME	COMPAR	COMPAN	COMPAN	COMPAN	COMPAR
		900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	1	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLI OI	1.17	33.31	20.40	27.50	0.57						
		900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37						
-	+	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37						
-	+	2-Wire Coin Outward Smartline with 900/976 (all states except			OLFCO	OLFCK	1.17	33.31	20.40	21.30	0.37						
		I A)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
-	ADDIT	IONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFCK	1.17	33.31	20.40	27.30	0.37						
-	ADDIT	UNE Coin Port/Loop Combo Usage (Flat Rate)	-	-	UEPCO	URECU	1.86	0.00	0.00	0.00	0.00	-	-				
-	LOCAL	NUMBER PORTABILITY	-	-	OLFCO	UKLCO	1.00	0.00	0.00	0.00	0.00	-	-				
-	LUCAL	Local Number Portability (1 per port)	-	-	UEPCO	LNPCX	0.35					-	-				
-	NOND	ECURRING CHARGES - CURRENTLY COMBINED	-	-	UEPCO	LINPUX	0.33					-	-				
—	NONKI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	 		+					-	-	-				
					UEPCO	USAC2		0.102	0.102								
—	+	Switch-as-is	 	-	ULFCO	USAU2		0.102	0.102								
1		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEDCO	LIEACO		0.400	0.400			1	1				
-	ADDIT	Switch with change	-	-	UEPCO	USACC		0.102	0.102								
-	ADDIT	IONAL NRCs	-	-		+											
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPCO	USAS2		0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	<u> </u>		UEPCO	URETL		8.33	0.83								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)	_											
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		_	13.64										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFR	1L5XX	0.0091										
	FEATU	IRES															
		All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00						Î		
	LOCAL	NUMBER PORTABILITY													Î		
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
1		Combination - Conversion - Switch-as-is	l		UEPFR	USAC2		16.97	3.73								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
1		Combination - Conversion - Switch-With-Change	l		UEPFR	USACC		16.97	3.73								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise	l		UEPFR	URETN		11.21	1.10								
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (İ						1			İ		
		ort/Loop Combination Rates	_ · ·	1	.,	İ						1			İ		
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.64					İ			İ		
	t	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	i	2		1	18.80			i	İ				i	i	
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		†	32.27								i	 	
	1	1= 5 Ecopito Transporti est Combo Zono C	1				VL.21					1			1	l	

UNBUN	DLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
	Ī		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m									per LSK	per LSK			Electronic-	
														Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonred	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)	<u> </u>	
—				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NF Lo	op Rates		†					71441		71441	0020					00
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87						1				——
2-		/oice Grade Line Port (Bus)		Ť	02.15	020.2	00.01						1				
		2-Wire voice unbundled port without Caller ID - bus		†	UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port with Caller + E484 ID - bus		†	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled port outgoing only - bus		†	UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73						
		2-Wire voice unbundled incoming only port with Caller ID - Bus	-	 	UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						——
1.0		NUMBER PORTABILITY		1	02.15	02. 5.			100.00	70.00	12.70		1				——
<u> </u>		Local Number Portability (1 per port)		1	UEPFB	LNPCX	0.35						1				——
IN		FFICE TRANSPORT	l -	t	02.10	241 0/	0.00					†	l		†		
<u> </u>		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1									1				——
		Termination	l	1	UEPFB	U1TV2	25.32	47.35	31.78								1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			CELLE	OTTVE	20.02	47.00	01.70								—
		or Fraction Mile			UEPFB	1L5XX	0.0091										1
	EATUR			-	OLFIB	ILJAA	0.0091										<u> </u>
H-1.		All Features Offered		-	UEPFB	UEPVF	2.26	0.00	0.00								<u> </u>
N/		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	OLFIB	OLF VI	2.20	0.00	0.00			-	-				——
100		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	-		-						-	-				——
					UEPFB	USAC2		40.07	0.70								1
		Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	-	UEPFB	USACZ		16.97	3.73			-	-				——
					LIEDED	USACC		40.07	0.70								1 '
		Combination - Conversion - Switch with change		-	UEPFB	USACC		16.97	3.73								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10								1 '
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ODT /		UREIN		11.21	1.10								——
		rt/Loop Combination Rates	LINE	JORT (PBA)												——
U		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										——
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	18.80										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	32.27										
-		op Rates		3			32.21										——
U		2-Wire Voice Grade Loop (SL2) - Zone 1	-	-1	UEPFP	UECF2	12.24					-	-				——
		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFP	UECF2	17.40					-	-				——
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
				3	UEFFF	UECFZ	30.07										
	wire v	/oice Grade Line Port Rates (BUS - PBX)		-		+											
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						1
-		Line Side Unbundled Combination 2-way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		-	UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73						
-			-	-	UEPFP	UEPPO UEPP1	1.40	174.81	100.65	75.88	12.73						
-		Line Side Unbundled Incoming PBX Trunk Port - Bus	-	-													
		2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
\vdash		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	-	UEPFP UEPFP	UEPXA	1.40 1.40	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	-				174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPFP UEPFP	UEPXC	1.40 1.40	174.81 174.81	100.65 100.65	75.88	12.73 12.73						
-			-	-	UEPFP	UEPAD	1.40	174.81	100.05	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDED	LIEDVE	4.40	474.04	400.05	75.00	10.70						1
\vdash		Capable Port	 	-	UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73	-	ļ		 		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDVI	4.40	474.04	400.05	75.00	10.70						1
\vdash		Administrative Calling Port	ļ	<u> </u>	UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73		ļ		-		——
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l	1	LIEDED	LIEDVA		474.04	400.00	75.00	40 =0						1
\vdash		Room Calling Port	ļ	-	UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73	-					
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1	LIEDED	LIEDY'S		.=				1	1				1
\vdash		Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73		ļ				
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	<u> </u>	UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73						
L		NUMBER PORTABILITY	ļ	!	L	1						ļ					——
		Local Number Portability (1 per port)	ļ	!	UEPFP	LNPCP	3.15	0.00	0.00			ļ					 '
IN		FFICE TRANSPORT	ļ	!	L							ļ					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1	l	l			l .]		l	1		1		, '
1 1	ľ	Termination	l	1	UEPFP	U1TV2	25.32	47.35	31.78								

0112011		NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	bit: A
		The state of the s										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec	urring		g Disconnect				Rates (\$)		
\vdash							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	li	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
\vdash		or Fraction Mile			UEPFP	1L5XX	0.0091										
F	EATUR																
\vdash		All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						40.00									
\vdash		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED			40.07	0.70								
\vdash		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	LIEDED	LIDETN		44.04	4.40			1	1				
LIMPUND		End User Premise		-	UEPFP	URETN		11.21	1.10		-				-		
		ORT/LOOP COMBINATIONS - COST BASED RATES VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT	-		1							-			-	
		rt/Loop Combination Rates	FURI	-		1					-		 		-		-
H-0		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1		1	20.95				-	-	 		 		
-		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2		1	26.11										
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	39.58				1	-			 		1
 		pp Rates		3		 	39.30				 						
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										1
+-+		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
U	NE Por			Ŭ	OLI I X	0200.	00.07										
1		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29								
N		CURRING CHARGES - CURRENTLY COMBINED					4.1.1										
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1		7.85	1.87								
	2	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															ĺ
	v	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
A	DDITIO	NAL NRCs															ĺ
	2	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	l	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPPX	URETN		11.21	1.10								
T/		ne Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group															
\perp		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
\vdash		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
$\vdash \!$		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00		ļ						ļ
\vdash		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
 		Reserve DID Numbers		.	UEPPX	NDV	0.00	0.00	0.00								
⊢ —↓L'		NUMBER PORTABILITY		-	HEDDY	LNDCD	0.4-	0.00	0.00		!		 		 		
		Local Number Portability (1 per port)	NE CIE	BOD T	UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII rt/Loop Combination Rates	ME SIDE	PUKI		 					-				-		
H-10			-	-		1							-			-	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	1	UEPPB UEPPR		22.63					1	1				
+		UNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR	1	22.63				-				-		-
		UNE Zone 2		2	UEPPB UEPPR		29.05						1				
\vdash		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITO OLFER	1	25.00				1	-			 		1
		UNE Zone 3		3	UEPPB UEPPR		45.84						1				
 		op Rates	-	3	OLITO OLFFR	<u> </u>	45.04						-				
H-1		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25					-	 				
\vdash	- 1			<u> </u>	JELLI OLLIN	33227	10.20				i				 		i
	12	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	21.67										
\vdash		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	38.46				1						1
U	NE Por				02		550				İ				İ		İ
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09		İ						İ
H	JE																

ATTOON BATE LEMENTS MINE 2006 1000 100	UNBUNI	DLE	NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	ibit: A
RATE REMEMBER ARE REMEMBER A				l										Svc Order	Svc Order				
RATE LEMENTS PART EL																			I .
ATTEMPS SATE LEARNING SATE				l															
No.	CATEGOR	RY	RATE ELEMENTS		Zone	Е	CS	USOC			RATES (\$)								
				m							.,			per Lor	per Lor				
Part Part																			
Column C																		DISC 1St	DISC Add I
April									Dee	Nonred	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
Contribution Conversion Corporation Conversion Corporation Corpo								Ī	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL MICE																			
Liboration Microalismous Part Element, Top Designed Lopp at UEPPR UEPPR						UEPPB	UEPPR	USACB	0.00	25.22	17.00								
End Later Persons Lice Persons	Al	DDITIO	DNAL NRCs																
Discussion of Minister Providing (per port)																			
Permiso			End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
Cock Number Porticity per per)			Unbundled Miscellaneous Rate Element, Tag Loop at End User																
Cocal Number Profesion () per port DEPPR URPPR						UEPPB	UEPPR	URETL		8.33	0.83								
B. CAMANEL USER PROFILE ACCESS: (AL RY LAMS SCMS, 8 T)	LC	DCAL	NUMBER PORTABILITY																
CYSCSC (DMSCSSSS)						UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
CYS_CEVISOD	B-	CHAN																	
B-CHANNEL AREA PLUS USER PROFILE ACCESS; (ALKYLAM S CM, S, TN)]																	ļ
B_CHANNEL AREA PLUS USER PROFILE ACCESS: (AL, KY,LA, MAS SC, MS, & TN)]																	ļ
USER TERMINAL REPORT USEPPE USEPP				L		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	ļ	ļ				ļ		ļ
User Terman Priorise (EWISD carry)				C,MS, &	TN)	ļ													ļ
VERTICAL FEATURES	U				<u> </u>			1					ļ			L			ļ
M Vertical Features - One pur Channel & UsePP UEPPR UEPPR UEPPR 2.28 0.00						UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
New Confidence Channel miles and including lists mile and	VI																		
Interoffice Channel mileage each, including list mile and facility termination UEPPB UEPPB MICNX 28.3291 47.35 31.78 18.31 7.03						UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
Intelliges termination	IN	TERC																	ļ
Intereffice Channel mileage seath, additional mile																			
### CPST DIGITAL LOOP WITH #WIRE ISON DST DIGITAL TRUNK PORT												18.31	7.03						
The UNEP DST combination rates below for in this rate schibit apply to the embedded base in place as of 10/2003 xmill 41/104. After 41/04 these rates shall revert to sarff rate or a separate commercial agreement.						UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00								
Requests for 4-Wire DST Digital Loop with 4-Wire ISDN DST Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion. WP DST Digital Loop WW ISDN DST Digital Trunk Port - UNIE						<u> </u>		1				l							
May No St Digital Loop/4W ISDN DST Digital Trunk Port - UNE 2 UEPPP 153.48																nt.			ļ
4W DS1 Digital Loop-4W ISDN DS1 Digital Trunk Port - UNE				runk Po	ort afte	r the effec	ctive date of	of this amend	lment shall be p	provided pursu	iant to a sepai	rate agreement	or tariff at Bel	South's di	scretion.				ļ
Zone 1	UI	NE Po				ļ		1						1					-
AW DST Digital Loop/AW ISDN DST Digital Trunk Port - UNE 2 UEPPP 183.28					1	LIEDDD			450.40										
Zone 2					1	UEPPP		1	153.48					1					-
W DSI Digital Loop/AW ISDN DSI Digital Trunk Port - UNE 2						LIEDDD			400.00										
Description Comparison Co	\vdash					UEPPP			183.28					-					
WIK Loop Rates					2	LIEDDD			261.12										
4-Wire DS1 Digital Loop - UNE Zone 1	-	NE La			3	UEPPP		1	201.12			 		-					
4-Wire DS1 Digital Loop - UNE Zone 2 2 UPPP USLAP 100.54	U	NE LO			1	LIEDDD		LIGI AD	70.74			 		-					+
4-Wire DS1 Digital Loop - UNE Zone 3		-			<u> </u>									+		-	1		-
UNE Port Rate		-												1					
Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	111				-	OLITI		OOL41	170.30					+					+
NONRECURRING CHARGES - CURRENTLY COMBINED	- 0.				1	LIEPPP		LIEPPP	82 74	488 36	276.65			+					
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port UEPPP	N			 	\vdash	CLITI		10=111	02.14	400.00	2,0.00	1	1	 		+	1		
Combination - Conversion - Switch-as-is (E:4/I/2004) UEPPP USACP 0.00 84.17 61.38		<u> </u>		1	t	1		†				1	1	1		†	1	i	†
ADDITIONAL NRCS				1		UEPPP		USACP	0.00	84.17	61.38			1	1	I			
4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-	AI	DDITIO				02		00,101	0.00	0	01.00								
Inward/two way Tel Nos. (except NC)																			†
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)						UEPPP		PR7TF		0.5412									
Outward Tel Numbers (All States except NC)																			†
A-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers UEPPP PR7ZT 25.42 25.42 Subsequent Inward Tel Numbers UEPPP PR7ZT 25.42 25.42 Subsequent Inward Tel Number Portability (1 per port) UEPPP PR7ZT 25.42 Subsequent Inward Tel Number Portability (1 per port) UEPPP LNPCN 1.75 Subsequent Inward Data UEPPP PR71V 0.00 0.00 0.00 Subsequent Inward Data UEPPP PR71D 0.00 0.00 0.00 Subsequent Inward Data UEPPP PR7BT D.00 0.00 0.00 Subsequent Inward Data UEPPP PR7BT D.00 0.00 D.00 Subsequent Inward Data UEPPP PR7BT D.00 D.00 D.00 Subsequent Inward Data D.00 D.00 Subsequent Inward Data D.00 D.						UEPPP		PR7TO		12.71	12.71								
Subsequent Inward Tel Numbers UEPPP PR7ZT 25.42 25.42								1											
Local Number Portability (1 per port)						UEPPP		PR7ZT		25.42	25.42								
Local Number Portability (1 per port)	LO	CAL			1			1				1	1				1	ĺ	
INTERFACE (Provisioning Only)					1	UEPPP		LNPCN	1.75			1	1				1	ĺ	
Voice/Data	IN			Ì															
Digital Data						UEPPP		PR71V	0.00	0.00	0.00								
Inward Data						UEPPP													
New or Additional - Voice/Data B Channel UEPPP PR7BV 0.00 15.48 Image: Control of the control				L		UEPPP		PR71E	0.00	0.00	0.00								
New or Additional - Digital Data B Channel UEPPP PR7BF 0.00 15.48	Ne																		
New or Additional Inward Data B Channel UEPPP PR7BD 0.00 15.48			New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48									
CALL TYPES						UEPPP		PR7BD	0.00	15.48									
	C	ALL T	YPES																

ONBONDE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo	po. 20.1	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC Add I
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05						
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	UNE-P DS1 combination rates below for in this rate exhibit app										te commerc	ial agreeme	nt.			
Requ	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef	fective c	late of	this amendment sha	all be provide	d pursuant to	a separate agr	eement or tarif	f at BellSouth's	s discretion.						
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		125.69										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		155.49										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		233.33										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADD	ITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								1
BIPC	DLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	655.00s								1
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	655.00s								1
Alter	rnate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	.				ļ					
	Telephone Number for 1-Way Outward Trunk Group	L	 	UEPDC	UDTGY	0.00	.		ļ		ļ			.	.	↓
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00					<u> </u>					
	DID Numbers, Establish Trunk Group and Provide First Group		1									1		I	I	1
	of 20 DID Numbers		L	UEPDC	NDZ	0.00	0.00	0.00			ļ	ļ			L	↓
	DID Numbers for each Group of 20 DID Numbers	_	-	UEPDC	ND4	0.00					<u> </u>			_		
	DID Numbers, Non- consecutive DID Numbers , Per Number	_	-	UEPDC	ND5	0.00					<u> </u>			_		
	Reserve Non-Consecutive DID Nos.	_	-	UEPDC	ND6	0.00	0.00	0.00			<u> </u>			_		
	Reserve DID Numbers	1	<u> </u>	UEPDC	NDV	0.00	0.00	0.00	ļ		ļ			.	.	
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	ı Dıgita	Loop	with 4-Wire DDITS	runk Port						<u> </u>			_		↓
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			LIEBBO	41.110.									1	1	1
	Termination)	1	I	UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	1		<u> </u>	1		1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted			Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								ļ
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)	-		UEPDC	1LNO3	0.00	0.00	0.00	0.00		1			1		<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
-	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00		 	-				+
	Central Office Termininating Point	-		UEPDC	CTG	0.00	0.00	0.00	0.00		1	1		-		-
4-10/15	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	-		UEPDC	CIG	0.00					1	1		-		1
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			+						†					
	System can have up to 24 combinations of rates depending on			her of norts used	+						†					
	INE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit apr	oly to the embe	edded base in i	place as of 10/2	2/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after th											1		l a coparato	l	†
UNE	DS1 Loop	1				Traca parcaa.	Trio a coparate	l agreement or	1		T					
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00			İ					
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,361.20		0.00								.
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00								ļ
Non I	672 DS0 Channel Capacity - 1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop witl	h Chan		UEPMG	VUM67	3,305.68	0.00	0.00			-					
	nimum System configuration is One (1) DS1. One (1) D4 Channe						ystem				 	-				+
	ples of this configuration is One (1) DS1, One (1) D4 Channe										-					
William	NRC - Conversion (Currently Combined) with or without	uu i aite	i ine iii	illilliulli systelli coi	Inguration is	counted.					 	-		-		
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24								
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop with	th Char	nelizat					7.27			†					
	Not Currently Combined) in all states, except in Density Zone 1				T Carre	Litty Exists un	Ĭ				1	1		1		†
11011	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		1		+						1	1		1		†
	and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24						
Bipol	ar 8 Zero Substitution					0.00					İ					
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s								
	Clear Channel Capability Format - Extended Superframe -										İ					
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s								
Alteri	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business												I			
	(E:4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00						
_	Line Side Outward Channelized PBX Trunk Port - Business	1												_		
	(E:4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00				L	ļ	
	Line Side Inward Only Channelized PBX Trunk Port without DID	1		l	L									I		
	(E:4/1/2004)	.	<u> </u>	UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00	ļ			ļ		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			LIEBBY .										1		
	(E:4/1/2004)	ļ	 	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	ļ			.		<u> </u>
Featu	re Activations - Unbundled Loop Concentration		<u> </u>													

IINRI	INDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	hit: A
OND	NULL		I				1					Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (,,			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonred	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						
	Teleph	one Number/ Group Establishment Charges for DID Service				ļ											
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-	-	UEPPX	NDZ	0.00	0.00	0.00								
-	ļ	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number	-		UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00	1					1		
-	-	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								-
-	-	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								-
\vdash	Local	Number Portability	1	!	OLFFA	INDV	0.00	0.00	0.00	 	1			l	t	 	
\vdash	Local I	Local Number Portability - 1 per port	t		UEPPX	LNPCP	3.15	0.00	0.00	 			-		t	 	
	FEATU	RES - Vertical and Optional	 	 	SE. 1 /	2.11 01	5.15	5.00	0.00	+			 		+	+	—
		Switching Features Offered with Line Side Ports Only				1				<u> </u>					<u> </u>	<u> </u>	—
		All Features Available	1		UEPPX	UEPVF	2.26	0.00	0.00	<u> </u>	1				<u> </u>	<u> </u>	
UNBU	DLED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S					0.00									
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sv	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
	4. The	first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	()														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	ļ	Non-Design		1	UEP91		10.94										-
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		15.05										
	<u> </u>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91		15.05			-		-					
		Non-Design		3	UEP91		25.80										
-	LINE D	ort/Loop Combination Rates (Design)		3	OLF91	+	25.00			 							
-	ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+				 							
		Design		1	UEP91		13.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 0.	1									1		
1	1	Design	1	2	UEP91		18.57			I		1	1		I	I	1
	l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T -		1				t	İ				t	t	
1	1	Design	1	3	UEP91		32.04			I			1		I	I	1
	UNE L	pop Rate															
	Ì	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										
<u> </u>	UNE P		ļ			1				ļ	ļ				1	1	1
	All Sta	tes (Except North Carolina and Sout Carolina)	ļ			1	<u> </u>			L							
<u> </u>	!	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ	<u> </u>	UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37				ļ	ļ	
1	1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	LIEDO4	LIEDVD		50.01	00.10	07.50	0.00	1	1		I	I	1
<u> </u>	ļ	Area	_	<u> </u>	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37				-	-	
1	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1		LIEDO4	LIEDY"		50.01	00.40	07.50	0.00		1		I	I	1
-	!	Local Area	├	-	UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37	-			1	 	
1	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDO1	UEPYM	1.17	120.40	06.40	GE 14	42.04		1		I	I	1
-	 	Note 2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+	+	UEP91	UEF 1 IVI	1.17	139.49	86.10	65.41	13.81	-	-		 	 	
1	1		1	1	UEP91	UEPYZ	1.17	139.49	96 10	65.44	13.81	1	1		I	I	1 1
—	 	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	OLFSI	UEFIZ	1.17	139.49	86.10	65.41	13.81	-			+	+	
	1	- Basic Local Area	1	1	UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37	1	1		I	I	1
1	1	- Dasio Lotal Alba	1	1	した「ラリ	OFLIA	1.17	00.01	∠0.40	27.50	0.37	1	i e	1	1	1	1 '

LINE	IINDI E	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Evhi	bit: A
OIVE	ONDEL		l	1		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted					
												1	Submitted Manually		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
JOA !!		NATE ELEMENTO	m		200	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						ł
	Georgi	ia and Florida Only										i e					
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37	İ					
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37	i e					
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37	İ					
		2-Wire Voice Grade Port (Centrex from diff Serving Wire											İ				i
		Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						ł
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										İ					
		Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						ł
			İ	1													i Total
1		2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37						1
		2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37				ĺ		1
	Local	Switching	i –	1		İ						1			İ		í
		Centrex Intercom Funtionality, per port	İ	1	UEP91	URECS	0.7384										i Total
	Local	Number Portability															·
		Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35										
	Featur	es															i T
		All Standard Features Offered, per port			UEP91	UEPVF	2.26										
		All Select Features Offered, per port		1	UEP91	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2.26										
	NARS																i T
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						i
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						i T
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						i
		laneous Terminations															i
	2-Wire	Trunk Side															ĺ
		Trunk Side Terminations, each			UEP91	CENA6	8.73										ĺ
	Interof	fice Channel Mileage - 2-Wire															i T
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										ĺ
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										í .
		e Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
	D4 Cha	annel Bank Feature Activations															l .
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
																	í
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															ł
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															í
		Different Wire Center			UEP91	1PQWP	0.66										——
																	ł
-	-	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66					1					
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0.66										í
-	-	6.60	-				0.66					-					
-	Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWA	0.00					-	-				
\vdash	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed	-	 		+						1	-		-		
1		changes, per port	l		UEP91	USAC2		21.50	8.42			1					1
	+	Conversion of Existing Centrex Common Block	-	 	UEP91	USACN		5.17	8.32			 	 				
\vdash	+	New Centrex Standard Common Block	1	 	UEP91	M1ACS	0.00	618.82	0.32	 		1	 		1		1
\vdash	+	New Centrex Standard Common Block	1	1	UEP91	M1ACC	0.00	618.82		<u> </u>	 	 	 		 		
-	+	Secondary Block, per Block	-	 	UEP91	M2CC1	0.00	71.31									(
	+	NAR Establishment Charge, Per Occasion	1	 	UEP91	URECA	0.00	66.48				1	 		 		(
	UNE-P	CENTREX - 5ESS (Valid in All States)	 	t —		3.1.20/1	0.00	5576				†	 				(
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1		†						1			i		
		ort/Loop Combination Rates (Non-Design)	l	l		1									i		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		t		1				İ	İ	†			İ		í T
1		Non-Design	l	1	UEP95	1	10.94										1
		1		<u> </u>		-	.0.07			·	·						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		45.05										
	Non-Design			UEP95	+	15.05					 					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		25.80										
LINE P	ort/Loop Combination Rates (Design)		-	OLI 93		23.00					†			-		
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		1						1					
	Design		1	UEP95		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					i										
	Design		3	UEP95		32.04										
UNE L	oop Rate		lacksquare													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP95	UECS1	13.88					ļ			ļ		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	17.40 30.87					-					-
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP95	UECS2	30.87					.			-		
All Sta					-						-			-		
All Sta	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37	<u> </u>					1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37	1			1		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02.00	022		00.01	20.10	27.00	0.01	İ					
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1													
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY2	1.17	50.04	20, 40	27.50	8.37						
A1 1/2	Basic Local Area (, LA, MS, SC, & TN Only			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37	.			-		
	GA Only				-						 			-		
1240	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37	+			-		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37	i e					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37	İ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3	<u> </u>	L	UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81		<u> </u>		<u> </u>		<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching					. =										
1 1	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384					1			1		
Local	Number Portability Local Number Portability (1 per port)	-	 	UEP95	LNPCC	0.35						 		+		-
Featur		1	 	OFL 20	LINECO	0.35					1			 	 	
i catul	All Standard Features Offered, per port		†	UEP95	UEPVF	2.26					 	-		t	 	
	All Select Features Offered, per port		t	UEP95	UEPVS	0.00	370.70							<u> </u>	1	1
	All Centrex Control Features Offered, per port	i e	t	UEP95	UEPVC	2.26	3. 3 0							1	İ	İ
NARS			i –													
	Unbundled Network Access Register - Combination		i –	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	İ				1	1
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side		<u> </u>	L	1									L	ļ	ļ
	Trunk Side Terminations, each			UEP95	CEND6	8.73					<u> </u>	<u> </u>		I	l	l

UNBUNDL	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intent									Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	,	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Addi	Disc 1st	Disc Add I
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wi		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Inter		ce Channel Mileage - 2-Wire															
		nteroffice Channel Facilities Termination			UEP95	M1GBC	25.32										
<u> </u>		nteroffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce									1					
D4 C		anel Bank Feature Activations			LIEDOE	40014/0	0.00										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66					1					
	ı,	Francisco Astronomo D. A. Olasson I. Barala EV Prancisco Citada e de Olas			LIEDOE	4001440	0.00										
\vdash		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	 	 	UEP95	1PQW6	0.66			 	+	1			 	-	
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1		UEP95	1PQW7	0.66			I					I		
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	-	OFL.89	IFQW/	0.00			 	+					-	
		Different Wire Center			UEP95	1PQWP	0.66										
\vdash		Diligion Aano Oquigi	 	 	OFL.89	IFQVVF	0.00			+	+	 	-		+		
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Trivate Line Loop Slot			ULF 93	IFQVV	0.00			1		<u> </u>				1	1
		Slot			UEP95	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot	1	1	UEP95	1PQWA	0.66				+	†					1
Non-		curring Charges (NRC) Associated with UNE-P Centrex			OL1 00	11 94171	0.00					1					1
11011		NRC Conversion Currently Combined Switch-As-Is with allowed										İ					
		changes, per port			UEP95	USAC2	0.00	21.50	8.42								
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32			İ					
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82				İ					
	1	New Centrex Customized Common Block	i	1	UEP95	M1ACC	0.00	618.82									
	1	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48								ĺ	
Addi	ition	nal Non-Recurring Charges (NRC)														ĺ	
	l	Unbundled Miscellaneous Rate Element, Tag Loop at End Use														ĺ	
	F	Premise			UEP95	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP95	URETN		11.21	1.10								
		CENTREX - DMS100 (Valid in All States)															
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
		Non-Design		1	UEP9D		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		45.00			1					1		
		Non-Design		2	UEP9D	_	15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		05.00										
LINIE		Non-Design	1	3	UEP9D	_	25.80			-	+	-	-				
UNE		rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 	 		-	-			 	+	1				-	
		z-wire vG Loop/z-wire voice Grade Port (Centrex) Port Combo (1	1	UEP9D		13.41			1					1		
\vdash		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	- '	OLFBD	+	13.41			 	1	}	-		+	 	
		z-vviile voi Loop/z-vviile voice Grade Fort (Certifex)Fort Combo - Design		2	UEP9D		18.57			1					1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		021 00	+	10.57			I	1	1	-		I		t
		Design	1	3	UEP9D		32.04			I			1		I		
UNF		op Rate	l -	Ť			02.04			—					<u> </u>		
		2-Wire Voice Grade Loop (SL 1) - Zone 1	†	1	UEP9D	UECS1	9.77			<u> </u>					<u> </u>	1	1
		2-Wire Voice Grade Loop (SL 1) - Zone 2	t	2	UEP9D	UECS1	13.88			1					1	İ	1
		2-Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEP9D	UECS1	24.63			t					t	İ	
i i		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24										1
		2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	17.40			1			1		1	İ	Î
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	30.87			1			1		1	İ	Î .
UNE		rt Rate										İ				1	1
		ATES															
	12	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.00.
						Rec	Nonre			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBAB			=0.04									1
-	Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						ł
h + + -	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLF 9D	OLFIC	1.17	33.31	20.40	27.30	0.37	1					-
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLI OD	OLI ID	1.17	00.01	20.40	27.00	0.07						
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															1
	Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															ł
	Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDVA /	4.47	50.04	00.40	07.50	0.07						ł
\vdash	Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						ł
\vdash	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEP 13	1.17	55.51	20.40	27.50	0.37	1					
	Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI OD	OLI III	1.17	00.01	20.40	27.00	0.01	1					
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						ł
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															ĺ
	2,3-Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															ł
	Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	LIEDVD	4.47	50.04	00.40	07.50	0.07						ł
\vdash	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLF 9D	OLFIQ	1.17	139.49	00.10	05.41	13.01	1					
	Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			OLI OD	OLI IIX	1.17	100.40	00.10	00.41	10.01						
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															ĺ
	Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															ĺ
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						L
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															ł
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			LIEBAB												1
—	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						ł
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPTZ	1.17	139.49	00.10	05.41	13.01	-					——
	Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		1				i
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			021 00	JL1 13	1.17	55.51	20.40	21.30	0.37	 	 				
	Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		1				í
FL & 0	GA Only			-	1					,				1		ſ
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37						ĺ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37			_		_	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37						
$\sqcup \sqcup \sqcup$	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37						i

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted					
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATES (6)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
			-						27.50		-			-		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46		8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
\vdash	2-Wire Voice Grade Fort (Centrexing Wig Early Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	02.00	CLITIO	1.17	00.01	20.40	27.00	0.07	-					
1 1			1	LIEDOD	LIEDUM	4.47	400.40	00.10	CF 44	40.04	1	l				
\vdash	2,3		—	UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		 				
]]		1	1								I	1		1		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<u></u>	UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81	<u> </u>			<u> </u>		<u> </u>
]]	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1	1	UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81	I	1		1		1
	(i	i		İ		i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Fort (Certifexulifer SWC /LBS-5209)2,5,4		-	OLF 9D	ULFTIQ	1.17	133.43	00.10	05.41	13.01	-			-		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						

	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Port (Centrexuller SVVC /EBS-W5206)2,3,4		-	UEF9D	UEPHS	1.17	139.49	00.10	65.41	13.01						
	0.117 . 1. 1. 0. 1. D. 1. (0. 1. 1.117 . 0.110 /EDO 1.170 1.00 0.1			LIEBAR												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2.3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Fort Terminated in 611 Megalink of equivalent		-	UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37	-			-		
			-	OLF 3D	ULFIIZ	1.17	33.31	20.40	21.50	0.31						
Local	Switching		-	LIEDAD		0.7004										
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)		Щ_	UEP9D	LNPCC	0.35						<u> </u>		L		<u> </u>
Featu	ires															
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					i		İ		1
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26					i	i		İ		i
NARS		—	 	021 00	JL: VO	2.20					 	 		 		
IVARS	Unbundled Network Access Register - Combination	-	-	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	-	 		-		
\vdash			-								.			-		
\vdash	Unbundled Network Access Register - Inward		—	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		 				
$oxed{oxed}$	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		ļ				
	ellaneous Terminations															
2-Wir	e Trunk Side	L	L								<u> </u>	L				l
	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95					i .	İ		İ		l
	DS0 Channels Activiated per Channel		 	UEP9D	M1HDO	0.00	15.69				-	l		i		l
Intore	office Channel Mileage - 2-Wire	—	 	02100	WIII 100	0.00	10.09				 	 		 		
interc	Interoffice Channel Facilities Termination	-	-	UEP9D	M1GBC	25.32					-	 		-		
\vdash			-								!	 		1		
\vdash	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 CI	hannel Bank Feature Activations		L								L	L				L
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>	_					_		Manage		L 61	B'		l		D-1 (A)		
-	-						Rec	Nonrec First	urring Add'l	First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
-	-			1		-		FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SOMAN	SOWAN	SUMAN	SUMAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 9000	0.00					1					
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9D	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	-	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D UEP9D	1PQWQ 1PQWA	0.66 0.66										
	Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex		1	UEP9D	IPQWA	0.00					-			-		
	N-IIOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed				+						-	 		t		
		changes, per port			UEP9D	USAC2		21.50	8.42						I		
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32						1		
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82		<u> </u>							
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
	IINF-D	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		1	UEP9D	UKETIN		11.21	1.10			-			-		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9E		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	UNED	Non-Design ort/Loop Combination Rates (Design)		3	UEP9E		25.80										
	UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		-						-			-		
		Design		1	UEP9E		13.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI OL		10.41										
		Design		2	UEP9E		18.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		32.04										
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
	-	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1	13.88 24.63								-		
	-	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	12.24					-			-		
	+	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
	UNE P	ort Rate															
	AL, FL	, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			l	1					_				1		
	_	Area	.	-	UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		 		 	.	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37				1		
-	+	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	 	OLPSE	UEFIR	1.17	53.31	∠0.46	27.50	8.37	-	-		 	-	
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81				1		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	t		021 02	OLI TIVI	1.17	100.48	00.10	05.41	13.01	t			†	1	
1		Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81				1		
	T .	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1													1	
		- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		1		I		

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														131	Auu	Diac iat	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Florida	Only															
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						
			l							l							1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature																<u> </u>
		All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	8.73										
		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
\vdash		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
-	Interoff	fice Channel Mileage - 2-Wire			LIEDOE	144000	05.00										
-		Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32 0.0091										
	F 1	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service Innel Bank Feature Activations	e									-					
	D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66					-					
		Peature Activation on D-4 Channel Bank Centrex Loop Stot		<u> </u>	UEP9E	IPQVIS	0.00					1					
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<u> </u>	OLFBL	IFQVV	0.00					1					
		Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	OLI SL	II QVV	0.00					-					
		Different Wire Center			UEP9E	1PQWP	0.66										
		Billiotett Wile Genter			OLI OL	11 00111	0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			OLI OL	11 00111	0.00					†	1				
		Slot	1		UEP9E	1PQWQ	0.66						1				1
		Feature Activation on D-4 Channel Bank WATS Loop Slot	l	i –	UEP9E	1PQWA	0.66								i		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	 	t		1	5.50								1		
		NRC Conversion Currently Combined Switch-As-Is with allowed	1	1		1									İ		
		changes, per port	1		UEP9E	USAC2		21.50	8.42				1				1
		Conversion of Existing Centrex Common Block, each	İ	1	UEP9E	USACN		5.17	8.32								
		New Centrex Standard Common Block		i –	UEP9E	M1ACS	0.00	618.82							1		
		New Centrex Customized Common Block		1	UEP9E	M1ACC	0.00	618.82							ĺ		
		NAR Establishment Charge, Per Occasion	Ì		UEP9E	URECA	0.00	66.48									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use														_	· ·
1		Premise	l		UEP9E	URETL		8.33	0.83		1	1	1		l		1

UN	BUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	regory	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)	l .	
-			-				Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN	(1)	COMAN	SOMAN
								FIRST	Addi	FIRST	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															i l
		End Use Premise			UEP9E	URETN		11.21	1.10								i l
	Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note	2 - Requres Interoffice Channel Mileage															
	Note	3 - Installation is combination of Installation charge for SL2 Lo	op and	Port													
	Note	4 - Requires Specific Customer Premises Equipment						Ť									
	Note	: Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in (General Term	s and Condition	ons.									

LIMBI	INDI E	D NETWORK ELEMENTS - Georgia												Assach		Fut:	L:4. A
ONBU	NULE	D NETWORK ELEWIENTS - Georgia	ı —				I					Svc Order	Svc Order	Incremental	ment: 2 Incremental		bit: A Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec					
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually		Manual Svc	Manual Svc	Manual Svc
OA!L		KATE EEEMENTO	m	20110	200	0000			ικτι LO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	L		<u> </u>								l	J	L	l	l	<u> </u>	
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Website:	
OBER		vww.interconnection.bellsouth.com/become_a_clec/html/inter _ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.ht	m I		1			1	ı	ı	ı	ı		ı	ı
OPERA		(1) CLEC should contact its contract negotiator if it prefers th	o "etato	cnocit	io" OSS charges as	ordered by t	ha Stata Camm	issions Tho	nee charace c	urrently centa	nad in this rat	o ovhibit ar	the Bellee	uth "rogional	" corvice orde	ring charges	CI EC may
		ther the state specific Commission ordered rates for the servi															
	1	f the 9 states.	ce orae	illig ci	larges, or occornay	elect the re	gioriai service c	ordering charg	e, nowever, or	LO Call Hot O	Jam a mixture	or the two	regardiess i	i ollo ilas a	merconnecti	on contract e	stabilished ili
-		(2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	IIV. For those	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B															gg-,
	1	OSS - Electronic Service Order Charge, Per Local Service	1														
L	<u> </u>	Request (LSR) - UNE Only	<u> </u>			SOMEC		3.50	0.00	3.50	0.00					<u> </u>	<u> </u>
		OSS - Manual Service Order Charge, Per Local Service Request															
	<u></u>	(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00			ļ		ļ	ļ
UNE S		DATE ADVANCEMENT CHARGE		L		L											
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	CC No.1 Tariff, Section	n 5 as appli	cable.					ļ					
					UAL, UEANL, UCL,												
					UEF. UDC. UDF.												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC, UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
1			1		UNC1X, UNC3X,										I		
1			1		UNCDX, UNCNX, UNCSX, UNCVX,										I		
			1		UNLD1, UNLD3,										I		
					UXTD1, UXTD3,										1		
					UXTS1, U1TUC,										1		
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB,										1		
	<u> </u>	Day	<u> </u>		U1TUA ,	SDASP		200.00							<u> </u>	<u> </u>	<u></u>
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
L	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ļ		UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	ļ			ļ		
<u> </u>	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72	ļ		.	 	-	-
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 		UEANL UEANL	UEAL2 UEASL	31.97 10.51	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72	1	-		 	-	-
-	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEASL	10.51	40.02	9.99	5.61	1.72	1	1	 	 	 	
-	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEASL	31.97	40.02	9.99	5.61	1.72				†		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			307	.5.02	0.00	5.01	,2				<u> </u>		
		Premise			UEANL	URETL		8.33	0.83						1		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISI	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															í
	(UVL-SL1)			UEANL	UREWO		15.75	8.92								<u> </u>
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															i
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								
	Order Coordination for Specified Conversion Time for UVL-SL1															í
	(per LSR)			UEANL	OCOSL		57.79									——
2-WIR	E UNBUNDLED COPPER LOOP - NON-DESIGNED			LIEO	LIEGOV	44.00	44.00	00.40	0.00	0.00						——
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	-	1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
\vdash	2 Wire Unbundled Copper Loop Non-Designed- Zone 2 2 Wire Unbundled Copper Loop Non-Designed-Zone 3		2	UEQ UEQ	UEQ2X UEQ2X	12.72 20.22	44.69 44.69	22.40 22.40	0.00	0.00						
			3	UEQ	UEQZX	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEQ	URETL		8.33	0.83			1	1				l .
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		-	UEQ	UKETL		0.33	0.63								
1 1	Non-Designed (per loop)	1		UEQ	USBMC		18.92	18.92			1	1				1
 	Unbundled Copper Loop, Non-Design Copper Loop, billing for		-	OLQ	USBIVIC		10.52	10.52						1		
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								í
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			024	0112171		10.02	10.02								
	(UCL-ND)			UEQ	UREWO		14.25	7.42								í
UNBUNDLED	EXCHANGE ACCESS LOOP			024	O.K.E.IVO		1 1120									
	E ANALOG VOICE GRADE LOOP															
	oop Rates for Line Splitting (In Ga. PSC ordered the line spli	itting lo	op USC	Cs match the lower	port- loop c	ombo rates UEI	PLX)									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	Ī	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	ı	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						i
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- 1	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						i
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	I	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						i
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	- 1	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						<u> </u>
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															——
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					44.57	70.05	04.05	40.00	7.07						í
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						——
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	1.15 4	UEAL2	40.05	70.05	24.05	40.00	7.07						í
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						í
—	Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	OCOSL	33.00	57.79	24.03	10.92	7.07						
 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA	OCCOL		31.13									
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						l .
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		i i	OLIT	OLTUCE	11.07	70.00	24.00	10.02	7.01						
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						í
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	0271	02/11/2	10.00	7 0.00	200	10.02							
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						í
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								·
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12			-			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-WIR	E ISDN DIGITAL GRADE LOOP	ļ			1									ļ		
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
\vdash	2-Wire ISDN Digital Grade Loop - Zone 2	-	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				ļ		
\vdash	2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				ļ		
	Order Coordination For Specified Conversion Time (per LSR)	1	1	UDN	OCOSL		57.79		l l		l	l			l	· '

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 2	I	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 3	ı	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
1 1	2 Wire Unbundled ADSL Loop without manual service inquiry &		١.			44.00										l
\vdash	facility reservation - Zone 1	-	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	1101 0101	40.07	44.00	24.55	0.00	0.00		1				í
\vdash	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00		 		 		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00		1				í
		ı	3	UAL		20.62	57.79	31.55	0.00	0.00	-					
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UAL	OCOSL UREWO		44.69	29.29								-
2 WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	LOOP	UAL	UKEWU		44.09	29.29			-	-				
Z-VVIR	2 Wire Unbundled HDSL Loop including manual service inquiry	IIIDLE	LUUF		+											-
1 1	& facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						1
 	2 Wire Unbundled HDSL Loop including manual service inquiry	-	- '	OFF	UTILZA	7.00	44.03	31.33	0.00	0.00						
	& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop including manual service inquiry			OFF	OTILEX	3.03	44.03	31.33	0.00	0.00						
	& facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						1
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ť	UHL	OCOSL		57.79	01.00	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry			0.1.2	00002		01.10									
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop without manual service inquiry															ĺ
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UHL	UREWO		44.69	31.55								<u> </u>
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
1 1	4 Wire Unbundled HDSL Loop including manual service inquiry															l
	and facility reservation - Zone 1	- 1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						——
	4-Wire Unbundled HDSL Loop including manual service inquiry					40.00										l
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry			l		40.07	44.00	04.55	0.00	0.00						l
\vdash	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL UHL	UHL4X	19.07	44.69 57.79	31.55	0.00	0.00						
—	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		57.79									-
1 1	and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						l
—	4-Wire Unbundled HDSL Loop without manual service inquiry	-	-	UNL	UHL4VV	10.39	44.09	31.33	0.00	0.00						-
1 1	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						l
 	4-Wire Unbundled HDSL Loop without manual service inquiry	-		OFF	OI IL4VV	12.00	44.03	31.33	0.00	0.00						
1 1	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						l
	Order Coordination for Specified Conversion Time (per LSR)	Ė	Ť	UHL	OCOSL	10.07	57.79	01.00	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
4-WIR	E DS1 DIGITAL LOOP			1										İ		ſ
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20				1		ĺ
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20						í
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						ĺ
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00	18.82	7.20				ļ		
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20		l				

IINRIIN	DI FI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONDON	DLLI	NETWORK ELLINENTS - Georgia	1		1	1	Ι					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR			Order vs.	Order vs.
0,			m						= (4)			per LSR	perLSK	Order vs. Electronic-	Order vs. Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2	-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual	Ι.			1101 55							1				1
\vdash		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00		 		 		
		2-Wire Unbundled Copper Loop-Designed including manual		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00		1				1
-	_	service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	13.88	44.69	31.55	0.00	0.00	-					
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						l .
-	-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00						—
	-	2-Wire Unbundled Copper Loop-Designed without manual		1	OOL	OCLIVIC		10.32	10.32								—
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop-Designed without manual	i i	<u> </u>	002	002	12.02	11.00	01.00	0.00	0.00						
		service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop-Designed without manual					70.00			0.00							
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								·
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)	- 1		UCL	UREWO		44.69	31.55								
4	-WIRE	COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															l .
		and facility reservation - Zone 1	- 1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						l .
 	-	and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry	- 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						——
		and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						l .
-	-	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	30.33	18.92	18.92	0.00	0.00						—
		4-Wire Copper Loop-Designed without manual service inquiry			UCL	OCLIVIC		10.92	10.92								
		and facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						i .
		4-Wire Copper Loop-Designed without manual service inquiry					10.00			0.00							
		and facility reservation - Zone 2	- 1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00		1				1
		4-Wire Copper Loop-Designed without manual service inquiry	1												1		ſ
		and facility reservation - Zone 3	- 1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						<u> </u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		CLEC to CLEC conversion Charge without outside dispatch	- 1		UCL	UREWO		44.69	31.55								<u> </u>
LOOP MO	ODIFIC	ATION															
					UAL, UHL, UCL,												l .
					UEQ, ULS, UEA,												i .
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,			0.00	0.00								i .
\vdash		pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire		-	UEPSB	ULM2L		0.00	0.00		-				 		
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								1
+		iess than or equal to forcit, per oribunitied Loop		 	UAL, UHL, UCL,	OLIVI4L		0.00	0.00				 		 		
					UEQ, ULS, UEA,	1							1				1
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	1							1				1
		per Unbundled Loop			UEPSB	ULMBT		17.91									1
SUB-LOC						1											
		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up			UEANL	USBSA		255.76									<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>																
\vdash						Rec	Nonred		Nonrecurring					Rates (\$)		
\vdash							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Cub Lana Bas Casas Bass Lanatina Bas 25 Bais Bas at Cat Un			LIFANII	LICDOD		7.00									
\vdash	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder		<u> </u>	UEANL	USBSB		7.29				.					
	Facility Set-Up			UEANL	USBSC		175.09									
 	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			OLANE	ООВОС		175.05				<u> </u>		1	1		1
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working			02/11/2	00000		01.01				İ					
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working										İ					
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -									·						
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
\vdash	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01	ļ					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2		1100114	0.74	04.07	4.70	0.07	0.04						
\vdash	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01	-	-				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
\vdash	2016 3		3	UEAINL	USBIN4	10.00	31.07	4.79	2.21	0.01	1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
h + + -	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01	1					
	Cub 2006 2 Trito intrabaliang Notwork Cable (into)			0271112	002.12	0.01	20.10	0.00	2.20	0.01	†					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
\vdash	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01	ļ					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF UEF	UCS2X UCS2X	7.51 9.22	28.46	3.85	2.20	0.01	1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCSZX	9.22	28.46	3.85	2.20	0.01	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
h + + -	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01	1					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01	1					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01	†					
	.,,		Ť	İ		51.10				2.31		İ	İ	İ		İ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u></u>	L	UEF	USBMC		18.92	18.92	<u> </u>		<u></u>	<u> </u>	<u></u>	<u> </u>		<u></u>
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Unbu	Indled Network Terminating Wire (UNTW)															
\square	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28					ļ	ļ		ļ
Netw	ork Interface Device (NID)	.	ļ	LIENITA	LINIDAG			20.5-					ļ	ļ		ļ
\vdash	Network Interface Device (NID) - 1-2 lines	-	-	UENTW	UND12		32.86	20.69					-			-
\vdash	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		-	UENTW UENTW	UND16 UNDC2		56.03 2.45	43.86 2.45			-		-	-		-
\vdash	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W		+	UENTW	UNDC2 UNDC4	-	2.45	2.45			 	-			-	
LINE OTHER	, PROVISIONING ONLY - NO RATE	-	 	OLINIV	UNDU4		2.45	2.45			 	-				
JAL STREK,	NID - Dispatch and Service Order for NID installation	-		UENTW	UNDBX	0.00	0.00				 		 	 		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	t	†	UENTW	UENCE	0.00	0.00				1	-				
	The state of the s			UEANL,UEF,UEQ,U		2.00	2.00						İ	İ		İ
1 1	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00					1				
	, PROVISIONING ONLY - NO RATE		t	1	1		2.20		1		1					

LIMBI	INDLE	D NETWORK ELEMENTS - Georgia												Attack	ment: 2	Exhi	-: A
UND	JNDLE	D NETWORK ELEMENTS - Georgia		1	ı		ı					Cur Ouden	Cur Onder				
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JOINT	NATE ELEMENTS	m	20116	B00	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1			i –													
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
	0 4 D 4 O	no rate TY UNBUNDLED LOCAL LOOP	-		USL	CCOEF	0.00	0.00									
HIGH	CAPACI			ļ								-					
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.97										
-		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	10.97										
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			ULS	OLSEA	255.56	1,733.23	131.50	112.51	73.00						
		month			UDLSX	1L5ND	10.97										
		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	10.07										
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP	MAKE-U							1,1001_0									
	T	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	1	Loop Makeup - Preordering With Reservation, per spare facility		i –													
		queried (Manual).			UMK	UMKLP		19.85	19.85								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE S		G AND LINE SPLITTING															
		 The Line Sharing monthly recurring rates for all installation 					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLND)")											
<u> </u>		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
-		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND	-														
-		1: Above will apply to USOCS: ULSDT and ULSCT E 2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1111 00	C amplian ambuta si	ita imatall		b-f	O-t-b 4 200	00		-					
-		E 2: The Line Sharing monthly recurring rates with USOCS OLS	SDC an	d ULSC	c applies only to cil	rcuits instail	ed and inservic	e on or before	October 1, 20	U3 I		-					
-		TERS-CENTRAL OFFICE BASED	-			-											
-	SELII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
-	+	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	1	Line Sharing Splitter, Per System, 8 Line Capacity		t	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00				1		
	†	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		 			11.00	2.00	2.00	2,00	5.00				İ		
1	1	deactivation (per LSOD)	1		ULS	ULSDG		66.34	0.00	51.20	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
	<u></u>	OBSOLETE see **NOTE 2	<u> </u>	<u></u>	ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
	1	Central Office Located (25% of UCLND) - please see NOTE 1	1														
	ļ	(E:10/2/2003)	ļ	<u> </u>	ULS	ULSDT	2.76	10.51	7.70	7.00	4.20				ļ		
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1											
		Central Office Located (50% of UCLND) - please see NOTE 1				LII ODT		40 = 1	7	7.00	4.00						
<u> </u>	1	(E:10/2/2004)	-	<u> </u>	ULS	ULSDT	5.51	10.51	7.70	7.00	4.20				ļ		
1	1	Line Share Service, TRO per line activation, BST owned splitter -	1			1											
	1	Central Office Located (75% of UCLND) - please see NOTE 1	1		ULS	ULSDT	0.07	40.54	7 70	7.00	4.00	1					
-	 	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line	-	1	ULO	ULSDI	8.27	10.51	7.70	7.00	4.20						
1	1	Rearrangement(BST Owned Splitter	1		ULS	ULSDS		36.23	13.23	16.94	1.69						
-	1	Line Sharing - per Subsequent Activity per Line	 	 	OLO	ULUDO		30.23	13.23	10.94	1.09	-			 		
1	1	Rearrangement(DLEC Owned Splitter	1		ULS	ULSCS		36.23	13.23	16.94	1.69						
-	+	Line Sharing - per Line Activation (DLEC owned Splitter) -	 	†	010	JLUUJ		30.23	13.23	10.34	1.09				 		
1	1	OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
	1	1	<u> </u>	1	1	12200	0.01	17.02	5.50	0.00	7.00	L			L		

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			<u> </u>		-	1	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates (\$)		l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned						11100	Addi	11130	Addi	COMEC	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
-	LINE	NOTE 1 (E:10/2/2005) PLITTING		<u> </u>	ULS	ULSCI	8.27	17.82	9.30	8.53	4.30						
-	FND II	SER ORDERING-CENTRAL OFFICE BASED		1		+				-							
	LIND U	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30	İ					
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATIO	41.5307	0.0057										
-		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		<u> </u>	U1TVX	1L5XX	0.0057			-							
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
-		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTTVA	01172	12.07	40.40	15.40	10.36	3.00	ł					
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			011177	120701	0.0001			t		İ					
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			LIATOV	1L5XX	0.0057										
-		Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<u> </u>	U1TDX	ILDAA	0.0057			-							
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIDA	01103	7.00	40.40	13.40	10.50	3.00						
		per month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
L	<u></u>	Termination	<u></u>	<u></u>	U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00			<u> </u>			<u> </u>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.1154			ļ							
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATOA	LIATE4	04.40	444.00	00.00		04 =0						
		Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
1		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.53			1							
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILJAA	2.55										
		Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per								-		İ					
L		month		L	U1TS1	1L5XX	2.53			<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK	FIBER	Ded 51 to 5 to 5 to 6 to 6 to 6 to 6 to 6 to 6		<u> </u>		1						ļ					
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEON	41.505	00.00			1							
-	1	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	1		UDF, UDFCX UDF, UDFCX	1L5DF UDF14	23.29	1,776.53	89.75	73.64	18.70	1	-	-			
\vdash		Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	UDIT, UDFUA	UDF 14	 	1,770.53	09.75	73.04	10.70	+		-	 		
1		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84			I							
	l	NRC Dark Fiber - Local Loop	l		UDF, UDFCX	UDFL4	.0.04	1,745.99	87.54	73.64	18.70				1		
		I STATE OF THE STA			,			,	2					·			

HUMBHINDI	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONBONDE	I Georgia	1			1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted				Charge -	Charge -
											Elec		Manual Svc	Charge - Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR			Order vs.	Order vs.
0,11200111		m		200				= (4)			per LSR	per LSR	Order vs.	Order vs.		Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.50	0.43								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID			5.05	0.70	4.04	0.54						
	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+	-	5.65	0.76	4.24	0.51	-	-				
	POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
h	8XX Access Ten Digit Screening, Customized Area of Service	-		OHD	INOLIX	-	3.03	0.70	4.24	0.51						
	Per 8XX Number			OHD	N8FCX		2.50	1.25								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OTID	1401 070		2.00	1.20								
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43			İ	İ			İ	
	8XX Access Ten Digit Screening, Call Handling and Destination										İ	İ			İ	
	Features			OHD	N8FDX		2.50									
	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.0008543										
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0008543										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000682										
	LIDB Validation Per Query			OQU		0.0266962										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.24	33.24	39.35	39.35						
SIGNALING (
	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
	CCS7 Signaling Usage, Per Call Setup Message			UDB		0.0000132										
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB UDB	TPP++	0.0000527 8.73	34.77	34.77	16.91	16.91	-	-				
h	CCS7 Signaling Connection, Per link (A link) (same as E.S.1) CCS7 Signaling Connection, Per link (B link) (also known as D	-		UDB	IPP++	0.73	34.77	34.77	10.91	10.91						
	link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
 	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB	111177	0.0000132	54.77	34.77	10.51	10.51				1		
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44										
	CCS7 Signaling Point Code, Establishment or Change, per STP			000	0.000	007111										
	affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 SERVIC	E															
	Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					12.87	48.46	19.48	16.58	5.00						
	Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12						
	Local Channel - Dedicated - DS1 - Zone 2	ļ			1	56.30	149.46	111.20	40.36	26.12						
	Local Channel - Dedicated - DS1 - Zone 3				1	164.70	149.46	111.20	40.36	26.12						
\vdash	Interoffice Transport - Dedicated - DS1 Per Mile				+	0.1154										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	24.00	21.73						
CALLING NA	Interoffice Transport - Dedicated - DS1 Per Facility Termination ME (CNAM) SERVICE	-			+	34.19	111.03	8∪.∠8	31.36	21./3	-				-	
CALLING NA	CNAM For DB Owners - Service Establishment	 		OQV	1	 	22.90		20.32		-	-		 	 	
 	CNAM For Non DB Owners - Service Establishment			OQV OQV	+	 	22.90		20.32					 		
	CNAM For DB Owners - Service Provisioning With Point Code	†		~ ~ v	1		22.30		20.02		-	-				
	Establishment			OQV			959.77	709.83	251.47	184.91						
	CNAM For Non DB Owners - Service Provisioning With Point				1		3001	. 00.00	207	.001				1		1
	Code Establishment			OQV			331.89	237.45	257.65	184.91						
	CNAM for DB Owners, Per Query	1		OQV	İ	0.0009924	,				1	1		İ	l	İ
	CNAM for Non DB Owners, Per Query			OQV	1	0.0009924								1		1
	CNAM (Non-Databs Owner), NRC, applies when using the				1									1		1
	Character Based User Interface (CHUI)	<u> </u>		OQV	CDDCH	<u> </u>	595.00	595.00							<u> </u>	<u> </u>
SELECTIVE F																
	Selective Routing Per Unique Line Class Code Per Request Per														I	
	Switch						102.19	61.15	12.68	6.34						
VIRTUAL CO	LOCATION															

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONBONDE	LD NETWORK ELEMENTS - Georgia	1	1		I	1					Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				
0711200111	10112 =======	m		200				== (+)			per LSR	perLSK	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
			i –			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		i –													
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL C	OLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECT	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0020368										
AIN - BELLS	DUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup		L	A1N	CAMSE		41.41	41.41	41.63	41.63						
\vdash	AIN SMS Access Service - Port Connection - Dial/Shared Access		<u> </u>	A1N	CAMDP		8.15	8.15	9.16	9.16				1		1
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038										
L	AIN SMS Access Service - Session, Per Minute					1.81										
	AIN SMS Access Service - Company Performed Session, Per					0.0000										
AIN DELLO	Minute					0.8323										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE		<u> </u>						-							
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						1
-	AIN Toolkit Service - Training Session, Per Customer		<u> </u>	CAIVI	BAPVX		4,236.62	4,236.62	41.03	41.03	1			-		
-	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		DAF VA		4,230.02	4,230.02	-		1			-		
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		DALTI		0.15	0.13	3.10	3.10						
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 1D		0.10	0.10	5.10	0.10	1					
	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		i –													
	DN, Feature Code	<u></u>	<u></u>		BAPTF	<u> </u>	33.98	33.98	14.09	14.09	<u></u>	<u></u>	<u> </u>	<u> </u>		<u>1 </u>
	AIN Toolkit Service - Query Charge, Per Query					0.0271438										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit												l			1
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access												l			1
	Account, Per 100 Kilobytes		L			0.04										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service								1					1		(l
	Subscription		ļ	CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						└──
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service								1					1		[]
\vdash	Subscription		<u> </u>	CAM	BAPLS	6.46	8.98	8.98								
1 1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			0444	D 4 DD 6									1		[]
\vdash	Subscription		!	CAM	BAPDS	8.54	8.15	8.15	5.71	5.71		 	 	 		\vdash
1 1	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEO	0.00	0.00	0.00	1					1		1
ENHANCES	Service Subscription		<u> </u>	CAM	BAPES	0.22	8.98	8.98	 		-			 		
	EXTENDED LINK (EELs)		n al 4la -	Conitale As Is Character		lu fan LINE	- bin - ti - n	dalamad ac 16	l malimanilar Carrel	alma all Materia	. Flament:			 		\vdash
	: The monthly recurring and non-recurring charges below will : The monthly recurring and the Switch-As-Is Charge and not t													 		\vdash
	:: The monthly recurring and the Switch-As-Is Charge and not t INTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT					ONE COMBINATI	ons provisione	u as current	iy Combined f	VELWOIK EIEME	iiio.	 	 	+		\vdash
LATE	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86				 		\vdash
 	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38		6.86	H		 	 		
	2 2 Loop (OLZ) III Combination Zone Z	1		U U V/	U = / \L_	10.00	100.04	55.50	10.42	5.00	1	l	l	l		1

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Elec Manually per LSR Per LSR Processing Pro	Exhibit	Exhibit: A	Exhib	Fy	ent: 2	Attachr	I											BUNDLED NETWORK ELEMENTS - Georgia	JNBUNDI F
RATE ELEMENTS							Svc Order	Svc Order											
ATTECONY RATE ELEMENTS In min Rate Rock BCS BC	Charge - C	Charge - Ch	Charge -	Charge -	Charge -														
CATEGORY NATE ELEMENTS March SCORE S																	Intori		
Page Non-securing Disconnect Security							- 1				RATES (\$)			USOC	BCS	Zone		EGORY RATE ELEMENTS	CATEGORY
Part Non-recurring Non-recurring Disconnect SOSS Bases (S)							per Lore	per Lore									m		
Part 2 View Viol Loop (SL2) in Combination - Part Mele																			
First Avere VS Loop (SLZ) in Continuation - Zene 2 3 MOVX	Disc 1st Di	513C 13t D13	Disc 1st	Diac iat															
First ZWWe VELLOUS (SCI in Combination - Zero 1 3 UNDXX													Rec						
Interestinal Transport - Decisional C-95 cerebrations - Per Mallo per motion Per Mallo per motion Per Mallo per motion Per Mallo Per Mallo per motion	SOMAN S	SOMAN S	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC						<u> </u>					
Der month Der month DeCK 1LSOC 0.1164									6.86	18.42	36.38	195.94	33.08	UEAL2	UNCVX	3 (
Insertifies Transport - Decidental - DST contribution - Facility LACCIX					ļ								0.4454	41.500	LINIOAY	I.			
Temmoration part moments Section	 												0.1154	1L5XX	UNCTX				
10 Columentarium System in combination Per March* UNICX 8611 69.75 27.73 2.00 16.86 1.04					ļ				27.07	42.00	45.70	97.76	24.10	LIATEA	LINICAV	l,			
Vision Grades COCI - Per Month Sizon Additional 2-Viver VG Loop (SL 2) in Combination - Zone 1 UNIONX USAL2 11.57 195.94 36.38 18.42 6.86	 								21.51	43.00	40.73					- '			
Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 1	 								1 04	16.86	2 90								
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2									1.04	10.00	2.00	27.00	0.4000	15170	011017	ľ		Voice Grade Goor 1 of Month	
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2					ļ				6.86	18.42	36.38	195.94	11.57	UEAL2	UNCVX	1 (Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone	
Each Additional 2-Wire VG Loop (SL 2) in Contribution - Zone 3	1 1		-																
Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade Loop in Combination - Zone 1 1 UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 21.88 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 21.88 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 17.80 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 U	<u> </u>							<u></u>	6.86	18.42	36.38	195.94	16.95	UEAL2	UNCVX	2 (Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	
Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade COCI - Per Month Notice Grade Loop in Combination - Zone 1 1 UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 21.88 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 21.88 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 Interestination - Per Month UNCX UEAL4 17.80 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 17.80 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 UNCXX UEAL4 21.88 195.94 36.38 18.42 6.86 Additional - Avive Analog Voice Grade Loop in Same DS1 U																			
Nonrecurring Currently Cortibined Network Elements Swarch - Apr UNCIX UN																			
Scharge									1.04	16.86	2.90	27.33	0.4689	1D1VG	UNCVX	ī			
EXTENDED 4-WIRE VOICE GRADE EXPENDED LOOP WITH DEDICATED DSI INTERCEPTICE TRANSPORT					ļ														
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1									6.61	6.61	5.70	5.70				Į			
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		\longrightarrow												DRT	ROFFICE TRANSP	INTER	ED DS1	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	EXTE
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2					ļ								4= 00			. l.			
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.38 18.42 6.86									6.86	18.42	36.38	195.94	17.80	UEAL4	UNCVX	1 (First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.38 18.42 6.86					ļ				0.00	40.40	20.20	405.04	04.00	LIEAL 4	LINCVIV	ا م		First 4 Wise Apples Vales Conda Less is Combination 7555	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154	 	\longrightarrow							6.86	18.42	36.38	195.94	21.68	UEAL4	UNCVX	2 (First 4-vvire Analog Voice Grade Loop in Combination - Zone 2	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154					ļ				6.06	10.40	26.20	105.04	20.25	LIEAL 4	LINCVV	2 1		First 4 Wire Angles Voice Crade Lean in Combination - Zone 3	
Per Month									0.00	10.42	30.30	195.94	30.23	ULAL4	UNCVA	3 (
Interoffice Transport - Decicated - DS1 - Facility Fermination Per UNC1X					ļ								0 1154	11 5XX	LINC1X	l,			
Month	 	-			$\overline{}$								0.1104	120/01	ONOTA				
10 Channel System in combination Per Month					ļ				27.97	43.80	45.73	87.76	34.19	U1TF1	UNC1X	lu			
Additional 4-Wire Analog Voice Grade Loop in same DS1																			
Interoffice Transport Combination - Zone 1									1.04	16.86	2.90	27.33	0.4689	1D1VG	UNCVX	l		Voice Grade COCI in combination - per month	
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 21.88 195.94 36.38 18.42 6.86																		Additional 4-Wire Analog Voice Grade Loop in same DS1	
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 21.68 195.94 36.38 18.42 6.86									6.86	18.42	36.38	195.94	17.80	UEAL4	UNCVX	1 l			
Additional 4-Wire Analog Voice Grade Loop in same DS1					ļ														
Interoffice Transport Combination - Zone 3 JUNCVX UEAL4 30.25 195.94 36.38 18.42 6.86									6.86	18.42	36.38	195.94	21.68	UEAL4	UNCVX	2 l			
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04					ļ														
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X																			
Is Charge									1.04	16.86	2.90	27.33	0.4689	1D1VG	UNCVX	'			-
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT								1	G G4	6.64	E 70	E 70		LINICCC	LINC1V	Ι.			
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+	$\longrightarrow \vdash$	\longrightarrow					-	10.0	0.01	5.70	5.70	-			1 101 TO	ATED		EYTE
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97 1/0 Channel System in combination Per Month UNC1X MQ1 69.75 86.10 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 0.9963 27.33 2.90 16.86 1.04 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 21.86 195.94 36.38 18.42 6.86 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86	+	+	\longrightarrow											J. J. I	ILKOFFICE IKAN	731 1141	AILDI	EXTENDED TWINE 30 RBF3 EXTENDED DIGITAL EOOF WITH DEL	LATE
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97 1/0 Channel System in combination Per Month UNC1X MQ1 69.75 86.10 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1DIDD 0.9963 27.33 2.90 16.86 1.04 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 21.86 195.94 36.38 18.42 6.86 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86								1	6.86	18 42	36.38	195 94	21.86	UDL56	UNCDX	1 l		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86	 		+						0.00	10.72	30.30	133.34	21.00	00200	J. 100/1	• '		1. II St. 4 VIII O OOROPO DIGITALI OTAGE LOOP III OOIIIDIIIIAIIOII - ZOITE	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86								1	6.86	18.42	36.38	195.94	28.36	UDL56	UNCDX	2 1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
Interoffice Transport - Dedicated - DS1 combination - Per Mile UNC1X	1								2.30		22.30			1	-			2. 2.2.4.5 3 2	1
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154 UNC1X 1L5XX 0.1154 UNC1X UTF1 34.19 87.76 45.73 43.80 27.97 UNC1X UTF1 34.19 87.76 45.73 43.80 27.97 UNC1X UTF1 34.19 87.76 45.73 43.80 27.97 UNC1X UTF1 34.19 87.76 45.73 43.80 27.97 UNC1X UTF1 34.19 87.76 45.73 43.80 27.97 UNC1X UNC1X UNC1X MQ1 69.75 86.10 UNC1X UNC1								1	6.86	18.42	36.38	195.94	38.22	UDL56	UNCDX	3 (First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month																1			Ì
Termination Per Month													0.1154	1L5XX	UNC1X	U			
1/0 Channel System in combination Per Month																T			
OCU-DP COCÍ (data) per month (2.4-64kbs)									27.97	43.80	45.73								
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 UNCDX UDL56 21.86 195.94 36.38 18.42 6.86	\bot																		
Interoffice Transport Combination - Zone 1	↓								1.04	16.86	2.90	27.33	0.9963	1D1DD	UNCDX	l			
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86								1				,		LIDI 50	LINODY	, l.			
Interoffice Transport Combination - Zone 2									6.86	18.42	36.38	195.94	21.86	UDL56	UNCDX	1 (
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1									0.00	40.40	20.00	105.01	00.00	LIDI EC	LINCDY	, l.			
	+		\longrightarrow					-	6.86	18.42	36.38	195.94	28.36	UDL56	UNCDX	2 (
								1	6 96	19.42	36 30	105 04	38 33	LIDL 56	LINCDX	3 1			
Additional OCU-DP COCI (data) - in combination per month (2.44	+	+	\longrightarrow						0.00	10.42	30.30	133.34	50.22	JDL30	OHODA				
64kbs) UNCDX 1D1DD 0.9963 27.33 2.90 16.86 1.04								1	1.04	16.86	2.90	27.33	0.9963	1D1DD	UNCDX	lı			

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0.11201122						1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	KATE EEEMENTO	m	20116	500	0000			IXILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			-		+	<u> </u>	Nonrec	urrina	Nonrecurring	n Diagonnoot		l .	000	Rates (\$)		
			-		+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Name and the Company of Carachia and Nationals Flammanta Contacts As		-		+	_	FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		F 70	F 70	0.04	0.04						1
EVE	Is Charge ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN		UNCCC	_	5.70	5.70	6.61	6.61						
EXI	ENDED 4-WIKE 64 KBFS EXTENDED DIGITAL LOOP WITH DEDIC	SAIED	DOTIN	TEROFFICE TRAINS	PORT											
	First A Wiss Odd as Bistist Ossils Laws to Ossils are a 7		1	LINODY	LIBLOA	04.00	405.04	00.00	40.40	0.00						, ,
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First A Wiss Odd as Bistist Ossils Laws to Ossils are a 7000		2	LINODY	LIBLOA	00.00	405.04	00.00	40.40	0.00						1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First A Wiss Odd as Bistist Ossils Laws to Ossils are a 7000			LINODY	LIBLOA	00.00	405.04	00.00	40.40	0.00						1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month			UNC1X	1L5XX	0.1154										
	interoffice Transport - Dedicated - DS1 combination - Facility	1	1		l	<u></u>					1	1				1
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						, !
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						, !
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						(T
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										1
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10.17	0	00	00	10.70	10.00	27.07		1				
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER				00	00	0.01	0.01						
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86			i	i		
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			 	i		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ť			32.00	200.40	, ,,,,,	501	5.00	†	l		†		
	Per Month	1	1	UNC3X	1L5XX	2.53				1	l	1	1	l		1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	—	 	5.100/1	TEO///	2.00					 	 		†		
	month	1	1	UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1	1				, !
 	3/1Channel System in combination per month		 	UNC3X	MQ3	121.90	323.31	77.07	70.00	32.00	 	l		 		
 	DS1 COCI in combination per month		 	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	 	l		 		
 	Additional DS1Loop in DS3 Interoffice Transport Combination -		 	ONOIA	CIDI	1.33	21.33	2.90	10.00	1.04	 	l		 		
	Zone 1	1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	l	1	1	1		, !
\vdash	Additional DS1Loop in DS3 Interoffice Transport Combination -		- '-	OIVOIA	JJLAA	41.02	209.40	70.44	31.81	0.00	-		 	1		
	Zone 2	1	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	1	1				1
\vdash			_	UNUIA	USLAA	40.41	209.45	70.44	31.91	0.86		-				
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						, '
\vdash	Zone 3		3		USLXX UC1D1											
\vdash	Additional DS1 COCI in combination per month		+	UNC1X	UCIDI	7.35	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNC3X	UNCCC		F 70	F 70	0.01	0.01	1	1				1
	Is Charge	0045	 			 	5.70	5.70	6.61	6.61	-	ļ	-	 		
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD				44	105.01	00.00	40.10	0.00	-					
\vdash	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86		ļ	 	-		
\vdash	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86		ļ	 	-		
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86	L	l				

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	_	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			(+)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurring	Disconnect	i e		oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	RT											
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.0057					ļ			1	ļ	<u> </u>
	Interoffice Transport - 4-wire VG - Dedicated - Facility													I		
	Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60	ļ			1	ļ	<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						.
EXIE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE			40.07										
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										ļ
	DOOL I -			1111001	LIEODY	050.00	4 000 47	000.04	44.50	00.70						
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76	 	-				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53					 	-				
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNUSA	01113	342.02	323.91	11.01	49.30	32.00	ł	-		-		-
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
FXTF	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		UNCCC		3.70	3.70	0.01	0.01						
	STS-1 Local Lolp in combination - per mile per month		1	UNCSX	1L5ND	10.97					İ					
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						.
	First 2-Wire ISDN Loop in Combination - Zone 2		3	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	1					-
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	 	-				
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSAA	0.1154					1			-		-
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10	40.73	+5.00	21.51	<u> </u>					-
	2-wire ISDN COCI (BRITE) - in combination - per month		1	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	†					
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONONA	0010/1	1.00	27.00	2.00	10.00	1.04	1			1		†
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						<u> </u>
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS				ļ					ļ			1	ļ	<u> </u>
\vdash	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				-	ļ	
	First DS1 Loop Combination - Zone 2	—	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	<u> </u>			-	-	├
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	<u> </u>			1		L

UNBL	NDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
01120				1			1					Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OA! E		KATE EEEMENTO	m		500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonred	urring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile							71441		71441	0020	00				
		Per Month			UNCSX	1L5XX	2.53										ĺ
		Interoffice Transport - Dedicated - STS-1 combination - Facility				1-2						i e					
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		3/1 Channel System in combination per month			UNCSX	MQ3	121.90						İ				
		DS1 COCI in combination per month		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															1
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT	EROFF													
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0057										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				l											
		Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-															
-	EVTEN	Is Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DO INT	FRAFE	UNCDX	UNCCC		5.70	5.70	6.61	6.61	1					-
	EXIEN	4-wire 64 kbps Looal Loop in Combination - Zone 1	PS INI	EROFF	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	-					
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	1	1		-		
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	1	1		-		
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		<u> </u>	ONODA	ODLOT	00.22	100.04	00.00	10.42	0.00	†					
		Per Mile per month			UNCDX	1L5XX	0.0057										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			0.1027	120701	0.0007					İ					
		Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-										i e					
		Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	3/1 MUX												
		First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
		First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile			UNC1X	1L5XX	0.1154										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10									
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1								40.40							
<u> </u>		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	ļ		 	 	 	
1		Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LINICVA	LIEALO	40.05	405.04	20.20	40.40	0.00				I		1
<u> </u>	-	Interoffice Transport Combination - Zone 2	-	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	 	-		 		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86				1		1
<u> </u>		Each Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.4689	27.33	2.90	16.42	1.04			-		-	
	-	Each Additional DS1 Interoffice Channel per mile in same 3/1		 	OINOVA	פאוטו	0.4009	21.33	2.90	10.00	1.04	 	 		+		
1		Channel System per month	1		UNC1X	1L5XX	0.1154								I		1
	H	Each Additional DS1 Interoffice Channel Facility Termination in	-	1	CHOIN	ILUAA	0.1154					 	 	 	 	 	
1		same 3/1 Channel System per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				I		1
—	-	Each Additional DS1 COCI combination per month	-	†	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	 	-		 		
		1245 , Maritorial De l'Oce l'ochibiliation per monti		<u> </u>	U. 10 1A	100101	1.55	21.00	۷۰.۵0	10.00	1.04	1			1		1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
0.1.201.22											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAV	1111000		5 70	F 70	0.04	0.04						í
EVT	Is Charge ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FERNE	ICE TO	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EATE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKOFF	ICE IK	ANSPORT W/ 3/1 WI	1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -		+ '-	ONOVA	OLAL	17.00	190.94	30.30	10.42	0.00						
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						í
	First 4-Wire Analog Voice Grade Local Loop in Combination -									0.00						i e
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						í
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													
	Mile Per Month			UNC1X	1L5XX	0.1154										l .
	First Interoffice Transport - Dedicated - DS1 - Facility															i
	Termination Per Month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month		_	UNC1X	MQ1	69.75	86.10									
	Per each Voice Grade COCI in combination - per month	.	₩	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
\vdash	3/1 Channel System in combination per month	 	1	UNC3X	MQ3	121.90	07.00	0.00	10.00	1.01		 		.		—
	Per each DS1 COCI in combination per month Additional 4-Wire Analog Voice Grade Loop in same DS1	-	+	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						í
	Additional 4-Wire Analog Voice Grade Loop in same DS1		+ '	ONCVA	ULAL4	17.00	193.94	30.30	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						í
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1 -	ONOVA	O L / L -	21.00	100.04	00.00	10.42	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						í
	Each Additional DS1 Interoffice Channel per mile in same 3/1															i e
	Channel System per month			UNC1X	1L5XX	0.1154										ł
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ł
EVE	Is Charge	DO INT	FDOFF	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXII	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	SPS INT	EROFF	ICE TRANSPORT W	/ 3/1 MUX											
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		+ '	ONCDX	ODESO	21.00	193.94	30.30	10.42	0.00						
	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ł
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		<u> </u>	0.1057	02200	20.00	100.01	00.00	10.12	0.00						
	Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						ł
	First Interoffice Transport - Dedicated - DS1 combination - Per		1													í .
	Mile Per Month	<u> </u>	<u>L</u>	UNC1X	1L5XX	0.1154										<u> </u>
	First Interoffice Transport - Dedicated - DS1 - combination															ı
	Facility Termination Per Month	ļ	 	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ		ļ
\vdash	Per each 1/0 Channel System in combination Per Month	<u> </u>	1	UNC1X	MQ1	69.75	86.10									
\vdash	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	 	1	UNCDX UNC3X	1D1DD MQ3	0.9963	27.33	2.90	16.86	1.04		 		.		
\vdash	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	+	+-	UNC3X UNC1X	UC1D1	121.90 7.35	27.33	2.90	16.86	1.04				 		
\vdash	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	 	+	UNCTA	OCIDI	7.35	21.33	2.90	10.86	1.04	-					
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86		1				i
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	t	 	5.10DA	35230	21.00	130.34	30.30	10.42	0.00	-	 				(
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						ł .
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	† –	-	1			22.30		2.30				İ		i
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1				ł .
	OCU-DP COCI (data) COCI in combination per month (2.4-															i
	64kbs)	<u> </u>	<u></u>	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						ı
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1							-						·
	Channel System per month		_	UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		LINIOAN												i
\vdash	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system	+	+	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				 		
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						ı
	Combination per month		1	OIVOIA	TOC ID I	1.33	21.33	2.90	10.00	1.04	1	l		1		

CATEGORY RATE ELEMENTS Name BCS USOC RATE (B) Section Received in Incremental Incremen	UNBUNDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATE GLEMENTS Ment David RCS USC PATES (s) David	ONDONDEL		I	1		1	I					Svc Order	Svc Order				
ATTERIORY RATE ELEMENTS INTO THE PROPERTY OF T																	
## ATTE CAPPOINT RATE ELEMENTS The School Cappoint C												1					
Bectonic Bectonic	CATEGORY	RATE ELEMENTS	I	Zone	BCS	USOC			RATES (\$)								
Note			m									per Lore	per Lore				
Note Note																	
Mode																Diac 1at	Disc Add I
Noncepting Contended Nation in Interest South As Noncepting Nonc							Poo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Inchange Inchange							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ENTINOS A Wife 64 NESS DOUTH LOOP WITH EDECACED DS IN PRESCRIPTOR WITH UNIX			-														í
First 4-Wire DROSE Digital Crisis (as 1901 Inserting 1 DNDDX DNDA 21.86 196.64 36.90 16.45 6.86								5.70	5.70	6.61	6.61						
Transport Combination - Zone 1 UNCDX	EXTEN		INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
First 4-Wine 640kgs Dayiel Corde Login in 261 Interdifice Transport Cembration - Zero 2 on in 261 Interdifice Transport Cembration - Zero 3 Transport																	í
Transport Combination - Zume 2 QUECOX SQUEAR 28.38 195.94 36.38 19.42 6.86				1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
First 4-Wire 6450p Object Condension - 2016 Interoffice 3 UNCDX				_													í
Transport Correlatation - Zero 9				2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
First Intendifier Transport - Desicated - DSI combination - Per DACTX 1,50X 0.1154																	í
Met Per Mouth Description	\vdash			3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						——
First Intendfiles Transport - Declarated - DSI combination - Park Morth Packet Present Channel System 10 in combination - part month Packet Present Channel System 10 in combination - part month Packet Present Channel System 10 in combination - part month Packet Present Channel System 10 in combination - part month Packet Present Channel System in combination - part month Packet Present Pre						41 = 207											í
Facility Termination Fee Munch UNCIX UTFR 34-10 87.76 46.73 43.80 27.07	\vdash		-	-	UNC1X	1L5XX	0.1154										
Per seido Chamnel System (10 in combination per Nation)					LINIOAN		04.40	07.70	45.70	40.00	07.07						í
Per sech OCU-PP COCI (date) in combination - per month (2.4-6) (984b) St. Channel System in combination per month (2.4-6) (984b) St. Channel System i	\vdash		-	-					45.73	43.80	27.97						
G64bs UNCDX	\vdash				UNCIX	IVIQT	69.75	86.10									
St Channel System in combination per month					LINCDY	4D4DD	0.0000	07.00	2.00	40.00	4.04						ł
Per each DST COCI in combination per month	\vdash		-	-				21.33	2.90	10.00	1.04	-	-				
Additional 4-Wire 6-Klops Digital Grade Loop in same DS1	\vdash		-					27.22	2.00	16.96	1.04	1					
Interdifice Transport Combination - Zone 1	\vdash		-		UNCIX	OCIDI	7.55	21.33	2.90	10.00	1.04	1					
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Number 1 Number 2 2 UNCDX UDL64 28.36 195.94 36.38 18.42 6.86 Number 1 Number 2 N				1	LINCDX	LIDL64	21.86	105.04	36 38	18.42	6.86						í
Interoffice Transport Combination - Zone 2				'	UNCDA	UDL04	21.00	133.34	30.30	10.42	0.00						
Additional A-Wire 64K0ps Digital Grade Loop in same DS1 Interoffice Transport Combination - 2 com 2				2	LINCDX	LIDL64	28.36	105.04	36 38	18.42	6.86						í
Interoffice Transport Combination - Zone 3 3 UNCDX UDLD4 38.28 195.94 36.38 18.42 6.66					ONODA	ODLO4	20.30	190.94	30.30	10.42	0.00						
Additional OCU-OP COCI (data) - DST to DSI O Channel System UNCDX 101DD 0.9983 27.33 2.90 16.86 1.04				3	LINCDX	LIDI 64	38 22	195 94	36 38	18 42	6.86						ł
Combination - per month (2.4-64bbs) UNCDX 1DDD 0.9963 27.33 2.90 16.86 1.04				- ŭ	ONODA	ODLOT	00.22	100.04	00.00	10.42	0.00						
Each Additional DSI Interoffice Channel per mile in same 3/1 UNCIX LEXX 0.1154 UNCIX LEXX 0.1154 UNCIX LEXX 0.1154 UNCIX UTF1 34.19 87.76 45.73 43.80 27.97 UNCIX UTF1 34.19 87.76 45.73 43.80 27.97 UNCIX UTF1 34.19 87.76 45.73 43.80 27.97 UNCIX UCIDI 7.35 27.33 2.90 16.86 1.04 UNCIX UCIDI 7.35 27.33 2.90 16.86 1.04 UNCIX UCIDI 7.35 UNCIX					UNCDX	1D1DD	0 9963	27.33	2 90	16.86	1 04						í
Channel System per month					0.1027	10.00	0.0000	27.00	2.00	10.00	1.01						
Each Additional DSI Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97					UNC1X	1L5XX	0.1154										í
Same 3/1 Channel System per month																	
Each Additional DS1 COCI in the same 3f channel system combination per month					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						í
Combination per month												İ					i
SCharge UNC1X UNCCC 5.70 5.70 6.61 6.61					UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						í
EXTENDED 2-WIRE ISDN Loop in a DS1 Interoffice TRANSPORT w/ 3/1 MUX		Nonrecurring Currently Combined Network Elements Switch -As-															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 1 UNCNX U1L2X 19.82 195.94 36.38 18.42 6.86		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						í
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 1 UNCNX U1L2X 19.82 195.94 36.38 18.42 6.86	EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													1
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 UNCNX U1L2X 26.26 195.94 36.38 18.42 6.86																	ı
Transport - Zone 2				1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86					<u></u>	ı
First 2-Wire ISDN Loop in a DS1 Interoffice Combination 3 UNCNX																	ı ————
Transport - Zone 3 3 UNCNX U1L2X 42.17 195.94 36.38 18.42 6.86				2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						L
First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97																	1
Mile per month	\vdash			3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month						1											l .
Facility Termination per month			<u> </u>	<u> </u>	UNC1X	1L5XX	0.1154										.
Per each Channel System 1/0 in combination - per month																	í
Per each 2-wire ISDN COCI (BRITE) in combination - per month	\vdash								45.73	43.80	27.97						
3/1 Channel System in combination per month	\vdash	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10									
3/1 Channel System in combination per month	1 1	December 2 in 1904 (SQL/PDITE) in analysis of			LINIONIX			07.00	0.00	40.00	4.0.						l .
Per each DS1 COCI in combination per month	\vdash		!	!				27.33	2.90	16.86	1.04	-	ļ				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 1 UNCNX U1L2X 19.82 195.94 36.38 18.42 6.86	\vdash		 	├				07.00	0.00	10.00	4.04	-	ļ				
Combination - Zone 1	\vdash		!	-	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04		 				
Additional 2-wire ISDN Loop in same DS1Interoffice Transport 2 UNCNX U1L2X 26.26 195.94 36.38 18.42 6.86	1 1		1	1	LINIONIV	LIALOY	40.00	405.04	20.00	40.40	0.00		1				1
Combination - Zone 2	\vdash		-	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1 1			2	LINICNIV	LIALOV	26.20	105.04	26.20	10 40	6.00						į.
Combination - Zone 3	\vdash		-		UNUNA	UILZX	26.26	195.94	36.38	18.42	6.86	1					
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1 1		1	2	LINICNIY	1141.27	12 17	105.04	26.20	10 40	6 06		1				1
	 		1	3	UNUNA	UILZA	42.17	195.94	30.38	10.42	0.86	 					
		system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						1

LINBUNDI E	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
ONBONDE		1	1			1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted					
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTS	m	Zone	603	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	+				Nonred	urring	Nonrecurring	Disconnect	-		220	Rates (\$)		
			1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1		1		FIISL	Add I	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Channel System per month			UNC1X	1L5XX	0.1154										1
	Each Additional DS1 Interoffice Channel Facility Termination in		1	UNCIA	ILJAA	0.1154										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ł
	Each Additional DS1 COCI in the same 3/1 channel system		1	ONOTA	01111	34.13	07.70	40.73	45.00	21.31						
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						1
	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCIA	OCIDI	7.55	21.33	2.50	10.00	1.04						
	Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						ł
EVTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	EDODT		UNCCC		5.70	3.70	0.01	0.01	-	-				
LATE	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	INAIN	J 4	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	-	-				
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	-	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	-	-				
 	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2 First 4-wire DS1 Digital Looal Loop in Combination - Zone 3	 	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	-			1		ſ
 	First 14-wire DST Digital Ecoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	1	3	ONCIA	USLAA	02.03	209.45	70.44	31.91	0.86	-					
	Mile Per Month	1	1	UNC1X	1L5XX	0.1154					1	1				1
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	-	+	ONOIA	ILUAA	0.1154						 		-		
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ł
	3/1 Channel System in combination per month		-	UNC3X	MQ3	121.90	87.76	45.73	43.80	27.97						
	Per each DS1 COCI combination per month		-	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	_	 	UNCIA	OCIDI	7.33	21.33	2.90	10.00	1.04						
				LINICAY	41 EVV	0.4454										ł
\vdash	Channel System per month	_	 	UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
	same 3/1 Channel System per month		1	UNC1X	UTIFT	34.19	87.76	45.73	43.80	27.97	-					
	Each Additional DS1 COCI in the same 3/1 channel system			LINICAY	UC1D1	7.05	07.00	0.00	40.00	4.04						ł
	combination per month	-	 	UNC1X	OCIDI	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			LINIOAN	1101.307	44.00	000.45	70.44	07.04	0.00						1
	A LEGIS A LAWEST BOARDS TO LEGIS AND A CONTROL OF THE CONTROL OF T	-	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	LINICAY	USLXX	46.41	209.45	70.44	37.91	6.86						1
	Additional 4 Wise DC4 Digital Level Level in Combination 7-1-2	-		UNC1X	USLXX	46.41	209.45	70.44	37.91	0.80						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	LINIOAN	1101.307	00.00	000.45	70.44	07.04	0.00						1
	Normalia Caratica India de Figura de Caratica India	-	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAN	1111000		F 70	F 70	0.04	0.04						1
EVE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NITEDO	FFIOF	UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXIE		NIERO	FFICE 1	UNCDX	UDL56	21.86	195.94	20.20	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 1	-						36.38								
	First 4-wire 56 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			UNCDX	1L5XX	0.0057										1
	per month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	-	 	UNCDX	ILSXX	0.0057										
				LINODY	U1TD5	7.83	00.50	33.61	43,42	27.60						ł
\vdash	Termination per month	-	 	UNCDX	פטווט	7.83	66.53	33.01	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCDX	UNCCC		F 70	F 70	0.04	6.61						1
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	FFICE		UNCCC		5.70	5.70	6.61	0.01						
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIERO	FFICE	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		-	1													
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 2	-	3	UNCDX	UDL64 UDL64	28.36 38.22	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	_	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	0.80						
				LINCDV	41 EVV	0.0057										ł
\vdash	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	-	1	UNCDX	1L5XX	0.0057										
				LINCDY	LIATEC	7.83	00.50	22.01	40.40	07.00						l .
\vdash	Termination per month	 	1	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		-				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						1
ADDITIONAL	NETWORK ELEMENTS	-	1	UNCDX	UNCCC		5.70	5.70	0.61	0.61						
	used as a part of a currently combined facility, the non-recurr	rna sh-	race ele	not apply but - C	Switch Ac Ic -	harao daga s	N.									
	used as ordinarily combined network elements in All States, t ecurring Currently Combined Network Elements "Switch As Is"					AS IS Charge o	uces not.									
Nonre	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-		one a	ppnes to each com	ibiliation)							-		-		
	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		5.70	5.70	6.61	6.61	1	1				1
\Box	13 Onaryo - 2 WIIE/4-VVIIE VO	Ц		ONOVA	UNUUU		5.70	5.70	0.01	0.01	1	L		I		

UNB	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
0		- 11_11_01_11		1								Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						. ,			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec		curring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.70	5.70	0.04	0.04						
-	Ontion	Is Charge - STS1 al Features & Functions:		-	UNCSX	UNCCC		5.70	5.70	6.61	6.61	1					
	Option	ai Features & Functions:		1	U1TD1.	+	-				-	-	-				
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		οι	OI	OI	OI						
-	+	Clear Chairner Capability Extended Frame Option - per DST	'	1	U1TD1,	CCOEF	1	UI	UI	UI	UI	1			1		
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		οι	OI	OI	OI						
-	+	Clear Channel Capability (SF/ESF) Option - Subsequent	<u> </u>	 	ULDD1, U1TD1,	00001	 	01	01	OI .	OI .	<u> </u>		1			
		Activity - per DS1	1		UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S						
	1	retivity per Ber			U1TD3, ULDD3,	MICOCO		104.020	20.700	2.000	0.700	1					
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74S	7.66S	0.7591S	0S						
	MULTI	PLEXERS									-	İ					
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10				İ					
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				Ī								ĺ			
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel			l												
	ļ	in the same SWC as collocation		ļ	U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
-	+	used for a Local Loop		-	UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61	1					
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
-	+	DS3 to DS1 Channel System per month		+	UNC3X	MQ3	121.90	11.90	11.39	0.01	0.01	 			-		
-	+	STS-1 to DS1 Channel System per month		 	UNCSX	MQ3	121.90				 	<u> </u>		1			
-	+	DS1 COCI used with Loop per month		1	USL	UC1D1	7.35	15.81	11.39	6.61	6.61	†					
	1	DS1 COCI (used for connection to a channelized DS1 Local					7.55	10.01	11.59	0.01	0.01			1	<u> </u>		1
		Channel in the same SWC as collocation) per month	1		U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61				I		
	1	DS1 COCI used with Interoffice Channel per month		1	U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61			İ	t		
	1	DS3 Interface Unit (DS1 COCI) used with Local Channel per				1	1.30		30	5.51	1	1	1	İ	1	l	
L	1	month	<u></u>		ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61	<u></u>	<u> </u>	<u></u>	L	<u> </u>	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to l	be ordered usir	ng retail USOC	s								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)				1											
		Exchange Ports - 2-Wire Analog Line Port- Res.		1	UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28				.		
		Endough Body OWEN Andrew Co. B. C. W. C. W. C.	1		LIEBOD	LIEBES									I		
├	1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		1	UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28			ļ	-	 	ļ
		Fush and a Darte Collins Applies Live Book a training of S	1		LIEBOD	LIEBEO	1.00	0.70		1.0-	1.00				I		
-	+	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		1	UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28	 		 	 	-	
		Exchange Ports - 2-Wire VG unbundled res, low usage line port	1		LIEDOD	UEPAP	4.00	0.40	0.01	4.07	4.00				I		
\vdash	+	with Caller ID (LUM) Exchange Ports - 2-Wire Voice Georgia basic dialing port		1	UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28	 		 	 	-	
		without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28				1		
-	+	2-Wire voice unbundled Georgia basic dialing port for use with		+	ULFOR	DEFVIC	1.09	2.42	2.31	1.37	1.28	 	-		+		
		Caller ID - res	1		UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28				I		
-	 	2-Wire voice unbundled Georgia basic dialing port - outgoing		1	02.1 010	JL1 77 G	1.09	2.42	2.31	1.37	1.20	1	-		I		\vdash
		only	1	1	UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28		1		I		
	1			1	1	1	00	72	2.01		20	1		1			

CATGORY RATE ELEMENTS Medical Sections Medical Sections Company	UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
ATTOONY BATE ELEMENTS None No.				1								Svc Order	Svc Order				
Part Part												1					
ACT-COMP RATE ELEMENTS RATE SERVING STATE																	
Part Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			l .					
New York Ordered Line Court New York Controlled Line Court New York Controlled Line Court New York C	OATEOOKT	NATE ELEMENTO	m	20110	500	0000			πατ Εσ (ψ)			per LSR	per LSR				
Property Property																	
No. No.														1st	Add'l	Disc 1st	Disc Add'l
No. No.	ı		 	 		+		Nonrec	urring	Nonrecurring	Disconnect	†	1	220	Pates (\$)		
Description Description			1	1		+	Rec					COMEC	COMAN			COMAN	COMAN
Cognosity UPPR		2 Wire valee uphyadled Law Heage Line Best without Celler ID	1	1		+		FIISL	Auui	FIISt	Auu i	JOIVILO	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
2-Wiley locks Grade Unburshed Port without Caller Dispatility, EPSR UPPR 1.00 2-42 2-51 1.37 1.20					LIEDOD	LIEDDT	1.00	2.42	2.24	1 27	1 20						
Concept Control Cont			1	1	ULFSIX	OLFKI	1.09	2.42	2.31	1.37	1.20	1	†		-		
E-VINE Vote Original University For Will Califor ID Capability Libridge					LIEDOD	LIEDBY	1.00	2.42	2.24	1 27	1 20						ĺ
Clarge C			-	-	OLFOR	OLFIX	1.09	2.42	2.31	1.37	1.20	ł	-		-		
Subsequent Activity					LIEDOD	LIEDDII	1.00	2.42	2.24	1 27	1 20						
FEATURES			-	-						1.37	1.20	 					
File Analysis Ventical Postatures UEPSR UEPSC	FEAT		_	-	UEPSR	USASC	0.00	0.00	0.00			-	-				
SAMPLE VOICE GRADE LINE PORT RATES (BUS)	FEAT		-	-	LIEDOD	LIED\/E	0.775	0.00	0.00			-					
Eachange Potes - 24 Ver & Droughold Line Pote without Caller ID - United Biology Line Potes Line Li					UEPSR	UEPVF	0.775	0.00	0.00				ļ				
Bus	2-WIR																
Exhange Ports - 2-Wire Visit although Line Port with unburnded port with Califor Half All D- Bus. UFPSB UFPBC 1.09 2.42 2.31 1.37 1.28																	ĺ
Unburnided port with Caller's E444 D- Bus. Eschange Ports - 2-Wire Voice Gorgan Burniers Beat Dilling Port, with Caller Depicible, Eschange Ports - 2-Wire Voice Gorgan Burniers Beat Dilling Port, with Caller Depicible, Eschange Ports - 2-Wire Voice Acrong Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Under Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.42 2.31 1.37 1.28 Eschange Ports - 2-Wire Voice Gorgan Burniers Dilling Plan LEPSB ULFBO 1.99 2.88 1.38 1.38 1.48 0.8					UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28	ļ					
Exchange Ports - 2-Wire Voice Georgia Business Base Dialing VEPSB VEPWP 1.09 2.42 2.31 1.37 1.26 VEPSB VEPBO 1.09 2.42 2.31 1.37 1.26 VEPSB VEPBO 1.09 2.42 2.31 1.37 1.26 VEPSB VEPSB VEPBO 1.09 2.42 2.31 1.37 1.26 VEPSB VE																	
Part, wift Caller ID capability				<u> </u>	UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						<u> </u>
Exchange Ports - 2-Wire Visurbundied incoming only - Bus. Exchange Ports - 2-Wire Visurbundied incoming only port with being ports - 2-Wire Visurbundied incoming only port with being being ports - 2-Wire Visurbundied incoming only port with being being ports - 2-Wire Visurbundied incoming only port with being being ports - 2-Wire Visurbundied incoming Only Port without Caller ID LEPSB UEPBB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.31 1.37 1.28 LEPSB 1.09 2.42 2.																	ĺ
Eshango Potrs 2-Wire VG urbunded incoming only potr with caller ID - Bus UEPSB UEPSB UEPW 1.09 2.42 2.31 1.37 1.28		Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						<u> </u>
Eshango Potrs 2-Wire VG urbunded incoming only potr with caller ID - Bus UEPSB UEPSB UEPW 1.09 2.42 2.31 1.37 1.28																	ĺ
Caller fo - Bus					UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
Exchange Ports - 2-Wire Voce Grogra Business Daining Prain without Caller ID																	
Welhout Caller ID		Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
2-Wire voice urbundled incoming Only Port without Caller ID UEPSB UEPBE 1.09 2.42 2.31 1.37 1.28		Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan															
Capability		without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
Subsequent Activity		2-Wire voice unbundled Incoming Only Port without Caller ID															
FEATURES UEPSB UEPVF 0.775 0.00 0.00					UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
FEATURES UEPSB UEPVF 0.775 0.00 0.00		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00							Î	
EXCHANGE PORT RATES (DIO & PBX) 2-Wire VG Ulbundied 2-Way PBX Trunk - Res UEPSE UEPSP UEPPC 1.09 2.8.88 13.63 11.48 0.83 2-Wire VG Line Side Unbundied 2-Way PBX Trunk - Bus UEPSP UEPSP UEPPC 1.09 2.8.88 13.63 11.48 0.83 2-Wire VG Line Side Unbundied PBX Trunk - Bus UEPSP U	FEAT															Î	
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Res		All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00								
2-Wire VG Line Site Unburidled 2-Way PBX Trunk - Bus UEPSP UEPPO 1.09 28.88 13.63 11.48 0.83	EXCH	ANGE PORT RATES (DID & PBX)														Î	
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus UEPSP UEPPO 1.09 28.88 13.63 11.48 0.83		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
2-Wire VQ Line Side Unbundled Incoming PBX Trunk - Bus UEPSP UEPPL 1.09 28.88 13.63 11.48 0.83		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						
2-Wire VQ Line Side Unbundled Incoming PBX Trunk - Bus UEPSP UEPD 1.09 28.88 13.63 11.48 0.83		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
2-Wire Voice Unbundled PBX LD Terminal Ports UEPSP UEPLD 1.09 28.88 13.63 11.48 0.83					UEPSP	UEPP1	1.09	28.88		11.48	0.83						
2-Wire Vice Unbundled 2-Way PBX Usage Port UEPSP UEPXA 1.09 28.88 13.63 11.48 0.83		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83						
2-Wire Vice Unbundled 2-Way PBX Usage Port UEPSP UEPXA 1.09 28.88 13.63 11.48 0.83		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83		İ				
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports UEPSP UEPXB 1.09 28.88 13.63 11.48 0.83					UEPSP	UEPXA	1.09	28.88		11.48	0.83	İ					
2-Wire Voice Unbundled PBX LD DDD Terminals Port UEPSP UEPXC 1.09 28.88 13.63 11.48 0.83												i e					
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port UEPSP UEPXD 1.09 28.88 13.63 11.48 0.83												i e					
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD UEPSP UEPXE 1.09 28.88 13.63 11.48 0.83												†					
Capable Port	 				02. 0.	OE: AB		20.00	10.00		0.00	1	†				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port					LIEPSP	LIEPXE	1 09	28 88	13.63	11 48	0.83						
Administrative Calling Port			†	 	OLI OI	OLI AL	1.00	20.00	10.00	11.40	0.00	1					
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port UEPSP UEPXM 1.09 28.88 13.63 11.48 0.83					LIEDSD	LIEDYI	1 00	28 88	13 63	11 /18	0.83						
Room Calling Port					OLI OI	OLI AL	1.03	20.00	10.00	11.40	0.03	†					
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port UEPSP UEPXO 1.09 28.88 13.63 11.48 0.83					LIEDOD	HEDVM	1.00	20.00	12.62	11 /0	0.03						
Discount Room Calling Port			-	-	ULFSF	OLFAIVI	1.09	20.00	13.03	11.40	0.03	ł	-		-		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port UEPSP UEPXS 1.09 28.88 13.63 11.48 0.83					LIEDOD	LIEDVO	4.00	20.00	40.00	44.40	0.00						
2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			-	-								ł					
Oudial Trunk	-			-	UEPSP	UEPAS	1.09	28.88	13.03	11.48	0.83	<u> </u>					
2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk UEPSP UEPWT 1.09 28.88 13.63 11.48 0.83					LIEDOD	LIEDWC	4.00	20.00	40.00	44.40	0.00						
Trunk			 	├	UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83	}	 	-	 	 	
2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk UEPSP UEPPQ 1.09 28.88 13.63 11.48 0.83	1				LIEDOD	LIEDVACE	4.00	20.00	10.00	44.00	0.00				1		1
Trunk			 	├	UEPSP	UEPWI	1.09	28.88	13.63	11.48	0.83	}	 	-	 	 	
Subsequent Activity	1		1	1	LIEDOD	LIEDDO		00.00	40.00	44.00	0.00		1	1	I	l	1
FEATURES										11.48	0.83	ļ					
All Available Vertical Features				—	UEPSP	USASC	0.00	0.00	0.00			1			-		
EXCHANGE PORT RATES (COIN) 1.09 2.42 2.31 1.37 1.28 Exchange Ports - Coin Port 1.09 2.42 2.31 1.37 1.28	FEAT			—								1			-		
Exchange Ports - Coin Port 1.09 2.42 2.31 1.37 1.28				—	UEPSP UEPSE	UEPVF	0.775	0.00	0.00			1			-		
	EXCH		ļ							ļ		_					
													L				

UNBU	JNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		I J		I								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
			Inten!									Elec		Manual Svc	Manual Svc		Manual Sv
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonre			Disconnect				Rates (\$)		
			L	<u>. </u>				First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
LIMBLE		Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	-
UNBU		ANGE PORT RATES		<u> </u>		-						-					
-		S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Bort	in this	rata avhihit annly t	o the embede	lad basa in nla	00 25 of 10/2/0	2 until 4/1/04	After 4/1/04 th	neo ratoe eball	rovert to ta	riff rates or	a congrato ag	roomont		
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											III Tates of	a separate ag	l eement.		
	Neque	Exchange Ports - 2-Wire DID Port	l liter tire	enecu	UEPEX	UEPP2	5.50	122.26	18.65		3.45	lacretion.					
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLITZ	0.00	122.20	10.00	04.02	0.40						
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36						
		All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
	i	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to ci	rcuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Cl	nannels assoc	iated with 2	wire ISDN p	orts.			
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/	New Busines:	s Request Pro	cess.	
	EXCHA	ANGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911							-					-			
L	<u> </u>	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69				ļ	ļ	
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726										
	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,818.00									
	1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEPTA	0.00	1,818.00									-
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	176.57									
-	New or	r Additional PRI Telephone Numbers			OLFLX	OLFIB	0.00	170.57				1					1
	11011 01	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										-					
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
	1	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.50									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	 	Digital Data		ļ	UEPEX	PR71D	0.00	0.00	0.00	ļ	-	-			ļ	ļ	
<u> </u>	Marris	Inward Data	-	-	UEPDX	PR71E	0.00	0.00	0.00	1	-		ļ		 	 	
 	New or	r Additional Channel New or Additional - Voice/Data "B" Channel	-	+	UEPEX	PR7BV	0.00	28.71		1		-	-				
-	+	New or Additional - Voice/Data "B" Channel	 	-	UEPEX	PR7BF	0.00	28.71				 	 		 	 	-
<u> </u>	+	New or Additional Inward Data "B" Channel	-	1	UEPDX	PR7BD	0.00	28.71		1		 					-
-	+	New or Additional Useage Sensitive Voice Data "B" Channel		 	UEPEX	PR7BS	0.00	20.71		+			 		 	 	
<u> </u>	+	New or Additional Useage Sensitive Voice Data "B" Channel	-	 	UEPEX	PR7BU	0.00						 				
	1	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	28.71									
	CALL			t		= /.	3.00	20.71							i	i	
	1	Inward		†	UEPEX UEPDX	PR7C1	0.00	0.00	0.00						İ	İ	
	1	Outward			UEPEX	PR7CO	0.00	0.00	0.00								İ
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
		NDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
		NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1											
	UNBUN	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1			UERAC											

HINDHIND	LED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Evhi	bit: A
UNBUNDI	LED NETWORK ELEMENTS - Georgia		1		1	ı					Cur Onden	Cur Ouden				
													Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc			Manual Svc
CATEGORI	TATE ELEMENTO	m	20116	БОО	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					İ	_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						1
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
Non	n-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															1
	Switch-as-is			UEPVR	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with															1
L	allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
UNE	BUNDLED REMOTE CALL FORWARDING - Bus															
	Linkundled Remote Cell Ferwarding Conice Area Cellina Burn			UEPVB	UERAC	1.09	2.40	2.24	1.37	1.28						1
\vdash	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	-	UEFVB	UERAC	1.09	2.42	2.31	1.37	1.28				 		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1		UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28		1				1
\vdash	Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus	 	 	UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28	-	 				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, intraLATA - Bus			OLFVB	OLKIK	1.09	2.42	2.31	1.37	1.20						
	Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						1
Non	n-Recurring			OLI VD	OLIVO	1.00	2.72	2.01	1.07	1.20						
14011	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		2.01	0.31								1
	Unbundled Remote Call Forwarding Service - Conversion with			02. 75	00,102		2.01	0.01								
	allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								1
UNBUNDLE	ED LOCAL SWITCHING, PORT USAGE															
	d Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0006153										
	End Office Trunk Port - Shared, Per MOU					0.0001226										
Tan	ndem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0000972										
	Tandem Trunk Port - Shared, Per MOU					0.0001557										
	Tandem Switching Function Per MOU (Melded)					0.000017904										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										
	Melded Factor: 18.42% of the Tandem Rate															
Con	mmon Transport															
	Common Transport - Per Mile, Per MOU	├	-		 	0.0000027					-			1		
HINDHND: F	Common Transport - Facilities Termination Per MOU ED PORT/LOOP COMBINATIONS - COST BASED RATES	+	-		-	0.0001914					-	-	-	1	-	
	st Based Rates are applied where BellSouth is required by FCC at	nd/or St	ata Car	nmission rule to pr	vide Unbun	dlad Local Swi	ching or Swite	ch Ports			-	 				
	atures shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate F	xhibit			1		
	d Office and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns .		
	e first and additional Port nonrecurring charges apply to Not Curr															<u> </u>
	VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	, 0			,			J 300 0114								
	E Port/Loop Combination Rates				1											
	2-Wire VG Loop/Port Combo - Zone 1	1	1			10.46					İ					
	2-Wire VG Loop/Port Combo - Zone 2	i –	2			15.76										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66										
2-W	Vire Voice Grade Line Port Rates (Res)	ļ			ļ											
\vdash	2-Wire voice unbundled port - residence	ļ		UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire voice unbundled port with Caller ID - res	ļ		UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
 -	2-Wire voice unbundled port outgoing only - res	ļ		UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28						├ ──
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28						

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1111									p =	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O.M				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						1 '
—	Caller ID - res			UEPKX	UEPWQ	0.9019	10.05	7.30	1.37	1.28	-					\vdash
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						l .
	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLFKX	OLFVIK	0.5015	10.03	7.30	1.37	1.20	1					<u> </u>
	Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						l .
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28	1					
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
FEAT																
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				I											1
	Switch with change			UEPRX	USACC		0.10	0.10								
ADDI	FIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															l .
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															i .
055/6	Premise STENSION CHANNELS		-	UEPRX	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS		4	UEPRX	UEAEN	40.54	40.00	0.00	F C4	4.70						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
H	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	15.85 31.97	40.02 40.02	9.99 9.99	5.61	1.72 1.72	-					——
	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAEN	11.57	79.85	24.65	5.61 18.92	7.87	-					
 	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87			1			
 	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87			1			
INTER	ROFFICE TRANSPORT		l –	OLITOR	OLALD	00.00	70.00	24.00	10.02	7.07						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
	Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						i .
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile									0.00						
	or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								l .
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										1
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE I	Loop Rates				1											
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56			1				ļ			
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86			-							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66										├
2-Wire	e Voice Grade Line Port (Bus)		ļ	HEDDY	LIEDDI	0.0010	40.00	7.00	4.00	4.00	-		ļ			——
	2-Wire voice unbundled port without Caller ID - bus		-	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28			 			
 	2-Wire voice unbundled port with Caller + E484 ID - bus		+	UEPBX UEPBX	UEPBC UEPBO	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-	-				
\vdash	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPBX	UEPB0	0.9019	10.05	7.36	1.37	1.28	 	-				
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Georgia basic dialing port, without		-	OLFDA	OLFDI	0.9019	10.05	1.30	1.37	1.28		-	 			
	Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire voice unbundled Georgia basic dialing port for use with		†	OLI DA	32. 110	0.3019	10.03	1.30	1.37	1.20	 	-				
	Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire voice unbundled Incoming Only Port without Caller ID				1	5.55.5		7.50		20			İ			
	Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						1
LOCA	L NUMBER PORTABILITY				1							1	İ			ſ
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35							1			ſ
FEAT																
	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
		1										Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc	_	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
		Switch with change			UEPBX	USACC		0.10	0.10								
	ADDIT	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00								ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															ļ
		2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72	ļ			.	ļ	<u> </u>
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72	1					_
		2 Wire Analog Voice Grade Extension Loop – Non-Design	L	3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72				.		
		2 Wire Analog Voice Grade Extension Loop – Design	.	1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87	ļ			ļ		
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						ļ
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87	1			_		_
⊢—	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				l											
		or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								ļ
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															ļ
	UNE P	ort/Loop Combination Rates		.			40.40										ļ
		2-Wire VG Loop/Port Combo - Zone 1		1			10.46										ļ
	-	2-Wire VG Loop/Port Combo - Zone 2	-	2			15.76					1					-
_		2-Wire VG Loop/Port Combo - Zone 3	-	3			32.56					-					
	UNE L	oop Rates		1	LIEDDO	LIEDLY	0.50			-		 					
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG UEPRG	UEPLX	9.56 14.86			-		 					
				3	UEPRG	UEPLX	31.66					 	-				+
	2 Miro	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	31.00					 	-				+
	2-Wile	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	-	-		+	-					ł	-		-		-
		Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
	LOCAL	L NUMBER PORTABILITY			UEFRG	UEPKD	0.9019	10.05	7.30	1.37	1.20	 	-				+
	LOCAL	Local Number Portability (1 per port)	-	1	UEPRG	LNPCP	3.15	0.00	0.00	-		1	1		-		-
	FEATU				OLFRG	LINE GE	3.13	0.00	0.00	 		 				1	-
	ILAIC	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00			†					+
	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			CELLIC	OLI VI	0.770	0.00	0.00			†	†				
	110.11(2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	 	 		+	+			+					+		
		Conversion - Switch-As-Is	1		UEPRG	USAC2		0.10	0.10	I		1			I		
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	t					50	3.70	†					1	i	
ı		Conversion - Switch with Change			UEPRG	USACC		0.10	0.10								
	ADDIT	IONAL NRCs											İ				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										İ					
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt											İ				
		Group	1		1			6.70	6.70	I					I		
	Ì	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRG	URETL		8.33	0.83	1					1		
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1												_		
		Termination	<u> </u>		UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			= (4)			per LSR	perLSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonred	curring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							71441		71441	0020		00			
	or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								ĺ
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			02.110	0	0.0001	0.00	0.00								
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	·															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28	1	1				1
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															ĺ
	Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															ĺ
	Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEDDV			40.00	=								
	Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			HEDDY	LIEDWO	0.0040	40.05	7.00	4.07	4.00						ĺ
	Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28	-					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPPX	UEPWT	0.0040	40.05	7.00	4.07	4.00						ĺ
	1 -			UEPPX	UEPWI	0.9019	10.05	7.36	1.37	1.28	-					
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						-
	Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
 	2-Wire voice unbundled Georgia basic dialing port - PBX Toll			OLITA	OLITO	0.3013	10.03	7.50	1.57	1.20						
	Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire voice unbundled Georgia basic dialing port - PBX LD			OLITA	OLITI	0.3013	10.03	7.50	1.57	1.20						
	DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way															
LI	Trunk	<u></u>	L	UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28	<u> </u>	<u></u>		<u> </u>		1
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Conversion - Switch-As-Is		<u> </u>	UEPPX	USAC2		0.10	0.10				ļ				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l												1
<u> </u>	Conversion - Switch with Change			UEPPX	USACC		0.10	0.10								
ADDIT	TONAL NRCs		<u> </u>								l					1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
i .											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
l .		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
l .												"	Electronic-	Electronic-	Electronic-	Electronic-
l .													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>															2.00 .00	2.007.444
igspace						Rec	Nonrec		Nonrecurring					Rates (\$)		
igspace						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i I	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
\sqsubseteq	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						6.70	6.70								
1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
\sqsubseteq	Premise			UEPPX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
igspace	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
\sqsubseteq	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
$\vdash \vdash \vdash$	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
$\vdash \vdash \vdash$	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
INTE	ROFFICE TRANSPORT															
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
\vdash	Termination		ļ	UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T														
UNE	Port/Loop Combination Rates															
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.46										
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.76										
H-1.55E	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.56										
UNE	Loop Rates															
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	3	UEPCO	UEPLX	14.86										
0.146	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLX	31.66					-					
2-7711	e Voice Grade Line Ports (COIN) 2-Wire Coin 2-Way with Operator Screening (GA)	-	 	UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28	-					
\vdash		-	 	UEPCO	UEFGC	0.9019	10.05	7.30	1.37	1.20	-					
1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	-	+	UEPCO	UEFZG	0.9019	10.05	7.30	1.37	1.20	-	-				
i I	(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire Coin 2-Way with Operator Screening and 900/976		-	UEPCO	UEFGA	0.9019	10.05	7.30	1.37	1.20	-					
1	Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking:		 	ULFCO	OLFGB	0.5015	10.03	7.30	1.37	1.20	1					
1	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and 011 Blocking			021 00	OLI OII	0.0010	10.00	7.00	1.07	1.20	1					
(l	(GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						
-	2-Wire Coin Outward with Operator Screening and Blocking:		t							20				i		
(l	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28				İ		
\Box	2-Wire Coin Outward Smartline with 900/976 (all states except		1		1					20				İ		
i I	LA)		1	UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28		1				
ADD	TIONAL UNE COIN PORT/LOOP (RC)		1													
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00	İ					
LOC/	AL NUMBER PORTABILITY										İ					
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON'	RECURRING CHARGES - CURRENTLY COMBINED		1													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	Ì										ĺ		
i I	Switch-as-is		1	UEPCO	USAC2		0.10	0.10				1				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
(l	Switch with change		1	UEPCO	USACC		0.10	0.10				1				
ı I		t e	1	İ					İ					İ		
ADDI	TIONAL NRCs															
ADDi	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													
ADDI				UEPCO	USAS2		0.00	0.00								
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00								
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2 URETL		0.00 8.33	0.00								

UNBUN	IDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
		<u> </u>										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ.,																2.00 .01	2.007.444
							Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	JNE PO	ort/Loop Combination Rates		4			05.50										
\vdash	_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53			-			-				
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2			30.92 47.04										
<u> </u>	INFL	op Rates		3			47.04			-			-				
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57			-		1			-	-	
-	_	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95			-		1			-	-	
-	_	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08					1					
2	-Wire	Voice Grade Line Port Rates (Res)		3	OLFIK	OLCI Z	33.00			-		1			-	-	
	- ***110	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44	1					
		2-Wire voice unbundled port vith Caller ID - res			UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44			1			
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
 		2-Wire voice unburidled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID			0=1111	02.110	1.09	100.03	-10.00	71.09	10.44	<u> </u>			t	t	
		(LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44				1	1	
\vdash		2-Wire voice unbundled Georgia basic dialing port, without	-		0=1111	JE1 /31	1.09	100.03	45.00	71.09	10.44	-		 	t	t	-
		Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44				I	I	
\vdash	-	2-Wire voice unbundled Georgia basic dialing port for use with		-	OLI I IX	OLI WO	1.09	100.03	45.00	71.09	13.44				+	+	
		Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
-		2-Wire voice unbundled Georgia basic dialing port - outgoing			OLITIK	OLI WQ	1.03	100.05	45.00	41.03	13.44			1			
		only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						
11	NTERC	OFFICE TRANSPORT			OLITIK	OLI VVIC	1.03	100.05	+3.00	41.03	13.44	-					
	WI LIKE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+						-					
		Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	OTTVE	12.07	40.40	10.40	10.00	0.00	-					
		or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
F	EATU				OLITIK	120/01	0.0007	0.00	0.00			†					
		All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00			1					
L		NUMBER PORTABILITY			02.770	02. 11	00	0.00	0.00								
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35					1					
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	10.1.1.	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.19	1.10								
2	-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	ORT (
		ort/Loop Combination Rates		<u> </u>													
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04										
U	JNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.95										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08										
2	-Wire	Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port, without															
		Caller ID capability - bus			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
l T		2-Wire voice unbundled Georgia basic dialing port for use with													_	_	
		Caller ID - bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44						
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
	NTERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								I			1		I	I	
		Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						

UNBU	NDLF	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							7144		71441	0020					
		or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
	FEATU		!	 	OLITE	120701	0.0007	0.00	0.00								
	ILAIO	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
-	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	-	OLFIB	OLFVI	0.773	0.00	0.00			-	-		-		
-	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-		+											
					LIEDED	USAC2		7.05	4.00								
<u> </u>		Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86						ļ		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l												
		Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFB	URETN		11.19	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE	PORT (PBX)												
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92								1		
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	i –	3			47.04					i	i	İ	1	İ	i
	UNEIG	pop Rates	†	Ť	İ	1				1			i		1		i
	J(2-Wire Voice Grade Loop (SL2) - Zone 1	l -	1	UEPFP	UECF2	11.57			t 1			1	 	t		1
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 2	 	2	UEPFP	UECF2	16.95			1			 	 	t	 	
—		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFP	UECF2	33.08			 		-	 	 	 	 	\vdash
-	2 14/:=-	Voice Grade Line Port Rates (BUS - PBX)	!	3	ULFFF	UEUFZ	33.08			 		 	 	-	-	-	-
<u> </u>	∠-vvire	Voice Grade Line Port Rates (BUS - PBA)	1	-		+						-			 		
								400.00	40.00	44.00							
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD													1		
		Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	†														
		Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44						
-		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		 	OLITI	OLI AL	1.00	100.00	40.00	41.00	10.44						
1		Room Calling Port	I	1	UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44	1	1	1	1		1
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	!	-	ULFFF	UEPAIVI	1.09	100.05	43.00	41.89	15.44	 	 	-	-	-	-
					LIEDED	LIEDVO	4.00	400.05	40.00	44.00	45.44	l	l				
<u> </u>		Discount Room Calling Port	.	-	UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44		 	-	-	-	
<u> </u>		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 		UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44		 	ļ			ļ
1		2-Wire voice unbundled Georgia basic dialing port - 1-Way	I	1	l							1	1	1	1		1
L		Oudial Trunk	ļ	1	UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44		ļ		1		ļ
1		2-Wire voice unbundled Georgia basic dialing port - 2-Way	I	1								1	1	1	1		1
		Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						
	LOCAL	NUMBER PORTABILITY	$ldsymbol{ldsymbol{eta}}$														
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								ĺ							
l		Termination			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00	l	l				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1														
		or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00			l	l				
	FEATU		t	 	02.11	.20/01	0.0001	0.00	0.00	1					 		
-		All Features Offered	1	+	UEPFP	UEPVF	0.775	0.00	0.00	1		 	 		 		
-	NONE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	 	OLITE	OLF VI	0.775	0.00	0.00	1					 		
<u> </u>	NONKE		1	 		+						-	-		 		-
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDED	110400		7.0-	1.00								
		Combination - Conversion - Switch-as-is	.	-	UEPFP	USAC2		7.85	1.86						1		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														
		Combination - Conversion - Switch with change	ļ		UEPFP	USACC		7.85	1.86								L
1		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1								1	1	1	1	1	1
L		End User Premise	L	<u> </u>	UEPFP	URETN		11.19	1.10					<u> </u>	<u> </u>	<u> </u>	L

UNBUN	DLE	NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	ibit: A
													Svc Order	Svc Order	Incremental			
													Submitted			Charge -	Charge -	Charge -
			١										Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	Disc 1st	Disc Add I
								Rec	Nonrec	urring		g Disconnect				Rates (\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ORT/LOOP COMBINATIONS - COST BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
U	NE Po	ort/Loop Combination Rates						47.05										
—		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	ļ			17.05										.
-		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	2	ļ			22.44										
-	NIT I a	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				38.56								1		<u> </u>
U	NE LO	op Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		4	UEPPX		UECD1	11.57										
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08					-					+
 	NF D	ort Rate	—	٥	OLPPA		OLODI	33.08			 	 	H			t	 	
	F(Exchange Ports - 2-Wire DID Port	-		UEPPX		UEPD1	5.48	174.55	13.64	59.31	4.27	-	-		t	 	
N	ONRF	CURRING CHARGES - CURRENTLY COMBINED	 		JEITA		JEI DI	5.40	174.00	13.04	33.31	7.21	 	 		I		†
 	J. 411L	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			1		1						 	 		I		†
		Switch-as-is			UEPPX		USAC1		6.66	1.86				1		I		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			1				0.00	50	İ	İ				1	İ	
		with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86				1		I		
Α	DDITI	ONAL NRCs																
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPX		URETN		11.19	1.10								
Te	eleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group																
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								ļ
L	OCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								ļ
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	<u> </u>													.
U	NE PO	ort/Loop Combination Rates	-	-	ļ													-
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	LIEDDD	UEPPR		40.44										
-		UNE Zone 1		1	UEPPB	UEPPR		19.44										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		24.45										
-		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-		UEFFB	UEPPR		24.45					1			-		-
		UNE Zone 3		3	UEPPB	UEPPR		38.09										
ш	NFI	op Rates		3	OLITE	OLITIK		30.03									1	-
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LISL2X	14.25					-					
		2 Wile IODIA Digital Grade Edop CHE Zone I		<u> </u>	OLITE	OLITIK	COLEX	14.20					1			1		†
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	19.26										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	32.90										
U	NE Po	ort Rate																
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	5.19	161.36	141.68	43.68	8.37					1	
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	42.52	26.99								
Α	DDITI	ONAL NRCs																
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk			UEPPB	UEPPR	USASB		0.00									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User																
$oxed{oxed}$		Premise			UEPPB	UEPPR	URETL		8.33	0.83							ļ	
L	OCAL	NUMBER PORTABILITY			ļ											L		ļ
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						ļ		
В		NNEL USER PROFILE ACCESS:			LIEDDE	HEDDE	1141104	0.00	0.00	0.00						ļ		
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	JU1UCA	0.00	0.00	0.00	<u> </u>	l	1	l		1	l	L

UNBUN	DLE	NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	bit: A
	Ī												Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted			Charge -	Charge -	Charge -
													Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1							
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
В	-CHAN	INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)														
		ERMINAL PROFILE	1	T														
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
V		AL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
II.		FFICE CHANNEL MILEAGE											İ					
		Interoffice Channel mileage each, including first mile and																
		facilities termination			UEPPB	UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0057	0.00	0.00								
4	WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
		E-P DS1 combination rates below for in this rate exhibit appl			ded base	e in place a	s of 10/2/03 i	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	1	i	
		ts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													1			
		rt/Loop Combination Rates	1	1	1				,									
	<u> </u>	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 1		1	UEPPP		1	106.15										1
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	02			100.10										
		Zone 2		2	UEPPP			111.54										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	02		+						†					
		Zone 3		3	UEPPP			127.15										
- h	NELO	op Rates		-	OLITI		+	127.10										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	41.02										
-		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	46.41					1					
-		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	62.03					1					
-	NE Po	rt Rate		-	OLITI		OOL4i	02.03										
	ine i c	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80						
N	ONDE	CURRING CHARGES - CURRENTLY COMBINED			OLITI		OLITI	00.10	303.73	107.42	75.41	21.00						
	ONICE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1			1						1					
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
Δ.	DDITI	DNAL NRCs			OLITI		OOACI	0.00	122.50	11.51								
	1	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-					+											
		Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50									
-		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	-	-	OLFFF		FIXIT		0.30				-	-		-		
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		10.72									
\vdash		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITI		110110		10.72									
		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		21.43									
- t	OCAL	NUMBER PORTABILITY			OLITI		11(721		21.40									
┝		Local Number Portability (1 per port)	 	 	UEPPP		LNPCN	1.75							 	 	 	
H-10		ACE (Provsioning Only)	 	 	J_111			1.73	<u> </u>		1	 	H		 	 	 	
 		Voice/Data	 	 	UEPPP		PR71V	0.00	0.00	0.00	1	 	H		 	 	 	
\vdash		Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
\vdash		Inward Data	 	t -	UEPPP		PR71E	0.00	0.00	0.00	<u> </u>		1	 	 	1	 	
N.	ew or	Additional "B" Channel	 	 	OLI'FF'		1 1X/ 1L	0.00	0.00	0.00	1		 	-	1	+	1	
	CW OI	New or Additional - Voice/Data B Channel		1	UEPPP		PR7BV	0.00	13.59				1					
\vdash		New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	 	 	UEPPP		PR7BF	0.00	13.59		1		 	-	1	+	1	
-		New or Additional Inward Data B Channel		1	UEPPP		PR7BD	0.00	13.59				1					
H-		YPES	 	 	ULPPP		טטואייו	0.00	13.39		1		 	-	1	+	1	
\vdash	ALL I	Inward	 	 	UEPPP		PR7C1	0.00	0.00	0.00	-	-	 	-	-			
$\vdash \vdash$		Outward	-	 	UEPPP		PR7C0	0.00	0.00	0.00	1		-		-		-	
$\vdash \vdash$		Outward Two-way	 	 	UEPPP		PR7CC	0.00	0.00	0.00	1		 	-	1	+	1	
H.	toroff	ive Channel Mileage	 	 	ULPPP		1.17.00	0.00	0.00	0.00	1		 	-	1	+	1	
 "	reron	Fixed Each Including First Mile	 	 	UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73	 	-	-			
\vdash	\dashv	Each Airline-Fractional Additional Mile	 	 	UEPPP		1LN1B	0.1154	111.03	00.20	31.30	21.73	 	-	-			
A	WIDE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	 	 	OLI'FF'		LLIVID	0.1134	 		1		 	-	1	+	1	
		E-P DS1 combination rates below for in this rate exhibit appl	v to the	omboo	Idad bass	in place o	E of 10/2/02 ·	Intil 4/1/04 Af	tor 4/1/04 these	ratae chall ra	Vort to tariff rat	oc or a concre	lo commerc	ial agraoma	nt .			
		ts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											le commerc	iai ayreeiile	: 	+	1	
		ts for 4-wire DS1 Digital Loop with 4-wire DD11S after the eff rt/Loop Combination Rates	ective 0	iale of	ins amer	iuillelli Sha	l ne biovide	u pursuant to	a separate agre	sement or tarif	at Deligouth's	uiscretion.	 	-	-			
H 10		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	1	UEPDC		+	82.22			1		-		-	 	-	
		4W DOT DIGITAL LOOP/4W DDITO THURK FOR - ONE ZONE T	<u> </u>	1 1	DEPUG		1	02.22	l		L	l	L	1		1		

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC	Nonrec First 392.25 132.19 132.19	RATES (\$) curring Add'I 185.06	Nonrecurring First	Disconnect Add'l	Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
RATE ELEMENTS	392.25 132.19	Add'I 185.06	First		Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
RATE ELEMENTS M	392.25 132.19	Add'I 185.06	First		Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
RATE ELEMENTS M	392.25 132.19	Add'I 185.06	First		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Rec	392.25 132.19	Add'I	First				Electronic- 1st	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	392.25 132.19	Add'I	First		SOMEC	SOMAN	1st OSS	Add'l Rates (\$)	Disc 1st	Disc Add'l
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 87.61	392.25 132.19	Add'I	First		SOMEC	SOMAN	OSS	Rates (\$)		
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 87.61	392.25 132.19	Add'I	First		SOMEC	SOMAN			SOMAN	SOMAN
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 2 UEPDC 87.61	392.25 132.19	185.06		Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AW DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 3 UEPDC 103.22	132.19 132.19		80.17						<u> </u>	1
UNE Loop Rates	132.19 132.19		80.17							
4-Wire DS1 Digital Loop - UNE Zone 1	132.19 132.19		80.17							<u> </u>
4-Wire DS1 Digital Loop - UNE Zone 2 2 UEPDC USLDC 46.41 4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 62.03 UNE Port Rate 4-Wire DDITS Digital Trunk Port (E:4/1/2004) UEPDC UDD1T 41.20 NONRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) UEPDC USAC4 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) UEPDC USAWA 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) UEPDC USAWB ADDITIONAL NRCS 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order UEPDC USAS4 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - UEPDC USAS4	132.19 132.19		80.17							<u> </u>
4-Wire DS1 Digital Loop - UNE Zone 3 3 UEPDC USLDC 62.03	132.19 132.19		80.17							
UNE Port Rate	132.19 132.19		80.17							
4-Wire DDITS Digital Trunk Port (E:4/1/2004) UEPDC UDD1T 41.20	132.19 132.19		80.17							
NONRECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) UEPDC	132.19 132.19		80.17							
A-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-is (E:4/1/2004) UEPDC USAC4	132.19	66.79		7.86						
- Switch-as-is (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	132.19	66.79								
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E:4/1/2004) UEPDC USAWA 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E:4/1/2004) UEPDC USAWB ADDITIONAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order UEPDC USAS4 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	132.19	66.79							, ,	ł.
- Conversion with DS1 Changes (E:4/1/2004) 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) ADDITIONAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -					-				\vdash	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004) ADDITIONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		00.70							, ,	ł.
- Conversion with Change - Trunk (E:4/1/2004) UEPDC USAWB	132.19	66.79			-				$\vdash \vdash \vdash$	
ADDITIONAL NRCS 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	132.19								, ,	ł.
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order UEPDC USAS4 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		66.79			-					
Service Activity Per Service Order					-	ļ				
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	0.00	0.00								í
	0.00	0.00							\vdash	
L LO LO CONTRACTO POR LA CONTRACTO LA	40.05	10.05								ł
Subsequent Channel Activation/Chan - 2-Way Trunk UEPDC UDTTA	13.95	13.95							\vdash	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTB	12.05	40.05								í
Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTB 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	13.95	13.95			-				\vdash	
Activation/Chan Inward Trunk wout DID UEPDC UDTTC	13.95	13.95								í
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	13.33	13.33			-				\vdash	
4-Wile DE LOOP A-WINE DELTS AUDICAL TO A SUBSTITUTE OF THE DELTS AUDICAL TO A SUBSTIT	13.95	13.95								í
A-United Total - Invaled Trains with July 4-Wire DST Loop (4-Wire DDITS Trunk Port - Subsgnt Chan	13.93	13.93			1				\vdash	
Activation / Chan - 2-Way DID w User Trans UEPDC UDTTE	13.95	13.95								í
BIPOLAR 8 ZERO SUBSTITUTION	13.33	13.53			1				\vdash	
	0.00i	392.25s			1				\vdash	
		392.25s								
Alternate Mark Inversion	0.001	002.203								$\overline{}$
IAMI-Superframe Format UEPDC MCOSF	0.00	0.00			†				 	
AMI - Extended SuperFrame Format UEPDC MCOPO	0.00	0.00								$\overline{}$
Telephone Number/Trunk Group Establisment Charges										
Telephone Number for 2-Way Trunk Group UEPDC UDTGX 0.00										
Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00										
Telephone Number for 1-Way Inward Trunk Group Without DID UEPDC UDTGZ 0.00										·
DID Numbers, Establish Trunk Group and Provide First Group										·
of 20 DID Numbers UEPDC NDZ 0.00	0.00	0.00							1	i
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00										1
DID Numbers, Non- consecutive DID Numbers , Per Number UEPDC ND5 0.00										í
Reserve Non-Consecutive DID Nos. UEPDC ND6 0.00	0.00	0.00								i
Reserve DID Numbers UEPDC NDV 0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port										i
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities										
Termination) UEPDC 1LNO1 34.19	111.03	80.28	31.36	21.73						<u> </u>
										í
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1LNOA 0.1154	0.00	0.00							<u> </u>	<u> </u>
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities							-			
Termination) UEPDC 1LNO2 0.00	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 9-25										í
miles UEPDC 1LNOB 0.1154	0.00	0.00							oxdot	
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities									ı 7	1
Termination) UEPDC 1LNO3 0.00	0.00	0.00								
						1		1	1	1
Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC 1LNOC 0.1154	0.00	0.00	i .							
Local Number Portability, per DS0 Activated UEPDC LNPCP 3.15									<u> </u>	<u> </u>
Central Office Termininating Point UEPDC CTG 0.00										

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Charge - Charge	UNB	JNDLE	D NETWORK ELEMENTS - Georgia													Attach	ment: 2	Exhi	bit: A
ATTOON PATE ELEMENTS Peter				1										Svc Order	Svc Order				Incrementa
RATE SLEEP BATE ELEMENTS IN MANY OF THE PROPERTY OF THE PROPER																			
ATTECHNY MATE ELEMENTS M				Intori														Manual Svc	Manual Svo
## Support Par	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC				RATES (\$)								1
Proceedings				""										p = = = = = = = = = = = = = = = = = = =	F				
Rec																			Disc Add'l
Common 15 Company																			
#### DS LODG WITH CHANNELLECTION WITH POPT Syman is 10 FEL Loop, 1 FE Channel Rain, and up to 3 Feature Activations Syman is 10 FEL Loop, 1 FE Channel Rain, and up to 3 Feature Activations Seal System can have up to 2 combinations of mass depending on your and number of ports sale Seal System is 10 Feature and the combinations of mass depending on your and number of ports sale Seal System is 10 Feature and the combinations of mass depending on your and number of ports sale Seal System is 10 Feature and 10 Feature and 10 Feature and number of ports sale Seal System is 10 Feature and 10 Feature								Rec		nrecui	_								
System is 1.08 Loop, 1.0 Channel Bank, and up to 24 Feature Architectures		4 11000							First	_	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each System can have up to 24 combinations of first degending on type and number of ports used.					<u> </u>					_									
The UNIF P SST combination rate before for AVPR DST Loop with Chammalization with Port in this rate anisht apply to the embedded base in place and 19078 with Schredn.																	1		
Request for 4 Wins DET Logs with Characterisation with Pert after the effective date of this amendment shall be provided pursuant to a separate agreement or ruff at Billiscut's discretion.							o ovhibit opn	ly to the embe	ddad baar	in pla	200 00 of 10/2	/02 .un4il 4/4/0/	After 4/1/04	basa ratas	hall rayart	to toriff rotoo	or a concrete	agraamant	
District Description															I revert	to tariii rates	or a separate	agreement.	-
4-Virte DSE Long - LiMP Zone 1				e eneci	Ive dat	e or this amendment	Shall be pro	l dea pursuan	it to a sepa	ırate aç	greement or	iariii at beii30	um s discrem)n. 			1		—
A-Wine DST Logs - LNE Zunz g		OINE D			1	LIEPMG	LISLIDC	41.02	(00	0.00						-		
E-Wine DST Logs - URE Zours 3 JEPMS JSLEC EC 03 0.00		 																	
URPNO Charmot Capaciting (Of Charmot Bank Configurations) UPPNO Charmot Capacity per 51		 																	
24 DSD Channel Capacity - 1 per DS1		UNF DS		ns)	ľ	020	00220	02.00	`		0.00						1		
48.550 Charmot Capacity - 1 per 2 DS1s		J D.				UEPMG	VUM24	43.04	(.00	0,00						1	i	
Sp. DSC Chamer Capacity - 1564 150 U.EPMG V.U.M.68 1721 E. D. D. D. D. D. D. D. D. D. D. D. D. D.		1		l										İ			1	İ	
HA DSS Channet Capacity per EDS1s																		1	
200 DSS Channel Capacity -1 per 10 DS16				İ															
200 DSS Channel Capacity -1 per 10 DS16							VUM19											1	
Set 1950 Channel Capacity - 1 per 10 DS1s			240 DS0 Channel Capacity - 1 per 10 DS1s																
480 SS9 Channel Capabity - 1 per 2 DS1s			288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	(.00	0.00								
976 D83 Channel Capacity - per 24 D815 USPNG VUMP6 1,032 96 0.00																			
STZ DSS Channel Capacity - 1 per 28 DS16 UEPMS VLM67 1,205.12 0.00																			
Non-Recurring Charges (NRC) Associated with 4-Wire DST Loop with Channelization with Port - Conversion Charge Based on a System	<u> </u>																		L
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSD Ports with Feature Activations.	<u> </u>									.00	0.00								
Multiples of this configuration functioning as one are considered Add7 after the minimum system configuration is counted.									stem										
Self-South Allowed Changes System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and System Additions at End User Location Company (Company Company																			
BellSouth Allowed Changes		Multipl		dd'I afte	r the m	ninimum system con	figuration is	counted.		_									
System Additions at End User Locations Where 4-Wire DST Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's						LIEDMO		0.00	450		0.07								l
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's		Cuetem		th Char						.24	8.37			-					
1 DS/I/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Feas Additionally Add NRC for each Port and Assoc Feas Additionally Add NRC for each Port and Assoc Feas Additionally Add NRC for each Port and Assoc Feas Additionally Add NRC for each Port and Assoc Feas Additionally Add NRC for each Port Associated MRC for Associated							nation Curre	entry Exists and	1	+							-		
Supolar 2 Gero Substitution		Mew (IA		Гогтор	OWISA	1													-
Bipolar 8 Zero Substitution						LIEDMC	VIIMDA	0.00	270	04	252 07	60.42	0.25						l
Clear Channel Capability Format, superframe - Subsequent Activity Only UEPMG CCOSF 0.00 0.00 392.25s		Binolar			1	OLI WO	VOIVID4	0.00	573	.04	200.01	03.43	0.55						
Activity Only UEPMG		Dipolai					1			_							1		
Clear Channel Capability Format - Extended Superframe - UEPMG						UEPMG	CCOSE	0.00	0.00i	39	92.25s								l
Subsequent Activity Only								0.00											
Alternate Mark Inversion (AMI)			Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	39	92.25s								l
Extended Superframe Format		Alterna																	
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports Exchange P		İ	Superframe Format			UEPMG	MCOSF	0.00	(.00	0.00								
Exchange Ports						UEPMG	MCOPO	0.00	(.00	0.00								
Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)		Exchar	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port														
(E:4/1/2004)		Exchar																	
Line Side Outward Channelized PBX Trunk Port - Business UEPPX		1		l]			l	T			-						1
(E:4/1/2004)						UEPPX	UEPCX	1.09	(.00	0.00	0.00	0.00						
Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)		1		1	1	Lienny			1						1		I		1
(E:4/1/2004)		 	(/	ļ		UEPPX	UEPOX	1.09	(.00	0.00	0.00	0.00				1	ļ	1
2-Wire Trunk Side Unbundled Channelized DID Trunk Port UEPPX		1		1	1	LIEDDY	LIEDAY								1		I		1
(E:4/1/2004)		+		 	-	UEPPX	UEP1X	1.09	(C	.00	0.00	0.00	0.00		ļ		 	 	
Feature Activations - Unbundled Loop Concentration		1		1	1	LIEDDY	HEDDM	F F0			0.00	0.00	0.00		1		I		1
Feature (Service) Activation for each Line Port Terminated in D4 Bank		Easter		 	-	UEPPA	UEPDM	5.50	(.00	0.00	0.00	0.00				 	 	
Bank UEPPX 1PQWM 0.4689 12.90 6.80 1.96 1.95		reature		-	 	-			-	+				-			+		
Feature (Service) Activation for each Trunk Port Terminated in De Bank UEPX 1PQWU 0.4689 38.09 9.18 26.77 5.34		1		1	1	LIEPPX	1POWM	0.4690	40	90	6 80	1 06	1 05		1		I		1
D4 Bank UEPPX 1PQWU 0.4689 38.09 9.18 26.77 5.34		+		-		OLI I A	II GOVIVI	0.4009	14		0.00	1.90	1.35		-		t	 	—
Telephone Number/ Group Establishment Charges for DID Service	1	1		1	1	LIEPPX	1POWU	0.4689	35	.09	9 18	26 77	5 34	1	1		I		1
DID Trunk Termination (1 per Port)		Teleph		-	 	J 1 //		5.4303	30		5.10	20.11	0.04		 		+		—
Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) UEPPX NDZ 0.00 0.00 0.00 0.00				 		UEPPX	NDT	0.00	(.00	0,00						<u> </u>	1	
DID Numbers - groups of 20 - Valid all States UEPPX ND4 0.00 0		1															1	İ	
Non-Consecutive DID Numbers - per number UEPPX ND5 0.00 0.00 0.00 0.00		1															t	İ	
																		1	
																		ĺ	

HINDH	NDI EI	D NETWORK ELEMENTS - Goorgia												Attach	monti 2	Evh:	hit. A
OIADO	NULE	D NETWORK ELEMENTS - Georgia	1	1	1	1	I					Sup Order	Svo Order	Incremental	ment: 2	Exhi	Incremental
															Incremental	Incremental	
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CAILO	OICI	NATE ELEMENTO	m	20116	B00	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						İ	_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
		Number Portability															ĺ
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.775	0.00	0.00								
		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		L.	<u> </u>	<u> </u>	<u> </u>										
	1. Cost	Based Rates are applied where BellSouth is required by FCC	and/or	State 0	Commission rule to p	provide Unb	undled Local S	witching or Sw	itch Ports.	l	<u> </u>	<u> </u>					
		ures shall apply to the Unbundled Port/Loop Combination - C															
		Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co														Additional NE	Co mov
		ilso and are categorized accordingly.	urrentiy	Comb	illed Collibos. For	Currently Co	inbined Combo	s, the nonrecu	irring charges	Silali be tilose	identined in t	ne Nonrecu	iring - Curre	entry Combine	eu sections.	Additional NR	CS Illay
		ket Rates for Unbundled Centrex Port/Loop Combination will	ho noge	atiatad	on an Individual Ca	eo Baeie un	til further netice	,		1	ı	1	1			1	1
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Jualea	on an individual ca	Se basis, uii	lii iurtiner notici	ð.								1	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-													1
		ort/Loop Combination Rates (Non-Design)															
	0	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		10.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė	02. 0.	İ	10.10										
		Non-Design		2	UEP91		15.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		32.56										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															ĺ
		Design		1	UEP91		12.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		33.98										
		pop Rate			LIEDOA	LIEGOA	0.50										
-		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP91 UEP91	UECS1	14.86 31.66					-					
-		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-		UEP91	UECS2	11.57									-	
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	16.95										1
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	33.08										1
	UNE Po				OLI OI	GLOGE	00.00										
		tes (Except North Carolina and Sout Carolina)				İ											
		2-Wire Voice Grade Port (Centrex) Basic Local Area	1		UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28	1				1	İ
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	ĺ														
L_ l		Area	<u></u>		UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28	<u> </u>				L	<u></u>
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic												_			
		Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
1 T		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		i											_	
		Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15					L	ļ
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		l											I	
\vdash		Term - Basic Local Area	!		UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15					ļ	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEBOA	LIEDVO	0.0045	40.05	7.00	1.0-	1.00					I	
\vdash		- Basic Local Area	 	-	UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28					 	
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area	1		UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28					I	
\vdash	Goora:	a and Florida Only	!	-	OFLAI	UEFTZ	0.9019	10.05	7.36	1.37	1.28	-			-	 	
\vdash	Georgi	2-Wire Voice Grade Port (Centrex)	 	-	UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28	-				 	
\vdash		2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	 		UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28					t	
\vdash		2-Wire Voice Grade Port (Centrex with Caller ID)1	l		UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28	-				I	
\vdash		2-Wire Voice Grade Port (Centrex with Galler ID)1	l			J=	3.5519	10.00	7.50	1.57	1.20	-				I	
1 1		Center)2.3	1		UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15					I	
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	i i		1		5.55.5	32.27	20.00	25.25	5.10					1	İ
		Service Term	l	1	UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15						I

UNRI	JNDI F	D NETWORK ELEMENTS - Georgia												Δttach	ment: 2	Fyhi	bit: A
0.400	,14DLL											Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter:									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								40.05									
-	-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
-	Land	2-Wire Voice Grade Port Terminated on 800 Service Term Switching	-	-	UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28						
-	Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237			-		-	-				
-	Local I	Number Portability		-	UEP91	URECS	0.4237			-							
-	LUCALI	Local Number Portability (1 per port)			UEP91	LNPCC	0.35			 							
	Feature				OLI 31	LIVI CC	0.55										
	Cutur	All Standard Features Offered, per port			UEP91	UEPVF	0.775										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	0.00									
	NARS																
	1	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations															
	2-Wire	Trunk Side															
	<u> </u>	Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
	Interof	fice Channel Mileage - 2-Wire				1				1				ļ	ļ		
	₩	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
	 	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP91	M1GBM	0.0057			-				ļ	ļ	 	
<u> </u>		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	-		1				 				 	 	 	
<u> </u>	D4 Cha	annel Bank Feature Activations	-	-	LIED04	100000	0.4600			 				 	 	 	
—	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP91	1PQWS	0.4689			 				 	 	-	
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689			1							
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF91	IFQWO	0.4009			 							
		Slot			UEP91	1PQW7	0.4689										
	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 01	11 Q117	0.4000										
	1	Different Wire Center			UEP91	1PQWP	0.4689			I							
	1						3. 1000			1				İ	İ	İ	
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689			I							
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
L		Slot			UEP91	1PQWQ	0.4689			<u> </u>		<u> </u>	<u> </u>				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex							•								
		Conversion - Currently Combined Switch-As-Is with allowed														l	
	<u> </u>	changes, per port			UEP91	USAC2		0.10	0.10	L				ļ	ļ		
	 	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92			ļ	ļ		
-	 	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
-	-	Secondary Block, per Block		-	UEP91	M2CC1	0.00	77.10		 							
-	۸ ططند: -	NAR Establishment Charge, Per Occasion	1		UEP91	URECA	0.00	0.00		-		-	-			-	
-	Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1			+				-		-	-			-	
		Premise			UEP91	URETL		8.33	0.83	1							
—	+	Unbundled Miscellaneous Rate Element, Tag Design Loop at	H		OLF31	UNLIL		0.33	0.63	t				 	 	l	
1	1	End Use Premise			UEP91	URETN		11.19	1.10	I							
	UNE-P	CENTREX - 5ESS (Valid in All States)			0.	5.12714		11.19	1.10	<u> </u>				1	1		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo								<u> </u>				1	1		
		ort/Loop Combination Rates (Non-Design)								1				İ	İ	İ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP95	<u> </u>	10.46			<u> </u>		<u> </u>	<u> </u>				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		15.76									<u> </u>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	ļ	Non-Design		3	UEP95		32.56										
	UNE P	ort/Loop Combination Rates (Design)															
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1							I							
L	1	Design	l	1	UEP95		12.47			L				l	l	<u> </u>	

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
				l								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1				Order vs.	l .
OAILOO		NATE ELEMENTO	m		500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				 		1		Nonrec	urring	Nonrecurring	Disconnect	1	L	OSS	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						11100	Addi	11100	Audi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Design		2	UEP95		17.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	0L1 00		17.00					†	†				
		Design		3	UEP95		33.98										
U	NFI	pop Rate		Ť	02. 00		00.00					†	†				
	IVE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56					†					+
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86					†					+
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66					†					+
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57					 					-
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95					+					+
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08					+					+
- 11	NF D	ort Rate			OLI 33	OLCOZ	33.00					+					
	II Stat		H	 	<u> </u>	+						 	H	 	 		
^A	Jidi	2-Wire Voice Grade Port (Centrex) Basic Local Area	 	 	UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28	1	 	l	+		
		2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	 	 	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28	1	 	l	+		
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-	-	UEF93	UEFTB	0.9019	10.05	7.30	1.37	1.20	ł	-		-		-
		Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	-	UEF93	UEFTH	0.9019	10.05	7.30	1.37	1.20	ł	-		-		-
		Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
			-	-	UEF93	UEPTIVI	0.9019	02.21	20.90	20.29	9.15	-	-				
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDVZ	0.0040	00.07	20.00	20.20	0.45						
		Service Term - Basic Local Area	-	-	UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15	-					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOF	LIEDVO	0.0040	40.05	7.00	4.07	4.00						
		- Basic Local Area	-	-	UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28	-					
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOF	LIEDVO	0.0040	40.05	7.00	4.07	4.00						
		Basic Local Area	-	-	UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28	-					
F	L & G	A Only	-	-	LIEDOS	LIEBLIA	0.0040	40.05	7.00	4.07	4.00	-					
		2-Wire Voice Grade Port (Centrex)	-	-	UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28	-					
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						.
		2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3		-	UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						.
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						.
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						
L	ocal S	witching															.
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										ļ
L	ocal N	lumber Portability															ļ
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										ļ
F	eature																ļ
		All Standard Features Offered, per port			UEP95	UEPVF	0.775										.
		All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									ļ
		All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										ļ
N	ARS																ļ
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						ļ
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						ļ
		aneous Terminations				1								ļ	ļ		ļ
2.	Wire	Trunk Side		<u> </u>								ļ	ļ		1		ļ
		Trunk Side Terminations, each		1	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45	ļ			.		<u> </u>
4-	Wire	Digital (1.544 Megabits)		<u> </u>								ļ	ļ		1		ļ
		DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33	ļ					<u> </u>
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
lr	teroff	ice Channel Mileage - 2-Wire															L
		Interoffice Channel Facilities Termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						L
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0057										<u> </u>
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D	4 Cha	nnel Bank Feature Activations															

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Submitted Elec Manual Sv Deper LSR Per LS	UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
## RES USO PATE C. MENTALY Manual 2 for 1 M												Svc Order	Svc Order			1	Incremental
## PATE FLEMENTS Internal Part Pa												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
## CATEGORY RATE GLEMENTS More BCS U9O RATES (9) More RATES (9) More RATES (9) More RATES (9) More RATES (9) More RATES (9) More RATES (9) More RATES (9) RATE			Intori														Manual Svc
Section Sect	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR			Order vs.	Order vs.	Order vs.
Peace Associate on D-1 Counted Bank Parisin Line Loop Stat. CoPPs			m									po. 2011	po. 20.1				Electronic-
Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Contens Load State Pacient Actions on D-4 Cyanned Bank Private Load State Pacient Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private Load State Bank Private B																	
Part																Disc 1st	Disc Add I
Pestuar Actions on D.4 Charmer State Common Leg Series Useries Propert Address							Poc	Nonrec	urring		g Disconnect						
Pedition Activation on D.4 Charmed Bank F. Fland. Sole Long 1,000								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation to D-4 Channel Basin Channel Sales Transport Transport Transport		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
Feature Activation on the Chrismie Basin Karnes Logo Stri																	
State Property Colored					UEP95	1PQW6	0.4689										
Feature Activation on 1-4 Channel Bank Phress Lines Logs Stor UEP96 IPOWY 0.4699																	
Different Wish Context					UEP95	1PQW7	0.4689										
Fostum Activation on D-4 Channel Bank Phress Line Loop Stot PROVIDED Provided Channel State Plant Full Full Full Loop Provided Channel State Plant Full Loop Provided Channel State Plant Full Loop Provided Channel State Plant Full Full Full Loop State Provided Channel State Plant Full Full Full Loop State Provided Channel State Plant Full Full Full Full Full Full Full Ful																	
Section Activation on De A Channel Start Tiple Lasel Trust Loop Section		Different Wire Center			UEP95	1PQWP	0.4689										
Section Activation on De A Channel Start Tiple Lasel Trust Loop Section					LIEDAE												
Size					UEP95	1PQWV	0.4689										
Feature Activation on D 4 Channel Bask WATS Loop Size			1		LIEDOS	4001410	0.4000								I	I	
Non-Accurring Charges (NRC) Associated with UMEP Centrex NRC		C.C.	 	-						1	-	1		 	 	 	
NRC Conversion Currently Combined Swetch-Acts with allowed changes, per year. NRC Combined Swetch-Acts with allowed changes, per year. NRC Combined Swetch-Acts with allowed changes. NRC Combined Swetch-Acts with allowed chang	No.		 	+	UEP93	IPQWA	0.4689			1		-	-		 	 	-
Changes, per port	Non		 	+		+	 			1		-	-		 	 	-
New Center Standard Cummon Block			1		LIED05	LISACS		0.10	0.10						I	I	
New Centres Custominated Common Block UEPPS UEPP			1	 			0.00			48.00	5.02	 	-	1	+	+	
NAME Stablishment Change, Rev Consolon			 	!								H		 	t	t	
Additional Non-Recurring Charges (IRIC) Ultravoided Miscales and Element, Tag Loop at End Use Priemble Ultravoided Miscales and Element, Tag Design Loop at Ultravoided Miscales and Elem	-		†						31.39	40.33	5.32	-		 	t	t	
Unbounded Miscellaneous Rate Element, Tag Loop at End Use Permise ULEPAS URETL 0.33 0.83	Δdd				OLI 33	OILLOA	0.00	0.00						1			
Premise	Aud		1									-					
Unbundled Macellaneous Rate Element, Tag Design Loop at Entert, Tag Design Loop at Entert (Tag Design Loop at Entert) UP95 URETN 11.19 1.10					UFP95	URFTI		8.33	0.83								
End Use Premise UNEP CENTREX - DMS100 (Valid in All States) URPS URETN 11.10					02.00	0.12.12		0.00	0.00								
UNE POTILOGO (Valid in All States)					UEP95	URETN		11.19	1.10								
2-Wire VG Loop/2-Wire Voice Grade Port (Centres) Combo	UNE							-									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	UNE	Port/Loop Combination Rates (Non-Design)	i														
2.Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2. UEP9D 15.76		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
Non-Design 2 UEP9D 15.76				1	UEP9D		10.46										
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design																	
Non-Design				2	UEP9D		15.76										
UNE Port/Loop Combination Rates (Design)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 1 UEP9D 12.47				3	UEP9D		32.56										
Design	UNE																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2		. ,	-														
Design 2 UEP9D 17.85				1	UEP9D		12.47										
2-Wire Voice Grade Loop (St. 1) - Zone 1					LIEDOD		47.05										
Design 3 UEP9D 33,98			-		UEP9D	-	17.85					-					
UNE Loop Rate			1	2	LIEDOD		33.00								I	I	
2-Wire Voice Grade Loop (SL 1) - Zone 1	LINE		 	3	OLI 3D	1	33.30			1	 	H		 	t	t	
2-Wire Voice Grade Loop (SL 1) - Zone 2	UNE		 	1	LIEP9D	LIECS1	0.56			1	 	H		 	t	t	
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9D UECS1 31.66	-		†							1		-		 	 	 	
2-Wire Voice Grade Loop (SL 2) - Zone 1			1							1		 	-		I	I	
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 16.95			1							1		 	-		I	I	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 33.08			†											1	<u> </u>	<u> </u>	
UNE Port Rate			t								İ			İ	1	1	
ALL STATES	UNE		1	Ť	-	1					l		İ	İ	1	1	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	ALL																
Area					UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local UEP9D UEPYC 0.9019 10.05 7.36 1.37 1.28		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
Area			<u> </u>		UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D															1	1	
Area			ļ		UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local UEP9D UEPYE 0.9019 10.05 7.36 1.37 1.28																	
Area			<u> </u>		UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28			ļ	L	L	
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			1												I	I	
	\vdash		!	-	UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28			-	 	 	
			1	1	LIEDOD	LIEDYE	0.0040	40.0-	7.00	4.6=	1.00		1		I	I	

LINBLINDI E	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	hit: Δ
CHECHEL	D NETWORK ELEMENTO Coorgia				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to read									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													130	Addi	Diac 1at	Disc Add I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYU	0.9019	10.05	7.00	1.37	1.28						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPTU	0.9019	10.05	7.36	1.37	1.20	1					
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI OD	OLI IV	0.0010	10.00	7.00	1.07	1.20	-					
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					0.00.0										
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
-	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPTP	0.9019	82.21	26.96	20.29	9.15	-					
	Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLI OD	OLI I Q	0.0010	02.21	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4					0.00.0										
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
\vdash	Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEP 17	0.9019	02.21	20.90	20.29	9.15	1					
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					0.0010	OZ.Z/	20.00	25.25	0.10						
	Basic Local Area			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & 0	GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D UEP9D	UEPHD	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28		-				
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	-		UEP9D UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28	 	 				
 	2-Wire Voice Grade Port (Centrex / EBS-M5312)4	-		UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28	-	-				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28	t					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
\vdash	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28						

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fxhi	bit: A
0.12	ONDEL											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
07112		10.112 =======1110	m			5555			(+)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonred	curring	Nonrecurring	Disconnect	†		oss	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)							71441	1 01	71441	0020	00				
		2.3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						ĺ
	1						0.00.0										
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						ĺ
															Î		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						ĺ
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ĺ
		Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		L															
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	1 1 4	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
	Local	Switching			LIEDOD	LIDECC	0.4237						-				
-	Local I	Centrex Intercom Funtionality, per port Number Portability			UEP9D	URECS	0.4237					-					-
-	LUCALI	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					1					
-	Featur				OLF9D	LINFOC	0.33					1					
	i catur	All Standard Features Offered, per port			UEP9D	UEPVF	0.775					-					
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00				1					
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	0.00				1					
	NARS	7 th Control C			02.05	02. 10	0.00					1					
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	1	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	1	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
<u> </u>	1	Interoffice Channel mileage, per mile or fraction of mile		\vdash	UEP9D	M1GBM	0.0057										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e			1											
	D4 Cha	annel Bank Feature Activations			LIEDOD	4DOWC	0.4000										
<u> </u>	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.4689			!	-				 	 	
1	1	Facture Activation on D.4 Channel Beatly EV line Cide I are City			LIEDOD	100000	0.4000										1
<u> </u>	+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	\vdash	UEP9D	1PQW6	0.4689					-					
		ISlot			UEP9D	1PQW7	0.4689										1
├	+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLFBD	11'411	0.4089				-				-	-	
1	1	Different Wire Center			UEP9D	1PQWP	0.4689						1				1
 	+	Dillololit Wile Cellel			OLFSD	IF QVVF	0.4009			1	 	 	1		1	 	
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9D	1PQWV	0.4689						1				1 '
	1	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			02. 00	3,111	0.4000										—
1		Slot			UEP9D	1PQWQ	0.4689										1
	1	I =		1	1 02		5.7000			l .		1	1		1	l	

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
													Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
			""									,	ps. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring	,				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10								
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN											
-	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		 	OLFSE	OKETN	+				-	-	—				\vdash
-		- Required For for Centrex Control III TAESS, 5ESS & EWSD		-		-						1					
-		- Installation is combination of Installation charge for SL2 Lo	on ond	Dort		-						1					
-		Requires Specific Customer Premises Equipment	op and	POIT		-						1					
—						Company Town	and Condition					1	—		-		
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Term	is and Conditio	ns.			l		1				

Version 3Q03: 11/12/2003 Page 115 of 348

														ı			
UNB	JNDLE	D NETWORK ELEMENTS - Kentucky			1		1					1-	1_		ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OA!L	00	NATE ELEMENTO	m	20110	500	0000			τοτι 20 (φ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
	-						Rec	Nonre			Disconnect	001150	SOMAN		Rates (\$)	SOMAN	001111
	1							First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SOWAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m		_			-							
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"			"-" 000 -l			**	000 -1								01.50
		(1) CLEC should contact its contract negotiator if it prefers the ither the state specific Commission ordered rates for the servi															
		f the 9 states.	ice orde	illig ci	larges, or CLEC may	elect the re	gioriai service (ordering charg	e, nowever, Cr	LC can not of	italii a illixture	of the two	regardiess i	I CLEC IIas a	interconnecti	on contract e	stabilshed in
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	lly. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.								1					
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
—	+	OSS - Manual Service Order Charge, Per Local Service Request		 		SOIVIEC		3.50	0.00	3.50	0.00				 		
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF. UDF. UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX, UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
IINIDII	NDI ED I	Day EXCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00							 		
JINDU		E ANALOG VOICE GRADE LOOP													 		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65	-					
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	10.56 15.34	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65				-		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise		ļ	UEANL	URETL		8.33	0.83								
<u> </u>	+	Loop Testing - Basic 1st Half Hour	-	-	UEANL	URET1 URETA		46.88 24.16	46.88			ļ			 		
		Loop Testing - Basic Additional Half Hour		1	UEANL	UKETA	1	24.16	24.16			L	l .	1	L		1

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
	·			l								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			In terms									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC ISL	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			i –				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch	i –														
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST														Î	
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00							Î	
		Order Coordination for Specified Conversion Time for UVL-SL1														Î	Î
		(per LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1											I			
<u></u>	<u></u>	Premise	<u> </u>	<u></u>	UEQ	URETL		8.33	0.83					<u> </u>			L
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)		<u> </u>	UEQ	USBMC		9.00	9.00								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						40.00									
		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						40.00									
LINIBLIA	DI ED I	Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
ONBON		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP	 	├	1	+						1		-	 	 	
—	∠-WIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	 	+	+				1		-	-	-	 		
		Ground Start Signaling - Zone 1	1	4	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88				I		
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	- '	ULA	ULALZ	12.07	134.09	01.07	73.05	14.68		-	 	 	 	
	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		1		I		
\vdash	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	-	OLA.	JLALL	17.40	134.09	01.07	73.05	14.00	H		 	 	 	
	1	Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		1		I		
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	 	-	UEA	OCOSL	30.22	23.01	01.07	75.05	17.00	H		 	 	 	
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	\vdash	02.1	20001	+	20.01		†					+		
	1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l -	 		32, (2	12.07	104.00	01.07	70.00	14.50			 	t	i	i
	1	Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		1		I		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l -	┢▔		, <u></u>	5	.000	001	. 0.30	50			 	t	i	i
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88				1		
		Order Coordination for Specified Conversion Time (per LSR)	l	Ť	UEA	OCOSL		23.01	2.101	1 2.00	: ::00				t	İ	İ
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.21	1.10							ĺ	ĺ
	4-WIRE	ANALOG VOICE GRADE LOOP	1	i –		1							1	l	1	İ	İ
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66					1	1
		4-Wire Analog Voice Grade Loop - Zone 2	Ì		UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	85.06	164.11	112.36		18.66						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNB	INDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
		,		1								Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m						== (+)			per LSK	per LSK		Electronic-	Electronic-	Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
	İ	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	İ	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
	İ	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	•												
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
	<u> </u>	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47				L	ļ	ļ
		2 Wire Unbundled ADSL Loop including manual service inquiry													1		
		& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									ļ
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
	ļ	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
	ļ	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
		2 Wire Unbundled ADSL Loop without manual service inquiry &		l _													
		facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						ļ
-	<u> </u>	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL		23.01	40.40								
-	0.14//DE	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE		UAL	UREWO		86.20	40.40								
-	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LOOP													
		& facility reservation - Zone 1		1	UHL	UHL2X	8.75	454.54	89.29	69.09	11.54						
-	1	2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHLZX	8.75	151.54	89.29	69.09	11.54	-					
		& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
-		2 Wire Unbundled HDSL Loop including manual service inquiry			OFF	UTILZX	9.30	131.34	05.25	09.09	11.54	1					-
		& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	-	Order Coordination for Specified Conversion Time (per LSR)		Ľ	UHL	OCOSL	10.01	23.01	00.20	00.00	11.04						-
	1	2 Wire Unbundled HDSL Loop without manual service inquiry		1	OTTE	00002		20.01				†	1				
		and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	t	2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2	- 1	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						ļ
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
	ļ	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
		4-Wire Unbundled HDSL Loop without manual service inquiry		2	l	11111 4147	45.00	101.0-	44461	77.00	45.00		1		I		
-	 	and facility reservation - Zone 2	-	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	1			 	 	1
1	1	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		1		I		
-	 	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	16.98	23.01	114.04	11.32	15.80		 			-	
<u> </u>	 	CLEC to CLEC Conversion Charge without outside dispatch	-	+	UHL	UREWO	1	86.14	40.40			-	-	-	 		
-	V-MIDE	DS1 DIGITAL LOOP	-	 	OLIF	UKEWU	1	00.14	40.40			 	 		 	 	
		4-Wire DS1 Digital Loop - Zone 1	 	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	 			+	1	
—	 	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55	H			 	 	
	 	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	297.76	306.69	174.44	65.83	14.55	<u> </u>	 		t		
-	 	Order Coordination for Specified Conversion Time (per LSR)	-	۲	USL	OCOSL	231.10	23.01	177.44	00.00	14.55	-	-		t	 	
	1	Title (per Lory)				00000		20.01		1	L		l		1	1	

CLEC to CLEC Conversion Charge without outside dispatch USL UREWO	Nonrecur First 101.09 157.81 157.81 157.81 157.81 157.81 23.01 157.81 157.81 23.01 157.81 157.81 140.95 140.95 140.95 9.00 120.15	RATES (\$) urring Add'1 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 706.06 106.07 78.70 78.70 9.00 67.97	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09 69.09	Disconnect Add'I 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.61 11.54 11.54	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO	Nonrecur First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 140.95 140.95 140.95 9.00	urring Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 706.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO	Nonrecur First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 140.95 140.95 140.95 9.00	urring Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 706.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CLEC to CLEC Conversion Charge without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch 4 Wire Unbundled Digital 19,2 Kbps 4 Wire Unbundled Digital 19,2 Kbps 4 Wire Unbundled Digital 19,2 Kbps 4 Wire Unbundled Digital 19,2 Kbps 4 Wire Unbundled Digital 19,2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL19 32,48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 32,48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 3 UDL UDL56 32,48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 34 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL56 32,48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL56 32,48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL56 32,48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL56 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL56 3 UDL UDL56 3 UDL UDL56 3 UDL UDL56 3 UDL UDL56 3 UDL UDL56 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL56 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 4 Wire Unbundled Opgital Loop 64 Kbps - Zone 3 4 UDL UDL56 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 10.82 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLEW 10.64 4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 5 4 Wire Copper Loop-Designed including	Nonrecur First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 140.95 140.95 140.95 9.00	urring Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 706.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l Rates (\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
CLEC to CLEC Conversion Charge without outside dispatch 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 5 UDL UDL19 1 UDL UDL19 1 30.3, 3 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 2 7.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 3 .3, 3 Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 3 2.48 5 2.48 5 2.48 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 123.01 157.81 157.81 157.81 140.95 140.95	Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	-		Electronic- 1st	Electronic- Add'l Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
CLEC to CLEC Conversion Charge without outside dispatch 4-WIRE 19.2, \$6 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 32.48 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 33.48 4 Wire Unbundled Digital 10.0 56 Kbps - Zone 1 4 Wire Unbundled Digital 10.0 56 Kbps - Zone 2 2 UDL UDL56 27.59 4 Wire Unbundled Digital 10.0 56 Kbps - Zone 2 4 Wire Unbundled Digital 10.0 56 Kbps - Zone 2 4 Wire Unbundled Digital 10.0 56 Kbps - Zone 2 4 Wire Unbundled Digital 10.0 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital 10.00 64 Kbps - Zone 2 4 Wire Unbundled Digital 10.00 64 Kbps - Zone 2 4 Wire Unbundled Digital 10.00 64 Kbps - Zone 2 4 Wire Unbundled Digital 10.00 64 Kbps - Zone 2 4 Wire Unbundled Digital 10.00 64 Kbps - Zone 2 5 UDL UDL64 4 Wire Unbundled Digital 10.00 64 Kbps - Zone 2 5 UDL UDL64 5 UDL64 5 UDL64 5 UDL65 CLEC to CLEC Conversion Targe without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 10.82 4-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 0 Order Coordination for Unbundled Copper Loop (per Loop) 1 UCL UCLPW 10.82 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 123.01 157.81 157.81 157.81 140.95 140.95	Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	SOMEC	SOMAN	1st OSS	Add'I Rates (\$)	Disc 1st	Disc Add'l
CLEC to CLEC Conversion Charge without outside dispatch 4-WRRE 19.2, \$6 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 32.48 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 33.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 UDL UDL64 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 UDL UDL64 5 UDL64 5 UDL64 5 UDL65 CLEC to CLEC Conversion Charge without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 10.82 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 10.82 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4 UCL UCLPW 10.82 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4 Wire	First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 123.01 157.81 157.81 157.81 140.95 140.95	Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	SOMEC	SOMAN	OSS	Rates (\$)		
CLEC to CLEC Conversion Charge without outside dispatch 4-WRRE 19.2, \$6 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 32.48 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 33.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 UDL UDL64 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 UDL UDL64 5 UDL64 5 UDL64 5 UDL65 CLEC to CLEC Conversion Charge without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 10.82 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 10.82 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4 UCL UCLPW 10.82 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4 Wire	First 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 123.01 157.81 157.81 157.81 140.95 140.95	Add'I 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66	SOMEC	SOMAN			SOMAN	SOMAN
CLEC to CLEC Conversion Charge without outside dispatch 4-WRRE 19.2, \$6 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 32.48 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 33.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 UDL UDL64 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 UDL UDL64 5 UDL64 5 UDL64 5 UDL65 CLEC to CLEC Conversion Charge without outside dispatch CLEC to CLEC Conversion Charge without outside dispatch 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 10.82 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 10.82 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4 UCL UCLPW 10.82 4 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4 Wire	101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 157.81 140.95 140.95 9.00	43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.07 106.06 106.07 10	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 18.66 11.54	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
#WIRE 19.2, \$5 OR 64 KBPS DIGITAL GRADE LOOP # Wire Unbundled Digital 19.2 Kbps # Wire Unbundled Digital 19.2 Kbps # Wire Unbundled Digital 19.2 Kbps # Wire Unbundled Digital 19.2 Kbps # Wire Unbundled Digital 19.2 Kbps # Wire Unbundled Digital 19.2 Kbps # Wire Unbundled Digital Loop 56 Kbps - Zone 1 # Wire Unbundled Digital Loop 56 Kbps - Zone 2 # Wire Unbundled Digital Loop 56 Kbps - Zone 2 # Wire Unbundled Digital Loop 56 Kbps - Zone 2 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 1 # Wire Unbundled Digital Loop 56 Kbps - Zone 1 # Wire Unbundled Digital Loop 56 Kbps - Zone 1 # Wire Unbundled Digital Loop 56 Kbps - Zone 2 # Wire Unbundled Digital Loop 56 Kbps - Zone 2 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 2 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Digital Loop 56 Kbps - Zone 3 # Wire Unbundled Copper Loop -Designed including manul service inquiry & facility reservation - Zone 1 # Wire Unbundled Copper Loop-Designed including manul service inquiry & facility reservation - Zone 2 # Wire Unbundled Copper Loop-Designed including manul service inquiry & facility reservation - Zone 2 # Wire Unbundled Copper Loop-Designed including manul service inquiry & facility reservation - Zone 2 # Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 # Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 # Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 # Wire Copper Loop-Designed without manual service inquiry an	157.81 157.81 157.81 157.81 157.81 157.81 157.81 23.01 157.81 23.01 157.81 23.01 102.13 140.95	106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.07 106.06 106.06 106.07 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 11.56 11.54						
4 Wire Unbundled Digital 19.2 Kbps	157.81 157.81 157.81 157.81 157.81 157.81 23.01 157.81 157.81 157.81 123.01 102.13 140.95	106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 11.56 11.54						
4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 32.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 1 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 32.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 33.48 5 UDL UDL56 33.49 5 UDL UDL56 33.49 5 UDL UDL56 33.49 5 UDL UDL56 33.49 6 UDL56 33.49 6 UDL UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 33.49 6 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56 33.49 6 UDL56 UDL56	157.81 157.81 157.81 157.81 157.81 157.81 23.01 157.81 157.81 157.81 123.01 102.13 140.95	106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 106.06 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 11.56 11.54						
4 Wire Unbundled Digital 19.2 kDps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 33.37 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 4 Wire Unbundled Digital Loop 66 Kbps - Zone 3 3 UDL UDL56 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.59 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 27.59 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UREWO 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 1 UCL UCLPB 10.82 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPB 10.82 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 2 - Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2 - Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination For Unbundled Copper Loop (per Ioop) UCL UCLWC UCLWC UCLWC UCLWC UCLWC UCLEC to CLEC Conversion Charge without manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 16.92 4	157.81 157.81 157.81 157.81 23.01 157.81 23.01 157.81 23.01 102.13 140.95 140.95	106.06 106.06 106.06 106.06 106.06 106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09 69.09	18.66 18.66 18.66 18.66 18.66 18.66 18.66 11.54						
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.59 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 32.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 33.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL56 33.37 UDL UDL56 33.37 UDL UDL56 33.37 UDL UDL56 33.37 UDL UDL56 33.37 UDL UDL56 33.37 UDL UDL56 33.37 UDL UDL56 32.48 UDL56 32.48 UDL56 32	157.81 157.81 157.81 23.01 157.81 157.81 157.81 23.01 102.13 140.95 140.95	106.06 106.06 106.06 106.06 106.06 106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 78.91 69.09 69.09	18.66 18.66 18.66 18.66 18.66 18.66 11.54 11.54						
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 32.48 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 36.37 Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.59 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 33.37 Order Coordination for Specified Conversion Time (per LSR) Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 UDL64 36.37 UDL64 36.37 UDL64 36.37 23.01 157.81 157.81 157.81 23.01 102.13 140.95 140.95	106.06 106.06 106.06 106.06 106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 78.91 78.91 78.91 78.91 69.09 69.09	18.66 18.66 18.66 18.66 18.66 11.54 11.54							
4 Wire Unbundled Digital Loop 68 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.59 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UCLEC Conversion Charge without outside dispatch 2-Wire Unbundled Copper Loop-Designed including manual service inquiry a facility reservation - Zone 1 1 UCL UCLPB 10.82 2-Wire Unbundled Copper Loop-Designed including manual service inquiry a facility reservation - Zone 2 2 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLW 12.87 Order Coordination for Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLW 12.87 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservati	157.81 23.01 157.81 157.81 157.81 23.01 102.13 140.95 140.95	106.06 106.06 106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 78.91 78.91 69.09 69.09	18.66 18.66 18.66 18.66 11.54 11.54						
Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.59 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 33.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL CLEC to CLEC Conversion Charge without outside dispatch UDL UREWO 2-WIRE Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 1 UCL UCLPB 10.82 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop-Besigned without manual service inquiry and facility reservation - Zone 3 3 UCL UCLWC UCLPW 12.87 Order Coordination for Unbundled Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCLWC UCLAS 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLWC UCLAS 16	23.01 157.81 157.81 157.81 23.01 102.13 140.95 140.95	106.06 106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 78.91 69.09 69.09	18.66 18.66 18.66 11.54 11.54						
A Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.59 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL CLEC to LCEC Conversion Charge without outside dispatch UDL UREWO 2-Wire Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 1 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2 - Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2 - Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLW 12.87 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCLAS 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCLAS 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLAS 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLAS 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	157.81 157.81 157.81 23.01 102.13 140.95 140.95	106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 69.09 69.09	18.66 18.66 11.54 11.54						
A Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 32.48 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 36.37 Order Coordination for Specified Conversion Time (per LSR) UDL UDL UREWO 2-WIRE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 UCL UCLPB 10.82 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & Industry and facility reservation - Zone 2 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC UCLPB 12.87 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC UCLPS) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 UCL UCL4S 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 UCL UCL4S 17.36 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservatio	157.81 157.81 23.01 102.13 140.95 140.95 140.95	106.06 106.06 49.75 78.70 78.70 9.00	78.91 78.91 69.09 69.09	18.66 18.66 11.54 11.54						
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 36.37	157.81 23.01 102.13 140.95 140.95 140.95 9.00	78.70 78.70 78.70 9.00	69.09 69.09 69.09	11.54 11.54						
Order Coordination for Specified Conversion Time (per LSR) UDL UCLEV	23.01 102.13 140.95 140.95 140.95 9.00	78.70 78.70 78.70 78.70 9.00	69.09 69.09 69.09	11.54 11.54 11.54						
CLEC to CLEC Conversion Charge without outside dispatch Clember	102.13 140.95 140.95 140.95 9.00	78.70 78.70 78.70 9.00	69.09 69.09	11.54						
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 1 UCL UCLPB 10.82 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 12.87 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 2 UCL UCL4S 17.36 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 2 UCL UCL4S 17.36 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.10 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 2 UCL UCL4W 16.92	140.95 140.95 140.95 9.00	78.70 78.70 78.70 9.00	69.09 69.09	11.54						
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.79 2 Wire Unbundled Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loop (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCLAS 17.36 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and f	140.95 140.95 9.00	78.70 78.70 9.00	69.09 69.09	11.54						
Service inquiry & facility reservation - Zone 1	140.95 140.95 9.00	78.70 78.70 9.00	69.09 69.09	11.54						
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.79 2 Wire Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loops (per loop) 3 UCL UCLMC 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 17.36 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility rese	140.95 140.95 9.00	78.70 78.70 9.00	69.09 69.09	11.54						
service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire	140.95 9.00	78.70 9.00	69.09	11.54						1
2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCLWC UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.10 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLEC	140.95 9.00	78.70 9.00	69.09	11.54					1	
service inquiry & facility reservation - Žone 3 Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) CLE to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed witho	9.00	9.00							1	
Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 2-Wire Unbundled Copper Loops (per loop) Crider Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire Copper Loop 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	9.00	9.00								ł
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation or Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		İ	60.00	11.54				-	 	
service inquiry and facility reservation - Zone 1 1 UCL UCLPW 10.82 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) UCL UREWO 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 1 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 17.36 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.10 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.10 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLMC 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLMC 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 17.36	120 15	67.07	60.00	11 54					-	
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.79 12.87 Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-Wire COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 17.36 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2										í
service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.79 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.10 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	120.10	01.51	09.09	11.54	-	-				
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 12.87 Order Coordination for Unbundled Copper Loops (per loop) LUCL UCLMC UCL-Des) 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 16.92 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 28.10 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	120.15	67.97	69.09	11.54						ł
service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 17.36 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	120.15	01.31	03.03	11.04					 	
Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	120.15	67.97	69.09	11.54						ł
CLEC to CLEC Conversion Charge without outside dispatch ((UCL-Des) 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	9.00	9.00	00.00	11.04					+	$\overline{}$
CUCL-Des UCL UREWO UCL UREWO UCL UREWO UCL UREWO UCL UREWO UCL UREWO UCL UCL4S 16.92 UCL UCL4S 16.92 UCL UCL4S 17.36 UCL UCL4S UCL4S	0.00	0.00							 	
4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry	97.23	42.48								í
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	07.120	12.10							1	
and facility reservation - Zone 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 3 UCL UCL4S Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry									† †	
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	170.31	108.06	74.95	14.69						ł
and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry										·
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry	170.31	108.06	74.95	14.69						í
Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry										
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 17.36 4-Wire Copper Loop-Designed without manual service inquiry	170.31	108.06	74.95	14.69						í
and facility reservation - Zone 1 1 UCL UCL4W 16.92 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 17.36 4-Wire Copper Loop-Designed without manual service inquiry	9.00	9.00								í
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 17.36 4-Wire Copper Loop-Designed without manual service inquiry										
and facility reservation - Zone 2 2 UCL UCL4W 17.36 4-Wire Copper Loop-Designed without manual service inquiry	149.52	97.33	74.95	14.69						<u> </u>
4-Wire Copper Loop-Designed without manual service inquiry										í
	149.52	97.33	74.95	14.69						<u> </u>
										í
and facility reservation - Zone 3 3 UCL UCL4W 28.10	149.52	97.33	74.95	14.69						
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC	9.00	9.00								
CLEC to CLEC Conversion Charge without outside dispatch										í
(UCL-Des) UCL UREWO		42.48							ļ	
LOOP MODIFICATION LOOP MODIFICATION	97.23								ļ	
UAL, UHL, UCL,	97.23	l								ł .
UEQ, ULS, UEA,	97.23	l								ł .
Unbundled Loop Modification, Removal of Load Coils - 2 Wire UEANL, UEPSR, pair less than or equal to 18k ft. per Unbundled Loop UEPSB ULM2L	97.23	J				1]	1
		0.04					-	1	+	
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L	97.23	9.24				1				ł
Iess than or equal to 18K ff, per Unbundled Loop UHL, UCL, UEA ULM4L UAL, UHL, UCL, UCL,	9.24					 	 		+	
UEC, ULS, UEA,		9.24 9.24				1				ł
Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR,	9.24						l			ł
per unbundled loop ULMBT ULMBT	9.24									

CATE CAPE PATE ELEMENTS Part	LIMBI	INDLE	D NETWORK ELEMENTS - Kantualar												A441		F.4.1	
ATE ELEMENTS Mark Company Comp	UND	JNDLE	D NETWORK ELEMENTS - Kentucky		1	1		I					Cua Ordar	Svo Ordor				
NATE CLEMENTS PARTE CLEMENTS Interest Part													1					
ATTECHNON BATTELEMENTS													1					
Billion Bill	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Section Sect				m						- (1)			per Lor	per LSK				
Section Sect																		
December December																	DISC 1St	DISC Add I
Section Sect								Rec									_	
Self-Log Distritution Self	-							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-Lags - Per Conse Box Locators - CELC Feeder Fasing Section 1	SUB-L		The first state of the state of															
Up	-	Sub-Lo																
Substance Pro-Cross Bis Location Per 20 Pair Passed Set Lip 1						LIEANI	LICECA		207.01	207.01								
Sub-Lace Petrolitation Service Sub-Lac	-	+	ОР		1	ULAINL	USBSA		207.91	207.91			1					
Sub-Lace Petrolitation Service Sub-Lac			Sub-Loon - Per Cross Box Location - Per 25 Pair Panel Set-Un	1		LIFANI	USBSB		12 50	12 50								
Facility Set-Up Set-Logo Pire Month of Equipment Room - Per 25 Pair Paried Set-Logo Distribution Per 24/Vier Analog Voice Grade Logo 1 1 UEANL USBN2 0.54 65.04 0.50						027.112	00000		12.00	12.00								
Set Composition Set Composition Set Composition Set Composition Set Composition Set Composition Set Composition Set Se				- 1		UEANL	USBSC		80.87	80.87								
Sub-Loop Distribution Per 2-Wire Analog Vase Grade Loop		1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
Sub-Loop Distribution Per 2-Wee Analog Vicco Grade Loop 2 2 EANL USBN2 3.44 85.00 38.06 59.81 7.90				- 1		UEANL	USBSD		45.04	45.04								
Sub-Loop Distribution Per 2-Wire Analogy Vision Grade Loop - 1 2																		
Comparison Com				- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
Sub-Loop Databusine Fee 2-View Analog Voice Grade Loop - 3 JEANAL USBNZ 14 A2 85.03 30.06 56.81 7.90		1			_	LIFANI	LICDNIC	0.00	05.00	00.0=	50.01	7.00		1				
Depart	-	-			2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
Order Coordination for Unbundled Sub-Loops, per sub-loop part UEANL USBMC 0.00				١.,	_	LIFANI	LICDNO	44.00	05.00	20.05	50.04	7.00						
Suit-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 2		+	Zone 3	- '	3	UEANL	USBINZ	14.82	85.03	39.05	59.81	7.90	-					
Suit-Loop Distribution Per 4-Wire Analog Voice Grade Loop - 2			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIEANI	LISBMC		9.00	9.00								
Zone 1		+				OLANE	CODIVIC		3.00	3.00								
Sub-Loop Distribution Per 4-Wire Analog Votice Grade Loop - 2					1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
Zone 2		1																
Zone 3					2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBNC 9.00			Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
Sub-Loop 2-Wire Intrabuliding Network Cable (INC)			Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
Sub-Loop 2-Wire Intrabuliding Network Cable (INC)																		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC 9.00																		
Sub-Loop 4-Wire Intrabuliding Network Cable (INC)	-	-	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
Sub-Loop 4-Wire Intrabuliding Network Cable (INC)			Order Coordination for Unbundled Sub Leans, per sub Jean pair			LIEANII	LICEMC		0.00	0.00								
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEANL USBMC UEANL URET1 46.88 46.88 UEANL URET3 UEANL URET4 24.16 24.1	-	+		-	-			4.00			65.24	10.00	-					
Loop Testing - Basic Additional Half Hour		+	Sub-Loop 4-Wire intrabuliding Network Cable (INC)			ULAINL	USBK4	4.50	70.43	30.31	05.24	10.00						
Loop Testing - Basic Additional Half Hour			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1																
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 9.00																		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1						Liee	1100040		0.00	0.00								
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	—	+		-	4			7.00			05.04	40.00	1	-		 	-	
A Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	+		+													-	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair UEF USBMC 9.00 9.00 9.00	\vdash	+		+									 			 	 	
Loop Testing - Basic 1st Half Hour	—	 	Sappor oribunated out book Distribution - Zorie 3	<u> </u>			300-j/	13.40	102.31	30.32	00.24	10.00	 	 				
Loop Testing - Basic 1st Half Hour			Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
Loop Testing - Basic Additional Half Hour		1			i –	_										İ	l	
Unbundled Network Terminating Wire (UNTW) per Pair UENTW UENPP 0.53 23.51 23.51 23.51			Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
Network Interface Device (NID) Network Interface Device (NID) - 1-2 lines		Unbun								•								
Network Interface Device (NID) - 1-2 lines						UENTW	UENPP	0.53	23.51	23.51								
Network Interface Device (NID) - 1-6 lines		Netwo			<u> </u>	L	<u> </u>									ļ		ļ
Network Interface Device Cross Connect - 2 W	<u> </u>	1			<u> </u>													
Network Interface Device Cross Connect - 4W UENTW UNDC4 8.56 8.56 8.56 UNE OTHER, PROVISIONING ONLY - NO RATE UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UNDBX 0.00 0.00 UNDBY 0.00 0.00 UNDBY 0.00 0.00 UNDBY 0.00 UNDBY 0.00 UNDBY 0.00 0.00 UNDBY	—	+			├								1	-		 	-	
UNE OTHER, PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation	-	+		-	 								-	-			-	
NID - Dispatch and Service Order for NID installation UENTW UNDBX 0.00 0.00 UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	UNF	THER F			 	OFINIAN	JINDU4		0.00	0.00			 			 	 	
UNTW Circuit Id Establishment, Provisioning Only - No Rate UENTW UENCE 0.00 0.00 UEANL,UEF,UEQ,U Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00	5.VL (, , , , <u>, , , , , , , , , , , , , , , </u>			 	UENTW	UNDBX	0.00	0.00				-	 				
Unbundled Contract Name, Provisioning Only - No Rate ENTW UNECN 0.00 0.00		1			t								1			1		
			, , , , , , , , , , , , , , , , , , , ,		i –		_											
UNE OTHER, PROVISIONING ONLY - NO RATE		<u></u>			<u>L</u>	ENTW	UNECN	0.00	0.00								<u> </u>	
	UNE C	THER, F	PROVISIONING ONLY - NO RATE							· · · · · ·								

LINIDIIN	IDI EI	D NETWORK ELEMENTS - Kentucky												Attack	ment: 2	Exhi	L:4. A
UNDUN	IDLE	NETWORK ELEWENTS - Remucky	1	1	I		1					Sua Ordar	Cua Ordar				
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
\perp							Rec	Nonred		Nonrecurring					Rates (\$)		
\perp								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH CA	PACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.25										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	9.25										
		High Capacity Unbundled Local Loop - STS-1 - Facility					0.20										
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP M	ΔKF-II				OBLOX	0020.	020.01	001.00	000.00	170.00	120.12						
<u> </u>	AIL-U	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
+		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWNER		25.40	25.40								
		queried (Manual).			UMK	UMKLP		24.85	24.85								
-		Loop MakeupWith or Without Reservation, per working or			OIVIIC	OWINE		24.00	24.00								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE CH	ADIMO	S AND LINE SPLITTING	-	-	UIVIK	UIVIKIVIQ		0.07	0.67			-	-				
		1: The Line Sharing monthly recurring rates for all installation	ne comi	alotod f	rom October 02, 200	2 through m	idnight Octobo	r 01 2004 chal	l ha hillad as f	ollowe:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					lanight Octobe	1 01, 2004 Silal	i be billed as i	ollows.							
		1: 10/02/2003 – 10/01/2004: 25 % of the rate for UCLND	Jpper io	T IIOI	I-designed (OCLIVD	'											
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	-	-													
		1: Nove will apply to USOCS: ULSDT and ULSCT	-	-													
		2: The Line Sharing monthly recurring rates with USOCs ULS	CDC	1111 00	C amplian ambuta si				0-4-14 00	22							
		E2: The Line Sharing monthly recurring rates with USOCS OLS	SDC and	d ULSC	c applies only to cit	rcuits installe	ed and inservic	e on or perore	October 1, 20	J3							
		ERS-CENTRAL OFFICE BASED	-														
5	PLIII		-			1 II OD 4	400.00	070.05	0.00	050.55	0.00						
\vdash		Line Sharing Splitter, per System 96 Line Capacity	-		ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
\vdash		Line Sharing Splitter, per System 24 Line Capacity	!	 	ULS	ULSDB	49.71	379.05	0.00	358.55	0.00	-			-		
\vdash		Line Sharing Splitter, Per System, 8 Line Capacity	-	<u> </u>	ULS	ULSD8	16.94	377.71	0.00	357.29	0.00	.					
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				000		4=0.0-									
	NIP	deactivation (per LSOD)	-	<u> </u>	ULS	ULSDG		173.62	0.00	100.40	0.00	.					
F	ט עא:	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	-	<u> </u>		-						.					
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter -	·														
		Central Office Located (50% of UCLND) - please see NOTE 1															
\perp		(E:10/2/2004)		<u> </u>	ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
1 [_	Line Share Service, TRO per line activation, BST owned splitter -	1		<u> </u>										I		
		Central Office Located (75% of UCLND) - please see NOTE 1	1			1						1					
		(E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90				<u> </u>		
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)	<u> </u>	<u>L_</u>	ULS	ULSDS		32.90	16.43	<u> </u>		<u></u>			<u> </u>		
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)	<u> </u>	L_	ULS	ULSCS		32.90	16.43	<u> </u>		<u> </u>			<u> </u>		
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
1 1		OBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	1	ı		1	1	i

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						ļ
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
-		Line Share Service, TRO per line activation, CLEC owned		1	ULS	ULSCI	5.29	47.44	19.31	20.67	12.74	ł					1
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
	LINE S	PLITTING										İ					
		SER ORDERING-CENTRAL OFFICE BASED				i e						İ					
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87			ĺ			
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87			ĺ			
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				ļ											ļ
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1470	41.500/	0.04										
-		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1	U1TVX	1L5XX	0.01					 	-				
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
-		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	-	1	UTTVX	01172	29.11	47.34	31.70	22.11	0.73	1					1
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTTVX	120701	0.01										
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			-												
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination		ļ	U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile				41 =>07											
-		per month		-	U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-	1	UTIDA	UTIDO	20.97	47.33	31.70	22.11	0.75	1					1
		Imonth			U1TD1	1L5XX	0.23										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	OTIDI	TLOXX	0.23										
		Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per										İ					
		month			U1TD3	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - DS3 - Facility				1-91-1											
		Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						ļ
DARK	FIBER		<u> </u>			1								ļ	ļ		ļ
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1														
	ļ	Thereof per month - Interoffice Channel	-	1	UDF, UDFCX	1L5DF	30.74	=00 =-		.==	2115-			ļ	ļ	 	
<u> </u>	 	NRC Dark Fiber - Interoffice Channel	!	1	UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67	 		 	 	 	
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIDEON	1L5DL	47.01										
—	 	Thereof per month - Local Loop	├	1	UDF, UDFCX UDF, UDFCX	UDFL4	47.01	732.53	192.67	377.27	241.67	 		 	 	-	-
		NRC Dark Fiber - Local Loop		<u> </u>	UDF, UDFGX	UDFL4	į	132.53	192.67	3/1.2/	241.67	l .					

UNBI	JNDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
3.130						1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							D.s.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX A	CCESS 1	TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
		Number Reserved			OHD	N8R1X		4.14	0.70								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	1	POTS Translations			OHD	-		8.78	1.18	7.08	0.86						
		8XX Access Ten Digit Screening, Per 8XX No. Established With			OUD	NOFTY		0.70	4.40	7.00	0.00						
-	<u> </u>	POTS Translations		-	OHD	N8FTX		8.78	1.18	7.08	0.86						
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4.14	2.07								
	-	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX		4.14	2.07								
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								
-	1	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70								
-	1	8XX Access Ten Digit Screening, Call Handling and Destination			OTID	1401700		4.00	0.70								
		Features			OHD	N8FDX		4.14	4.14								
		8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD	1.0.27	0.0006478										
	1	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478										
LINE I	NFORM/	ATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.000023										
		LIDB Validation Per Query			OQU		0.0137322										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		55.12		67.59							
SIGNA	LING (C																
		CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656										
	ļ	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Connection, Per link (B link) (also known as D						40.50	40.50								
	1	link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
-	<u> </u>	CCS7 Signaling Usage, Per ISUP Message		-	UDB	OTUEO	0.0000164										
-	1	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code		<u> </u>	UDB	STU56	751.08										
		Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
-	+	CCS7 Signaling Point Code, per Destination Point Code			ODB	CCAFO		40.02	40.02	30.43	30.43						
		Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
F911.9	ERVICE			1	ODD	00/11 D		40.02	40.02	00.40	00.40						
	T	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98						
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility													1		
1		Termination					29.11	47.34	31.78	22.77	8.75		1				
		Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07						
		Local Channel - Dedicated - DS1 - Zone 2			-		43.39	209.60	176.51	30.21	21.07						
		Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.23										
	1	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u> </u>		4	96.04	105.52	98.46	23.09	20.49						
CALLI	NG NAM	E (CNAM) SERVICE	-	-	001/	+		05.01	05.01	20.00	20.00		 		 	 	
—	+	CNAM For DB Owners - Service Establishment	-	-	OQV	+		25.34	25.34	23.30	23.30				 	-	
—	+	CNAM For Non DB Owners - Service Establishment	-	-	OQV	+		25.34	25.34	23.30	23.30				 	-	
1		CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV			1,591.54	1,177.08	431.95	317.61		1				
-	+	CNAM For Non DB Owners - Service Provisioning With Point	-	1	UQV	+	+	1,591.54	1,177.08	431.95	317.01	-					
		Code Establishment			OQV			546.40	393.74	438.93	317.61						
-	 	CNAM for DB Owners, Per Query		†	OQV	+	0.0010348	340.40	333.74	430.93	317.01	 					
	t	CNAM for Non DB Owners, Per Query	†	†	OQV	1	0.0010348					-	 				
		CNAM (Non-Databs Owner), NRC, applies when using the			·	1									İ	İ	İ
		Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00				1				[
SELEC	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per								İ							
L	<u> </u>	Switch	<u></u>	<u></u>		1	<u> </u>	93.53	93.53	15.58	15.58			<u> </u>		<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
	,										Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			088	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLL	OCATION						11131	Addi	11130	Addi	OOMEO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAIN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL COL	LOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIVE	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user Query NRC, per query	-		SRC SRC	SRCLP	0.0037502	2.06	2.06								
	JTH AIN SMS ACCESS SERVICE			SKC		0.0037502										
AIN - BELEGOO	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup	1		A1N	CAMSE		43.55	43.55	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	-				0.666										
	Minute					0.4608										
AIN - BELLSOL	JTH AIN TOOLKIT SERVICE					0.4606										
AIN BEEEGO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTM		0.04	0.04	40.00	10.00						
	DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	-			BAPTM		8.64	8.64	10.03	10.03						
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 11 10		01.01	01.01	10.00	10.00						
	DN, CDP				BAPTC		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	l														
	DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Query Charge, Per Query					0.0549207										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1														
\square	Subscription, Per Node, Per Query	_				0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes	1				0.07										
\vdash	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	\vdash		1	0.07								 		
	Subscription	1		CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			07.111	5,0	7.07	0.01	0.0.	0.00	0.00						
	Subscription	1		CAM	BAPLS	3.26	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	i –							1							
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit													l		
	Service Subscription	ļ	ш	CAM	BAPES	0.11	9.56	9.56								
	(TENDED LINK (EELs)	Щ.	لببا		<u> </u>	<u> </u>										
	The monthly recurring and non-recurring charges below will													-		
	The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT						uns provisione	u as Current	iy Combined N	erwork Eleme	ııs.					
EATEN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	12003		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				 		
	1 1131 Z 11110 13 LOOP (OLZ) III OOIIIDIIIAIIOII - ZOITE I		_ ' _	01101/	ULALL	12.07	120.22	00.40	55.05	1.04				l		

ATECOPY RATE ELEMENTS Minds Core BCS USOC RATES (8) RATES (UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATTECHNIS Share See SCS USOC FATES (3) Charges Share Charge	CHECHEL	RETWORK ELEMENTO ROMAGNY				1	1					Svc Order	Svc Order				
## RATE CLEMENTS Internal Property Section Property Proper												1					
CATEGORY RATE ELEMENTS Mark Zong DCS USDC SATE (5) Mark Color												1					
Record R	CATEGORY	RATE FLEMENTS		Zone	BCS	USOC			RATES (\$)				,				
Procedure Proc	OATEGORT	NATE ELEMENTO	m	20110	500	0000			πατ ΔΟ (ψ)			per LSR	per LSR				
Part 2-War Vol. Lags (SU.) in Communication Part 2-War Vol. Lags																	
Miles														1st	Add'l	Disc 1st	Disc Add'l
Miles						+		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
First 2 Year Vol Cotton (St.) of Commission - Zeno 2						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
First 2 Vive Yol Code (BLS) in Cerebration - Part Man DelCIX 1,000 1,0		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	LINCVX	LIEAL 2	17 45					COMILO	COMPAR	COMPAR	COMPAN	OOMAN	COMPAR
Instablish Transport Conditional District Production Dec. of 1972 Dec. of 1												†	1				
Memorian Memorian				l u	ONOVA	OLALE	00.22	120.22	00.40	00.00	7.04	†	1				
Interestive Transport - Declarated - OST contribution - Facility DACKX Control					UNC1X	11.5XX	0.19										1
Transaction per month																	
10 Charantelization System in componation Per Name 10 No. No. No. 10 No. 13 No. 13 No. 13 No. 14 No. 14 No. 14 No. 14 No. 15					UNC1X	U1TF1	79.02	181 24	123 53	56.72	22.32						1
Victor Grade COCCI - Per Morth Cash Additional 2-Wive VG Locg (St. 2) in Combination - Zune 1 1, MNCVX UEAL2 17,75 125,22 60,48 59,89 7,84																	
Each Additional 2 Niver VGL Loop (St. 2) in Combination - Zone 2 2 UNCVX																	
Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 2 2 UMCVX UEAL2 17.45 125.22 60.46 59.60 7.84 Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 2 UMCVX UEAL4 101VG 8.88 8.88 8.98 11.17 11.17 LOCK Standard - Wire Analog voice Grade Loop in Combination - Zone 1 1 UMCVX UEAL4 29.28 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Sone 505 1 UMCVX UEAL4 34.25 125.25 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Sone 505 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Sone 505 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 2 2 UMCVX							0.02	-									
Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 2 2 UMCVX UEAL2 17.45 125.22 60.46 59.60 7.84 Each Additional 2-Wire VG Loop (St, 2) in Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 3 3 UMCVX UEAL2 33.22 125.22 60.46 59.60 7.84 Non-recording Continuation - Zone 2 UMCVX UEAL4 101VG 8.88 8.88 8.98 11.17 11.17 LOCK Standard - Wire Analog voice Grade Loop in Combination - Zone 1 1 UMCVX UEAL4 29.28 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 2 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 3 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 3 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Sone 505 1 UMCVX UEAL4 34.25 125.25 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Sone 505 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Sone 505 1 UMCVX UEAL4 34.25 125.22 60.48 59.80 7.84 First 4-Wire Analog voice Grade Loop in Combination - Zone 2 2 UMCVX		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125,22	60.48	59,69	7.84		1				i I
Each Additional 2-Wire VD Loop (St. 2) in Combination - Zone 3		2010				1	01		22.10	22.00					İ		
Each Additional 2-Wire VD Loop (St. 2) in Combination - Zone 3		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		1				i
Vision V					-	T -			22.10	22.30					İ		
Vision V		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						i - 1
Norsecuring Currenty Combined Network Elements Switch -As- UNCICK B. 68 B. 96 11.17 11.17															İ		
Is Change						1											ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 29.26 125.22 60.48 59.69 7.84 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 34.25 125.22 60.48 59.69 7.84 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Mele UNC1X UNc1X UNC1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X UNc1X Un					UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTE	ROFFICE TRANSPO	RT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2																	ĺ
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3																	
Interdifier Transport - Dedicated - DS1 combination - Per Mile UNC1X		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
Interdifier Transport - Dedicated - DS1 combination - Per Mile UNC1X																	
Per Month		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
Interoffice Transport - Declicated - DS1 - Facility Termination Per UNC1X		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
Month					UNC1X	1L5XX	0.19										
1/10 Channel System in combination Per Month UNC1X MO1 113.33 67.26 14.74 1.86 1.67 Voice Grade COC in combination per month UNC1X MO1 10.22 6.71 4.84		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
Voice Grade COCI in combination - per month UNCVX 101VG 0.62 6.71 4.84		Month			UNC1X	U1TF1		181.24	123.53	56.72	22.32						1
Additional 4-Wire Analog Voice Grade Loop in same DS1 1 UNCVX										1.86	1.67						
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	0.62	6.71	4.84								
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 34.25 125.22 60.48 59.69 7.84																	ł
Interoffice Transport Combination - Zone 2				1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 85.06 125.22 60.48 59.69 7.84																	1
Interoffice Transport Combination - Zone 3				2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.62 6.71 4.84				_		l											1
Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCC 8.98 8.98 11.17 11.17				3						59.69	7.84						
Is Charge	L				UNCVX	1D1VG	0.62	6.71	4.84								
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					LINIOAN	1111000		0.00	0.00	44.47	44.47						1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 Interoffice Transport - Dedicated - DS1 - combination Per Month UNC1X UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84				<u> </u>				8.98	8.98	11.17	11.17						
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	EXTE	NDED 4-WIKE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	I EKUFFICE TRANS	PUKI				-	-	 	ļ		 		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		First 4 Wire F6Khan Digital Crade Lane in Combinedia 2 2 2 4		_	LINICDY	LIDLEC	07.50	405.00	00.40	50.00	7.04						i - 1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84	\vdash	First 4-vvire portops Digital Grade Loop in Combination - Zone 1	-	1	UNCDX	UDLOB	27.59	125.22	60.48	59.69	7.84	-	-	-			
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 36.37 125.22 60.48 59.69 7.84 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 1/0 Channel System in combination Per Month UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 1.32 6.71 4.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84		First 4 Wire 56Khas Digital Grade Lean in Combination 7 2		2	LINCDY	LIDLES	20.40	105.00	60.40	E0.60	7.04						i - 1
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX UNC1X UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 UNC1X	\vdash	ir irst 4-vviile bortups Digital Grade Loop in Combination - Zone 2	-	_	OINCDA	UDLOB	3∠.48	125.22	bU.48	59.69	7.84	-					
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X 1L5XX 0.19 UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX UNC1X UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32 UNCDX UNC1X MQ1 113.33 57.26 14.74 1.86 1.67 UNC1X		First 4 Wire F6Khan Digital Crade Loop in Combination 7 2		2	LINICDY	LIDI EG	26.27	125.00	60.40	50.00	7.04		1				i '
Per Month UNC1X 1L5XX 0.19	\vdash		-	3	OINCDA	UDLOB	30.37	125.22	bU.48	59.69	7.84	-	-		-		
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 79.02 181.24 123.53 56.72 22.32				1	LINC1Y	11 5YY	0.10						1				, '
Termination Per Month	\vdash		-	1	DINOIA	ILUAA	0.19					 					
1/0 Channel System in combination Per Month				1	LINC1Y	LI1TE1	79.02	191 24	123 52	56.72	22.22		1				i
OCU-DP COCI (data) per month (2.4-64kbs)	 			 								H			 		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				 						1.00	1.07		 				
Interoffice Transport Combination - Zone 1			†	†	5.10DA	10100	1.02	0.71	7.04			 	 		 		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 UNCDX UDL56 32.48 125.22 60.48 59.69 7.84 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	UNCDX	UDL56	27.59	125.22	60 48	59.69	7 84		1				i
Interoffice Transport Combination - Zone 2				<u> </u>		1	255	.20.22	33.10	55.55	54				i		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						i
				ΙĪ		1	320	.20.22	33.10	55.55	5-				i		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		1				, '

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	1		Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m						== (+)			per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonred	curring	Nonrecurring	Disconnect	†	1	oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-							71441		7.44	0020	00				
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	1.02	0.71	4.04			1	†				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						ĺ
EYTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.00	0.00	11.17	11.17	†					
LATE	TODED 4-WINE 04 KBI O EXTENDED DIGITAL EGGI WITH DEDI	L	l liv	TEROTTICE TRAINS	I						†					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						ĺ
	1 list 4-ville 04Rbps Digital Crade Loop III Combination - Zone 1		-	ONODA	ODLO	21.00	120.22	00.40	33.03	7.04	†					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
-	1 list 4-Wile 04Rbps Digital Grade Loop III Combination - Zone Z	-		UNCDA	UDL04	32.40	125.22	00.40	39.09	7.04	ł	-		-		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						ĺ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDA	UDL64	30.37	123.22	00.40	39.09	7.04	 	-				
				LINICAV	1L5XX	0.40										
	Per Month	-	-	UNC1X	ILDXX	0.19					-					
	interoffice Transport - Dedicated - DS1 combination - Facility					=			=====							
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - in combination - per month															ĺ
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Nonrecurring Currently Combined Network Elements Switch -As-														Î	
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR	RT.											
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97					ĺ	
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		İ				
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		İ				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile											İ				
	Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per										i e					
	month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	3/1Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	i e					
	DS1 COCI in combination per month		t	UNC1X	UC1D1	11.80	6.71	4.84	10.12	5.50	1			†	i	t
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	COIDI	11.00	0.71	4.04			1	†				
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						ĺ
 	Additional DS1Loop in DS3 Interoffice Transport Combination -		- ' -	5.1017	302777	00.47	210.70	117.00	00.00	17.37	 	 		 	 	
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				1		1
 	Additional DS1Loop in DS3 Interoffice Transport Combination -			DINOIA	USLAA	114.10	210.70	114.00	03.90	17.97	†	 		 	 	
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						1
\vdash		-	3	UNC1X UNC1X	UC1D1	11.80		4.84	63.96	17.97	1	<u> </u>		 	-	
\vdash	Additional DS1 COCI in combination per month	-	-	OIVOIA	OCIDI	11.80	6.71	4.84		-	1	1		 	 	
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNC3X	UNCCC		0.00	8.98	44.47	44.47	1			I		1
EVTE	Is Charge NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAS	L				8.98	8.98	11.17	11.17	1	1		 	 	
EXIE		GKAD	E IN I E			10.0-	405.00	00.70	50.00	7.01	+	1		1	 	
\vdash	2-WireVG Loop in combination - Zone 1	—	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	<u> </u>	-		-	.	├
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	<u> </u>	1				1

UNB	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
07112			m		200				(+)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month			UNCVX	1L5XX	0.01										
		Interoffice Transport - 2-wire VG - Dedicated - Facility												Î	Î		
		Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															ĺ
	ļ	Month			UNCVX	1L5XX	0.01							ļ	ļ		1
		Interoffice Transport - 4-wire VG - Dedicated - Facility			l <u>.</u>	I											1
		Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														ĺ
-		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
-	EXIEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE		AL END	0.05										
-	1	DS3 Local Loop in combination - per mile per month		-	UNC3X	1L5ND	9.25										
		DOOL II ' FII'- T'I'			LINGOV	LIEODY	000.04	007.00	4.47.00	00.40	00.07						
-	1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		-				
-	1	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	1L5XX	4.09					-					
		Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
-	+	Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNUSA	01113	900.09	330.30	141.30	40.00	23.35	-	-				
		Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
-	EYTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		UNCCC		0.90	0.90	11.17	11.17			1	1		
	LXILI	STS-1 Local Lolp in combination - per mile per month	<u> </u>		UNCSX	1L5ND	9.25					1					
	1	STS-1 Local Loop in combination - Facility Termination per			0110071	120.12	0.20					1					
		month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
	1	Interoffice Transport - Dedicated - STS-1 combination - per mile				-				00.10	0_101						
		per month			UNCSX	1L5XX	4.09										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						ĺ
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17						ĺ
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT										ĺ			
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combination - Facility															ĺ
		Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-	1	1/0 Channel System in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
-	1	2-wire ISDN COCI (BRITE) - in combination - per month		-	UNCNX	UC1CA	2.84	6.71	4.84								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIV	LIALOV	40.44	405.00	CO 40	50.00	7.04						ĺ
	+	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
1		Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						1
-	+	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	 	-	OIVOIVA	UILZA	25.08	125.22	00.48	59.69	1.04	 	-	1	1		
1		Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						1
-	+	Additional 2-wire ISDN COCI (BRITE) - in combination- per	-	3	OLYOIYA	JILEA	42.07	120.22	00.40	39.09	7.04	-		 	 		
		month			UNCNX	UC1CA	2.84	6.71	4.84								1
 	1	Nonrecurring Currently Combined Network Elements Switch -As-	<u> </u>	†		30.0/1	2.04	0.71	7.04			 	-				—
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE				0.00	3.30					İ	İ		
	1	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		1	İ	İ		
	1	First DS1 Loop Combination - Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		1	İ	İ		
		•	•														

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility				==	0.45 50		=0	40.00							
\vdash	Termination per month 3/1 Channel System in combination per month			UNCSX	U1TFS MQ3	945.79 158.20	350.56 115.48	141.58 56.53	48.00 15.12	23.39 5.30	-					
\vdash	DS1 COCI in combination per month		-	UNCSX UNC1X	UC1D1	11.80	6.71	4.84	15.12	5.30				-		
 	Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	OCIDI	11.00	0.71	4.04								
	Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
—	Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	ONOTA	COLFOR	00.41	210.70	114.00	00.00	17.07						
	Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Additional DS1Loop in the same STS-1 Interoffice Transport	l		-	1				22.20		1			1		
	Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84		-						
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17				<u> </u>		<u> </u>
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF					· · · · · ·								
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	LIATOS	17.25	98.09	F0 07	50.04	22.42						
	Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42	-					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DC INT	EDOEE		UNCCC		0.90	0.90	11.17	11.17				-		
LATE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1 0 1141	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge]		UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
\sqcup	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				L		L
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
\vdash	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84				-		-
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINICAY	41.572	0.40								1		1
\vdash	Mile	 		UNC1X	1L5XX	0.19					-			 		
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	1		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		1		I		I
\vdash	Per each DS1 Channelization System Per Month	 	 	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	-	 		 		
 	Per each Voice Grade COCI - Per Month per month	 		UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07				t		
	3/1 Channel System in combination per month	l		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	 			-		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	.5.12	2.00				1		
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1													1		
	Interoffice Transport Combination - Zone 1	l	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				1		1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	<u> </u>	<u> </u>		<u> </u>		<u> </u>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1								İ							
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in	l		l .	l									1		1
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						L

GREGITE	.ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	E Fyhi	ibit: A
					1						Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.000
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			11041/	1111000		0.00	0.00	44.47	44.47						
EVE	Is Charge ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EDOEE	CE TO	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EATI	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKOFF	I E IK	ANSPORT W/ 3/1 WI	1											
	Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	ONOVA	OLALT	23.20	120.22	00.40	33.03	7.04						
	Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			0.10171	02/121	01.20	120.22	00.10	00.00	7.01						——
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month	<u></u>	L	UNC1X	1L5XX	0.19			<u> </u>		<u> </u>			<u> </u>	<u> </u>	
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								L
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						ļ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								ļ
	Additional 4-Wire Analog Voice Grade Loop in same DS1		١.				40= 00		=====	= 0.4						
\vdash	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
\vdash	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOVA	OLAL	05.00	125.22	00.40	33.03	7.04						
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.1017	120701	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													
\vdash	Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDLS6	30.37	125.22	60.48	59.69	7.84	-					
	Mile Per Month			UNC1X	1L5XX	0.19										
\vdash	First Interoffice Transport - Dedicated - DS1 - combination			OHOIA	1LUAA	0.19									 	
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67				İ	İ	
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84	50					İ	İ	
	3/1 Channel System in combination per month		İ	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
$\sqcup \sqcup$	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
\vdash	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIDI 50		,		====							
\vdash	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84				 	 	├
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
\vdash	Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCDX	טטוטו	1.32	0./1	4.84								├
	Channel System per month			UNC1X	1L5XX	0.19										
1 1			 	DINOTA	ILUAA	0.19										
\vdash	Each Additional DS1 Interoffice Channel Facility Termination in														i	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
		I									Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200				101120 (4)			per LSR	perLSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	curring	Nonrecurring	Disconnect	†	l	oss	Rates (\$)	<u> </u>	
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system							7100		7.44	0020					
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								i l
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	00101	11.00	0.71	7.07			†	1				(
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						ł
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00	0.00			†	1				
EXTE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	1	TRANSFORT W/ G/T	I						†	1				
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						i
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	1	<u> </u>	ONODA	ODLOT	21.00	125.22	00.40	33.03	7.04	-					
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						i l
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	ONODA	ODLOT	02.40	120.22	00.40	00.00	7.04						
	Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						i l
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONODA	ODLO	30.37	120.22	00.40	33.03	7.04						
	Mile Per Month			UNC1X	1L5XX	0.19										i
\vdash	First Interoffice Transport - Dedicated - DS1 combination -	<u> </u>	-	UNCIX	ILJAA	0.19					-	-				
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						i l
\vdash	Per each Channel System 1/0 in combination Per Month	<u> </u>	-	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	-	-				
\vdash	Per each OCU-DP COCI (data) in combination - per month (2.4-	<u> </u>	-	UNCIA	IVIQI	113.33	37.20	14.74	1.00	1.07	-	-				
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								i l
	3/1 Channel System in combination per month	1	-	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	-					
		1	-	UNCSA	IVIQS	130.20	113.40	36.33	15.12	5.30	-					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						i l
		1	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84	-					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						i l
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<u> </u>		UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
			3	LINCDY	LIDI C4	20.27	405.00	00.40	50.00	7.04						i l
\vdash	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	40400	4.00	0.74	4.04								i l
	combination - per month (2.4-64kbs)	<u> </u>	-	UNCDX	1D1DD	1.32	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	1L5XX	0.40										ı l
\vdash	Channel System per month		-	UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in					=		=-								i l
\vdash	same 3/1 Channel System per month		-	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system					44.00										ł
\vdash	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														i l
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXIEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RI W/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								=====							í
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													ł
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													ł
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															i l
	Mile per month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															i l
	Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
\vdash	Per each Channel System 1/0 in combination - per month	<u> </u>		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		ļ				
	December 2 in 100M 000I (DDITE) is seen in all	1	1	LINIONIN/		0.01	0 = 1	4.0.				1				1
\vdash	Per each 2-wire ISDN COCI (BRITE) in combination - per month	!	1	UNCNX	UC1CA	2.84	6.71	4.84			-	ļ		.		
\vdash	3/1 Channel System in combination per month	!	1	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	-	ļ		.		
\vdash	Per each DS1 COCI in combination per month	!	1	UNC1X	UC1D1	11.80	6.71	4.84	ļ		-	ļ		.		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.						== ==							ł
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						.
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1 -		l							1				1
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						.
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	1	LINIONIN/					==			1				, '
\vdash	Combination - Zone 3	!	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84	-	ļ		ļ		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	1	LINIONIN/								1				, ,
	system combination- per month		<u> </u>	UNCNX	UC1CA	2.84	6.71	4.84		<u> </u>	1	l				

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Svc Order Submitted Charge - Charge	LINBLIND	LED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit: A
CATEGORY RATE ELEMENTS Note Page BCS USOC NATES (8) Security Page Cate Page Page Cate Page Page Cate Page	ONDOND	LED NETWORK ELEMENTS - Remucky	1	1		1	ı					Svc Order	Svc Order				
## RATE R.EMENTS ## 2 ## 2 ## 2 ## 2 ## 2 ## 2 ## 2 ##																	
CATEGORY RATE ELEMENTS																	
Billion Bill	CATEGOR	PATE ELEMENTS	Interi	Zone	RCS	LISOC			DATES (\$)				,				
Part Additional Coll Insurface Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 51 Additional Crossed per mini mane 52 Additional Crossed per mini mane 52 Additional Crossed per mini mane 52	CATEGOR	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR				
Rec														Electronic-			Electronic-
Control Additional DST Interallis Channel per role in some 31 UNCX U.SX 0.19 Sean Additional DST Interallis Channel a specify formation in UNCX U.SX 0.19 Sean Additional DST Interallis Channel a specify formation in UNCX U.TFT 77:10 79:12 19:124 173:53 06.77 27:30 Sean Additional DST Interallis Channel a specify formation in UNCX U.TFT 77:10 19:124 173:53 06.77 27:30 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT V.TFT														1st	Add'l	Disc 1st	Disc Add'l
Control Additional DST Interallis Channel per role in some 31 UNCX U.SX 0.19 Sean Additional DST Interallis Channel a specify formation in UNCX U.SX 0.19 Sean Additional DST Interallis Channel a specify formation in UNCX U.TFT 77:10 79:12 19:124 173:53 06.77 27:30 Sean Additional DST Interallis Channel a specify formation in UNCX U.TFT 77:10 19:124 173:53 06.77 27:30 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT 77:10 Sean Additional DST Interallis Channel a specify formation in U.RCX U.TFT V.TFT				-				Monro	in a	Monroourring	Disconnect		l .	220	Dotos (\$)		
Earth Authority Earth Auth	\vdash			-			Rec					COMEC	COMAN			COMAN	COMAN
Channel Systems per servich SACTIX LLXX 0.19 Each Additional SPD FOOTBOOK Channel Pacifity Tomination in UNICIX UTIT1 7:02 18124 123:55 59:72 22:32	-	Foot Additional DC4 Intentition Channel and will in come 2/4		-				FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
Each Additional DSI Interdiffice Channel Facility Termination in Johnson Communication are resided in the Communication of the Communication are resided in the Communication and the Communication					LINICAV	41 EVV	0.40									, '	1
Same ST Chainers System per morth ONCIX UTFT 79.02 16124 123.55 56.72 22.95					UNCIX	ILSXX	0.19										
Such Actionson DST COCI in the same all relaxed pattern					LINIOAN		70.00	404.04	100 50	50.70	00.00					, '	1
Construction per month Nationary Contribution Network Eventhal Switch - 49- Nationary Contribution Network Eventhal Switch - 49- Nationary Contribution Network Eventhal Switch - 49- Nationary Contribution - 20- Nationary Contribution -			-	-	UNCTX	UTIFT	79.02	181.24	123.53	56.72	22.32						
Noncouring Committee Desiration Switch - Ask Committee Commi																, '	1
Strategies Charge			-	-	UNC1X	UCTD1	11.80	6.71	4.84								
Extracted white Bit Load with Edition Control 1 INFOIX USUX 86.47 210.70 114.60 6.396 17.77			1													, '	1
Find 4 wire DST Digital code Loop in Commission - Zone 1 E (INCT)X						UNCCC		8.98	8.98	11.17	11.17					<u>'</u>	
First 4win DST Digital Local Loop in Combination - Zone 2	EX		TRANS	SPORT												<u> </u>	
First 4 wine DST Digital Local Loop in Combination - Zero 3 NOCIX USUAX 29776 21070 114.60 63.96 17.97				1												<u> </u>	
First Interface Transport - Described - DST combination - Per Multip Per Merith																<u> </u>	
Mills Per Menth				3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					<u> </u>	
First Interoffice Transport - Decisional - Decisional - Property Femalesian Per Hotel's House - Property Femalesian Per Hote						1										, '	1
Facility Termination Per Month				<u> </u>	UNC1X	1L5XX	0.19									· '	
S31 Channel System in combination per month						1							1			, ,	1
Per each DSI COCI combination per month																<u> </u>	1
Each Additional DST Interoffice Channel per mile in same 31		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						[
Channel System per month		Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84							,	
Each Additional EST Interactines Channel Facility Termination in same 3f Channel System per month UNCIX UTIFT 79.02 181.24 123.53 56.72 22.32		Each Additional DS1 Interoffice Channel per mile in same 3/1														·	
Same 3/1 Channel System per month		Channel System per month			UNC1X	1L5XX	0.19									, '	1
Each Additional A-Wire DS1 Digital Local Loop in Combination per month Additional 4-Wire DS1 Digital Local Loop in Combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1 UNCIX USLXX 86.47 210.70 114.60 63.96 17.97		Each Additional DS1 Interoffice Channel Facility Termination in															
Combination per month		same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					, '	1
Combination per month		Each Additional DS1 COCI in the same 3/1 channel system															
Additional 4-Wire DST Digital Local Loop in Combination - Zone 1 1 UNC1X USLXX 86.47 210.70 114.60 63.96 17.97 1 1					UNC1X	UC1D1	11.80	6.71	4.84							, '	1
1 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNCIX USLXX 86.47 210.70 114.60 63.96 17.97								-									
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNCIX USLXX 114.10 210.70 114.60 63.96 17.97 2 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNCIX USLXX 297.76 210.70 114.60 63.96 17.97 3 Nonrecurring Currently Combined Network Elements Switch -As- 18.60 Nonrecurring Currently Combined Network Elements Switch -As- 2. UNCIX UNC		1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97					, '	1
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNCTX		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	0.10.1%	002/01	00.11	2.00	111100	00.00							
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 297.76 210.70 114.60 63.96 17.97 Nonrecurring Currently Combined Network Elements Switch - As- UNC1X UNCCC 8.8.88 8.88 11.17 11.17 EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 Kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 27.59 125.22 60.48 59.69 7.84 First 4-wire 56 Kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 33.49 125.22 60.48 59.69 7.84 First 4-wire 56 Kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 33.37 125.22 60.48 59.69 7.84 First 4-wire 56 Kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 30.37 125.22 60.48 59.69 7.84 First 4-wire 56 Kbps Local Loop in combination - Zone 3 1 UNCDX UNCDX UDL56 30.37 125.22 60.48 59.69 7.84 First 4-wire 56 Kbps Interoffice Transport - Dedicated - Facility UNCDX UNCDX UDL56 30.37 125.22 60.48 59.69 7.84 First 4-wire 56 Kbps Interoffice Transport - Dedicated - Facility UNCDX		2		2	LINC1X	LISL XX	114 10	210.70	114 60	63.96	17 97					, '	1
Some courting Currently Combined Network Elements Switch -As- Is Charge UNC1X UNCCC 8.98 8.98 11.17 11.17	—	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	0.10.1%	002/01		2.00	111100	00.00			1			$\overline{}$	——
Nonrecurring Currently Combined Network Elements Switch -As- Sc Charge UNC1X		2		3	LINC1Y	LISL YY	207.76	210.70	114 60	63.06	17 07					, '	1
Is Charge UNCTX		Nonrecurring Currently Combined Network Flaments Switch -Ac-			ONOTA	OOLAX	231.10	210.70	114.00	05.30	17.57						
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT					LINICAY	LINCCC		9.09	9.09	11 17	11 17					, '	1
First 4-wire 56 kbps Local Loop in combination - Zone 1	EX		NTERO	EEICE :		ONCCC		0.30	0.30	11.17	11.17						—
First 4-wire 56 kbps Local Loop in combination - Zone 2	L^		IVILKO			LIDLES	27.50	125.22	60.49	50.60	7 9/	-	-				——
First 4-wire 66 kbps Local Loop in combination - Zone 3	-		-									-	-				——
First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month	-		-									-	-				
Der month	-		-	3	UNCDA	UDLS6	30.37	123.22	00.40	59.69	7.04	-	-				——
First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility UNCDX					LINICDV	11 5 7 7	0.01									, '	1
Termination per month UNCDX U1TD5 17.25 98.09 53.67 56.31 22.42	\vdash			-	UNCDX	ILDXX	0.01					 			<u> </u>		
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 8.98 8.98 11.17 11.17 11.17	1 1			1	LINCDY	LIATOR	47.05	00.00	50.07	50.04	20.40	l	1		l	, '	1
Is Charge			-	-	UNCDX	01105	17.25	98.09	53.67	56.31	22.42						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT					LINODY	1111000		0.00	0.00	44.47	44.47					, '	1
First 4-wire 64 kbps Local Loop in combination - Zone 1				<u> </u>		UNCCC		8.98	8.98	11.17	11.17						
First 4-wire 64 kbps Local Loop in combination - Zone 2 2 UNCDX UDL64 32.48 125.22 60.48 59.69 7.84 First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0.01 First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 17.25 98.09 53.67 56.31 22.42 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge (One applies to each combination) When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements Switch - As-Is Nonrecurring Currently Combined Network Ele	EX		NIERO	FFICE		<u> </u>											
First 4-wire 64 kbps Local Loop in combination - Zone 3 3 UNCDX UDL64 36.37 125.22 60.48 59.69 7.84 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD6 17.25 98.09 53.67 56.31 22.42 Nonrecurring Currently Combined Network Elements Switch - Aslis Charge UNCDX UNCCC 8.98 8.98 11.17 11.17 ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements Switch As Is "Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch As Is "Charge (One applies to each combination)	\vdash			1												<u>'</u>	
First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month DNCDX	\vdash															<u></u> '	
Per month	\vdash			3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	ļ				<u>'</u>	
First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- Sc Charge UNCDX UNCCC 8.98 8.98 11.17 11.17				1	l 	1	_					l	1		l	, '	1
Termination per month UNCDX U1TD6 17.25 98.09 53.67 56.31 22.42 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge UNCDX UNCCC 8.98 8.98 11.17 11.17 ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- Nonrecurring Currently Combined Network Elements Switch -As-	\vdash			<u> </u>	UNCDX	1L5XX	0.01					ļ	ļ			, <u>'</u>	
Nonrecurring Currently Combined Network Elements Switch -As- UNCDX UNCCC 8.98 8.98 11.17 11.17						İ						1	1			, '	1
Is Charge					UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42					'	
ADDITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-			1	1												, 7	1
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-					UNCDX	UNCCC		8.98	8.98	11.17	11.17						
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-																	
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-																	
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-							As Is Charge of	does not.									
Nonrecurring Currently Combined Network Elements Switch -As-																	
		Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		8.98	8.98	11.17	11.17	l	1		l	, '	1

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
-		,										Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
			to read									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec		curring		g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
		Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UNCCC		0.90	0.90	11.17	11.17	1			-		
		Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
		Nonrecurring Currently Combined Network Elements Switch -As-			011007	011000		0.00	0.00	11.17	11.17						
		Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		01	01	OI	OI						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		01	01	OI	OI						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78\$						
					U1TD3, ULDD3,												
	MALII TI	C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	- 1		UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
	MULII	DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
-		OCU-DP COCI (data) - DS1 to DS0 Channel System - per		<u> </u>	UNCIX	IVIQ1	113.33	57.20	14.74	1.86	1.07	-			-		
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	1.02	10.07	7.00			-					
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
		DS3 to DS1 Channel System per month		1	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	-			-		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
		DS1 COCI used with Loop per month			USL	UC1D1	11.80	10.07	7.08		0.00	1					
	i e	DS1 COCI (used for connection to a channelized DS1 Local				1	50		1.50	Ì	Ì			İ	1	İ	İ
	1	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08						1		
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	11.80	10.07	7.08								
UNBU		OCAL EXCHANGE SWITCHING(PORTS)				ļ		L	L						L		
<u> </u>		nge Ports				<u> </u>	L.,	L	L								
<u> </u>		Although the Port Rate includes all available features in GA, I	ΛY, LA	& IN,tl	ne desired features v	will need to b	e ordered usir	ng retail USOC	S	1	1		 	 	 	 	
-	∠-WIRE	EVOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res.	-	-	UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		-		 		
-	1	Lacriange Fons - 2-vvire Analog Line Port- Res.		-	ULFOR	UEPKL	1.49	3.74	3.03	2.23	2.13	 		 	 	 	
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
—	 	Exercise 5 1. 5.1.5 2 Prilo / trialog Enter of With Odifor ID - 105.		†	02. 010	02110	1.40	0.74	0.00	2.23	2.10				-		
	1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13				1		
	1	Exchange Ports - 2-Wire VG unbundled KY extended local			_	1		1	1.50					l	1	l	l
1	1	dialing parity Port with Caller ID - Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13		1		I		
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
L		with Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13						
	l	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan												I		l	l
<u> </u>	ļ	without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13				1		
		2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDET									1		
	L	Capability		<u> </u>	UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13	1	l	<u> </u>	1	l	

UNBUNDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU	Subsequent Activity	-		UEPSR	USASC	0.00	0.00	0.00	1		-					
FEATU	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)	1		OLI OIX	OLI VI	0.00	0.00	0.00								
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exhange Ports - 2-Wire VG unbundled incoming only port with	†		011 00	OLI DIVI	1.49	3.14	3.03	2.23	2.13	 	 				
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						,
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan															
	without Caller ID	ļ		UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	4.40	0.74	0.00	0.00	0.40						
	Capability Subsequent Activity			UEPSB UEPSB	UEPBE USASC	1.49 0.00	3.74 0.00	3.63 0.00	2.23	2.13						
FEATU				OLFSB	USASC	0.00	0.00	0.00	 							
ILATO	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00	1							
EXCHA	NGE PORT RATES (DID & PBX)					0.00	0.00									
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						1
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
-	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	-		UEPSP UEPSP	UEPP1 UEPLD	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						ļ
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
+	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling															
	Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	40.47	45.00	0.89						, [
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							18.17	15.38							
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	-	UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89	1					
	Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEATU																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
EXCHA	NGE PORT RATES (COIN) Exchange Ports - Coin Port	 	-			1.49	3.74	3.63	2.23	2.13	1	-				
l ocal 9	Switching Features offered with Port					1.49	3.14	3.03	2.23	2.13	 					
	Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transn	nission by B-Ch	nannels associ	ated with 2	wire ISDN r	orts.			
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	101.60	188.36	95.15	61.92	22.67						
	OCAL EXCHANGE SWITCHING(PORTS)															
EXCHA	NGE PORT RATES											l				

NBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		And and									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Disc 1st	Disc Add'l
													1st	Add'l	DISC ISL	DISC Add I
						_	Nonre	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The D	OS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla										
	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	i														
	capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	i		UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered	i		UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	i		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE	: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transm	ission by B-Cl	nannels associ	iated with 2	wire ISDN	ports.			
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	ocess.	
	IANGE PORT RATES (continued)					ĺ										
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911		1												1	1
	Locator Capability (E:4/1/2004)	1	1	UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		1	I	I		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67			İ	1	1	İ
	Physical Collocation - DS1 Cross-Connects	i		UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57			1	1		1
	Virtual collocation - Special Access & UNE, cross-connect per	†		OZ. DX	1		20	050	.2.51				1	1	Ì	İ
	DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
Detail	led E911 with Locator Capability (required with UEPEX port)	t														
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,811.00		156.69							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			02. 27	02	0.00	1,011100		100.00							
	Locator Capability - Subsequent Profile Changes, Additions,															
	Deletions			UEPEX	UEP1B	0.00	175.82									
New o	or Additional PRI Telephone Numbers	1		02. 27	025	0.00	170.02				†			†		†
11011	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1									1		1			
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									
_	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-		OLI LX	OLI IO	0.01	0.04									†
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward	1		OLI LX	OLI ID	0.01	12.71	12.71			†			†		
	Telephone Numbers - Inward Data Only Option [New or															
	Additional			UEPDX	UEP1E	0.00	0.54									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	1		02. 5%	02: :2	0.00	0.01				†			†		
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								
LOCA	AL NUMBER PORTABILITY	1		OLI LX	110721	0.00	20.71	20.41			†			†		
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
INTER	RFACE (Provsioning Only)	t	t	OL. DX									<u> </u>	<u> </u>		
	Voice/Data	l -	t	UEPEX	PR71V	0.00	0.00	0.00	 	 			t	t		1
	Digital Data	t	t	UEPEX	PR71D	0.00	0.00	0.00					<u> </u>	<u> </u>		1
	Inward Data	 	 	UEPDX	PR71E	0.00	0.00	0.00		 	<u> </u>	 	t	t	†	†
New c	or Additional Channel	l —	t			0.00	0.00	0.00			t		†	t		1
HOW	New or Additional - Voice/Data "B" Channel	 	 	UEPEX	PR7BV	0.00	15.48		 	 	H	 	 	t	1	
	New or Additional - Voice/Data 'B" Channel	 	 	UEPEX	PR7BF	0.00	15.48					 	+	+	†	†
	New or Additional Inward Data "B" Channel	 	 	UEPDX	PR7BD	0.00	15.48		 	 	<u> </u>	 	t	t	†	†
	New or Additional Useage Sensitive Voice Data "B" Channel	l	 	UEPEX	PR7BS	0.00	15.48				-		 	 		1
	New or Additional Useage Sensitive Voice Bata B Channel	 	 	UEPEX	PR7BU	0.00	15.48		 	 	<u> </u>	 	t	t	†	†
	New or Additional PRI "D" Channel	†	-	UEPEX	PR7EX	0.00	15.48				1	 	 	 	 	
CALL	TYPES	 	 			0.00	10.40		 	 	<u> </u>	 	t	t	†	†
OALL	Inward	†	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00			1	 	 	 	 	
-	Outward	 	 	UEPEX UEPDX	PR7CO	0.00	0.00	0.00	 	 	H	 	 	t	1	
-	Two-way	 	 	UEPEX	PR7CC	0.00	0.00	0.00	 	 	H	 	 	t	1	1
LINDI	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	<u>, </u>	 	OLI LA	1 1/100	0.00	0.00	0.00	-	-	 				 	1
	JNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-		+				-	-	-	 		 	1	1
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res	+	-	UEPVR	UERAC	1.49	3.74	3.63	-	-	-	 		 	1	1
1	Unbunuled Remote Call Forwarding Service, Area Calling, Res	 	 	UEFVK	UERAC	1.49	3.74	3.63			 	-	 	 	-	+
			1	ı	1	1	1	i .	I	I	1	ı	1	1	1	1
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63								I

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ					Nonros		Monroourrine	n Diocennost			220	Botos (\$)		
		-	<u> </u>			Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	-		UEPVR	UERTR	1.49	3.74	3.63	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
Non-P	ecurring			OLFVK	OLKIK	1.45	3.74	3.03								
INOII-IX	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			02. 11.	00,102		0.10	0.10								
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	Ш.	UEPVB	UERLC	1.49	3.74	3.63	<u> </u>	<u> </u>						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63								
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	LOCAL SWITCHING, PORT USAGE															
End O	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0011971										
	End Office Trunk Port - Shared, Per MOU					0.0002112										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000194										
	Tandem Trunk Port - Shared, Per MOU					0.0002416										
\vdash	Tandem Switching Function Per MOU (Melded)					0.000094381										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000117538										
	Melded Factor: 48.65% of the Tandem Rate															
Comm	on Transport	-	-			0.000000										
	Common Transport - Per Mile, Per MOU					0.000003					-					
LINDUNDI ED I	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES					0.0007466					-					
	lased Rates are applied where BellSouth is required by FCC at	nd/or Ci	oto Co	nmission rule to nr	l Nida Habua	dlad Lasal Curi	tahina ar Cwite	h Dorto								
	es shall apply to the Unbundled Port/Loop Combination - Cos								d Port coction	of this Data E	yhihit					
	es shall apply to the oribundled PolyLoop Combination - Cos ffice and Tandem Switching Usage and Common Transport U											n Port/Loor	Combination	18		
	st and additional Port nonrecurring charges apply to Not Curi															
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	l citaly C		Johnson i or our	. January Goldino	Combos ti	nomecum	2 Jun 962 2114	50 11036 1061			, Janeinay	Combined St			
	ort/Loop Combination Rates				1				i	i						
0.121	2-Wire VG Loop/Port Combo - Zone 1		1			10.79			1	1						
	2-Wire VG Loop/Port Combo - Zone 2	t	2		1	15.52			i	i						
	2-Wire VG Loop/Port Combo - Zone 3		3		1	31.74			İ	İ						
UNE L	oop Rates	t	Ť		1	2			i	i						
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			İ	İ						
	2-Wire Voice Grade Loop (SL1) - Zone 2	İ	2	UEPRX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice Grade unbundled Kentucky extended local dialing															
	parity port with Caller ID - res	<u> </u>	Ш.	UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67				<u> </u>		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan															, 7
\vdash	without Caller ID	ļ	<u> </u>	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															.
	Capability	<u> </u>		UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67		<u> </u>				

LIND	IINDI EI	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
OND	UNDEE	NETWORK ELEMENTS - Remucky	1	1	I	ı	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	
												Submitted					
												1	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JON	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	_			-		1		Nonred	vina	Nonrecurring	Dissennest	-	l .	220	Rates (\$)		
-	_			-		1	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	FEATU	DES.	-	-		+		FIISL	Auu i	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
-	FEATU	All Features Offered	-	-	UEPRX	UEPVF	0.00	0.00	0.00			-	-				
-	LOCAL	NUMBER PORTABILITY	-	-	UEPKA	UEFVF	0.00	0.00	0.00			-	-				
-	LOCAL	Local Number Portability (1 per port)	-	-	UEPRX	LNPCX	0.35					-	-				
-	NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	ULFRA	LINFOX	0.33					-	-				
-	NONKE		-	-		+						-	-				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10								
	_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			ULFRA	USACZ		0.10	0.10			1					
		Switch with change			UEPRX	USACC		0.10	0.10								
-	ADDITI	ONAL NRCs	-	-	ULFRA	USACC		0.10	0.10			-	-				
	ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										1					
		Activity Activity			UEPRX	USAS2	0.00	0.00	0.00				1				1
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	 	OLFIVA	USASZ	0.00	0.00	0.00	 		 			1		
		Premise			UEPRX	URETL		8.33	0.83								1
-	OEE/O	N PREMISES EXTENSION CHANNELS	-	 	ULI IXX	UKLIL		0.33	0.03			 	-		-		
-	OFF/OI	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65	-	-				
-	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65	1					
-	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65	1					
-	+	2 Wire Analog Voice Grade Extension Loop – Nori-Design 2 Wire Analog Voice Grade Extension Loop – Design	-	1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88	-	-				
-	+	2 Wire Analog Voice Grade Extension Loop – Design	-	2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88	-	-				
-	+	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88	-	-				
-	INITED	DFFICE TRANSPORT		3	UEPRA	UEAED	33.22	134.09	01.07	73.00	14.00	1					
-	INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1						1					
		Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	_	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI IXX	OTTVZ	25.55	30.03	33.07	30.31	22.42						
		or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
-	2-W/IDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			ULFRA	OTTVIVI	0.0093	0.00	0.00								
-		ort/Loop Combination Rates															
	ONLI	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
-	_	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
-		2-Wire VG Loop/Port Combo - Zone 2		3		+	31.74										
-	LINE L	pop Rates		3		+	31.74										
-	ONE EC	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
	_	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
-		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
—	2-Wiro	Voice Grade Line Port (Bus)	H	-	OLI DA	JLI LA	30.39			<u> </u>		H			 		
—	2-1116	2-Wire voice unbundled port without Caller ID - bus		 	UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67		 				—
\vdash	+	2-Wire voice unbundled port with Caller + E484 ID - bus		 	UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67	<u> </u>	 				—
\vdash	+	2-Wire voice unbundled port with Gallet + E-404 ID - Bus 2-Wire voice unbundled port outgoing only - bus		 	UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67	<u> </u>	 				—
	+	2-Wire voice Grade unbundled Kentucky extended local dialing		 		32. 30	1.15	21.20	10.40	2.00	2.07	<u> </u>	 				—
		parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		1				1
	+	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67				i		
	1	2-Wire Voice Unbundled Kentucky Business Dialing Plan				1 2. 2.	0	220	10.40	2.00	2.07				i		
1		without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67						1
	1	2-Wire voice unbundled Incoming Only Port without Caller ID				1		0		50					i		
		Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		1				1
	LOCAL	NUMBER PORTABILITY				1		20				1			İ		
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU					1	5.50			i					i		
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00	i					i		
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			İ	T	5.50	2.20	2.30						İ		
	7	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			İ	1	i								İ		
1		Switch-as-is			UEPBX	USAC2		0.10	0.10				1				1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			İ	T .	i								İ		
1		Switch with change			UEPBX	USACC		0.10	0.10				1				1
	ADDITI	ONAL NRCs			İ	1	i		20						İ		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
1		Activity			UEPBX	USAS2		0.00	0.00								1

UNBUN	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
		,										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								1
	OFF/O	N PREMISES EXTENSION CHANNELS										İ					
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65	İ					
		2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	12.67	134.89	81.87		14.88	İ					
		2 Wire Analog Voice Grade Extension Loop - Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		i i						İ			İ				
		Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42		1		I		1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			İ	1				1			1	İ	İ		
		or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00								1
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74			1		†					——
— h	INF L	pop Rates		Ľ		+	01.74										
- '	OIAL L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
-		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
-		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										†
-	2_Wiro	Voice Grade Line Port Rates (RES - PBX)		J	OLI IKO	OLI LX	30.33					1					—
H	L-WIIIC	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -										1					—
		Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						1
	OCAL	NUMBER PORTABILITY			ULFING	OLFKD	1.13	21.29	13.43	2.03	2.07	1					—
H '	LOCAL	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								†
	FEATU				OLI IKO	LIVI OI	3.13	0.00	0.00			1					—
⊢ − + '	LAIO	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			1					—
١,	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IKO	OLI VI	0.00	0.00	0.00								†
	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+								1			
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								1
\vdash		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	-	ULFING	USACZ		0.43	1.31	 		-	-		-		
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								1
	A DDIT	ONAL NRCs		1	UEFRG	USACC		0.40	1.91	1		1			-		—
	ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	-		-				 		-	-		-		
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								1
\vdash		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		-	UEPRG	USASZ	0.00	0.00	0.00			-					
		Group						7.86	7.86								l .
-			-	-		-		7.00	7.00	 		-	-		-		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								1
 	OEE/O	N PREMISES EXTENSION CHANNELS	-	 	ULFRU	UKEIL		8.33	0.83	1		-		-		-	
H	UFF/U	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88	-		-		-	
 			-	2	UEPRG	P2JHX P2JHX	17.45	134.89	81.87	73.65	14.88	-		-		-	
 		Local Channel Voice grade, per termination	-	3	UEPRG	P2JHX P2JHX	33.22	134.89	81.87		14.88	-		-		-	
\vdash		Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade	-	3	UEPRG	SDD2X	12.68	134.89	78.10	119.62	15.80	-		-		-	
\vdash		Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	-	2	UEPRG	SDD2X SDD2X	18.12	170.06	78.10	119.62	15.80	 	-	-			
$\vdash \!$		Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	-	3	UEPRG	SDD2X SDD2X	29.64	170.06	78.10	119.62	15.80	-		-	 		
 	NITED	DFFICE TRANSPORT		, s	ULFIKU	SUUZA	29.04	170.06	70.10	119.02	15.00	 			 		—
├──	IN I EK		-	 		+				1		-		-		-	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDDO	114T\/2	22.05	00.00	E2 07	EG 24	22.40						1
$\vdash \!$			-	-	UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42	-		-	 		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDO	1147\44	0.0005	0.00	0.00				1		I		1
├─┤.) M//D-	or Fraction Mile	-	-	UEPRG	U1TVM	0.0095	0.00	0.00	ļ	-	 	-	 	 	-	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	-	-		+				ļ	-	 	-	 	 	-	
بــــــــــــــــــــــــــــــــــــ	UNE P	ort/Loop Combination Rates	-	-		+	10.70			ļ	-	 	-	 	 	-	
\vdash		2-Wire VG Loop/Port Combo - Zone 1	-	1		+	10.79			ļ	-	 	-	 	 	-	
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2		+	15.52			1		-	-		1		
ı l		2-Wire VG Loop/Port Combo - Zone 3		3	l		31.74			1	<u> </u>	1			1	L	

UNBUNE	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental			Incremental
												Submitted	1		Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc	_	Manual Svc
CATEGOR	v l	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			l .					
CATEGOR	`'	RATE ELEMENTS	m	Zone	BC3	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>						_		None		L 81	. D'		ļ.	000	D-1 (A)		
	_						Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN		op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-1	Wire \	/oice Grade Line Port Rates (BUS - PBX)															
		,										ĺ					
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67	†					
		Line Side Unbundled Incoming PBX Trunk Port - Bus		 	UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67	†					
_			1	1	OLITA	OLITI	1.10	21.23	10.40	2.00	2.07	1	†		-		
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling	1	1	UEPPX	UEPOA						1		1	1	1	1
		Port	 	1			4.4-	04.00	15.10	0.05	0.00	1	1	-	 	 	
\vdash		2-Wire Voice Unbundled PBX LD Terminal Ports	-	1	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67	1	1	-	-	-	.
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67	ļ	ļ				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port	1	1	UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67			1	I	l	l
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area										†					
		Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		 	UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67	†					
-	-+	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port	1	1		UEPXH	1.15	21.29	15.49	2.85	2.67	1	†		-		
	-		-	-	UEPPX	UEFAR	1.15	21.29	15.49	2.00	2.07	 	-				
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port			LIEDDY	LIEDY	4.45	04.00	45.40	0.05	0.07						
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling															
		Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									_	İ					
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		t -	UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		1				
1.0	CAL	NUMBER PORTABILITY		 	OLITA	OLI AO	1.10	21.20	10.40	2.00	2.01	<u> </u>					
			1	1	UEPPX	LNPCP	3.15	0.00	0.00			1	1		-		
		Local Number Portability (1 per port)	 	+	UEPPA	LINFOP	3.15	0.00	0.00			1	 	-	 		
FE	ATU		 	1	LIEDDY	LIEDY (E	2.22	2.22	0.00			1	1	-	 	 	
<u> </u>		All Features Offered	-	1	UEPPX	UEPVF	0.00	0.00	0.00			1	1	-	-	-	.
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	!	1							ļ	.				L
	ļ	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1		1								1	I	l	l
		Conversion - Switch-As-Is		ļ	UEPPX	USAC2		8.45	1.91				1				
	Ţ	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										1					
		Conversion - Switch with Change	<u> </u>	<u> </u>	UEPPX	USACC		8.45	1.91					<u> </u>	<u> </u>	<u> </u>	<u> </u>
ΑE	DDITIO	DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1		1				i i		1		1	1	ĺ	ĺ
		Subsequent Activity	1	1	UEPPX	USAS2	0.00	0.00	0.00					1	I	l	l
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	t			7	2.00	2.00	2.00			İ				1	i
1 1		Group		1				7.86	7.86			1					1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	t	†			7.00	7.00			1	t		 		
		Premise	1	1	UEPPX	URETL		8.33	0.83					1	I	l	l
-		PREMISES EXTENSION CHANNELS	-	-	OLI. F.A	UKLIL	-	0.33	0.03			1	 	-	-	-	-
I OF	r/UN		-	1	HEDDY	DO ILIV	40.07	404.00	04.07	70.05	44.00	 	1		1	-	!
		Local Channel Voice grade, per termination	-	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88	-	 		 	-	ļ
	_	Local Channel Voice grade, per termination	1	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88	 		 			
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88	ļ	ļ				
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80	ļ	1				
oxdot		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80						
\Box		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00						
IN'	TERC	FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination		1	UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42	1					

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
	1,										Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								1
DATEGORI	KATE ELEMENTO	m		500	0000			ικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		1		Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							71441		71441	0020					
	or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	?T		OLI I X	O I I VIVI	0.0000	0.00	0.00				1				
	Port/Loop Combination Rates	<u> </u>			+											
O.V.E.	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	10.79										
\vdash	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	31.74										
UNE I	Loop Rates				+	01.74						1				
OIVE I	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
 	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										-
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59										
2_\Mir	e Voice Grade Line Ports (COIN)		3	ULFCO	OLFLX	30.39										
2-4411	2-Wire Coin 2-Way without Operator Screening and without	-	1	<u> </u>	+									 	 	
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67				1		1
\vdash	2-Wire Coin 2-Way with Operator Screening (AL, KY)		1	UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67	-	-				
\vdash	2-Wire Coin 2-Way with Operator Screening (AL, KT) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		-	UEPCO	UEFRE	1.15	21.29	15.49	2.00	2.07	-	-		-		
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPKA	1.15	21.29	15.49	2.00	2.07						
				UEPCO	UEPKA	1 15	21.29	15.49	2.85	2.67						
—	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening & Blocking:			LIEDOO	LIEDOD	4.45	04.00	45.40	0.05	0.07						
—	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward without Blocking and without Operator			LIEDOO	LIEDDAL	4.45	04.00	45.40	0.05	0.07						
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEDD I	4.45	04.00	45.40	0.05	0.07						
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDDII	4.45	04.00	45.40	0.05	0.07						
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,							4= 40								
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward Smartline with 900/976 (all states except															
L	LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
ADDI	FIONAL UNE COIN PORT/LOOP (RC)			LIEBOO	LIBEOU				0.00							
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
\vdash	Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
H	Switch with change			UEPCO	USACC		0.10	0.10								
ADDI	FIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
 	Premise		1	UEPCO	URETL		8.33	0.83				ļ		-	-	├
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (RES)												
UNE	Port/Loop Combination Rates		<u> </u>			10.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90								-		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	18.68						ļ				
<u> </u>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	34.45						ļ		-	-	├
UNE L	Loop Rates		—	LIEBER		40										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67								-		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.45								-		
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.22								-		
2-Wire	e Voice Grade Line Port Rates (Res)		!	LIEBER	UEDE:		,							-		
\vdash	2-Wire voice unbundled port - residence		!	UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97				-		
\vdash	2-Wire voice unbundled port with Caller ID - res		<u> </u>	UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97				.	ļ	1
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97				1		

UNB	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Land and									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
						Ī	Dee	Nonred	urring	Nonrecurring	g Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Kentucky extended local dialing															
		parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
		2-Wire Voice Unbundled Kentucky Residence Dialing Plan															
		without Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFR	1L5XX	0.0095										
	FEATU																
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.21	1.10								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (I	BUS)												
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
	0.140	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22					1					
	2-Wire	Voice Grade Line Port (Bus)		-	HEDED	LIEDDI	4.00	100.00	04.44	04.00	0.07	1					
		2-Wire voice unbundled port without Caller ID - bus			UEPFB UEPFB	UEPBL UEPBC	1.23	128.96	64.11	61.92	9.97						
	-	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB	UEPBO	1.23 1.23	128.96 128.96	64.11 64.11	61.92 61.92	9.97 9.97	-					
	-	2-Wire voice unbundled port outgoing only - bus		-	UEPFB	UEPBU	1.23	128.96	64.11	61.92	9.97	-	-				
		2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
-	+	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97	1	1				
—	+	2-Wire Voice Unburidled Incoming only port with Caller ID - Bus 2-Wire Voice Unbundled Kentucky Business Dialing Plan		 	OLFID	OLFDI	1.23	120.90	04.11	01.92	9.97	1	-	-	-	-	-
	1	without Caller ID		1	UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97	1					
H	LOCAL	NUMBER PORTABILITY		 	סבווט	OLI VVI	1.23	120.30	04.11	01.92	5.51	 	 	 	 	 	
	LOOAL	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					†	†				
	INTER	OFFICE TRANSPORT			02.10	2.11 0/1	0.00			<u> </u>							
\vdash		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1				t		†	 				
1	1	Termination		1	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42	1					
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				J	20.00	55.55	55.57	00.01	22.72	1		i	i	 	
		or Fraction Mile			UEPFB	1L5XX	0.0095			1							
	FEATU			t		1	3.0000			†	i			i	i	i	i
	1	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	t	1	1		i	i	 	
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		t			2.00	2.00	2.00	1	i			i	i		
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1				t				İ	İ		
1	1	Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		9.03	1.87	I		1					
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1		2.00		t				İ	İ		
1	1	Combination - Conversion - Switch with change		1	UEPFB	USACC		9.03	1.87	I		1					
	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				1		2.20		i	İ	†		İ	İ	İ	İ
		End User Premise			UEPFB	URETN		11.21	1.10	1							
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (1				İ	İ	1		İ	İ		
		ort/Loop Combination Rates			•	1					ĺ			ĺ	ĺ		
	1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		İ	13.90			1	İ	1		İ	İ	l	
				•		•							•			•	

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)					Manual Svc	Manual Svc		
CATEGORI	KATE ELEMENTS	m	20116	B00	0000			IXILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		-	-		-		Nonrec	urring	Nonrecurring	Disconnect	-	l	088	Rates (\$)	l	
			-		-	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Miss VC Lass IIO Tress at IDart Coasts 7 2		2		+	40.00	FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		-	18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3		-	34.45										
UNE	Loop Rates		_	LIEDED	LIEGEO	40.07										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	l															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
$oxed{oxed}$	Line Side Unbundled Incoming PBX Trunk Port - Bus	ļ	<u> </u>	UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73		ļ		ļ	ļ	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73		<u> </u>				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area					ĺ										
	Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
	without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										İ					
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										İ					
	Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
LOCA	AL NUMBER PORTABILITY			02	02.70	1.20	101121	70.00	70.00	0.70						
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT			02	2.11. 0.	0.10	0.00	0.00			†	1				
H	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1			1		
	Termination			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02	01112	20.00	00.00	00.01	00.01		1			1		
	or Fraction Mile			UEPFP	1L5XX	0.0095										
FFΔT	URES			OLITI	TEO/O	0.0000										
I LA	All Features Offered		 	UEPFP	UEPVF	0.00	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	0.00	0.00	0.00								
INOIN	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87								
\vdash	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	1	OLITI	OOACZ		3.03	1.07			†			 		
	Combination - Conversion - Switch with change	l	1	UEPFP	USACC]	9.03	1.87			1	1		1	1	1
\vdash	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	 	ULFFF	USACC		9.03	1.87			 	-			-	
	End User Premise	l	1	UEPFP	URETN]	11.21	1.10			1	1		1	1	1
LINDLINDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES	-	 	ULFFF	UKETIN		11.21	1.10			 	-			-	
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT	 		+						-	 			-	
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK Port/Loop Combination Rates	PURI	+		+						 	-		 		-
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1		+	21.30					-	 			-	
\vdash		-	2		+	21.30					-	 			-	
\vdash	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3		+	41.85					-	 			-	
LIEUT	Loop Rates	-	3		+	41.85					1			1		
UNE		 	1	LIEDDY	LIECD4	40.07					-			 		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-		UEPPX UEPPX	UECD1 UECD1	12.67					1			1		
\vdash	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 	2			17.45					-			 		
110.00		-	3	UEPPX	UECD1	33.22					1			1		
UNE	Port Rate	ļ	1	LIEDDY	LIEDE4	0.00	000.11	^7 7-	100.0=	0.01	-	ļ		-	 	⊢
	Exchange Ports - 2-Wire DID Port		<u> </u>	UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31	1	<u> </u>		1	<u> </u>	

CATGORY RATE REMENTS Mind Zure BCS USOC RATE (p) PESS per USS per	UNBUNDLE	D NETWORK ELEMENTS - Kentucky													Attach	ment: 2	Exhi	bit: A
ANTOCHY RATE ELEMENTS RATE SIGNOR RATE SI							1						Svc Order	Svc Order				Incremental
ATTECHNENS PARTE LEMENTS PARTE SERVICES PAR																		
ATTECHNICAL PROPERTY COMMINED NON-COMMINICAL CHARGES - CURRENTLY COMMINICAL PROPERTY 100																		
Note Part	CATEGORY	RATE ELEMENTS	Interi	Zone		acs.	USOC			RATES (\$)								
No. No.	OATE CORT	KATE ELEMENTO	m	20110	-		0000			πατ ΔΟ (ψ)			per LSR	per LSR				
Non-control Non-control																		
MONEGO COMPANIES COMPANI															1st	Add'l	Disc 1st	Disc Add'l
MONEGO COMPANIES COMPANI									Nonrec	rurring	Nonrecurring	Disconnect			220	Pates (\$)		
None(CURRING CHARGES - CURRENTY COMMENT				-				Rec					COMEC	COMAN			COMAN	COMAN
SWINE YOR Goods Loop (2 Mine) ED Trank POT Conversion URPPX	NOND	ECURRING CHARGES CURRENTLY COMPINED		-					LIISI	Auu i	FIISL	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
With SelfsOuth Answer Company Control Contro	NONK			-														
ADDITIONAL NICCO Continued					LIEDDY		110440		7.05	4.07								i
SWING DE Sobresport Analysis And Transport Compared Log or Authority Medical Information Medical Information (Prop. Belleville September 1) Depth	l				UEPPX		USA1C		7.85	1.87								
Lithoutided Mecanissous Rate Sciences Tag Decognical Logs of Model Particles (1997) Lithoutided Mecanissous Rate Sciences (1997) Lithoutided Rate (1997) Lithoutided Rate (1997) Lithoutided Mecanissous Rate (1997) Lithoutided Rate (1997) Lithoutided Mecanissous Rate (1997) Lithoutided Rate (1997) Lithoutided Mecanissous Rate (1997) Li	ADDIT																	
Ear User Provision					UEPPX		USAS1		32.25	32.25								
Telephone Number/Trunk Group Establishment Charges																		i
COS Trust, Terminators (Des Per Pury)					UEPPX		URETN		11.21	1.10								<u> </u>
Auditional DIA Numbers Nor consequence DIA Numbers UEPPX NOA	Teleph	none Number/Trunk Group Establisment Charges																l
DID Numbers, Non-connected EDI Numbers UEPPX NOS 0.00 0		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								i
Reserve Nos-Consecutive DID numbers		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								i Total
Reserve DD Numbers		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								í T
Reserve DD Numbers					UEPPX			0.00										·
LOCAL NUMBER PORTABILITY																		
Local Number Protection Legen Number Protection Legen	LOCAL			t			† · · · ·	5.50	3.30	0.50		1	 	1		t		(
2.Wise ISDN Digital Canada Loop-Wise Table Digital Line Side Port	LOGA		—	l –	LIEPPY		LNPCP	3 15	0.00	0.00			t e	 		t		(
UNE Zone	2-WID		NE SIDE	DODI			LIVI OI	0.10	0.00	0.00								
2W ISSN Digital Crade Loop/2W ISSN Digital Line Side Port - 1 UEPPB UEPPR 25.60			VE SIDE	FORI	1		1						-			 		
UNE Zone 1 ZAY ISSN Digital Grade Loop ZW ISSN Digital Line Side Port 2 ZAY ISSN Digital Grade Loop Line Side Port 3 USEPPR USEPPR 51.92 U	UNEF			-														
Wish No Note Company (1900) Depth					LIEDDD	LIEDDO		25.00										ł
UNE Zone 3				1	DEPPB	UEPPR		25.69										
Wiston Digital Grade Loop-ZW ISDN Ogital Line Side Port - UNE Zone 3 UNE Loop Rates				_	l													i
UNE Lone S UNE Lone Rates 2-Wirn ISON Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPB USLZX 16:10				2	UEPPB	UEPPR		31.92										
UNE Loop Rates																		i
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 16:10				3	UEPPB	UEPPR		50.21										<u> </u>
2-Wire ISDN Digital Grade Loop - UNE Zone 2 2 UEPPB UEPPR USL2X 22.33	UNE L																	<u> </u>
2.Wire ISDN Oightal Grade Loop - UNE Zone 3 3 UEPPB UEPPB USLZX 40.83		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										<u> </u>
2.Wire ISDN Oightal Grade Loop - UNE Zone 3 3 UEPPB UEPPB USLZX 40.83																		i
UNE Port Rate		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										i
Exchange Port - 2-Wire ISDN Line Side Port UEPPB		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63										i
NONRECURRING CHARGES - CURRENTLY COMBINED LEPPB UEPPR USACB 0.00 22.77 17.00 LE	UNE P	ort Rate					1											
NONRECURRING CHARGES - CURRENTLY COMBINED LEPPB UEPPR USACB 0.00 22.77 17.00 LE		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion UEPPB UEPPR USACB 0.00 22.77 17.00 17	NONR																	·
Combination - Conversion																		
ADDITIONAL NRCs Discriminal Designed Loop at End User Premise UEPPB UEPPR URETN 11.21 1.10					UEPPB	UEPPR	USACB	0.00	22.77	17.00								i
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPPB UEPPR URETN 11.21 1.10	ADDIT															1		
End User Premise																1		
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPPB					LIEDDR	LIEDDD	LIBETN		11 21	1 10								į.
Premise					OLFFB	OLFFR	UKLTN		11.21	1.10								
LOCAL NUMBER PORTABILITY					LIEDDD	LIEDDD	LIDETI		0 22	0.00								i
Local Number Portability (1 per port)	LOCAL			-	OLFFB	OLFFR	UKLIL		0.33	0.03								
B-CHANNEL USER PROFILE ACCESS:	LOCAI				LIEDDD	LIEDDD	LNDOV	0.05	0.00	0.00								
CVS/CSD (DMS/5ESS)	D 0114				UEPPB	UEPPR	LINPUX	0.35	0.00	0.00								
CVS (EWSD)	B-CHA			-	LIEDDD	LIEDDD	114110.4	0.00	0.00	0.00								
CSD																		
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																		
CVS/CSD (DMS/5ESS)				L	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00				ļ		ļ		
CVS (EWSD)	B-CHA		C,MS, &	TN)	ļ		ļ							ļ		ļ		
CSD																		
USER TERMINAL PROFILE User Terminal Profile (EWSD only) UEPPB UEPPR U1UMA 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																		
User Terminal Profile (EWSD only)					UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
VERTICAL FEATURES All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	USER	TERMINAL PROFILE																
All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 0.00		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								1
All Vertical Features - One per Channel B User Profile UEPPB UEPPR UEPVF 0.00	VERTI	CAL FEATURES																1
Interoffice Channel mileage each, including first mile and facilities termination UEPPB UEPPR M1GNC 29.12 47.34 31.78 22.77 8.75					UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								i
Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, including first mile and facilities termination Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNC 29.12 47.34 31.78 22.77 8.75	INTER						1				i i		ĺ	1				i
facilities termination UEPPB UEPPR M1GNC 29.12 47.34 31.78 22.77 8.75 8.75 8.75 8.75 8.75 8.75 8.75 8	<u> </u>			1	i		i e				i	İ	i	i		1		
Interoffice Channel mileage each, additional mile UEPPB UEPPR M1GNM 0.01 0.00 0.00 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.				1	LIEPPR	LIFPPR	M1GNC	29 12	47 34	31 78	22 77	8 75	1	l				ł
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.	 			t							22.11	5.75	 	1		t		
The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.	4-WIDI		POPT	l –	JEIID	OLITIN	OINIVI	0.01	0.00	0.00			t e	 		t		$\overline{}$
					Ided beer	in place a	e of 10/2/02 :	I Intil 4/1/04 Afe	er 4/1/04 these	rates shall re	vert to tariff rate	os or a sonara	e commerci	ial agreeme	nt	 		
																 		

LIMBIII	IDI EI	D NETWORK ELEMENTS - Kentucky												Attack	ment: 2	Exhi	Lis. A
UNBUI	NDLE	D NETWORK ELEMENTS - Kentucky		1		1	I					Cua Ordar	Svo Ordor	Incremental	Incremental	Incremental	Incremental
												1					
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEGO	nev	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAILO	JI (1	KATE EEEMENTO	m	20116	БОО	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Po	ort/Loop Combination Rates		ĺ													
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 1		1	UEPPP		170.06										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 2		2	UEPPP		197.70										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
		Zone 3		3	UEPPP		381.35										
	UNE Lo	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47										
\vdash		4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	114.10										
 	IME D	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	297.76				-	1		-	 		-
+	UNE PO	ort Rate			UEPPP	UEPPP	93.50	726.40	202.74	159.48	40.00						
 	NONDE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) CURRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82	1		-	 		-
+	NONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	-	<u> </u>		1						-	-	-			
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
1	ΔΠΟΙΤΙ	ONAL NRCs		 	OLI FF	USAUF	0.00	01.70	01.37						 		
 	וווטטה	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		-													
		Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.54									
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		-	OLITI	1 10/11		0.04				1					
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			02												
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)		i i	UEPPP	LNPCN	1.75										
	NTERF	ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
	CALL 1					DD=0.4	0.00										
\vdash		Inward			UEPPP UEPPP	PR7C1	0.00	0.00	0.00								
-		Outward Two-way			UEPPP	PR7CO PR7CC	0.00	0.00	0.00			-					
—	ntoroff	ice Channel Mileage		-	UEPPP	PRICC	0.00	0.00	0.00			1					
 	iiiei0II	Fixed Each Including First Mile		-	UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49			-	 		-
+		Each Airline-Fractional Additional Mile		 	UEPPP	1LN1B	0.23	103.32	30.40	25.09	20.49				 		
 	4-WIRF	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	-	-	OLITI	ILIVID	0.23					-	-		 		
		IE-P DS1 combination rates below for in this rate exhibit apply	v to the	ember	lded base in place a	s of 10/2/03 i	ıntil 4/1/04. Aft	er 4/1/04 these	rates shall rev	ert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
		sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe												T	İ		
		ort/Loop Combination Rates		T										i	i		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	İ	147.99							l	İ		
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	175.62										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28										
	UNE Lo	pop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76										
	UNE Po	ort Rate				ļ											
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)		<u> </u>	UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98				ļ		ļ
\perp	NONRE	CURRING CHARGES - CURRENTLY COMBINED				ļ											
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								

UNRUME) FD	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	hit· Δ
SIADOIAL		THE I WORK ELLINEN TO - Relituting										Svc Order	Svc Order	Incremental		Incremental	Incremental
				1								Submitted	Submitted		Charge -	Charge -	Charge -
1			l	1								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	二十						Rec	Nonre	curring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		Conversion with Change - Trunk (E:4/1/2004)		<u> </u>	UEPDC	USAWB		92.84	46.70						L		
AD		NAL NRCs											ļ		1		
		-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				l											
\vdash		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
		I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09						1		
\vdash		Channel Activation/Chan - 1-Way Outward Trunk I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	-	-	UEPUC	חחוות		15.09	15.09	 		-	-	-	 		
		Activation/Chan Inward Trunk w/out DID		1	UEPDC	UDTTC		15.09	15.09				1		I		
\vdash		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	021 00	55110		15.09	15.09	 		H		l	t		
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09						1		
		I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				-2		10.00	10.09						1		
		Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		15.09	15.09				1		I		
BIF		R 8 ZERO SUBSTITUTION							- 72					1	1		
	Е	38ZS -Superframe Format		ĺ	UEPDC	CCOSF		0.00i	730.00s								
		38ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	730.00s								
Alt		e Mark Inversion					· · · · · ·				· · · · ·						
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tel		ne Number/Trunk Group Establisment Charges								ļ					1		
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00	ļ					-		
\vdash		Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00	0.00	0.00	 			 	 	 		
\vdash		Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGZ	0.00	0.00	0.00	 			 	 	 		
\vdash		DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number	-	-	UEPDC UEPDC	ND4 ND5	0.00	0.00	0.00				-		 		
\vdash		Reserve Non-Consecutive DID Nos.	-	 	UEPDC	ND6	0.00	0.00	0.00	 		 	 	 	 		
\vdash		Reserve DID Numbers		-	UEPDC	NDV	0.00	0.00	0.00	 		H		l	t		
Dο		ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00			 	 		I		
		nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities	2.9.101												<u> </u>		
		Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49	<u> </u>	<u> </u>				
	\neg				_												
		nteroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.23	0.00	0.00								
		nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities								ı 7					_		
\vdash		Termination)		<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00						L		
		nteroffice Channel Mileage - Additional rate per mile - 9-25		1									1		I		
\vdash		niles		ļ	UEPDC	1LNOB	0.45	0.00	0.00	ļ		-		 	-		
		nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities		1	LIEDDO	41 NIO2	0.00	0.00	0.00				1		I		
\vdash		Fermination)		-	UEPDC	1LNO3	0.00	0.00	0.00						 		
	1.	nteroffice Channel Mileage - Additional rate per mile - 25+ miles		1	UEPDC	1LNOC	0.45	0.00	0.00				1		I		
\vdash		nteroffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated		 	UEPDC	LNPCP	3.15	0.00	0.00	 		 		 	 		
		Central Office Termininating Point	-	-	UEPDC	CTG	0.00	0.00	0.00	 		-	-		 		
4-V		DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 00	0.0	0.00								<u> </u>		
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations												<u> </u>		
		stem can have up to 24 combinations of rates depending on			ber of ports used					† †					1		
Th	e UNE	E-P DS1 combination rates below for 4-Wire DS1 Loop with C	hannel	ization	with Port in this rate	e exhibit app	ly to the embe	dded base in p	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
		s for 4-Wire DS1 Loop with Channelization with Port after th															
	E DS1	1 Loop															
		I-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00								
		I-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00								
$\sqcup \bot$		I-Wire DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	297.76	0.00	0.00								
UN		O Channelization Capacities (D4 Channel Bank Configuration	ns)	<u> </u>	UEBLIO.	10.004				ļ					ļ		
\vdash		24 DSO Channel Capacity - 1 per DS1		<u> </u>	UEPMG	VUM24	111.16	0.00	0.00	ļ					ļ		
\vdash		48 DSO Channel Capacity - 1 per 2 DS1s		<u> </u>	UEPMG	VUM48	222.32	0.00	0.00	 					 		
\vdash		96 DSO Channel Capacity -1 per 4 DS1s		<u> </u>	UEPMG	VUM96	444.64	0.00	0.00	 		1		-	 		
\vdash		144 DS0 Channel Capacity - 1 per 6 DS1s	-	<u> </u>	UEPMG UEPMG	VUM14 VUM19	666.96 889.28	0.00	0.00			-	-	-	 	-	-
\vdash	1	192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s	-	 	UEPMG UEPMG	VUM19 VUM2O	1.111.60	0.00	0.00	 		 	 	 	 		
\vdash	- 12	288 DS0 Channel Capacity - 1 per 10 DS1s	-	 	UEPMG	VUM28	1,333.92	0.00	0.00	 		 	 	 	 		
-	2	200 DOU CHAITHEI Capacity - 1 per 12 DOTS		<u> </u>	ULFIVIG	v UIVI∠ŏ	1,333.92	0.00	0.00	1		I	l	l	1		L

UNBU	JNDLEI	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	oit: A
01120												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	1	Manual Svc	Manual Svc	_	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
		004 D00 01 1 0 1 40 D04			LIEDMO) // IN 400		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s		<u> </u>	UEPMG UEPMG	VUM38 VUM4O	1,778.56 2,223.20	0.00	0.00				-				
		576 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM57	2,223.20	0.00	0.00			 	-				
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3.112.48	0.00	0.00			 	-				
	Non-Po	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	20117410					0.00			1	1				
		num System configuration is One (1) DS1, One (1) D4 Channe						I				†					
		es of this configuration functioning as one are considered Ac										1	1				
		NRC - Conversion (Currently Combined) with or without	1	1	oyotom con	T T						İ					
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and	d									
		ot Currently Combined) in all states, except in Density Zone 1															
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	E l	Extended Superframe Format		Dont	UEPMG	MCOPO	0.00	0.00	0.00			1					
-		ge Ports Associated with 4-Wire DS1 Loop with Channelizating Ports	on with	Port		+							-				
_	EXCITATI	Line Side Combination Channelized PBX Trunk Port - Business				+						 	-				
		(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business		-	OLFFA	OLFCX	1.13	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID								0.00		İ					
		(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination															
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			LIEDDY	LIEDOV/	4.45	0.00	0.00	0.00	0.00						
-		Kentucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00	 					
1		Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan (E:4/1/2004)	1		UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00						
—	Feature	Activations - Unbundled Loop Concentration		 	OLI FA	OLFGVV	1.15	0.00	0.00	0.00	0.00	 			 		
—	, catale	Feature (Service) Activation for each Line Port Terminated in D4	1	†		t	1					1	 		 		
		Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15						
		Feature (Service) Activation for each Trunk Port Terminated in		†			5.02								İ		
		D4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
	Telepho	one Number/ Group Establishment Charges for DID Service	L														
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers		<u> </u>	UEPPX	ND6	0.00	0.00	0.00								
	ļ	Reserve DID Numbers	!	<u> </u>	UEPPX	NDV	0.00	0.00	0.00			ļ					
	Local N	lumber Portability	!	<u> </u>	LIEDDY	LNDCD		0.5-				ļ					
<u> </u>	FF 4 T	Local Number Portability - 1 per port	ļ	_	UEPPX	LNPCP	3.15	0.00	0.00			-					
<u> </u>		RES - Vertical and Optional	 	-		+	1	 	-			 		 	 		
\vdash	Local S	witching Features Offered with Line Side Ports Only All Features Available	!	+	UEPPX	UEPVF	0.00	0.00	0.00			 	-			-	<u> </u>
LINEUR	IDI ED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:		1	ULFFA	UEFVF	0.00	0.00	0.00			 	 				
ONDO		Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	nrovide Unh	I Indled Local S	witching or Su	vitch Ports			 	 				
	5031	are approve where Delicouth is required by FCC	ana, or	Julie (p.ovide oilb	aioa Local d	ug or ov		ı				L	1	l	

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
I											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		rn						. ,			Po. 2010	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac 1at	Diac Auu I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	tures shall apply to the Unbundled Port/Loop Combination - C															
	Office and Tandem Switching Usage and Common Transport															
	e first and additional Port nonrecurring charges apply to Not Cเ	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	urring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
	also and are categorized accordingly.															
	rket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	е.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -								[_	I	
$oxed{oxed}$	Non-Design		2	UEP91	1	15.52								L		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											1		I		
	Non-Design		3	UEP91		31.74										
UNE P	Port/Loop Combination Rates (Design)				1									L		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			l										1		
\vdash	Design		1	UEP91	1	13.82								ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		3	UEP91		34.37										
UNE L	oop Rate															
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
UNE P			-		-											
All Sta	ates (Except North Carolina and Sout Carolina)		-	UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.07						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDO4	UEPYB	4.45	24.20	45.40	0.05	0.07						
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEP91	UEPTB	1.15	21.29	15.49	2.85	2.67	-					
	Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	-	 	OLF31	OLF IT	1.15	21.29	15.49	2.05	2.07		 		+	 	
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67				1		
\vdash	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		 	OFLAI	OLF (IVI	1.15	21.29	15.49	2.05	2.07	 			+	 	
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		1		I		
\vdash	2-Wire Voice Grade Port terminated in on Megalink or equivalent		 	02101	JL: 12	1.13	21.23	15.45	2.00	2.07	<u> </u>	 		t	 	
	- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		1		I		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			01		0	220	.0.40	2.00	2.07				<u> </u>		
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		1		I		
AL. K	Y, LA, MS, & TN Only				1	0	220	.0.10	2.30	2.57				t e	i	
, . <u>.</u> ,	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67				1	İ	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67				<u> </u>		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67				t		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67				1		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		1		I		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		1		I		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur	res		I													

UNBU	NDLF	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
							1					Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter.									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
						1	_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00							Î			
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00			Î			
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00			ĺ			
	Miscell	aneous Terminations															
	2-Wire	Trunk Side												ĺ			
		Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
	Interoff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11										
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.62										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.102	0.102								
		Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32		13.27						
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32		13.27						
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									
	Additio	nal Non-Recurring Charges (NRC)	ļ			1								ļ	ļ	ļ	
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1 1									1		I	I	
		Premise			UEP91	URETL		8.33	0.83						ļ	L	
	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1												1	1	
	L	End Use Premise	ļ	\sqcup	UEP91	URETN		11.21	1.10					ļ	.	.	
		CENTREX - 5ESS (Valid in All States)	.	\vdash		-										_	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	.	\vdash		-										_	
	UNE Po	ort/Loop Combination Rates (Non-Design)	<u> </u>	\vdash		1											
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1									1		I	I	
	<u> </u>	Non-Design	.	1	UEP95	-	10.79								_	_	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOE										1	1	
<u> </u>	ļ	Non-Design	ļ	2	UEP95	1	15.52			1		-		.	-	-	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOE		04 = 1						1		I	I	
<u> </u>		Non-Design	ļ	3	UEP95	1	31.74								-	-	
	UNE PO	ort/Loop Combination Rates (Design)	-	\vdash		+						-	-	-	 	 	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	ا ہا	LIEDOE		10.00						1		I	I	
	-	Design	-	1	UEP95	+	13.82					-	-	-	 	 	
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOE		40.00						1		I	I	
<u> </u>		Design	ļ	2	UEP95	1	18.60								-	-	
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOE		04.07						1		I	I	
<u> </u>		Design	ļ	3	UEP95	1	34.37								-	-	
<u> </u>	UNE LO	oop Rate	ļ	\vdash	LIEDOE	LIEGOA	0.01			1		-		.	-	-	
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64										
	L	2-Wire Voice Grade Loop (SL 1) - Zone 2	L	2	UEP95	UECS1	14.37			1	l	L	L	l	L	L	

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	Disc Add 1
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										
	Port Rate															
All St																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area	<u> </u>		UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1											I			
	Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	Y, LA, MS, SC, & TN Only									Î				Î	Î	
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67				Î	Î	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67				Î	Î	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67				Î	Î	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire									Î				Î	Î	
	Center)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	i –														
	Term 2,3			UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67						
		i –														
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	:		UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67	İ					
Local	Switching	i –														
	Centrex Intercom Funtionality, per port	i –		UEP95	URECS	0.8873										
Local	Number Portability	i														
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35				Î				Î	Î	
Featu											İ					
	All Standard Features Offered, per port	i –		UEP95	UEPVF	0.00										
	All Select Features Offered, per port	i –		UEP95	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port	i –		UEP95	UEPVC	0.00										
NARS		i –														
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				ĺ	ĺ	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				ĺ	ĺ	
	Unbundled Network Access Register - Outdial	Ì		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30				ĺ	ĺ	
4-Wire	e Digital (1.544 Megabits)				1 1									ĺ	ĺ	
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09							ĺ	ĺ	
Intero	office Channel Mileage - 2-Wire	Ì														
	Interoffice Channel Facilities Termination			UEP95	M1GBC	29.11				ĺ				ĺ	ĺ	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.01				ĺ				ĺ	ĺ	
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce			1					ĺ				ĺ	ĺ	
	nannel Bank Feature Activations				1 1					ĺ				ĺ	ĺ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62				ĺ				ĺ	ĺ	
		1	İ		1							İ				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.62						1				I
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	İ									İ				
	Slot	1		UEP95	1PQW7	0.62						1				I
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1					ĺ				ĺ	ĺ	
				UEP95	1PQWP	0.62			1		1		i			1

CATEGORY RATE ELEMENTS Intert	c Order Incremental	cremental Incremental I	
ATE CLEMENTS Part			Incremental Incremental
ATE CLEMENTS Part			Charge - Charge -
## CATEGORY RATE ELEMENTS ## CATEGORY RATES (8) ## per LSR per LSR Order Electric State			Manual Svc Manual Svc
			Order vs. Order vs.
Testure Arctitation on D-4 Channel Bank Prisate Line Loop State Prisate Arctitation on D-4 Channel Bank Prisate Line Loop State Prisate Arctitation on D-4 Channel Bank Prisate Line Frunk Loop State Prisate Arctitation on D-4 Channel Bank Prisate Line Frunk Loop State Prisate Arctitation on D-4 Channel Bank WATS Loop State Prisate Arctitation on D-4 Channel Bank WATS Loop State Prisate Arctitation on D-4 Channel Bank WATS Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Frunk Loop State Prisate Line Line State			Electronic- Electronic-
Pealure Activation on D-4 Channel Bank Private Line Loop Stot UEP96 1PQWV 0.62	1st		Disc 1st Disc Add'l
Feature Activation on D-4 Channel Bank Private Line Loop Stot UEP95 1PQWV O.6.2			
Finisture Activation on D-4 Channel Bank Private Line Loop Stot UEP95 1PQWV 0.02		OSS Rates (\$)	
Feature Activation on D-4 Channel Bank Tiple Line/Trunk Loop UEP96 1PGWQ 0.62	OMAN SOMAN	SOMAN SOMAN	SOMAN SOMAN
Feature Activation on D-4 Channel Bank Tiple Line/Trunk Loop UEP96 1PGWQ 0.62			
Stot Stot Feature Activation on D-4 Channel Bank WATS Loop Stot UEP96 1POWA 0.62			
Posture Activation on D-4 Channel Bank WATS Loop Side Non-Recurring Charges (RMC) Associated with URE*P Centrex Ninch Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Estissing Central Common Block and UEPS			
Non-Recurring Charges (RRC) Associated with UNE-P Centrex New Conversion Curring Combined Switch-As Is with allowed changes, per port UEP95 USAC2 0.102 0.		<u> </u>	
NRC Conversion Currently Combined Switch-As-is with allowed changes, per port UEP95 USAC2 0.10			
Changes, per port			
Conversion of Existing Centres Common Block, each UEP95 USACN 18.95 3.32 11.05 13.27			
New Centrex Customized Common Block			
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 72.75			
Additional Non-Recurring Charges (NRC)			
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEPS URETL 8.33 0.38			
Premise			
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP96			
End Use Premise			
UNE-P CENTREX - DMS100 (Valid in All States)			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo			
UNE Port/Loop Combination Rates (Non-Design			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 1 UEP9D 10.79			
Non-Design			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP9D 15.52			
Non-Design 2 UEPBD 15.52		<u> </u>	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP9D 31.74			
Non-Design 3 UEP9D 31.74			
UNE Port/Loop Combination Rates (Design)			
Design			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			
Design			
2-Wire Voice Grade Loop (SL 1) - Zone 1			
Design 3 UEP9D 34.37			
UNE Loop Rate			
2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEP9D UECS1 9.64 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9D UECS1 14.37 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9D UECS1 30.59 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9D UECS2 12.67 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 33.22 UNE Port Rate ALL STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 4-Rea 4-POP UEP9D UEPYA 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEP9D UECS1 14.37 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9D UECS1 30.59 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9D UECS2 12.67 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 4-Rea UEP9D UEPYA 1.15 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYA 1.15 2-Wire Voice Grade Port (Centrex EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local UEP9D UEPYC 1.15			
2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9D UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 UEP9D UECS2 33.22 UNE PORT Rate ALL STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYA 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYB 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9D UECS2 12.67 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 33.22 UNE Port Rate ALL STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYA 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9D UECS2 17.45 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 33.22 UNP Port Rate ALL STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9D UEPYA 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYB 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local UEP9D UEPYC 1.15 21.29 15.49 2.85 2.67		+ +	
2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9D UECS2 33.22			
UNE Port Rate			
ALL STATES			
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local UEP9D UEPYB 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local UEP9D UEPYB 1.15 21.29 15.49 2.85 2.67 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area UEP9D UEPYC 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			
Area			
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			
Area UEP9D UEPYD 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			
Area UEP9D UEPYE 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			
Area UEP9D UEPYF 1.15 21.29 15.49 2.85 2.67			
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			
Area	+	+ +	-
2-vvire voice Grade Port (Centrex 7 EBS-Ivisous))3 Basic Local UEP9D UEPYT 1.15 21.29 15.49 2.85 2.67			
Ned DEF3U DEF11 1.13 21.29 15.49 2.63 2.67		+	+
Variety Value Glade Foli (Centre A FEBS-WI200))3 Basic Local UEP9D UEPYU 1.15 21.29 15.49 2.85 2.67			

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order Submitted	Submitted	Incremental Charge -	Incremental Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.	Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
					1	B	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						<u> </u>
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AI K	Y, LA, MS, SC, & TN Only			UEP9D	UEP12	1.15	21.29	15.49	2.00	2.07						-
AL, IX	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67						ļ
$oxed{oxed}$	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		 	UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		<u> </u>	UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67		ļ				ļ
$oxed{oxed}$	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						ļ
] [2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1									1				
\vdash	Indication)4		_	UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67						
\vdash	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	ļ		UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67						_
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67	<u> </u>					<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	İ		UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67						

LINID	INIBI E	D NETWORK ELEMENTO IK. ()															
UNB	JNDLE	D NETWORK ELEMENTS - Kentucky				1	1								ment: 2	Exhi	
														Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CODY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1																
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
	1	, , , , , , , , , , , , , , , , , , ,		i i													
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
		0 1 5 1 5 1 6 1 5 1 6 1 6 1 6 1 6 1 6 1 6															
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						
	1	2-vvire voice Grade Port (Centrex/diller SVVC /EBS-IVISZ16)2,3,4		-	UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67	-					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
	+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 9D	ULFQI	1.13	21.23	13.43	2.00	2.07	1					
		Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	+	16111 2,0			OLI 3D	OLI QZ	1.15	21.23	13.43	2.00	2.07	-					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67	1					
	Local	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873			t							
	Local	Number Portability					0.00.0										
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Featur																
	1	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
-		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
-		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
-		laneous Terminations				-											
-	2-wire	Trunk Side			UEP9D	CEND6	10.51	00.40	45.00	F0.40	5.00						
-	4 Miro	Trunk Side Terminations, each Digital (1.544 Megabits)			UEP9D	CENDO	10.51	92.18	15.82	52.16	5.30	-					
	4-11116	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86	1					
-		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09	11.14	00.09	3.00			1			
	Interof	fice Channel Mileage - 2-Wire			OLI 3D	WITIDO	0.00	13.03				-					
 		Interoffice Channel Facilities Termination			UEP9D	M1GBC	29.11			I		 	-		 		
	†	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.01			1				İ	İ		
	Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е		-					1	l		1	İ	İ		
		annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
1	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1 7		1				_							
L	ļ	Slot		<u> </u>	UEP9D	1PQW7	0.62			1				ļ	ļ		
1	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1,50,45				I							
	!	Different Wire Center		—	UEP9D	1PQWP	0.62			ļ							
	1	Factors Astination on D.4 Observal Bank Britani III.			LIEDOD	4001407	2.22			I							
<u> </u>	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot		—	UEP9D	1PQWV	0.62			 	-	1		 	 		
1	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62			I			1				
<u> </u>	1	Feature Activation on D-4 Channel Bank WATS Loop Slot		—	UEP9D UEP9D	1PQWQ 1PQWA	0.62			 	-	1		 	 		
-	Non-P	ecurring Charges (NRC) Associated with UNE-P Centrex		—	OLFSD	IFQWA	0.62					-		-			
\vdash	NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed		—		+				t	 	H		 	 		
1	1	changes, per port			UEP9D	USAC2		0.102	0.102	I			1				
	1	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32	<u> </u>							
	+	New Centrex Standard Common Block		1	UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27	<u> </u>					
	1			1	00		5.00	555.00	. 0.02		.5.21	1		1	1		

UNBL	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Manage		I M	. D'		l	000	D-1 (A)		
-				-		+	Rec	Nonrec		Nonrecurring First	Add'l	COMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
-		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	First 669.80	Add'I 78.32		13.27	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75	10.32	111.05	13.21	1			-	-	
	Δdditic	onal Non-Recurring Charges (NRC)			OLI 3D	ONLOA	0.00	12.15				-					
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+											
		Premise			UEP9D	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.21	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	prt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1												1	1	
		Non-Design		1	UEP9E		10.79								-	-	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE		45.50								I	I	
<u> </u>		Non-Design		2	UEP9E	+	15.52			1		-		-	 	 	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		31.74								I	I	
-	LINE D	non-⊵esign ort/Loop Combination Rates (Design)	 	3	OLFSE	+	31.74			+	1	 	1	 	 	 	
—	SHE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+				1		-		 	t	 	
		Design		1	UEP9E		13.82										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02.02		10.02										
		Design		2	UEP9E		18.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		34.37										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										
-		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45										
-	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP9E	UECS2	33.22					-			-	-	
		, KY, LA, MS, & TN only				_						1			1	1	
	AL, I L	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67	-					
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OL	OLI IX	1.10	21.25	10.40	2.00	2.01						
		Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		-		0	0					İ		1	1	
L	<u></u>	Area	<u></u>		UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67	<u></u>			<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						
1		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67			ļ	1	1	ļ
1		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDYO		04.00	45.40	0.5-	0.00				I	I	
<u> </u>		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		-	UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67			 	 	 	
1					UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67				I	I	
-	VI KA	Basic Local Area , LA, MS, & TN Only	-	-	UEF9E	UEPTZ	1.15	∠1.29	15.49	∠.85	2.67		-		+	+	
—	AL, AT	2-Wire Voice Grade Port (Centrex)	1		UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67	 		 	 	 	
	†	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	†		UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67	 	-		I	I	1
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67				<u> </u>	<u> </u>	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			-		0	0						İ	1	1	
1		Center)2,3			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67				I	I	
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
L	<u></u>	Service Term	<u></u>		UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67	<u></u>			<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67			L			
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67			ļ			
	Local S	Switching			LIEBAE	UDECC									ļ		
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873								ļ		
	Local I	lumber Portability		l											l	l	

ATECOPY RATE ELEMENTS Man Some BCS USC BCS USC RATES (I) FACE RATES (II) RATE SUBMINIST PROBLEM FOR SUBMINIST RATE	HINRH	NDI F	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Evhi	bit: A
ATT ELEMENTS No. 1	ONDO	IDLL	NETWORK ELEMENTS - Remucky	1	Γ	I		1					Svc Order	Svc Order				
RATE REMENTS Mary Section Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Mary Section Section Mary										1								
CATEGORY RATE ELEMENTS IN 2004 Margine Product (1 percent) Note 1 percent 1 percent				l									1					
Note Processing Content of the C	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				
No. No.				m									per LSK	per LSK				
Note																		
Company Comp															151	Add I	DISC ISI	DISC Add I
Local Number Processing (*) Per port APPC D.50 AP								Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Features									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
All Structure Officed, per port			Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										L
All States Features Collects, parp port		Feature																1
MARIS																		l .
MAKS									405.66									1
Unborded Network Access Register: Combination Uniform Network Access Register: Combination Uniform Network Access Register: Uniform Network Register Register: Uniform Network Register R			All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
Unburside Network Access Register - Included USHYX		NARS																
Distortion Necessary Register - Outside UPPE UMROX 0.00																		
Miscellaneous Terminations																		
2-Wire Trunk Side						UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Trans State Terminations, each UEPRE CENIS 10.1 92.18 15.82 52.10 6.30																		
A Wire Digital (1,544 Magabits)	\vdash	2-Wire		 	├	LIEDOE	CENIDO	40.54	00.40	45.00	50.40	F 00	1			 		
OST Circul Terminations, each DEPRE MHHOT 74.77 164.65 9 77.74 0.00 3.08	\vdash	4_\N/:=c		1	 	UEPSE	CENDO	10.51	92.18	15.82	52.16	5.30	-	-	-			
DISC Channel Relation of Per Channel Blank Per	\vdash	+-vvire		1	 	LIEDOE	M1HD1	7/ 77	16/ 06	77 74	60.60	3 00	-	-	-			
Interoffice Channel Milesge, 2-Wire	\vdash			 	 					11.14	60.09	3.66	-	-		-		
Interedition Channel Facilitate Termination UEPPG M1GBK 29.11	 	nteref		 	 	ULFBE	IVITIDO	0.00	15.09				 					
Section Activation (DR) General Research Level Compose Commentative Del Service 1	\vdash	iiiei Ol		 	1	LIEPOE	M1GBC	29 11								 		
Feature Activation (SSI) Central Loops on Channellated BSI Service				1														—
O Channel Bank Feature Activation on D 4 Channel Bank Centrex Loop Side UEP9E 1POWS 0.62		Featur		20		OLI SL	IVITODIVI	0.01										
Feature Activation on D-4 Channel Bank R X line Side Loop Slot UEP9E 1POWS 0.62				T			1						†	1				——
Feature Activation on D-4 Channel Bank FX Time Side Loop Slot UEP9E 1POW6 0.62		D-1 OI10				LIFP9F	1POWS	0.62					1					
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Sid			Todate Floritation of B Tohamio Barn Control 2005 Cicl			02. 02		0.02										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Sid			Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										l .
Stot								0.02										
Feature Activation on D-4 Channel Bank Centrex Loop Stot						UEP9E	1PQW7	0.62										l .
Different Wire Center			Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP9E 1POWO 0.62						UEP9E	1PQWP	0.62										l .
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEP9E 1POWO 0.62																		
Stot			Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										l .
Feature Activation on D-4 Channel Bank WATS Loop Side UEP9E SPQWA 0.62			Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEPBE USAC2 0.102 0.			Slot			UEP9E	1PQWQ	0.62										1
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9E USAC2 0.102						UEP9E	1PQWA	0.62										1
Changes, per port		Non-Re																l .
Conversion of Existing Centrex Common Block, each UEPBE USACN 18.95 8.32 111.05 13.27																		i .
New Centrex Standard Common Block																		1
New Centrex Customized Common Block																		
NAR Establishment Charge, Per Occasion																		
Additional Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9E URETL UBETL 8.33 0.83 0.83 UNBUND MISCELLAND M										78.32	111.05	13.27						
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UNE-PC ENTREX - DCO - Valid in AL, KY, LA, MS, & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 1-UEP93 31.74 UEP93 31.74 UEP93 31.74 UEP93 31.74 UEP93 31.82						UEP9E	URECA	0.00	/2./5									
Premise	—	Additio					ļ											
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 3 UEP93 31.74 UNEPORT/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Non-Non-Non-Non-Non-Non-Non-Non-No				1		LIEBOE	LIDETI		0.00	0.00				1				1
End Use Premise	\vdash			 	1	UEP9E	UKEIL		8.33	0.83								
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo 1 UEP93 10.79 10				1		LIEDOE	LIDETN		44.04	1 10				1				1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	\vdash	INE		1	 	OLFSE	UKETIN		11.27	1.10			-	-	-			
UNE Port/Loop Combination Rates (Non-Design)				 	<u> </u>		+							 				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				 	 		+						 					
Non-Design	\vdash	ONE P			 		+						H			 		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP93 15.52				1	1	UFP93		10.79						1				1
Non-Design 2 UEP93 15.52	\vdash			 	- ' -	OL1 33	+	10.79								 		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 3 UEP93 31.74 31.7					2	UEP93		15 52										1
Non-Design 3 UEP93 31.74	\vdash			1		021 00	1	10.02					 	 		 		
UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- 1 UEP93 13.82				1	3	UEP93		31.74						1				1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 1 UEP93 13.82 13.82		UNE P		l -	Ť		1	34										
Design				-	t		1									1		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1	1	UEP93		13.82						1				1
				t	† †		İ	2								İ		
			Design	1	2	UEP93		18.60										1

													Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		34.37										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67						
1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			l	[]										1	
\longrightarrow	Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67					ļ	
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1									1	1			I	l
\longrightarrow	Area	<u> </u>		UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67			ļ	ļ	ļ	ļ
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire														1	
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu		<u> </u>											ļ	ļ	ļ	ļ
$-\!\!-\!\!\!-\!\!\!\!-$	All Standard Features Offered, per port	<u> </u>		UEP93	UEPVF	0.00							ļ	ļ	ļ	ļ
\longrightarrow	All Centrex Control Features Offered, per port	ļ		UEP93	UEPVC	0.00								ļ		ļ
NARS				LIEBOO							1			ļ		
\longrightarrow	Unbundled Network Access Register - Combination	ļ		UEP93	UARCX	0.00	0.00	0.00		0.00	ļ		ļ	ļ	.	ļ
\longrightarrow	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00				ļ		ļ
\longrightarrow	Unbundled Network Access Register - Outdial	ļ		UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	ļ		ļ	ļ		ļ
	Illaneous Terminations	ļ									ļ		ļ	ļ		ļ
2-Wire	Trunk Side			LIEBOO	0515						1			ļ		
	Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30	1			ļ		
4-Wire	e Digital (1.544 Megabits)			LIEBOO	1,,,,,,,,,,		,				1				_	
$\!\!\!+\!\!\!-$	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86	1				_	
	DS0 Channels Activated, Per Channel	_		UEP93	M1HDO	0.00	15.09				-			1	-	
Interc	ffice Channel Mileage - 2-Wire	!		LIEBOO	144050				ļ		<u> </u>		.	!	-	.
$\!\!\!+\!\!\!-$	Interoffice Channel Facilities Termination			UEP93	M1GBC	29.11					1					
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP93	M1GBM	0.01					-			1	-	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e			+				ļ		<u> </u>		.	!	-	.
	annel Bank Feature Activations	 	-	LIEDOS	400140	0.00			1		 		.	 	 	
D4 C1				UEP93	1PQWS	0.62			1	i .	1	1	1	1	1	l .
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	02.00	1		1		1							

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	p	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

Version 3Q03: 11/12/2003 Page 155 of 348

	INIE: =	D NETWORK ELEMENTO												1			
UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana			1	1	1					1			ment: 2		bit: A
												I .		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	per LSR	Manual Svc	Manual Svc	Manual Svc	
0,1121			m			0000			101120 (4)			per LSR	per LSK	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac iat	Disc Add I
	ļ						Rec		curring		Disconnect				Rates (\$)		
	1			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	part of	a com	l bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter				- 5				,	.g		,	,			
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ither the state specific Commission ordered rates for the servi	ice orde	ring ch	narges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not of	itain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
-		f the 9 states. (2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this o	rategory Pleas	se refer to Rell	South's Local	Ordering Hand	hook (LOH) to	determine	if a product	can be order	ed electronica	Illy Forthos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
		N, will be applied to a CLECs bill when it submits an LSR to B					g										gg-,
		OSS - Electronic Service Order Charge, Per Local Service															
	ļ	Request (LSR) - UNE Only		<u> </u>		SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
LINE S	FRVICE	DATE ADVANCEMENT CHARGE				SOMAN		15.20	0.00	15.20	0.00				-		
OIVE O		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff. Section	n 5 as appli	cable.										
		,															
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN, UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UXTD3, UXTS1, U1TUC, U1TUD,												
		Dav			U1TUB. U1TUA	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP			,												
	2-WIRE	ANALOG VOICE GRADE LOOP															
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.90	36.54	16.87								
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEAL2 UEAL2	23.33 48.43	36.54 36.54	16.87 16.87			-			-		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2 UEASL	12.90	36.54	16.87			 			 		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	23.33	36.54	16.87						1		
	L	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	48.43	36.54	16.87								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
<u> </u>	1	Premise		-	UEANL	URETL		8.33	0.83						 		
-	1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		-	UEANL UEANL	URET1 URETA		33.17 19.28	33.17 19.28						-		
Щ		Loop resumy - Dasic Additional Flatt Flour		ь	OLANL	OKLIA	į.	13.20	13.20			l	l .	I	L		I

UNBUN	IDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
5.4551					1							Svc Order	Svc Order	Incremental		Incremental	Incremental
			1		1							Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'	1	1	1						Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
\vdash		providing make-up (Engineering Information - E.I.)		-	UEANL	UEANM UEAMC		13.04	13.04			ļ					
\vdash		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92	-		-	-				
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		17.56	17.56								
	-WIDE	Unbundled COPPER LOOP			ULANL	OCOSL		17.50	17.50	 		<u> </u>		1			
	- WIINE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60	 		<u> </u>		1			
		2 Wire Unbundled Copper Loop - Non-Designed 25ne 1	i i	2	UEQ	UEQ2X	14.32	35.27	15.60			†					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i	3	UEQ	UEQ2X	16.87	35.27	15.60			İ					
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	T .	Ť		1				1			İ	İ	1	1	
		Premise			UEQ	URETL		8.33	0.83	1					1	1	
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	l									İ		1			
		Non-Designed (per loop)	<u> </u>	<u></u>	UEQ	USBMC		7.92	7.92	<u></u>				<u> </u>			
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)	ļ	ļ	UEQ	UEQMU		13.04	13.04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP		-								ļ					
- 2	-WIKE	ANALOG VOICE GRADE LOOP	-	-								1					
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	-	UEFSK UEFSB	UEALS	12.90	30.34	10.07	0.00	0.00	1			-	-	
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OR OLI OD	OLABO	12.00	00.04	10.01	0.00	0.00	1					
		Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										İ					
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
		EXCHANGE ACCESS LOOP	ļ		ļ	ļ								ļ			
2	-WIRE	ANALOG VOICE GRADE LOOP	ļ	<u> </u>						ļ		ļ			ļ	ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			LIEA	LIEALO	44.00	400.40	05 =0	1					1	1	
\vdash		Ground Start Signaling - Zone 1	-	1	UEA	UEAL2	14.93	102.10	65.72	 		ļ	-	 	1	1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	2	UEA	UEAL2	25.35	102.10	65.72	I					I	I	
\vdash		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 		OLA	UEALZ	20.30	102.10	05.72	 		}	-	 	+	+	
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72	1					1	1	
 		Order Coordination for Specified Conversion Time (per LSR)	 		UEA	OCOSL	30.40	17.56	00.72	+		†			t	t	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	t			30000		17.50		†		1	†	1	†	†	
		Battery Signaling - Zone 1	1	1	UEA	UEAR2	14.93	102.10	65.72	I					I	I	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	i –		1							İ		1			
		Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	25.35	102.10	65.72	<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						İ									
		Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
$oxed{\Box}$		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10	L				ļ	L	L	
4	-WIRE	ANALOG VOICE GRADE LOOP	ļ	<u> </u>	ļ	ļ				1				ļ	1	1	
\vdash		4-Wire Analog Voice Grade Loop - Zone 1	ļ		UEA	UEAL4	30.81	127.40	91.02	ļ		ļ			ļ	ļ	
\vdash		4-Wire Analog Voice Grade Loop - Zone 2	-		UEA	UEAL4	38.32	127.40	91.02	-				ļ	-	-	
\vdash		4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA UEA	UEAL4 OCOSL	60.39	127.40	91.02	 		 		 	 	 	
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	-	UEA	UREWO		17.56 87.59	36.30	 		 		 	 	 	
oxed		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	<u> </u>	JUEA	UKEWU		87.59	36.30	L		l	ı	L			L

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	bit: A
			1									Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
		l										Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m		_								per LSK	per LSK			Electronic-	Electronic-
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
				1			_	Nonrec	urring	Nonrecurrin	g Disconnect	i e		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	RE ISDN DIGITAL GRADE LOOP																
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN		U1L2X	22.09	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN		U1L2X	35.28	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN		U1L2X	65.18	113.34	76.96								
	Order Coordination For Specified Conversion Time (per LSR)			UDN		OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO		91.49	44.09								
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry																
	& facility reservation - Zone 1		1	UAL		UAL2X	12.29	117.08	68.36								
	2 Wire Unbundled ADSL Loop including manual service inquiry			l							1						1
\vdash	& facility reservation - Zone 2		2	UAL		UAL2X	14.09	117.08	68.36		+				 	 	
	2 Wire Unbundled ADSL Loop including manual service inquiry		3	UAL		1141 0)/	45.75	447.00	20.00		1						1
\vdash	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UAL		UAL2X OCOSL	15.75	117.08 17.56	68.36		+	ļ			 	 	
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL		UCUSL		17.56				-	-				
	facility reservation - Zone 1		1	UAL		UAL2W	12.29	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry &	-	'	UAL		UALZVV	12.29	92.03	36.02		1	1					
	facility reservation - Zone 2		2	UAL		UAL2W	14.09	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL		UALZVV	14.03	32.03	30.02			<u> </u>					
	facility reservation - Zone 3		3	UAL		UAL2W	15.75	92.83	56.02								
	Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL	10.70	17.56	00.02			1					
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		UREWO		86.07	40.34			İ					
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	0712		O.K.E.V.O		00.07	10.01		1	†					
	2 Wire Unbundled HDSL Loop including manual service inquiry											İ					
	& facility reservation - Zone 1		1	UHL		UHL2X	9.79	125.50	76.77								ĺ
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 2		2	UHL		UHL2X	11.52	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry																
	& facility reservation - Zone 3		3	UHL		UHL2X	12.74	125.50	76.77								
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		17.56									
	2 Wire Unbundled HDSL Loop without manual service inquiry		١.	UHL													
	and facility reservation - Zone 1		1	UHL		UHL2W	9.79	101.24	64.43			-	-				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL		UHL2W	11.52	101.24	64.43								
—	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL		UHLZVV	11.52	101.24	04.43		+	-					
	and facility reservation - Zone 3		3	UHL		UHL2W	12.74	101.24	64.43								
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL	12.74	17.56	04.40			1					
	CLEC to CLEC Conversion Charge without outside dispatch			UHL		UREWO		86.00	40.34			İ					
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP									İ					
	4 Wire Unbundled HDSL Loop including manual service inquiry																
	and facility reservation - Zone 1		1	UHL		UHL4X	16.24	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry																
	and facility reservation - Zone 2		2	UHL		UHL4X	16.65	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry																
	and facility reservation - Zone 3		3	UHL		UHL4X	17.34	153.26	104.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		17.56			1	ļ					——
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL		UHL4W	16.24	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	UNL		UHL4VV	10.24	129.00	92.20		+	 					
	and facility reservation - Zone 2		2	UHL		UHL4W	16.65	129.00	92.20		1						1
 	4-Wire Unbundled HDSL Loop without manual service inquiry			OI IL		OI ILTVV	10.03	123.00	32.20		 		-				—
1 1	and facility reservation - Zone 3		3	UHL		UHL4W	17.34	129.00	92.20		1						1
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UHL		OCOSL		17.56			1		1		l	l	
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL		UREWO	1	86.00	40.34		1		1		l	l	
4-WIR	RE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL		USLXX	85.70	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2			USL		USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	USL		USLXX	491.94	245.16	152.98								
	Order Coordination for Specified Conversion Time (per LSR)			USL		OCOSL		17.56				1					1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	_	LIDI	LIBLAG	00.00	404.00	05.40			1					
-	4 Wire Unbundled Digital 19.2 Kbps	-	1	UDL	UDL19	30.99	121.86	85.48			1					
-	4 Wire Unbundled Digital 19.2 Kbps	-	2	UDL	UDL19	36.78	121.86	85.48			1					
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL UDL	UDL19 UDL56	38.92 30.99	121.86 121.86	85.48 85.48		-	-	-				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		2	UDL	UDL56	36.78	121.86	85.48			 					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	3	UDL	UDL56	38.92	121.86	85.48		-	1			-		
	Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	30.92	17.56	05.40		-	1			-		
 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48		 	<u> </u>		1			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 	2	UDL	UDL64	36.78	121.86	85.48	1	 	 		 	 		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48		<u> </u>				—		
	Order Coordination for Specified Conversion Time (per LSR)	t	Ť	UDL	OCOSL	33.52	17.56	55.40		1			i	1		
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67			İ					
2-WIR	E Unbundled COPPER LOOP	l –			1					1			İ	1		
	2-Wire Unbundled Copper Loop-Designed including manual	1			1					1		İ	İ	1		
	service inquiry & facility reservation - Zone 1	<u></u>	1	UCL	UCLPB	12.29	116.18	67.46		<u> </u>	<u></u>	<u> </u>	<u></u>	L		
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual		_													
	service inquiry and facility reservation - Zone 2	-	2	UCL	UCLPW	14.09	91.92	55.12			1					
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	45.75	04.00	55.40								
	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPVV	15.75	91.92 7.92	55.12 7.92		-	-	-				
-	CLEC to CLEC Conversion Charge without outside dispatch	-	-	UCL	UCLIVIC		7.92	7.92		-	-			-		
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WIR	E COPPER LOOP			001	OILLWO		01.02	72.77			1					
1 11111	4-Wire Copper Loop-Designed including manual service inquiry										İ					
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry										İ					
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Copper Loop-Designed without manual service inquiry	1		l <u>.</u> .	I					I				I		
	and facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63			1					
	4-Wire Copper Loop-Designed without manual service inquiry	1	_	LICI	LICL AW	40.05	445 40	70.00		I				I		
	and facility reservation - Zone 2	!	2	UCL	UCL4W	18.95	115.43	78.63	1	 	ļ		 	 		
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63		1				1		
 	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCL4VV UCLMC	10.99	7.92	78.63	+	 	1	1	 	 		
	CLEC to CLEC Conversion Charge without outside dispatch	 		OOL	UULIVIU		1.52	1.32	1	 	 		 	 		
	(UCL-Des)	1		UCL	UREWO		91.92	42.47		I				I		
LOOP MODIFI					320		002	.2.77		†				†		
T		1		UAL, UHL, UCL,						1			İ	1		
		1		UEQ, ULS, UEA,						I				I		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,						I				I		
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
T	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
\vdash	less than or equal to 18K ft, per Unbundled Loop	ļ		UHL, UCL, UEA	ULM4L		0.00	0.00	1	ļ			ļ	1		
		1		UAL, UHL, UCL,						1				I		
	Habundled Leep Medification Berseyal of Bridged Tex Brown	1		UEQ, ULS, UEA, UEANL. UEPSR.						I				I		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSK, UEPSB	ULMBT		12.15	12.15		1				1		
\Box	рег инвинией тоор	<u> </u>		ULFOD	OLIVID I		12.15	12.15	l .	L		<u> </u>	<u> </u>	1		

UNBL	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			 				_ 1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L		Plate that the															
-	Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	ı		UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		10.99	10.99								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		86.16	86.16								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			-												
		Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- 1		UEANL	USBSD		27.13	27.13	-							
		Zone 1	- 1	1	UEANL	USBN2	7.57	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	21.45	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					44.55										
		Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	11.76	76.75	42.92								
		Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	2	UEANL	USBN4	16.84	76.75	42.92								
		Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48	17.65								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54	23.71								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	33.17								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89	30.06								
	<u> </u>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- !		UEF	UCS2X	10.07	63.89	30.06				1	ļ			
-	 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.70	63.89	30.06			1	 				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L.	L.	UEF	USBMC		7.92	7.92								
<u> </u>	<u> </u>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	_	UEF	UCS4X	8.03	76.75	42.92	ļ				 	ļ		
<u> </u>	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.71	76.75	42.92			ļ	1	-	 		
-	-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.08	76.75	42.92	 		1	 				
	ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
<u> </u>	.	Loop Testing - Basic 1st Half Hour	!	-	UEF	URET1		33.17	33.17			ļ		 	!		
-	Habira	Loop Testing - Basic Additional Half Hour Idled Network Terminating Wire (UNTW)	1		UEF	URETA		19.28	19.28	+		-	1				
-	onbuh	Unbundled Network Terminating Wire (UNTW) per Pair	†	\vdash	UENTW	UENPP	0.3454	14.72	14.72			1	 				
	Netwo	rk Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
	ļ	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43								
	<u> </u>	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73				1	ļ			
LINES	L THER :	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73	1			1	ļ			
UNE O	IHEK, F	PROVISIONING ONLY - NO RATE	-	-	UENTW	UNDBX	0.00	0.00				ļ	1	-	 		
-	1	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0.00		+		1	-	-	-		
		OTTER SHOUL IN ESTADISHINGHI, FIOVISIONING OTHY - NO Rate			UEANL,UEF,UEQ,U								t				
LINE	THER .	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE O	IHER, F	PROVISIONING ONLY - NO RATE	<u> </u>									<u> </u>		l	l		

LINDI	INDI E	D NETWORK ELEMENTS. Louisions											-	A441		F.4.9	
UNBU	INDLE	D NETWORK ELEMENTS - Louisiana			1		1					00	00		ment: 2	Exhil	
														Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									,
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									,
HIGH (CAPACI	TY UNBUNDLED LOCAL LOOP															,
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	10.04										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	362.34	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	10.04										
		High Capacity Unbundled Local Loop - STS-1 - Facility								Î							
		Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP	MAKE-L	JP															
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility gueried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE S	HARING	AND LINE SPLITTING															
	NOTE	1: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	from October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co															
	NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		ľ	1	ľ											
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
		HARING			T				,								
	SPLIT	TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00								
	1	Line Sharing Splitter, per System 24 Line Capacity	1	1	ULS	ULSDB	46.79	183.33	0.00	İ	1				İ		
	1	Line Sharing Splitter, Per System, 8 Line Capacity	1	1	ULS	ULSD8	15.59	183.33	0.00	İ	1				İ		
	1	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1	1	İ					İ	1				İ		
1	1	deactivation (per LSOD)	1		ULS	ULSDG		83.98	0.00			1					,
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	1			i		2.30	İ	1				İ		
	1	Line Sharing - per Line Activation (BST Owned splitter) -	1	1	İ	1	i			İ	1				İ		
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	17.97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	3.10	17.97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter -	i –	1	T		50		.0.20	1	1	i e			i e		
		Central Office Located (50% of UCLND) - please see NOTE 1															
1	1	(E:10/2/2004)	1		ULS	ULSDT	6.20	17.97	10.29			1					,
	1	Line Share Service, TRO per line activation, BST owned splitter -	1	1	† · · · · · · · · · · · · · · · · · · ·	1	5.20		.0.20	i					i		
1	1	Central Office Located (75% of UCLND) - please see NOTE 1	1		İ							1					,
1		(E:10/2/2005)	l		ULS	ULSDT	9.30	17.97	10.29								
	t	Line Sharing - per Subsequent Activity per Line	l -	t	020	02001	5.50	17.57	10.23	 		-			†		
1		Rearrangement(BST Owned Splitter)	l		ULS	ULSDS		15.91	7.95								
—	 	Line Sharing - per Subsequent Activity per Line	-	 	020	02000		10.01	7.55		1						
1		Rearrangement(DLEC Owned Splitter)	l		ULS	ULSCS		15.91	7.95								
	1	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1	1	32000		10.01	7.55	i					i		
		OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31								.
	<u> </u>	000011.1.000 1101111			1020	02000	0.01	77,77	10.01	L					1		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									poi zoit	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														-			
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see				oot	0.40	47.44	10.01								
-		NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned	-		ULS	ULSCT	3.10	47.44	19.31			1					<u> </u>
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
-		Line Share Service, TRO per line activation, CLEC owned			OLO	OLOC1	0.20	77.77	13.31			†					
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
	LINE S	PLITTING										İ					
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29								
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic	1			1		80.00	55.00								ļ
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT										ļ					
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	-	-								1					
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	-		UTIVA	ILSAA	0.013					1					1
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	011172	22.00	55.50	20.02			+					
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			OTT TA	120701	0.0.0					İ					
		Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5307	0.040										
		per month	-		U1TDX	1L5XX	0.013					1					<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-		UTIDA	UTIDO	15.01	39.37	20.02			1					1
		Imonth			U1TD1	1L5XX	0.2652										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	TEOAX	0.2032				1	1					
		Termination			U1TD1	U1TF1	70.47	86.69	79.44								
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01121		70.11	00.00	70			i e					
		month			U1TD3	1L5XX	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility					9.9.1					İ					
		Termination per month			U1TD3	U1TF3	850.45	270.69	158.05								
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	6.04										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	830.19	270.69	158.05								ļ
DARK	IBER		<u> </u>			1									ļ		ļ
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1										1				
<u> </u>		Thereof per month - Interoffice Channel	-	ļ	UDF, UDFCX	1L5DF	25.28		100.5-		-				ļ	 	
<u> </u>		NRC Dark Fiber - Interoffice Channel	!	-	UDF, UDFCX	UDF14		620.60	133.88	 	1	ļ	 		 	 	
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIDEOV	1L5DL	50.00						1				'
—		Thereof per month - Local Loop	├	-	UDF, UDFCX UDF, UDFCX	UDFL4	52.23	620.60	133.88	-	 	 			 	-	-
L		NRC Dark Fiber - Local Loop		<u> </u>	UDF, UDFGX	UDFL4		ხ∠∪.60	133.88		1	l	l		1		

LINIDUNID	ED NETWORK ELEMENTO. Laudelana															
ONBOND	LED NETWORK ELEMENTS - Louisiana	1	1								00	00		ment: 2	Exhi	
											I .		Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OATE CORT	NATE ELEMENTO	m	20110	200	0000			πατι ΣΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurrin	g Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCES	S TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										i
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.51	0.43								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															ı l
	POTS Translations			OHD	-		5.77	0.78								
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.77	0.78								ı l
	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INSFIA	-	5.77	0.78			-					
	Per 8XX Number			OHD	N8FCX		2.51	1.26								ı l
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	INOFUA	1	2.51	1.20			1					
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								ı l
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43			1					
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15			2.00	0.10			i e					
	Features			OHD	N8FDX		2.51									ı l
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										ı l
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006387										
LINE INFOR	RMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000221										
	LIDB Validation Per Query			OQU		0.0135077										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.33									
SIGNALING					DT001/											
	CCS7 Signaling Termination, Per STP Port			UDB UDB	PT8SX	147.60 0.000064					1					
-	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50		 	 					
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			ODB	IFFTT	15.77	34.30	34.30			<u> </u>					
1 1	link)			UDB	TPP++	15.77	34.50	34.50								i l
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.000016	0 1.00	01.00			1					
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10					İ					
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								ı l
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								i
E911 SERV																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21								
\vdash	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		ļ			18.32	187.51	32.21		-						
\vdash	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		₩		+	0.013				 	-					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.60	39.36	26.62								, l
 	Local Channel - Dedicated - DS1 - Zone 1	H	!		+	39.18	172.34	149.27		1	1					
	Local Channel - Dedicated - DS1 - Zone 2				+	121.58	172.34	149.27			<u> </u>					
	Local Channel - Dedicated - DS1 - Zone 3				+	70.02	172.34	149.27		1	1					
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2652	172.04	140.27			i e					
											İ					
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44								ı l
CALLING N	AME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			22.29									
	CNAM For Non DB Owners - Service Establishment			OQV			22.29									
	CNAM For DB Owners - Service Provisioning With Point Code					ı 7										, 7
	Establishment			OQV	1	ļ	962.22	711.64		ļ						
	CNAM For Non DB Owners - Service Provisioning With Point															, l
\vdash	Code Establishment		ļ	OQV		0.00400:=	332.43	238.05		-						
\vdash	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query	-	-	OQV OQV	+	0.0010217 0.0010217				 	 					
SELECTIVE		-	-	UQV	+	0.0010217				+						
SELECTIVE	. NOUTING		ь	l		1				L		1		l		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana				1						Г-	r -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	October Desire Bestleine Live Oleve October Desire		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25								
VIRTUAL COL			1		+		02.20	02.23							 	
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1		+						†				-	
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CO	DLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECTIV	VE CARRIER ROUTING		ļ													
	Regional Service Establishment End Office Establishment		1	UEBIB	SRCEC SRCEO	-	100,209.33	404.00			1				1	<u> </u>
+	Query NRC, per query	-	1	UEBIB UEBIB	SKUEU	0.0030293	164.29	164.29	+		1				 	+
AIN - BELLSC	DUTH AIN SMS ACCESS SERVICE	-	 	OLDID	+	0.0030293									 	
1	AIN SMS Access Service - Service Establishment, Per State,		 		1						1				†	†
1	Initial Setup			A1N	CAMSE		38.30	38.30							I	
İ	·															
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60								
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		33.99	33.99			ļ					
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39								
+	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	AIN	CAIVIRC	0.0022	41.39	41.39							 	+
-	AIN SMS Access Service - Session, Per Minute		1		1	0.5795					1					†
	AIN SMS Access Service - Company Performed Session, Per										†				t	
	Minute					0.8104										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38.30	38.30								
	AIN Toolkit Service - Training Session, Per Customer		1		BAPVX		4,175.10	4,175.10								ļ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAPTI		7.00	7.00			1				1	
	DN, Off-Hook Delay				BAPTD		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5, 11 . 5		7.00	7.00			i e					
	DN, Off-Hook Immediate				BAPTM		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.47	33.47								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		33.47	33.47			ļ					ļ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		33.47	33.47								
+	AIN Toolkit Service - Query Charge, Per Query		1		DAPIF	0.0536446	33.41	33.47							<u> </u>	+
	AIN Toolkit Service - Query Charge, 1 er Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		1		+	0.0330440										+
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access										İ					
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				L	I $ egin{array}{cccccccccccccccccccccccccccccccccccc$									_	
	Subscription	ļ	1	CAM	BAPMS	10.90	7.60	7.60			1					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	DADI C	2 00	0 44	0.44							I	
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	-	1	CAIVI	BAPLS	2.80	8.41	8.41			}				-	+
	Subscription			CAM	BAPDS	8.20	7.60	7.60								
+	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit					3.20									1	
1	Service Subscription			CAM	BAPES	0.09	8.41	8.41							I	
	XTENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	lly Combined' N	letwork Eleme	nts.				1	 '
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	שו טבו	1 IN I E	KUFFICE TRANSPO	KI						l					<u> </u>

UNBUN	IDLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
	1											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect	ĺ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26								
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09			<u> </u>					
		Fort Attendant Office (O. C. C. C. C. C. C. C. C. C. C. C. C. C.	1	_	LINIONAY	LIEALO					I				I		
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	25.35	94.21	45.09			ļ			ļ		
		Fort Additional Office VOLUME (2000)	1	_	LINIONAY	LIEALO					I				I		
\vdash		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	 	3	UNCVX	UEAL2	50.46	94.21	45.09	1	 				 	 	
\vdash		Voice Grade COCI - Per Month	-	-	UNCVX	1D1VG	0.6497	5.91	4.26	1	 	 			 	 	
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		5.43	5.43								
	VTENI	Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DO	1 INITE				5.43	5.43		-	-	-				
	VIEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	IED DS	INIE	COFFICE TRANSPO	I I						-					
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Thist 4-Wife Arialog Voice Grade Loop in Combination - Zone 1		-	ONOVA	OLALT	30.01	34.21	45.05								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		That I was a raise or age 200p in combination.		l -	0.10171	02/121	00.02	0	.0.00			1					
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				1		<u> </u>									
		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per										1					
		Month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								ĺ
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
\vdash		Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	60.39	94.21	45.09			ļ			ļ		
\vdash		Additional Voice Grade COCI in combination - per month	ļ		UNCVX	1D1VG	0.6497	5.91	4.26			ļ			ļ		
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAY	LINGGO		- 40	E 40		I				I		
	VTC	Is Charge DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI:	CATER	Dea in	UNC1X	UNCCC		5.43	5.43	1	 	 			 	 	
E	A I EN	DED 4-MIKE 30 VBL9 EY I ENDED DIGITAL FOOL MITH DEDI	CATED	או ופת	I ERUFFICE TRANS	DFUK I				1	 	1	-	-	 		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	4	UNCDX	UDL56	30.99	94.21	45.09		I				I		
+		1 1131 T- YVIII O DONDPS DIGITAL GLADE LOUP III COMBINATION - ZONE T	 	-	OIAODV	UDLUG	30.99	94.∠1	45.09		 	 	-		 	 	
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	36.78	94.21	45.09		I				I		
+		THE THE SUMUPS DIGITAL GLADE LOUP III COMBINATION - ZONE Z	 		OIAODV	UDLUB	30.78	94.∠1	45.09	1	 	 			t	 	
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09		I				I		
\vdash		Interoffice Transport - Dedicated - DS1 combination - Per Mile	†	-	5.10DX	35200	30.32	34.21	45.05	1	 	 	-		I		
		Per Month	1		UNC1X	1L5XX	0.2652				I				I		
\vdash		Interoffice Transport - Dedicated - DS1 - combination Facility	1				3.2002				<u> </u>				<u> </u>	1	1
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88		1				1		
		1/0 Channel System in combination Per Month	İ	İ	UNC1X	MQ1	105.09	59.97	12.96								
		OCU-DP COCI (data) per month (2.4-64kbs)	İ	İ	UNCDX	1D1DD	1.38	5.91	4.26								
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	İ	İ													
		Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	30.99	94.21	45.09		<u> </u>	<u></u>	<u> </u>		<u> </u>		<u> </u>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					j	İ									
		Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09		<u> </u>						<u> </u>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
1 1		Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09	1	1	1	1	1	1	1	1

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
						T						Svc Order	Svc Order	Incremental			Incremental
												Submitted	1		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional OCU-DP COCI (data) - in combination per month (2.4-	-														
		64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	PORT											
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
$\vdash \vdash$		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	-	3	UNCDX	UDL64	38.92	94.21	45.09	-					-	ļ	_
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1		LINICAY	41.5307	0.0050			I					I		
\vdash		Per Month	!		UNC1X	1L5XX	0.2652			-	ļ	-			-		
		interoffice Transport - Dedicated - DS1 combination - Facility	1		LINICAY	LIATE 4	70.4-	440.50	100.00	I					I		
		Termination Per Month	-	-	UNC1X	U1TF1	70.47	143.58	103.88			1					-
		1/0 Channel System in combination Per Month			UNC1X	MQ1 1D1DD	105.09	59.97 5.91	12.96 4.26	-		 					
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-	-	UNCDX	טטוטו	1.38	5.91	4.26			-	-				
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
-		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-	'	UNCDA	UDL04	30.99	94.21	45.09			-	-				
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
-		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDA	UDL04	30.76	94.21	45.09	-	ļ	ł	-		-		-
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
		Additional OCU-DP COCI (data) - in combination - per month		3	ONODA	ODLO4	30.32	34.21	45.05		1						
		(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	1.50	3.31	4.20			†					
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				0.10	0.10			İ					
		4-Wire DS1 Digital Loop in Combination - Zone 1	T		UNC1X	USLXX	85.70	169.22	100.89			İ					
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			İ					
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNC1X	UNCCC		5.43	5.43								
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER													
		First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								ļ
		First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
		First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - DS3 combination - Per Mile				41 = 307											
		Per Month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															
		month	-	-	UNC3X	U1TF3	850.45	296.68	121.16			1					-
		3/1Channel System in combination per month DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	201.48 11.78	107.05	91.25 4.26	-		 					
\vdash		Additional DS1Loop in DS3 Interoffice Transport Combination -	 	-	ONCIA	OCIDI	11.78	5.91	4.26	 		}			+	 	
		Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
\vdash		Additional DS1Loop in DS3 Interoffice Transport Combination -	1	<u> </u>	CHOIN	JOLAA	00.70	103.22	100.09	 	1	1	H		t	 	
		Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89	I					I		
		Additional DS1Loop in DS3 Interoffice Transport Combination -	 		011017	COLAA	134.30	103.22	100.09	+	†				+		
		Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89	I		1			I		
		Additoinal DS1 COCI in combination per month	 	Ť	UNC1X	UC1D1	11.78	5.91	4.26	t	1	†	 		†		
		Nonrecurring Currently Combined Network Elements Switch -As-				1		3.31	20	t		1			†	i	†
		Is Charge	1		UNC3X	UNCCC		5.43	5.43	I		1			I		
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE				2.70	2.10	1	1	1			İ	İ	
		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09		1					ĺ	
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09		1					ĺ	
												•	•				

UNBUND	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
<u> </u>	Ī					1						Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec	1	Manual Svc	Manual Svc	_	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonred		Nonrecurrin	g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
\vdash		Month			UNCVX	1L5XX	0.013										
		Interoffice Transport - 2-wire VG - Dedicated - Facility						======									'
		Termination per month		-	UNCVX	U1TV2	22.60	72.60	41.75			1					
		Nonrecurring Currently Combined Network Elements Switch -As-			LINOVY	LINICOC		5 40	F 40								
EV	TENI	Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CBAD	E INITEI	UNCVX	UNCCC		5.43	5.43		 	 	-				-
EA	IENI	4-WireVG Loop in combination - Zone 1	GRAD	E IN I E	UNCVX	UEAL4	30.81	94.21	45.09	-		 					
—	-	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	-		1	1		-		
 		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	 		<u> </u>				1	
	-	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	ONOVA	OLALT	00.55	34.21	43.03			†					
		Month			UNCVX	1L5XX	0.013										
	-	Interoffice Transport - 4-wire VG - Dedicated - Facility			ONOVA	TEO/O	0.010					†					
		Termination per month			UNCVX	U1TV4	19.81	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-			O. CO TAX	01111	10.01	72.00				İ					
		Is Charge			UNCVX	UNCCC		5.43	5.43								
EX	TEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.04										
		·															
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	850.45	296.68	121.16								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC3X	UNCCC		5.43	5.43								
EX	TEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.04										
		STS-1 Local Loop in combination - Facility Termination per															l
\vdash		month			UNCSX	UDLS1	374.56	188.45	125.51								
		Interoffice Transport - Dedicated - STS-1 combination - per mile			LINCOV	1L5XX	0.04										ĺ
-		per month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	ILDAX	6.04				 	 	-				-
		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
	-	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCOX	UTIFS	030.19	290.00	121.10	-	 		-		-		
		Is Charge			UNCSX	UNCCC		5.43	5.43								
FX	TENI	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	UNCOX	UNCCC		3.43	3.43								
	1	First 2-Wire ISDN Loop in Combination - Zone 1	I	1 1	UNCNX	U1L2X	22.09	94.21	45.09		1		1				
h + +		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09		1		1				
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09			İ					
		Interoffice Transport - Dedicated - DS1 combination - per mile		Ť								İ					
		per month			UNC1X	1L5XX	0.2652										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
		1/0 Channel System in combination - per month			UNC1X	MQ1	105.09	59.97	12.96								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
		Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	T	Additional 2-wire ISDN Loop in same DS1Interoffice Transport												I			1
		Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	L	ļ				ļ		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1						I					I		1
		Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09			ļ					
		Additional 2-wire ISDN COCI (BRITE) - in combination- per						!		1					1		1
		month		<u> </u>	UNCNX	UC1CA	2.96	5.91	4.26	-	-				-		
		Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000			F	1					1		1
EV	/TEN:	Is Charge	ED OTO	4 15177	UNC1X	UNCCC		5.43	5.43	1	ļ	 	-		 	-	
EX	ILL	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED SIS	-1 IN I E			85.70	169.22	100.89	 	 	1	<u> </u>		 		
\vdash	\dashv	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	-	2	UNC1X UNC1X	USLXX	194.96	169.22	100.89	 	 	1	<u> </u>		 		
		r iist DS r Loop Combination - Zone Z	1	4	ONC IA	USLXX	194.96	109.22	100.89	1	1	1	<u> </u>	<u> </u>		1	1

UNRI	INDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
3.400		D ILL I WORK ELLINEITI O - Louisiana		l		1	I					Svc Order	Svc Order	Incremental			
						1							Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc ist	DISC Add I
							Rec	Nonred		Nonrecurring Di					Rates (\$)	_	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile				41 = 204											
		Per Month			UNCSX	1L5XX	6.04										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			LINGOV		000.40	000.00	101.10								
-		Termination per month 3/1 Channel System in combination per month			UNCSX UNCSX	U1TFS MQ3	830.19 201.48	296.68 107.05	121.16 91.25								
	1	DS1 COCI in combination per month	-	-	UNC1X	UC1D1	11.78	5.91	4.26	+							
-		Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	OCIDI	11.70	3.91	4.20	 							1
		Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
		Additional DS1Loop in the same STS-1 Interoffice Transport		i i	0.10.71	002/01	00.70	.00.22	100.00								
		Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	i	Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
		DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		5.43	5.43								
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	ļ	Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	LIATOS	45.04	70.00	44.75								
	1	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	15.61	72.60	41.75	-							-
		Is Charge	1		UNCDX	UNCCC		5.43	5.43								
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	DS INT	FROFE		UNCCC	 	3.43	3.43	 				1			1
	LATEN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	30.99	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	38.92	94.21	45.09								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.013										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.43	5.43								
	EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09								
	ļ	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09								
	 	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09	 				-	1		-
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2652										
	1	First Interoffice Transport - Dedicated - DS1 combination -	 	 	ONCIA	ILOAA	0.2052			+ +				 	1	 	
		Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
-	†	Per each DS1 Channelization System Per Month	-	-	UNC1X	MQ1	105.09	59.97	12.96	+ +				 	1		
	<u> </u>	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	i –	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25					İ			İ
	i	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1		İ		1								1			1
	<u></u>	Interoffice Transport Combination - Zone 1	<u></u>	1	UNCVX	UEAL2	14.93	94.21	45.09							<u> </u>	
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		Each Additional 2-Wire VG Loop(SL2) in the same DS1				l											
	ļ	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09					ļ			ļ
	!	Each Additional Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	0.6497	5.91	4.26								
	1	Each Additional DS1 Interoffice Channel per mile in same 3/1		1	LINICAV	41.572	0.0050										
<u> </u>	-	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.2652			 					-		
		same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	1	Jame of Chamer System per month	L	<u> </u>	ONOIA	In III.I	70.47	143.38	103.68	<u> </u>				L	1	l	L

UNBUNDI	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
ONBONDE	ELD NETWORK ELLMENTS - Louisiana		l .		1	1					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
					Ī	Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXT	FENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 MI	UX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -			110000		00.00	04.04	45.00								
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -		3	111000	UEAL4	00.00	04.04	45.00								
-	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL4	60.39	94.21	45.09		 	-					
	Mile Per Month			UNC1X	1L5XX	0.2652										
 	First Interoffice Transport - Dedicated - DS1 - Facility		!	OIVO IA	ILUAA	0.2652			 	1	H			l	l	
1	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				1				
\vdash	Per each 1/0 Channel System in combination Per Month		 	UNC1X	MQ1	105.09	59.97	12.96		 						
 	Per each Voice Grade COCI in combination - per month	-		UNCVX	1D1VG	0.6497	59.97	4.26		 	-	-				
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25			1					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26			1					
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10.71	00.5.		0.01	20			1					
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXT	TENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINODY	LIDI FO	00.00	04.04	45.00								
	Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	36.78	94.21	45.09								
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDLS6	30.78	94.21	45.09		 	-					
	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				1				1
 	First Interoffice Transport - Dedicated - DS1 combination - Per		3	OINODA	ODESO	30.92	34.∠1	45.09		 					-	
	Mile Per Month			UNC1X	1L5XX	0.2652						1				
	First Interoffice Transport - Dedicated - DS1 - combination			001/	0,0,0	0.2002				1						
1	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				1				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96	İ	Ì				İ	İ	İ
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		†	UNCDX	1D1DD	1.38	5.91	4.26		Ì						İ
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25	l	1				l	l	İ
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					1										
L l	Interoffice Transport Combination - Zone 1	L	_1	UNCDX	UDL56	30.99	94.21	45.09	<u></u>		<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1													l	I	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
1	OCU-DP COCI (data) COCI in combination per month (2.4-				1							1				
\vdash	64kbs)		<u> </u>	UNCDX	1D1DD	1.38	5.91	4.26		ļ						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				I							1				
\vdash	Channel System per month		ļ	UNC1X	1L5XX	0.2652			-	-	-			 	 	
1 1	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	LINIOAV	Luze:							1				
	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	70.47	143.58	103.88	L	1	1	l		l	L	L

LINBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
CINDOINDE		1				1					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
L	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
—	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	30.99	94.21	45.09		 						
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-		UNCDA	ODL04	30.76	34.21	45.09								
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ŭ	ONODA	ODLOT	00.02	04.21	40.00								
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -					0.200										
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1							4= 00								
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINCDY	1D1DD	4.00	F 04	4.26								
	combination - per month (2.4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	טטוטו	1.38	5.91	4.26			-					
	Channel System per month			UNC1X	1L5XX	0.2652										
 	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILJAA	0.2032										
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system			O. CO. IX		7 0. 11	1 10.00	100.00								
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			l	l											
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIN	1141.07	05.10	04.04	45.00								
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09		1				-		
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAV	11 5 7 7	0.2650										
\vdash	Mile per month First Interoffice Transport - Dedicated - DS1 combination -	-	-	UNC1X	1L5XX	0.2652				+	-					
	Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
 	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	105.09	59.97	12.96		 				 		
	, or each enterior dystom from combination per month			001/		100.00	55.51	12.30		†	<u> </u>					
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25	İ	<u> </u>				İ		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26						1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				1											
	Combination - Zone 1	<u></u>	1	UNCNX	U1L2X	22.09	94.21	45.09	<u> </u>		<u> </u>			<u> </u>		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			l	l											
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09		l	İ					

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	A LUMB LOCAL CORPUTED IN A COLUMN TO THE COL		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel						= 0.4									
	system combination- per month	-	-	UNCNX	UC1CA	2.96	5.91	4.26			1					
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAV	41.577	0.0050										
—	Channel System per month	-	+	UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								ı
	Each Additional DS1 COCI in the same 3/1 channel system	-	 	UNCIA	UTIFT	70.47	143.30	103.00			1					
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								1
	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONCIA	OCIDI	11.76	5.91	4.20			1					
	Is Charge			UNC1X	UNCCC		5.43	5.43								1
FXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		CINCOC		0.40	0.40								
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	1		UNC1X	USLXX	85.70	169.22	100.89			İ					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89			İ					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89			İ					
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.2652										1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								ı
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															ı
	combination per month		ļ	UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		١.				400.00									ı
	1		1	UNC1X	USLXX	85.70	169.22	100.89								-
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	LINIOAV	1101.707	101.00	400.00	100.00								1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	194.96	169.22	100.89			-					
	Additional 4-Wire DST Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	491.94	169.22	100.89								ı
	Nonrecurring Currently Combined Network Elements Switch -As-	-	3	UNCIA	USLAA	491.94	109.22	100.69			1					
	Is Charge	1		UNC1X	UNCCC		5.43	5.43								ı
EYTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE :		ONCCC		3.43	3.43			1					
LATE	First 4-wire 56 kbps Local Loop in combination - Zone 1	<u></u>	1	UNCDX	UDL56	30.99	94.21	45.09			1					
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4-wire 56 kbps Local Loop in combination - Zone 3	t	3	UNCDX	UDL56	38.92	94.21	45.09						İ		
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile													İ		
	per month	1		UNCDX	1L5XX	0.013										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				T i				l i							
	Termination per month	<u> </u>	<u></u>	UNCDX	U1TD5	15.61	72.60	41.75	<u> </u>		<u> </u>			<u></u>		
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge		1	UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 2	.	2	UNCDX	UDL64	36.78	94.21	45.09								
\vdash	First 4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL64	38.92	94.21	45.09						 		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1		LINCDY	41.577	0.046										
	per month	-	1	UNCDX	1L5XX	0.013					ļ			-		
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINCDY	LIATOR	15.04	70.00	44 75								
 	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	+	+	UNCDX	U1TD6	15.61	72.60	41.75			 		-		-	
	Is Charge	1		UNCDX	UNCCC		5.43	5.43								1
ADDITIONAL	NETWORK ELEMENTS	├	+	OINCDA	UNCCC		5.43	5.43								
	used as a part of a currently combined facility, the non-recurr	rna cha	raes do	notanniy but a	Switch As Is at	arne does ann	alv		 		1			l		
	used as ordinarily combined network elements in All States, t															
	ecurring Currently Combined Network Elements "Switch As Is"					is charge t					1					
	Owner As I	a. gu	,00	FF50 10 00011 0011						1				l		

ATEORY RATE LEMENTS WAS BOS USOS RATES B) Security Companies (August Description Companies Compa	UNBIII	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	nit: A
ATECHNIS BATE ELEMENTS BATE PLANETS BATE	5.4001		5 ILL I WORK ELEMENTO - Louisiana	1	I								Svc Order	Svc Order				Incremental
RATE BLENDTY RATE LENDLYS Interest Section Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rate Rock Rock Rate Rock				1			1						1					
CATEGORY SATE ELEMENTS				l														
Record R	CATEG	DRY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			1	,				
Non-conting Common Contrived Network Elements Switch - Apr Non-conting Common Contrived Network Elements Switch - Apr Non-conting Common Contrived Network Elements Switch - Apr Non-contrived Network	071120			m						101120 (4)			per LSR	per LSK				
Proceeding Control C																		
March Marc															1st	Add'l	Disc 1st	Disc Add'l
March Marc								_	Nonre	curring	Nonrecurrin	a Disconnect			oss	Rates (\$)		
Number of Carbon of Descript Research Sements Study And Schools 2 - Mind Vision 1 - Mind Vision 1 - Mind Vision 2 - Mind Vis								Rec					SOMEC	SOMAN			SOMAN	SOMAN
SCHOOL 2			Nonrecurring Currently Combined Network Elements Switch -As-															
In Charge, 5898 bigs			Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
Nonecurring Correlling Controlled Network Elements Seletich - Not			Nonrecurring Currently Combined Network Elements Switch -As-						Î	Î						Î		
Schange SST Service						UNCDX	UNCCC		5.43	5.43								
Noncexuming Currently Contributed Network Elements Switch Ade NoCick			Nonrecurring Currently Combined Network Elements Switch -As-															
S. Charge, D.S.						UNC1X	UNCCC		5.43	5.43								
Namescuring Currents Cartifories Namescuring Cartifories Namescuring				ł														
In Charge - STRS						UNC3X	UNCCC		5.43	5.43								
Clear Channel Capability Extended Frame Option - per D81				ł														
Clear Channel Capability Entended France Option - per DS1						UNCSX	UNCCC		5.43	5.43								
Clear Channel Capability Super Frame-Option - per DS1		Option	al Features & Functions:															
Clear Charmel Capability Super FrameOption - per DS1 ULDD1 UND1X COOSF 01 01 01 01 01 01 01 02 01 01 01 01 01 01 02 01 01 01 02 01 01 02 01 01 02 01 02 01 02 01 02 01 02 01 02 01 02			0101	١.			00055		01	01	01							
Clear Channel Capability Signs Framoption - per DS1	-		Clear Channel Capability Extended Frame Option - per DS1		-		CCOEF		UI	UI	OI .	OI .						
Clear Charmer Claysolatey (SFEST) Option - Subsequent UNDITY, UNDITY, USB, NRCCC 184 655 23.796 1.975 0.775 1.97			Clear Channel Canability Super Franco-tion	Ι.			CCOSE		OI.	OI.	OI.	OI.						
Activity - per D81	\vdash				+		CCOSF		UI	UI	UI	UI	-	-				
C-bit Parity Option - Subsequent Activity - per DS3							NRCCC		184 659	23 705	1 979	0.778		1				
C-ot Party Option - Subsequent Activity - per DS3	\vdash		Activity - per DOT	<u> </u>			INICCC		104.033	23.193	1.973	0.773				1		
MULTIPLEMENS			C-hit Parity Ontion - Subsequent Activity - per DS3	l i			NRCC3		218 785	7 665	72635	08						
DST to DSD Channel System per month		VIIII TI				0L3, 01403X	1411003		210.700	7.000	.72030	00						
OCU-OP COCI (data) - DS1 to DS0 Channel System - per morth						UNC1X	MQ1	105.09	59 97	12 96			1					
month (2.4-64bs) used for a Local Loop						0.10.77		100.00	00.01	12.00								
COLUPE COCI (data) - DS1 to DS0 Channel System - per month (2.4-64xb) used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUD U1DD 1.38 6.39 4.58						UDL	1D1DD	1.38	6.39	4.58								
Local Channel in the same SWC as collocation UTIUD IDIDD 1.38 6.39 4.58																		
2-wire ISDN OCCI (RRITE) - DSI to DS0 Channel System - per month for a Local Loop UDN			month (2.4-64kbs) used for connection to a channelized DS1															
month for a Local Loop						U1TUD	1D1DD	1.38	6.39	4.58								
2-wire ISDN COCI (RENTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel in the same SWC as collocation						UDN	UC1CA	2.96	6.39	4.58								
In the same SWC as collocation																		
Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop UEA 1D1VG 0.6497 6.39 4.58																		
Used for a Local Loop						U1TUB	UC1CA	2.96	6.39	4.58								
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DSI Local Channel in the same SWC as collocation																		
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC						UEA	1D1VG	0.6497	6.39	4.58								
Same SWC as collocation																		
DS3 to DS1 Channel System per month						14710	4041/0	0.0407	0.00	4.50								
STS-1 to DS1 Channel System per month	\vdash			!	+						1	 	-	-				
DS1 COCI (used with Loop per month USL UCID1 11.78 6.39 4.58	\vdash			 	-						1	 		 	 	 		
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month U1TUA UC1D1 11.78 6.39 4.58 DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month ULDD1 UC1D1 11.78 6.39 4.58 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire Gunbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled La extended local with Caller ID - Res UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled Louisiana Area Plus with Caller ID - Res UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled Louisiana Area Plus with Caller ID - Res UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire WG unbundled Louisiana Area Plus with Caller ID - Res UEPSR UEPAS 1.52 2.31 2.21				-	1						1	+	 					
Channel in the same SWC as collocation) per month U1TUA UC1D1 11.78 6.39 4.58 DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 11.78 6.39 4.58 DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 11.78 6.39 4.58 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port - Res. UEPSR UEPRL 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LOuisiana Area Plus with Caller ID - Res. (UEPSR UEPAG 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled res, low usage line port	\vdash						30.151	11.70	0.39	7.50	1	 	-	-		 		
DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1				1		U1TUA	UC1D1	11 78	6.39	4 58		I		1				
DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 11.78 6.39 4.58 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPRS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LOuisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port	\vdash											<u> </u>				1		
MONTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs Exchange Ports				i e			1		0.50	50		1			İ	İ		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Vire Vire Vire Vire Vire Vire Vire V				1		ULDD1	UC1D1	11.78	6.39	4.58		I		1				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 2.21 UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPSR UEPRC 1.52 2.31 2.21 UEPSR UEP	UNBUN	DLED I	OCAL EXCHANGE SWITCHING(PORTS)				1									1		
2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRL 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR U		Exchar	nge Ports															
Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 1.52 2.31 Exchange Ports - 2-Wire Vire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.52 2.31 2.21 UEPSR UEPRO 1.52 2.31 Exchange Ports - 2-Wire Vire Unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port				KY, LA	& TN, tl	he desired features	will need to b	e ordered usir	ng retail USOC	s								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 1.52 2.31 2.21 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPSR UEPSR UEPAS 1.52 2.31 2.21 UEPSR UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port		2-WIRE																
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UE			Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21								
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UE				1		l	l					I		1				
Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR UEPAS 1.52 2.31 2.21	$\vdash \vdash$		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	!	<u> </u>	UEPSR	UEPRC	1.52	2.31	2.21	1							
Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res. UEPSR UEPAS 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR UEPAS 1.52 2.31 2.21			Forting Body OWEN Andrew Co. 5	1		LIEDOD	LIEBES					I		1				
dialing Parity Port with Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) Exchange Ports - 2-Wire VG unbundled res, low usage line port UEPSR UEPAG 1.52 2.31 2.21	\vdash			ļ	ļ	UEPSK	UEPRO	1.52	2.31	2.21		-	-		 	ļ		
Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL) UEPSR UEPAG 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled res, low usage line port				1		LIEDOD	LIEDAG	4.50	0.01	0.01		1						
with Caller ID - Res (RUL) UEPSR UEPAG 1.52 2.31 2.21 Exchange Ports - 2-Wire VG unbundled res, low usage line port	\vdash			!	+	UEPOK	UEPAS	1.52	2.31	2.21	1	 	-	-				
Exchange Ports - 2-Wire VG unbundled res, low usage line port				1		LIEPSR	LIEPAG	1.50	2 21	2 21		I		1				
				l	†	OLI OIX	OLI AO	1.52	2.31	2.21	1	—						
	1 1		with Caller ID (LUM)	1	1	UEPSR	UEPAP	1.52	2.31	2.21		I		1				

UNBU	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan															
		without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21								
		Exchange Ports - 2-Wire VG Louisiana Residence Area Plus			02. 0.0	02. 110	1.02	2.01									
		without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21								
		2-Wire voice unbundled Low Usage Line Port without Caller ID		-	02. 0.0	02	1.02	2.01									
		Capability			UEPSR	UEPRT	1.52	2.31	2.21								
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00			†					
	FEATU				OLI OIL	00/100	0.00	0.00	0.00			†					
	LAIC	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00			1					
	2-WIDE	E VOICE GRADE LINE PORT RATES (BUS)			OLI OK	OLI VI	0.00	0.00	0.00			1					
	Z-VVIIN	Exchange Ports - 2-Wire Analog Line Port without Caller ID -										1					
I		Rus	1	1	UEPSB	UEPBL	1.52	2.31	2.21		1	1	I	l	l		
-		Exchange Ports - 2-Wire VG unbundled Line Port with	 	 	טבו טט	OLFBL	1.52	2.31	2.21			 	 	 	 		
I		unbundled port with Caller+E484 ID - Bus.	1	1	UEPSB	UEPBC	1.52	2.31	2.21		1	1	I	l	l		
—		unbundied port with Callet + L+04 ID - Dus.	 	+	OLFOD	OLFBC	1.02	۷.3۱	2.21	1		1	-				
		Evolungo Porto - 2 Wiro Apolog Line Port outgoing and Dur			UEPSB	UEPBO	1.52	2.24	2.04								
\vdash		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	-	-	UEPOB	DENRO	1.52	2.31	2.21	-		-					
		Exchange Ports - 2-Wire VG unbundled LA extended local			LIEDOD	LIEDAY	4.50	0.04	0.04								
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21								
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21								
		Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
		Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan															
		without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21								
		Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															
		Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21								
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1.52	2.31	2.21								
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
	EXCH/	ANGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42								
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42								
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42								
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42								
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42								
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42								
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42				İ		İ		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP	UEPXD	1.52	30.37	14.42					ĺ	ĺ		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1		1					İ	1	İ	İ	İ		
		Capable Port			UEPSP	UEPXE	1.52	30.37	14.42								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional		t				00.01	12		İ			i	i		
1		Callling Port	1	1	UEPSP	UEPXK	1.52	30.37	14.42		1	1	I	l	1		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>	<u> </u>	0.		02	55.01	12			1	1	1	1		
		Administrative Calling Port	1	1	UEPSP	UEPXL	1.52	30.37	14.42				1				
—		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	t	t	0.	J /\L	1.02	00.01	17.72			t	 	 	†		
		Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42								
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	 	OL1 01	OLI AIVI	1.02	30.37	14.42		 	H		 	 		
		Discount Room Calling Port	1	1	UEPSP	UEPXO	1.52	30.37	14.42				1				
—		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	-	 	OLFOF	OLFAU	1.52	30.37	14.42	1		-		-	-		
					UEPSP	UEPXP	1.52	30.37	14.42								
—		Discount Calling Port	-	-			1.52 1.52			-		-					
-		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	 	+	UEPSP	UEPXS		30.37	14.42	1		 					
\vdash	FEATU	Subsequent Activity	-	-	UEPSP	USASC	0.00	0.00	0.00	-		-					
<u> </u>	PEAIL		-	-	HEDOD HEDOE	LIEDVE	0.00	0.00	0.00	1	-	-	.	-	.		
		All Available Vertical Features	<u> </u>	<u> </u>	UEPSP UEPSE	UEPVF	0.00	0.00	0.00		l	1					

UNBU	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
				1								Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
			to read									Elec		Manual Svc	Manual Svc		Manual Svo
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonre			g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port	L		<u> </u>	<u> </u>	1.52	2.31	2.21	<u> </u>		<u> </u>	L				
		Transmission/usage charges associated with POTS circuit sy													 	L	
LINIBLIA		Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)	avallal	ole oni	through BFR/New	Business Re	quest Process.	Rates for the	раскет сарар	liities will be a	etermined via t	ne Bona Fid	ie Request/	New Busines	s Request Pro	cess.	
UNBUN		NGE PORT RATES		<u> </u>							-	.					
-		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in thic	rata avhihit annly t	o the embed	dod baso in nla	00 25 of 10/2/0	2 until 4/1/04	After 4/1/04 th	oco ratoc chall	rovert to ta	riff rates or	a conarato ad	roomont		
-		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											lili rates or	a separate ay	leement.		
-	rtoquos	Exchange Ports - 2-Wire DID Port	1101 1110	1	UEPEX	UEPP2	8.29	115.85	18.20		l l	I I I I I I I I I I I I I I I I I I I					
	\vdash	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID					0.20		.0.20		<u> </u>						
		capability (E:4/1/2004)			UEPDD	UEPDD	68.47	196.18	92.92		I						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46		1		1	İ	İ	l	1
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00			İ		1	1		
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			İ		1	1		
		Transmission/usage charges associated with POTS circuit sv															
	NOTE:	Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
	EXCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
	Detaile	d E911 with Locator Capability (required with UEPEX port)										ļ					
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,792.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEPTA	0.00	1,792.00			1	1					
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	174.03									
	New or	Additional PRI Telephone Numbers			OLI LX	OLI IB	0.00	174.00				1					
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										İ					
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or									1						
		Additional]			UEPDX	UEP1E	0.00	0.48			.						
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]									1						
<u> </u>	1.004	Inward Tel Numbers [Customer Testing Purposes]		-	UEPEX	PR7ZT	0.00	22.35	22.35	1	 	ļ		 	 	 	
<u> </u>	LUCAL	NUMBER PORTABILITY		-	UEPEX UEPDX	LNPCN	1.75			1	 	ļ		 	 	 	1
—	INTER	Local Number Portability (1 per port) FACE (Provsioning Only)	-	+	OLPEN UEPDA	LINECIN	1./5			1	 	 	-			-	1
<u> </u>	INIEK	Voice/Data	-	 	UEPEX	PR71V	0.00	0.00	0.00	-	 	}	-	 	 	 	1
—	\vdash	Digital Data		!	UEPEX	PR71D	0.00	0.00	0.00	1	 	1		 	 	l	1
—		Inward Data	-		UEPDX	PR71E	0.00	0.00	0.00	1	 	 		 	 		+
—	New or	Additional Channel	-		021 07	. 137 15	0.00	0.00	0.00	1	 	 		 	 		+
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11			†						
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.11			1			İ	İ	İ	Ì
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.11			t			İ	İ		1
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.11									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11				İ		1	1		
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.11									
	CALL T																
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
					LUEDEV	0000	0.00	0.00	0.00								
		Outward Two-way			UEPEX UEPEX	PR7CO PR7CC	0.00	0.00	0.00								

LINDII	NDI E	D NETWORK ELEMENTS - Louisiana												A44c-L	ment: 2	Exhil	nia. A
UNDU	NULE	D INE I WORK ELEWIEN I 3 - LOUISIANA		1		1	I					Svo Orde-	Suc Order	Attach		Incremental	Incremental
1																	
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-	-		1		Nonre		Nonrecurring	- Dianamant			222	Rates (\$)		
\vdash			-	-		1	Rec					001150	001441			001441	001441
\vdash	LINIBLIA	IDLED BODT with DEMOTE OALL EODINADDING CADADILITY		-		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NDLED PORT with REMOTE CALL FORWARDING CAPABILITY		-		1											
\vdash	UNBU	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE							0.01						ļ		
\vdash		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21								
		l															
\vdash		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.10	0.10								
1 7		Unbundled Remote Call Forwarding Service - Conversion with		1		1				_					_	I	7
		allowed change (PIC and LPIC)		<u> </u>	UEPVR	USACC		0.10	0.10								
	UNBUN	NDLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus		<u> </u>	UEPVB	UERAC	1.52	2.31	2.21							<u> </u>	
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service Expanded and															
		Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
	Non-Re	ecurring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUN	DI FD I	OCAL SWITCHING, PORT USAGE			02. 15	00,100		0.10	0.10								
		fice Switching (Port Usage)															
	Liiu Oi	End Office Switching Function, Per MOU				+	0.001868										
		End Office Trunk Port - Shared, Per MOU				+	0.00018										
	Tando	n Switching (Port Usage) (Local or Access Tandem)				+	0.00010										
\vdash	rander	Tandem Switching Function Per MOU		 		+	0.0001067										
+		Tandem Trunk Port - Shared, Per MOU				1	0.0001007										
-		Tandem Switching Function Per MOU (Melded)		-			0.000035296										
\vdash				-		-	0.000033290										
\vdash		Tandem Trunk Port - Shared, Per MOU (Melded)	-	+		 	0.0000/3438			 		-	-		 		
\vdash	Car	Melded Factor: 33.08% of the Tandem Rate		\vdash						 			-		 		
\vdash	comm		-	+		+	0.0000000			 					 		
\vdash		Common Transport - Per Mile, Per MOU	<u> </u>	-		+	0.0000032			.		.	 		-		
LINIS	DI E5 -	Common Transport - Facilities Termination Per MOU		-		+	0.0003748			-		-			1		
		PORT/LOOP COMBINATIONS - COST BASED RATES				1			t Boot	-			ļ		-		
		ased Rates are applied where BellSouth is required by FCC ar								L		L	 				
		es shall apply to the Unbundled Port/Loop Combination - Cos												L	L		
		fice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Combi	ned Combos tl	ne nonrecurrin	g charges sha	II be those idei	ntified in the N	onrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		L		1				ļ					1		
\vdash	UNE P	ort/Loop Combination Rates		<u> </u>		1				ļ			ļ		ļ		
\Box		2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13					ļ					
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08			İ	l				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08								
		2-Wire voice unbundled port outgoing only - res		1	UEPRX	UEPRO	1.36	38.85	19.08	1		ĺ	1				
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - res			UEPRX	UEPAS	1.36	38.85	19.08	1							
		H A I				1		22.00							1		

IINRI	INDI F	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	hit: A
214120	HULL	D NET WORK ELLWILITO - Louisiana				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu i	DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Louisiana Area Plus with Caller ID - res															
		(RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
		2-Wire Voice Unbundled Louisiana Residence Dialing Plan			LIEDDY	LIEDWO	4.00	20.05	40.00								
-	-	without Caller ID 2-Wire voice unbundled Louisiana Area Plus Port without Caller		-	UEPRX	UEPWG	1.36	38.85	19.08		-	.	-				
		ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								
	1	2-Wire voice unbundled Low Usage Line Port without Caller ID		-	OLFIX	ULFING	1.30	30.03	19.00		-	1	1				
		Capability			UEPRX	UEPRT	1.36	38.85	19.08								
-	FEATU				OLITIX	OLI IXI	1.50	30.03	13.00			†					
	LATO	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00			1	1				
	LOCAL	NUMBER PORTABILITY				1	0.00	0.00	3.50	İ	1				İ		
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					İ					
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED									1				İ		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -										İ			1		
L	<u> </u>	Switch-as-is	L		UEPRX	USAC2		0.10	0.10		<u> </u>	<u> </u>	L		<u> </u>	<u> </u>	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
-	OFF/O	N PREMISES EXTENSION CHANNELS			LIEBBY .		10.00	00.54	10.00								
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		1 2	UEPRX UEPRX	UEAEN	12.90 23.33	36.54 36.54	16.87 16.87		-	-					
-		Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43	36.54	16.87			 	-				
-	-	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.93	102.10	65.72		-	-	-				
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.35	102.10	65.72		 	<u> </u>					
-		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72			†					
	INTER	OFFICE TRANSPORT		Ŭ	021101	02,123	00.10	102.10	00.72			İ					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										İ					
		Termination			UEPRX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
<u> </u>	ļ <u>.</u>	2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62				ļ				ļ		
	UNE L	pop Rates		_	HEDDY	LIEDLY					-						
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77					1					
<u> </u>	-	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39				-				ļ		
<u> </u>	O Miles	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26				 	ļ	-		-		
<u> </u>	∠-vvire	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	-	-	UEPBX	UEPBL	1.36	38.85	19.08		 	 	-	-			
-	 	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPBX	UEPBC	1.36	38.85	19.08		+						
	 	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	-	 	UEPBX	UEPBO	1.36	38.85	19.08		 	}			1		
-	 	2-Wire voice Grade unbundled Louisiana extended local dialing		 	OLI DA	OLI DO	1.30	30.03	13.00		 				 		
1	1	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08		I						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08		†						
	l –	2-Wire voice unbundled Louisiana Bus Area Calling Port with						55.55	.0.50	İ	1				İ		
		Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08		1						
	1	2-Wire Voice Unbundled Louisiana Business Dialing Plan				1					1				İ		
		without Caller ID			UEPBX	UEPWH	1.36	38.85	19.08		1						
		2-Wire voice unbundled Louisiana Business Area Calling Port															
		without Caller ID Capability	1	1	UEPBX	UEPBA	1.36	38.85	19.08	l	1	1	1		1		

UNBUN	IDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CITEGO		THE THORK ELEMENTO LOGICIANA										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect	t		oss	Rates (\$)		-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.36	38.85	19.08								
	OCAL	NUMBER PORTABILITY											İ				
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					i e					
F	EATU												İ				
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				İ				
1		CURRING CHARGES (NRCs) - CURRENTLY COMBINED											İ				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10								ĺ
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		0.10	0.10						1		1
1	DDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00								ĺ
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83						1		1
	FF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	12.90	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87								
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
		2 Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	50.46	102.10	65.72								
I	NTERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPBX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPBX	U1TVM	0.013	0.00	0.00								
2	-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
l	JNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
U	JNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2	-Wire	Voice Grade Line Port Rates (RES - PBX)										ļ					
1 T		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1										<u> </u>	_	I	1
\sqcup		Res	<u> </u>	<u> </u>	UEPRG	UEPRD	1.36	66.91	31.29						ļ		
		NUMBER PORTABILITY	L														
$\sqcup \sqcup$		Local Number Portability (1 per port)	ļ	 	UEPRG	LNPCP	3.15	0.00	0.00			ļ			.		
F	EATU		<u> </u>	<u> </u>		1									ļ		
\vdash		All Features Offered	L		UEPRG	UEPVF	0.00	0.00	0.00								
	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	 		1						ļ			.		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	l	1		_				1			I		1
\vdash		Conversion - Switch-As-Is		-	UEPRG	USAC2		7.68	1.85			1			_		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110466									1		1
\vdash		Conversion - Switch with Change		-	UEPRG	USACC		7.68	1.85			1			_		
	IDDITI	ONAL NRCs		-								1			_		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1	LIEDDO		0.00	0.00	0.00			1			I		1
\vdash		Subsequent Activity	-	 	UEPRG	USAS2	0.00	0.00	0.00			 	-		 		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1				_	-			1			I		1
\vdash		Group	!	<u> </u>		+		7.11	7.11			-			-		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	LIEDDO	LIDETI		0.00	0.00			1			I		1
 		Premise	!	1	UEPRG	URETL		8.33	0.83	ļ		<u> </u>	-	 	-	-	├
H ()FF/ON	PREMISES EXTENSION CHANNELS	-	4	LIEDDO	DO ILIY	1100	400.40	05.70			 	-		 		
\vdash		Local Channel Voice grade, per termination	!	1	UEPRG	P2JHX	14.93	102.10	65.72	ļ		<u> </u>	-	 	-	-	├
		Local Channel Voice grade, per termination	<u> </u>	2	UEPRG	P2JHX	25.35	102.10	65.72		<u> </u>	L	1	L	1	<u> </u>	

UNBL	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
5.450	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	50.46	102.10	65.72								
-	INTER	OFFICE TRANSPORT	-	-													
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	22.60	39.36	26.62								
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPRG	01172	22.60	39.30	20.02								
		or Fraction Mile			UEPRG	U1TVM	0.013	0.00	0.00								
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLI IKO	OTT VIVI	0.010	0.00	0.00								
		ort/Loop Combination Rates				1				† †							
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
		2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39										
<u> </u>	L	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26			ļ					ļ		
<u> </u>	2-Wire	Voice Grade Line Port Rates (BUS - PBX)				+											
	1	Line Cide Hebrardlad Combination C. Way DDV Tool Day 1			UEPPX	UEPPC	4.00	66.91	31.29				1				
-		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	-	-	UEPPX	UEPPC	1.36 1.36	66.91	31.29								
		Line Side Unbundled Outward PBX Trunk Port - Bus		-	UEPPX	UEPPO UEPP1	1.36	66.91	31.29								
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	-	-	UEPPA	UEPFI	1.30	00.91	31.29	1							
		Calling Port			UEPPX	UEPL2	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29								
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29	† †							
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.36	66.91	31.29								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
		Calling Port			UEPPX	UEPXK	1.36	66.91	31.29								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVI	4.00	00.04	04.00								
		Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEPPX	UEPXL	1.36	66.91	31.29	<u> </u>							
		Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPA	UEFAIVI	1.30	00.91	31.29								
	1	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			SE. 17.	JEI AO	1.50	00.91	01.20								
	1	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29]			1				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00		•						
	FEATU																
<u> </u>		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00	ļ							
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				-											
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		7.00	4.0-								
<u> </u>	 	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		UEPPX	USAC2		7.68	1.85	 		-					
	1	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				1				
—	Δηριτι	ONAL NRCs			OLIFA	JOACC		1.00	1.00						 		
-	וווטטה	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1				 			 				
	1	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				1				
	1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt					2.00	2.00	2.00	†		İ					
	1	Group						7.11	7.11]							
		Unbundled Miscellaneous Rate Element, Tag Loop at End User								i							
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/OI	N PREMISES EXTENSION CHANNELS															
<u> </u>		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.93	102.10	65.72						ļ		
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72			İ					

UNBI	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
<u> </u>			1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'			1						Elec			Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st		DISC ISI	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	50.46	102.10	65.72								
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPPX	U1TV2	22.60	39.36	26.62								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPX	11477.014	0.040	0.00	0.00								
-	2 WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	DT		UEPPX	U1TVM	0.013	0.00	0.00	 		 	-				
-		ort/Loop Combination Rates	1			+					 	 		1			
	ONLF	2-Wire VG Coin Port/Loop Combo – Zone 1	1	1		+	13.13				-	1	1		-	-	
		2-Wire VG Coin Port/Loop Combo – Zone 2	1	2		+	23.75			1		†					
		2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	49.62					1	1		1		
	UNE L	pop Rates					1919					İ					
	T	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77			İ	1	1		İ	1	1	ĺ
	1	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPCO	UEPLX	22.39			İ	1	1		İ	1	1	ĺ
		2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPCO	UEPLX	48.26										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
		2-Wire Coin 2-Way with Operator Screening & Blocking:															
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
		2-Wire Coin Outward without Blocking and without Operator			LIEBOO	UEPRN	4.00	00.05	10.00								
-		Screening (KY, LA, MS) 2-Wire Coin Outward with Operator Screening and 011 Blocking	-		UEPCO	UEPRIN	1.36	38.85	19.08	 		 	-				
		(LA)			UEPCO	UEPLA	1.36	38.85	19.08								
		2-Wire Coin Outward with Operator Screening and Blocking:	1	1	OLFCO	OLFLA	1.30	30.03	19.00		1	ł	1		1	1	
		011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,			021 00	OLI IXII	1.00	00.00	10.00			1	1		1		
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								
		2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08								
		2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08								
	ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED				1											
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						_		I				I	I	
<u> </u>	 	Switch-as-is	!	 	UEPCO	USAC2		0.10	0.10	 	 	 		 	 	 	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPCO	USACC		0.10	0.10		1				1	1	
\vdash	ADDIT	Switch with change ONAL NRCs	 	1	UEPUU	USACC		0.10	0.10	 	 	-			 	 	
-	ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	 	 		+	-			1				-			-
		Activity			UEPCO	USAS2		0.00	0.00		1				1	1	
-	 	Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	1	01.00	USASZ		0.00	0.00	 	 	+		 	 	 	
	1	Premise	1		UEPCO	URETL		8.33	0.83		I				I	I	
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE I	PORT (1		0.00	0.50	1	<u> </u>			1	<u> </u>	<u> </u>	
		ort/Loop Combination Rates	1	1	.,	1				1	1			İ	1	1	İ
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	i –	1		1	16.45										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	Ì	2			26.87										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	14.93										
		2-Wire Voice Grade Loop (SL2) - Zone 2	ļ	2	UEPFR	UECF2	25.35			ļ	ļ			ļ	1	ļ	
		2-Wire Voice Grade Loop (SL2) - Zone 3	ļ	3	UEPFR	UECF2	50.46			ļ		ļ			ļ		
<u> </u>	2-Wire	Voice Grade Line Port Rates (Res)	ļ	<u> </u>	LIEBER	Lucasi	,	101		ļ	.	ļ		ļ	.	.	
	<u> </u>	2-Wire voice unbundled port - residence	l	İ	UEPFR	UEPRL	1.52	104.41	67.93	1	1		1		l	l	L

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
SIADOIADE	LD IAL I WORK LELINER I O - LOUISIANA			1							Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted				
											1			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					_		Manna		Mannaarini	- Di			220	Detec (\$)		
-					_	Rec	Nonrec			g Disconnect	001150	001441		Rates (\$)	001441	0011411
\vdash				LIEDED			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								
\vdash	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Louisiana extended local dialing					. =0										
	parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res					. =0										
	(RUL)			UEPFR	UEPAG	1.52	104.41	67.93								
	2-Wire voice unbundles res, low usage line port with Caller ID					. =-										
	(LUM)			UEPFR	UEPAP	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan			l												
	without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l												
	Termination			UEPFR	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.013										
FEAT	TURES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.20	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus	<u> </u>	<u></u>	UEPFB	UEPAW									<u></u>	<u> </u>	
	2-Wire voice Grade unbundled Louisiana extended local dialing															
L	parity port with Caller ID - bus	<u> </u>	L	UEPFB	UEPAX	1.52	104.41	67.93		1	<u> </u>			<u> </u>	<u> </u>	L
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with															
	Caller ID (BUC)	<u> </u>	<u></u>	UEPFB	UEPAA	1.52	104.41	67.93						<u></u>	<u> </u>	
	2-Wire Voice Unbundled Louisiana Business Dialing Plan															
	without Caller ID	1		UEPFB	UEPWH	1.52	104.41	67.93		1						1
LOC/	AL NUMBER PORTABILITY						İ									
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT						İ									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1		UEPFB	U1TV2	22.60	39.36	26.62		1						I
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
1 1	or Fraction Mile	1		UEPFB	1L5XX	0.013				1						1
1 1										1	1			i	ì	1
FEAT						l										
FEAT	TURES All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			lmt · · ·									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						11100	Auui	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81								
	-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITE	00/102		0.24	1.01								
		Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81								
-		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITB	OOACC		0.24	1.01	1		1					
		End User Premise			UEPFB	URETN		11.20	1.10								
-	2-WIDE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INE	OPT /		UKLIN		11.20	1.10	1		1					
-		ort/Loop Combination Rates	LINE	I NO	F B A)					1		1					
-	ONLF	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		_	16.45			-		-	-				
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		_	26.87										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		_	51.98										
-	LINE			3		_	31.90			-		-	-				
—	ONE L	pop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFP	UECF2	14.93			+ +		-	 	-	-		
<u> </u>	-				UEPFP	UECF2	14.93 25.35			+ +		1			 		
-	-	2-Wire Voice Grade Loop (SL2) - Zone 2		2													
-	0.160	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46					 	ļ	-	 		
-	∠-wire	Voice Grade Line Port Rates (BUS - PBX)		-								 	ļ	-	 		
							. =0										
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.52	132.47	82.14								
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14								
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															
		Calling Port			UEPFP	UEPL2	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
		Calling Port			UEPFP	UEPXK	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14								
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	l	Discount Calling Port	1		UEPFP	UEPXP	1.52	132.47	82.14				1				
	i	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		İ	UEPFP	UEPXS	1.52	132.47	82.14	1			İ		İ		
	LOCAL	NUMBER PORTABILITY								1					ĺ		
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00	1					ĺ		
	INTER	OFFICE TRANSPORT								1					ĺ		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1				† †					İ		
	l	Termination			UEPFP	U1TV2	22.60	39.36	26.62								
	i –	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		i –		1				† †		1	i	İ	İ		
	l	or Fraction Mile			UEPFP	1L5XX	0.013										
	FEATU			i –			5.5.0			† †		1	i	İ	İ		
		All Features Offered		t	UEPFP	UEPVF	0.00	0.00	0.00	† †		1			1		
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				1	0.00	3.50	0.00	† †				 	i		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		t						1		1			1		
1	l	Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81				1				
	l	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		t		30,102		5.24		1		1			1		
1	l	Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81				1				
	l -	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		 		30,100		5.24		 		-	l		†		
1	l	End User Premise			UEPFP	URETN		11.20	1.10				1				
UNBUN	DI ED I	PORT/LOOP COMBINATIONS - COST BASED RATES		 		SILLIN		11.20	1.10	 		-	l		†		
5.1001		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1				+ +		<u> </u>	 	 			
\vdash		ort/Loop Combination Rates		 	 	1				+ +		t	 	 	1		
	DIVE C	or a book of the matter of the book of the		ь	l					II		1	L	L	L		

UNBU	IDLE	NETWORK ELEMENTS - Louisiana													Attach	ment: 2	Exhi	ibit: A
	1												Svc Order	Svc Order	Incremental	Incremental		
													Submitted			Charge -	Charge -	Charge -
CATEGO	NDV	RATE ELEMENTS	Interi	Zone	_	cs	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		
CATEGO	ואכ	RATE ELEMENTS	m	Zone	-	003	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
							ļ											
								Rec	Nonrec			g Disconnect				Rates (\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
igsquare		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20					ļ					ļ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				33.62										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										
ı		op Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46										ĺ
I	JNE Po	rt Rate																ĺ
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.27	217.95	83.92								1
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED					1						İ					
T f		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	1			İ	† †			İ	1				İ	İ	1
		Switch-as-is	1		UEPPX		USAC1		7.10	1.81				1			l	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	†	1				1	0		1	1	1	i		i e	i e	
		with BellSouth Allowable Changes	1		UEPPX		USA1C		7.10	1.81								
		DNAL NRCs	t	t	J=: 1 A		300	 	7.10	1.01	 	†	1	 		 	 	
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01								
\longrightarrow		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	 	 	OLFFA		UUAUI	 	20.01	20.01	 	1	 	 		 	 	
		End User Premise			UEPPX		URETN		44.00	4.40								
-					UEPPX		UKETN	-	11.20	1.10			ļ					
		one Number/Trunk Group Establisment Charges																
\vdash		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								<u> </u>
\perp		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								ļ
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
I		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E PORT														
ı		rt/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		27.48										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		40.34										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																ĺ
		UNE Zone 3		3	UEPPB	UEPPR		70.99										
ı	JNE Lo	op Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1	i –	1	UEPPB	UEPPR	USL2X	19.09										1
		<u> </u>	i –															1
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	i –	3	UEPPB	UEPPR	USL2X	62.60			İ	1	1	i		İ	İ	1
ı		rt Rate	1				İ				İ	1				İ	İ	1
		Exchange Port - 2-Wire ISDN Line Side Port	†	1	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42	i	İ				i	i	
1		CURRING CHARGES - CURRENTLY COMBINED	†	1			1	5.55		.20. /2	1	1	1	i		i e	i e	
- ľ		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	†	i -			1				1		1			1	1	
		Combination - Conversion	1		UEPPR	UEPPR	USACB	0.00	37.40	26.23				1				
 		DNAL NRCs	t	t	52.10	J2. 1 10	3000	0.00	07.70	20.20	 	†	1	 		 	 	
H '		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	†	t			 	 			 	<u> </u>	1			 		
		End User Premise	1		UEPPB	UEPPR	URETN		11.20	1.10				1				
 +		Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	 	OLI FD	OLFFR	OILL III		11.20	1.10	1	 	1	 		<u> </u>	 	
		Premise	1		UEPPB	UEPPR	URETL		8.33	0.83				1		l	l	
-		NUMBER PORTABILITY	 	1	OLFFD	JLFFK	ONLIL	 	0.33	0.03	-	 	 	-		-		
		Local Number Portability (1 per port)	 	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		1	 	-				
			 	1	UEPPB	UEPPR	LINPUX	0.35	0.00	0.00		1	 	-				+
<u> </u> '		INEL USER PROFILE ACCESS:	 	!	LIEDOS	LIEDDO	LIALICA	0.00	2.22	0.00	-	 	1			 	 	
		CVS/CSD (DMS/5ESS)	 	<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		1	1					
		CVS (EWSD)	 	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		ļ	ļ	 				
-		CSD	<u> </u>	<u></u>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		ļ						
							1					1						1
E	3-CHAN	INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(IIV)									ļ					<u> </u>
I.	B-CHAN	CVS/CSD (DMS/5ESS)	C,MS, 8	(IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	B-CHAN		C,MS, 8	(IN)	UEPPB UEPPB UEPPB	UEPPR UEPPR UEPPR	U1UCE	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	TERMINAL PROFILE	-	-	UEPPB UEPPF	U1UMA	0.00	0.00	0.00			1					
VEDTI	User Terminal Profile (EWSD only) CAL FEATURES			UEPPB UEPPF	UTUMA	0.00	0.00	0.00			 					
VERTIC	All Vertical Features - One per Channel B User Profile			UEPPB UEPPF	UEPVF	0.00	0.00	0.00			 					
INTED	OFFICE CHANNEL MILEAGE	1		OLFFB OLFFF	OLFVI	0.00	0.00	0.00	-	-	1					
INTERN	Interoffice Channel mileage each, including first mile and										†					
	facilities termination			UEPPB UEPPR	M1GNC	22.613	39.36	26.62								
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR		0.013	0.00	0.00			İ					
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	PORT									İ					
	NE-P DS1 combination rates below for in this rate exhibit appl			ded base in place	as of 10/2/03	until 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1													1		
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		180.52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		586.76										
UNE Lo	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2	-	2	UEPPP	USL4P	194.96					1					
UNED	4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPPP	USL4P	491.94			1	1	1					
UNE P	ort Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	-		UEPPP	UEPPP	94.82	443.08	251.60	1	1	1					
NONDE	ECURRING CHARGES - CURRENTLY COMBINED			UEFFF	UEFFF	94.02	443.06	231.00			 					
NONKE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1							-	-	1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	115.63	76.29								
ADDIT	IONAL NRCs			OLITI	00/101	0.00	110.00	70.20			1					
7.55	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										i e					
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.48									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.18	11.18								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		22.35	22.35								
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERI	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
\vdash	Digital Data	_	<u> </u>	UEPPP	PR71D	0.00	0.00	0.00	-	-	-					
Many	Inward Data	-	-	UEPPP	PR71E	0.00	0.00	0.00	 	 	 		-	 		
New or	r Additional "B" Channel New or Additional - Voice/Data B Channel	+	+	UEPPP	PR7BV	0.00	14.11		 	 	 	-				
	New or Additional - Voice/Data B Channel	1	1	UEPPP	PR7BF	0.00	14.11		+	+	 	-				
 	New or Additional Inward Data B Channel	1	!	UEPPP	PR7BD	0.00	14.11		 	 	1		l	 		
CALL		t		02111	1 10,00	0.00	17.11		 	 	 			 		
UALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00	<u> </u>	<u> </u>						
	Outward	l –		UEPPP	PR7CO	0.00	0.00	0.00	İ	1			İ	İ		
	Two-way	i –		UEPPP	PR7CC	0.00	0.00	0.00			İ			1		
Interof	fice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7352	86.69	79.44								
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	NE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective c	late of	his amendment s	nall be provid	ed pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.						
UNE P	ort/Loop Combination Rates				1											
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	ļ	1	UEPDC		154.17			ļ	ļ				ļ		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43			.	ļ						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ļ	3	UEPDC		560.41					ļ					
UNE Lo	pop Rates	<u> </u>	<u> </u>		_1				L	L	I	L	l			

UNBUN	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		•
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70										
		4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC UEPDC	USLDC	194.96 491.94		-						-		-
ш		ort Rate		3	OLFDC	USLDC	491.94		1			1			1		
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90						-		
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	ידיחח	- Conversion with Change - Trunk (E:4/1/2004)	-	-	UEPDC	USAWB		125.75	65.08			1		-	1	-	
A	וווטט	ONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				 			-						-		
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06						1		
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 20	001171		1 1100	1						t		
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	ļ		UEPDC	UDTTD		14.06	14.06						-		
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06								
В	POL/	AR 8 ZERO SUBSTITUTION	1		OLI DO	ODITE	<u> </u>	14.00	14.00						-		
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	605.00s						t		
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	605.00s								
Α	lterna	te Mark Inversion															
		AMI -Superframe Format	ļ		UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00			1					ļ
10	elepno	one Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00		-						-		<u> </u>
		Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGY	0.00								-		-
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00		t						t		
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
_		Reserve DID Numbers		<u> </u>	UEPDC	NDV	0.00	0.00	0.00								
D	edica	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1 Digital	Loop	With 4-Wire DDITS I	runk Port			1						-		
		Termination)			UEPDC	1LNO1	70.47	86.69	79.44								
		,															
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.2652	0.00	0.00								
		Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25		ļ	UEPDC	1LNO2	0.00	0.00	0.00								
		miles			UEPDC	1LNOB	0.2652	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
		Local Number Portability, per DS0 Activated	!	-	UEPDC	LNPCP	3.15	0.00	0.00	0.00	1				 		├
4	WIDE	Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT	1	-	UEPDC	CTG	0.00		-						-		
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations			1	+		 	 	1	1			+		
		ystem can have up to 24 combinations of rates depending on			ber of ports used		1		<u> </u>					1	1	1	
TI	he UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with 0	Channel	ization	with Port in this rat								shall revert	to tariff rates	or a separate	agreement.	
R	eques	sts for 4-Wire DS1 Loop with Channelization with Port after th															
U		S1 Loop	 	L.	LUEDIAG										1		<u> </u>
		4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	85.70	0.00	0.00	l		I		l	1	l	<u> </u>

UNBUND	LEC	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
	Ī		1									Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	r	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00								
UNI		O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70		0.00								
	!	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00								
	;	384 DS0 Channel Capacity - 1 per 16 DS1s	ļ		UEPMG	VUM38	1,557.60	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s	ļ		UEPMG	VUM4O	1,947.00	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s	ļ	<u> </u>	UEPMG	VUM57	2,336.40	0.00	0.00	ļ			ļ	ļ	ļ	ļ	
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								<u> </u>
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						/stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
Mu		s of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system co	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
		Additions at End User Locations Where 4-Wire DS1 Loop with				bination Curre	ntly Exists and	d									
Nev		ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
Bip	-	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
Alte		e Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format		Doort	UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													——
EXC	nang	ge Ports		-													
	ľ	Line Side Combination Channelized PBX Trunk Port - Business			LIEDDY	LIEDOV	4.50	0.00	0.00	0.00	0.00						ĺ
		(E:4/1/2004)	-	-	UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						——
		Line Side Outward Channelized PBX Trunk Port - Business			LIEDDY	LIEDOV	4.50	0.00	0.00	0.00	0.00						
		(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)	1	1	UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		1		I		1
			 	-	ULFFA	UEFIX	1.52	0.00	0.00	0.00	0.00	-			 		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)	l		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00				1		1
-+		(E:4/1/2004) Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	-	 	ULFFA	UEFDINI	8.29	0.00	0.00	0.00	0.00	-	-	-		-	
1		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination			UEFFA	UEPCT	1.52	0.00	0.00	0.00	0.00	-					
		Unbundled Exchange Ports, 2-wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access	1	1				I					1		I		1
		Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –			ULFFX	OLFCI	1.02	0.00	0.00	0.00	0.00	1					
		Louisiana Only – Calling Plan (E:4/1/2004)	1	1	UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00		1		I		1
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	1	 	ULI I A	OL1 02	1.32	0.00	0.00	0.00	0.00	 		l	+	1	
		Louisiana Only – Calling Plan (E:4/1/2004)	l		UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00				1		1
Foo		Activations - Unbundled Loop Concentration	 	 	OLI I A	02103	1.32	0.00	0.00	0.00	0.00	H		 	 	 	
rea		Feature (Service) Activation for each Line Port Terminated in D4	-	 		+		 	 	 					 	 	
		Bank	1	1	UEPPX	1PQWM	0.6497	25.36	13.40				1		I		1
		Feature (Service) Activation for each Trunk Port Terminated in	1	 	ULI I A	II ØVVIVI	0.0497	25.30	13.40	1		 		l	+	1	
		Peature (Service) Activation for each Trunk Port Terminated in D4 Bank	1	1	UEPPX	1PQWU	0.6497	78.05	18.40				1		I		1
Tal		one Number/ Group Establishment Charges for DID Service	 	 	OLI FA	IFQVVU	0.0497	70.05	10.40	 		 	l		 	 	
Tel		DID Trunk Termination (1 per Port)	-	 	UEPPX	NDT	0.00	0.00	0.00	 					 	 	
—		DID Numbers - groups of 20 - Valid all States	-	 	UEPPX	ND4	0.00		0.00		-	 	-	-			
	Į.	מוט איניטן איניט איניט איניט איניט איניט איניט איניט איניט איניט איניט איניט איניט איניטיט איניטיט איניטיט אינ	i .	1	OLFFA	INDA	0.00	0.00	0.00	1	l	1	l	l	1	1	1

CATEGORY	D NETWORK ELEMENTS - Louisiana													ment: 2		ibit: A
CATEGORY		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	
CATEGORY												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY											Elec		Manual Svc	Manual Svc	Manual Svc	
	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu i	DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional										1					
Local	Switching Features Offered with Line Side Ports Only			UEPPX	LIEDVE	0.00	0.00	0.00			+					+
LINDUNDI ED	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:			UEPPX	UEPVF	0.00	0.00	0.00			1					+
			State C	'ammission rule to	provide Upbu	undlad Lacal C	witching or Cu	ritah Darta			-					+
	t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C								dlad Bart sacti	ion of this Date	n Evhibit					
	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions.		+
	first and additional Port nonrecurring charges apply to Not Co														Additional NE	RCs may
	also and are categorized accordingly.			50111505. 101	Carronary Co.		,	g ondiges	J 50 11030		110111300	g Guire		J. J. J. J. J	aitional III	
	rket Rates for Unbundled Centrex Port/Loop Combination will	he near	ntiated	on an Individual Ca	se Rasis unt	il further notice	Δ .		I		1	I	I	I	I	T
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Lucu	a.i iliaiviaaal oo	Duoio, uni		-				 					+
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Ĺ												1		
	Port/Loop Combination Rates (Non-Design)															—
- 0.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					+
	Non-Design		1	UEP91		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											1
	Non-Design		2	UEP91		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		3	UEP91		49.62										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		48.26										
UNE L	oop Rate			LIEBO.												
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	11.77					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP91 UEP91	UECS1 UECS1	22.39 48.26					+					+
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS1	14.93					+					+
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	25.35					+					-
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP91	UECS2	50.46					+					\leftarrow
UNE P			J	OL1 31	02002	30.46				1	 	 		 		+
	ates (Except North Carolina and Sout Carolina)				1						<u> </u>					\vdash
7 010	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			-	1		22.20		İ				İ	İ	İ	1
	Area			UEP91	UEPYB	1.36	38.85	19.08			1	1				1
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			-			22.30				1		1	ĺ		1
	Local Area			UEP91	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93	<u></u>		<u> </u>		<u></u>	L	<u> </u>	<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														l	
	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1														1
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08		1	1			ļ	ļ	↓
	2-Wire Voice Grade Port Terminated on 800 Service Term -				1						1	1				1
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08						ļ	ļ	
AL, KY	Y, LA, MS, & TN Only			LIEBOA	LIEBC :						1		 	ļ	 	
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08			1		 	ļ	 	
\longrightarrow	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.36	38.85	19.08		1	1			-		+
1	2-Wire Voice Grade Port (Centrex with Caller ID)1	-		UEP91	UEPQH	1.36	38.85	19.08	-	1	1		-	 	-	+
+-	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		UEP91	UEPQM	1.36	104.41	67.93			1	1		1	1	1

UNBUNI	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
	ī											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			_ m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
\vdash	-	0.14% V. 1 . 0 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800			LIEDO4	LIEDO7	4.00	404.44	07.00								
\vdash	-	Service Term	1		UEP91	UEPQZ	1.36	104.41	67.93				-				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08								
\vdash		2-Wire Voice Grade Port Terminated in on Wegalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP91	UEPQ9	1.36	38.85	19.08								
1.0	ocal S	witching	1		UEP91	UEFQZ	1.30	30.00	19.06						1		
	,cai c	Centrex Intercom Funtionality, per port	1		UEP91	URECS	0.8577										
I c	ocal N	lumber Portability			OLI 01	ONLOG	0.0077								1		
	1	Local Number Portability (1 per port)			UEP91	LNPCC	0.35								1		
Fe	ature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port	i		UEP91	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	İ									
NA	ARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
$oxed{oxed}$		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations	<u> </u>											ļ	L	ļ	
2-V	Wire	Trunk Side	ļ			1								ļ	1	ļ	ļ
		Trunk Side Terminations, each	!	<u> </u>	UEP91	CENA6	8.29	115.85	18.20						ļ		
Int	teroff	ice Channel Mileage - 2-Wire	<u> </u>	ļ	LIEDO4	144050		22.2-	20.5-	ļ		ļ		ļ	-	ļ	
\vdash		Interoffice Channel Facilities Termination - Voice Grade	!	-	UEP91	M1GBC	22.60	39.36	26.62	1				.	 	 	
		Interoffice Channel mileage, per mile or fraction of mile		-	UEP91	M1GBM	0.013			1				.	 	 	
		Activations (DS0) Centrex Loops on Channelized DS1 Service nnel Bank Feature Activations	i e	-		+								 	 	 	-
104	+ Cna	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	-	UEP91	1PQWS	0.6497	-				-	-		 		
\vdash	-	realure Activation on D-4 Channel Bank Centrex Loop Stot	1		UEF91	IPQVIS	0.0497			1					-		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
+-+	-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1		OLI 01	11 0000	0.0407										
		Slot	1		UEP91	1PQW7	0.6497					1			I		
\vdash		Feature Activation on D-4 Channel Bank Centrex Loop Slot -	†			~,,,	3.0-37							1	<u> </u>	1	
		Different Wire Center			UEP91	1PQWP	0.6497								1		
			1		-							İ	1	İ	1	İ	ĺ
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497								1		
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop												1		1	
		Slot	L	Ш.	UEP91	1PQWQ	0.6497					<u> </u>			<u> </u>		
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497										
No	on-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed	1								-						l
\vdash		changes, per port	<u> </u>		UEP91	USAC2		0.10	0.10					ļ	L	ļ	
\vdash		Conversion of Existing Centrex Common Block	ļ		UEP91	USACN	0.00	36.66	16.10								
\vdash		New Centrex Standard Common Block	<u> </u>	ļ	UEP91	M1ACS	0.00	680.40		ļ		ļ		ļ	-	ļ	
$\vdash \vdash$		New Centrex Customized Common Block	<u> </u>	ļ	UEP91	M1ACC	0.00	680.40		ļ		ļ		ļ	-	ļ	
\vdash		Secondary Block, per Block	!	-	UEP91	M2CC1	0.00	79.31		1				 	 	 	
H-	- اعالما	NAR Establishment Charge, Per Occasion	 	-	UEP91	URECA	0.00	73.93						 	 	 	-
Ad	Jaitio	nal Non-Recurring Charges (NRC)	1	+		+				1		-	-		 		-
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1		UEP91	URETL		8.33	0.83			1			I		
\vdash	-	Unbundled Miscellaneous Rate Element, Tag Design Loop at	 	1	OL1 31	ONLIL		0.33	0.03			-	-		+		
		End Use Premise			UEP91	URETN		11.20	1.10						1		
411	NF-P	CENTREX - 5ESS (Valid in All States)	 	 	OL: 01	JILLIN		11.20	1.10						+		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<u> </u>												<u> </u>		
		ort/Loop Combination Rates (Non-Design)	t			1								İ	1	İ	İ
	Ť	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			1								İ	1	İ	
		Non-Design	1	1	UEP95		13.13					1			I		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												1		1	
		Non-Design		2	UEP95		23.75								1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1 1		Non-Design	1	3	UEP95		49.62					1	1		I		I

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted	1		Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
						_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)														Î	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		51.82										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26				1	ļ					_
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93				ļ	1			ļ		_
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35			.		ļ			ļ		<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46				ļ	1			ļ		_
	Port Rate		ļ		-				-			-	 	ļ	ļ	
All S	tates	—	1	LIEDOE	LIEDVA	4.00	00.0=	10.00	-	1	<u> </u>	-	 	1	ļ	├
	2-Wire Voice Grade Port (Centrex) Basic Local Area		-	UEP95	UEPYA	1.36	38.85	19.08			1					-
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08								ļ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local							40.00								
	Area		-	UEP95	UEPYH	1.36	38.85	19.08			1					-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVA	4.00	404.44	67.00								
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP95	UEPYM	1.36	104.41	67.93	-		-					
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	-	ULF 93	ULF 12	1.30	104.41	07.55		ļ	ł	-		ļ		-
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -			ULF 93	OLF 19	1.30	30.03	19.00	 		<u> </u>				1	-
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								
AL I	KY, LA, MS, SC, & TN Only		1	OL1 00	OLI 12	1.00	00.00	10.00			†					
7.2, .	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.36	38.85	19.08			1	1				†
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08			İ			İ		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08			İ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire										İ					
	Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	1.36	104.41	67.93								
															Î	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08								
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577										
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00			ļ						ļ	ļ
ļļ	All Select Features Offered, per port		<u> </u>	UEP95	UEPVS	0.00	412.25			1	ļ					
	All Centrex Control Features Offered, per port		ļ	UEP95	UEPVC	0.00			-			-	 	ļ	ļ	
NAR			ļ	LIEDOE	LIADOY	2.00	0.00	0.00		0.00		-	 	ļ	ļ	
	Unbundled Network Access Register - Combination	-	-	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	ļ		 	1	 	
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	-	UEP95 UEP95	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	1	-		-		
Mico	ellaneous Terminations	-	 	05.590	UARUX	0.00	0.00	0.00	0.00	0.00	1	-	-	1	-	
	ellaneous Terminations re Trunk Side	-	 		1				 	-	}		 	1	 	
2-4411	Trunk Side Trunk Side Terminations, each	-	 	UEP95	CEND6	8.29	115.85	18.20	 	-	}		 	1	 	
4-18/6	re Digital (1.544 Megabits)	H	!	OL1 33	OLIVDO	0.29	110.00	10.20	 	1	1	H	l	1	 	
	DS1 Circuit Terminations, each		 	UEP95	M1HD1	68.47	196.18	92.92	 	1				1	 	
+	DS0 Channels Activated, each	H	 	UEP95	M1HD0	0.00	14.06	32.32	 	1	 	H	 	1	 	
Inter	office Channel Mileage - 2-Wire		 	021 00	10111100	0.00	14.00		t	1	†	<u> </u>	1	1		
inter	Interoffice Channel Facilities Termination	-		UEP95	M1GBC	22.60	39.36	26.62	 	1	 	-		 	 	
	Interest of the interest of th		1	021 00	INITODO	22.00	55.50	20.02	<u> </u>		1	<u> </u>			1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Intent									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
\vdash						Rec	Nonrec			g Disconnect				Rates (\$)		
	Literature (Control of Control of			LIEDOE	1440014		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feetur	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.013										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e			-					 						
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
	Teature / lottvation on B 4 original Bank control 200p clot			021 00	ii Qwo	0.0407				1						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1	0.0.0.										
	Slot			UEP95	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497								ļ		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.6497				ļ						
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497				-						
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				1				-	1				 		
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0.10	0.10								
	changes, per port Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USACZ		36.66	16.10		1						
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40	16.10		 						
 	New Centrex Standard Common Block			UEP95	M1ACC	0.00	680.40							1		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93			1						
Additi	onal Non-Recurring Charges (NRC)			02. 00	O. L. C. L.	0.00	7 0.00									
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.20	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			UEP9D		13.13										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 1	UEP9D	-	13.13				 						
	Non-Design		2	UEP9D		23.75										
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3D	+	23.73								1		
	Non-Design		3	UEP9D		49.62										
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		51.82										
UNE L	oop Rate															
—	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2	UEP9D UEP9D	UECS1 UECS1	22.39 48.26			-	 				 		
\vdash	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D UEP9D	UECS1	48.26 14.93				+	-	-				
 	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	25.35			 	1	1	1		 		
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-		UEP9D	UECS2	50.46				 				 		
UNF P	Port Rate		_	02. 00	02002	55.40										
	TATES				i					Ì				İ		
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08						1		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1									1		
	Area			UEP9D	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.36	38.85	19.08								
1 1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				l											'
	Area			UEP9D	UEPYD	1.36	38.85	19.08	l	1	<u>l</u>	<u>l</u>				

	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonred	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.36	38.85	19.08								
	Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
\vdash	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.36	38.85	19.08								
	Area			UEP9D	UEPYV	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		-	UEP9D	UEPY3	1.36	38.85	19.08		ļ						
	Area			UEP9D	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4		-	UEP9D	UEPYW	1.36	38.85	19.08		ļ						
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYR	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.36	104.41	67.93	-	-						
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDAD	LIEDV7	4.00	404 **	07.00								
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent	-	1	UEP9D	UEPYZ	1.36	104.41	67.93	-	-						
	Basic Local Area	<u></u>		UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			LIEDAD	LIED\(C											
AI K	Local Area Y, LA, MS, SC, & TN Only	-	-	UEP9D	UEPY2	1.36	38.85	19.08	-	-						
AL, KI	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08								
\vdash	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4		-	UEP9D UEP9D	UEPQC UEPQD	1.36 1.36	38.85 38.85	19.08 19.08	-	-						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4	 	†	UEP9D	UEPQE	1.36	38.85	19.08	+	 		-				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.36	38.85	19.08								<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.36	38.85	19.08	1							ļ
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		<u> </u>	UEP9D	UEPQV	1.36	38.85	19.08		-						
1 1	2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)	—	!	UEP9D UEP9D	UEPQ3 UEPQH	1.36 1.36	38.85 38.85	19.08 19.08	1	 	ļ		 	 	 	

HINDH	NDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	n:4. A
UNDUI	NULE	D NETWORK ELEMENTS - Louisiana		1		1	I					Cua Ordar	Cua Ordar	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted				Charge -
												Elec	Manually	Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
		O Mire Vaice Conde Dark (Contract(College ID/May 19/4) Long		-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08			1	1				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)									t						
		2,3			UEP9D	UEPQM	1.36	104.41	67.93								
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								
-		2-Wile Voice Glade Fort (Certifex/differ SWC /EBS-Wi5009)2,3,4			UEP9D	UEFQF	1.30	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93		I						
									0.100								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
		O Mire Vaine Carde Dark (Contravidiffer CN/C /EBC ME000)2 2 4			UEP9D	UEPQ4	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93		-						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
		2 11110 10100 01440 1 011 (0011110) 4 miles 0110 / 220 1110200/2,0; 1			02. 02	02. 40	1.00		07.00								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93		-						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated in 60 Wegaink of equivalent			UEP9D	UEPQ2	1.36	38.85	19.08								
	Local	Switching									t						
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Featur	All Standard Features Offered, per port			UEP9D	UEPVF	0.00				1	1					
-		All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	412.20									
	NARS	, , , , , , , , , , , , , , , , , , , ,				1											
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
\Box		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
\vdash	Min	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		laneous Terminations Trunk Side		-		+					 	-	 				
 	Z-AAIL6	Trunk Side Trunk Side Terminations, each		 	UEP9D	CEND6	8.29	115.85	18.20		 						
	4-Wire	Digital (1.544 Megabits)			02. 00	SEITES	0.20	110.00	10.20		—						
		DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62	ĺ	1	Ì		1	ĺ		
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06									
oxdot	Interof	fice Channel Mileage - 2-Wire			LIEBAR	144055											
\vdash		Interoffice Channel Facilities Termination		 	UEP9D UEP9D	M1GBC	22.60	39.36	26.62								
\vdash	Fastur	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service	_	-	OEP9D	M1GBM	0.013				 	-	 				
		annel Bank Feature Activations	c	 		+					 						
	0.110	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497			i	1						
												İ			1		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497										
T	_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					I T				_						
\vdash		Slot		1	UEP9D	1PQW7	0.6497				-						
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.6497				1						
ш		Difficient Wife Center		<u> </u>	0 トラリ	IFUVP	0.0497			L	L		1	L	L		

UNBUND	LED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		m									po. zo.	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
i .													1st	Add'l	Disc 1st	Disc Add'l
L															2.00 .00	2.007.444.
						Rec	Nonrec			g Disconnect				Rates (\$)		
$\vdash \!$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Francis Astistics on D. 4 Observal Book Disaste Live Level Olst			LIEDOD	4001407	0.0407										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	-		UEP9D	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9D	1PQWQ	0.6497				 	-					
Nor	n-Recurring Charges (NRC) Associated with UNE-P Centrex	1	1	UEP9D	IFQWA	0.6497			1		1					
1401	NRC Conversion Currently Combined Switch-As-Is with allowed	1			+						-					
	changes, per port			UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10			1					
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									
	New Centrex Customized Common Block	1		UEP9D	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93									
Adr	ditional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise		L	UEP9D	URETL		8.33	0.83	<u> </u>				<u> </u>			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.20	1.10								
	E-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNI	E Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design		1	UEP9E	_	13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		00.75										
	Non-Design	-	2	UEP9E		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		49.62										
LINE	Non-Design E Port/Loop Combination Rates (Design)	1	3	UEP9E	_	49.62				 	-					
UNI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	-		+				-		1					
	Design	1	1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI SL	+	10.23			 							1
	Design		2	UEP9E		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	OLI OL		20.71					1					
	Design		3	UEP9E		51.82										
UN	E Loop Rate		_			00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9E	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
	E Port Rate	1														
AL,	, FL, KY, LA, MS, & TN only	L	<u> </u>	ļ	 				ļ	ļ						
	2-Wire Voice Grade Port (Centrex) Basic Local Area	L	<u> </u>	UEP9E	UEPYA	1.36	38.85	19.08	ļ	ļ						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local								I			1				
	Area	1	<u> </u>	UEP9E	UEPYB	1.36	38.85	19.08	-	-	-			 	 	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	LIEDY	4.00	00.0-	10.00	I			1				
	Area	-		UEP9E	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEBOE	UEPYM	1.36	404 44	67.93	I			1				
-+	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1	 	UEP9E	UEF Y IVI	1.36	104.41	67.93	 	1	-	-		-	-	
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93	I			1				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	+	 	OLF 9L	ULF 12	1.30	104.41	07.93	 	1	H			l	l	
		1		UEP9E	UEPY9	1.36	38.85	19.08	I			1				
				IULI JL	OLFIS	1.30	30.03	13.00	-	.	ļ	ļ		ı	ı	
	- Basic Local Area						1				1					
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -				HEPY2	1 36	38.85	19.08								
IΑ	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08								
AL,	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area KY, LA, MS, & TN Only			UEP9E												
AL,	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEPY2 UEPQA UEPQB	1.36 1.36 1.36	38.85 38.85 38.85	19.08 19.08 19.08								

UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect	i e		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800										i e					
		Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
												i e					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08			i e					
	Local S	Switching			02. 02	02. Q2	1.00	00.00	10.00			i e					
		Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577					1	1				
	Local I	Number Portability					0.000.					i e					
	Looui	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					†	†				
	Feature						0.00					1		 	†	 	
	. Jacan	All Standard Features Offered, per port			UEP9E	UEPVF	0.00					1		 	†	 	
—		All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	412.25		†		†	 	 	t		
—		All Centrex Control Features Offered, per port		1	UEP9E	UEPVC	0.00	T12.20		†		†	 	 	t		
—	NARS	y in Control Control i Gatules Offered, per port		 	OLI OL	OLI VO	0.00					 	1		1		
—	11/1/10	Unbundled Network Access Register - Combination		 	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	 	1		1		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	†					
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscol	aneous Terminations			OLI SL	OAROX	0.00	0.00	0.00	0.00	0.00						
		Trunk Side				_											
-	z-wire	Trunk Side Trunk Side Terminations, each	-	-	UEP9E	CEND6	8.29	115.85	18.20	ļ		ł	-		-		
-	4 10/:20	Digital (1.544 Megabits)	-	-	UEF9E	CENDO	0.29	113.63	10.20	ļ		ł	-		-		
-	4-44116	DS1 Circuit Terminations, each	-	-	UEP9E	M1HD1	68.47	196.18	92.92	ļ		ł	-		-		
-	-	DS0 Channel Activated Per Channel	-	-	UEP9E	M1HDO	0.00	14.06	32.32	ļ		ł	-		-		
-	Interef		-	-	UEF9E	MILLIPO	0.00	14.06		ļ		ł	-		-		
-	meroi	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	-	-	UEP9E	M1GBC	22.60	39.36	26.62	ļ		ł	-		-		
-	-	Interoffice Channel mileage, per mile or fraction of mile	-	-	UEP9E	M1GBM	0.013	39.30	20.02	ļ		ł	-		-		
	Footur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		-	UEF9E	IVITGDIVI	0.013					-	-				
		nnel Bank Feature Activations	e	-		_						-	-				
	D4 Cha			-	UEP9E	400000	0.6497					-	-				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.6497					-	-				
		Francis Astronomy B 4 Observat Basel EVIII - O'lla Lasa Observat			LIEDOE	400140	0.0407										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
-		Slot			UEP9E	1PQW7	0.6497										
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	LIEDOE	400040	0.040-					1			I		
		Different Wire Center		-	UEP9E	1PQWP	0.6497					1	1		1		
1		Footing Astrodice on D.4 Ohans d.B. d. Britania I. C.		1	LIEDOE	4001407	0.040-					1			I		
<u> </u>	—	Feature Activation on D-4 Channel Bank Private Line Loop Slot	—	!	UEP9E	1PQWV	0.6497			ļ		<u> </u>	-	 	-	-	
1		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1	LIEDOE	4001110						1			I		
<u> </u>		Slot		_	UEP9E	1PQWQ	0.6497					-			-		
<u> </u>	N	Feature Activation on D-4 Channel Bank WATS Loop Slot	—	!	UEP9E	1PQWA	0.6497			ļ		<u> </u>	-	 	-	-	
<u> </u>	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ	—								1			_		
1		NRC Conversion Currently Combined Switch-As-Is with allowed		1								1			I		
L		changes, per port			UEP9E	USAC2		0.10	0.10	ļ		_	.				
<u> </u>	ļ	Conversion of Existing Centrex Common Block, each	ļ	—	UEP9E	USACN		36.66	16.10			1			_		
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	680.40				ļ	ļ				
<u> </u>	ļ	New Centrex Customized Common Block	ļ	—	UEP9E	M1ACC	0.00	680.40				1			_		
<u> </u>		NAR Establishment Charge, Per Occasion	ļ	—	UEP9E	URECA	0.00	73.93				1			_		
	Additio	onal Non-Recurring Charges (NRC)	ļ	—								1			_		
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1								1			I		
<u> </u>	ļ	Premise	ļ	—	UEP9E	URETL		8.33	0.83			1			_		
1		Unbundled Miscellaneous Rate Element, Tag Design Loop at		1								1			I		
<u> </u>		End Use Premise		 	UEP9E	URETN		11.20	1.10			ļ			.		
		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		L								ļ	ļ		1		
L		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>											ļ		
	UNE P	ort/Loop Combination Rates (Non-Design)		L								ļ	ļ		1		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1										1	1		
		Non-Design		1	UEP93		13.13					<u> </u>				l	

UNBUN	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Dan	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP93		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										İ					
		Non-Design		3	UEP93		49.62										
UI	NF Po	rt/Loop Combination Rates (Design)		Ť													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP93		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OL1 00	+	10.20					†	1				
		Design		2	UEP93		26.71										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OE1 00		20.71										
		Design		3	UEP93		51.82			I		1	1	1	1	l	
 	ME L ^	op Rate		3	OL1 33	+	31.02			 		 	l		 	 	
101		2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP93	UECS1	11.77			 		 	 	 	 	 	
\vdash					UEP93		22.36			 		 	-		 		
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 2	-	3		UECS1				 		-			 		
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP93 UEP93	UECS1 UECS2	48.26 14.93			 		-			 		
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 1	-	2			14.93 25.35			 		-			 		
-	-	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2				-							
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
		rt Rate				1											
Al	_, KY,	LA, MS, & TN only															
\vdash		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				l											
		Area			UEP93	UEPYB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP93	UEPYH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08								
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP93	UEPQM	1.36	104.41	67.93	1							
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800														ĺ	
		Service Term		1	UEP93	UEPQZ	1.36	104.41	67.93	I		1	1	1	1	l	
										İ			İ			İ	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP93	UEPQ9	1.36	38.85	19.08	I			1		I		
		2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP93	UEPQ2	1.36	38.85	19.08	i e		1	i	İ	1	İ	
10	cal S	witching		<u> </u>				22.00		1		1			1	1	
 -	1	Centrex Intercom Funtionality, per port		t	UEP93	URECS	0.8577			t				 	†	i	
1.	ocal N	umber Portability		t —		3.1230	3.0011			†		t	1		t	†	
	1	Local Number Portability (1 per port)		t	UEP93	LNPCC	0.35			t				 	†	i	
Fe	eature			t —			0.00			†		t	1		t	†	
H-1	I	All Standard Features Offered, per port		t	UEP93	UEPVF	0.00	73.93	27.14	 		1			1	 	
\vdash		All Centrex Control Features Offered, per port	H	 	UEP93	UEPVC	0.00	73.93	27.14	 		H		 	 	 	
NI.	ARS	7 in Control Control i Gatules Cheleu, pel port	 	 	OE1 30	JLI VO	0.00	13.33	21.14	t		t	 	 	t	<u> </u>	
IN/	700	Unbundled Network Access Register - Combination		 	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	 	l		 	 	
\vdash		Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	 	 	UEP93	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	 		 	+	1	
\vdash	-+	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	-	 	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	 	-	-		-	
	ioooli	aneous Terminations		+	OFLAS	UARUA	0.00	0.00	0.00	0.00	0.00	 	-		 		
			-	-		+				 		-			 		
2-		Trunk Side		+	LIEDOS	CENDS	0.07	115.05	10.00	 		 	-		 		
 		Trunk Side Terminations, each	-	-	UEP93	CEND6	8.27	115.85	18.20	 		-			 		
4-		Digital (1.544 Megabits)	<u> </u>	-	LIEDOS	MALIDA	00.47	400.40	00.00	.		-	 	-	-	.	
		DS1 Circuit Terminations, each	1	<u> </u>	UEP93	M1HD1	68.47	196.18	92.92	L		L	l	l	L		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m		200	0000			101120 (4)			per LSR	per LSR				
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		Į	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06							Î		
Interoff	ice Channel Mileage - 2-Wire													Î		
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.60	39.36	26.62						Î		
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.013										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										İ					
	Slot			UEP93	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -										İ					
	Different Wire Center			UEP93	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40							Î		
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93							Î		
Additio	nal Non-Recurring Charges (NRC)													Î		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at					ĺ	İ									
	End Use Premise			UEP93	URETN		11.20	1.10	<u> </u>				<u> </u>			I
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port					_					_			
	- Requires Specific Customer Premises Equipment															
Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to r	rate tru	e-up as set forth in	General Tern	ns and Conditio	ns.									

LIMBI	INDI E	D NETWORK ELEMENTS. Mississippi												A 44 1		F. 1.2	
ONB	NULL	D NETWORK ELEMENTS - Mississippi	1	1	1		ı					Cup Ord	Sun Ord	Attach Incremental	ment: 2		bit: A
													Svc Order Submitted				Incremental
												Elec			Charge -	Charge - Manual Svc	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.	Manual Svc Order vs.
0,112			m			0000			101120 (4)			per LSR	per LSR	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
-							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Th a 117	 one" shown in the sections for stand-alone loops or loops as			 		Dearman and H	NIC 7 T-		hiaallu Daawan		. Daniamati		nal Office not	4 : 4 1	Mahaita	
		one snown in the sections for stand-alone loops or loops as vww.interconnection.bellsouth.com/become a clec/html/inter				ograpnically	Deaveraged U	NE Zones. 10	view Geograp	nically Deaver	aged UNE Zon	e Designatio	ons by Cent	rai Office, refe	er to internet i	website:	
OPER		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	1	1		1		1	1	1	1	1	1			1
0		(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ither the state specific Commission ordered rates for the servi															
	each o	f the 9 states.		Ü			-		,				ū				
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	lly. For those	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rat	e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual ordering	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
	1	OSS - Electronic Service Order Charge, Per Local Service													_		
<u> </u>	╂	Request (LSR) - UNE Only	.	<u> </u>	-	SOMEC		3.50	0.00	3.50	0.00	<u> </u>		!	 		
	1	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only		1		SOMAN		15.75	0.00	1.97	0.00				I		
LINE S	ERVICE	DATE ADVANCEMENT CHARGE				SOIVIAIN		15.75	0.00	1.97	0.00	1			-		
OI4L C		The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	n 5 as annli	cable.										
	NO.L.	The Expedite ondige will be maintained commencutate with	Democa	1	To No.1 Turni, ocolic	п о аз арри	oubic.					1					
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL.												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,										1		
	1			1	UNCNX, UNCSX,										I		
					UNCVX, UNLD1, UNLD3, UXTD1,										1		
					UXTD3, UXTD1,										1		
	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per		1	U1TUC, U1TUD,										I		
		Day			U1TUB, U1TUA	SDASP		200.00							1		
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
L	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1		UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						ļ
	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2 UEAL2	25.68 43.85	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25				-		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 		UEANL UEANL	UEASL	43.85 12.03	37.92 37.92	17.55 17.55	23.48	5.25				 		
—	†	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	16.87	37.92	17.55	23.48	5.25				t		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
	1	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	1		UEANL	UEASL	43.85	37.92	17.55	23.48	5.25		İ		1		1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	<u> </u>	Premise		<u> </u>	UEANL	URETL		8.33	0.83								
	<u> </u>	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36		l			l	L		

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	oit: A
<u> </u>												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								i
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								i
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															i
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								i
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1															i
		(per LSR)			UEANL	OCOSL		18.19	18.19								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
<u> </u>	<u> </u>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	_ !	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42	-			ļ		
<u> </u>	ļ	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
<u> </u>	!	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		 		 		
1	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEQ	LIBET		0.00	0.00				1				1
<u> </u>	!	Premise		-	UEU	URETL		8.33	0.83			 	ļ		 		
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIEO	1100140		0.00	0.00								i l
	<u> </u>	Non-Designed (per loop)		1	UEQ	USBMC	-	8.20	8.20								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		13.51	13.51								i
	<u> </u>	BST providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour		1	UEQ	URET1	-	34.36	34.36								
_	1	Loop Testing - Basic 1st Hall Hour		-	UEQ	URETA		19.97	19.97			-					
-	<u> </u>	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	UEQ	UREWO		14.24	7.42			-	-				
LIMBIII	IDI ED I	EXCHANGE ACCESS LOOP		-	UEQ	UKEWU		14.24	7.42			-	-				
UNDU		E ANALOG VOICE GRADE LOOP		-		1	-					1					
	Z-VVIIXL	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1		1						1					
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						i
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OLI OR OLI OD	OLALO	12.00	01.02	17.00	20.40	0.20	1					
		Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						i l
	t -	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						i l
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						i
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
		Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						i
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						ı
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															í
		Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						i
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															í
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		115410	40.00	405.00	00.00	50.00	40.07						i l
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	40.75	405.00	CO 00	50.00	10.37						i l
	-	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	18.75	105.96	68.28	52.82	10.37	-					
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						i l
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		- 3	ULA	ULALZ	21.55	105.90	00.20	32.02	10.37	1					
		Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						i
	1	Order Coordination for Specified Conversion Time (per LSR)		_	UEA	OCOSL	70.72	18.19	00.20	02.02	10.01	-					
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		 	0-/1	30000		10.19				 	 		 		
1	1	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		1				1
	l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		† †			12.00		22.20	52.02					İ		(
		Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						l .
	t	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	İ	1	1		22.20						İ		í
1		Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
1	1	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		1				1
	Ì	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
																	$\overline{}$

UNBU	NDLE	NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhil	bit: A
		••											Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														"	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
L																		
								Rec	Nonrec		Nonrecurring					Rates (\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		CLEC to CLEC Conversion Charge without outside dispatch			UEA		UREWO		87.56	36.29								——
\vdash	4 14/10/5	Loop Tagging - Service Level 2 (SL2)		-	UEA		URETL		11.19	1.10								
	4-WIKE	ANALOG VOICE GRADE LOOP		4			UEAL4	07.47	400.07	04.50	00.00	44.04						
\vdash		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA		UEAL4 UEAL4	27.47	132.27	94.59	60.68	14.64						
-		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	<u> </u>	3	UEA UEA		UEAL4 UEAL4	38.26 50.03	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64	-					
-		4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4		4	UEA		UEAL4 UEAL4	50.03	132.27	94.59	60.68	14.64						
-		Order Coordination for Specified Conversion Time (per LSR)	1	4	UEA		OCOSL	50.03	18.19	94.59	00.00	14.04				-		
-		CLEC to CLEC Conversion Charge without outside dispatch	1	-	UEA		UREWO		87.56	36.29	-					-		
	2-WIRE	ISDN DIGITAL GRADE LOOP		-	OLA		OKEVVO		07.50	30.23	 							
 	- *****	2-Wire ISDN Digital Grade Loop - Zone 1	 	1	UDN		U1L2X	21.01	117.61	79.92	52.82	10.37		 		+		(
		2-Wire ISDN Digital Grade Loop - Zone 2	l	2	UDN		U1L2X	27.59	117.61	79.92	52.82	10.37				<u> </u>		(
		2-Wire ISDN Digital Grade Loop - Zone 3	†	3	UDN		U1L2X	37.34	117.61	79.92	52.82	10.37				1		í
\vdash		2-Wire ISDN Digital Grade Loop - Zone 4	†	4	UDN		U1L2X	59.18	117.61	79.92	52.82	10.37				<u> </u>		í
		Order Coordination For Specified Conversion Time (per LSR)			UDN		OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN		UREWO		91.46	44.07								·
1	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMF	ATIBLE	LOOF	,													
		2 Wire Unbundled ADSL Loop including manual service inquiry																i
		& facility reservation - Zone 1		1	UAL		UAL2X	11.11	121.27	70.81	50.38	7.93						í
		2 Wire Unbundled ADSL Loop including manual service inquiry																i
		& facility reservation - Zone 2		2	UAL		UAL2X	11.47	121.27	70.81	50.38	7.93						l
		2 Wire Unbundled ADSL Loop including manual service inquiry																í
		& facility reservation - Zone 3		3	UAL		UAL2X	11.74	121.27	70.81	50.38	7.93						i
		2 Wire Unbundled ADSL Loop including manual service inquiry																í
		& facility reservation - Zone 4		4	UAL		UAL2X	12.69	121.27	70.81	50.38	7.93						
		Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		18.19									
		2 Wire Unbundled ADSL Loop without manual service inquiry &					1141 0147	44.44	00.45	50.00	50.00	7.00						i
\vdash		facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	1	UAL		UAL2W	11.11	96.15	58.03	50.38	7.93						
		facility reservaton - Zone 2		2	UAL		UAL2W	11.47	96.15	58.03	50.38	7.93						í
-		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		UAL		UALZVV	11.47	90.13	36.03	30.36	7.93				-		
		facility reservation - Zone 3		3	UAL		UAL2W	11.74	96.15	58.03	50.38	7.93						í
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	3	UAL		UALZVV	11.74	30.13	30.03	30.30	7.55						
		facility reservaton - Zone 4		4	UAL		UAL2W	12.69	96.15	58.03	50.38	7.93						í
		Order Coordination for Specified Conversion Time (per LSR)			UAL		OCOSL		18.19									
		CLEC to CLEC Conversion Charge without outside dispatch	i		UAL		UREWO		86.04	40.33								
1	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP														
		2 Wire Unbundled HDSL Loop including manual service inquiry																i
		& facility reservation - Zone 1	ļ	1	UHL		UHL2X	8.75	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry	1		l						I			1		I		1
\vdash		& facility reservation - Zone 2	<u> </u>	2	UHL		UHL2X	9.22	129.98	79.52	50.38	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry					UHL2X	9.87	400.00	70.50	50.38	7.00						í
-		& facility reservation - Zone 3 2 Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	3	UHL		UHLZX	9.87	129.98	79.52	50.38	7.93	-					
		& facility reservation - Zone 4		4	UHL		UHL2X	10.46	129.98	79.52	50.38	7.93						í
		Order Coordination for Specified Conversion Time (per LSR)		-	UHL		OCOSL	10.40	18.19	19.52	30.30	1.55						
		2 Wire Unbundled HDSL Loop without manual service inquiry	1		OTIL		OCCOL		10.13									
		and facility reservation - Zone 1		1	UHL		UHL2W	8.75	104.86	66.74	50.38	7.93						i
		2 Wire Unbundled HDSL Loop without manual service inquiry	1	Ė	0.12		OT ILL TY	00	10 1.00		00.00	7.00						
		and facility reservation - Zone 2		2	UHL		UHL2W	9.22	104.86	66.74	50.38	7.93				1		ı
		2 Wire Unbundled HDSL Loop without manual service inquiry																ſ
		and facility reservation - Zone 3		3	UHL		UHL2W	9.87	104.86	66.74	50.38	7.93						ı
		2 Wire Unbundled HDSL Loop without manual service inquiry																ı ———
		and facility reservation - Zone 4	ļ	4	UHL		UHL2W	10.46	104.86	66.74	50.38	7.93						
igsquare		Order Coordination for Specified Conversion Time (per LSR)			UHL		OCOSL		18.19									
\vdash	4 147:-	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL		UREWO		85.98	40.33	ļ					ļ		.
<u> </u>	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE	LOOP	-						-					-		
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL		UHL4X	13.78	158.74	108.28	56.72	10.68		1		I		1
		and radinty reservation - Zone 1	<u> </u>	1	UHL		UHL4X	13.78	158.74	108.28	50.72	10.68	L	l				

CATEGORY RATE ELEMENTS Intering Monrecurring Disconnect Submitted Submitted File Disconnect Submitted Per LSR Per Nonrecurring Nonrecurring Disconnect Submitted Submitted Charge - Cha	Exhibit: A	Exhi	ment: 2	Attachi												JNBUNDLED NETWORK ELEMENTS - Mississippi
CATEGORY RATE ELEMENTS District Charges Charge					Svc Order	Svc Order										
ATTENDATE Part Pa		Charge -														
CATEGORY RATE ELEMENTS		Manual Svc													to to at	
Marriagness Marriagness		Order vs.							RATES (\$)			USOC	BCS	Zone		CATEGORY RATE ELEMENTS
Second S		Electronic-			per Lor	per Lor			***						m	
A-Vite Unrounded FUSE, Loop Poulding manual service Poulty 2		Disc 1st														
A Vivr Laborated HSS Loop educing manual service reguly 4 Vivr Laborated HSS Loop including manual service reguly 2 LPA, URLAY, 15.0 15.7 15.2 10.80	DISC AUG	ו סומכ ומנ	Auu	151												
### April 1951. Logo including instruction common and service inquiry and better things instruction. Common and service inquiry and better things instruction. Common and service inquiry and better including instructi	•		Rates (\$)	oss			Disconnect	Nonrecurring	curring	Nonrec	Das					
and facility reservancy - Zone 2	AN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	Rec					
### A-William District HISE. Log including principal across prigray and feeling interactions. Joseph 20 (1997) 3 Jeff. J																
Best decitive contention - Zeron 3 3 UHL UHLACK 15:00 108:274 108:28 56:77 10:88		1	i				10.68	56.72	108.28	158.74	13.43	UHL4X	JHL	2		and facility reservation - Zone 2
### A-Will Unbounded HOSE. Long including manual service requiry and selecting quiry and selecting manual service requiry		1														4-Wire Unbundled HDSL Loop including manual service inquiry
and facility reservation - Zeros 4 Oelete Cooperation from Specified Convention Time (per LSR) A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 2 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 2 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 2 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 2 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 3 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 4 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 4 A-Mine Unburshed (PUS). Logs without missed service requiry and facility reservation - Zeros 4 A-Mine District for Specified Convention Time (per LSR) District Conventions for Specified Convention Time (per LSR) District Conventions for Specified Convention Time (per LSR) A-Mine District August 1 A-Mine Distri			<u> </u>				10.68	56.72	108.28	158.74	15.59	UHL4X	JHL	3		
Order Coordinates for Special Conversation Trine (per 1.68)		1	i l	, ,												
### 4-Will believed MSE. Lossy when immuse service requiry end facility interestable. Come 3 con minrus service requiry and facility interestable. Come 3 con minrus service requiry and believe the minrus service requiry and believe the minrus service requiry and believe the minrus service requiry and believe the minrus service requiry and believe the minrus service requiry and believe the minrus service requiry and believe the minrus service requiry and believe the minrus services. Come 3 control of the minrus services requiry and believe the minrus services. Come 3 control of the minrus services requiry and believe the minrus services. Come 3 control of the minrus services requiry and believe the minrus services. Come 3 control of the minrus services required. Come 3 control of the minrus services required. Come 3 control of the minrus services required. Come 3 control of the minrus services required. Come 3 control of the minrus services required. Control of the m							10.68	56.72	108.28		14.46					
and facility resorvation - Zone 1			\vdash	,						18.19		OCOSL	JHL			
### United HOSE Loop without manual service nquiry and bactly reservation. 2 part 2 part 10,08 #### United HOSE Loop without manual service nquiry and bactly reservation. 2 part 2 p		1	i l	, ,												
and facility receivation			\vdash	,			10.68	56.72	95.50	133.62	13.78	UHL4W	JHL	1		
### Life Under HOSE, Log without namual service inquiry and facility reservation 2.7mm 3 Jeff. UHLAW 15.09 133.62 96.50 56.72 10.68 Jeff. Life Under Hospital Hospita		1	i l	, ,				====		400.00	40.40					
and facility reservation - Zone 3 3 UHL UHLAW 15.59 133.62 95.50 56.72 10.88			\longmapsto				10.68	56.72	95.50	133.62	13.43	UHL4W	JHL	2 1		
### Contraction of Specified Conversion Time (per LSR) Distance Coordination for Specified Conversion Time (per LSR) Distance Coordination for Specified Conversion Time (per LSR) Distance Conference Charge without consider disposition URL URl Url URl URl URl URl URl Url Url Url Url Url Url Url Url Url Url Url Url Url Url Url Url		1	i l	, ,			40.00	FC 70	05.50	400.00	45.50	1 11 11 4147		2		
And facility reservation - Zone 4			\longmapsto			-	10.68	56.72	95.50	133.02	15.59	UHL4VV	JHL	3		
Order Coordination for Specified Conversion Time (per LSR)		1	i l	, ,			10.60	EG 70	05.50	122.62	11.16	LILII AW	ш	4		
CLEC to CLEC Conversion Charge without outside dispatch CHILL URL URL URL VRL	+		\vdash				10.00	30.72	95.50		14.40					
A-WIRE DST Digital Loop - Zone 1			$\overline{}$					 	40.33							
H-Wine DST Digital Loop - Zone 1									40.55	05.50		OKEWO	/I IL			
4-Wire DSI Digital Loop - Zone 2							12 07	46 10	158 45	253 93	79.08	USI XX	ISI	1		
4-Wire DST Digital Loop - Zone 3																
4-Wire DST Digital Loop - Zone 4																
Order Coordination for Specified Conversion Time (per LSR)																
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 100.90 42.96																
4 Wire Unbundled Digital 19.2 Kbps								t	42.96							
A Wire Unbundled Digital 19,2 Kbps																4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP
A Wire Unbundled Digital 19.2 Kbps							14.64	60.68	88.85	126.53	27.44	UDL19	JDL	1		4 Wire Unbundled Digital 19.2 Kbps
4 Wire Unbundled Digital 19.2 Kbps																
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			<u> </u>													
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2																
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3																
4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			\vdash	,												
Order Coordination for Specified Conversion Time (per LSR)			\longmapsto													
A Wire Unbundled Digital Loop 64 Kbps - Zone 1			\longmapsto				14.64	60.68	88.85		32.25					
A Wire Unbundled Digital Loop 64 Kbps - Zone 2			\longmapsto			-	44.04	00.00	00.05		07.44					
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 40,76 126,53 88,85 60,68 14,64			\vdash													
4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	+		\vdash													
Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 18.19			$\overline{}$													
CLEC to CLEC Conversion Charge without outside dispatch 2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.47 120.34 69.87 50.38 7.93 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.47 120.34 69.87 50.38 7.93 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.74 120.34 69.87 50.38 7.93 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4 4 UCL UCLPB 12.69 12.04 69.87 50.38 7.93 COPPER Coordination for Unbundled Copper Loop Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 11.11 50.21 57.09 50.38 7.93 1 UCL UCLPW 11.17 95.21 57.09 50.38 7.93 1 UCL UCLPW 11.47 95.21 57.09 50.38 7.93							14.04	00.00	00.00		02.20					
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1									49.66							
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1							İ	1	.5.50	101104			· ·			
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.47 120.34 69.87 50.38 7.93																
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.47 120.34 69.87 50.38 7.93		1	i l	, ,			7.93	50.38	69.87	120.34	11.11	UCLPB	JCL	1		service inquiry & facility reservation - Zone 1
2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.74 120.34 69.87 50.38 7.93																
Service inquiry & facility reservation - Zone 3 3 UCL UCLPB 11.74 120.34 69.87 50.38 7.93		1	i l	, ,			7.93	50.38	69.87	120.34	11.47	UCLPB	JCL	2		service inquiry & facility reservation - Zone 2
2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4 4 UCL UCLPB 12.69 120.34 69.87 50.38 7.93																2 Wire Unbundled Copper Loop-Designed including manual
Service inquiry & facility reservation - Zone 4			<u> </u>				7.93	50.38	69.87	120.34	11.74	UCLPB	JCL	3		
Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3-Wire Unbundled Copper Loop-Designed without manual		1	i l	, ,												
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 1 UCL UCLPW 11.11 95.21 57.09 50.38 7.93			$\overline{}$,			7.93	50.38			12.69					
service inquiry and facility reservation - Zone 1 1 UCL UCLPW 11.11 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.47 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.74 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual 2-Wire Unbundled Copper Loop-Designed without manual 3-Wire Unbundled Copper			\vdash	,				ļ	8.20	8.20		UCLMC	JCL			
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCLPW 11.47 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.74 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual 2-Wire Unbundled Copper Loop-Designed without manual 3-Wire Un		1	1	, ,			7.00	50.00	F7.00	05.01		LICE DIA	ICI	, .		
Service inquiry and facility reservation - Zone 2			\vdash				7.93	50.38	57.09	95.21	11.11	UCLPW	JUL	1		
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.74 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual		1	1	, ,			7.00	50.00	F7.00	05.04	44 47	LICL DVV	ICI			
service inquiry and facility reservation - Zone 3 3 UCL UCLPW 11.74 95.21 57.09 50.38 7.93 2-Wire Unbundled Copper Loop-Designed without manual	_		 				7.93	50.38	57.09	95.∠1	11.47	UCLPVV	JOL		-	
2-Wire Unbundled Copper Loop-Designed without manual		1	1	, ,			7.09	E0 20	57.00	05.24	11 74	LICI PW	ICI	ا ۽ ا		
	-						1.93	50.38	57.09	95.21	11.74	UOLF VV	JOL .	3	-	
		1	1	, ,			7.93	50.38	57 09	95 21	12 69	UCLPW	JCL	4 1		
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 8.20 8.20							7.55	55.56			12.00				—	

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ONDONDE	TO NETWORK ELEMENTO MIGGIOSIPPI										Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		95.21	42.40								
4-WIF	RE COPPER LOOP			002	OREWO		30.21	42.40								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
1 1	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry					10.04	144.00		00.72	10.00						
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)		4	UCL	UCL4S UCLMC	21.33	8.20	8.20	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry			002	0020		0.20	0.20								
	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	40.04	440.50	04.44	50.70	40.00						
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry			UCL	UCL4VV	18.84	119.56	81.44	56.72	10.68						
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4W UCLMC	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		8.20	8.20								
1 1	(UCL-Des)			UCL	UREWO		95.21	42.40								1
LOOP MODIF	FICATION															
1 1				UAL, UHL, UCL, UEQ, ULS, UEA,												
1 1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR.												1
1 1	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.57	32.57								1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
\vdash	less than or equal to 18K ft, per Unbundled Loop		ļ	UHL, UCL, UEA	ULM4L		32.57	32.57								
				UAL, UHL, UCL, UEQ, ULS, UEA,												l
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												l
	per unbundled loop			UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS			ļ													
Sub-I	Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSB		22.77									-
	Facility Set-Up	1		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	ı		UEANL	USBSD		56.39									
1 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
+	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u>'</u>	UEAINL	USBINZ	7.15	00.10	31.14	45.36	0.71						
	Zone 2	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		<u></u>				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
	Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
			T							*** *						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OL, 41L		ĺ										
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

LIMBUIND	N ED NETWORK ELEMENTS Mississippi												A 44 1-		E. 1. 11	
ONBOND	DLED NETWORK ELEMENTS - Mississippi		1	ı		1					00	001		ment: 2	Exhil	
											1		Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	NATE ELEMENTS	m	Zone	B03	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1			1	Nonrec	curring	Nonrecurring	Disconnect	-	l	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
\vdash	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
	Order Coordination for Unburnilled Cub Lease and Live and			UEANL	USBMC		0.00	8.20				1				
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	 	-	UEANL	USBINC URET1		8.20 34.36	34.36								
\vdash	Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour	1	 	UEANL	URETA		19.97	19.97				 				
\vdash	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71	H					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71	-					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	t i		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71	1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	<u> </u>		UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
								•		****						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
\vdash	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Uni	bundled Network Terminating Wire (UNTW)				UENPP		00.55									
Not	Unbundled Network Terminating Wire (UNTW) per Pair twork Interface Device (NID)	1	<u> </u>	UENTW	UENPP	0.3366	30.55				-					
iver	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		43.84	28.90			1					
-	Network Interface Device (NID) - 1-2 lines			UENTW	UND16		65.30	50.36								
+	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94			1					
UNE OTHE	R, PROVISIONING ONLY - NO RATE			02	0.120.		0.01	0.01								
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U		l i										
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHE	R, PROVISIONING ONLY - NO RATE															
		1		l								1				
	Haland Had On start Name Built in Colon			UAL,UCL,UDC,UDL,	LINEON											
\vdash	Unbundled Contact Name, Provisioning Only - no rate	<u> </u>	ļ	UDN,UEA,UHL,ULC	UNECN	0.00	0.00			-	-					
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			LIEA LIDALLICI LIDO	LICDEO	0.00	0.00									
\vdash	Inhundled Sub-Lean Fooder A Wire Cross Boy Jumper Inc.	 	-	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00			-	1					
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	1		UEA,USL,UCL,UDL	USBFR	0.00	0.00					1				
\vdash	Unbundled DS1 Loop - Superframe Format Option - no rate	 	1	USL	CCOSF	0.00	0.00									
\vdash	Unbundled DS1 Loop - Superframe Format Option - Ho rate	†			20001	0.00	0.00				-	-				
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAP/	ACITY UNBUNDLED LOCAL LOOP	i –	†			3.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1		İ		1				l						
	month	1		UE3	1L5ND	11.20						1				
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month	<u> </u>		UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	11.20										

LINDI	INDI E	D NETWORK ELEMENTS - Mississippi												Assach		l Full	hia. A
UNDU	INDLE	D NETWORK ELEMENTS - MISSISSIPPI			ı	1	1					Cur Onder	Cua Ondan	Incremental	ment: 2		bit: A
												1			Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KAILS (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		1		Nonre	curring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	High Capacity Unbundled Local Loop - STS-1 - Facility		1		1											
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP	MAKE-U	JP .		1													
		Loop Makeup - Preordering Without Reservation, per working or												ĺ		ĺ	
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S		S AND LINE SPLITTING															
		1: The Line Sharing monthly recurring rates for all installation					nidnight Octobe	r 01, 2004 sha	l be billed as t	follows:							
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLNE	<u>)") </u>											
L		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	<u> </u>	1		1									L		
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to ci	ircuits install	led and inservice	e on or before	October 1, 20	03							
		HARING															
	SPLIT	TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-															
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	·														
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (50% of UCLND) - please see NOTE 1				l											
		(E:10/2/2004)		<u> </u>	ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	1														
		Central Office Located (75% of UCLND) - please see NOTE 1				l											
	1	(E:10/2/2005)		1	ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
		Line Sharing - per Subsequent Activity per Line															
	<u> </u>	Rearrangement(BST Owned Splitter)	-	-	ULS	ULSDS		16.48	8.24			1					
	1	Line Sharing - per Subsequent Activity per Line	1	1				10.10	0.04			1	1		I		
-	!	Rearrangement(DLEC Owned Splitter)	-	1	ULS	ULSCS		16.48	8.24	ļ		 	-	-	 	-	1
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				1		
\vdash	 		-	+	ULO	ULSCC	0.61	47.44	19.31	20.67	12.74	1		-	 	-	-
	1	Line Share Service, TRO per line activation, CLEC owned	1	1		1						1	1		I		
		splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		1	ULS	ULSCT	2.75	47.44	19.31	20.67	12.74				1		
-	 		-	+	ULO	ULSUI	2.75	41.44	19.31	20.67	12.74	-			 		
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see		1		1									1		
	1	NOTE 1 (E:10/2/2004)	1	1	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74	1	1		I		
-	 	Line Share Service, TRO per line activation, CLEC owned	 	1	ULU	ULUC I	0.01	41.44	19.31	20.07	12.74	1	-	1	+	1	
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)		1	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74				1		
-	LINE	PLITTING	-	+	ULO	ULOUI	8.26	47.44	19.31	20.67	12.74	1		-		-	
-		SER ORDERING-CENTRAL OFFICE BASED	-	+		+	1			1		1		-		-	
-	END 0	Line Splitting - per line activation DLEC owned splitter	 	+	UEPSR UEPSB	UREOS	0.61			 	-	 	-	-		-	
-	 	Line Splitting - per line activation BST owned - physical	-	+	UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93			-		-	
—	 	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	-	+	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93	1		-		-	
—	TIALANA	ENANCE	-	+	ULFOR UEFOB	UKEBV	10.01	18.62	10.06	10.04	4.93	1		-		-	+
-	WIAINI	No Trouble Found - per 1/2 hour increments - Basic	 	+		+		80.00	55.00	 	-	 	-	-		-	
	 	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	1	1		+		120.00	82.50	1		 	-		+		
-	 	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	-	+		+	1	160.00	110.00	1		1		-		-	+
	1	140 Housie Found - per 1/2 hour increments - Fremium	1	1	1	1	1	100.00	110.00	1	1	1	1	1	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	nit· Δ
ONDONDE	I I I I I I I I I I										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISI	DISC Add I
						B	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	ł														
	Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	ł														
	Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade								4= 00							
	- Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
—	per month		-	U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	U1TD5	15.68	40.70	27.57	47.00	7.44						
	Termination	-	-	UTIDX	פטווט	15.08	40.78	21.51	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0098										
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			UTIDX	ILDAX	0.0098										
	Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	UTID6	15.00	40.76	21.51	17.20	7.11						
	month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTET	TEOTO	0.201										
	Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			01121		07.00	00.70	02.20	10.00	11.00						
	month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
\vdash	Thereof per month - Interoffice Channel	ļ		UDF, UDFCX	1L5DF	28.27										
	NRC Dark Fiber - Interoffice Channel	ļ		UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1			l ==.											
	Thereof per month - Local Loop	 	-	UDF, UDFCX	1L5DL	59.95	040.70	400.07	200 0=	200.05						
OVY ACCECC	NRC Dark Fiber - Local Loop TEN DIGIT SCREENING	 	-	UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						
OAA ACCESS	8XX Access Ten Digit Screening, Per Call	 	-	OHD	+	0.0006216					-	-				
	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX	 	-	טווס	+	0.0000216					-	-				
	Number Reserved	1		OHD	N8R1X		2.60	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	l	†	0.10		1	2.00	0.44			-	-				
	POTS Translations	1		OHD	1		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With	i e			1		0.01	3.51	50	0.04						
	POTS Translations	1		OHD	N8FTX		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service				1											
	Per 8XX Number	1		OHD	N8FCX		2.60	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.	L	Ш.	OHD	N8FMX		3.04	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44								
	8XX Access Ten Digit Screening, Call Handling and Destination	l								-						
	Features	ļ	<u> </u>	OHD	N8FDX		2.60									
		1	1	0.15	1						1	1				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	l	<u> </u>	OHD	1	0.0006216					l	l				

LIMIDII	NDI EI	NETWORK ELEMENTS Mississippi												Attack		Ful:	laite. A
UNDU	NULEI	NETWORK ELEMENTS - Mississippi		1	ı	1	ı					Cur Onden	Cur Ouden		ment: 2		bit: A
														Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE EL EMENTO	Interi	7	DOC	LICOC			DATES (A)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L							ļ.,,								L		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
		query			OHD		0.0006216										
LINE IN	IFORMA	TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000197										
		LIDB Validation Per Query			OQU		0.0137053										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.52	34.52	42.33	42.33						
SIGNAL	LING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
		CCS7 Signaling Connection, Per link (B link) (also known as D									_			_			
		link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53	I	1		1		
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149										
		CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	683.55					ĺ	1		ĺ		1
		CCS7 Signaling Point Code, per Originating Point Code		1		1						İ	İ		İ		
		Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
E911 SE	ERVICE	3,,,															
		Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0098										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	0.0000						1				
		Termination					22.52	40.77	27.57	17.26	7.11						
		Local Channel - Dedicated - DS1 - Zone 1				1	36.83	178.50	154.61	22.89	15.74		1				
		Local Channel - Dedicated - DS1 - Zone 2				1	35.99	178.50	154.61	22.89	15.74		1				
-		Local Channel - Dedicated - DS1 - Zone 3				1	221.63	178.50	154.61	22.89	15.74						
-		Local Channel - Dedicated - DS1 - Zone 4				1	221.63	178.50	154.61	22.89	15.74						
\vdash		Interoffice Transport - Dedicated - DS1 Per Mile		-		1	0.2010	170.50	134.01	22.03	10.74						
-		Interoffice Transport - Dedicated - DST Fer Mile				1	0.2010										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CALLIN	IC NAM	E (CNAM) SERVICE	-	-		+	37.33	09.79	02.20	10.00	14.50	-	-				
CALLIN	IG NAIVI	CNAM For DB Owners - Service Establishment	-	-	OQV	+		23.09	23.09	21.23	21.23	-	-				
\vdash		CNAM For Non DB Owners - Service Establishment	-	-	OQV	+		23.09	23.09	21.23	21.23	-	-				
\vdash		CNAM For DB Owners - Service Provisioning With Point Code	-	-	OQV	+		23.09	23.09	21.23	21.23	-	-				
		Establishment			oqv			996.62	737.08	270.49	198.89						
-		CNAM For Non DB Owners - Service Provisioning With Point	-		OQV	1		996.62	737.08	270.49	198.89						
					001/			044.00	0.40.50	070.05	100.00						
\vdash		Code Establishment		-	OQV			344.32	246.56	276.85	198.89						
-		CNAM for DB Owners, Per Query	-		OQV	1	0.0010231										
051.50	TI) /F D C	CNAM for Non DB Owners, Per Query	-		OQV	1	0.0010231										
SELEC	TIVE RC					ļ											
		Selective Routing Per Unique Line Class Code Per Request Per															
100000		Switch		<u> </u>		1		85.19	85.19	14.19	14.19		ļ				
VIRTUA	AL COLL	OCATION		<u> </u>		1							ļ				
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOS	VE41.0	0.000-					1	1				
DUNG		Splitting	ļ	<u> </u>	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
PHYSIC	CAL COL	LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SEI	LECTIV	E CARRIER ROUTING		<u> </u>		I											
		Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51							
\vdash		End Office Establishment		ļ	SRC	SRCEO		167.49	167.49	1.71	1.71		ļ		ļ		
		Query NRC, per query			SRC		0.0030502										
AIN - BI	ELLSOL	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,				1							1				
		Initial Setup	<u></u>	<u></u>	A1N	CAMSE	<u> </u>	39.67	39.67	40.92	40.92				L		
		AIN SMS Access Service - Port Connection - Dial/Shared Access	<u></u>	<u></u>	A1N	CAMDP	<u> </u>	7.87	7.87	9.14	9.14				L		
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14						
		AIN SMS Access Service - User Identification Codes - Per User															
1	1	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		l				

HINDHINDI D	D NETWORK ELEMENTS - Mississippi												Attach	monti 2	Evhi	nia. A
ONBONDE	D NETWORK ELEMENTS - Mississippi	1	1			I .					Sun Order	Cua Ord		ment: 2	Exhi	
1												1	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	NATE ELEMENTS	m	20116	503	0300			WHIER (2)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					 		Nonred	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)	<u> </u>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,							71441	0.	71441	0020	00				
	Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
	AIN SMS Access Service - Session, Per Minute					0.5649										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8393										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14				ļ		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		04.07	04.07		4444						
					BAPIC		34.67	34.67	14.44	14.44	-					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		34.67	34.67	14.44	14.44						
-	AIN Toolkit Service - Query Charge, Per Query				BAPIF	0.0535577	34.67	34.67	14.44	14.44		-				
-	AIN Toolkit Service - Query Charge, Fer Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		-		+	0.0555577						-				
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				+	0.0003309										
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				1	0.00						1				
	Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service								0.01							
	Subscription			CAM	BAPLS	2.71	8.71	8.71								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service						¥11.1									
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			-				_								
	Service Subscription			CAM	BAPES	0.09	8.71	8.71								
ENHANCED E	XTENDED LINK (EELs)															
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE con	nbinations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements.					
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	vill apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	INTE	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37				ļ		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1											
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility				l											
\vdash	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
\vdash	1/0 Channelization System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10			 	ļ		
 	Voice Grade COCI - Per Month	-		UNCVX	1D1VG	0.5737	6.62	4.74			-	-		-		
	Each Additional 2 Wire VC Loop (CL 2) in Combination 7		1	LINCV	LIEALO	40.00	405.00	00.00	50.00	40.07						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
 	Lacit Additional 2-vviile vo Loop (SL 2) in Combination - Zone 2	-		ONCAV	UEAL2	18.75	105.96	08.28	5∠.82	10.37	-	-	-			
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
 	Lacit Additional 2-vviile vo Loop (SE 2) in Combination - Zone 3	-	3	ONCVA	UEAL2	21.55	105.96	08.28	5∠.82	10.37	-		 	1		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	1					
	Voice Grade COCI - Per Month	H	+	UNCVX	1D1VG	0.5737	6.62	4.74		10.37		 	 	 		
	Voice Grade GOOI - FEI MOTH			UNUVA	פאומו	0.0131	0.02	4.74			1	<u> </u>	l	1		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs.	Order vs. Electronic-	Order vs.
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonred	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTE	Is Charge		4 151757	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXIE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	IED DS	1 INTE	ROFFICE TRANSPO	I I											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 204											1
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.1813										
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											1
-	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
—	Additional Voice Grade COCI in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.5737	6.62	4.74								
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						1
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN						-							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
-	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
\vdash	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10.87 0.00	10.10 0.00						1
h + +	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	10100	1.22	0.02	4.74	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	3	ONODA	ODESO	40.76	120.03	00.00	00.08	14.04						<u> </u>
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						<u> </u>
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
<u> </u>												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Auu	DISC 1St	DISC Add I
							Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
																	'
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
																	ĺ
	ļ	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>04											ĺ
	ļ	Per Month			UNC1X	1L5XX	0.1813										
		interoffice Transport - Dedicated - DS1 combination - Facility								40.00							
-	-	Termination Per Month		-	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
-	 	1/0 Channel System in combination Per Month		-	UNC1X	MQ1 1D1DD	102.85 1.22	91.57 6.62	62.94 4.74	10.87	10.10						
-	 	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		-	UNCDX	טטוטו	1.22	6.62	4.74	0.00	0.00						
1		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		4	LINCDY	LIDL 64	07.44	400.50	00.05	00.00	44.04		1		I		1
<u> </u>	1	Interoffice Transport Combination - Zone 1		7	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	-			 		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBL 04	04.55	400 50	00.05	00.00	4404						
	-	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBL 04	40.70	400.50	00.05	00.00	4404						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١.,	LINODY	LIBL 04	00.05	400 50	00.05	00.00	4404						ĺ
	-	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						-
		Additional OCU-DP COCI (data) - in combination - per month			LINODY	10100	4.00	0.00	4.74	0.00	0.00						ĺ
	 	(2.4-64kbs)		-	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						—
		Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	LINICOC		F 00	F 00	7.00	7.00						ĺ
	EVTEN	Is Charge	ED D04	INITED	UNC1X	UNCCC		5.63	5.63	7.20	7.20						-
	EXIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1				70.00	050.00	150.45	40.40	10.07						-
	1	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	-					
	1	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07						
	1	4-Wire DS1 Digital Loop in Combination - Zone 3 4-Wire DS1 Digital Loop in Combination - Zone 4			UNC1X UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	-					
-	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCIA	USLAA	430.40	255.95	130.43	40.10	12.07						-
		Per Month			UNC1X	1L5XX	0.1813										
	1	Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNCIX	ILSAA	0.1013								-		
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
-	1	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UTIFI	31.72	09.79	02.20	10.00	14.90						-
		Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
-	EVTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED D63	INITED				5.03	5.65	7.20	7.20				-		
-	LAILN	First DS1Loop in Combination - Zone 1	LD D33	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	1	First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	1	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
-	 	First DS1Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	1	Interoffice Transport - Dedicated - DS3 combination - Per Mile		7	ONOTA	OOLAX	430.40	200.00	100.40	40.10	12.07						
		Per Month			UNC3X	1L5XX	4.29										
	1	Interoffice Transport - Dedicated - DS3 - Facility Termination per			ONCOX	TESTA	4.23										
		month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						ĺ
	1	3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	1	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		1				
	1	Additional DS1Loop in DS3 Interoffice Transport Combination -		t		30.51	2.02	0.02	7.77	0.00	0.00				†	 	
1		Zone 1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1	1		I		1
	t -	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>			. 5.00	200.00	.00.40	.5.10	.2.07				<u> </u>		—
		Zone 2	1	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1	1		I		1
	t -	Additional DS1Loop in DS3 Interoffice Transport Combination -			001/	202/01	120.00	200.00	100.40	40.10	12.07				<u> </u>		—
		Zone 3	1	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1	1		I		1
	t -	Additional DS1Loop in DS3 Interoffice Transport Combination -		l –	001/	202/01	200.74	200.00	100.40	40.10	12.07				<u> </u>		—
1		Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1	1		I		1
	1	Additoinal DS1 COCI in combination per month		†	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				†	 	t
	1	Nonrecurring Currently Combined Network Elements Switch -As-				30.51	2.02	0.02	7.74	0.00	0.00				<u> </u>		
		Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20				1		1
	EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE				2.00	2.00		1.20				t		
	1	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37				1	i	

HINBLIN	DI FI	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
ONDON	DLL	NETWORK ELEMENTS - MISSISSIPPI				1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	IX I	RATE ELEMENTS	m	Zone	603	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				-		+		Nonrec	rrina	Nonrecurring	Disconnoct	-	l .	000	Rates (\$)		
\vdash				-		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAIN
\vdash		2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	-	-				
\vdash		2-WireVG Loop in combination - Zone 3 2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37	-	-				
—		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		4	UNCVA	ULALZ	45.72	105.90	00.20	32.02	10.37	-	-				
		Month			UNCVX	1L5XX	0.00088										ł
—		Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILJAA	0.00000										
		Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						ł
-		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	UTIVZ	20.32	40.77	21.31	17.20	7.11						
		Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
 	VTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	I E INITEI				3.03	3.03	7.20	7.20	1					
	VIEN	4-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
+		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		 				(
+-+		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
+		4-WireVG Loop in combination - Zone 4	-	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	H			 		
-		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		-	ONOVA	OLALT	30.03	102.21	34.33	00.00	14.04						
		Month			UNCVX	1L5XX	0.00088										ł
\vdash		Interoffice Transport - 4-wire VG - Dedicated - Facility			ONOVA	TESTA	0.00000										
		Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						ł
—		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01114	17.00	40.77	21.51	17.20	7.11	1					
		Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						ł
E	VTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITEDO	EEICE		UNCCC		5.05	3.03	1.20	1.20	1					
H	X I LIV	DS3 Local Loop in combination - per mile per month	INTERC	I	UNC3X	1L5ND	11.20										
-		233 Local Loop III combination - per mile per month			UNCOX	ILSIND	11.20										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						í
\vdash		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29	404.10	200.41	120.20	00.10						
+-+		Interoffice Transport - Dedicated - DS3 - 1 et Mille per Month Interoffice Transport - Dedicated - DS3 combination - Facility			ONOOX	TESTON	4.23										
		Termination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						ł
H		Nonrecurring Currently Combined Network Elements Switch -As-			ONOOA	01110	041.00	200.07	100.70	02.00	00.20	†	1				ſ
		Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						í
F	XTFN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFF		0.1000		0.00	0.00	7.20	7.20	1					
	, <u></u>	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20										
		STS-1 Local Loop in combination - Facility Termination per			0.100/1	120.12	11.20										
		month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						ł
		Interoffice Transport - Dedicated - STS-1 combination - per mile									-						
		per month			UNCSX	1L5XX	4.29										í
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						í
		Nonrecurring Currently Combined Network Elements Switch -As-										İ					·
		Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						ł .
E	XTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													i Total
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				ĺ		i
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37				ĺ		i
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
		First 2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						·
		Interoffice Transport - Dedicated - DS1 combination - per mile				1											í .
		per month			UNC1X	1L5XX	0.1813										ł
		Interoffice Transport - Dedicated - DS1 combination - Facility															i
		Termination per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1				1
		1/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						í
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						i
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 1	<u></u>	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				L		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															ı ———
		Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport											1				·
1 1		Combination - Zone 4	L	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		<u> </u>		<u> </u>	<u> </u>	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-												ĺ			
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO	ORT											
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
L	Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINCOV	LIATEO	044.04	200.07	400.70	00.00	00.00				1		1
	Termination per month		-	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29			 	 	 	
	3/1 Channel System in combination per month	-	-	UNCSX	MQ3 UC1D1	170.63	179.17	94.52	34.30	32.82 0.00	1		 	 	-	
\vdash	DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport		-	UNC1X	OCIDI	2.62	6.62	4.74	0.00	0.00			-		-	
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
 	Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	UNCIA	USLAA	79.00	200.90	130.43	40.10	12.07	1		1			
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	OOLYON	120.00	200.00	100.40	40.10	12.07	-					
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport				1											
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						——
	4-wire 56 kbps Local Loop in combination - Zone 4 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		-				
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONCDA	ILJAA	0.0096					1			-		
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTES	22.02	40.70	21.01	17.20	7.111	1					
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						40.00		4= 00							
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11		-				
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						ĺ
FYTE	IS Charge NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		JINCOC		5.03	5.03	1.20	7.20	 	1	 	 	 	
LATE	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37	-		 	 		
	First 2-wire VG Loop (SL2) in Combination - Zone 2	l	2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37			1	1		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		İ	İ	1	l	
	First 2-wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	First Interoffice Transport - Dedicated - DS1 combination - Per					l i										
	Mile			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -														l	1
	Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				ļ		
\vdash	Per each DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	-		ļ	-	 	
	Per each Voice Grade COCI - Per Month per month		<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74		l	1	l			l	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zono	BCS	usoc			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
															DISC ISI	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
-	3/1 Channel System in combination per month	-	-	UNC3X	MQ3	170.63	First 179.17	Add'l 94.52	First 34.30	Add'I 32.82	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each DS1 COCI in combination per month	1		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			0.1017	00151	2.02	0.02		0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
-	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	3	ONOVA	OLALZ	21.00	103.30	00.20	32.02	10.57						
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	41.5007											
	Channel System per month	<u> </u>	-	UNC1X	1L5XX	0.1813					-					
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI combination per month	1		UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-							0.00							
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	TEROFF	ICE TR	ANSPORT w/ 3/1 MU	JX											
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1			UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
-	First 4-Wire Analog Voice Grade Local Loop in Combination -	1	1	UNCVX	UEAL4	21.41	132.21	94.59	60.08	14.64						
	Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per	1	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 - Facility			ONOTA	TEO/OT	0.1010										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74	21.00							
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-	-	UNC3X UNC1X	MQ3 UC1D1	170.63 2.62	179.17 6.62	94.52 4.74	34.30 0.00	32.82 0.00	-					
\vdash	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		UNCIX	UCTDT	2.02	0.02	4.74	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1				İ					1					
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			111000												
	Interoffice Transport Combination - Zone 3 Additional 4-Wire Analog Voice Grade Loop in same DS1	 	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	 	-				
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	Ė			55.55	.02.27	000	55.56		l					
	Channel System per month	<u></u>	<u> </u>	UNC1X	1L5XX	0.1813			<u> </u>		<u></u>					
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	<u> </u>	-	UNC1X	U1TF1 1D1VG	51.72	89.79	82.28	16.86	14.90	-					
\vdash	Additional Voice Grade COCI - in combination - per month Nonrecurring Currently Combined Network Elements Switch -As-	_	-	UNCVX	IDIVG	0.5737	6.62	4.74			-					
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				5.55	0.30	20	0						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -								l i							
	Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	2	LINCDY	LIDLEC	04.55	400 50	00.05	00.00	44.04						
\vdash	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1		UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	-	-				
	Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1				İ										
	Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
OATEGORT	KATE EEEMENTO	m		500	0000			ΙΟΑΤΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
-							Nonrec	urring	Nonrecurring	Disconnect	1		220	Rates (\$)		
\vdash		-	-		-	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	First Interesting Transport Dedicated DC4 combination Dec	_	1		+		FIIST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAY	41 EVV	0.4040										
\vdash	Mile Per Month			UNC1X	1L5XX	0.1813					ļ					
	First Interoffice Transport - Dedicated - DS1 - combination				=	=, =0			40.00							
\vdash	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
\vdash	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1										1				1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	<u> </u>	<u> </u>		<u> </u>		<u>1</u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) COCI in combination per month (2.4-															1
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															+
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.1%	120701	0.1010										
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
\vdash	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	31.72	03.73	02.20	10.00	14.30						+
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	2.02	0.02	7.77	0.00	0.00	1					
	Is Charge	1		UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EVTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITED	EEICE				5.65	5.65	7.20	7.20	-	-				
EXIE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	JFFICE	I KANSPORT W/ 3/	IWIUA						-	-				
	Transport Combination - Zone 1		4	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
\vdash		-	-	UNCDA	UDL64	21.44	120.55	00.00	00.00	14.04	-					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	LINIODY	LIBLOA	04.55	400.50	00.05	00.00	4404						
\vdash	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	ļ					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINIORY.		40.00	400 =0									
\vdash	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	1	1										ĺ		1
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	Ì								1		ĺ		1
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	1	1		l		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1													İ		†
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	1	1		l		1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	۲Ť		55254	40.70	120.00	55.55	00.00	17.04				i		
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	 	+	5.10DA	00104	52.25	120.00	00.00	00.00	17.04	<u> </u>	 				+
	combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00		1				
	Each Additional DS1 Interoffice Channel per mile in same 3/1	 	1	O140DA	.0100	1.22	0.02	7.74	0.00	0.00	 	l		 		+
											1		ı	1	ı	1
				LINC1X	11 5XX	0 1813										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.1813										

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OATEGORT	NATE ELEMENTO	m			0000			πατεσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		†	1				Nonrec	rurring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system							7100		7.44	0020					
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1					0.02									
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX								İ					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								Ī							
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								Ī							
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52		32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport							=	=====							
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport							=	=====							
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINIONIV	LIALOV	27.24	447.04	70.00	50.00	40.07						
	Combination - Zone 3 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
			4	UNCNX	U1L2X	50.40	117.61	79.92	52.82	10.37						
	Combination - Zone 4 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	4	UNCNX	UILZX	59.18	117.61	79.92	52.82	10.37	-					-
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCINA	UCTOA	2.02	0.02	4.74	0.00	0.00	1					
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in	1		ONOTA	TEO/OT	0.1010					-					-
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.1%		02	000	02.20	10.00	1 1100						
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					ĺ	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07					ĺ	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month	<u> </u>	<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				L	ļ	↓
	3/1 Channel System in combination per month	ļ	<u> </u>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82				1	ļ	1
	Per each DS1 COCI combination per month	!	<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00				ļ		
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		L IN CAN	41.500							1		I		1
	Channel System per month	<u> </u>	ļ	UNC1X	1L5XX	0.1813			ļ							
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIO4V										1		1
\vdash	same 3/1 Channel System per month	ļ	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90				-		├
	Each Additional DS1 COCI in the same 3/1 channel system	1		LINGAY	UC1D1	0.00	0.00	4 7 4	0.00	0.00		1		I		1
\vdash	combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	 	1	UNC1X	UCIDI	2.62	6.62	4.74	0.00	0.00	-			 	-	
	Additional 4-Write Do i Digital Local Loop in Combination - Zone	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		1		I		1
	<u>J!</u>	1		UNUIX	UOLAA	19.08	200.93	100.45	40.10	12.07	L	l		1		1

HINRHIND	l Fr	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	bit: A
CINDOIND		HET HOUR ELEMENTS - MISSISSIPPI				1						Svc Order	Svc Order	Incremental	Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		_
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash							Rec	Nonred			g Disconnect	001450	001111		Rates (\$)	001441	001111
-	-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	ONOTA	OOLAC	120.00	200.00	100.40	40.10	12.01						
		3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						L
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge		<u> </u>	UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EX	IENI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO			UDL56	07.44	100.50	00.05	00.00	44.04						
-		First 4-wire 56 kbps Local Loop in combination - Zone 1 First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX UNCDX	UDL56	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						
 	_	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
		First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	l	Ė			32.20	.20.00	55.50	55.55	154						
		per month			UNCDX	1L5XX	0.0098			1	1						I
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge	<u> </u>		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EX		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE 1		LIBLOA	07.44	100.50	00.05	00.00	44.04						-
—		First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX UNCDX	UDL64 UDL64	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						-
—	-	First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	_	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						-
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		<u> </u>	ONODA	ODLOT	02.20	120.00	00.00	00.00	14.04						
		per month			UNCDX	1L5XX	0.0098										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
		Nonrecurring Currently Combined Network Elements Switch -As-	•														
		Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
		ETWORK ELEMENTS			matamalu but a C	witch As Is a				1	1						-
Wh	en u	sed as a part of a currently combined facility, the non-recurr sed as ordinarily combined network elements in All States, the	ng cna	rges ac	not apply, but a S	Witch As is c	As Is Charge	oly.		-	-						-
No	nreci	urring Currently Combined Network Elements III All States, it	Charge	(One a	nnlies to each com	hination)	As is cliarge	l locs not.		1	1						
110.	1	Nonrecurring Currently Combined Network Elements Switch -As-	- Criai go	(0110	ppiles to each com	I											
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5.00	5.00	7.00	7.20						
-		Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
		Is Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Opt		al Features & Functions:			0.1007	0.1000		0.00	0.00	7.20	7.20						
	Ī				U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	OI	01	01						
					U1TD1,												
\vdash		Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		OI	OI	01	OI		ļ				ļ
		Clear Channel Capability (SF/ESF) Option - Subsequent	Ι.		ULDD1, U1TD1,	NECCO		104.00	00 700	4 000	0.700						1
\vdash		Activity - per DS1	-	-	UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S	-	-		-		
		C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
MII	II TIP	C-bit Parity Option - Subsequent Activity - per DS3	- '-	 	OLO, UNUOA	MICOCO		210.120	7.000	.12013	00	1			 		
100		DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						<u> </u>
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per					.02.00	357	02.04		.0.10						
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74	1	1						1

UNB	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
			to to at									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 13t	DISC Add I
							Rec	Nonred			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
-		Local Channel in the same SWC as collocation		ļ	U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
-	-	month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UDN	UC1CA	2.62	6.62	4.74								
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
-	+	Voice Grade COCI - DS1 to DS0 Channel System - per month		 	ОТТОВ	UCTCA	2.02	0.02	4.74			1			-		
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month		1	OLA	IDIVO	0.3737	0.02	4.74								
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	1	DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	1	DS1 COCI used with Loop per month		1	USL	UC1D1	12.96	6.62	4.74								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	12.96	6.62	4.74								
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	ne desired features	will need to b	e ordered usin	g retail USOC	5								
	2-WIRI	VOICE GRADE LINE PORT RATES (RES)		ļ													
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
		Fush anna Darta 2 Wise Analog Line Dart with Caller ID. Dan			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
-	1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		 	UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33	-			-		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
	1	Exchange Ports - 2-Wire VG unbundled MS extended local		1	UEPSK	UEPRU	1.41	2.39	2.29	1.42	1.33	1			1		
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
	1	Exchange Ports - 2-Wire VG unbundled res, low usage line port		1	OLI OIX	OLI AI	1.41	2.55	2.23	1.42	1.00						
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing															
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	1	2-Wire voice unbundled Low Usage Line Port without Caller ID		1													
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
	2-WIRI	VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled Line Port with															
	-	unbundled port with Caller+E484 ID - Bus.		-	UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
		Evolungo Porto - 2 Wiro Apolog Line Bort autocing only - Dura			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33				1		
\vdash	+	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG unbundled MS extended local	-	+	ULFOD	UEFBU	1.41	2.39	2.29	1.42	1.33	-	-	-	 		
	1	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		1		I		
\vdash	+	Exhange Ports - 2-Wire VG unbundled incoming only port with	-	t	021 00	OLI AI	1.441	2.39	2.29	1.42	1.33	-	-		t	 	
	1	Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		1		I		
	1	Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan		1		02. 5.	11	2.00	2.20	1.72	1.55				<u> </u>	1	
1	1	without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33		1		I		
	1	2-Wire voice unbundled Incoming Only Port without Caller ID		1	-										1		İ
		Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33				1		
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATU																
		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	1	_	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—			1				Nonrec		Nonrecurring	Dianamant			220	Rates (\$)		
		1	1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCH	ANGE PORT RATES (DID & PBX)	1	1				11130	Auu	11130	Addi	JONILO	JOHAN	JONIAN	JOWAN	JOMAN	JOWIAN
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						i
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2-Wire Vice Unbundled 2-Way PBX Usage Port		ļ	UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
\vdash	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ	-	UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	<u> </u>	UEPSP UEPSP	UEPXC UEPXD	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92		-				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	1	UEFSF	UEPAD	1.41	31.43	14.93	14.30	0.92	ł	1				
	Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						ı l
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	t	0.	J	1.41	01.40	14.00	14.50	0.02	1	<u> </u>	1	1		
	Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						ı l
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1													
	Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						i l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						i
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															i l
	Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															i l
\vdash	Calling Port	ļ	-	UEPSP UEPSP	UEPXR UEPA5	1.41	31.45	14.93 14.93	14.38	0.92						
	2-Wire Voice Unbundled PBX Port, Mississippi only 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	<u> </u>	UEPSP	UEPXS	1.41 1.41	31.45 31.45	14.93	14.38 14.38	0.92 0.92		-				
	Subsequent Activity	1	1	UEPSP	USASC	0.00	0.00	0.00	14.30	0.92	ł	1				
FFAT	URES	1	1	OLI OI	OOAGC	0.00	0.00	0.00				1				
1 = 711	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	2.56	0.00	0.00			İ					
EXCH	ANGE PORT RATES (COIN)		1													
	Exchange Ports - Coin Port					1.41	2.39	2.29	1.42	1.33						
	: Transmission/usage charges associated with POTS circuit s															i
	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fi	de Request/	New Busines:	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)		ļ		ļ											
	ANGE PORT RATES	DN D				1. 11		0	A (1 4/4/0.4 1)							
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											riff rates or	a separate ag	reement.		
Requi	Exchange Ports - 2-Wire DID Port	arter the	enecti	UEPEX	UEPP2	8.25	120.00	parate agreen 18.85	61.77	3.88		 	 	 		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	OLI LX	OLITZ	0.25	120.00	10.03	01.77	3.00		1				
	capability (E:4/1/2004)	1		UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						, l
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1	1	UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76			İ			
	All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit s													l		
	: Access to B Channel or D Channel Packet capabilities will be	e availa	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fi	de Request/	New Busines:	s Request Pro	cess.	
EXCH	ANGE PORT RATES (continued)	.	1								ļ		 	 		
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			LIEDEV	LIEDEY	04.00	205.00	100.11	04.05	20.00						ı l
	Locator Capability (E:4/1/2004) Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	+	UEPEX UEPDX	UEPEX	84.63 84.63	205.00 205.00	102.14 102.14	81.65 81.65	20.69 20.69	}		 	 		$\overline{}$
	Physical Collocation - DS1 Cross-Connects	1	1	UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	ł	1				
 	Virtual Collocation - Special Access & UNE, cross-connect per	 	 	SELEX OFFER		1.14	22.10	10.02	0.00	5.31	1	—				
	DS1			UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						, l
Detail	ed E911 with Locator Capability (required with UEPEX port)	1	1		1				2.30	2.37	1		l	İ		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	ĺ														
	Locator Capability - Initial Profile Establishment per CLEC per				1											, l
	State	ļ		UEPEX	UEP1A	0.00	1,814.00		156.15							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1			1											, 7
	Locator Capability - Subsequent Profile Changes, Additions,	1					4=0 :-									ı l
Marri	Deletions Additional BBI Telephone Numbers	.	1	UEPEX	UEP1B	0.00	176.15				ļ		-	 		
New o	or Additional PRI Telephone Numbers	1	<u> </u>	l .	1	l			l		l	L	L	L		

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
		E.F.										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred		Nonrecurring					Rates (\$)		
							IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
	1	E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or			LIEDDY	LIEDAE	0.00	0.40									
	1	Additional]		-	UEPDX	UEP1E	0.00	0.49				1					
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPEX	PR7ZT	0.00	23.15	23.15						1		
-	LOCAL	Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY		-	UEPEX	FK/ZI	0.00	∠3.15	23.15	1				-		-	-
-	LUCAL	Local Number Portability (1 per port)	-	 	UEPEX UEPDX	LNPCN	1.75			1		}	-	 	+	 	
—	INTER	FACE (Provsioning Only)	H		OLILA OLFDA	LIVI OIN	1.75			1	 	1		 	t	l	l
	IIVIEIX	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	1	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			†					
	1	Inward Data			UEPDX	PR71E	0.00	0.00	0.00			1					
	New or	Additional Channel			02. 5%		0.00	0.00	0.00			İ					
	1	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61				İ					
	1	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61				İ					
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									
	1	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									
	CALL																
L		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
-		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
-		Two-way	ļ		UEPEX	PR7CC	0.00	0.00	0.00								
-		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY		-								1					
	UNBUR	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33				-		
	1	Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33				-		
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
-	+	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33	<u> </u>		1			
	1	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33	†					
	Non-Re	ecurring			OLI VIC	OLIVIIV	111	2.00	2.20	1.72	1.00	1					
	1	Unbundled Remote Call Forwarding Service - Conversion -				i					İ	†		İ	1	İ	İ
		Switch-as-is			UEPVR	USAC2		0.0988	0.0988						1		
	1	Unbundled Remote Call Forwarding Service - Conversion with				1		_				İ		1			
	<u> </u>	allowed change (PIC and LPIC)	<u></u>		UEPVR	USACC		0.0988	0.0988		<u></u>			<u> </u>		<u></u>	<u> </u>
	UNBUN	DLED REMOTE CALL FORWARDING - Bus															
																l	l
	1	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33						
															1		
	1	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33	ļ			ļ		
	1	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33	1					
-	 	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		-	UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33	 		.	 	 	
		Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33				I		
-	Non-P	ecurring	-	-	ULF VD	OEKVJ	1.41	2.39	2.29	1.42	1.33		-		+		
—	NOII-R	Unbundled Remote Call Forwarding Service - Conversion -	H			1				1	 	1		 	t	l	l
		Switch-as-is			UEPVB	USAC2		0.0988	0.0988						I		
	1	Unbundled Remote Call Forwarding Service - Conversion with				3002		5.0000	0.0000					1	<u> </u>		
		allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988						I		
UNBUI	NDLED I	OCAL SWITCHING, PORT USAGE				1			2.2230			1		İ	1		
		fice Switching (Port Usage)				1						İ		1			
		End Office Switching Function, Per MOU					0.0010269										
		End Office Trunk Port - Shared, Per MOU					0.000161										
	Tander	n Switching (Port Usage) (Local or Access Tandem)															

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonre		Nonrecurring	,				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU	ļ				0.0001828										
		Tandem Switching Function Per MOU (Melded)	ļ				0.000063441										
	_	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307					ļ					
	C	Melded Factor: 36.82% of the Tandem Rate										-					
	Comm	Common Transport - Per Mile, Per MOU	-				0.0000026					 	-				
	+	Common Transport - Fel Mile, Fel MOO Common Transport - Facilities Termination Per MOU	1	-		1	0.0000026					1	1	-	-		
IINRI	INDI ED E	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0004341					1	1	1	1		1
ONDO		Based Rates are applied where BellSouth is required by FCC at	nd/or St	ata Co	mmission rule to nr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports			<u> </u>					
		res shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate F	yhihit	-				
		ffice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combinatio	ns.		
		st and additional Port nonrecurring charges apply to Not Curi														İ	
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1			1, 22			J				,	1	T	İ	
		ort/Loop Combination Rates	1	Ì	İ	l .					l			1	1	l	
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)			UEDDV		4.00	40.04	10.01	01.00		ļ					
	_	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58	ļ					
	+	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC UEPRO	1.23	40.31	19.84	24.90	6.58	-					
	+	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRU	1.23	40.31	19.84	24.90	6.58	-					
		2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire voice unbundles res, low usage line port with Caller ID	1	-	UEPRA	UEPAI	1.23	40.31	19.04	24.90	0.30	1	1	-	-		
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire Voice Unbundled Mississippi Residence Dialing Plan		-	OLI IOX	OLI AI	1.25	40.51	13.04	24.30	0.50	†	-				
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Low Usage Line Port without Caller ID										İ					İ
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
	FEATU											İ					
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														l	
		Switch-as-is	ļ		UEPRX	USAC2		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			l					l						
		Switch with change	ļ	<u> </u>	UEPRX	USACC		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1			[I	I		
	ABBIT	Subsequent Database Update	 	<u> </u>	1	 	<u> </u>	0.00	0.00		-	ļ		 	 	 	1
	ADDITI	IONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	LICACO	0.00	0.00	0.00					1	1		
-	+	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	╂	-	UEPRX	USAS2	0.00	0.00	0.00			-		 	 		1
		Premise			UEPRX	URETL		8.33	0.83					1	1		
	OFF/O	N PREMISES EXTENSION CHANNELS	1	-	OLFIVA	UNLIL		0.33	0.03		 	1	H	t	t	 	<u> </u>
	0.170	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25	1	H	t	t	 	<u> </u>
_	+	2 Wire Analog Voice Grade Extension Loop – Non-Design	†		UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25	1	 	I	I	1	1
	+	2 Wire Analog Voice Grade Extension Loop – Non-Design	†		UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25	1	 	I	I	1	1
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design	t		UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25			1	1		1
				_	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37	1	1	1	1		İ
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPKA	ULALD	13.09	105.96	00.20		1017						

CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Svc Order Submitted Elec Manually per LSR Per Nonrecurring Disconnect Submitted Electronic Electronic Submitted Namal Svc Order vs. Electronic Submitted Submitted Charge - Manual Svc Order vs. Electronic Submitted Nama Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order vs. Electronic Svc Order	NBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY RATE ELEMENTS Interfer Inte			l	1								Svc Order	Svc Order		Incremental	Incremental	Incremental
ATEORY RATE ELEMENTS Interface Company												1			Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS March Zone BCS USOC RATES (6) Per LSR Der LSR Collection: Electronic-late Collection: Late Collecti			l												Manual Svc	Manual Svc	Manual Svc
Section Sect	ATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)						Order vs.	Order vs.	Order vs.
Section			m						.,,			per Lor	per Lor		Electronic-	Electronic-	Electronic-
Note															Add'l	Disc 1st	Disc Add'l
New First														151	Auu	DISC 1St	DISC Add I
2 With Analos Voice Grade Estension Loop - Design							Pag	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
RIVER Analog Vices Grade Extension Loop — Design d. UEPRX UEAED 45.72 105.06 68.28 92.22 10.37							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
WERROFFICE TRANSPORT				3													
Interdifice Transport - Dedicated - 2 Wire Voice Grade - Per Mile UEPRX		2 Wire Analog Voice Grade Extension Loop - Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37						
Termination UEPRX UTIV2 20.32 40.77 27.57 17.26 7.11	INTER	OFFICE TRANSPORT															ĺ
Interdifice Transport - Desicated 2- 2 Wire Voice Grade - Per Mile UEPRX UTTVM 0.088 0.00		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															ĺ
DEPRIX UTVM 0.008 0.00					UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
2-Wire Voice Grade Lope (Technology Carde) 1																	ł
UNR Port/Loop Combination Rates					UEPRX	U1TVM	0.0088	0.00	0.00								
2-Wire VG LoopPort Combo - Zone 1																	1
2.Wire Visio LoopProt Combo - Zone 2 2 17.13 2 2 2 2 17.13 2 2 2 2 2 2 2 2	UNE P																
2.Wife Voice Grade Loop (SL1) - Zone 3			!														
UNE Loop Rates	_		ļ			+					-	-			ļ		
2-Wire Voice Grade Loop (SL1) - Zone 1	LINIE :		ļ	3		-	26.26			-		-	ļ		ļ		
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPBX UEPLX 15.91	UNE L		ļ	_	HEDDY	LIED/ Y	10.00				-	-			ļ		
2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPBX UEPLX 25.04	\rightarrow		ļ	1						-		-	ļ		-		
2-Wire Voice Grade Long (SLT) : Zone 4	-		-	_						-		-			-		
2-Wire voice Ununded port without Caller ID - bus UEPBX UEPBL 1.23 40.31 19.84 24.90 6.58			-														
2-Wire viole unbundled port without Caller ID - bus UEPBX UEPBC 1.23 40.31 19.84 24.90 6.58	0.14/:			4	UEPBX	UEPLX	43.68										
2-Wife voice unbundled port with Caller to E484 ID - bus UEPBX UEPBC 1.23 40.31 19.84 24.90 6.58	2-wire		-	-	LIEDDY	LIEDDI	4.00	40.04	40.04	24.00	0.50						
2-Wire voice unbundled port outgoing only - bus UEPBX UEPBO 1.23 40.31 19.84 24.90 6.58																	
2-Wire voice Grade unbundled Mississip extended local dialing parity port with Caller ID - bus UEPBX UEPBX UEPBY 1.23 40.31 19.84 24.90 6.58	_			-								-					
Depart D			-	-	UEPBA	UEPBU	1.23	40.31	19.04	24.90	0.30	-	-				
2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Mississippi Business Dialing Plan UEPBX UEEPBX UEEPBX UEEPBX UEEPBX UEEPBX UEEPBX UEEPBX UEEPBX		LIEDDY	LIEDAY	1 22	40.21	10.94	24.00	6.50						l			
2-Wire Voice Unbundled Mississippi Business Dialing Plan UEPBX			-	-								-	-				
Without Caller ID	+				OLI DX	OLI DI	1.20	40.51	13.04	24.30	0.50	1					
2-Wire voice unbundled Incoming Only Port without Caller ID UEPBX					LIEDRY	I IEDWK	1 23	40.31	10.84	24 90	6 58						l
Capability					OLI DX	OLI WIK	1.20	40.51	13.04	24.30	0.50	-					
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) UEPBX LNPCX 0.35					LIEPRX	LIEPBE	1 23	40.31	19 84	24 90	6.58						l
Local Number Portability (1 per port)	LOCAL				02. 57.	02. 02	1.20	10.01	10.01	200	0.00	1					
FEATURES					UEPBX	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	FEATU																ĺ
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is UEPBX USAC2 0.0988		All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00								
Switch-as-is	NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
Switch with change UEPBX USACC 0.0988		Switch-as-is			UEPBX	USAC2		0.0988	0.0988								1
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update 0.00																	ĺ
Subsequent Database Úpdate					UEPBX	USACC		0.0988	0.0988								1
ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPBX USAS2 0.00 0.00 0.00																	1
2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPBX								0.00	0.00								
Activity	ADDIT																
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPBX URETL 8.33 0.83																	1
Premise					UEPBX	USAS2		0.00	0.00								
OFF/ON PREMISES EXTENSION CHANNELS 2 Wire Analog Voice Grade Extension Loop – Non-Design 1 UEPBX UEAEN 12.03 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 UEPBX UEAEN 16.87 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop – Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop – Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25																	l
2 Wire Analog Voice Grade Extension Loop - Non-Design 1 UEPBX UEAEN 12.03 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPBX UEAEN 16.87 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop - Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25					UEPBX	UREIL		8.33	0.83								
2 Wire Analog Voice Grade Extension Loop – Non-Design 2 UEPBX UEAEN 16.87 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop – Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop – Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25	OFF/O			4	LIEDDY	LIEAENI	10.00	07.00	47.55	00.40	5.05						
2 Wire Analog Voice Grade Extension Loop – Non-Design 3 UEPBX UEAEN 25.68 37.92 17.55 23.48 5.25 2 Wire Analog Voice Grade Extension Loop – Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25				7													
2 Wire Analog Voice Grade Extension Loop – Non-Design 4 UEPBX UEAEN 43.85 37.92 17.55 23.48 5.25												-					-
	-+		 										 		 		
	_		 	1								H			 		
2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 18.75 105.96 68.28 52.82 10.37	_		 	2								-	-		 		
2 Wire Analog Voice Grade Extension Loop - Design 2 UEPBX UEAED 10.79 100.90 00.20 32.02 10.97 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPBX UEAED 27.55 105.96 68.28 52.82 10.37			 	_									 				
2 Wire Analog Voice Grade Extension Loop - Design 4 UEPBX UEAED 45.72 105.96 68.28 52.82 10.37			 									<u> </u>	 				
INTEROFFICE TRANSPORT	INTER		 	-	02. D/(JEMED	70.72	100.00	55.20	02.02	10.07		 				
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			l	t						i					i		
			1		UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11		1				i
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	- 1		l	t		7	20.02	.5.77	201	20					i		
or Fraction Mile UEPBX U1TVM 0.0088 0.00 0.00	1		1		UEPBX	U1TVM	0.0088	0.00	0.00								i
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	2-WIRE		†	t		1			2.30	i	İ				i		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			12.22										ļ'
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										ļ
—	2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 4	<u> </u>	3		+	26.26 44.91										-
UNE L	oop Rates	1	-		+	44.51										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4	ļ	4	UEPRG	UEPLX	43.68										
2-Wire	Voice Grade Line Port Rates (RES - PBX)	ļ	ļ													
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17						
LOCA	L NUMBER PORTABILITY	†	!	021110	OLI ND	1.23	03.57	J2.+0	37.00	0.17	 	 				
	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ														L
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAC2		7.96	4.04								
	Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	<u> </u>	UEPRG	USAC2		7.96	1.91								
1 1	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
1 1	Subsequent Database Update						0.00	0.00								
ADDIT	IONAL NRCs															
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
\vdash	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	1	UEPRG	USAS2	0.00	0.00	0.00								
1 1	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						7.00	7.00								
1 1	Premise			UEPRG	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						L
	Local Channel Voice grade, per termination	ļ	3	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	1	4	UEPRG UEPRG	P2JHX P2JHX	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						
INTER	OFFICE TRANSPORT	1	-	OLI NO	1 2011/	45.72	103.30	00.20	32.02	10.57						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		İ		1											
	Termination		<u></u>	UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				I			_								1
0.14/15	or Fraction Mile	-	 	UEPRG	U1TVM	0.0088	0.00	0.00			ļ					
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) ort/Loop Combination Rates		 		+											
ONE P	2-Wire VG Loop/Port Combo - Zone 1	†	1		1	12.22					 	 				
	2-Wire VG Loop/Port Combo - Zone 2		2		1	17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE L	oop Rates	-	1	LIEDDY	LIEDLY	40.00					-					<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPPX UEPPX	UEPLX	10.98 15.91					-	-				-
 	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	t	3	UEPPX	UEPLX	25.04					 					
	2-Wire Voice Grade Loop (SL 1) - Zone 4	1	4	UEPPX	UEPLX	43.68								İ		
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17						<u> </u>
\vdash	Line Side Unbundled Outward PBX Trunk Port - Bus	-	 	UEPPX	UEPPO UEPP1	1.23	69.37	32.48	37.86	6.17	ļ					
 	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports		 	UEPPX UEPPX	UEPLD	1.23 1.23	69.37 69.37	32.48 32.48	37.86 37.86	6.17 6.17						$\vdash \vdash \vdash$
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	 	 	UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17						$\vdash \vdash \vdash$
$\overline{}$	oodge f oit	1	1	1	02.701	1.20	00.01	U£†U	57.50	0.17	·	·		L		

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDDY	LIEDVAA	4.00	00.07	00.40	07.00	0.47						
		Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17				1		
—		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy		<u> </u>	UEFFA	UEPAU	1.23	69.37	3∠.48	37.86	0.17			-			
		Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17				1		
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		 	OLIFA	ULFAQ	1.23	09.37	32.40	31.00	0.17	 	-		+		
		Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17	1					
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17	1					
	LOCAL	NUMBER PORTABILITY				0 1 1					***						
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered		1	UEPPX	UEPVF	2.56	0.00	0.00								
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
_	ADDIT	Subsequent Database Update						0.00	0.00								
	ADDIT	ONAL NRCs				1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			ULFFX	USASZ	0.00	0.00	0.00					1			
		Group						7.36	7.36								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1				7.00	7.00	1							
		Premise			UEPPX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37						
		Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37						
	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								47.00							
		Termination			UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0000	0.00	0.00								
	2 WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR) T		UEPPX	U1TVM	0.0088	0.00	0.00			-					
		ort/Loop Combination Rates	K I			+						-			-		
	ONL F	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	17.13			1			 		-		
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26								†		
		2-Wire VG Coin Port/Loop Combo – Zone 4		4		1	44.91			1	l		İ	İ	1	İ	
	UNE L	pop Rates		i –										1		1	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
	2-Wire	Voice Grade Line Ports (COIN)								ļ							
		2-Wire Coin 2-Way without Operator Screening and without													I		
		Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58				L		

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
					1						Svc Order	Svc Order	Incremental	Incremental		
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,															
\vdash	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						—
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPRB	1.23	40.31	19.04	24.90	0.30	-					-
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening & Blocking:			OLFGO	OLFIVID	1.23	40.31	15.04	24.50	0.56						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,			02. 00	02. 02	1.20	10.01	10.01	200	0.00						
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						ĺ
	2-Wire Coin Outward without Blocking and without Operator															
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011															
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															İ
ļļ	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,			LIEDOO	LIEDOO	4.00	40.04	40.04	04.00	0.50						
-	011+, and Local; with Dialing Parity (MS) 2-Wire 2-Way Smartline with 900/976 (all states except LA)		-	UEPCO UEPCO	UEPCS UEPCK	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.04	24.90	0.30	-					
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						İ
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			OLFGO	OLFCK	1.23	40.31	15.04	24.50	0.56						
ADDI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY			02.00	0.1200		0.00	0.00	0.00	0.00	1					
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.0988	0.0988								
ADDI	FIONAL NRCs				1											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															ĺ
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDOO	LIDETI		0.00	0.00								
2.14/10	Premise E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	L	ODT /	UEPCO	URETL		8.33	0.83			-	-			-	
	Port/Loop Combination Rates	LINE	OKI (I	KES)	+						1					
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	15.16										—
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	†	2		+	20.02					 	 				—
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	1	4		1	46.99								l		
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55							_			
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72										
2-Wire	e Voice Grade Line Port Rates (Res)															
\vdash	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70						1
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70						1

UNBU	IDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
-												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash				-		+ -		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
\vdash						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	108.35	70.57		11.70	0020	00	00		00	00
		2-Wire voice Grade unbundled Mississippi extended local															
		dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						1
		2-Wire voice unbundles res, low usage line port with Caller ID															ĺ
L		(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
		2-Wire Voice Unbundled Mississippi Residence Dialing Plan			HEDED	LIEDWI	4.07	400.05	70.57	54.04	44.70						1
 	NTED	without Caller ID PFFICE TRANSPORT	-	-	UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70	-					—
	NIEK	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-		+ -											
		Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02	02	20.02	10.77	21.01	17.20							
		or Fraction Mile	<u> </u>		UEPFR	1L5XX	0.0088					<u> </u>	<u> </u>	<u></u>	<u> </u>		1
F	EATU								·								
		All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
ļ.	OCAL	NUMBER PORTABILITY															
	IOND	Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	UEPFR	LNPCX	0.35			1		-		-	-		
r	NONKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								1
—		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITIK	00/102		10.54	0.72								
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								1
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.19	1.10								<u> </u>
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (I	BUS)												
<u></u>	JNE Po	rt/Loop Combination Rates					15.10										├
\vdash		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2		+	15.16 20.02										\vdash
\vdash	_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	28.82					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4	1	4		+	46.99										
ı	JNE Lo	op Rates				†											
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
<u> </u>		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
- 2	2-Wire	Voice Grade Line Port (Bus)	-	-	UEPFB	UEPBL	1.27	400.05	70.57	54.24	44.70						
\vdash		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	1		UEPFB UEPFB	UEPBC	1.27	108.35 108.35	70.57 70.57	54.24	11.70 11.70	1	-	-			—
\vdash		2-Wire voice unbundled port outgoing only - bus	 		UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70	-					
\vdash		2-Wire voice Grade unbundled Mississippi extended local	l –			1	,			J24	0	1		1	1		
		dialing parity port with Caller ID - bus	<u> </u>		UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70	<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						
l T		2-Wire Voice Unbundled Mississippi Business Dialing Plan			l	1											1
\vdash	00.11	without Caller ID	ļ		UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70						—
├	OCAL	NUMBER PORTABILITY	 	-	HEDED	LNDCY	0.35			1				.	.		-
	NTED	Local Number Portability (1 per port) PFFICE TRANSPORT	1		UEPFB	LNPCX	0.35			-							
 	MIEK(Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	 			+				1		 		 	 		
		Termination	1		UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						i
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1							20				İ	İ		
		or Fraction Mile	1		UEPFB	1L5XX	0.0088										1
F	EATU																
oxdot		All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
<u> </u>	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ							1							—
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		40.04	3.72								1
\vdash		Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		UEPFB	USAC2		16.94	3.72	-							
		Combination - Conversion - Switch with change	1		UEPFB	USACC		16.94	3.72								i
\vdash		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02110	30,100		10.54	5.72								
		End User Premise	1	1	UEPFB	URETN		11.19	1.10				I	1			1

UNBUN	DLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
U	NE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
U	NE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
\vdash	147	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72					1					
2.	-Wire	Voice Grade Line Port Rates (BUS - PBX)		<u> </u>	-	+						-					
1 1		Live Oile Hele alle LO and in the O. War DDV T			LIEDED	LIEBBO	4.0-	407	00 **	07.00	44.00	1	1				
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			l												
		Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l												
		Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
\vdash		Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
		Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						
<u> </u>	0041	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29	1					
L	OCAL	NUMBER PORTABILITY			LIEDED	LNDOD	0.45	0.00	0.00			-					
-	ITED	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			-					
l Ir	VIER	DFFICE TRANSPORT				_						-					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFP	11477.60	00.00	40.77	07.57	47.00	7.44						
		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11	 	-				
		or Fraction Mile			UEPFP	1L5XX	0.0088										
-	EATU				UEPFP	ILSXX	0.0088					 					
F	EAIU	All Features Offered		-	UEPFP	UEPVF	2.56	0.00	0.00			-					
—	ONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	UEFFF	UEFVF	2.30	0.00	0.00			-					
IN IN	UNKE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				_						 					
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								
-		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>	UEPFF	USACZ		10.94	3.72			1					
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72								
\vdash		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-	OLFIF	USACC	-	10.94	3.12			1		-	-		
		End User Premise			UEPFP	URETN		11.19	1.10								
IINBIIND	I ED E	PORT/LOOP COMBINATIONS - COST BASED RATES		 	OLITE	OIXL IIV		11.19	1.10			+		 	 		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT	 	 	+						+		 	 		
		ort/Loop Combination Rates	· OKI	 	 	+						1	-	1	1		
⊢ + •	P	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	 	+	21.32					1	-	1	1		
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	 	+	26.16					+		 	 		
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	 	+	34.98					+		 	 		
\vdash		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		4	 	+	53.15					 		 	 		
 	NF I	pop Rates		+	 	+	55.15					1	-	1	1		
	-4F F(rop ruico		1	1		1			1		1	i .	1	1		

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: A
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi										Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														•	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								ļ										
								Rec	Nonrec		Nonrecurring					Rates (\$)		
				.	LIEDDY				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										+
-		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		3	UEPPX		UECD1 UECD1	27.55 45.72										+
	LINE D	ort Rate		4	UEPFA		DECDI	45.72					-					——
-	UNE P	Exchange Ports - 2-Wire DID Port		1	UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25	1					
-	NONRI	ECURRING CHARGES - CURRENTLY COMBINED		1	OLITA		OLIDI	7.43	225.50	07.13	114.55	14.20						—
	1401414	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1									1					
		Switch-as-is			UEPPX		USAC1		7.35	1.88								l .
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	1	with BellSouth Allowable Changes			UEPPX		USA1C		7.35	1.88	I			1				1
	ADDIT	IONAL NRCs														1		
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94								
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
		End User Premise			UEPPX		URETN		11.19	1.10		<u> </u>					<u> </u>	<u> </u>
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								1
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								1
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	LOCAL	NUMBER PORTABILITY			LIEDDY		LUBOR	0.45										
	O WILDI	Local Number Portability (1 per port) EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDI	- DOD	UEPPX		LNPCP	3.15	0.00	0.00								+
			NE SIDE	PUR	1						-							
-	UNE P	ort/Loop Combination Rates 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	1		1	-			-		-					——
		IUNE Zone 1		1	UEPPB	UEPPR		28.59										l .
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	OLITE	OLITIK		20.55					1					——
		UNE Zone 2		2	UEPPB	UEPPR		35.00										l .
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		 							t							
		UNE Zone 3		3	UEPPB	UEPPR		45.18										l .
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1														
		UNE Zone 4		4				67.61										l .
	UNE L	oop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										1
																		ĺ
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										1
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		34.85										
		2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28										
	UNE P	ort Rate																
-	NOND	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						+
	NONRI	ECURRING CHARGES - CURRENTLY COMBINED		1							-							
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								l .
-	ADDIT	IONAL NRCs			UEPPB	UEPPR	USACB	0.00	38.73	21.11	-		-					—
-	ADDIT	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		-	1		1	-			-		-					
		End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								1
-	-	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	 	OLI FD	OLFFR	OILL IIV	 	11.19	1.10	t		-	-		 		
		Premise			UEPPB	UEPPR	URETL		8.33	0.83	1							1
-	LOCAL	NUMBER PORTABILITY	-	\vdash	CLITD	JELLIK	J. NE 1 E	 	0.00	0.00	+			 				<u> </u>
—	LOCAL	Local Number Portability (1 per port)		<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	<u> </u>							
—	B-CHA	NNEL USER PROFILE ACCESS:		t	J D	J_, I IX		0.00	0.00	0.00	<u> </u>					1		
	- 5	CVS/CSD (DMS/5ESS)		t —	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1					İ		
		CVS (EWSD)	1	i –	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1					İ		ſ
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						1		
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								

UNBUND	LED	NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: A
								I					Svc Order	Svc Order	Incremental		Incremental	Incremental
1			1				1	I					Submitted	Submitted		Charge -	Charge -	Charge -
1			Inter				1	I					Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	Е	cs	USOC	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m			-	1	I		(4)			hei rok	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
			1				1		Nonre	curring	Nonrecurring	Disconnect	1	1	oss	Rates (\$)	1	
							1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
us	FR TE	ERMINAL PROFILE	1				 		11100	Auu	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	COMPAN
100		Jser Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1		†	†				
VF		AL FEATURES	1		OLITE	OLITIK	O TOWN	0.00	0.00	0.00	1		†	†				
1.5		All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	2.56	0.00	0.00			†					
INT		FICE CHANNEL MILEAGE	-		OLITE	OLITIK	OLI VI	2.00	0.00	0.00			†					
		nteroffice Channel mileage each, including first mile and	1				+	1					†					
		acilities termination			LIEDDD	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
—		nteroffice Channel mileage each, additional mile	.		UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00	17.20	7.11	1	†		 		
4.14		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	/ DODT		UEPPB	UEPPK	IVITGINIVI	0.0096	0.00	0.00			<u> </u>					
							(40/0/00		4/4/04 //				<u> </u>	<u> </u>				
		-P DS1 combination rates below for in this rate exhibit appl													nt.	1	 	
		s for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	runk Po	ort afte	the effec	ctive date of	this amend	ment shall be	provided pursi	lant to a sepai	rate agreement	or tariff at Bel	South's di	scretion.				
UN		t/Loop Combination Rates	.	-			+	.	-		1	-	1	-	-	-	.	
		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	Ι.			I							1	1	1	1	
		Zone 1	ļ	1	UEPPP		 	155.43			ļ							
		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
$oxed{oxed}$		Zone 2	ļ	2	UEPPP		 	205.74			ļ		ļ			.		
		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1	1										
		Zone 3		3	UEPPP			283.10										
	4	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Z	Zone 4		4	UEPPP			534.81										
UN		p Rates																
	4	-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08										
	4	-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38										
	4	-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74										
	4	-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46										
UN	E Por	t Rate																
	E	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	i		UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						
NO	NREC	CURRING CHARGES - CURRENTLY COMBINED																
		-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port												İ				
	c	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
AD		NAL NRCs	t										t					
		-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	t										t					
		nward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
		l-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
		-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	t -										†					
		Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.15	23.15								
10		NUMBER PORTABILITY	<u> </u>	t			1	1	20.10	20.10		1	1	1		1	1	
		ocal Number Portability (1 per port)	l —	t	UEPPP		LNPCN	1.75			1	†	1	t	 	t	†	
INT		ACE (Provsioning Only)	l -				1				1	1	1		 	†	i	
1.41		/oice/Data	 		UEPPP		PR71V	0.00	0.00	0.00	1		†	<u> </u>	1	t		
 		Digital Data	l	 	UEPPP		PR71D	0.00	0.00	0.00	1	 	1	†		<u> </u>	†	
		nward Data	 		UEPPP		PR71E	0.00	0.00	0.00	1		†	<u> </u>	1	t		
No		Additional "B" Channel	 	 	J_111		. 10/15	0.00	0.00	0.00	 	1	 	t	 	t	<u> </u>	
INC		New or Additional - Voice/Data B Channel	 	 	UEPPP		PR7BV	0.00	14.61		 		†	 		 	 	
 		New or Additional - Voice/Data B Channel	1		UEPPP		PR7BF	0.00	14.61		1	1	1	 	l	 	1	
\vdash		New or Additional Inward Data B Channel	 	 	UEPPP		PR7BD	0.00	14.61		1	 	†	 	 	 	 	
C4	LL TY		 	1	UEFFF		FR/DU	0.00	14.01		 	-	 	 	-		-	
CA		nward	 		UEPPP		PR7C1	0.00	0.00	0.00	 		1	-		 		
\vdash			 	-	UEPPP						 	 	1	1	-	 	 	
\vdash		Outward	 	-			PR7CO	0.00	0.00	0.00	 	 	+	1		1	 	
 -		wo-way	├		UEPPP		PR7CC	0.00	0.00	0.00			1	-		-		
Inte		ce Channel Mileage	!		LIEBSS		41.514.5			20.5-	10.5-		<u> </u>	-	 	-	.	
		ixed Each Including First Mile	ļ		UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	_	-			ļ	
		ach Airline-Fractional Additional Mile			UEPPP		1LN1B	0.20					1			_		
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L		L		1	L	L		L		L	<u> </u>	L	.		
		-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.	.		
		s for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	ate of	his amer	dment sha	all be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.	ļ			.		
UN		t/Loop Combination Rates	ļ				1				ļ							
	4	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<u> </u>	1	UEPDC			131.78					<u> </u>					

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
CATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Manage		I N	. D'	ļ	1	000	D-1 (A)		
						Rec		curring		Disconnect				Rates (\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		511.15										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										Ī .
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74					1					1
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										
UNF F	Port Rate										1					<u> </u>
0.1.2.	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	-	 	UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						
NOND	ECURRING CHARGES - CURRENTLY COMBINED	-	+	02, 00	SDDTT	52.70	701.12	204.70	120.90	17.01	 	 	 	 	 	
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 	 	 	+				1		1	 	 	 	-	
		l	1	LIEDDO	LICACA		400.04	07.44			1	l	l	I	l	
 	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41	ļ		-					.
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1	l	l						1	l	l	I	l	
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		130.24	67.41								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		130.24	67.41								
ADDIT	TONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	-	 	OLI DO	ODITE		14.00	14.00								†
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
			-	OLFDC	ODITO		14.30	14.30								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTD		44.50	44.50								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s								
Altern	ate Mark Inversion															ĺ
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleni	none Number/Trunk Group Establisment Charges															
10.0	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00					1					<u> </u>
	Telephone Number for 1-Way Inward Trunk Group Without DID	-	 	UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers	 	 	UEPDC	ND4	0.00			1		1	 	 	 	-	
	DID Numbers, Non- consecutive DID Numbers, Per Number	-	-	UEPDC	ND5	0.00			-	-	 	-	-	-	-	
		!	+			0.00	0.00	0.00	1		1	-		 		+
—	Reserve Non-Consecutive DID Nos.	 	1	UEPDC	ND6				1		1	 	 	 	 	
	Reserve DID Numbers	L	<u>. </u>	UEPDC	NDV	0.00	0.00	0.00	1	-	-	.	-	-	-	├
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	Digita	Loop	with 4-Wire DDITS	runk Port						ļ					Ļ
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	l		1	1											
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90	1					
		l	1					l		l				_		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u> </u>		UEPDC	1LNOA	0.20	0.00	0.00		<u></u>			L			<u> </u>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)	l	1	UEPDC	1LNO2	0.00	0.00	0.00			1	l	l	I	l	
	Interoffice Channel Mileage - Additional rate per mile - 9-25		1	İ	1							ĺ	ĺ	1	ĺ	1
	miles	l	1	UEPDC	1LNOB	0.20	0.00	0.00			1	l	l	I	l	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	i –	t	T	1	J.20	0.50	3.30	1		1	i e	i e	1	i e	
	Termination)	l	1	UEPDC	1LNO3	0.00	0.00	0.00	0.00		1	l	l	I	l	
	1.011111100011	 	 	02.100	121400	0.00	0.00	0.00	0.00	 	t	 	<u> </u>	 	 	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	l		UEPDC	1LNOC	0.20	0.00	0.00								
		 	+	UEPDC	LNPCP	3.15	0.00	0.00	0.00		1	!	 	1	 	
	Local Number Portability, per DS0 Activated	!	-				0.00	0.00	0.00	-	 	!	1	1	1	├
4 1	Central Office Termininating Point	<u> </u>	1	UEPDC	CTG	0.00		ļ	ļ	ļ						
	E DS1 LOOP WITH CHANNELIZATION WITH PORT		1	ļ	1						1	ļ	ļ	ļ	ļ	ļ
Syster	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	5	1	1	I		l	1	l	1	I	l	1	l .	1

UNBUN	NDLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
	T		I									Svc Order	Svc Order	Incremental	Incremental		
						1	1					Submitted	Submitted		Charge -	Charge -	Charge -
			Imton:									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Addi	Disc 1st	DISC Add I
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		stem can have up to 24 combinations of rates depending on															
1	The UN	E-P DS1 combination rates below for 4-Wire DS1 Loop with 0	Channel	ization	with Port in this ra	te exhibit app	ly to the embe	dded base in p	place as of 10/2	2/03 until 4/1/04	I. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
F	Reques	ts for 4-Wire DS1 Loop with Channelization with Port after th	ne effect	ive dat	e of this amendmen	nt shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
Ų	UNE DS	1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00								
Ų	UNE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								
1	Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	/stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
I I	Multiple	es of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
	System	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists and	d									
1	New (No	ot Currently Combined) in all states, except in Density Zone 1	1 of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56						
E	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
	Į.	Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
A	Alternat	e Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
E	Exchan	ge Ports															
I	T	Line Side Combination Channelized PBX Trunk Port - Business				1											
		(E:4/1/2004)	ļ		UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00						<u> </u>
		Line Side Outward Channelized PBX Trunk Port - Business					1										
		(E:4/1/2004)	ļ		UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00						<u> </u>
		Line Side Inward Only Channelized PBX Trunk Port without DID	1			1	1										
		(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
igsquare		(E:4/1/2004)	ļ		UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						ļ
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	1			1	I					1					
		(AL, KY, LA, MS, & TN)(Conversion from Network Access	1			I	I					1					
igspace		Service) (E:4/1/2004)	ļ		UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00				ļ		ļ
		Unbundled Exchange Ports, 2-Wire Channelized – Combination	1			1	I					1					
		(AL, KY, LA, MS, & TN) (Conversion from Network Access															
		Service) (E:4/1/2004)	ļ		UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00						ļ
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial–	1			1	1										
		Mississippi Only – Calling Plan (E:4/1/2004)	ļ		UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00						ļ
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -					1										
\sqcup		Mississippi Only – Calling Plan (E:4/1/2004)	ļ		UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00						ļ
		Activations - Unbundled Loop Concentration	1	1			1	1	l	1	1	1			1		1

UNRI	INDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
OND	JINDEL											Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted		Charge -	Charge -	Charge -
			Instant									Elec			Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			ļ														
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-	-	Facture (Comical Activistics for each Line Dort Torreinsted in DA	-	-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						1
	1	Feature (Service) Activation for each Trunk Port Terminated in	1		UEFFX	IPQVVIVI	0.61	23.30	13.39	4.29	4.20	1					
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						1
-	Telenh	one Number/ Group Establishment Charges for DID Service			OLITA	11 0000	0.01	70.00	10.00	00.00	11.00						
	reiepii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			1					
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	1	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
		Office and Tandem Switching Usage and Common Transport														A 1 17071 NIB	
		first and additional Port nonrecurring charges apply to Not C	urrentiy	Comb	inea Combos. For	Currently Co	mbinea Combo	os, the nonrect	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections. /	Additional NR	.Cs may
		also and are categorized accordingly.					er condition of	_					1			1	
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual C	ase Basis, un	til further notic	e.									\vdash
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7	-								-					
		ort/Loop Combination Rates (Non-Design)		-		1											\vdash
	ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		1											\vdash
		Non-Design		1	UEP91		12.22										1
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI OI	1	12.22					1					
		Non-Design		2	UEP91		17.13										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design ,		3	UEP91		26.26										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		4	UEP91		44.91										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														1
		Design		1	UEP91		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		2	UEP91		19.98										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOA		00 =0										1
<u> </u>	1	Design	!	3	UEP91	+	28.78										\vdash
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDO1		46.95										1
-	LINE	Design		4	UEP91		46.95										
-	ONE L	pop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	 	1	UEP91	UECS1	10.98							 			\vdash
\vdash	+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP91	UECS1	15.91					H		l			\vdash
\vdash	+	2-Wire Voice Grade Loop (SL 1) - Zone 3	 		UEP91	UECS1	25.04										\vdash
	†	2-Wire Voice Grade Loop (SL 1) - Zone 4	 		UEP91	UECS1	43.68										\vdash
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	13.89										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP91	UECS2	18.75							İ			
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3	1		UEP91	UECS2	27.55							l			
	1	2-Wire Voice Grade Loop (SL 2) - Zone 4	İ	4	UEP91	UECS2	45.72										
	UNE P	orts															
	All Sta	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local							·		·			l			
	1	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						$oxed{oxed}$
1		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	1		l	l	1 .				_						1 1
	1	Local Area		<u> </u>	UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58						

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOA	LIEDVAA	1.23	108.35	70.57	54.24	44.70						
		Note 2, 3 Basic Local Area	-		UEP91	UEPYM	1.23	108.35	/0.5/	54.24	11.70				1		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
-		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEF91	UEFTZ	1.23	106.33	70.57	54.24	11.70	 					
		- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI 31	OLI 13	1.20	40.51	13.04	24.30	0.50	†					
		Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL. KY	, LA, MS, & TN Only			02. 0.	022	20	10.01	10.01	200	0.00	1			1		
		2-Wire Voice Grade Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	İ					
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70			<u> </u>	<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
		Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
1			1			Ι					_				_	_	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
	Local	Number Portability	-	-	LIEDOA	LNDOO	0.05					1					
-	F4	Local Number Portability (1 per port)	-	-	UEP91	LNPCC	0.35					1					
	Feature	All Standard Features Offered, per port			UEP91	UEPVF	2.56				-	 	-				
		All Select Features Offered, per port	-		UEP91	UEPVS	0.00	404.98			-	1			-	-	
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56	404.90			 	 					
	NARS	All Centrex Control Features Chereu, per port			OLI 91	OLI VO	2.50			1							
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1			1		
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	İ					
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	laneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade	1		UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile	L		UEP91	M1GBM	0.0098			ļ	ļ	ļ			1	1	
<u> </u>		e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>								ļ			ļ	ļ	
<u> </u>	D4 Cha	annel Bank Feature Activations	!	-	LIEDO4	400140	0.55			1	.	-			 	 	
<u> </u>	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP91	1PQWS	0.57			 	 	 		-	 	 	-
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91	1PQW6	0.57				I				I	I	
-	 	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	-	OLFSI	IFUVVO	0.57			1	 	1	1	 	 	 	
		ISlot			UEP91	1PQW7	0.57				1				1	1	
-	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 		0=101	11 04 44 1	0.37			 	 	 			t	 	
		Different Wire Center	1		UEP91	1PQWP	0.57				I				I	I	
					0.	~	0.01			1	<u> </u>				<u> </u>	<u> </u>	
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP91	1PQWV	0.57				I				I	I	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	t		-					1	1			İ	1	1	İ
		Slot	1		UEP91	1PQWQ	0.57				I				I	I	
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP91	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32		ļ	ļ				1	ļ	
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32		ļ		ļ					ļ
L		Secondary Block, per Block	ļ	 	UEP91	M2CC1	0.00	77.91		ļ	.	ļ			.		
1		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63			1						

CATEGOR	Υ											T	_			La constant de la	
CATEGOR	Y											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGOR	Y											Submitted			Charge -	Charge -	Charge -
CATEGOR	Y		Inten!									Elec		Manual Svc	Manual Svc		Manual Svo
		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash																D130 13t	DISC Add I
							Rec	Nonred		Nonrecurring	Disconnect				Rates (\$)		
-							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Add		al Non-Recurring Charges (NRC)															
		Inbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP91	URETL		8.33	0.83								
		Inbundled Miscellaneous Rate Element, Tag Design Loop at															
		Ind Use Premise			UEP91	URETN		11.19	1.10								
UN	E-P C	ENTREX - 5ESS (Valid in All States)	-	-													
		G Loop/2-Wire Voice Grade Port (Centrex) Combo				+						-					
UN		t/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+						-					
		-wire vo Loop/2-wire voice Grade Port (Centrex) Port Combo - Ion-Design	1	1	UEP95		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 95	+	12.22								1		
		Von-Design		2	UEP95		17.13										ĺ
\vdash		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	†		021 00		17.13					-	 				—
		Non-Design		3	UEP95		26.26										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť	00	1	20.20										—
		Non-Design		4	UEP95		44.91						1				1
UN		t/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		15.12										
	2	P-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		19.98										ĺ
	2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
oxdot		Design		4	UEP95		46.95										
UN		p Rate															
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										——
\vdash		P-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1	15.91										-
\vdash		P-Wire Voice Grade Loop (SL 1) - Zone 3 P-Wire Voice Grade Loop (SL 1) - Zone 4		3	UEP95	UECS1	25.04 43.68					-					
\vdash		?-Wire Voice Grade Loop (SL 1) - Zone 4 ?-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS1	13.89										
		P-Wire Voice Grade Loop (SL 2) - Zone 1	-	2	UEP95	UECS2	18.75										
		P-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
LIN		t Rate		-	OLI 50	02002	40.12										
	State																
7		P-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2	P-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	F	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58						ĺ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
		Service Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
\vdash		Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58						
		P-Wire Voice Grade Port Terminated on 800 Service Term -			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58						1
Δ1		LA, MS, SC, & TN Only			UEF95	UEP 12	1.23	40.31	19.04	24.90	0.30						
AL,		P-Wire Voice Grade Port (Centrex)	 	-	UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58	-	 		 	 	
\vdash		2-Wire Voice Grade Port (Centrex)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58	<u> </u>					—
\vdash		2-Wire Voice Grade Fort (Centrex doo termination)			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			00	J2. Q	20			200	0.00				i	i	
		Center)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		1				1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													1	1	
		Ferm 2,3	<u></u>		UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u>1</u>
$oxed{oxed}$		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						L
	2	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58						

UNBUNDL	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
			T .								Svc Order	Svc Order	Incremental	Incremental		
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			I .			Order vs.	Order vs.	Order vs.
0711200111		m			0000			101120 (4)			per LSR	per LSR	Order vs.			
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		+	+		1		Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates (\$)		<u> </u>
h		-	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FI 8	& GA Only		1					71441	1 01	71441	0020	00				
	cal Switching		1								İ					
1	Centrex Intercom Funtionality, per port	1	1	UEP95	URECS	0.7947					i e					
Loca	cal Number Portability	1	1								i e					
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat	atures															
	All Standard Features Offered, per port			UEP95	UEPVF	2.56										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56										
NAR	RS															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Miso	scellaneous Terminations															
2-W	Vire Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
4-W	Vire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Inter	eroffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0098										
	ature Activations (DS0) Centrex Loops on Channelized DS1 Ser	/ice														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										ļ
	Feature Activation on D-4 Channel Bank FX line Side Loop Slo	t		UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center		-	UEP95	1PQWP	0.57					1					-
	Foot and Authorities on D. 4 Ohannel Book Britani Line Line Oh			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slo		-	UEP95	1PQWV	0.57										ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.57										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	_	+	UEP95 UEP95	1PQWQ	0.57					-					
Non	n-Recurring Charges (NRC) Associated with UNE-P Centrex	+	1	UEF95	IFQWA	0.57					1					-
Non	NRC Conversion Currently Combined Switch-As-Is with allowe	4	+								<u> </u>					-
	changes, per port	1		UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each	+	1	UEP95	USACN		37.97	16.68			†					
	New Centrex Standard Common Block		1	UEP95	M1ACS	0.00	666.32	10.00			1					†
\leftarrow	New Centrex Customized Common Block		1	UEP95	M1ACC	0.00	666.32				1					—
	NAR Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	72.63				1					†
Add	ditional Non-Recurring Charges (NRC)	1	1		55,,	0.00	. 2.00							1		
1.34	Unbundled Miscellaneous Rate Element, Tag Loop at End Us		†											i		
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise		1	UEP95	URETN		11.19	1.10								
	E-P CENTREX - DMS100 (Valid in All States)															
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	E Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comb	o -														
	Non-Design		1	UEP9D		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb) -	1													
	Non-Design		2	UEP9D		17.13										<u> </u>
, l [—]	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb) -	1													
ullet	Non-Design		3	UEP9D		26.26										<u> </u>
(l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comb	o -	1	l												
í I	Non-Design		4	UEP9D		44.91					1	1				1

UNBUN	DLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
	,		Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						1								Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash	-			 			_ 1	Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										
-		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	-	19.98			-					-		
		Design		3	UEP9D		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ŭ	OLI OD		20.70										
		Design		4	UEP9D		46.95										
U	NE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP9D	UECS1	25.04								ļ		
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
+		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 	2	UEP9D UEP9D	UECS2 UECS2	13.89 18.75			-		-			 		
\vdash		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D UEP9D	UECS2	18.75 27.55			 		1			 	 	
		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72								<u> </u>		
U	INE Po	ort Rate		<u> </u>	02.03	02002	10.12			1							
		ATES															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area		ļ	UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	40.04	10.01	04.00	0.50						
\vdash	_	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		<u> </u>	UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58				-		
		Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLI 3D	OLI ID	1.23	40.51	13.04	24.50	0.50				-		
		Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
		Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
		Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
-		Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYI	1.23	40.31	19.84	24.90	0.58						
		Area	1		UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58				I		
\vdash		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				32 0	1.20	70.01	10.04	24.50	0.00						
		Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58				1		
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
$\perp \perp \downarrow$		Area		ļ	UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIEDVII	4.00	40.01	10.01	04.65	0.50						
\vdash		Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	-	-	UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58				1	-	
		2-wire voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area	1		UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		1		I		
+		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	 	t	OLI 3D	JLI IVV	1.23	40.31	15.04	24.90	0.36		 		t		
1 1		Basic Local Area	1		UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		1		I		
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	İ													1	
		2,3-Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	l														
\vdash		Basic Local Area	ļ	_	UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			LIEDOD	LIEDVD	4.00	400.05	70.57	E4.04	44 70				1		
\vdash		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4	-	-	UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70				-		
		Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70						
\vdash	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1		OL1 0D	OLI IQ	1.23	100.33	10.51	54.24	11.70				—		
1 1		Basic Local Area	1		UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		1		I		
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4													1		
		Basic Local Area	<u> </u>	<u> </u>	UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70						

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								1
0.7.1.	OOK	KATE EEEMENTO	m	20110	500	0000			τι-τι-Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					1		Nonrec	rurring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
	+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4							7100		71441	0020	00				
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02.00	02	1.20	100.00	7 0.01	02.							
		Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4					0										
		Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						ĺ
	+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
		Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02. 02	02	1.20	.00.00	7 0.01	0		1					
		Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			02.00	022	20	100.00	7 0.01	02.							
		Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						ĺ
	1	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02	32	20		.0.04	200	3.00			i	i		
	1	Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		1				1
	AL. KY	, LA, MS, SC, & TN Only					20		.0.04	250	3.50			i	i		
	7.2, 111	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58			i	i		
	1	2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58			i	i		
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58	†					
	+	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58	†					
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84		6.58	1					
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58	1					
	+	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58	†					
		2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58	1					
		2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58	1					
		2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84		6.58						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02.00	02. Q	1.20	10.01	10.01	21.00	0.00						
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02.00	02. Q0	1.20	10.01	10.01	21.00	0.00						
		2.3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2,0			02.00	02. 0	1.20	100.00	7 0.01	02.							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
		2 11/10 10/00 01/00 10/10 (Control of the / 250 1 02 1/2,0,1			02. 02	02. 00	1.20	.00.00	7 0.01	0		1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
		2 ****** *****************************			02.00	02. Q.	20	100.00	7 0.01	02.							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
	+	2 17110 10100 01440 1 011 (0011410) 4 41101 0110 7 2 2 0 0 2 0 0 7 2 3 3 1			02.05	02. 44	20	100.00	7 0.01	02.		†					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
		2 11110 10100 01440 1 01 (0011410) 4 11101 0110 / 2,20 110 1 12/2,0,1			02.00	OL. GIT	20	100.00	7 0.01	02.							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						
		2 11110 10100 01440 1 011 (0011410) 4 11101 0110 / 2,20 11100 12/2,30, 1			02.00	02. Q0	20	100.00	7 0.01	02.							
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
	+	2 11110 10100 01440 1 01 (Control and Otto / 220 1110000)2;0; 1			02.05	02. Q.	20	100.00	7 0.01	02.		†					——
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
		2 Wile Voice Clade For (Centrewaller GWG/EBG Mc200/2,0,4			OLI OD	OLI QU	1.20	100.00	10.01	04.24	11.70	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
	+	2 Wile Voice Grade For (Sentionalities GWG/EBG MoZ10/2,5,4			OLI OD	OLI QU	1.20	100.00	10.01	04.24	11.70	-					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						1
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02	J 3()	1.20	100.00	70.07	07.27	11.70			i	i		
	1	Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		1				1
	1	·			02	J X2	1.20	100.00	70.07	07.27	11.70			i	i		
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		1				1
	1	2-Wire Voice Grade Port Terminated in 61 Meganink of equivalent			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58			i	i		
	Local 9	Switching			02.00	JL1 W2	1.20	70.01	10.04	24.30	0.50						—
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947				i			i	i		
	Local I	Number Portability					3 5 .1				i			i	i		
	1	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35				1	1	1	1	1		
		The state of the s				1	2.00			1	1				1		

UNBUNE	LF	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
3.4D014L		ALL MONNELLMIC - Miloolooippi										Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			lustani									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Fe	ature				LIEBAB		0.50										
-		All Standard Features Offered, per port	-	-	UEP9D UEP9D	UEPVF UEPVS	2.56	404.00									
	-	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00 2.56	404.98				-					
N/A	RS	All Centrex Control Features Offered, per port	-	-	UEP9D	UEFVC	2.30								-		
INA		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Mi		aneous Terminations								0.00							
		Frunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88						
4-V		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54						
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
Int	eroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4	Cha	nnel Bank Feature Activations			LIEDOD	400140	0.57										
	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57					-					
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
	-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot			UEP9D	IFQW6	0.57								1		
		Slot			UEP9D	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 03		0.07										
		Different Wire Center			UEP9D	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										
No		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
	_	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68								
\vdash	_	New Centrex Standard Common Block New Centrex Customized Common Block	-	-	UEP9D UEP9D	M1ACS M1ACC	0.00	666.32 666.32							 	-	-
\vdash		NAR Establishment Charge, Per Occasion	 	-	UEP9D UEP9D	URECA	0.00	72.63				-			+		
ΔΑ		nal Non-Recurring Charges (NRC)	1		OLFBD	UNLUA	0.00	12.03		+		1			 	 	
Au	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	t			+							-		 		
		Premise	1		UEP9D	URETL		8.33	0.83				1		I		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at						2.00	2.00						1		
		End Use Premise	1		UEP9D	URETN		11.19	1.10						I		
UN	IE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				1				1		İ			1	1	
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN	IE Po	rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1													l	
		Non-Design		1	UEP9E	1	12.22								L		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEBOE.								1		I		
\vdash		Non-Design	 	2	UEP9E	1	17.13								 		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	3	LIEDOE		26.00						1		I		
\vdash	-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+	3	UEP9E	+	26.26			1		-	-	-	 		
		2-vvire vG Loop/2-vvire voice Grade Port (Centrex) Port Combo (Non-Design	1	4	UEP9E		44.91						1		I		
LIN	IF Da	rt/Loop Combination Rates (Design)	 	-	OL: 3L	+	44.91								 	-	-
JUN	FU	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	 			+							-		 		
		Design		1	UEP9E		15.12								1		
	\neg	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l –	Ė		1	2								1	İ	İ
		Design	1	2	UEP9E		19.98					1	1		I		
						1											

JNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc			_
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEBOE		00.70										
+-	Design		3	UEP9E		28.78					-				-	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		4	UEP9E		46.95										
LINE	Loop Rate		4	OLF9L		40.55					1			1	1	+
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98					-					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68								1		†
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72										
UNE F	Port Rate															
AL, FI	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEBOE	LIEDV7	4.00	400.05	70.57	54.04	44.70						
	Service Term - Basic Local Area		-	UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPY9	1.23	40.04	40.04	24.90	6.58						
\longrightarrow	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEP 19	1.23	40.31	19.84	24.90	6.58	-					+
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AI K	Y, LA, MS, & TN Only			OLF9L	OLF 12	1.23	40.31	19.04	24.90	0.56	1			1	1	+
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58	-					+
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58				1		†
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
	Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947									1	
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35				-	-			ļ	-	+
Featur			-	LIEDOE	LIED/E	0.50					-			1	1	+
+-	All Standard Features Offered, per port		-	UEP9E UEP9E	UEPVF UEPVS	2.56 0.00	404.98							-	 	+
-+-	All Select Features Offered, per port All Centrex Control Features Offered, per port	-	 	UEP9E UEP9E	UEPVS	2.56	404.98					 			 	+
NARS		-		OLI 3L	OLI VO	2.00					-	-		1	t	+
ITANO	Unbundled Network Access Register - Combination	-		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	-	-		1	t	+
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	 	 		1	I	+
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00					1	1
Misce	Illaneous Terminations					2.00	2.00	2700	2700	5.00						1
	Trunk Side															1
	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						1
4-Wir€	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56	•								
$\overline{}$																
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						↓

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
		1									Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISC Add I
						Rec	Nonred			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	nannel Bank Feature Activations			LIEDOE	40014/0	0.57										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP9E	1PQWS	0.57								1		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<u> </u>	UEF9E	IFQW6	0.57					1			-		
	Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	OLI OL	11 00117	0.07					-					
	Different Wire Center			UEP9E	1PQWP	0.57										
	Silloretti VIII o conter			02. 02		0.07										
1 1	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.57						1		I		
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1		1										1	
1 1	Slot	1		UEP9E	1PQWQ	0.57						1		I		
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
Addit	ional Non-Recurring Charges (NRC)				+											
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		-	UEP9E	UREIL		8.33	0.83		 	-					
	End Use Premise			UEP9E	URETN		11.19	1.10								
UNF-	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		<u> </u>	OLI 3L	OKETIV		11.13	1.10			-					
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>		+					1						
	Port/Loop Combination Rates (Non-Design)				1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design ,		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														
	Non-Design		4	UEP93	1	44.91										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.													
	Design		1	UEP93	+	15.12								1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP93	+	19.98				1	-			-		
	Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	OLF 93	+	20.76										
	Design		4	UEP93		46.95										
UNE I	Loop Rate		T -	021 00	1	40.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98				Ì				1	İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP93	UECS1	15.91				1				1		İ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55										
\Box	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72										
	Port Rate	ļ	<u> </u>						ļ	ļ				1	ļ	
AL, K	Y, LA, MS, & TN only	ļ	<u> </u>	LIEDOO	LIEDY'S	1.0-	40.0									
	2-Wire Voice Grade Port (Centrex) Basic Local Area	L		UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	1	l		l		l

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYB	1.23	40.04	40.04	24.00	0.50						ı l
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						$\overline{}$
	Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
-	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		-				
	Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						ı
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	O.W. Veige Co. In Destate the Line of Manufacture and Indian			LIEDOO	LIEDOO	4.00	40.04	10.01	04.00	0.50						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93 UEP93	UEPQ9 UEPQ2	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58						
Local	Switching			UEF93	UEPQZ	1.23	40.31	19.04	24.90	0.56						
Looui	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP93	UEPVF	2.56										
NARS	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
NAKS	Unbundled Network Access Register - Combination		\vdash	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															i
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1 M1HDO	58.41	203.19	96.25	74.86	2.54						
Interes	DS0 Channels Activated, Per Channel ffice Channel Mileage - 2-Wire			UEP93	MIHDO	0.00	14.56					-				
Intero	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0098	40.77	27.07	17.20	7.11						
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
 	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		\vdash	ULF93	IFQVV/	0.57						 				
	Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop				1,50,40											1
\vdash	Slot		\vdash	UEP93	1PQWQ	0.57					ļ			 		
Non-P	Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex		\vdash	UEP93	1PQWA	0.57					1	 				
I I I I I I I I I I I I I I I I I I I	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port			UEP93	USAC2		0.10	0.10								

UNBU	JNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	,	,
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									<u> </u>
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									i
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								i
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.19	1.10							<u> </u>	i l
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop			Port													
		- Requires Specific Customer Premises Equipment					•										
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

ARTE ELEMENTS IN THE PROPERTY OF THE PROPERTY																		
ARTE ELEMENTS IN THE PROPERTY OF THE PROPERTY	UNBL	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
RATE RLENDITY INTO THE PROPERTY OF THE PROPERT													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ARTERIORY RATE REMEMBYS RATE REMAMS RATE REMAM													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Column C				Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
The Total Pathwall in the sections for stand-done loops or loops as part of scombination refers to Geographically Deveraged UEEE and Section	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Part Part															Electronic-	Electronic-	Electronic-	Electronic-
The "Draw" shown in the sections for stand-drove loops or loops are not of combination refers to Gregoraphically Decreases Will Plant Section 1 (1997) Provided by the Section 1 (1997) P															1st	Add'l	Disc 1st	Disc Add'l
The "Draw" shown in the sections for stand-drove loops or loops are not of combination refers to Gregoraphically Decreases Will Plant Section 1 (1997) Provided by the Section 1 (1997) P	-				 			-	Monro	curring	Monrocurrin	a Disconnect	-	1	088	Pates (\$)		
Procedure Proc					1			Rec				<u> </u>	SOMEC	SOMAN			SOMAN	SOMAN
Property Name (Control particular) in this control particular is a product of the property of									11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
OPERATIONAL SUPPORT SYSTEMS (OSS) - TEXTORIAL RATES*		The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	oination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	
HOTE: (1) CLEC should contact ins contract responsibility in private the "state specific" OSE sharpes as ordered by the State Commissions. The State Sharpes are noticed by the State Commissions. The State Sharpes are noticed by the State Commissions. The State Sharpes are noticed by the State Commissions. The State Sharpes are noticed described by the State Sharpes are noticed by the State Sharpes are not sharpes ar		http://v	www.interconnection.bellsouth.com/become a clec/html/inter	rconnec	ction.ht	m					•	•	ū	•	•			
electrother the state specific Commission ordered rates for the service ordering charge, no CEC may execute plangs, however, CEC can not obtain a mixture of the two regardless (LEC has a interconnection contract established acts of this \$2 state.)	OPER/	TIONA	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
Application Application		NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	e "state	e specif	ic" OSS charges as	ordered by t	the State Comm	issions. The	OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	. CLEC may
NOTE: (2) Any selement hat can be ordered exteriorally will be billed according to the SOMIC rate listed in this calegory. Please neter to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered exterioral criter in this calegory reflects the charge that would be billed to a CLEC but limited at all submits at LOH to effective the charge that would be billed to a CLEC but limited at all submits at LOH to effective the charge that would be billed to a CLEC but limited at all submits at LOH to effective the charge that would be billed to a CLEC but limited at all submits at LOH to effective the charge that would be billed to a CLEC but limited at all submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge that submits at LOH to effective the charge will be maintained commensurate with fell South's FCC No.1 Tartiff, Section 5 as applicable. UNE SOUTH TO EXPLICATION TO ALL TO		elect e	ither the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC may	elect the re	gional service	ordering charg	je, however, Cl	LEC can not o	btain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
Instrument Ins																		
SOMAN, will be applied to a CLECE bill when it submits an LSR to BellSouth.					•						•	, ,		•			•	
NOTE: 3) 055 - Manual Service Order Charge, Per Edement - UNE Dry. "Presse see applicable rate element for SOMAN charge."						e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once el	ectronic order	ing capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
OSS - Electronic Service Order Charge per Local Service SoMEC SoMEC SoMEC Sold So												1						
Request (SR) - UNE Corly WOYTE: The Expedite charge will be maintained commensurate with SelfSourh's FCC No.1 Tariff. Section 5 as applicable.		NOTE:		niy **Pl	ease se	ee applicable rate ele	ment for SC	MAN charge**			-	1	<u> </u>		-	 		-
MOTE: The Expedite charge will be maintained commensurate with BellSouth's FCD No.1 Tariff, Section 5 as applicable.	1						SOMEO		2 50	0.00	2.50	0.00				I		
NOTE: The Espedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable.	LINE 9	PVICE		-	+		SUIVIEU	+	3.50	0.00	3.50	0.00	 			+		
UAL UEANL, UCL, UFF, USP, URG, UN, UEA, ULL, UC, USE, USP, URG, USE, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, USP, URG, URG, USP, URG, USP, URG, URG, URG, URG, URG, URG, URG, URG	ONE 3			Religou	ith's FC	C No 1 Tariff Section	n 5 ac annli	icable					1	1		-		
UFF, UFF, UEG, UDL, UFF, UEG, UDL, UFF, UEG, UDL, UFF, UEG, UDL, UTTOX,		14012.	The Expedite ondige will be maintained commencutate with	I	1	l lann, ocome	I	Toubic.				1	1					
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNES UNES UNES UNES UNES UNES UNES UNES						UAL. UEANL. UCL.												
URE Depode Charge per Circuit or Line Assignable USOC, per ULDOS,						UEF, UDF, UEQ,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUR, UTUR, UNDER,																		
UNBUNCED EXCHANGE ACCESS LOOP UNBUNCED EXCHANGE ACCESS LOOP																		
UHENNOLE OF Cristal Control Co																		
UTS1, UTVX, UCIGE, UCIC																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTURD, UTUR																		
UNIE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE UNIT UNIT UNIT UNIT UNIT UNIT UNIT UNIT																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUD, UNDON, UNCTS																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTIVE, UTIV																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DITURU, UNTON, UNDOX, UND																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOS VOICE GRADE LOOP Service Level 1- Zone 1 1 UEANL UEAL2 12.11 57.99 42.37 1 26.94 12.76 0.00 0.00 1 2.90																		
UCHC, UCHL, UDL2, UDL48, UDL03																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per DUNDUNCHING, UNDOX, UNC																		
UDLOS, UDLOS, UDLOS, UDS, UDS, UDS, UDS, UDS, UDS, UDS, UD						UDL12, UDL48,												
ULDB3, ULDD1, ULDD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3,						UDLO3, UDLSX,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 12.11 15.79 42.37 26.94 12.76 0.00 0.00 12-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 12-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 13-UEANL UEAL2 12.14 15.79 42.37 12.69 12.76 10.00 1																		
ULDVX, UINC1																		
UILDEX UNCOX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCOX, UNTOX, UXTS1, UXTD3, UXTS1, UTTUC, UTTUD,																		
UNC3X, UNCOX, UNCX, UNCDX, UNC																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1 1 UEANL UEAL2 12.11 57.99 42.37																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.11 57.99 42.37 94.37 926.94 12.76 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0																		
UNLE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 1 UEANL UEAL2 21.24 57.99 42.37																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNTUB, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUB, U1TUA SDASP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.11 57.99 42.37	1				1											I		
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP UITUD, UITUD, UITUB, UITUA SDASP 200.00 200.00 SDASP SDASP 200.00	1															I		
Day			UNE Expedite Charge per Circuit or Line Assignable USOC, per															
UNBUNDLED EXCHANGE ACCESS LOOP	1				1		SDASP		200.00							I		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	UNBU	DLED	EXCHANGE ACCESS LOOP															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 21.24 57.99 42.37 26.94 12.76 0.00 0.00 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 33.65 57.99 42.37 26.94 12.76 0.00 0.00 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.11 57.99 42.37 27 26.94 12.76 0.00 0.00 0.00 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.24 57.99 42.37 27 26.94 12.76 0.00 0.00 0.00 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.24 57.99 42.37 27 26.94 12.76 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0		2-WIRI																
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 33.65 57.99 42.37 26.94 12.76 0.00 0.00 2.00 2.00 2.00 2.00 2.00 2.0																		0.00
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.11 57.99 42.37 26.94 12.76 0.00 0.00 2.00 2.00 2.00 2.00 2.00 2.0	<u> </u>										ļ							0.00
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 21.24 57.99 42.37 26.94 12.76 0.00 0.00	L										ļ	ļ	ļ					0.00
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 33.65 57.99 42.37 26.94 12.76 0.00 0.00	<u> </u>			1								-	<u> </u>	1				0.00
Unbundled Miscellaneous Rate Element, Tag Loop at End User UEANL URETL 8.33 0.83 26.94 12.76 0.00 0.00												1	<u> </u>					
Premise UEANL URETL 8.33 0.83 26.94 12.76 0.00 0.00 Loop Testing - Basic 1st Half Hour UEANL URET1 76.24 76.24 26.94 12.76 0.00 0.00 Loop Testing - Basic Additional Half Hour UEANL URETA 39.51 39.51 26.94 12.76 0.00 0.00 CLEC to CLEC Conversion Charge Without Outside Dispatch UEANL URETA 39.51 39.51 26.94 12.76 0.00 0.00				-	3	UEANL	UEASL	33.65	57.99	42.37	 	 	 	1	26.94	12.76	0.00	0.00
Loop Testing - Basic 1st Half Hour UEANL URET1 76.24 76.24 26.94 12.76 0.00 0.00 Loop Testing - Basic Additional Half Hour UEANL URETA 39.51 39.51 26.94 12.76 0.00 0.00 CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC CONVERSION CHARGE WITHOUT COURS CHARGE W	1					ΙΙΕΔΝΙ	LIRETI		0 22	0.65					26.04	10.76	0.00	0.00
Loop Testing - Basic Additional Half Hour UEANL URETA 39.51 39.51 26.94 12.76 0.00 0.00 CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC Conversion Charge Without Outside Dispatch CLEC to CLEC CONVERSION CHARGE WITHOUT CHARGE WI	<u> </u>				1			+				-						
CLEC to CLEC Conversion Charge Without Outside Dispatch	—			 	 			+			 	1	1	 				0.00
	-			-	t	OLAINE	JILIA	 	35.31	39.31	 	 		-	20.94	12.10	0.00	0.00
	1		(UVL-SL1)		1	UEANL	UREWO		15.76	8.93					26.94	12.76	0.00	0.00

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
0.1.20.1		101110111										Svc Order	Svc Order	Incremental			
												Submitted	1		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	-	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
						i i	_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	-	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST											1				
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38				ĺ		Î		
		Order Coordination for Specified Conversion Time for UVL-SL1											1				
		(per LSR)			UEANL	OCOSL		45.34	45.34								
2	-WIRE	Unbundled COPPER LOOP											ĺ		Î		
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60				ĺ	26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60				ĺ	26.94	12.76	0.00	0.00
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.00
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)	<u> </u>	<u></u>	UEQ	USBMC		61.38	61.38	<u> </u>	<u></u>						<u> </u>
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24					26.94	12.76	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51					26.94	12.76	0.00	0.00
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.00
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76	L	ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						== 00	40.00						40 =0		
LINIBUNE		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		ļ
		XCHANGE ACCESS LOOP		1													ļ
	-WIRE	ANALOG VOICE GRADE LOOP		-													
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	14.97	142.97	400.50					26.94	12.76	0.00	0.00
		Ground Start Signaling - Zone 1		1 1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-		OLA	ULALZ	20.93	142.97	100.36	1	-	-	-	20.94	12.70	0.00	0.00
		Z-wire Analog voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	l	3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		Order Coordination for Specified Conversion Time (per LSR)	1	- 3	UEA	OCOSL	40.01	45.34	100.00	1	 	 	 	20.94	12.70	0.00	0.00
\vdash		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	 	OLA	JUUGL		40.04		 	 	I	1	 	 		
		Battery Signaling - Zone 1	l	1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.00
—		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		+ '-	OLA	OLAKZ	14.57	142.57	100.50			1	 	20.54	12.70	0.00	0.00
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76	0.00	0.00
+	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		OLA	JEANE	20.93	172.31	100.30	†			 	20.94	12.70	0.00	0.00
		Battery Signaling - Zone 3	l	3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76	0.00	0.00
\vdash	-	Order Coordination for Specified Conversion Time (per LSR)	 	Ť	UEA	OCOSL	70.01	45.34	100.00	1		-	 	20.04	12.70	0.00	0.00
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	 	1	UEA	UREWO		87.64	36.33	1		-	 	26.94	12.76	0.00	0.00
\vdash		Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL		11.20	1.10					26.94	12.76	0.00	
4	-WIRE	ANALOG VOICE GRADE LOOP	i e	1		12:			0	1	İ			20.04	.20	5.50	0.00
<u> </u>		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.32	288.47	237.45	†				26.94	12.76	0.00	0.00
		4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	36.27	288.47	237.45		i			26.94	12.76	0.00	
		4-Wire Analog Voice Grade Loop - Zone 3	l		UEA	UEAL4	56.57	288.47	237.45					26.94	12.76	0.00	
		Order Coordination for Specified Conversion Time (per LSR)	l		UEA	OCOSL		45.34		1					1		2.00
	_	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.64	36.33					26.94	12.76	0.00	0.00
12	-WIRE	ISDN DIGITAL GRADE LOOP					j									0.00	0.00

UNBL	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
0												Svc Order	Svc Order	Incremental		l .	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Land and									Elec			Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urring	Nonrecurring Disc	onnect			oss	Rates (\$)		
							Rec	First	Add'l	First A	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	İ	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76	0.00	0.00
	İ	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76	0.00	0.00
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34									
	İ	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76	0.00	0.00
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	i												
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60					26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
	<u> </u>	facility reservaton - Zone 1	<u></u>	_1	UAL	UAL2W	11.00	190.25	114.82	<u> </u>				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
	L	facility reservaton - Zone 2	L	2	UAL	UAL2W	18.39	190.25	114.82	<u> </u>				26.94	12.76	0.00	0.00
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76	0.00	0.00
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54					26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76	0.00	0.00
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
	<u> </u>	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45					26.94	12.76	0.00	0.00
	1	4-Wire Unbundled HDSL Loop including manual service inquiry		1	l					j					I	I	1
	ļ	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop including manual service inquiry		۱.	l												1 -
		and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45					26.94	12.76	0.00	0.00
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
		4-Wire Unbundled HDSL Loop without manual service inquiry															
	ļ	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry		_													
		and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76	0.00	0.00
		4-Wire Unbundled HDSL Loop without manual service inquiry		_													
	<u> </u>	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76	0.00	0.0
	!	Order Coordination for Specified Conversion Time (per LSR)	—		UHL	OCOSL		45.34	40.00	++				00.01	10.70	0.00	+
	4 14/15	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.0
	4-WIRE	DS1 DIGITAL LOOP		L .	1101	1101.777	47.00	74404	101 17					40.10	40.70	0.00	+
	!	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	47.60	714.84	421.47					42.19	12.76	0.00	0.0
	!	4-Wire DS1 Digital Loop - Zone 2	—		USL	USLXX	84.36	714.84	421.47	++				42.19	12.76	0.00	0.0
	 	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47	 				42.19	12.76	0.00	0.00
	 	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	USL	OCOSL		48.31	10.00					00.01	10.70	2.00	
	4 16	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	UREWO		100.99	43.00					26.94	12.76	0.00	0.00
	14-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP													1		1

PINDOINDE	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	_	Nonrec	urrina	Nonrecurring Disconnect		l	OSS	Rates (\$)	1	
						Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51	.			26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34	40.70		+	1	00.04	40.70	0.00	0.00
0.1401	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO		102.03	49.70	 	+	 	26.94	12.76	0.00	0.00
2-WIF	RE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual				+				 	+	 	 	-	 	ļ
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75				26.94	12.76	0.00	0.00
-+-	2-Wire Unbundled Copper Loop-Designed including manual		-	OOL	JOLF'D	13.20	202.00	143.75		+	1	20.94	12.70	0.00	0.00
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75				26.94	12.76	0.00	0.00
-+-	2 Wire Unbundled Copper Loop-Designed including manual			002	OOL! D	22.00	202.00	140.70	†	+	1	20.04	12.70	0.00	0.00
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
_	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	0 1.00	61.38	61.38		1		20.0 .	.2	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual								1 1		İ				
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual								i i						
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual														
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
4-WIF	RE COPPER LOOP														
	4-Wire Copper Loop including manual service inquiry and facility														
$\!\!+\!\!-$	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93		+		26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility		2	UCL	UCL4S	20.04	244.02	404.00				20.04	12.76	0.00	0.00
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93	.	+		26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
+-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL4S UCLMC	46.26	61.38	61.38	+ + + + + + + + + + + + + + + + + + + +	+		26.94	12.76	0.00	0.00
-+-	4-Wire Copper Loop without manual service inquiry and facility			OCL	UCLIVIC		01.30	01.30	 	+	 			1	
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility		Ė	002	002	17.00	200.07			1		20.0 .	.2	0.00	0.00
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility														
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44							
LOOP MODIF	FICATION														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24				26.94	12.76	0.00	0.00
-+	The state of the s			UAL, UHL, UCL,	1		224			1		23.54	.20	5.50	0.00
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
SUB-LOOPS															1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									1.	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-						Rec	Nonred			g Disconnect	201150	001141		Rates (\$)	001111	001441
	Cub Lana Day Consa Day Lanation CLEC Fooder Facility Cat	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
	Ι	-	-	UEAINL	USBSA		3/3.3/				1		20.94	12.76	0.00	0.00
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		OL7 (I VL	CODOD		00.10						20.04	12.70	0.00	0.00
	Facility Set-Up	1		UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel														0.00	0.00
	Set-Up	- 1		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										1					
	Zone 1	- 1	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	I	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3	I	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.00
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	LIFANI	LICDNIA	0.44	450.50	70.00					20.04	40.70	0.00	0.00
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USBIN4	13.01	150.52	79.00			1		20.94	12.76	0.00	0.00
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
	2010 0			OL7 (IVL	CODIV	21.10	100.02	70.00			1		20.04	12.70	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.79	114.05	37.20			i e		26.94	12.76	0.00	0.00
											1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
	Loop Testing - Basic Additional Half Hour	<u> </u>		UEANL	URETA	0.10	39.51	39.51					20.01	40.70		
\vdash	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	1	UEF UEF	UCS2X UCS2X	6.10 9.70	137.10 137.10	60.24 60.24					26.94 26.94	12.76 12.76	0.00	0.00
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	3	UEF	UCS2X	14.59	137.10	60.24			-		26.94	12.76	0.00	0.00
	2 Wife Copper Oriburidled Sub-Loop Distribution - Zorie 3	-	3	UEF	00327	14.59	137.10	00.24			1		26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.58	162.24	85.38		İ			26.94	12.76	0.00	0.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i	2	UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	0.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	İ	3	UEF	UCS4X	15.84	162.24	85.38		1		İ	26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u></u>	UEF	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	76.24								
\vdash	Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51								
Unbi	undled Network Terminating Wire (UNTW)	<u> </u>	<u> </u>	LIENITA	LIENES					-				10.77	2.5	
h1	Unbundled Network Terminating Wire (UNTW) per Pair	!	├	UENTW	UENPP	0.4351	64.98		1	1	ļ		26.94	12.76	0.00	0.00
Netw	vork Interface Device (NID) Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		86.37	56.69	-	1	-		26.94	12.76	0.00	0.00
\vdash	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		 	UENTW	UND12 UND16		127.93	98.21	1	1	1	-	26.94	12.76	0.00	0.00
\vdash	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	H	 	UENTW	UNDC2		127.93	11.68		1	 	-	26.94	12.76	0.00	0.00
 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 	†	UENTW	UNDC4		11.68	11.68	1	 			26.94	12.76	0.00	0.00
UNE OTHER	R, PROVISIONING ONLY - NO RATE	_	 	0=11111	514554	1	11.00	11.00	1		 	-	20.34	12.70	0.00	0.00
T	NID - Dispatch and Service Order for NID installation		t	UENTW	UNDBX	0.00	0.00			İ			İ	İ	İ	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	t	t	UENTW	UENCE	0.00	0.00			İ	1		İ	İ	İ	1
	, , , , , , , , , , , , , , , , , , , ,	1	i –	UEANL,UEF,UEQ,U						1		İ	İ	İ	İ	1
	Unbundled Contract Name, Provisioning Only - No Rate	1		ENTW	UNECN	0.00	0.00									1
	, PROVISIONING ONLY - NO RATE															

LINBLIND	I ED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hi4. A
CIADOIAD		NET WORK ELEMENTS - NOITH CATOLINA	Ι	1	I	1	I					Svo Order	Svo Orde-	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
	.		Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				<u> </u>													
							Rec	Nonre			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL,UCL,UDC,UDL,												
		Jnbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									1
	l	Jnbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı
		ate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									,
	ι	Jnbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
		ate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									,
		Jnbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
	Ų	Jnbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									1
HIGH CAP		/ UNBUNDLED LOCAL LOOP															1
	H	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	13.33										
	ŀ	High Capacity Unbundled Local Loop - DS3 - Facility															
	7	Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		1
	ŀ	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	r	nonth			UDLSX	1L5ND	13.33										
	ŀ	High Capacity Unbundled Local Loop - STS-1 - Facility								Î							
	1	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAK	E-UF)															
	L	Loop Makeup - Preordering Without Reservation, per working or															
	5	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
	L	oop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
		oop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SHAF		AND LINE SPLITTING															
		The Line Sharing monthly recurring rates for all installation	is comi	oleted f	rom October 02, 200	3 through m	idniaht Octobe	r 01. 2004 sha	I be billed as f	ollows:							
		10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
		10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1		ľ											
		10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cir	cuits install	ed and inservic	e on or before	October 1, 20	03							
		ARING			,,	l			,								
SP	LITTE	RS-CENTRAL OFFICE BASED															
		ine Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00					26.94	12.76		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00	İ		İ		26.94	12.76		
		Line Sharing Splitter, Per System, 8 Line Capacity	1	1	ULS	ULSD8	12.73	424.61	0.00	İ	1			26.94	12.76		
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	i	t					2.30	i	İ						
		deactivation (per LSOD)	1	1	ULS	ULSDG		146.32	31.27			1		26.94	12.76		, !
EN		ER ORDERING-CENTRAL OFFICE BASED LINE SHARING	i	t				2	027	i	İ			20.07			
1 1 1		Line Sharing - per Line Activation (BST Owned splitter) -								İ		İ					
		DBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
		Line Share Service, TRO per line activation, BST owned splitter -						-									
		Central Office Located (25% of UCLND) - please see NOTE 1															
		E:10/2/2003)			ULS	ULSDT	3.49	54.71	28.77								ı
		Line Share Service, TRO per line activation, BST owned splitter -			020	0200.	0.10	0 1	20.77								
		Central Office Located (50% of UCLND) - please see NOTE 1	1	1		1						1					, !
		E:10/2/2004)	l	1	ULS	ULSDT	6.99	54.71	28.77			I					
		Line Share Service, TRO per line activation, BST owned splitter -	 	 			0.00	04.71	20.11	 	 	t e					
		Central Office Located (75% of UCLND) - please see NOTE 1	l	1		1						I					
		E:10/2/2005)	1	1	ULS	ULSDT	10.48	54.71	28.77			1					, !
 		Line Sharing - per Subsequent Activity per Line	 		OLO	OLOD I	10.40	J4.7 I	20.77	 	1	 					
		Rearrangement(BST Owned Splitter	l		ULS	ULSDS		35.42	16.57					26.94	12.76		
		Line Sharing - per Subsequent Activity per Line	-	1	OLO	OLODO		35.42	10.57		1	-		20.94	12.70		
		Rearrangement(DLEC Owned Splitter	1	1	ULS	ULSCS		35.14	16.29			1		26.94	12.76		, !
 	-	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	 	OLO	OLOGO		33.14	10.29	1	1	1		20.94	12.76		
		DBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31			1		26.94	12.76		, !
\Box		DOULLIE 300 NOTE 2	L	<u> </u>	OLO	OLOCO	0.01	41.44	15.51	I	l	1		20.94	12.70		

UNBL	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	hit: A
5.450												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see					40.40										
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
<u> </u>		PLITTING SER ORDERING-CENTRAL OFFICE BASED	!	-		1							 	 	 		
\vdash	END ()		-	-	UEPSR UEPSB	UREOS	0.61					1		-	 		
-	+	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	+	-	UEPSR UEPSB UEPSR UEPSB	UREBP	0.61	56.92	28.59	1		-	-	26.94	12.76	-	
-	+	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	+	-	UEPSR UEPSB	UREBV	0.61	56.92	28.59	1		-	-	26.94	12.76	-	
-	MAINIT	ENANCE	 	<u> </u>	OLFON UEFOD	OIVEDA	0.01	30.92	20.39	+		 	 	20.94	12.70		
	IVIAIIVI	No Trouble Found - per 1/2 hour increments - Basic		-				80.00	55.00	 					1		
-		No Trouble Found - per 1/2 hour increments - Overtime				+		120.00	82.50	1		-					
		No Trouble Found - per 1/2 hour increments - Premium				1		160.00	110.00			1					
UNBUN	IDI FD I	DEDICATED TRANSPORT				+		100.00	110.00	1		-					
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								i i							
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	-														
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1														
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
-		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282										
-		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILSAA	0.0262			1		-					
		Termination			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
-		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTTDX	01103	17.40	137.40	32.30	1		-		30.07	30.07		
		per month			U1TDX	1L5XX	0.0282										
	t	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	t				5.52-52								i		
1	1	Termination	1		U1TDX	U1TD6	17.40	137.48	52.58				1	38.07	38.07		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	ļ	Termination	ļ		U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
1	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1										1				
<u> </u>	<u> </u>	month	<u> </u>		U1TD3	1L5XX	12.98										
1	1	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		LIATES	LIATEO	700.00	704.04	570.55				1	04.00	04.00		
\vdash	+	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	-	U1TD3	U1TF3	720.38	794.94	579.55			1		91.26	91.26		
		Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth			U1TS1	1L5XX	6.14										
\vdash	 	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		01101	1LJ//	0.14			1		H		l	 		
1	1	Termination	1		U1TS1	U1TFS	790.37	642.23	408.89				1	53.48	53.48		
DARK	FIBER		1			J U	700.07	5-12.20	-100.00					55.70	55.40		
	T	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction													İ		
	1	Thereof per month - Interoffice Channel	1		UDF, UDFCX	1L5DF	27.71						1				
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								ĺ							
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	64.04										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,347.00	279.87								

UNRII	NDI F	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
5.450						1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
			1			1						Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lak	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring Dis	sconnect			oss	Rates (\$)		
	i						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CESS T	EN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call	i –		OHD		0.0005										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX	i –														
		Number Reserved			OHD	N8R1X		7.05	0.96					26.94			
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			23.82	2.73					41.35			
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		23.82	2.73					41.35			
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		5.63	2.82								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.	ļ		OHD	N8FMX		6.59	3.77								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96					26.94			
		8XX Access Ten Digit Screening, Call Handling and Destination	1												l		
		Features			OHD	N8FDX		5.63									
LINE IN		TION DATA BASE ACCESS (LIDB)							· ·								
		LIDB Common Transport Per Query			OQT		0.00003										
		LIDB Validation Per Query			OQU		0.0134										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26						26.94	26.94		
SIGNAL	ING (CO																
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
		CCS7 Signaling Point Code, per Originating Point Code						40.00									
		Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99		
		CCS7 Signaling Point Code, per Destination Point Code															
E911 SI	-0.405	Establishment or Change, Per Stp Affected		-	UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 5		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	1	1			11.24	553.80	89.69					42.17	12.76		
_		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	1	2			19.91	553.80	89.69					42.17	12.76		
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	-	3		+	31.70	553.80	89.69					42.17	12.76		
		Interoffice Transport - Dedicated - 2-wr Voice Grade - 2 one 3	 	3		+	0.0282	555.80	09.69					42.17	12.76		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	 	1		+	0.0282										
		Termination	1	1		I	18.00	137.48	52.58]			1	38.07	38.07		
		Local Channel - Dedicated - DS1 - Zone 1	 	1		+	27.05	534.48	462.69					86.15	1.77		
		Local Channel - Dedicated - DS1 - Zone 2	 	2		+	47.94	534.48	462.69	 				86.15	1.77		
\vdash		Local Channel - Dedicated - DS1 - Zone 2	†	3		+	76.32	534.48	462.69	 			-	86.15	1.77		
		Interoffice Transport - Dedicated - DS1 Per Mile	 			+	0.5753	334.40	402.03				 	00.13	1.//		
			l			+	0.0700										
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	1	1		I	71.29	217.17	163.75]			1	38.07	38.07		
CALLIN		E (CNAM) SERVICE	 	1		+	71.23	-17.17	100.70	 			 	55.57	55.57		
JEEII		CNAM For DB Owners - Service Establishment	l		OQV	+		75.62		 					 		
		CNAM For Non DB Owners - Service Establishment	†	t	OQV	1		75.62		 					i		
		CNAM For DB Owners - Service Provisioning With Point Code	1			1									l		
		Establishment (Initial)			OQV	1		2,354.00	2,354.00								
		CNAM For DB Owners - Service Provisioning With Point Code	1	1		1											
		Establishment (Subsequent)	1	1	OQV	I		1,739.00	1,739.00]			1				
		CNAM For Non DB Owners - Service Provisioning With Point				1											
		Code Establishment (Initial)			OQV	1		1,072.00	1,072.00								
		CNAM For Non DB Owners - Service Provisioning With Point				1											
		Code Establishment (Subsequent)	1		OQV	1		768.44	768.44				1				
		CNAM for DB & Non DB Owners, Per Query	<u></u>		OQV		0.0009592										
SELEC	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per							-								
1		Switch	L	Ш.		<u> </u>		188.59					<u> </u>	26.94	12.76		

CATEGORY RATE ELEMENTS Internal Zone BGS UBOC RATE (S)	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY RATE REMEMTS Interd 2												Svc Order	Svc Order				Incremental
CATEGORY RATE ELEMENTS m Social Scote Soc														_			
Best-rowle Bes	CATECORY	DATE ELEMENTO	Interi	Zono	DC6	LISOC			DATES (\$)								Manual Svc
NETURN COLLOCATION Not recurring Discontence Not SH Rates (1)	CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			KATES (\$)			per LSR	per LSR				
First Add? Source SOMAN SOMA																DISC 1St	DISC Add I
VIRTUAL COLLOCATION							Rec										
Virtual Colonomies Vive Cross Connects (Long for Line UPSR UPSB VETUS 0.0297 33.90 32.00 0.00 0.00 16.99 1	VIDTUAL COL	LOCATION				<u> </u>		First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Spring UPPROLECTION DOOR 19.00	VIKTOAL COL					+											
Physical Collegatory - Wine Coine Connects (Loco) for Line LePigla (LiPids) Pertis D. 0000 33.55 M. 46 0.00 0.00 19.00 19.00					UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		
Splining	PHYSICAL CO																
AM SECTIVE CARRIER ROUTING SINCE																	
Regional Section Establishment SRC SRCEC 215,977.00	AIN CELECTIV		-		UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		
Sect Office Establishment	AIN SELECTIV				SRC	SRCEC		215 597 00									
ANN SELSOUTH AN SIMS ACCESS SERVICE SEND ESTABLISH PRIVATE ACCESS AND																	
AN SIAS Access Service - Service Establishment PPE State, India State State Service - Per Connection - DisShared Access AN CAMDP 86.94		Query NRC, per query			SRC		0.0053758										
Initial Setup	AIN - BELLSO																
ARI SMS Access Service - Port Connection - Designated Access AN CAMPP AN AN CA					AAN	CAMOE		204 77									
ANI SUS Access Service - Det International Codes - Per User ANI SUS Access Service - Security Card, Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internat		Initial Setup		-	AIN	CAIVISE		294.11									
ANI SUS Access Service - Det International Codes - Per User ANI SUS Access Service - Security Card, Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence in Code - Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Security Card, Per User ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internation of Residence - Testing Security Card, Per ID Code Internat		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									
Dicate AN NSS Access Service - Security Card, Per User ID Code, ANN CAMAU 20.083						CAM1P											
ANN SISS Access Service - Security Card, Per User ID Code, Intel of Replacement o																	
Initial or Replacement ANN SMS Access Service - Storage, Per Unit (100 Kildoytes) ANN SMS Access Service - Storage, Per Unit (100 Kildoytes) ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Storage, Per Storage, Per Storage, Per Minute ANN SMS Access Service - Storage, Per Storage, Per Minute ANN SMS Access Service - Storage, Per Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access Service - Storage, Per Minute ANN SMS Access SMS Access Service - Storage, Per Minute ANN SMS Access SMS Access SMS Access					A1N	CAMAU		200.83									
AN SMA Cacces Service - Session, Per Minute AN MSMA Cacces Service - Company Performed Session, Per Minute AN SMA SMA Cacces Service - Company Performed Session, Per Minute AN SMA SMA Cacces Service - Company Performed Session, Per Minute AN SMA Cacces Service - Company Performed Session, Per Minute AN SMA Cacces Service - Company Performed Session, Per Minute AN SMA Cacces Service - Company Performed Session, Per Minute AN SMA Cacces Service - Company Performed Session, Per Minute AN SMA Cacces Service - Company Performed Session, Per State, Initial Safuta AN Toolk Service - Training Session, Per Customer AN Toolk Service - Training Session, Per Customer AN Toolk Service - Training Session, Per Trigger, Per BAPTT AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTT AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTT AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Trigger Access Charge, Per Trigger, Per BAPTD AN Toolk Service - Minute - Trigger, Per BAPTD AN Toolk Service - Servic					A4NI	CAMPO		172.05									
AN SIMS Access Service - Season, Per Minute AN MS Access Service - Company Performed Session, Per Minute AN MS Access Service - Company Performed Session, Per Minute AN Toolkit Service - Service Establishment Charge, Per State, AN Toolkit Service - Training Session, Per Customer AN Toolkit Service - Training Session, Per Customer AN Toolkit Service - Training Session, Per Customer AN Toolkit Service - Training Session, Per Customer AN Toolkit Service - Training Session, Per Customer AN Toolkit Service - Training Session, Per Training Session, Per Training Session, Per Training Session, Per Customer BAPTT 72.76 AN Toolkit Service - Training Session, Per Session, Per					AIN	CAWICC	0.0023	172.03									
Minute Als BELLSCUPT ANI TOOLKIT SERVICE ANI TOOLK																	
AIN - BELLSOUTH AIN TOOLKYT SERVICE AIN TOOLKY SERVICE - Service Establishment Charge, Per State, Initial Setup AIN Toolki Service - Training Session, Per Customer BAPYX BAPYX BAPYX BASSOO AIN Toolki Service - Training Session, Per Customer AIN Toolki Service - Training Session, Per Customer AIN Toolki Service - Training Session, Per Customer AIN Toolki Service - Training Session, Per Customer AIN Toolki Service - Training Session, Per Customer AIN Toolki Service - Training Access Charge, Per Training, Per May Developed Training Session, Per Customer AIN Toolki Service - Training Access Charge, Per Training, Per May Developed Training Session, Per Customer BAPTI 72.76 BAPTI 72.76 BAPTI 72.76 BAPTI 72.76 BAPTI 72.76 BAPTI 72.76 BAPTI 72.76 DAIN Toolki Service - Training Access Charge, Per Training, Per May Developed Training Session, Per All Toolki Service Session, Per Training Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per All Toolki Service Session, Per Training Service Session, Per Train																	
ANT Toolkit Service - Training Session, per Customer ANT Toolkit Service - Training Session, per Customer ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Term. Attempt ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Term. Attempt ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Delay ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate DN. Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Off-Hook Immediate						1	2.08										
Initial Setup AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPIS 15.98 71.80 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPIS 0.03 47.20 Service Subscription	AIN - BELLSO																
ANY Toolkit Service - Training Session, Per Customer ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term, Attempt ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, OH-Hock Delay ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, OH-Hock Delay ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, OH-Hock Immediate ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANY Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit Service - Special Study - Per AIN Toolkit Service DN, 10-Digit Service - Special Study - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call Event Report - Per AIN Toolkit Service DN, 10-Digit Service - Call					CAM	BAPSC		290.05									
AIN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per AN Toolki Service DN, 10-Digit PDDP AN Toolki Service - Trigger Access Charge, Per AN Toolki Service AN Toolki Service - Trigger Access Charge, Per AN Toolki Service Subscription, Per Node, Per Query AN Toolki Service - Special Study - Per AN Toolki Service Subscription AN Toolki Service - Special Study - Per AN Toolki Service Subscription AN Toolki Service - Special Study - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN Toolki Service Subscription AN Toolki Service - Call Event Report - Per AN					O/ UVI												
ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per D. D. Off-Hobot Delay D. Off-Hobot Delay D. Off-Hobot Immediate D. Off-Hobo																	
DN, Off-Hook Delay AN Toolkt Service - Trigger Access Charge, Per Tngger, Per DN, Off-Hook Immediate AN Toolkt Service - Trigger Access Charge, Per Tngger, Per DN, 10-bgit PODP AN Toolkt Service - Trigger Access Charge, Per Tngger, Per DN, 10-bgit PODP AN Toolkt Service - Trigger Access Charge, Per Tngger, Per DN, CDP AN Toolkt Service - Trigger Access Charge, Per Tngger, Per DN, CDP AN Toolkt Service - Trigger Access Charge, Per Tngger, Per DN, Earth Code AN Toolkt Service - Ouery Charge, Per An Toolkt Subscription, Per Node, Per Query AN Toolkt Service - Ouery Charge, Per AN Toolkt Subscription, Per Node, Per Query AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Account, Per 100 Kilobytes AN Toolkt Service - Septial Study - Per AN Toolkt Service Subscription AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription CAM BAPLS AN Toolkt Service - Ouery Charge Charge, Per AN Toolkt Service Subscription CAM BAPLS AN Toolkt Service - Ouery Charge Charge And Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription CAM BAPLS AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription CAM BAPLS AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription CAM BAPLS AN Toolkt Service - Ouery Charge, Per AN Toolkt Service Subscription CAM BAPLS ON 47.20 Service Subscription CAM BAPES ON 47.20 Service Subscription CAM BAPES ON 47.20 Service Subscription CAM BAPES ON 47.20 Service Subscription CAM BAPES ON 47.20 Service Subscription Ouer Combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ourrenty Combined' Network Elements.						BAPTT		72.76									
ANT Toolkit Service - Trigger Access Charge, Per Ingger, Per D. D. O. O. O. O. O. O. O. O. O. O. O. O. O.						DADTD		70.70									
DN, Off-Hook Immediate ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP ANT Toolkit Service - Query Charge, Per Cluery ANT Toolkit Service - Type 1 Node Charge, Per ANT Toolkit Subscription, Per Node, Per Query ANT Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolkit Service - Sope Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolkit Service - Sope Storage Charge, Per SMS Access Author Toolkit Service - Sope Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolkit Service - Sope Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolkit Service - Sope Storage Charge, Per SMS Access Account, Per 100 Kilobytes ANT Toolkit Service - Sope Storage Charge, Per SMS Access Account, Per 200 Kilobytes ANT Toolkit Service - Sope Storage Charge, Per SMS Access Account, Per 200 Kilobytes ANT Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS ANT Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription ANT Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPLS ANT Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANT Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANT Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANT Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANT Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ANT Toolki						BAPID		12.16									
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Dipit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Easture Code AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Trype 1 Node Charge, Per All Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SUbscription AIN Toolkit Service - SOP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS AND AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Service Subscription CAM BAPES O.003 47.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. EXTENTED 2 WIRK POLOF WITH DEDICATED DS IN INTEROFFICE TRANSPORT						BAPTM		72.76									
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 10 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.003 47.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WINE CWICE GRADE EXTENDED LOOP WITH DEDICATED DIST INTEROFFICE TRANSPORT		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Query Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilotytes AIN Toolkit Service - Nonthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Sepecial Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Sepecial Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service CAM BAPDS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPES 0.03 47.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DIST INTEROFFICE TRANSPORT						BAPTO		149.95									
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN., Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Query Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service Subscription AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Service Subscription CAM BAPLS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service CAM BAPDS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Service Subscription CAM BAPES 0.003 A7.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS INTEROPETE TRANSPORT						DARTO		440.05									
DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - Scy Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 BAPES 0.003 47.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.003 A1.20 Service Subscription CAM BAPES 0.005 A1.20 Service Subscription CAM BAPES 0.005 A1.20 Service Subscription CAM B				-		BAPIC		149.95									
AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription CAM BAPMS 15.98 71.80 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 0.08 47.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.003 47.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Currently Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.						BAPTF		149.95									
Subscription, Per Node, Per Query AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service CAM BAPDS AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPES 0.003 47.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.							0.02										
All Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes All Toolkit Service - Monthly report - Per All Toolkit Service Subscription All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription CAM BAPLS 0.08 47.20 All Toolkit Service - Call Event Special Study - Per All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription CAM BAPDS 15.90 71.80 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DST INTEROFFICE TRANSPORT																	
Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 15.90 71.80 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT							0.005										
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 15.98 71.80 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 0.08 47.20 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT							1 15										
Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 0.08 47.20 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT						1	1.45										
Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 ENHANCED EXTENDED LINK (EEL.s) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		Subscription		<u>L</u>	CAM	BAPMS	15.98	71.80									
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 15.90 71.80 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.003 47.20 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	\vdash			—	CAM	BAPLS	0.08	47.20									
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					CAM	RAPDS	15 00	71 80									
Service Subscription					O/ 11VI	טאורט	13.90	71.00									
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		Service Subscription			CAM	BAPES	0.003	47.20					<u> </u>		<u> </u>		
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	ly for UNE con	nbinations pro	visioned as ' C	ordinarily Com	oined' Network	Elements.					
	NOTE:	. THE MONTHLY RECURRING AND THE SWITCH-AS-IS CHARGE AND NOT T NTED 2-WIRE VOICE GRADE EXTENDED I OOP WITH DEDICAT	TED DS	recurri	ING CHARGES DEIOW W	nn apply for	UNE COMBINATI	ons provisione	u as Current	iy Combined, I	NELWORK EIEME	nts.					\vdash
	LATE	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX UEAL2 25.93 142.97 106.56 38.07 38.07																	

UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
3231												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
\vdash		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAY	41.500/	0.5750										
		per month		-	UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAY	U1TF1	71.29	047.47	100.75					38.07	00.07		
\vdash		Termination per month 1/0 Channelization System in combination Per Month			UNC1X UNC1X	MQ1	146.69	217.17 197.78	163.75 140.06			-		38.07	38.07		
-		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38					1			
-		Voice Grade COCI - Let INIGHT			ONOVA	IDIVO	1.21	13.03	3.30								
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		2007 / 44/10/10/10/10/2009 (02/2) 11/00/10/11/4/10/10/10/10/10/10/10/10/10/10/10/10/10/		i i	0.10171	O L / LLL		2.01	100.00			1		00.07	00.07		
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
		, , , , , , , , , , , , , , , , , , , ,															
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
E	XTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
				_													
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAY	41.500/	0.5750										
		Per Month			UNC1X	1L5XX	0.5753						-				
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
\vdash		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06			1		36.07	36.07		
\vdash		Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38			1			1		
-		Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	15110	1.21	10.00	0.00								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
E	XTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
\vdash		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
		First 4 Wiss FOKhan Dinital Const. Land to Const. Land.		_	LINCDY	LIDLES	40.4.	400.01	007.51					00.5	00.0-		
\vdash		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51	1				38.07	38.07	 	
1 1		First 4 Wire FSVbne Digital Creds Lass is Combined at 2000		3	LINCDY	UDL56	07.00	489.04	227.51					38.07	20.07		
\vdash		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDX	UDLOB	67.26	489.04	337.51	1		-	-	38.07	38.07		-
1 1		Per Month			UNC1X	1L5XX	0.5753								I		
\vdash		Interoffice Transport - Dedicated - DS1 - combination Facility	H		DIVOIA	ILUAA	0.5753			1		H		 	t	 	
1 1		Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
\vdash		1/0 Channel System in combination Per Month	†		UNC1X	MQ1	146.69	197.78	140.06	1		 	-	55.57	55.57	 	
\vdash		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					1	<u> </u>	1	
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1			20					İ	t	İ	
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						-	-								
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51	<u> </u>			<u> </u>	38.07	38.07	<u> </u>	
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
1 T	_	Additional OCU-DP COCI (data) - in combination per month (2.4-	1												_		
		64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	NATE ELEMENTO	m	20116	500	0000			IXILO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—					+	1	Nonrec	urrina	Nonrecurring	n Diagonnoot		l .	000	Rates (\$)		
-					+	Rec	First	Add'l	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Name and the Comments of Comments of Material Comments Control of Comments of				+		FIISL	Add I	FIISL	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		04.75	04.75	20.00	10.00			20.07	20.07		1
EVT	Is Charge ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	ATED	DC4 IN		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EAI	ENDED 4-WIRE 64 KBF3 EXTENDED DIGITAL LOOP WITH DEDI	AIED	DOLIN	TEROFFICE TRAINS	PORT											
	First A Mire Oddie - Birlint Ore to Leave to Oceanic artists. To a d		1	LINODY	LIBLOA	05.00	400.04	007.54					00.07	00.07		, '
—	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First A Mire Oddie - Birlint Ore to Leave in Ore bireting 7 and 0			LINODY	LIBLOA	10.11	400.04	007.54					00.07	00.07		1 '
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
			_													1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1								1	1				1
\vdash	Per Month			UNC1X	1L5XX	0.5753					ļ			ļ		
	interoffice Transport - Dedicated - DS1 combination - Facility		1	l .	I		_				1	1				1
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								L
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								L
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															[
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		1 '
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		1 '
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								1 '
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1 '
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47				1	38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0.10.17	002/01	101.20	71					1	00.07	00.01		
	Per Month			UNC1X	1L5XX	0.5753										1 '
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TEO/O	0.0700						1				——
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	011111	71.23	217.17	103.73					30.07	30.07		<u> </u>
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
EVT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D63	INITED				21.75	21.73	32.20	10.90			36.07	30.07		<u> </u>
LAI	First DS1Loop in Combination - Zone 1	LD D33	1 1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		<u> </u>
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
\vdash	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3			UNC1X	USLXX	134.29	714.84	421.47		-	-	-	38.07	38.07		
\vdash	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	OIVOIA	USLAA	134.29	/ 14.04	421.47				 	30.07	30.07		
1 1	Per Month		1	LINICSY	1L5XX	12.98					1	1				1 '
\vdash			 	UNC3X	ILDXX	12.98						-				
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		1	LINICOV	LIATES	720.20	794.94	E70 55		1	l	1	38.07	38.07		1 '
\vdash	month		-	UNC3X	U1TF3	720.38		579.55		-	-	ļ	38.07	38.07		
\vdash	3/1Channel System in combination per month		-	UNC3X	MQ3	233.10	403.97	234.40		-	-	ļ	-	 		
\vdash	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38			-					<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINIOAY	LIGINAL					1	l	1				1 '
\vdash	Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47		-	.	 	38.07	38.07		 '
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINIOAY	LIGINAL						1	1				1 '
\vdash	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47			ļ		38.07	38.07		 '
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -		l .	l .	1		_			1	l	1	1	1		1 '
\vdash	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47			ļ		38.07	38.07		
\vdash	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-				1											1
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
1 1	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								

UNBUN	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m						(+)			per Lak	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per							71441		71441	0020	00				
		Month			UNCVX	1L5XX	0.0282										
\vdash		Interoffice Transport - 2-wire VG - Dedicated - Facility			0.10171	120/01	0.0202					1					
		Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-		1	0.1017	02	10.00	107.10	02.00			†		00.07	00.01		
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE				21.70	21.70	02.20	10.00	†		00.07	00.07		
		4-WireVG Loop in combination - Zone 1	I	1 1	UNCVX	UEAL4	21.32	288.47	237.45			†					
-		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45								-
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		-	ONOVA	OLAL	30.37	200.47	237.43								-
		Month	1	1	UNCVX	1L5XX	0.0282						1				
\vdash		Interoffice Transport - 4-wire VG - Dedicated - Facility	 	 	0140 4 /	ILUAA	0.0202			 		H		 	 	 	
		Termination per month	1	1	UNCVX	U1TV4	22.16	106.11	65.95				1	38.07	38.07		
\vdash				 	UNCVA	01174	22.10	106.11	05.95			-		30.07	36.07		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
- 	TVTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED) FFICE		UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
	EXIEN	DS3 Local Loop in combination - per mile per month	INTERC	JFFICE	UNC3X	1L5ND	13.33					-					
-		DS3 Local Loop in combination - per mile per month		 	UNC3X	ILOND	13.33										
		DOOL II ' I' d FIII- T' I' II-			LINIOOV	LIEODY	450.00	4 074 00	040.40								
-		DS3 Local Loop in combination - Facility Termination per month		 	UNC3X	UE3PX	450.69	1,071.00	646.12								
\vdash		Interoffice Transport - Dedicated - DS3 - Per Mile per month		_	UNC3X	1L5XX	12.98										Ļ
		Interoffice Transport - Dedicated - DS3 combination - Facility					=	=0.4.0.4									
		Termination per month		ļ	UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXIEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF		41 = 110	10.00										
		STS-1 Local Lolp in combination - per mile per month		ļ	UNCSX	1L5ND	13.33										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	464.26	1,071.00	646.12								ļ
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	6.14										ļ
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		ļ
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ļ
E	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN											ļ	ļ		<u> </u>
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		ļ
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - per mile	1														
		per month	ļ	1	UNC1X	1L5XX	0.5753										L
		Interoffice Transport - Dedicated - DS1 combination - Facility	1														
		Termination per month	ļ	1	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		<u> </u>
		1/0 Channel System in combination - per month	ļ		UNC1X	MQ1	146.69	197.78	140.06								<u> </u>
		2-wire ISDN COCI (BRITE) - in combination - per month	ļ		UNCNX	UC1CA	3.59	15.76	11.28								<u> </u>
T		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	I	1		1 7		\neg								I	
		Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
1 T	٦	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	I	1		1 7										l	
		Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
T		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1													l	
		Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month	1	1	UNCNX	UC1CA	3.59	15.76	11.28				1				
		Nonrecurring Currently Combined Network Elements Switch -As-	-					İ									
		Is Charge		1	UNC1X	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
l le	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47				İ	38.07	38.07		
-		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		First DS1 Loop Combination - Zone 3	-		UNC1X	USLXX	134.29	714.84	421.47			t	1	38.07	38.07		

UNBU	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect	t		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
		DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3	1	3	UNC1X	USLXX	134.29	714.84	421.47			1	1	38.07	38.07		1
		DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge	1	1	UNCSX	UNCCC		21.75	21.75	32.28	10.96	1	1	38.07	38.07		1
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF	ICE TRANSPORT												
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					Î			
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					ĺ			
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -												Î			
		Per Mile per month			UNCDX	1L5XX	0.0282										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0282										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56			ļ		38.07	38.07	ļ	ļ
		First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per													1		
		Mile	<u> </u>	<u> </u>	UNC1X	1L5XX	0.5753							ļ	ļ	ļ	
		First Interoffice Transport - Dedicated - DS1 combination -	1	1								1	1		I		1
		Facility Termination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.69	197.78	140.06								
		Per each Voice Grade COCI - Per Month per month	<u> </u>	<u> </u>	UNCVX	1D1VG	1.27	13.09	9.38						L		
		3/1 Channel System in combination per month	<u> </u>	<u> </u>	UNC3X	MQ3	233.10	403.97	234.40					ļ	ļ	ļ	ļ
		Per each DS1 COCI in combination per month	<u> </u>	<u> </u>	UNC1X	UC1D1	16.07	13.09	9.38					ļ	ļ	ļ	ļ
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	l .	l	1						1	1		l		1
		Interoffice Transport Combination - Zone 1	L	1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	1		l	1						1	1		I		1
		Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL2	25.93	142.97	106.56			ļ		38.07	38.07		ļ
		Each Additional 2-Wire VG Loop(SL2) in the same DS1				l											
ļ		Interoffice Transport Combination - Zone 3	ļ	3	UNCVX	UEAL2	40.81	142.97	106.56			ļ		38.07	38.07		ļ
		Each Additional Voice Grade COCI in combination - per month	L	L	UNCVX	1D1VG	1.27	13.09	9.38								
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1	1		1						1	1		I		1
		Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.5753							ļ	ļ	ļ	ļ
		Each Additional DS1 Interoffice Channel Facility Termination in	1		l .	I									I		1
<u> </u>		same 3/1 Channel System per month	<u> </u>	<u> </u>	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07	ļ	
1	1	Each Additional DS1 COCI combination per month	1	1	UNC1X	UC1D1	16.07	13.09	9.38]			1	I	

UNBUNI	DLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
							Rec	Nonred		Nonrecurring					Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
-	(TENE	s Charge	FRAFE	IOF TO	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		├
E2		DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Local Loop in Combination -	EROFF	ICE IR	ANSPORT W/ 3/1 MI	UX											
		Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
\vdash		First 4-Wire Analog Voice Grade Local Loop in Combination -		'	UNCVA	UEAL4	21.32	200.41	237.43	1				36.07	36.07		
		Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		İ
		First 4-Wire Analog Voice Grade Local Loop in Combination -			ONOVA	OLALT	30.21	200.47	237.43					30.07	30.07		
		Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ŭ	0.10171	02/121	00.01	200	201110					00.07	00.07		
		Wile Per Month			UNC1X	1L5XX	0.5753										
		First Interoffice Transport - Dedicated - DS1 - Facility															
	ŀ	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
		3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
		nteroffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
		nteroffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											
\vdash		nteroffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
		Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.5750										
-		Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		<u> </u>	UNCTX	1L5XX	0.5753								-		
		Each Additional DST Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		ĺ
—		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38	1				36.07	36.07		
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	10110	1.27	10.00	0.00								
		s Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EX		DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				20	20	02.20	10.00			00.07	00.01		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
		Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		ĺ
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	1	Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															1
		Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
		First Interoffice Transport - Dedicated - DS1 combination - Per				1									I		1
\vdash		Mile Per Month			UNC1X	1L5XX	0.5753			ļ				ļ	1		1
		First Interoffice Transport - Dedicated - DS1 - combination			LINGAY	LIATE :		c -=									1
\vdash		Facility Termination Per Month	-	-	UNC1X	U1TF1	71.29	217.17	163.75	1	-	-	-	38.07	38.07	-	
\vdash		Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	1		UNC1X UNCDX	MQ1 1D1DD	146.69 2.00	197.78 15.76	140.06 11.28			-	-		 	-	
\vdash		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) 3/1 Channel System in combination per month	1		UNCDX	MQ3	2.00	15.76 403.97	11.28 234.40			-	-		 	-	
\vdash		Per each DS1 COCI in combination per month	-	-	UNC1X	UC1D1	16.07	13.09	9.38			-	-		+		
\vdash		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	1	DINCIA	OCIDI	10.07	13.09	9.38	1		-	-		+		
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	t	+-	5.10DA	32230	20.02	403.04	337.31	1		-	-	30.07	30.07		—
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		1
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ť	-	1				İ	İ				1	İ	
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		1
		OCU-DP COCI (data) COCI in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	2.00	15.76	11.28						1		1
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.5753										1
		Each Additional DS1 Interoffice Channel Facility Termination in													_		1
\vdash		same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
		Each Additional DS1 COCI in the same 3/1 channel system			LINGAY	11045									1		1
	(combination per month			UNC1X	UC1D1	16.07	13.09	9.38	l					1		1

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
CADONDE	TOTAL ELEMENTO NOTAL OUTOITA				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1													
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL64	43.11	409.04	337.31					36.07	36.07		
	Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
+	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONODA	ODLO4	07.20	403.04	337.31					30.07	30.07		
	Mile Per Month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	120701	0.0700										
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each OCU-DP COCI (data) in combination - per month (2.4-										İ			İ		İ
	64kbs)			UNCDX	1D1DD	2.00	15.76	11.28				1				
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINICAV	1L5XX	0.5753										
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	ILDAX	0.5753					-					
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
 	Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	01111	71.25	217.17	103.73					30.07	30.07		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	COIDI	10.07	10.00	0.00								
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				1					l	İ			l		l
	Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		<u> </u>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
\vdash	Transport - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per			l .	1							1				
\vdash	Mile per month			UNC1X	1L5XX	0.5753										
	First Interoffice Transport - Dedicated - DS1 combination -					_,										
\vdash	Facility Termination per month		-	UNC1X	U1TF1	71.29	217.17	163.75	-	-		 	38.07	38.07		
\vdash	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.69	197.78	140.06								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28				1				
	3/1 Channel System in combination per month		-	UNC3X	MQ3	233.10	403.97	234.40	-			 		-		-
 	Per each DS1 COCI in combination per month	H		UNC1X	UC1D1	16.07	13.09	9.38	 	 				l		l
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-		014017	00101	10.07	13.09	3.30				-				
	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31				1	38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>		J	10.72	320.01	201.01					55.57	30.07		
	Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1			1					l	İ					l
	Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month	<u></u>	<u></u>	UNCNX	UC1CA	3.59	15.76	11.28	<u> </u>	<u> </u>	<u></u>	<u></u>		<u> </u>		<u> </u>

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
			i –			B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1								ĺ							
	Channel System per month			UNC1X	1L5XX	0.5753										1 1
	Each Additional DS1 Interoffice Channel Facility Termination in								ĺ							
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
	Each Additional DS1 COCI in the same 3/1 channel system								ĺ							
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								i l
	Nonrecurring Currently Combined Network Elements Switch -As-								ĺ							
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per		i –													
	Mile Per Month			UNC1X	1L5XX	0.5753										i l
	First Interoffice Transport - Dedicated - DS1 combination -		t													
	Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i l
	3/1 Channel System in combination per month		t	UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI combination per month		t	UNC1X	UC1D1	16.07	13.09	9.38								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.5753										i l
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.77	120701	0.07.00										
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i l
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.77	0	7 11.20	2	100.70					00.01	00.01		
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	0.10.17	00.5.	10.01	10.00	0.00				1				
	1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		i l
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		<u> </u>	ONOTA	OOLA	47.00	714.04	721.77				1	00.07	00.01		
	2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	0.10.17	002/01	01.00	7 1 1.0 1					1	00.01	00.01		
	3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		i l
	Nonrecurring Currently Combined Network Elements Switch -As-		Ť	0.10.77	002/01	101.20	7 1 1.0 1						00.01	00.01		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
FXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		0.1000		21110	2	02.20	10.00			00.01	00.01		
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť													
	per month			UNCDX	1L5XX	0.0282										i l
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1	1			3.0202								 	 	
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58			1	1	38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01.20		.00	02.00					00.01	00.01		
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		i l
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE				0		52.20				22.07	22.07		
	First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	25.32	489.04	337.51						i	i	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51						i	i	
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51			İ					
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		ΙŤ			51.20		22.701			İ					
	per month			UNCDX	1L5XX	0.0282					1	1				1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		i –								İ					
	Termination per month			UNCDX	U1TD6	17.40	137.48	52.58			1	1	38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-		1	-	1						1					$\overline{}$
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96	1	1	38.07	38.07		1
ADDITIONAL	NETWORK ELEMENTS		1	-	1				5=:=0		1					$\overline{}$
	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is ch	narge does app	oly.		1					i	i	
	used as ordinarily combined network elements in All States, t								1					i	i	
	curring Currently Combined Network Elements "Switch As Is"					Jgo t								İ	İ	
	Nonrecurring Currently Combined Network Elements Switch -As-				' '											
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96	1	1	26.94	12.76		1
	*				•						•	•			•	

CATEGORY RATE ELEMENTS Infert Zone BCS URGC SATES (8) SATES (9) SATES (9) PL 1581 PL	UNBU	NDLF	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
CATEGORY RATE ELEMENTS Interior Core BCS USO					l								Svc Order	Svc Order				Incremental
## BCS MBOC PATE (EMENTS Pate													1				Charge -	Charge -
March Marc				Interi									Elec	Manually			Manual Svc	Manual Svc
Become B	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Numerouring Committy Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING Contrived Recent Elements Switch - As NUMEROURING CONTRIVED RECENT																		Electronic-
Number Property Committee Committy Committee Committy Committee C															1st	Add'l	Disc 1st	Disc Add'l
No. No. First Agri Cortinal Network Elements Salicin Agri No. No											T. N	. B'				D-((A)		
Numerouring Country Confessed National Countries Seaton And Sci. Confessed National Countries Seaton And Sci. Countries National Agents Countries Seaton And Sci. Countries National Agents Sci. Countries Seaton And Sci. Countries National Agents Sci. Countries Seaton And Sci.	-							Rec					001150	001111			001141	001111
In Change, - Sign 4 shops	-		Nonrequiring Currently Combined Network Floments Switch As				+		FIrst	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Notice curring Curring Curring Curring Curring Nation As Elements Switch As						LINICDY	LINICCC		21.75	21.75	22.20	10.06			26.04	12.76		
In Charge, Dist Controlled Network Elements Sorbit - As						UNCDA	UNCCC		21.73	21.73	32.20	10.90			20.54	12.70		
Name						UNC1X	UNCCC		21 75	21 75	32 28	10.96			26 94	12 76		
S. Chasgo _ Dists St. Change _ Dists Dis						0.10.7	0.1000		20	20	02.20	10.00			20.0 .	.20		
S Chargo - 6 151						UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Optional Features & Functions:			Nonrecurring Currently Combined Network Elements Switch -As-															
Clear Channel Capability Extended Frame Option - per DS1						UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
Clear Channel Capability Executed Firms Option - per DS1 ULDD1.WFCK COCCEF 01 01 01 01 01 01 01 0		Option	al Features & Functions:															
Clear Charmol Capability Super Framic/pton - per DS1																		
Clear Channel Capability Super Francoption - per DS1			Clear Channel Capability Extended Frame Option - per DS1	ı			CCOEF		OI	Ol	01	OI						
Clase Channel Capabelly (SF/ESF) Option - Subsequent ULDD1, UTTD1, Anthry, per DS1 UNCYX, USB, NRCCC 184,768 23.85 1,998 0.788 26.94 12.76							00005								1			
Activity - per DST 1					<u> </u>		CCOSF		OI	UI	UI	UI .			-			
Color Parity Option - Subsequent Activity - per DS3				Ι.			NDCCC		404.700	22.00	4 000	0.700			20.04	40.70		
Cold Planty Option - Subsequent Actifyl - per DS3	-		Activity - per DST		 		INRUCU		184./65	23.85	1.995	0.785	-		26.94	12.76		
MULTIPLEXERS Size DSS Channel System per month UNC1X MG1 146,69 197,76 140,06 26,94 12,76			C-hit Parity Ontion - Subsequent Activity - per DS2	l .			NBCC3		218 025	7 665	75769	ns			26.04	12.76		
DS1 to DS0 Channel System per morth	-	MIII TI		-		ULS, UNUSA	INICOS		210.925	7.003	.73703	03	<u> </u>		20.94	12.70		
OCU-OP COCI (data) - DS1 to DS0 Channel System - per month (2-464bat) updated for a Cocat Loop		WICEII				UNC1X	MQ1	146 69	197 78	140.06					26.94	12 76		
month (24-69kbs) used for a Local Loop						0.10.77		1 10.00		1.0.00					20.0 .	.20		
OCU-PP COCI (data) - OS1 to DS0 Channel System - per month Local Channel in the same SWC as collocation UTUD D1DD 2.00 13.09 9.38						UDL	1D1DD	2.00	13.09	9.38								
Local Channel in the same SWC as collocation U1TUD 10TDD 2.00 13.09 9.38																		
2-wire ISIN OCCI (BRITE) - US1 to DS0 Channel System - per			month (2.4-64kbs) used for connection to a channelized DS1															
month for a Local Loop						U1TUD	1D1DD	2.00	13.09	9.38								
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation																		
month used for connection to a channelized DS1 Local Channel In the same SIVC as collocation UTUB UC1CA 3.59 13.09 9.38						UDN	UC1CA	3.59	13.09	9.38								
In the same SWC as collocation																		
Voice Grade COCI - DS1 to DS0 Channel System - per month UEA 101VG 1.27 13.09 9.38						LIATUD	110404	2.50	42.00	0.00								
Used for a Local Loop	-					UTTUB	UCTCA	3.59	13.09	9.38	-	-			-			
Voice Grade CCCI - DSI to DSO Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation UNC3X M03 233.10 403.97 234.40 224.40 26.94 12.76							1D1VG	1 27	12.00	0.20								
Used for connection to a channelized DS1 Local Channel in the same SWC as collocation U1TUC UNC3X M03 233.10 403.97 234.40 26.94 12.76						ULA	IDIVG	1.21	13.09	9.30								
Same SWC as collocation																		
DS3 DS1 Channel System per month						U1TUC	1D1VG	1.27	13.09	9.38								
DS1 COCI (used with Loop per month USL UC1D1 16.07 13.09 9.38															26.94	12.76		
DS1 COCI used with Loop per month			STS-1 to DS1 Channel System per month			UNCSX		233.10		234.40					26.94	12.76		
Channel in the same SWC as collocation) per month			DS1 COCI used with Loop per month				UC1D1	16.07	13.09	9.38								
DS1 COCI used with Interoffice Channel per month U1TD1 UC1D1 16.07 13.09 9.38																		
DS3 Interface Unit (DS1 COCI) used with Local Channel per month ULDD1 UC1D1 16.07 13.09 9.38 26.94 12.76 UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res. Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res. UEPSR UEPRO 2.19 21.60 21.60 Exchange Ports - 2-Wire Voice Grabe Line Port outgoing only - Res. UEPSR UEPRO 2.19 21.60 21.60 Exchange Ports - 2-Wire Voice unbundled res, low usage line port with Caller ID (LUM) UC1D1 16.07 13.09 9.38 26.94 12.76 UEPSR UEPRO 2.19 21.60 21.60 26.94 12.76 UEPSR UEPRO 2.19 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Vice unbundled Low Usage Line Port without Caller ID Capability, UEPSR UEPRO 2.19 21.60 21.60 2-Wire Voice Grade Unbundled Port without Caller ID capability,					<u> </u>													
Month ULDD1 UC1D1 16.07 13.09 9.38 26.94 12.76					<u> </u>	U1TD1	UC1D1	16.07	13.09	9.38			ļ		ļ			
12.76 12.7							LICADA	40.00	40.00	0.00	I	I			I			
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Vice Grade Unbundled res, low usage line port with Caller ID With Caller ID (LUM) UEPSR UEPRC 2.19 2.19 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.160 2.160 2.176 UEPSR UEPRC 2.19 2.160 2.16	-		Imonth		 	ULDD1	UC1D1	16.07	13.09	9.38	 	 	-		20.01	40.70		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS) Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRC 2.19 21.60 21.60 21.60 21.60 26.94 12.76 26.94 12.76 26.94 12.76 26.94 12.76 27.90 28.94	<u> </u>	-		-	 		+				 	 	 	-				
Exchange Ports NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LIM) UEPSR UEPRD 2.19 2.160 2.1	LINRUN	DI ED I	OCAL EXCHANGE SWITCHING/PORTS\		 		+				 	 	+		20.94	12.76		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS 2-WIRE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 2.19 21.60 21.60 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPRP 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire VG unbundled res, low usage Line Port without Caller ID Capability UEPSR UEPRP 2.19 21.60 21.60 21.60 21.60 26.94 12.76 26.94 12.76 26.94 12.76					 		+				+	†	1		t			
2-WIRE VOICE GRADE LINE PORT RATES (RES)				KY. LA	& TN. t	he desired features	will need to b	oe ordered usir	ng retail USOC	s	<u> </u>	<u> </u>			<u> </u>	1		
Exchange Ports - 2-Wire Analog Line Port With Caller ID - Res.				.,	1									İ	1			
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.				1	i i	UEPSR	UEPRL	2.19	21.60	21.60	1	1	Ì	İ	26.94	12.76		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 2.19 21.60 21.60 21.60 26.94 12.76 Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 2.19 21.60 21.60 21.60 26.94 12.76 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 21.60 26.94 12.76 UEPSR UEPRT 2.19 21.60 21.60 21.60																		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 2.19 21.60 21.60 26.94 12.76 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,			Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		<u> </u>	UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) UEPSR UEPAP 2.19 21.60 21.60 26.94 12.76 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,																		
with Caller ID (LUM)					<u> </u>	UEPSR	UEPRO	2.19	21.60	21.60			<u> </u>		26.94	12.76		
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability UEPSR UEPRT 2.19 21.60 21.60 26.94 12.76 2-Wire Voice Grade Unbundled Port without Caller ID capability,						l	l	_			I	I			l			
Capability					<u> </u>	UEPSR	UEPAP	2.19	21.60	21.60			ļ		26.94	12.76		
2-Wire Voice Grade Unbundled Port without Caller ID capability,						LIEDOD	LIEDET	0.40	04.00	04.00	1	1			00.01	10.70		
	-				 	UEPSK	UEPKI	2.19	21.60	21.60	-	-	-		26.94	12.76		
L I North Carolina L I II IEDR II I II II II II II I I I I I I I I I	1	1	North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60	I	I	1	1	I			

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
I											Submitted	Submitted		Charge -	Charge -	Charge -
		Inter.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			hei rok	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
			i			Rec	Nonred	urring	Nonrecurring D	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															i
	North Carolina			UEPSR	UEPRY	2.19	21.60	21.60	1							ł
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		i
FEATU																i Total
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		i
2-WIRI	E VOICE GRADE LINE PORT RATES (BUS)															í .
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															í
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		ı
	Exchange Ports - 2-Wire VG unbundled Line Port with															i
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		1
																ı <u>——</u>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with								1							ł
	Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2-Wire voice unbundled Incoming Only Port without Caller ID								1							ł
	Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		1
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								1
FEATU																i .
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		í .
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								1							ł
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1							ł
	Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				l	_			i							ł.
\vdash	Room Calling Port		<u> </u>	UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		+
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								j							ł.
\vdash	Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsequent Activity		<u> </u>	UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		+
FEATU			<u> </u>													.
	All Available Vertical Features		<u> </u>	UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		.
EXCHA	ANGE PORT RATES (COIN)		<u> </u>		1		2.2-	21.5-								+
	Exchange Ports - Coin Port	L				2.59	21.60	21.60					26.94	12.76		.
	Transmission/usage charges associated with POTS circuit s													L		.
	Access to B Channel or D Channel Packet capabilities will be	e availa	pie only	tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	lities will be deter	rmined via t	ne Bona Fic	ie Request/	New Business	s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)	-	<u> </u>		+									-		
	ANGE PORT RATES	DN Da	lin 45-7-	rote exhibit anni- (to the control	ded been in it's	00 00 05 40/0/0	2 um4il 4/4/04	After 4/4/04 the	a rates =1!!	rovert to to	ill votes -	o concrete co	roomer*		
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											iii rates or a	a separate ag	reement.		
Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports Exchange Ports - 2-Wire DID Port	arter the	errecti	ve date of this ame	UEPP2	12.36	ursuant to a se	parate agreen 81.84		moouth's di	scretion.		26.94	12.76		
\vdash		-	 	UEPEA	UEPP2	12.36	81.84	81.84	 				26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPDD	LIEDDO	400.05	440.50	00.00	j				00.04	40.70		1
 	capability (E:4/1/2004)	-	 	UEPDD UEPTX, UEPSX	UEPDD U1PMA	123.65 24.50	116.59 62.29	69.92 62.29	 				26.94 55.30	12.76 55.30		
 	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-	 										55.30	55.30		
 	All Features Offered	-	 	UEPTX, UEPSX	UEPVF	3.40	0.00	0.00	 					 		
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	L.		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	ingian bu B Cl		-4	union ICDN		 		
	Transmission/usage charges associated with POTS circuit so Access to B Channel or D Channel Packet capabilities will be													Boguest Dec	2000	
		z avalial	ore only	unougn BFR/New	Dusiness Re	quest rrocess.	rates for the	раскег сарабі	nues will be deter	mined via ti	ie bona Fic	e request/l	VEW DUSINESS	s Request Pro	ve55.	
EXCH	ANGE PORT RATES (continued)	<u> </u>	1		1	<u> </u>					L			l		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"									-	l [.]	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		T N1	. D'			000	D-1 (A)		
		-	-			Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates (\$) SOMAN	0011411	0011411
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	-	 		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	 	UEPDX	UEPDX	179.75	241.63	241.63	-		1		53.89	53.89		
-	Physical Collocation - DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	2.34	71.02	51.08	1		1		26.94	12.76		
+	Virtual collocation - Special Access & UNE, cross-connect per		1	OLI LX OLI DX	1 - 11 1	2.04	71.02	31.00					20.34	12.70		
	DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		
Detai	iled E911 with Locator Capability (required with UEPEX port)			02.2% 02.3%	0.10.1%	0.01	7 1.02	01.00					20.01	12.70		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1		1											
	Locator Capability - Initial Profile Establishment per CLEC per															
	State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1	1	1	1											
1	Locator Capability - Subsequent Profile Changes, Additions,								I			1				
1	Deletions			UEPEX	UEP1B	0.00	174.99		I			1	26.94	12.76		
New	or Additional PRI Telephone Numbers	1	1													
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				ĺ											
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]	<u></u>	<u></u>	UEPEX	UEP1C		1.17	1.17	<u> </u>				26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		ļ	UEPEX UEPDX	LNPCN	1.75										
INTE	RFACE (Provsioning Only)		ļ	LIEBEY/	222417									10.70		
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		
	Digital Data	-	-	UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		
New	Inward Data	1	1	UEPDX	PR71E	0.00	0.00	0.00	-				26.94	12.76		
New	or Additional Channel New or Additional - Voice/Data "B" Channel	1	-	UEPEX	PR7BV	0.00	36.92				-		26.94	12.76		
	New or Additional - Voice/Data B Channel	1	-	UEPEX	PR7BF	0.00	36.92				-		26.94	12.76		
	New or Additional Inward Data "B" Channel	1	 	UEPDX	PR7BD	0.00	36.92		-		1		26.94	12.76		
+	New or Additional Useage Sensitive Voice Data "B" Channel	 	 	UEPEX	PR7BS	0.00	30.92		 				26.94	12.76		
- 	New or Additional Useage Sensitive Voice Data "B" Channel	 	t	UEPEX	PR7BU	0.00			t		-	-	26.94	12.76		
	New or Additional PRI "D" Channel	t	1	UEPEX	PR7EX	0.00	36.92		I		 	 	26.94	12.76		
CALI	L TYPES	1	1		=/\	3.55	00.02		<u> </u>	1			20.04	.20		
1	Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1	İ			26.94	12.76		
1	Outward		1	UEPEX	PR7CO	0.00	0.00	0.00	1	İ			26.94	12.76		
- 	Two-way	1	1	UEPEX	PR7CC	0.00	0.00	0.00	1	İ			26.94	12.76		
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	Ý	1													
	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1		1									1		
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	<u> </u>															
	Unbundled Remote Call Forwarding Service, Local Calling - Res	<u> </u>		UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-	Recurring	1	1		$oxed{\Box}$											
1	Unbundled Remote Call Forwarding Service - Conversion -			l	1				1							
	Switch-as-is	1	1	UEPVR	USAC2		2.77	0.40	ļ				26.94	12.76		
1	Unbundled Remote Call Forwarding Service - Conversion with		1	LIED) (D	110400				I			1				
	allowed change (PIC and LPIC)	1	1	UEPVR	USACC		2.77	0.40	-		-			ļ		
UNBI	UNDLED REMOTE CALL FORWARDING - Bus	+	1		 				 	-	1			 		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	2.19	21.60	21.60	I			1	26.94	12.76		
	ronouncied Kemole Call Forwarding Service, Area Calling - BUS	1	1	ULFVD	UERAU	2.19	21.00	21.00	1	1	1	l	∠0.94	12.76		
		1			1											

UNBL	JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
			1				1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							11	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	ļ	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service Expanded and													40 =0		ı l
	ļ. <u> </u>	Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
-	Non-R	ecurring										-					
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		ı l
	+	Unbundled Remote Call Forwarding Service - Conversion with			UEPVB	USACZ		2.11	0.40			1		26.94	12.70		$\overline{}$
		allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								ı l
LINBII	NDI ED I	LOCAL SWITCHING. PORT USAGE			OLI VB	OOACC		2.11	0.40			<u> </u>					
ONE		fice Switching (Port Usage)										†					
	Liid O	End Office Switching Function, Per MOU				1	0.0015					1					
	1	End Office Trunk Port - Shared, Per MOU				1	0.00013			1							
	Tande	m Switching (Port Usage) (Local or Access Tandem)	l	t		1				i							
	1	Tandem Switching Function Per MOU	1			İ	0.0006							İ			
	1	Tandem Trunk Port - Shared, Per MOU	l		ĺ	i .	0.0003			İ		1		l			
		Tandem Switching Function Per MOU (Melded)					0.00024618										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.00012309										
		Melded Factor: 41.03% of the Tandem Rate															
	Comm	on Transport															
		Common Transport - Per Mile, Per MOU					0.00001										i
		Common Transport - Facilities Termination Per MOU					0.00034										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos											L	L			
-		ffice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entiy C	ombine	a Compos. For Cur	rently Combi	nea Combos tr	e nonrecurrin	g charges sna	ii be those ide	ntified in the N	ionrecurring	- Currentiy	Combined S	ections.		
		ort/Loop Combination Rates										 					
	ONLF	2-Wire VG Loop/Port Combo - Zone 1		1			13.03					1					
	+	2-Wire VG Loop/Port Combo - Zone 2		2			21.33					†					
		2-Wire VG Loop/Port Combo - Zone 3		3		1	32.61					1					
	UNE L	pop Rates		Ť			02.01					İ					
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.75					İ					
	1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.05					İ					
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33										
	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.28	79.59	63.97					40.18	9.45		1
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundles res, low usage line port with Caller ID	l														, l
<u> </u>	1	(LUM)	ļ		UEPRX	UEPAP	2.28	79.59	63.97	ļ				40.18	9.45		
		2-Wire voice unbundled Low Usage Line Port without Caller ID															ı l
<u> </u>	1	Capability	!	<u> </u>	UEPRX	UEPRT	2.28	79.59	63.97		1	ļ		40.18	9.45		
1		2-Wire Voice Grade Unbundled Port without Caller ID capability,	1		LIEDDY	LIEBEZ		====					1				, 1
<u> </u>		North Carolina			UEPRX	UEPRZ	2.28	79.59	63.97								
1		2-Wire Voice Grade Unbundled Port without Caller ID capability,	1		LIEDBY	LIEDDY	0.00	70.50	00.07				1				, 1
-	FEATI	North Carolina		-	UEPRX	UEPRY	2.28	79.59	63.97			1					
-	FEATU	All Features Offered	-	-	UEPRX	UEPVF	3.40	0.00	0.00		-	-		40.18	9.45		
-	LOCAL	NUMBER PORTABILITY	-	-	UEPKA	UEPVF	3.40	0.00	0.00	-	 		 	40.18	9.45		
-	LUCAL	Local Number Portability (1 per port)	-	1	UEPRX	LNPCX	0.35				1	 					$\overline{}$
\vdash	NONP	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	!	OLFIVA	LINEON	0.35			 	1	1		l			
\vdash	HOME	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	 	!	1	1	 			 	1	1		l			
		Switch-as-is	1		UEPRX	USAC2		2.77	0.40				1	40.18	9.45		, l
I	 	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l	†	021100	30,102		2.11	0.40		1	1	 	70.10	3.43		
1		Switch with change	1		UEPRX	USACC		2.77	0.40				1	40.18	9.45		, l
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				3000		2.11	5.40	1				40.10	5.45		
		Subsequent Database Update	1					1.42					1	10.27			, l
						•						•					

UNBUND	LEC	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
		Total out only										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Dee	Nonred	urring	Nonrecurring Di	isconnect		•	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AD	DITIO	DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
IN		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1						1			1				1
		Termination			UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
\vdash		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
L		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UN		op Rates															
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
0.11		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
Z-V		/oice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		
		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		—
					UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		—
—		2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB0	2.28	79.59	63.97					40.18	9.45		-
\vdash		2-Wire voice unburidled incoming Only Port with Caller ID - Bus 2-Wire voice unbundled incoming Only Port without Caller ID		-	UEPDA	UEPBI	2.20	79.59	03.97				-	40.16	9.43		
		Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
10		NUMBER PORTABILITY		-	OLFBA	OLFBL	2.20	19.59	03.97					40.16	9.43		
1		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35								1		<u> </u>
FF	ATU				OLI DX	LIVI OX	0.55										
<u> </u>		All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02. 5/1	02. 1.	0.10	0.00	0.00					10.10	0.10		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1									i		
		Switch-as-is		1	UEPBX	USAC2		2.77	0.40	1			1	40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -						-									
		Switch with change		1	UEPBX	USACC		2.77	0.40	1			1	40.18	9.45		1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -									_						
		Subsequent Database Update		1				1.42		1			1	10.27			1
AD	DITIO	DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User								1 7							1
		Premise			UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	
\vdash		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00
\vdash		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00
<u> </u>		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00
IN		FFICE TRANSPORT		.		+				+				ļ	ļ	 	├
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	LIEDDY	U1TV2	40.00	407.40	50.50	1			1	20.07	20.07		1
\bot		Termination		L	UEPBX	UTIV2	18.00	137.48	52.58	1			ı	38.07	38.07	l	

ONRONDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac iat	Disc Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile)														
	or Fraction Mile			UEPBX	U1TVM	0.0125	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1														
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
$\!\!\!\!\!-$	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	19.05							ļ	ļ	ļ	<u> </u>
\longrightarrow	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	30.33			ļ							
2-Wir	re Voice Grade Line Port Rates (RES - PBX)	1	 		\rightarrow				ļ				ļ	ļ	.	
1	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1		====						1	1			I	
\longrightarrow	Res	1	 	UEPRG	UEPRD	2.28	164.57	128.16	ļ				40.18	9.45	.	
LOC/	AL NUMBER PORTABILITY	1	1	LIEBBO	Lung										ļ	↓
	Local Number Portability (1 per port)	1	1	UEPRG	LNPCP	3.15	0.00	0.00							_	
FEAT	TURES		1	UEDDO.		0.40							10.10	0.45		
	All Features Offered		<u> </u>	UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is		-	UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO			0.77	0.40					40.40	0.45		
\longrightarrow	Conversion - Switch with Change	+	-	UEPRG	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1					4.40						40.07			
ADD	Subsequent Database Update ITIONAL NRCs	+	+		_		1.42						10.27			
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	+						-		-	-			-	-
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	1	ULFRG	USASZ	0.00	0.00	0.00					40.10	9.43	-	
	Premise			UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/	ON PREMISES EXTENSION CHANNELS	+	1	OLI IKO	OKLIL		0.55	0.03					20.34	12.70	0.00	0.00
0117	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
-	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade	1	2	UEPRG	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
-+	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	36.40	126.03	54.54			İ	İ	26.94	12.76	0.00	
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1													
1	Termination		1	UEPRG	U1TV2	18.00	137.48	52.58			1	1	38.07	38.07	I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1											
	or Fraction Mile		<u>L</u>	UEPRG	U1TVM	0.0125	0.00	0.00					<u> </u>	<u> </u>	<u></u>	<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										<u> </u>
UNE	Loop Rates		1													<u> </u>
$\!\!\!\!\!-$	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	10.75							ļ	ļ	ļ	<u> </u>
\longrightarrow	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	19.05			ļ				ļ	ļ		
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPPX	UEPLX	30.33									_	↓
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)	1	1		+				 		ļ		ļ	ļ	-	
1	I SO ON THE SECOND STATE OF THE SECOND STATE O		1	LIEDDY	LIEBES		=								1	
$-\!\!-\!\!\!-$	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45	-	
ı	Line Side Unbundled Outward PBX Trunk Port - Bus	+	1	UEPPX	UEPPO	2.28	164.57	128.16	 				40.18	9.45	-	├
	Line Side Unbundled Incoming PBX Trunk Port - Bus	i	1	UEPPX	UEPP1	2.28	164.57	128.16	1		1	1	40.18	9.45	1	1
		+	+	LIEDDY				400.40					40.40		1	
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX UEPPX	UEPLD UEPXA	2.28	164.57 164.57	128.16 128.16					40.18 40.18	9.45 9.45		

UNBUNDI	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CITECITE	PED NETWORK ELEMENTO HORIZO GARDINIA	1		1							Svc Order	Svc Order	Incremental	Incremental		
											Submitted	Submitted		Charge -	Charge -	Charge -
		1									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
		1				B	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		-
		i –	i –			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	i –	i –	UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD													Î		
	Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEA	ATURES															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1												
	Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update						1.42						10.27			
ADD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF	F/ON PREMISES EXTENSION CHANNELS															L
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.00
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
L	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
INII	EROFFICE TRANSPORT	-								1						-
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	40.00	137.48	52.58					38.07	38.07		
				UEPPX	UTIVZ	18.00	137.48	52.58			-		38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	Ί.		UEPPX	U1TVM	0.0125	0.00	0.00		1						
2 147	INFORMATION WITH 2-WIRE ANALOG LINE COIN PO	DT	 	OLFFA	O I I VIVI	0.0123	0.00	0.00		+	-			-	-	
	E Port/Loop Combination Rates	TAT	 	 	+					+	-			-	-	
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1	+	1	 	+	13.03	-			+	 					
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2	+	2	 	+	21.33				1	H			 	l	
	2-Wire VG Coin Port/Loop Combo – Zone 2	+	3		+	32.61				+	-	-				
LINE	E Loop Rates	1	+	 	+	32.01				+	 			1	 	
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	+	1	UEPCO	UEPLX	10.75				+	H			 	 	
	2-Wire Voice Grade Loop (SL1) - Zone 1	+	2	UEPCO	UEPLX	19.05				+						
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPCO	UEPLX	30.33				1	 					†
2-W	fire Voice Grade Line Ports (COIN)	+	۲	1	J	00.00				t	<u> </u>				 	
	2-Wire Coin 2-Way without Operator Screening and without	1	1	 	1					†				i	 	†
	Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97		1			40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)	1	i –	UEPCO	UEPNC	2.28	79.59	63.97		1			40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NO) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011	1	i –		320	2.20	. 0.00	00.01		1				0.40		
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97		1			40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	†	1		1					1				51.70	i	
	(NC)	1		UEPCO	UEPNB	2.28	79.59	63.97		1			40.18	9.45		
		1		1						+	1				-	
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:					ı	1				1					

UNBUNDI	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										l ·	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1	1			Rec	Nonrec		Nonrecurring					Rates (\$)		
		1	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEDNIE	0.00	70.50	00.07					40.40	0.45		
	(NC)	1	-	UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEDOO	LIEDOI	0.00	70.50	00.07					40.40	0.45		
	900/976, 1+DDD, 011+, and Local (NC) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	1	-	UEPCO UEPCO	UEPCK	2.28 2.28	79.59	63.97 63.97					40.18 40.18	9.45 9.45		
\vdash		1	1	UEPCO	UEPCK	2.28	79.59	63.97				-	40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except I A)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADE	ITIONAL UNE COIN PORT/LOOP (RC)	1	1	UEPCU	UEPCR	2.28	79.59	63.97			-		40.18	9.45		
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	3.70	0.00	0.00	0.00	0.00		-	40.18	9.45		
1.00	AL NUMBER PORTABILITY	1	1	UEPCO	UKECU	3.70	0.00	0.00	0.00	0.00	-		40.16	9.45		
LOC	Local Number Portability (1 per port)	+	+	UEPCO	LNPCX	0.35			1		-		-	-		-
NON	RECURRING CHARGES - CURRENTLY COMBINED	+	1	OLFOO	LINFUA	0.35			1		 	-	1	1		l
INON	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	+		+ +								 	 		
	Switch-as-is	1	1	UEPCO	USAC2	J	2.77	0.40					40.18	9.45		
-	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	+	OLI CO	00A02		2.11	0.40			1		40.10	3.43		
	Switch with change	1	1	UEPCO	USACC	J	2.77	0.40					40.18	9.45		
 	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1	+-	02100	UUAUU		2.11	0.40			-		40.10	5.40		
	Subsequent Database Update						1.42									
ADE	ITIONAL NRCs	1	1		+		1.72						1	1		
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1		+						-					
	Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	021 00	00/102		0.00	0.00			1		40.10	0.40		
	Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
2-W	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	ELINE	PORT (0.42.12		0.00	0.00			1		20.0 .	12.70	0.00	0.00
	Port/Loop Combination Rates	T	1													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12					İ					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	Loop Rates	1														
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	40.81							ĺ	ĺ		
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID															l
igsquare	(LUM)		ļ	UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INTE	ROFFICE TRANSPORT	1	<u> </u>													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	l	1	J										
\vdash	Termination	1	 	UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	1	LIEDED	41.5007							1				1
	or Fraction Mile	1	-	UEPFR	1L5XX	0.0125			ļ		-		ļ	ļ		
FEA	TURES	1	-	LIEDED	LIED) (E	2.1-			ļ		-					
H	All Features Offered	├	+	UEPFR	UEPVF	3.40	0.00	0.00	1				40.18	9.45		
LOC	AL NUMBER PORTABILITY Il coal Number Portability (4 per port)	+	+	LIEDED	LNDCY	0.35					1		 	 		-
NON	Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	+	UEPFR	LNPCX	0.35			1		-		-	-		-
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	+		+				1		-		-	-		-
	Combination - Conversion - Switch-as-is		1	UEPFR	USAC2	J	9.03	1.87					40.18	9.45		
+-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	+	OLITA	USAUZ		9.03	1.07					40.10	9.45		
	Combination - Conversion - Switch-With-Change		1	UEPFR	USACC	J	9.03	1.87					40.18	9.45		
\vdash	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	+	0=1111	00,100		9.03	1.07	†		<u> </u>		40.10	3.43		1
1 1	End User Premise			UEPFR	URETN		11.20	1.10					26.94	12.76	0.00	0.00
1 1		E LINE	DODT /		J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		11.20	1.70	1		 	-	20.04	12.70	0.00	0.00
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE														
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR Port/Loop Combination Rates	LINE	I OKT (1 1		j									
	Port/Loop Combination Rates	LINE	1			17.16										
		ELINE	1 2	500)		17.16 28.12										

UNBUND	DLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									por zort	po. zo.t	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec	urring		g Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UN		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
2-V		oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.19	225.00	225.00					40.18	9.45		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LO		NUMBER PORTABILITY				_											
<u> </u>		_ocal Number Portability (1 per port)		-	UEPFB	LNPCX	0.35					ļ					
IN'		FFICE TRANSPORT	ļ	ļ	-	+					ļ						├
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDED	11477.60	40.00	440.00	74.00								1
\vdash		Termination		-	UEPFB	U1TV2	18.00	140.00	71.00			ļ					├
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1														1
		or Fraction Mile			UEPFB	1L5XX	0.0125										
FE	ATUF																
		All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l												
\vdash		Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		└
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															ĺ
\vdash		Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at													40 =0		
		End User Premise		LODT (UEPFB	URETN		11.20	1.10			1		26.94	12.76	0.00	0.00
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OKI (PBX)	+											├
UN		rt/Loop Combination Rates	1	4			17.16					-					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u> </u>	2		+	28.12					-					
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	3		+	43.00				 	 					
LIN		pp Rates	<u> </u>	3		+	43.00				1	ł	-				├
OIN		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										
 		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93					1					
 		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81					1					
2-1		oice Grade Line Port Rates (BUS - PBX)			OLITI	OLOI Z	40.01					1					
2-1	WIII C	olce orace Line i ort rates (Boo - i Bx)				+						+					
	l,	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
h + + + + + + + + + + + + + + + + + + +	- 1	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00		1	1		40.18	9.45		
		Line Side Unbundled Incoming PBX Trunk Port - Bus	 	 	UEPFP	UEPP1	2.18	225.00	225.00		1	†		40.18	9.45		—
		2-Wire Voice Unbundled PBX LD Terminal Ports	l		UEPFP	UEPLD	2.18	225.00	225.00		1			40.18	9.45		—
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	†		UEPFP	UEPXB	2.18	225.00	225.00	i				40.18	9.45		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	†		UEPFP	UEPXC	2.18	225.00	225.00	i				40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	†		1	1	9			i	İ				51.70		
		Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		ĺ
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1								1						
		Administrative Calling Port	1		UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			1					ĺ	1	1					
		Room Calling Port	1		UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port	1		UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		1
	1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
LO	OCAL	NUMBER PORTABILITY	<u></u>														
		ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
IN		FFICE TRANSPORT															
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
		Termination	1	1	UEPFP	U1TV2	18.00	140.00	71.00	l .	1	I		l	1	l	1

UNBUI	NDLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
<u> </u>				1	1	T						Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
							D	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
				i –			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile									Î						
		or Fraction Mile			UEPFP	1L5XX	0.0125										
	FEATUR	RES									Î						
	,	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		i –													
	2	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port									Î						
	- 10	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port									Î						
		Combination - Conversion - Switch with change	1		UEPFP	USACC		9.03	1.87			1	1	40.18	9.45		I
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at		i –													
		End User Premise	1		UEPFP	URETN		11.20	1.10			1	1	26.94	12.76	0.00	0.00
UNBUN	DLED P	ORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
		rt/Loop Combination Rates		1	İ						ĺ						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	İ		20.97				ĺ						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	İ		27.80				ĺ						
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			37.08										
		op Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96										
	UNE Po																
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
		CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-as-is			UEPPX	USAC1		13.26	8.39					53.89	11.34		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
		with BellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39					53.89	11.34		
		DNAL NRCs															
	1	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49						40.18	9.45		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPPX	URETN		11.20	1.10					26.94	12.76	0.00	0.00
	Telepho	one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number		1	UEPPX	ND5	0.00	0.00	0.00		ĺ						
		Reserve Non-Consecutive DID numbers		1	UEPPX	ND6	0.00	0.00	0.00		ĺ						
		Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00		ĺ						
		NUMBER PORTABILITY		1	İ						ĺ						
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	E PORT													
		rt/Loop Combination Rates									ĺ						
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	İ						ĺ						
		UNE Zone 1		1	UEPPB UEPPR	2	38.84										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 2	1	2	UEPPB UEPPR		50.01					1	1				I
	12	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	İ						ĺ						
		UNE Zone 3	1	3	UEPPB UEPPR		65.18					1	1				I
		op Rates									ĺ						
	12	2-Wire ISDN Digital Grade Loop - UNE Zone 1	Ì	1	UEPPB UEPPR	USL2X	14.47					İ	l				
		·	Ì									İ	l				
	:	2-Wire ISDN Digital Grade Loop - UNE Zone 2	l	2	UEPPB UEPPR	USL2X	25.64										1
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	İ	3	UEPPB UEPPR	USL2X	40.81										
		rt Rate	İ														
1 1					1	1										i — — —	
 		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		

UNBUND	LED	NETWORK ELEMENTS - North Carolina													Attach	ment: 2	Exhi	bit: A
													I .		Incremental		Incremental	
													Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m							- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
																	2.00 .00	2.007.444.
								Rec	Nonred			g Disconnect				Rates (\$)		
-	-	Wise ICDN Digital Conde Lagar / O Wise ICDN Line Cide Dark	-		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD	UEPPR	USACB	0.00	174.35	174.35								İ
ΔD		NAL NRCs			OLFFB	OLFFR	USACB	0.00	174.33	174.33			+					
		Inbundled Miscellaneous Rate Element, Tag Designed Loop at		1	1								1					
		Ind User Premise			UEPPB	UEPPR	URETN		11.20	1.10								l
	L	Inbundled Miscellaneous Rate Element, Tag Loop at End User																
		Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.00
LO		NUMBER PORTABILITY																
		ocal Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-0		NEL USER PROFILE ACCESS:											ļ					
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1		1					
\vdash		CVS (EWSD)	-	 	UEPPB UEPPB	UEPPR UEPPR	U1UCB U1UCC	0.00	0.00	0.00	+			-				
R.C		NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS &	TN)	OLPPD	OLPPR	01000	0.00	0.00	0.00	+	-	}	-	 			
		ERMINAL PROFILE	J,1410, 6	1	 		 	 			+	1	†		 			
33		Jser Terminal Profile (EWSD only)	t	 	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1		1	†	1			—
VE		AL FEATURES			1			5.50	0.00	3.30	İ				İ			
		II Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INT	EROF	FICE CHANNEL MILEAGE																
	Ir	nteroffice Channel mileage each, including first mile and																
		acilities termination				UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
		nteroffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								ـــــــــ
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK			<u> </u>				444044					<u> </u>	l			L
		-P DS1 combination rates below for in this rate exhibit appl													nt.			
		s for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T t/Loop Combination Rates	runk P	ort arte	r the effec	tive date d	tnis ameno	iment snall be p	provided pursi	lant to a sepa	rate agreement	or tariff at Bei	isoutn's di	scretion.				
UN		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1			1						1					
		Cone 1		1	UEPPP			226.55										İ
		W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	02			220.00					i e					
		One 2		2	UEPPP			263.28										İ
	4	W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 3		3	UEPPP			313.15										
UN	E Loo	p Rates																
	4	-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	47.54										ـــــــ
		-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	84.27					ļ					
1181		-Wire DS1 Digital Loop - UNE Zone 3 t Rate		3	UEPPP		USL4P	134.14			1		1					
UN		exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		-	UEPPP		UEPPP	179.01	956.47	663.10			 		19.99	19.99		
NO		CURRING CHARGES - CURRENTLY COMBINED		1	OLFFF		OLFFF	179.01	930.47	003.10			1		15.55	19.99		
110		-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	1								1					
		Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	481.51	481.51								ĺ
AD		NAL NRCs																
	4	-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR7TG		1.17	1.17								
		-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent																İ
		activity Outward tel nos. (NC only)			UEPPP		PR7TP		28.17	28.17								ـــــــــ
		-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -					DD777		== ==									1
		Subsequent Inward Tel Numbers		 	UEPPP		PR7ZT		56.33	56.33	 	1						├
LO		ocal Number Portability (1 per port)	1	<u> </u>	UEPPP		LNPCN	1.75			1	1	1	-				
INIT		OCAL NUMBER PORTABILITY (1 per port) ACE (Provsioning Only)	 	 	UEPPP		LINECIN	1./5			+	-	}	-	 			
III		/oice/Data		 	UEPPP		PR71V	0.00	0.00	0.00	+	1	†		 			
\vdash		Digital Data	t	 	UEPPP		PR71D	0.00	0.00	0.00	1	1	1	-				—
		nward Data	l	t	UEPPP		PR71E	0.00	0.00	0.00		1			1			
Ne		Additional "B" Channel		l –										İ				
	Ν	lew or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	36.92		1				19.99	19.99		
		lew or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	36.92						19.99	19.99		
		lew or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	36.92						19.99	19.99		
		PES		1			1				1		1					1

ATTOCK BATE LEMENTS BATE LEM	UNBUN	IDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	oit: A
ATT BLEMENTS ATT BLEMENTS AND AND ALL STREET AND AL	011201			1									Svc Order	Svc Order				
ATT CATE CATE CATE CATE CATE CATE CATE C																		
ANTECHENNY RATE CLEMENTS RATE CLEM																_	-	
Part Part	CATEGO	DRY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part Part				m						- (1)			per LSK	per LSK				
March Marc																		
Company Comp															1St	Addi	DISC 1St	DISC Add I
Company Comp								_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
Interest								Rec					SOMEC	SOMAN			SOMAN	SOMAN
Control Cont			Inward			UEPPP	PR7C1	0.00										
Tamestry Tamestry			Outward			UEPPP	PR7CO	0.00	0.00									
Intervalve Channel Mistage			Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Each Online Fractional Assistant Male		nteroff	rice Channel Mileage															
A WINE DOS TORTIAL LOOP WITH 4 WAVE DOTT STRUME FORT			Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
The IMPS P DS Combination rates below for in this cate arbitist apply to the embedded base in place and 1970B. After 474 PM DS Digital copy with SMP DS Digital copy with			Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
Request for AVVID EST Digital Loop with AVVID EST State the effective date of this amendment whall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.	-	-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
With Engineering Combination Rates		he UN	IE-P DS1 combination rates below for in this rate exhibit appl	y to the	embed	ded base in place a	is of 10/2/03 t	until 4/1/04. Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerci	ial agreeme	nt.			
AVECTOR PROPERTY CONTRACTOR AVECTOR		Reques	sts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ective d	late of t	this amendment sha	all be provide	d pursuant to	a separate agr	ement or tarif	f at BellSouth's	discretion.						
#W DS1 (Digital Loop-VMD TS Trank Pert - LVRE Zone 2 2 LEPPC 207.78		JNE Po																
WHE Loop Retails Loop International Conference Loop					1													
UNE For Reset																		
A-Wine DST Digital Long - UNR Zonn 2					3	UEPDC		257.66										
A-Wire DS Topidal Loop - UNE Zono 2 2 USPDC USLDC 98.427		JNE Lo																
WHEP DRY Topial Logs - UNE Zone 3 3 UPPDC USLDC 194.14 194.96 195.96					1	UEPDC		47.54										
UEPC UDITS Digital Trunk Port (E-41/2004)					2													
HAVING DOTS Digital Long / AVVING DOTS Trunk Port Combination UEPDC USACA 490.38 490.					3	UEPDC	USLDC	134.14										
NONECURRING CHARGES - CURRENTY COMBINED		JNE Po																
4-Wire DST Digital Loop / 4-Wire DOTTS Trush Port Combination UEPDC USAC4			4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
Switch-as-is-life-41/2004		NONRE																1
4-Wire DST Digital Looy / 4-Wire DDTS Trunk Port Combination UEPDC USAWA																		
- Convention with DS1 Changes (E.41/2004) UEPDC USAWA 490.38 490.						UEPDC	USAC4		490.38	490.38								
4-Wire DST Loop / 4-Wire DDITS Trunk Port - Subsequent UEPDC USAWB 490,38 49																		
Conversion with Change - Trunk (E-4/1/2004)						UEPDC	USAWA		490.38	490.38								
ADDITIONAL NRCs																		1
4-Wire DST Loop / 4-Wire DDTS Trunk Port - Subsequent UEPDC						UEPDC	USAWB		490.38	490.38								
Service Activatory Per Service Order		ADDITI																
A-Wire DST Loop / 4-Wire DDTS Trunk Port - NRC UEPDC UDTTA 28.81 28.81 28.81																		1
Subsequent Channel Activation/Chan - 2-Way Trunk						UEPDC	USAS4		127.63	127.63								
A-Wire DST Loop / 4-Wire DDTS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Qutward Trunk Roup UEPDC UDTTD 28.81 28.81 28.81 19.99 19.							l											
Channel Activation/Chan - 1-Way Outward Trunk UEPDC UDTTB 28.81 28.81 19.99 19	\vdash					UEPDC	UDTTA		28.81	28.81								
A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsqnt Channel UEPDC UDTTC 28.81 28.81 19.99						LIEBBO	LIDTTD		00.04	00.04								
Activation/Chan Inward Trunk Wou DID						UEPDC	ODLIB		28.81	28.81								
A-Wire DS1 Loop / 4-Wire DDTS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk With DID UEPDC UDTTD 28.81 28.81 19.99 19.99						LIEBBO	LIDTTO		00.04	00.04					40.00	40.00		
Activation Per Chan - Inward Trunk with DID	-					UEPDC	UDITC		28.81	28.81	-		-		19.99	19.99		
A-Wire DS1 Loop / A-Wire DDTS Trunk Port - Subsqnt Chan						LIEDDC	LIDTTD		20.04	20.04					10.00	10.00		1
Activation / Chan - 2-Way DID w User Trans UEPDC UDTTE 28.81 28.81	-			-	-	UEPDC	טווטט		20.01	20.01			-	-	19.99	19.99		
BIPOLAR 8 ZERO SUBSTITUTION						LIEDDC	LIDTTE		20 01	20 01								1
B8ZS - Superframe Format	—	DIDOL /				OLFDC	ODTIL		20.01	20.01	-							
B8ZS - Extended Superframe Format	⊢ – '	JIF OL				LIEDDC	CCOSE		0.00i	615 00e	 							
Alternate Mark Inversion	—																	
AMI - Superframe Format		Alterna				OLI DO	CCCLI		0.001	013.003								
AMI - Extended SuperFrame Format	H	· · · · · · · ·				UEPDC	MCOSE		0.00	0.00								
Telephone Number for 2-Way Trunk Group														1				
Telephone Number for 2-Way Trunk Group		eleph		1				1	3.30	0.00	t				 	i		
Telephone Number for 1-Way Outward Trunk Group UEPDC UDTGY 0.00 19.99 19.9				†	t	UEPDC	UDTGX	0.00	i		†	İ			19.99	19.99		
Telephone Number for 1-Way Inward Trunk Group Without DID											t							
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers UEPDC NDZ 0.00 0.00 0.00 UEPDC NDZ 0.00 0.00 UEPDC NDZ 0.00 0.00 UEPDC NDZ 0.00 0.00 UEPDC NDZ 0.00 UE				†	t				i		†	İ						
Of 20 DID Numbers UEPDC NDZ 0.00 0				İ														
DID Numbers for each Group of 20 DID Numbers UEPDC ND4 0.00				1		UEPDC	NDZ	0.00	0.00	0.00	1							
DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos. UEPDC ND6 0.00 0.00 0.00 0.00 Reserve DID Numbers Reserve DID Numbers Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			DID Numbers for each Group of 20 DID Numbers	Ì														
Reserve Non-Consecutive DID Nos.								0.00										
Reserve DID Numbers UEPDC NDV 0.00 0.00 0.00 0.00 0.00 Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities 0.000 0.00 0.00 0.00 0.00 0.00 0.00 0						UEPDC	ND6	0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities								0.00	0.00	0.00								
		Dedica		1 Digital	Loop	with 4-Wire DDITS T	runk Port											
Termination) UEPDC 1LNO1 71.29 217.17 163.75 0.00 0.00 19.99 19.99																		
			Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		

IINIDIIN	IDI EI	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Evhi	bit: A
UNDUN	IDLEL	O NETWORK ELEMENTS - NOTHI Carollila			I	1	1					Cun Ondan	Cur Ouden				
												1		Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		<u> </u>	UEPDC	1LNOA	0.5753	0.00	0.00			ļ					
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.5753	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
		Central Office Termininating Point			UEPDC	CTG	0.00										
4	-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
S	System	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
E	ach S	ystem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used	1											
		E-P DS1 combination rates below for 4-Wire DS1 Loop with C				e exhibit apr	ly to the embe	edded base in r	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after th														•	
		S1 Loop				1											
	Ī	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00			1					
-		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00			†	1				
-+		4-Wire DS1 Loop - UNE Zone 3	-	3	UEPMG	USLDC	134.14	0.00	0.00			1					
		60 Channelization Capacities (D4 Channel Bank Configuration	ne)	3	OLI WO	OOLDC	134.14	0.00	0.00								
		24 DSO Channel Capacity - 1 per DS1	113)	 	UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
-+		48 DSO Channel Capacity - 1 per 2 DS1s	-	1	UEPMG	VUM48	246.12	0.00	0.00	-		1		19.99	19.99		
-		96 DSO Channel Capacity -1 per 2 DS1s	-	-	UEPMG	VUM96	492.24	0.00	0.00			-	-	19.99	19.99		-
+		144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	738.36	0.00	0.00			-		19.99	19.99		
+				-	UEPMG	VUM19	984.48	0.00	0.00			-		19.99	19.99		
+		192 DS0 Channel Capacity -1 per 8 DS1s		-	UEPMG	VUM2O	1,230.60	0.00	0.00			-		19.99	19.99		
		240 DS0 Channel Capacity - 1 per 10 DS1s										ļ					
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00			ļ		19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68		0.00					19.99	19.99		
		curring Charges (NRC) Associated with 4-Wire DS1 Loop with						ystem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
IV	/lultiple	es of this configuration functioning as one are considered Ac	dd'I afte	r the m	inimum system con	figuration is	counted.										
	П	NRC - Conversion (Currently Combined) with or without											1				
		BellSouth Allowed Changes	<u> </u>	<u> </u>	UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
S	System	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat	ion with Port Combi	ination Curre	ently Exists an	d									
N	lew (No	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	ı's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)	<u> </u>	Ш.	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	<u> </u>	<u> </u>	19.99	19.99		<u> </u>
P	Bipolar	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent				1											
		Activity Only			UEPMG	CCOSF	0.00	0.00i	615.00s								
-		Clear Channel Capability Format - Extended Superframe -		1		1	1			1			1				ĺ
. 1		Subsequent Activity Only	l	1	UEPMG	CCOEF	0.00	0.00i	615.00s	I			1				l
1	lterna	te Mark Inversion (AMI)	i –	1		T	1.50			i e		1	i				İ
		Superframe Format	l -		UEPMG	MCOSF	0.00	0.00	0.00	-		t	l				
-+		Extended Superframe Format	l -		UEPMG	MCOPO	0.00	0.00	0.00	-		t	l				
F	ychan	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI MO		0.00	0.00	0.00	t		1	 				
		ge Ports Associated with 4-wire DST Loop with Channelization	OII WILLI	. 0/1		1	1	1	 	t		1	 				
	AUTIAN	Line Side Combination Channelized PBX Trunk Port - Business	 	 		1	1	1	 	t		1	 				
		(E:4/1/2004)	1	1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45		l
'			<u> </u>	├	ULFFA	UEPUA	2.28	0.00	0.00	0.00	0.00	 	-	40.18	9.45		
																	1
		Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		

UNBL	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
0.12			1				1					Svc Order	Svc Order	Incremental			Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc		Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		O.W. Tarak O. I. Hakara Hak Okasa Kana Bib Tarak Basi				+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port (F·4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
-	Eostur	e Activations - Unbundled Loop Concentration			UEPPX	UEPDIVI	13.20	0.00	0.00	0.00	0.00	-		40.18	9.45		
	reatur	Feature (Service) Activation for each Line Port Terminated in D4				+	1					1					
		Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
-		Feature (Service) Activation for each Trunk Port Terminated in			OLITA	11 Q VVIVI	0.00	20.21	10.04	4.10	7.12	1		40.10	0.40		
		D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability															
-	EE A TI	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
-		IRES - Vertical and Optional				+	+										ļ
	Local	Switching Features Offered with Line Side Ports Only All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
LINDIII	IDI ED (CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			UEFFA	UEFVF	3.40	0.00	0.00			-		40.16	9.45		
ONBOI		t Based Rates are applied where BellSouth is required by FCC		State (ommission rule to	nrovide Unb	undled Local S	witching or Su	itch Ports								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu														Additional NF	Cs may
	apply a	also and are categorized accordingly.															
	5. Mar	ket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual C	ase Basis, un	til further notic	e.									
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)				1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	Ι.													
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95	+	13.03										ļ
		Non-Design		2	UEP95		21.33										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95	+	21.33					-					
		Non-Design		3	UEP95		32.61										
	UNF P	ort/Loop Combination Rates (Design)		3	OLI 95	+	32.01					†					
	0.1.2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.25										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
L	<u></u>	Design	L	2	UEP95	1	28.21				<u> </u>	<u></u>	L	<u> </u>			<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									_						
		Design		3	UEP95	1	43.09										
	UNE L	oop Rate				1	1										
L		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 2	!		UEP95	UECS1	19.05										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ		UEP95	UECS1	30.33								1		\vdash
—	-	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	 		UEP95 UEP95	UECS2 UECS2	14.97 25.93					1		-	1		
<u> </u>	-	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	!		UEP95	UECS2	25.93 40.81					-	-	-	1	-	
-	LINE P	ort Rate	1	٥	OFL 20	ULUGZ	40.61					 		 	1		\vdash
-	All Sta		 	-		+	+					-	-	 	1		
	ota	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
		2-Wire Voice Grade Port (Centrex 800 termination)	i e		UEP95	UEPYB	2.28	79.59	63.97					40.18	9.45		i i
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1	1										
		Area	<u> </u>	L	UEP95	UEPYH	2.28	79.59	63.97			<u></u>	<u></u>	40.18	9.45		<u> </u>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		l	l	l	1										
		Service Term - Basic Local Area			UEP95	UEPYZ	2.28					1		40.18	9.45		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
		<u> </u>				Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEBOE	LIEDVO	0.00	70.50	00.07					40.40	0.45		
NC C	Basic Local Area	-	<u> </u>	UEP95	UEPY2	2.28	79.59	63.97		1			40.18	9.45		
NC C	2-Wire Voice Grade Port (Centrex)		-	UEP95	UEPUA	2.28	79.59	63.97			 		40.18	9.45		
—	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP95 UEP95	UEPUA	2.28	79.59	63.97			 		40.18	9.45		
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	-	<u> </u>	UEP95	UEPUH	2.28	79.59	63.97		-	1		40.18	9.45		
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	<u> </u>	OLF 95	OLFOIT	2.20	19.59	03.91		-	1		40.10	9.43		
	Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	 	 	OL1 33	OLI OW	2.20	104.57	120.10		+			40.10	3.43		
] [Term 2,3	1		UEP95	UEPUZ	2.28	164.57	128.16		I			40.18	9.45		1
	·		1		52. 52	2.20	104.07	120.10		<u> </u>			70.10	5.45	1	<u> </u>
] [2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPU9	2.28	79.59	63.97		I			40.18	9.45		1
	2-Wire Voice Grade Port Terminated in 60 Wegamin of equivalent		1	UEP95	UEPU2	2.28	79.59	63.97		<u> </u>			40.18	9.45	1	i
Loca	Il Switching	t	İ			2.20	. 0.00	55.01		1			.5.10	3.40	i	i
1200	Centrex Intercom Funtionality, per port	t	1	UEP95	URECS	0.903				1	†		İ	İ	İ	İ
Loca	l Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35					İ					
Featu											İ					
	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port		i –	UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port		i	UEP95	UEPVC	3.40										
NAR	S		i													
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Misc	ellaneous Terminations															
2-Wii	re Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wii	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Inter	office Channel Mileage - 2-Wire															
\vdash	Interoffice Channel Facilities Termination	.	<u> </u>	UEP95	M1GBC	18.00					ļ					
 	Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP95	M1GBM	0.0282					1					
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1		1				ļ	-			ļ	ļ	ļ	ļ
D4 C	hannel Bank Feature Activations	_	!	LIEDOE	4DOWC	0.05				-	-					
 	Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	<u> </u>	UEP95	1PQWS	0.65			1	 	 	-	-	-	-	-
	Facture Activation on D.4 Channel Bank EV line Cide Land Class			LIEDOE	1000/6	0.65				1						
\vdash	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	-	 	UEP95	1PQW6	0.65			-				-	-	-	-
	Slot			UEP95	1PQW7	0.65				1						
\vdash	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	 	 	OFL 20	IF Q/V/	0.05				 	}	-	 	 	 	
] [Different Wire Center	1		UEP95	1PQWP	0.65				I						1
 	Dilibiont Wile Center	 	t	OFL 20	IF Q VVF	0.05			1	 	1		 	 	 	
] [Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.65				I						1
	Feature Activation on D-4 Channel Bank Trivate Line Loop Slot	 	t	021 00	11 04 4 4 4	0.00			1	t	†					
] [Slot	1		UEP95	1PQWQ	0.65				I						1
	Feature Activation on D-4 Channel Bank WATS Loop Slot	t	t	UEP95	1PQWA	0.65			1	 	1	-				H
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		1		~.,,,	0.00				<u> </u>			1	1	1	i
1	NRC Conversion Currently Combined Switch-As-Is with allowed	t	1		1					1			İ	İ	İ	İ
] [changes, per port	1		UEP95	USAC2		2.77	0.40		I	1	1	40.18	9.45		l
	New Centrex Standard Common Block	t	1	UEP95	M1ACS	0.00	695.11	2.10		1			40.18	9.45	i	i
	New Centrex Customized Common Block	t	1	UEP95	M1ACC	0.00	695.11			1			40.18	9.45	İ	
	NAR Establishment Charge, Per Occasion		i -	UEP95	URECA	0.00	72.73			t			40.18	9.45	İ	İ
Addi	tional Non-Recurring Charges (NRC)	1	1		1	2.20	0		1	1	1	1	1	1	İ	İ
 	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	i –	1		1 1						İ	ĺ	İ	Ì	İ	İ

UNBUNI	IDLED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Fxhi	ibit: A
0.1.2011			1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGOR	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—			-	-	+	ı	Nonre	curring	Monrocurrin	g Disconnect	.		088	Rates (\$)		
			+			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop a	at .	+				11131	Auu i	11130	Auui	JOINEO	JOHAN	JOMAN	JONAN	JONIAN	JOHIAN
	End Use Premise			UEP95	URETN		11.20	1.10								
UI	JNE-P CENTREX - DMS100 (Valid in All States)															
2-	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1													
UI	JNE Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Con	nbo -														
	Non-Design		1	UEP9D		13.03					ļ					ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com Non-Design	bo -	2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	ho		UEP9D	+	21.33				1	.			-		-
	Non-Design	50 -	3	UEP9D	1	32.61								I		
UI	JNE Port/Loop Combination Rates (Design)		Ť	02.00	1	02.01				1			1	1		
T	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Con	nbo -	1		1				l	1	Ì	İ	ĺ	1		
	Design		_1	UEP9D		17.25			<u> </u>		<u></u>	<u> </u>	<u> </u>	L		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	bo -														
\vdash	Design		2	UEP9D		28.21								1		<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Com	bo -				40.00										
-	Design JNE Loop Rate		3	UEP9D		43.09					ļ					
UI	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75				1	.			-		-
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	19.05								 		
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33					i e					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97					İ					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
	JNE Port Rate															
Al	ALL STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area	-1	-	UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Loc Area	al		UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		1	OLF3D	OLFIB	2.20	19.59	03.97			+		40.16	9.43		
	Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Loca	al														
	Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Lo	cal														
	Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Lo	ical		LIEDOD	LIEDVE	0.00	70.50	00.07					10.10	0.45		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Loc	ol.	+	UEP9D	UEPYF	2.28	79.59	63.97			1		40.18	9.45		
	Area	al		UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		
 	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Lo	cal	1	OLI OD	<u> </u>	2.20	13.35	05.97		†			40.10	3.43		†
	Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Lo	cal	1													
	Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Lo	cal														
\vdash	Area		 	UEP9D	UEPYV	2.28	79.59	63.97		-	1		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Lo Area	cal	1	UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
\vdash	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		\vdash	DELAD	UEPTS	2.28	79.59	63.97		+			40.18	9.45		
	Area		1	UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		
\vdash	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1		102. 111	2.20	75.55	55.57		İ			70.10	5.75		
	Indication))4 Basic Local Area		L	UEP9D	UEPYW	2.28	79.59	63.97	<u> </u>			<u></u>	40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4														
	Basic Local Area		<u> </u>	UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		ļ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Cer	iter)	1	LIEDOD	LIED: C.		=									
\vdash	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,	2.4	₩	UEP9D	UEPYM	2.28	164.57	128.16	-	-	ļ	-	40.18	9.45		<u> </u>
	Basic Local Area	3,4	1	UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		
-	Dasic Lucai Alta		1	OLFSD	ULF TU	2.28	104.37	120.10	l	l	1	l	40.18	9.45		

UNRUND	LED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	nit· Δ
ONDOND	NOTE: Out out out out out out out out out out o										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
—										- B'				D-1 (A)		
		-			1	Rec	Nonred First	urring Add'l	First	g Disconnect	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	-			+		FIRST	Addi	FIRST	Add'l	SOMEC	SOWAN	SOWAN	SOWAN	SUMAN	SUMAN
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLI 3D	OLI II	2.20	104.57	120.10		1			40.10	3.43		
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	LIEDVE	0.00	404.57	100.10					40.40	0.45		
	Basic Local Area	-		UEP9D	UEPY5	2.28	164.57	128.16		1	-		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area	1		UEP9D	UEPY6	2.28	164.57	128.16				1	40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			OLF9D	OLF 10	2.20	104.57	120.10			1		40.16	9.43		
	Basic Local Area	1		UEP9D	UEPY7	2.28	164.57	128.16				1	40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	t		021 00	JL: 11	2.20	104.37	120.10		1	t		40.10	3.43		
	Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC	- ,															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97					40.18	9.45		
—	2-Wire Voice Grade Port (Centrex / EBS-PSET)4	-		UEP9D UEP9D	UEPUC	2.28 2.28	79.59 79.59	63.97					40.18 40.18	9.45 9.45		
-	2-Wire Voice Grade Port (Centrey / EBS-M5009)4	-		UEP9D	UEPUE	2.28	79.59	63.97 63.97		 	-		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4	-		UEP9D	UEPUF	2.28	79.59	63.97		 	-		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97					40.18	9.45		
\vdash	2-Wire Voice Grade Port (Centrey/Msg Wtg Lamp Indication)4	-		UEP9D	UEPUJ	2.28	79.59	63.97	-	-	1	-	40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3	1		UEP9D	UEPUM	2.28	164.57	128.16				1	40.18	9.45		
	2,0	 		OLF3D	JLF UIVI	2.28	104.57	120.10	<u> </u>	<u> </u>	 		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1		UEP9D	UEPUO	2.28	164.57	128.16				1	40.18	9.45		
	1.	1			1 30	2.20	.007	.20.70		Ì				50		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	1		UEP9D	UEPUP	2.28	164.57	128.16				1	40.18	9.45		
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
				l <u>_</u>	I											
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
	O Miss Vision Condo Book (Condo) 1977 - CAIC (EDC ACES (CO.)			LIEDOD	LIEDUO	2.00	404.5-	100.10					40.40	0.4-		
\vdash	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	╂		UEP9D	UEPUS	2.28	164.57	128.16		-		-	40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	1		UEP9D	UEPU4	2.28	164.57	128.16				1	40.18	9.45		
 	2-vviie voice Grade Fort (CertifeAdiller SVVC/EBS-IVISU00)2,3,4	 		טבו שט	OLF U4	2.20	104.57	120.10		 		 	40.10	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
						20				Ì				2.10		
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		
																,
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16	<u> </u>				40.18	9.45	<u> </u>	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina				-								Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
İ					1						Submitted			Charge -	Charge -	Charge -
i		Intori									Elec		Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic
i													1st	Add'l	Disc 1st	Disc Add'l
i													151	Addi	DISC ISL	DISC Add I
		1	1			Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													ĺ		
ı I	Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
										Î				Î	Î	
i l	2-Wire Voice Grade Port terminated in on Megalink or equivalent	t		UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97		Î			40.18	9.45	Î	
Local	Switching									Î				Î	Î	
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35				Î				Î	Î	
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
NARS							İ									
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
Miscel	laneous Terminations									Î				Î	Î	
2-Wire	Trunk Side									Î				Î	Î	
	Trunk Side Terminations, each			UEP9D	CEND6	12.36				Î				Î	Î	
4-Wire	Digital (1.544 Megabits)									Î				Î	Î	
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot		<u> </u>	UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion		1	UEP9D	URECA	0.00	72.73						40.18	9.45		
Additi	onal Non-Recurring Charges (NRC)		1													
. [Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1		1						1	1				
	Premise		1	UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise	1	1	UEP9D	URETN		11.20	1.10								
			1	1	1					1	1	l	1	I	1	1
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	2 - Requres Interoffice Channel Mileage															
Note 2 Note 3			Port													

														ı			
UNB	UNDLE	D NETWORK ELEMENTS - South Carolina			1		1						1_		ment: 2		bit: A
												1		Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	
			m			0000			= (4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
-	1						Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
								FIISL	Addi	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	nically Deavera	ged UNE Zon	Designation	ns by Cent	ral Office, refe	er to internet \	Nebsite:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m				ı								
OPER		_ SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	- "		:- 000 -b		ha Ctata Camun	ingiana Tha	000				Alea DellCa		 i		CI EC man
		(1) CLEC should contact its contract negotiator if it prefers the															
		f the 9 states.	ice orac	illig ci	larges, or occomay	elect the re	gioriai service (ordering charg	e, nowever, or	LC can not of	nam a mixture	or the two	egararess i	i ollo nas a	merconnecti	on contract e	stabilished in
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	Illy. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual orderin	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.					1								
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	+	OSS - Manual Service Order Charge, Per Local Service Request				COIVILO		3.50	0.00	3.50	0.00	 			 		
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	cable.								-		
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
LINIDA	NDI ES :	Day EXCHANGE ACCESS LOOP		-	U1TUB, U1TUA	SDASP		200.00				-					
UNBU		E ANALOG VOICE GRADE LOOP										 			 		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL UEANL	UEASL UEASL	14.94 21.39	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32	1			 		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.72	37.92	17.62	23.56	5.32	 					
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť				5.702	02		3.02				1		
	1	Premise			UEANL	URETL		8.33	0.83								
	1	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA	<u> </u>	19.90	19.90			I	<u> </u>	<u> </u>	1		l

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
h + + -	CLEC to CLEC Conversion Charge Without Outside Dispatch				1		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAN	COMPAN	COMPAR	COMPAR
	(UVL-SL1)			UEANL	UREWO		15.81	8.96								ĺ
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			02/11/2	OTTENTO		10.01	0.00								
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		18.13	18.13								
2-WIF	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- 1	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
\vdash	Non-Designed (per loop)			UEQ	USBMC		8.17	8.17		-	-			ļ		├
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															ĺ
	BST providing make-up (Engineering Information - E.I.)		-	UEQ UEQ	UEQMU URET1		13.47	13.47 34.23								
—	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ	URETA		34.23 19.90	19.90								
-	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UKETA		19.90	19.90			-					-
	(UCL-ND)			UEQ	UREWO		14.30	7.45								
LINBUNDI ED	EXCHANGE ACCESS LOOP			ULQ	UKLVVO		14.50	7.40			-					
	RE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										1					
	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						l
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															ĺ
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSR UEPSB		00.70	07.00	47.00	00.50	5.00						l
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
LINBLINDI ED	EXCHANGE ACCESS LOOP		3	UEFSK UEFSB	UEADS	20.72	37.92	17.02	23.36	5.32	1					
	RE ANALOG VOICE GRADE LOOP				+						-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ĺ
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	LIEADO	00.40	405.00	00.40	50.05	40.04						
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		1				1
 	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	∠0.40	18.13	00.43	აა.05	10.61				 		
	CLEC to CLEC Conversion Charge without outside dispatch	†		UEA	UREWO	1	87.90	36.44			 	 				—
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10						1		
4-WIF	RE ANALOG VOICE GRADE LOOP			-										İ		
	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61				İ		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				l				1

CATEGORY RATE ELEMENTS	ted Charge - Ily Manual Svo	Incremental Charge -		Incrementa
CATEGORY RATE ELEMENTS	ted Charge - Ily Manual Svo			
CATEGORY RATE ELEMENTS	Ily Manual Svo		Charge -	Charge -
CATEGORY RATE ELEMENTS Min Zone BCS USOC RATES (\$) Per LSR				
Rec Nonrecurring Nonrecurring Disconnect	O		Order vs.	Order vs.
Nec First Add'l First Add'l SOMEC SOME				
Nec First Add'l First Add'l SOMEC SOME	Electronic-			Electronic-
Nec First Add'l First Add'l SOMEC SOME	1st	Add'l	Disc 1st	Disc Add'l
Nec First Add'l First Add'l SOMEC SOME	089	S Rates (\$)	1	
2-Wire ISDN DIGITAL GRADE LOOP 1 UDN UTL2X 25.21 117.58 80.03 53.05 10.61			SOMAN	SOMAN
2-Wire ISDN Digital Grade Loop - Zone 1	IN SOMAN	JOWAN	JOWIAN	JOWAN
2-Wire ISDN Digital Grade Loop - Zone 2		+		-
2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 37.70 117.58 80.03 53.05 10.61		+		+
Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch UDN UREWO 91.82 44.25 O UDN UREWO UDN UDN UDN UDN UDN UDN UDN UD		+		-
CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL.) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 WIAL UAL UAL UAL UAL UAL UAL UAL		+		-
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 1 UAL 1		+		-
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		+		-
& facility reservation - Zone 1 1 UAL UALZX 12.19 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UALZX 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UALZX 14.14 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 UAL OCOSL 18.13 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 1 UAL UALW 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2 2 UAL UALW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3 3 UAL UALW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3 3 UAL UALW 13.71 <	+	+		+
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UALZX 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UALZW 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3 3 UAL UALZW 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UALZW 14.14 95.81 57.82 50.37 7.93 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48				
& facility reservation - Zone 2 2 UAL UALZX 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UALZX 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13		+		-
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93			1	I
& facility reservation - Zone 3 3 UAL UALZX 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 18.13 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UALZW 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 0 Order Coordination for Specified Conversion Time (per LSR) UAL UALZW 14.14 95.81 57.82 50.37 7.93 0 CLEC to CLEC Conversion Charge without outside dispatch UAL UAL UAL UREWO 86.38 40.48	+	+	+	+
Order Coordination for Specified Conversion Time (per LSR)				
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		+	-	-
Tacility reservator - Zone 1		+	-	-
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48				
facility reservaton - Zone 2		+		+
2 Wire Unbundled ADSL Loop without manual service inquiry & 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48				
facility reservation - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48				
Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48				
CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48				
I I2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP I I I I I I I I I I I I I I I I I I				
2 Wire Unbundled HDSL Loop including manual service inquiry				
& facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93				
2 Wire Unbundled HDSL Loop including manual service inquiry				
& facility reservation - Zone 2 2 UHL UHL2X 10.92 129.52 79.24 50.37 7.93				
2 Wire Unbundled HDSL Loop including manual service inquiry				
& facility reservation - Zone 3 3 UHL UHL2X 11.40 129.52 79.24 50.37 7.93				
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13				
2 Wire Unbundled HDSL Loop without manual service inquiry				
and facility reservation - Zone 1 1 UHL UHL2W 9.58 104.49 66.50 50.37 7.93				
2 Wire Unbundled HDSL Loop without manual service inquiry				
and facility reservation - Zone 2 2 UHL UHL2W 10.92 104.49 66.50 50.37 7.93				
2 Wire Unbundled HDSL Loop without manual service inquiry				
and facility reservation - Zone 3 3 UHL UHL2W 11.40 104.49 66.50 50.37 7.93				
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13				
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48				
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP				
4 Wire Unbundled HDSL Loop including manual service inquiry			1	1
and facility reservation - Zone 1 1 UHL UHL4X 16.02 158.18 107.89 55.12 10.38				
4-Wire Unbundled HDSL Loop including manual service inquiry				
and facility reservation - Zone 2 2 UHL UHL4X 14.33 158.18 107.89 55.12 10.38				
4-Wire Unbundled HDSL Loop including manual service inquiry				
and facility reservation - Zone 3 3 UHL UHL4X 16.84 158.18 107.89 55.12 10.38				
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13				
4-Wire Unbundled HDSL Loop without manual service inquiry				
and facility reservation - Zone 1 1 UHL UHL4W 16.02 133.14 95.16 55.12 10.38			<u> </u>	<u> </u>
4-Wire Unbundled HDSL Loop without manual service inquiry				
and facility reservation - Zone 2 2 UHL UHL4W 14.33 133.14 95.16 55.12 10.38			<u> </u>	<u> </u>
4-Wire Unbundled HDSL Loop without manual service inquiry		1		
and facility reservation - Zone 3			<u> </u>	<u> </u>
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13				
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48				
4-WIRE DS1 DIGITAL LOOP				
4-Wire DS1 Digital Loop - Zone 1 1 USL USLXX 79.51 253.03 157.89 44.80 11.73				
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 136.00 253.03 157.89 44.80 11.73				1
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 229.15 253.03 157.89 44.80 11.73				
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 18.13				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch	ļ		USL	UREWO		101.30	43.13								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	ļ														
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps	ļ	3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
\vdash	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ	1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
\vdash	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ	2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	ļ	3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
\vdash	Order Coordination for Specified Conversion Time (per LSR)	ļ		UDL	OCOSL		18.13									
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-	1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61	<u> </u>		 	-	-	-
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61	<u> </u>		 	-	-	-
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61	 	-		 	 	1
\vdash	Order Coordination for Specified Conversion Time (per LSR)	1	├	UDL	OCOSL		18.13	40.05			1				_	-
	CLEC to CLEC Conversion Charge without outside dispatch	1	├	UDL	UREWO		102.34	49.85			1				_	-
2-WIF	RE Unbundled COPPER LOOP	-	<u> </u>	.	+				ļ		<u> </u>		 	-	-	-
] [2-Wire Unbundled Copper Loop-Designed including manual		l .		1101.55		,				1	1		I	I	I
\vdash	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual		_													
\vdash	service inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop-Designed without manual		١.					=								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual							=								
\vdash	service inquiry and facility reservation - Zone 2	-	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93	1					
	2-Wire Unbundled Copper Loop-Designed without manual			1101	LIOL DVA	4444	04.07	50.00	50.07	7.00						
\vdash	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLMC		8.17	8.17			1					
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	LIDEWO		04.07	40.57								
4 10/17	RE COPPER LOOP	1	-	UCL	UREWO		94.87	42.57			-					
4-1/11		1	-		_						-					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
\vdash		1	1	UCL	UCL45	19.64	144.17	93.88	55.12	10.38	 	-				
	4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	1101.40	20.00	44447	00.00	55.40	40.00						
\vdash	and facility reservation - Zone 2	1	- 2	UUL	UCL4S	20.90	144.17	93.88	55.12	10.38	1			 	 	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				1	1	1
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	 	3	UCL	UCL4S UCLMC	19.34	8.17	8.17	55.12	10.38			-			-
\vdash	4-Wire Copper Loop-Designed without manual service inquiry	 	 	UUL	OCLIVIC		0.17	0.17	1		1		-			
1 1	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38	1	1		I	I	I
\vdash	4-Wire Copper Loop-Designed without manual service inquiry	 	<u> </u>	UCL	UCL4VV	19.04	119.13	01.15	55.12	10.38	 	-		+	+	+
] [and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38	1	1		I	I	I
\vdash	4-Wire Copper Loop-Designed without manual service inquiry	 	-	UUL	OCL4VV	20.90	119.13	01.15	55.12	10.38	1		-			
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				1	1	1
\vdash	Order Coordination for Unbundled Copper Loops (per loop)	1	1	UCL	UCLMC	15.34	8.17	8.17		10.30	+			 	 	
\vdash	CLEC to CLEC Conversion Charge without outside dispatch	 	 	JUL	OCLIVIC		0.17	0.17			 		 	 	 	t
1 1	(UCL-Des)			UCL	UREWO		94.87	42.57			1	1		I	I	I
LOOP MODIF		 	t		JIKE VVO		34.07	72.37			 			t	 	
1		 	\vdash	UAL, UHL, UCL,	+									+	+	+
] [UEQ, ULS, UEA,							1	1		I	I	I
1 1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,							1	1		I	I	I
] [pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46			1	1		I	I	I
\vdash	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	 	02. 00	CLIVIZE		32.40	32.40			+			 	 	
1 1	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46			1	1		I	I	I
\vdash	ness than or equal to forcit, per oribunitied 200p	1	 	UAL, UHL, UCL,	OLIVIAL		32.40	32.40			+			 	 	
1 1				UEQ, ULS, UEA,							1	1		I	I	I
		1	1		1				1	I	1	l	ı	I	I	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL. UEPSR.												

	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
														Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash	-							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		1
	-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO	OPS								71441		71001	0020	00	00		00	
	Sub-Lo	op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
		Up	- 1		UEANL	USBSA		241.42	241.42								
\vdash		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.84	177.84								
\vdash		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	-	-	UEAINL	USBSC		177.04	177.04								-
		Set-Up	1		UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	Ė		02/11/2	00202		00.00	00.00								t
		Zone 1	<u> </u>	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						<u> </u>
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
\sqcup		Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71			L	ļ	ļ	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
\vdash		Zone 3	 	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71			-	-		1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
\vdash		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANL	USBIVIC		0.17	0.17								1
		Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			02/11/2	002.11		70.21	11120	10.02	0.00						t
		Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
						USBMC											
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.41	8.17 53.13	8.17 18.21	45.35	6.71						-
\vdash	-	Sub-Loop 2-vviile intrabuliding Network Cable (INC)	'		UEAINL	USBRZ	2.41	33.13	10.21	45.35	6.71						1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						t
		, ,															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2	UEF UEF	UCS2X	7.11 9.83	65.94 65.94	31.03	45.35 45.35	6.71 6.71						-
\vdash		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS2X UCS2X	10.48	65.94	31.03 31.03	45.35 45.35	6.71						-
\vdash		2 WHITE COPPER CHIDURILIEU GUD-LOOP DISTRIBUTION - 2018 3	- '-	3	OLI	00021	10.48	05.94	31.03	45.35	0.71			 	 	 	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								I
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09					İ	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
																	1
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		8.17	8.17							ļ	
\vdash		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-	<u> </u>	UEF UEF	URET1 URETA		34.23 19.90	34.23 19.90			-	-	 	 	-	1
 		Loop Testing - Basic Additional Half Hour	-		UEF	UKETA	-	19.90	19.90			-	-	-	-		+
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								t
 		k Interface Device (NID)	†				3.0000	00.20	55.20			†	†	1	1	1	†
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79							İ	
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								1
UNE OT		ROVISIONING ONLY - NO RATE	1		LIENTA/	LINIDDY	0.00	0.00								ļ	
\vdash		NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	-		UENTW UENTW	UNDBX UENCE	0.00	0.00									-
		UNITY Circuit to Establishment, Provisioning Only - No Rate	-		UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00				-	-	-			+
\vdash				1						1	1	1	1	1	1	1	1
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

LINDI	NDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit. A
UNDU	NDLE	D NETWORK ELEMENTS - South Carollia			I	ı	ı					Cur Ouden	Cur Ouden				
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ı l
					UAL,UCL,UDC,UDL,												ı l
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															ı l
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															ı l
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									1
		Unbundled DS1 Loop - Expanded Superframe Format option -															1
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															ı l
		month			UE3	1L5ND	12.26										ı l
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						ı l
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	12.26										ı l
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						ı l
LOOP	MAKE-L	IP															
		Loop Makeup - Preordering Without Reservation, per working or															$\overline{}$
		spare facility gueried (Manual).			UMK	UMKLW		24.04	24.04								ı l
		Loop Makeup - Preordering With Reservation, per spare facility															$\overline{}$
		gueried (Manual).			UMK	UMKLP		25.49	25.49								ı l
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								ı l
LINE S	HARING	AND LINE SPLITTING															
	NOTE	1: The Line Sharing monthly recurring rates for all installation	is com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							$\overline{}$
		1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co						,									
	NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		ľ	,	ľ											
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to ci	cuits install	ed and inservic	e on or before	October 1, 20	03							
		HARING				l			,								
	SPLIT	TERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity	1	1	ULS	ULSDA	216.22	189.21	0.00	178.38	0.00				İ		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00				ĺ		
	l	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	1	1											İ		$\overline{}$
1	l	deactivation (per LSOD)	1	1	ULS	ULSDG		86.67	0.00	49.95	0.00	1	1				, l
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	1					2.30		2.30				İ		
		Line Sharing - per Line Activation (BST Owned splitter) -	1	1		İ				İ					İ		
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						ı l
		Line Share Service, TRO per line activation, BST owned splitter -															$\overline{}$
		Central Office Located (25% of UCLND) - please see NOTE 1															ı l
		(E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						ı l
	1	Line Share Service, TRO per line activation, BST owned splitter -	i	t			Ŭ. <u>2</u> -	. 5.56	.0.52	.0.04	50				i		$\overline{}$
		Central Office Located (50% of UCLND) - please see NOTE 1															ı l
	l	(E:10/2/2004)	l		ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						, I
	1	Line Share Service, TRO per line activation, BST owned splitter -	1	t		l ·	ÿ	. 0.00	.0.52	.0.04	50				i		
1	l	Central Office Located (75% of UCLND) - please see NOTE 1	1	1		1						1	1				, l
	l	(E:10/2/2005)	l		ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						ı l
	l -	Line Sharing - per Subsequent Activity per Line	l -	t	0_0	02001	5.71	10.00	10.02	10.04	7.55	-	l		†		$\overline{}$
	l	Rearrangement(BST Owned Splitter)	l		ULS	ULSDS		16.42	8.21								ı l
-	-	Line Sharing - per Subsequent Activity per Line	-	 	0=0	02000		10.42	0.21				 				
	l	Rearrangement(DLEC Owned Splitter)	l		ULS	ULSCS		16.42	8.21								ı l
	1	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	t				10.72	0.21						i		
	l	OBSOLETE see **NOTE 2	l		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						, I
	L	ODGGETTE 000 NOTE 2		<u> </u>	10-0	02000	0.01	71.77	10.01	20.07	14.77	L	L		1		

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
J						1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															1
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						1
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															1
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						l
		Line Share Service, TRO per line activation, CLEC owned															l .
		splitter - Central Office Located (75% of UCLND) - please see															1
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
		PLITTING															
\vdash	END U	SER ORDERING-CENTRAL OFFICE BASED					2.24										
-		Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61	07.00	04.04	20.07	0.05						+
\vdash		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24		9.85						
\vdash		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
-	WAINI	ENANCE	-	-		1		00.00	FF 00								
\vdash		No Trouble Found - per 1/2 hour increments - Basic						80.00 120.00	55.00 82.50								
\vdash		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium				+		160.00	110.00			-					——
LINDIIN	DIEDI	DEDICATED TRANSPORT				+		160.00	110.00			-					——
		OFFICE CHANNEL - DEDICATED TRANSPORT				+						-					——
\vdash	INTERV	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1						1					<u> </u>
		Per Mile per month			U1TVX	1L5XX	0.0167										l .
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	TLOAK	0.0107					-					—
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						1
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	02	21.00	10.00	2		0.01	1					
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										1
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.					0.0.0.										
		Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						1
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade															
		Per Mile per month			U1TVX	1L5XX	0.0167										1
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						<u> </u>
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0167										l .
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															l .
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															l .
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility					40.00	40.00									i .
-		Termination		-	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						+
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3415										1
\vdash		Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטווטו	ILDAX	0.3415					-					——
		Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						1
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			ומווטו	01111	77.14	09.47	01.55	10.35	14.40	1					—
		month			U1TD3	1L5XX	8.02										1
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01100	TEOTO	0.02					1					
		Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						1
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	8.02										l .
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination	1		U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		1				1
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						İ									
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	36.41							<u></u>		<u></u>	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
1 7		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1														1
\vdash		Thereof per month - Local Loop	ļ		UDF, UDFCX	1L5DL	97.65								ļ		
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11						1

HINDH	NDI EI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
ONBO	NDLL	NETWORK ELEMENTS - South Carolina	ı	1			1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CAILG	OKI	RATE ELEMENTS	m	Zone	BC3	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
—						+	<u> </u>	Nonrec	in a	Nonrecurring	Disconnect		l .	000	Rates (\$)		
\vdash				-		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0VV AC	CECC T	EN DIGIT SCREENING	-	-		+		riist	Add I	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
OAA AC	CL33 I	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0006673										
+		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	+	0.0000073										
		Number Reserved			OHD	N8R1X		2.59	0.44								
+		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OND	NOICIX		2.55	0.44								
		POTS Translations			OHD			5.95	0.81	4.58	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With			OLID	+		0.90	0.01	4.50	0.54						
		POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service			OTID	INOI IX	 	5.55	0.01	4.50	0.54				1		
		Per 8XX Number			OHD	N8FCX		2.59	1.30								
\vdash		8XX Access Ten Digit Screening, Multiple InterLATA CXR	 	t —	U. 10	1401 07		2.03	1.30				 				
		Routing Per CXR Requested Per 8XX No.	l		OHD	N8FMX		3.03	1.74								
\vdash		8XX Access Ten Digit Screening, Change Charge Per Request	1	1	OHD	N8FAX		3.03	0.44						i		
		8XX Access Ten Digit Screening, Call Handling and Destination			0.15	1101701		0.00	0				1				
		Features	l		OHD	N8FDX		2.59	2.59								
\vdash		8XX Access Ten Digit Screening, w/ 8XX No. Delivery	l	i –	OHD		0.0006673	2.00	2.00						i		
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE IN	FORMA	TION DATA BASE ACCESS (LIDB)				1											
	1	LIDB Common Transport Per Query			OQT		0.0000246										
		LIDB Validation Per Query			OQU		0.0138158										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18							
SIGNAL	ING (C					1											
	,	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
		CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Connection, Per link (B link) (also known as D															
		link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
		CCS7 Signaling Point Code, per Destination Point Code															
		Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SE	RVICE																
		Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21						
\perp		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	ļ	ļ		1	0.0167						ļ		ļ		
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	l														
\vdash		Termination	ļ	<u> </u>		1	24.30	40.63	27.47	16.77	6.91				ļ		
		Local Channel - Dedicated - DS1 - Zone 1					42.62	177.87	154.06	22.24	15.30						
		Local Channel - Dedicated - DS1 - Zone 2				-	70.32	177.87	154.06	22.24	15.30						
\vdash		Local Channel - Dedicated - DS1 - Zone 3	ļ	1		+	190.68	177.87	154.06	22.24	15.30		ļ		ļ		
\vdash		Interoffice Transport - Dedicated - DS1 Per Mile	ļ	<u> </u>		-	0.3415										
		Later (Con Transport De Control DOA Don Food) To the	1					00.1-	04.00	40.00	44.0	1	1				
CALL	O NATE	Interoffice Transport - Dedicated - DS1 Per Facility Termination	 	 		1	77.14	89.47	81.99	16.39	14.48	-	ļ		 		
CALLIN	IG NAM	E (CNAM) SERVICE	-	1	001/	+		23.00	23.00	04.45	04.45						
\vdash		CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	!	 	OQV OQV	+	 	23.00		21.15	21.15 21.15	-	-			-	
\vdash		CNAM For DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	 	 	UUV	+	 	∠3.00	23.00	21.15	∠1.15						
		Establishment	l		oqv			993.09	734.47	269.53	198.18						
\vdash		CNAM For Non DB Owners - Service Provisioning With Point	-	 	UQV	+	 	993.09	134.41	209.53	190.18	-					
		Code Establishment	l		oqv			343.09	245.69	275.87	198.18						
\vdash		CNAM for DB Owners, Per Query	-	1	OQV	+	0.0010433	343.09	240.09	213.01	130.10				 		
\vdash		CNAM for Non DB Owners, Per Query	-	 	OQV	+	0.0010433					-					
SELEC	TIVE PC		1	 	~ v	+	0.0010400					-			1		
SELEC		Selective Routing Per Unique Line Class Code Per Request Per	 	1		+	 								 		
		Switch	l					84.89	84.89	14.14	14.14						
VIRTIIA	I COLI	OCATION	-	t		+		04.03	07.03	14.14	17.14		 				
VIICTOR	" OOF	OVATION	L		I	1						l .	L		1		1

UNBUNDI F	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	bit: A
3.12311221											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line							7144		71441	0020					
	Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						1
PHYSICAL CO				02. 0. 02. 02	12.20	0.0011	12.02	11.00	0.01	0.10						
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line				1				1			1				——
	Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						1
AIN SELECTI	VE CARRIER ROUTING			OLI OK OLI OB	1 2 120	0.0041	12.02	11.00	0.04	0.40		1				——
AIIT OLLLOTT	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609,85	8,609,85		1				——
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		1				——
	Query NRC, per query			SRC	0.1020	0.0035036	170.00	170.00	10							—
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE			O. CO	1	0.0000000			1			1				——
AIIV BEEEGG	AIN SMS Access Service - Service Establishment. Per State.				1				1			1				——
	Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78						1
	I I I I I I I I I I I I I I I I I I I	 			O/ UVIOL		33.33	33.33	40.70	40.76		 	 			<u> </u>
	AIN SMS Access Service - Port Connection - Dial/Shared Access	1		A1N	CAMDP		7.85	7.85	9.11	9.11	1	1				1
	AIN SMS Access Service - Port Connection - ISDN Access	1		A1N	CAM1P		7.85	7.85		9.11						<u> </u>
	AIN SMS Access Service - Port Conflection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAWITE		7.03	7.05	9.11	9.11						<u> </u>
	ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						1
\vdash	AIN SMS Access Service - Security Card, Per User ID Code,	-	-	AIN	CAIVIAU		33.06	33.06	21.12	21.12	-	-				
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	-	-	AIN	CAIVIRC	0.0027	41.90	41.90	11.74	11.74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute	-	-			0.0027										
		-	-			0.7121										
	AIN SMS Access Service - Company Performed Session, Per					0.0004										1
AIN DELLO	Minute	-	-			0.8364										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE	-	-													
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.53	00.50	40.78	40.78						1
		-	-	CAIVI			4,211.54	39.53 4,211.54	0.00	0.00						
	AIN Toolkit Service - Training Session, Per Customer	-	-		BAPVX		4,211.54	4,211.54	0.00	0.00						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTT		7.05	7.05	0.44	0.44						1
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
\vdash	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			DADTO						1	1				1
\vdash	DN, CDP	-			BAPTC		34.54	34.54	14.39	14.39	-					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			DARTE		04	04	44.00	44.00	1	1				1
\vdash	DN, Feature Code	_			BAPTF	0.055000-	34.54	34.54	14.39	14.39						
\vdash	AIN Toolkit Service - Query Charge, Per Query	!			!	0.0558238			-	-		ļ	 	ļ	-	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.000001										1
-	Subscription, Per Node, Per Query					0.0069214										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1				0.00					1	1				1
\vdash	Account, Per 100 Kilobytes				ļ	0.07										⊢——
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1	L	L		_	_	_	_	l	1	1	l		1
	Subscription	ļ		CAM	BAPMS	11.87	7.85	7.85	5.52	5.52	ļ					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															1
\vdash	Subscription	ļ		CAM	BAPLS	3.51	8.68	8.68	ļ					ļ		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			L	L		_	_	_	_						1
\vdash	Subscription	ļ		CAM	BAPDS	8.48	7.85	7.85	5.52	5.52				ļ		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			L	L		_	_								1
<u> </u>	Service Subscription	ļ		CAM	BAPES	0.12	8.68	8.68	ļ					ļ		
	EXTENDED LINK (EELs)	<u> </u>	L		l	l		l <u>. </u>	<u> </u>	L	L					
	: The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provision	ed as ' Current	tly Combined' N	Network Eleme	nts.	ļ		ļ		
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS							ļ	ļ		ļ		ļ		
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43		10.61						
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 2	<u> </u>		UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		ļ		ļ		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	l	l		l		

HINBLIND	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
ONBONDI	LED NETWORK ELEMENTS - South Carolina	1	_		1						Cua Oudan	Cur Ouden				
													Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Addi	DISC 1St	DISC Add I
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	-		-		FIISL	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOIVIAN	SOWAN	SOWAN	SOWAN
	·			LINIOAY	41.5007	0.07										1
	per month		ļ	UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															1
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
	Lacif Additional 2-vviie vo Loop (SE 2) in Combination - Zone i		<u> </u>	ONOVA	OLALZ	10.00	100.00	00.43	33.03	10.01	-					
	F1-A-13':1-0 M': NO 1 (OL 0) :- O1:: 7 0			LINIONA	115410	00.40	405.00	00.40	50.05	40.04						1
\vdash	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		 				
			1								I	1		1		1
$oxed{oxed}$	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Voice Grade COCI - Per Month		\perp	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
FXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE													
- LXI	LINDED 4 WINE VOICE CHADE EXTENDED ECOT WITH DEDICA	1 20 00	T	TOTTIOL TRAINER	1											—
	First 4 Wiss Assless Value Conda Lancia Combination - Zena 4			UNCVX	UEAL4	32.59	132.38	94.83	59.35	44.04						1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27										1
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0.10.17	120701	0.2.										
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
$\overline{}$		-	!													
	1/0 Channel System in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						1
	Additional Voice Grade COCI in combination - per month	-	J	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	-			-		
\vdash			<u> </u>	UNCVA	IDIVG	0.36	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1					= 0.1	= 0.4								1
\vdash	Is Charge	L	<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRAN	SPORT											
			1					·				l				1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	I	1		1		1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	I	1		1		1
		 	<u> </u>		32200	33.00	.20.00	33.1Z	55.00		-	l		i		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	I	1		1		1
			3	UNCDA	ODESO	34.74	120.00	05.12	39.33	14.01						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1								I	1		1		1
\vdash	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility				1							l				1
L l	Termination Per Month		L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u> </u>	<u> </u>		L	<u></u>	<u> </u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	OCU-DP COCI (data) per month (2.4-64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	i .	İ		İ		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	0	0.00	0	5.50	3.30	t e	l		i e		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	I	1		1		1
\vdash		—	+ +	ONODA	ODESO	29.93	120.00	09.12	ეყ.ან	14.01	-	 		-		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	LIBI 50	00.00	400.00	00.10	50.05	44.51	I	1		1		1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		ļ				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1							l				1 '
	Interoffice Transport Combination - Zone 3	<u></u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61				L		'
	Additional OCU-DP COCI (data) - in combination per month (2.4-	-														1
	64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	I	1		1		1
	11						2.00	0	2.00	2.00	1			L		

UNBUND	LED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
071120011	.		m		200	0000			101120 (4)			per LSR	perLSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect	†	l	oss	Rates (\$)	<u> </u>	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	N	Nonrecurring Currently Combined Network Elements Switch -As-				+		11100	Addi	11130	Addi	COME	COMPAR	COMPAR	COMPAN	OOMAN	COMPAR
		s Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1 '
FX		ED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN				0.01	0.01	7.00	7.00						
	Ť																
	l _F	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						, '
	Ť																
	l F	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						, '
	F	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1 '
		nteroffice Transport - Dedicated - DS1 combination - Per Mile										İ					
	F	Per Month			UNC1X	1L5XX	0.27										1 '
		nteroffice Transport - Dedicated - DS1 combination - Facility													1		
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
	1	/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00				ĺ		ſ
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		nteroffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						1 '
	F	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	li li	nteroffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						1 '
	F	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	li li	nteroffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1 '
	F	Additional OCU-DP COCI (data) - in combination - per month															·
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						1 '
	١	Nonrecurring Currently Combined Network Elements Switch -As-															
		s Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT		ED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER													
		I-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		I-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
		I-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		nteroffice Transport - Dedicated - DS1 combination - Per Mile															1 '
		Per Month			UNC1X	1L5XX	0.27										
		nteroffice Transport - Dedicated - DS1 combination - Facility															1
		Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		Nonrecurring Currently Combined Network Elements Switch -As-															l .
		s Charge		<u> </u>	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EX		ED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS3	INTER				0.000.00		44.00	44.00						
\vdash		First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	90.87	253.03	157.89	44.80 44.80	11.73 11.73						
		First DS1Loop in Combination - Zone 2			UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89	44.80							
\vdash		First DS1Loop in Combination - Zone 3		3	UNC1X	USLAA	∠01.89	253.03	157.89	44.80	11.73	-					
		nteroffice Transport - Dedicated - DS3 combination - Per Mile Per Month			LINICSY	1L5XX	6.42						1				1 '
\vdash		rer Month nteroffice Transport - Dedicated - DS3 - Facility Termination per		-	UNC3X	ILOAA	0.42					-	 		-		
1 1		nonth			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						1 '
\vdash		NONTH 8/1Channel System in combination per month		<u> </u>	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		 		 		
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	OCIDI	0.04	0.59	4.73	0.00	0.00						
		Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						l .
		Additional DS1Loop in DS3 Interoffice Transport Combination -			5.101/	OOLAA	30.07	200.00	107.09	44.00	11.73	 	 		 		<u> </u>
		Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		1				1
		Additional DS1Loop in DS3 Interoffice Transport Combination -		Ť		1	.000		.000	50					i		
1 1		Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						1 '
		Additoinal DS1 COCI in combination per month		Ť	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				i		
		Nonrecurring Currently Combined Network Elements Switch -As-			-	1			0		2.30				İ		
		s Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						1
EXT		ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE											İ		ſ
		2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61				1		ſ
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						

UNBL	NDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			l .					
OA!L		TATE ELEMENTO	m	20110	500	0000			πατ Εσ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1			-		+	1	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per							71441		71441	0020	00				
		Month			UNCVX	1L5XX	0.0134										
		Interoffice Transport - 2-wire VG - Dedicated - Facility										t					
		Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	ORT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61			ĺ			
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61			ĺ			
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															1
		Month			UNCVX	1L5XX	0.0134										
		Interoffice Transport - 4-wire VG - Dedicated - Facility									-						1
		Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
		Interoffice Transport - Dedicated - DS3 combination - Facility															ĺ
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge		<u> </u>	UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	EXIEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF		41 ENID	40.00					1					
		STS-1 Local Lope in combination - per mile per month			UNCSX	1L5ND	12.26					 	-				
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
					UNCOX	UDLST	313.49	432.32	204.55	119.75	03.11	 					
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.42										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILJAA	0.42					<u> </u>		1		1	
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						ĺ
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOOX	01110	704.44	213.31	100.12	00.55	30.33						
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
	FXTFN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	ONOON	011000		0.01	0.01	7.00	7.00	1			1		
		First 2-Wire ISDN Loop in Combination - Zone 1	1	1 1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	İ					
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	İ					
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	İ					
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month .			UNC1X	1L5XX	0.27										
		Interoffice Transport - Dedicated - DS1 combination - Facility												ĺ			
		Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		1/0 Channel System in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
		Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	ļ	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	ļ		ļ	1	ļ	1
	l	Additional 2-wire ISDN Loop in same DS1Interoffice Transport													1		1
	ļ	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	-			-		├
1	l	Additional 2-wire ISDN COCI (BRITE) - in combination- per		1	LINGNIX		0 = 0	0 =0	4 ===		0.00	1	1		I		1
	ļ	month		ļ	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00			ļ	-	ļ	
	l	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAY	LINGGO		5.01	F.C.	7.00	7.00				I		1
	EVTE	Is Charge	ED STO	4 INT	UNC1X	UNCCC		5.61	5.61	7.00	7.00	 		 	 	 	
-	CAIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT First DS1 Loop Combination - Zone 1	EDSIS	-1 IN I E	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	 	-		 		
-	 	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	-	2	UNC1X UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	}	-	 	 	 	
-	 	First DS1 Loop Combination - Zone 2	-	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	}	-	 	 	 	
<u> </u>	l	I Hat DO I LOUP COMDINATION - ZONE 3		ا	ONOIN	UULAA	201.09	200.03	107.09	44.00	11./3	L	l .	1	1	1	

CATEGORY RATE ELEMENTS Interiffice Transport Decicated - STS-1 combination - Per Mile Per Month Interiffice Transport - Decicated - STS-1 combination - Per Mile Per Month Interiffice Transport - Decicated - STS-1 combination - Per Mile Per Month Interiffice Transport - Decicated - STS-1 combination - Per Mile Per Month Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - STS-1 combination - Per Mile Interiffice Transport - Decicated - Administration Interiffice Transport - Decicated - Administration Interiffice Transport - Decicated - Administration Interiffice Transport - Decicated - Administration Interiffice Transport - Decicated - Administration Interiffice Transport - Decicated - Administration - Per Mile Per Mile	rder Incremental tted Charge - Manual Svc SR Order vs. Electronic- 1st OSS	Charge - Manual Svc Order vs.	Incremental Charge -	bit: A Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I SOMAN
Note	tted Charge - ally Manual Svc SR Order vs. Electronic- 1st OSS	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS Interflice Carpon	Ally Manual Svc SR Order vs. Electronic- 1st OSS	Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY RATE ELEMENTS	SR Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Rec Nonrecurring	Electronic- 1st	Electronic- Add'l S Rates (\$)	Electronic- Disc 1st	Electronic- Disc Add'l
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month UNCSX	1st OSS	Add'l S Rates (\$)	Disc 1st	Disc Add'l
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month UNCSX	oss	Rates (\$)		
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month UNCSX 1L5XX 6.42			SOMAN	SOMAN
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month	AN SOMAN	SOMAN	SOMAN	SOMAN
Per Month Interdifice Transport - Dedicated - STS-1 combination - Facility UNCSX U1TFS T04.44 279.37 163.12 60.33 58.59 T0.50 T0				
Interoffice Transport - Dedicated - STS-1 combination - Facility UNCSX				
Termination per month				
31 Channel System in combination per month				
DS1 COCI in combination per month				
Additional DS1Loop in the same STS-1 Interoffice Transport				
Combination - Zone 1				
Additional DSILoop in the same STS-1 Interoffice Transport 2 UNC1X				
Combination - Zone 2				
Additional DSTLoop in the same STS-1 Interoffice Transport 3 UNC1X				
Combination - Zone 3 3 UNC1X USLXX 261.89 253.03 157.89 44.80 11.73				
DS1 COCI in combination per month UNCIX UC1D1 8.64 6.59 4.73 0.00 0.00				
Nonrecurring Currently Combined Network Elements Switch -As- LINCSX UNCCC 5.61 5.61 7.00 7.00				1
Is charge				
EXTENDED 4-WIRE 56 KBPS Local Loop in combination - Zone 1				
4-wire 56 kbps Local Loop in combination - Zone 1				
H-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 33.99 126.66 89.12 59.35 14.61				
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month				
Per Mile per month				
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month				
Facility Termination per month				
Nonrecurring Currently Combined Network Elements Switch - As- UNCDX				
INCDX				
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT				
4-wire 64 kbps Lcoal Loop in Combination - Zone 1				
4-wire 64 kbps Lcoal Loop in Combination - Zone 2 2 UNCDX UDL64 33.99 126.66 89.12 59.35 14.61				
4-wire 64 kbps Lcoal Loop in Combination - Zone 3 3 UNCDX UDL64 34.74 126.66 89.12 59.35 14.61				
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month				
Per Mile per month	_			
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month				
Facility Termination per month				
Nonrecurring Currently Combined Network Elements Switch - As- UNCDX				
Is Charge				
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX				
First 2-wire VG Loop (SL2) in Combination - Zone 1				
First 2-wire VG Loop (SL2) in Combination - Zone 3 3 UNCVX UEAL2 28.46 105.98 68.43 53.05 10.61 First Interoffice Transport - Dedicated - DS1 combination - Per				
First Interoffice Transport - Dedicated - DS1 combination - Per				
First Interoffice Transport - Dedicated - DS1 combination -				
Facility Termination per month UNC1X U1TF1 61.71 89.47 81.99 16.39 14.48				
Per each DS1 Channelization System Per Month UNC1X MQ1 107.57 91.24 62.71 10.56 9.81				
Per each Voice Grade COCI - Per Month per month UNCVX 1D1VG 0.56 6.59 4.73 0.00 0.00				
3/1 Channel System in combination per month UNC3X MQ3 144.02 178.54 94.18 33.33 31.90				
Per each DS1 COCI in combination per month		+	-	
Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL2 16.68 105.98 68.43 53.05 10.61				I
Each Additional 2-Wire VG Loop(SL2) in the same DS1		1		
Each Admindral Z-Write VG Loop(ScZ) in the same DS1 Interffice Transport Combination - Zone 2 2 UNCVX UEAL2 23.13 105.98 68.43 53.05 10.61				I
Intercention Transport Continuation Zoine 2 2 Oricox OEAL2 23.13 103.96 66.43 93.05 10.61		+	1	
Lacin Administrative Vel Loop (Lacin Line annie 25)	1			I
		1	1	
Each Additional DS1 Interoffice Channel per mile in same 3/1		1		
Channel System per month UNC1X 1L5XX 0.27				I
Each Additional DS1 Interoffice Channel Facility Termination in		1		
		1	1	I
Each Additional DS1 COCI combination per month UNC1X UC1D1 8.64 6.59 4.73 0.00 0.00				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		Intent									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per				l											
	Mile Per Month			UNC1X	1L5XX	0.27										
1 1	First Interoffice Transport - Dedicated - DS1 - Facility			LINGAY	LIATE 4		00.4-	04.65	10.00			1		I		1
\vdash	Termination Per Month		_	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48				-		├
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each Voice Grade COCI in combination - per month		-	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3 UC1D1	144.02	178.54 6.59	94.18	33.33	31.90 0.00						—
	Per each DS1 COCI in combination per month			UNC1X	OCTOT	8.64	6.59	4.73	0.00	0.00	-					-
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
-	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u>'</u>	UNCVA	UEAL4	32.39	132.30	94.03	39.33	14.01	-					
			2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	UEAL4	43.09	132.30	94.03	39.33	14.01	-	-		-		
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
—	Each Additional DS1 Interoffice Channel per mile in same 3/1		3	UNCVX	ULAL4	45.56	132.30	34.03	39.33	14.01	1			-		
	Channel System per month			UNC1X	1L5XX	0.27										
 	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.21			 							
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
\vdash	Mile Per Month			UNC1X	1L5XX	0.27			1					1		1
1 1	First Interoffice Transport - Dedicated - DS1 - combination											1		I		1
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each 1/0 Channel System in combination Per Month		-	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
—	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		-	UNCDX	1D1DD	1.19 144.02	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3		178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	-					-
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDX	ODLSO	29.93	120.00	09.12	39.33	14.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
 	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-		5.10DX	0000	55.59	120.00	03.12	55.55	14.01	-	-		 		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	OCU-DP COCI (data) COCI in combination per month (2.4-		Ť	0.1027	02200	0	120.00	00.12	00.00	1 1.01						
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1		5.55	0	5.50	5.50				<u> </u>		
1 1	Channel System per month			UNC1X	1L5XX	0.27			I			1		I		1
	Each Additional DS1 Interoffice Channel Facility Termination in			-		*			1	l				1		
1 1	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		I		1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month	L	L	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	<u></u>	<u></u>		L		1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fxhi	bit: A
ONDONDEE					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.00.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1														í
EVEE	Is Charge	INTER		UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXIE	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT W/ 3/	IWOX				-							
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						í
+	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		- 1	UNCDX	UDL64	29.93	120.00	09.12	39.33	14.01	1					
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						i
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		-	ONODA	ODLOT	00.00	120.00	00.12	00.00	14.01	1					
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						í
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť													
	Mile Per Month			UNC1X	1L5XX	0.27										í
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						í
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						i
	Per each OCU-DP COCI (data) in combination - per month (2.4-															ı ————
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															í
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						——
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINIODY	LIBL 04	00.00	400.00	00.40	50.05	44.04						í
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						i
 	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	ONODA	ODLO4	34.74	120.00	03.12	33.33	14.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						í
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONODA	10100	1.10	0.00	4.70	0.00	0.00	1					
	Channel System per month			UNC1X	1L5XX	0.27										í
	Each Additional DS1 Interoffice Channel Facility Termination in															i e
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						í
	Each Additional DS1 COCI in the same 3/1 channel system															i
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						i .
	Nonrecurring Currently Combined Network Elements Switch -As-	-														í
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX		1											-
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		LINONIX	1141.07	05.01	4470	00.00	50.00	40.01		1				l .
	Transport - Zone 1	-	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	-			-		
1 1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						ı
\vdash	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	 		OINOINA	UILZA	32.10	111.08	00.03	55.05	10.01		 		 		
	Transport - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						1
	First Interoffice Transport - Dedicated - DS1 combination - Per	t	5	0011/	31227	51.10	117.50	00.03	33.03	10.01	<u> </u>			1		1
	Mile per month	1		UNC1X	1L5XX	0.27			I			1				1
	First Interoffice Transport - Dedicated - DS1 combination -	t		-	1				1					İ		í T
1 1	Facility Termination per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1				1
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						i
																ı ————
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month	1		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				ļ		
1 1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINONIX	1141.037											ı
	Combination - Zone 1	!	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		 		 		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						ı
 	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	╂		UNUNA	UTLZX	3∠./6	117.58	80.03	53.05	10.61						
	Combination - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		1				1
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	 	3	OLIONA	JILEA	31.10	117.50	00.03	33.05	10.01	-	-		 		
	system combination- per month	1		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00		1				1
$\overline{}$	1-y	<u> </u>	1		100.0/1	2.00	0.00	7.70	0.00	0.00	<u> </u>	·		L		

IINR	IINDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
OND	ONDEL			1	1	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted					
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	GORT	RATE ELEMENTS	m	20116	BC3	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-			-			+		Nonred	in a	Nonrecurring	Disconnect		l .	000	Rates (\$)		
-	+		-			+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	+	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	-		-		FIISL	Add I	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
					LINICAY	1L5XX	0.27										1
-	+	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	-		UNC1X	ILSAA	0.27										
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						1
-	+		_	1	UNCIA	UTIFT	61.71	09.47	01.99	10.39	14.40						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						1
-	+		_	1	UNCIX	OCIDI	8.64	6.59	4.73	0.00	0.00						—
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		5.61	5.04	7.00	7.00						1
-	EVTEN	Is Charge	TDANK	DODT		UNCCC		5.61	5.61	7.00	7.00						
-	EXIEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IKAN	SPURI		1101.707	00.07	253.03	457.00	44.00	11.70						
-	_	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87		157.89	44.80	11.73						
-	_	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
-	_	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
1		First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINIOAV	41.5007						1	1				1
		Mile Per Month			UNC1X	1L5XX	0.27										
1		First Interoffice Transport - Dedicated - DS1 combination -	1		l	I						1	1				1
		Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
		Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month			UNC1X	1L5XX	0.27										
		Each Additional DS1 Interoffice Channel Facility Termination in															1
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						l
		Each Additional DS1 COCI in the same 3/1 channel system															1
		combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															[
		1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						1
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						1
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						1
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
1		per month	1		UNCDX	1L5XX	0.0134					1	1				1
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1	1	1												ſ
1		Termination per month	1		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91	1	1				1
		Nonrecurring Currently Combined Network Elements Switch -As-		1	1												
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						1
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
		First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	1	1	1												
1		per month	1		UNCDX	1L5XX	0.0134					1	1				1
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1	İ	1						1					
1		Termination per month	1		UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91	1	1				1
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1		1						1					
		Is Charge	1		UNCDX	UNCCC		5.61	5.61	7.00	7.00	1	1				1
ADDIT	TIONAL N	NETWORK ELEMENTS				1		2.01	2.01			İ					
<u> </u>		used as a part of a currently combined facility, the non-recurr	rng cha	raes da	not apply, but a S	witch As Is c	harge does apr	olv.				1					
		used as ordinarily combined network elements in All States, t															
		curring Currently Combined Network Elements "Switch As Is"					U go (
	1	Nonrecurring Currently Combined Network Elements Switch -As-		1		T						İ					
1		Is Charge - 2 wire/4-Wire VG	1		UNCVX	UNCCC		5.61	5.61	7.00	7.00	I	1				1
ь—		J =				,		0.01	0.01			L	·				

UNB	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
							1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									poi zoit	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec		curring		g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															i l
		Is Charge - 56/64 kbps		ļ	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															ı l
		Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
		Nonrecurring Currently Combined Network Elements Switch -As-															i l
-	1	Is Charge - DS3		-	UNC3X	UNCCC		5.61	5.61	7.00	7.00	1					
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.04	5.04	7.00	7.00						i l
-	Ontion	Is Charge - STS1 al Features & Functions:		 	UNCSX	UNCCC		5.61	5.61	7.00	7.00						
-	Option	ai reatures & runctions:		1	U1TD1.		-			-	-	-	-				
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		οι	OI	OL	OI						i l
	+	Clear Charmer Capability Extended Frame Option - per D31	-	1	U1TD1,	CCOLI		UI	OI	OI .	OI .						
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		οι	OI	OI	OI						i l
—	+	Clear Channel Capability (SF/ESF) Option - Subsequent	- -	1	ULDD1, U1TD1,	55551	 	01	01	01	01	1		 	 		
		Activity - per DS1			UNC1X, USL	NRCCC		185.26S	23.86S	1.99S	0.78S						i
	1	Activity - per DOT		1	U1TD3, ULDD3,	NINOCC		100.200	25.000	1.550	0.700	†					
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						i l
	MUI TI	PLEXERS	· ·		020, 01100/	1411000		210.000	7.000	.70700	00	1					
		DS1 to DS0 Channel System per month		1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	†					
	1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			0.10.17		101.01	01.21	02.11	10.00	0.01	1					
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								i l
	1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per										İ					
		month (2.4-64kbs) used for connection to a channelized DS1															ı l
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								i
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								i
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															i
		in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								ı
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															i l
		used for connection to a channelized DS1 Local Channel in the															i l
		same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
		DS3 to DS1 Channel System per month		ļ	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
-	1	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
-	1	DS1 COCI used with Loop per month		-	USL	UC1D1	8.64	6.59	4.73			1					
		DS1 COCI (used for connection to a channelized DS1 Local	1		U1TUA	UC1D1	8.64	6.59	4.73	I	I						1
-	+	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month	-	1	U1TD1	UC1D1	8.64	6.59	4.73	 	 	 	-				
-	+	DS1 COCI used with interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per	-	+	וטווטו	OCIDI	8.04	6.59	4.73	 	 	1		-	-		
		month	1	1	ULDD1	UC1D1	8.64	6.59	4.73	I	I		1				
LINBII	NDI ED I	LOCAL EXCHANGE SWITCHING(PORTS)	-	1	OLDDI	OCIDI	0.04	0.59	4.73	 	 			 	 		
01400		nge Ports	-	 		 	 			 	 			 	 		$\overline{}$
—		Although the Port Rate includes all available features in GA, I	KY, I A	& TN. +	he desired features	will need to !	ne ordered usi	ng retail USOC	s .	-	 	1	-		 		
		E VOICE GRADE LINE PORT RATES (RES)	, <u>L</u> A							<u> </u>	<u> </u>			1	1		
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33			İ	İ		
	1	<u> </u>		1		T	1			1	1.50	1	1	İ	İ		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	1		UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						1
	1	<u> </u>			İ	1	1			T	T	1	İ	İ	İ		
1		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	1	1	UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		1				
		Exchange Ports - 2-Wire VG unbundled SC extended local															1
1		dialing parity Port with Caller ID - Res.	1	1	UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		1				1
		Exchange Ports - 2-Wire VG unbundled South Carolina Area															1
	<u> </u>	Calling port with Caller ID - Res (LW8)		<u></u>	UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	1	with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						
		Exchange Ports - 2-Wire VG South Carolina Residence Dialing					_			_	_						ı 🗔
	1	Plan without Caller ID		1	UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33]]	1	I		ı

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		To do not									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			i			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG South Carolina Residence Area		i													
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						1
	2-Wire voice unbundled Low Usage Line Port without Caller ID									Î			Î	Î		
	Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						1
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00		Î			Î	Î		
FEA	TURES									Î			Î	Î		
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00		Î			Î	Î		
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)									Î			Î	Î		
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -									Î			Î	Î		
	Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						1
	Exchange Ports - 2-Wire VG unbundled Line Port with															
L I	unbundled port with Caller+E484 ID - Bus.	<u> </u>		UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33	<u></u>	<u></u>	<u></u>	<u> </u>		1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33	1	1				1
	Exchange Ports - 2-Wire VG unbundled SC extended local															
	dialing parity Port with Caller ID - Bus.		1	UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33	1	1				1
	Exhange Ports - 2-Wire VG unbundled incoming only port with									Î			Î	Î		
	Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						1
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus		i													
	Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						1
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing		i													
	Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						1
	Exchange Ports - 2-Wire Voice South Carolina Business Area									Î			Î	Î		
	Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						1
	2-Wire voice unbundled Incoming Only Port without Caller ID									Î			Î	Î		
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						i .
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	TURES															(
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00								
	All Available Vertical Features				UEPVF	3.04	0.00	0.00								
EXC	HANGE PORT RATES (DID & PBX)															1
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90						1
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90						1
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88		0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90						
I	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
	Capable Port		ļ	UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Administrative Calling Port		ļ	UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1								1					1
	Room Calling Port	1	1	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90	ļ		ļ	ļ		
I	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port	1	1	UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90	ļ		ļ	ļ		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	1	UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90	ļ		ļ	ļ		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus		1	l	1					_	1	1				1
	Calling Port	1	 	UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90			ļ	ļ		
	Subsequent Activity	1	1	UEPSP	USASC	0.00	0.00	0.00		ļ	ļ		ļ	ļ		
FEA	TURES	1	 		1											
	All Available Vertical Features	1	 	UEPSP UEPSE	UEPVF	3.04	0.00	0.00		ļ	ļ		ļ	ļ		
EXC	HANGE PORT RATES (COIN)	1	 													
	Exchange Ports - Coin Port	1	 		1	1.65	2.38	2.28	1.42	1.33			ļ	ļ		
	al Switching Features offered with Port	1														
NOT	E: Transmission/usage charges associated with POTS circuit	witched	l usage	will also apply to c	ircuit switche	ed voice and/or	circuit switche	ed data transn	nission by B-Cl	nannels assoc	ated with 2-	wire ISDN p	oorts.			

UNE	UNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Instant									Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
-	NOTE	Access to D Channel on D Channel Best of conchilities will be		-11	through DED/Nov.	Duainasa Da	at Danasas	First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
LINDI		: Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	e avaliai	oie oni	through BFR/New	Business Rec	quest Process.	Rates for the	раскет сараы	littles will be de	etermined via t	ne Bona Fio	ie Request/	New Busines	s Request Pro	cess.	
OND		ANGE PORT RATES															
		S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embedo	led base in pla	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 the	l ese rates shall	revert to ta	riff rates or	a senarate ag	reement.		
		ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												a coparato ag	1		
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78		3.77						
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11		10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
	N-=-	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
<u> </u>	NOTE:	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	a voice and/or	Circuit switch	ed data transn	nission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts.	Beguest De	1	
<u> </u>		: Access to B Channel or D Channel Packet capabilities will be ANGE PORT RATES (continued)	e avalial	ore only	urougn BFK/New	Dusiness Red	quest Process.	. Rates for the	packet capabi	indes will be de	sterminea via t	ne bona Fio	ie kequest/	NEW BUSINES	s Request Pro	Less.	
-	EVCH	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	 	-		 									+		
l		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		1		I		
	1	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	†		UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10	t			†	1	
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
		Virtual collocation - Special Access & UNE,cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,808.00		156.43							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,			HEDEV	LIEDAD.	0.00	475.50									
	Now o	Deletions r Additional PRI Telephone Numbers	-	1	UEPEX	UEP1B	0.00	175.53				-			-		
-	IVEW O	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										1			1		
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]	ļ		UEPDX	UEP1E	0.00	0.49	0.49								
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			HEDEV	DD77T	0.00	00.07	00.07								
-	1.004	Inward Tel Numbers [Customer Testing Purposes] L NUMBER PORTABILITY	-		UEPEX	PR7ZT	0.00	23.07	23.07								
	LUCA	Local Number Portability (1 per port)	-	1	UEPEX UEPDX	LNPCN	1.75					-			-		
	INTER	FACE (Provsioning Only)			OLFLX OLFDX	LINFOIN	1.73					1				1	1
		Voice/Data	†	†	UEPEX	PR71V	0.00	0.00	0.00	1		 	 		I		-
—		Digital Data			UEPEX	PR71D	0.00	0.00	0.00						<u> </u>		
		Inward Data	1		UEPDX	PR71E	0.00	0.00	0.00						1	İ	
	New o	r Additional Channel	l													1	
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.56									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.56									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.56		1							
		New or Additional Useage Sensitive Voice Data "B" Channel	ļ	<u> </u>	UEPEX	PR7BS	0.00								ļ		
<u> </u>	+	New or Additional Useage Sensitive Digital Data "B" Channel	-	-	UEPEX	PR7BU PR7EX	0.00	44.50		1	-	1	-		1	 	
 	CALL	New or Additional PRI "D" Channel TYPES	+	+	UEPEX	rk/EX	0.00	14.56		1		-	-	-	 		
-	CALL	Inward	 	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00						+		-
<u> </u>	+	Outward	 	 	UEPEX UEPDA	PR7CO	0.00	0.00	0.00	1		 			 	 	
	1	Two-way	†		UEPEX	PR7CC	0.00	0.00	0.00	1		t			†	1	1
	UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	′	†			3.00	3.00	2.00						1	İ	
		NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE								İ					1	ĺ	1
		Unbundled Remote Call Forwarding Service, Area Calling, Res	l		UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33					1	
											_						

HINDHINDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
UNBUNDLE	D NETWORK ELEMENTS - South Carolina	1			1	1					Cua Ordar	Cvo Ordor	Incremental			
											1					1
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc			Manual Svc
CATEGORI	NATE ELEMENTO	m	20116	БОО	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					 		Nonred	curring	Nonrecurring	Disconnect	†	l	oss	Rates (\$)	l	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								71441	1 01	71001	0020					
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						1
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
Non-R	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								1
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								1
UNBU	NDLED REMOTE CALL FORWARDING - Bus										İ					
		1	1		1				ĺ							
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33						1 1
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1	1	UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33		1				1 1
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						1
Non-R	lecurring															
	Unbundled Remote Call Forwarding Service - Conversion -				Ī											
	Switch-as-is			UEPVB	USAC2		0.10	0.10								1
	Unbundled Remote Call Forwarding Service - Conversion with				Ī											
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								1
UNBUNDLED	LOCAL SWITCHING, PORT USAGE															
End O	office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010519										
	End Office Trunk Port - Shared, Per MOU					0.0002136										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863										
	Tandem Switching Function Per MOU (Melded)					0.00004951										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749										
	Melded Factor: 30.30% of the Tandem Rate															
Comm	non Transport															
	Common Transport - Per Mile, Per MOU					0.0000045										
	Common Transport - Facilities Termination Per MOU					0.0004095										
	PORT/LOOP COMBINATIONS - COST BASED RATES	I., _	<u> </u>	L.,	<u> </u>	<u>L</u>										
	Based Rates are applied where BellSouth is required by FCC a								L		L					ــــا
	res shall apply to the Unbundled Port/Loop Combination - Cos												L	I .		├
	office and Tandem Switching Usage and Common Transport Usage															\vdash
	rst and additional Port nonrecurring charges apply to Not Curi	ently C	ombine	a Compos. For Cur	rentiy Combi	inea Combos tl	ne nonrecurrin	g cnarges sha	ıı be tnose idei	itified in the N	onrecurring	- Currently	Compined s	ections.	-	\vdash
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	-	-		+	 					-			-		\vdash
UNE	Port/Loop Combination Rates	!	4		+	14.89			 		 	ļ		1	-	\vdash
\vdash	2-Wire VG Loop/Port Combo - Zone 1	-	1		 									-		\vdash
\vdash	2-Wire VG Loop/Port Combo - Zone 2	-	2		 	21.52								-		\vdash
	2-Wire VG Loop/Port Combo - Zone 3	-	3		 	27.17								-		\vdash
UNE L	2-Wire Voice Grade Loop (SL1) - Zone 1	1	4	UEPRX	UEPLX	13.76					-			 	-	\vdash
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPRX	UEPLX	20.38					-			-		\vdash
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPRX	UEPLX	26.04			-		-	-		1	-	\vdash
2-18/:=-	e Voice Grade Line Port Rates (Res)	1	3	OLFKA	UEPLA	20.04					 			1		\vdash
Z-WIFE	2-Wire voice unbundled port - residence	1	1	UEPRX	UEPRL	1.13	40.30	19.90	24.98	6.65	 			1		\vdash
\vdash	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res	1	1	UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65	 			1		\vdash
\vdash	2-Wire voice unbundled port outgoing only - res	1	1	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65	 			1		\vdash
\vdash	2-Wire voice Grade unbundled South Carolina extended local	1	1	OLI KX	OLFRO	1.13	40.30	19.90	24.90	0.00	 			1		\vdash
	dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65						1 1
	2-Wire voice unbundled South Carolina Area Calling port with	 	 	OLI KX	OLFAU	1.13	40.30	15.90	24.90	0.03						\vdash
	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	40.30	19.90	24.98	6.65						1 1
\sqsubseteq	Odilol ID - 163 (LWO)	Ц		OLI IXX	OLFAU	1.13	40.30	15.50	24.90	0.03	I	L		l	l	

UNBUNE	DLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CITEDITE		HETWORK ELEMENTO Oddin odromia		I		1						Svc Order	Svc Order	Incremental	Incremental		
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Poo	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	1.13	37.93	16.72								
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
		without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled South Carolina Area Calling Port															
\vdash		without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDDY	LIEDDT	4.40	40.00	40.00	04.00	0.05						
	ATUF	Capability		-	UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
FE		All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00			-	-				
1.0	CAL	NUMBER PORTABILITY		1	UEPRX	UEPVF	3.04	0.00	0.00								-
100		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35								1		
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		OLI IVA	LIVIOA	0.35								 		
H 1	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		†		+						 	-				
	ľ	Switch-as-is			UEPRX	USAC2		0.10	0.10								I
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								
AΓ		DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.39	37.92	17.62	23.56	5.32						
L L		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.72	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61						
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
IAP		2 Wire Analog Voice Grade Extension Loop – Design FFICE TRANSPORT		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61						-
IN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<u> </u>													-
		Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			ULFIX	01172	24.30	40.03	21.41	10.77	0.91				1		
		or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
2-1	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			02.100	0111111	0.0101	0.00	0.00								
		rt/Loop Combination Rates															
-		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52								1		
		2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UN		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
oxdot		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-V		/oice Grade Line Port (Bus)		<u> </u>													1
$\vdash \vdash$		2-Wire voice unbundled port without Caller ID - bus		L	UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65						1
$\vdash \vdash$		2-Wire voice unbundled port with Caller + E484 ID - bus		ļ	UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65				ļ		-
\vdash		2-Wire voice unbundled port outgoing only - bus		-	UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65				 		
		2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65						I
\vdash		dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	-	+	UEPBX	UEPAZ UEPB1	1.13	40.30	19.90	24.98	6.65	-				-	
\vdash	-+	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port		1	ULFDA	UEPDI	1.13	40.30	19.90	24.98	0.05	-	-				+
	Į,	with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65						1
	-	2-Wire Voice Unbundled South Carolina Business Dialing Plan		 	OLI DA	JLI AD	1.13	40.30	13.30	24.30	0.00						†
		without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						1
		2-Wire voice unbundled South Carolina Business Area Calling					0	.0.00	.0.50	250	5.50				1		t
1 1	ľ	Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						I
1 1							0	0		0	2.30						
\vdash		2-Wire voice unbundled Incoming Only Port without Caller ID															
		2-Wire voice unbundled incoming Only Port without Caller ID Capability NUMBER PORTABILITY			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						

UNBUNDL	.ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted	1		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
OATE CORT	NATE ELEMENTO	m		500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	†	1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35		71441		71441	0020	00				
FEA	TURES										i e					
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00			i e					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										İ					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.10	0.10								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	1		UEPBX	USAS2		0.00	0.00			1			I		1
i	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	1		UEPBX	URETL		8.33	0.83			1			I		1
OFF/	ON PREMISES EXTENSION CHANNELS	1	1	1											ĺ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32					ĺ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1	2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32					ĺ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61		İ				
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1													
	Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1													
	or Fraction Mile			UEPBX	U1TVM	0.0167	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															<u> </u>
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered	_	1	UEPRG	UEPVF	3.04	0.00	0.00			-			-		├
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	├	<u> </u>		+						 	-		1	-	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		LIEDDO	LICACO		7.00	4.01			1			I		1
	Conversion - Switch-As-Is	!	1	UEPRG	USAC2		7.93	1.91			<u> </u>	-	 	-	-	├
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change	1		UEPRG	USACC		7.93	1.91			1			I		1
ADD		_	1	UEPRG	USACC		7.93	1.91			-	-				
ADD	ITIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	<u> </u>		+								-		-	
				UEPRG	USAS2	0.00	0.00	0.00								ĺ
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	-	 	OLFING	UUNUZ	0.00	0.00	0.00			1	-	-		-	
	Group	1			1		7.34	7.34			1			I		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	 		+		1.34	1.34			 	 		+		
	Premise	1		UEPRG	URETL		8.33	0.83			1			I		1
OFF	/ON PREMISES EXTENSION CHANNELS	-	 	OLFING	UNLIL		0.33	0.63			1	-	-		-	
OFF/	Local Channel Voice grade, per termination	1	-1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61	 	 		+		
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	 	2	UEPRG	P2JHX P2JHX	23.13	105.98	68.43	53.05	10.61	1	 	l	+	1	
	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	 	3	UEPRG	P2JHX P2JHX	28.46	105.98	68.43	53.05	10.61	1	H	l	t	 	
 	Non-Wire Direct Serve Channel Voice Grade	 	1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42	+			 	 	
 	Non-Wire Direct Serve Channel Voice Grade	 	2	UEPRG	SDD2X SDD2X	25.16	65.94	31.03	45.35	6.71	1	 	l	+	1	
	Trion-ville Direct Serve Channel Voice Grade			OLFNO	ΟυυΖΛ	20.10	05.94	31.03	40.00	0.71	l	<u> </u>		1	1	

UNBUNDL	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental			
											Submitted	1		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			l .					1
OATEGORT	NATE ELEMENTO	m	20110	500	0000			ιατι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			1	Nonrec	urring	Nonrecurring	Disconnect	1	L	OSS	Rates (\$)		
— †			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
INTER	ROFFICE TRANSPORT		l u	OLI IKO	ODDEX	20.00	00.04	01.00	40.00	0.7 1	1	1		1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1	1		1		
	Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.110	02	21.00	10.00	2		0.01	1	1		1		
	or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			02.110	0	0.0107	0.00	0.00			i e					
	Port/Loop Combination Rates										i e					
0.12	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.89					1	†				
	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.52					1	†				
- H	2-Wire VG Loop/Port Combo - Zone 3		3		1	27.17					1		i	t	i	
LINE I	oop Rates		Ť		1	27.17					1		i	t	i	
0.42	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76								<u> </u>		—
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPPX	UEPLX	20.38								+		—
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04					†					
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		۲	OLI I A	JUL 12X	20.04					†	<u> </u>		t		—
- 7711	Total Cital Line For Nation (Doo 1 DA)		t		1						1	t	 	 	 	\vdash
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22	†					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22	†					
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22	†					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22	<u> </u>		1			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLFFA	OLFAD	1.13	09.20	32.30	31.33	0.22	<u> </u>		1			
	Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.10	03.20	32.30	37.33	0.22	†					
	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	OLITA	OLI AL	1.13	03.20	32.30	37.33	0.22						
	Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	1.10	03.20	32.30	37.33	0.22	†					
	Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			OLITA	OLI XO	1.13	03.20	32.30	37.33	0.22	<u> </u>		1			
	Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY			OLITA	OLI XI	1.10	03.20	32.30	37.33	0.22	†					
LOOP	Local Number Portability (1 per port)		<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00			†					
FEAT				OLITA	LIVI OI	0.10	0.00	0.00			†					
I EAT	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00			†					
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>	OLITA	OLI VI	3.04	0.00	0.00			†					
INCINI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		t		1						†	<u> </u>		t		—
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91						1		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	H	1	OLI I A	00,102		1.33	1.31			 	H	 	 	 	
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91						1		1
ADDI:	TIONAL NRCs		t	OLI I A	00,100		1.00	1.31			†	<u> </u>		t		—
7001	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		 		+									+		—
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00			1			I		1
+	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	H	1	OLI I A	00,102	0.00	0.00	0.00			 	H	 	 	 	
	Group						7.34	7.34			1			I		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		t		+		1.54	7.54			 	1	 	 		
	Premise			UEPPX	URETL		8.33	0.83						1		1
OFF/	DN PREMISES EXTENSION CHANNELS	H	1	OLIIA	OINETE		0.33	0.03			 	H	 	 	 	
OF F/C	Local Channel Voice grade, per termination	 	1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61	1	 	1	+	1	
+	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61	†	 	 	 	 	
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61	 	H	 	 	 	
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42	†	 	 	 	 	\vdash
	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	 	2	UEPPX	SDD2X SDD2X	25.16	65.94	31.03	45.35	6.71	1	 	1	+	1	
 	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade	-	3	UEPPX	SDD2X SDD2X	29.58	65.94	31.03	45.35	6.71	1	-	-		-	
	INOTE-ANTIG DITECT Serve CHAITIEL AOICE GLAGE		1 3	ULFFA	3υυΖλ	∠9.58	ხე.94	31.03	45.35	0./1	<u> </u>	1	1	1	1	

CATEGORY RATE ELEMENTS INDIA THE PROPERTY TRANSPORT RATE CLEMENTS INDIA THE PROPERTY TRANSPORT	UNB	UNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATECONY BATE REMENTS BOARD BATE REMANDED BATE REMANDED BOARD BATE REMENTS BOARD BATE REMANDED BOARD BOARD BATE RE													Svc Order	Svc Order				
CATE CLAY PATE ELEMENTS Part													1					
CATEGOR SATE ELEMENTS May 200 May 1900 May													1					
No. No.	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					1
Proceedings				m						- (1)			per Lor	per LSK				
NET Prince Prin																		
NTROUGHEST TRUMPHORY SOUTH															ist	Addi	DISC 1St	DISC Add I
Intercritical TRANSPORT Intercritical Control of Program P								D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
Description Francisco - Valver Versico Grade - Federal Valver Versico Grade - Federal Valver Versico Grade - Federal Valver Versico Valver								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Translation USEPIX UTITIZ 24.30 46.55 27.47 5.97 5.91		INTER	OFFICE TRANSPORT															
Internation Transport - Declarator 2- Wire Votes Grants - Per Mile SEPPX UTUM 0.0162 0.00			Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
In Footcom Miles						UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
2-WINE VICE GRADE LOOP WITH A WINE AMALOG LINE CORN PORT			Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
Well-performed Committed Rates						UEPPX	U1TVM	0.0167	0.00	0.00								
2-Wire VC Can Prickup Control - Zewe 1 1 1 14.69				RT														
2-Wew Vot Com Peril Accept Compose - Zener 2 2 21.00		UNE P																
Description Description																		
UPPC UPPC																		
2-Wire Votes Grade Long (8.1) - Zerne 1					3			27.17										
2-Win Vote Grade Long (St.1) - Zone 2 2 UEPGO UEPLX 23.88	<u> </u>	UNE L			<u> </u>	LIEBOO												
2-Wire Vote Grade Large RS(1) - Zene 3	<u> </u>				'													
2-Wire Corte Carde Lim Ports (COIN) UEPCO UEPSA 1.13 40.30 19.90 24.98 6.65	<u> </u>	1																
2-Wine Con 2-Way without Operator Streening and Blocking, 011, UEPCO UEPSA 1.13 40.30 19.90 24.98 6.65		0.1			3	UEPCO	UEPLX	26.04				-	-			ļ	 	
Blocking (SC) Lind	<u> </u>	2-Wire			<u> </u>	-	+				-	-		 		 	 	
2-Wire Coin 2-Way with Operator Screening and 011 Blocking UEPCO UEPSA 1.13 40.30 19.90 24.86 6.65						LIEDCO	LIEDOD	4 40	40.00	40.00	04.00	0.05		1				1
900976, 1+DDD (SC)		+			1	UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
2-Wire Con 2-Way with Operator Screening and 01 Blocking. 3-Wire Con 2-Way with Operator Screening and 01 Blocking. 4-Wire Con 2-Way with Operator Screening and 01 Blocking. 4-Wire Con 2-Way with Operator Screening and 090 Blocking. 5-Wire Con 2-Way with Operator Screening and 090 Blocking. 5-Wire Con 2-Way with Operator Screening and 090 Blocking. 4-Wire Con 2-Way with Operator Screening and 090 Blocking. 5-Wire Con 2-Way with Operator Screening and 090 Blocking. 5-Wire Con 2-Way with Operator Screening and 090 Blocking. 5-Wire Con 2-Way with Operator Screening Slock 900976, 1-DDD. 6-Wire Con 2-Way with Operator Screening Slock 900976, 1-DDD. 6-Wire Con 2-Way with Operator Screening Slock 900976, 1-DDD. 6-Wire Con Chivard with Operator Screening and 011 Blocking. 6-Screening (Slo) 5-Wire Con Chivard with Operator Screening and Blocking. 6-Screening (Slo) 5-Wire Con Chivard with Operator Screening and Blocking. 6-Screening (Slo) 6-Screening (Slo) 6-Screening Slo) 6-Sc						LIEDOO	LIEDCA	4.40	40.20	40.00	04.00	0.05						
ISC)		+			1	UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.00						—
2-Wire Coin 2-Way with Operator Screening and 011 Blocking: UEPCO UEPSC 1.13 40.30 19.90 24.98 6.65						LIEDOO	LIEDCII	4.40	40.00	40.00	04.00	0.05						
With Dialing Parity (SC) UEPCC UEPCC 1.13 40.30 19.90 24.98 6.66		+			-	UEPCO	UEFSH	1.13	40.30	19.90	24.90	0.00	-	-				
2-Vivinc Coin 2-Viving with Operator Screening and 500 Blocking: UEPCO UEPCC 1.13 40.30 19.90 24.98 6.65						LIEDCO	LIEDSC	1 12	40.20	10.00	24.00	6 65						
S00976, 1-DDD, 011-, and Local (SC)		+			-	ULFCO	OLFSC	1.13	40.30	19.50	24.90	0.03	1					
2-Wire Coin 2-W Operator Screen; 900 Block: 909976, 1+DDD,						LIEPCO	LIEPCC	1 13	40 30	19 90	24 98	6.65						l
O11+, Loat; Enhanced Call OPT 3VV (SC)		+				021 00	OLI OO	1.10	40.00	10.00	24.00	0.00	†	1				
2-Wire Coin 2-W Operator Screen: 900 Block: 900976, 1+DDD,						LIEPCO	UEPCE	1 13	40.30	19 90	24 98	6.65						
O11+, Local: Enhanced Call OPT APT (SC)		1																
2-Wire Coin Outward without Blocking and without Poerator UEPCO UEPSG 1.13 40.30 19.90 24.98 6.65						UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
Screening (SC)													İ					
SC)						UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1-DDD (SC)			2-Wire Coin Outward with Operator Screening and 011 Blocking															
011, 90/976, 1+DDD (SC)			(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
2-Wire Coin Outward with Operator Screening and Blocking: UEPCO UEPCM 1.13 40.30 19.90 24.98 6.65			2-Wire Coin Outward with Operator Screening and Blocking:															
S00/976, 1+DDD, 011+, and Local (SC)						UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
2-Wire Coin Out Operator Screen & Block: 900/976, 14-DDD, 0114, Local: Enhanced Calling OPT 3'W. (SC) UEPCO UE																		
O11+, Local; Enhanced Calling OPT 3YW (SC)						UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
2-Wire 2-Way Smartline with 900/976 (all states except LA)																		
2-Wire Coin Outward Smartline with 900/976 (all states except LA)																		
LA)						UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
ADDITIONAL UNE COIN PORT/LOOP (RC)			2-Wire Coin Outward Smartline with 900/976 (all states except						40.00									
UNE Coin Port/Loop Combo Usage (Flat Rate)		ADDIT	LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) LOCAL NUMBER PORTABILITY LOCAL NUMBER PORT NUMBER LOCAL NUMBER PORTABILITY		LIEDOO	LIDECLI	4.05	0.00	0.00	0.00	0.00										
Local Number Portability (1 per port)		LOCAL			1	UEPCU	URECU	4.05	0.00	0.00	0.00	0.00						
NONRECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPCO		LUCAL				LIEDCO	LNDCV	0.25					-					-
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-asis UEPCO USAC2 0.10 0.10 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPCO USACC 0.10 0.10 ADDITIONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPCO USAS2 0.00 0.00 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPCO URETL 8.33 0.83 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent New York State S	-	NOND			-	UEPCO	LINPUX	0.35					1					
Switch-as-is	-	INDINIC		-	†		+						-	-		 		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPCO USACC 0.10 0.10 0.10 0.10 0.10 0.10 0.10 0.						LIEPCO	LISAC2		0.10	0.10								
Switch with change		+			 		100.102		0.10	0.10			 	 				—
ADDITIONAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent UEPCO						UEPCO	USACC		0.10	0.10				1				1
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity UEPCO USAS2 0.00 0.00 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPCO URETL 8.33 0.83 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates		ADDIT			t	- ::			50	30	İ	İ				İ	İ	
Activity		1			t		1				İ	İ				İ	İ	
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates						UEPCO	USAS2		0.00	0.00				1				1
Premise					i –				_							1		
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) UNE Port/Loop Combination Rates			Premise				URETL		8.33	0.83				1				1
				LINE	PORT (RES)												
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		UNE P																
			2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										

UNBUNDL	LED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intor:									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		_ m											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
L																
\vdash		!			1	Rec	Nonrec		Nonrecurring		00115			Rates (\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	24.45										
LINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<u> </u>	3			29.78					-					
UNE	E Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFR	UECF2	16.68					-					
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFR	UECF2	23.13										
\vdash	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	ł	3	UEPFR	UECF2	28.46			1					-		
2-W	fire Voice Grade Line Port Rates (Res)		3	OLFIK	OLCI 2	20.40									1	
2-441	2-Wire voice unbundled port - residence		-	UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33					1	
	2-Wire voice unbundled port with Caller ID - res		-	UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33					1	
\vdash	2-Wire voice unbundled port outgoing only - res	1		UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice Grade unbundled South Carolina extended local	1		OLITIK	OLI ILO	1.02	100.00	70.71	1.72	1.00						
	dialing parity port with Caller ID - res	1		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33		1		I		
	2-Wire voice unbundled South Carolina Area Calling port with	1			1 1					50	İ			1	İ	ĺ
	Caller ID - res (LW8)	1		UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33		1		I		
	2-Wire voice unbundles res, low usage line port with Caller ID				1		_								1	
	(LUM)	<u></u>		UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33	<u> </u>	<u></u>		L	<u> </u>	<u> </u>
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan					İ										
	without Caller ID	<u> </u>		UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						<u> </u>
INTE	EROFFICE TRANSPORT							•								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															l
\vdash	Termination	<u> </u>		UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91				L	ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			l	1									1		
	or Fraction Mile	ļ		UEPFR	1L5XX	0.0134								1		
FEA	ATURES	!		LIEDED	1,150,45	,								ļ		
 	All Features Offered	!	-	UEPFR	UEPVF	3.04	0.00	0.00	1	-		ļ		 	 	
LOC	CAL NUMBER PORTABILITY	 	-	UEPFR	LNDCY	0.35								 	 	-
NON	Local Number Portability (1 per port) NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	 	-	UEFFK	LNPCX	0.35					-	 		+		
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	-		+ +	-					-	 		+		
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.50	1.87						1		
 	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	†		OLITIK	JUAUZ		0.50	1.07				-		 	 	
	Combination - Conversion - Switch-With-Change	1		UEPFR	USACC		8.50	1.87				1		I		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1		OEI I IX	30,100		0.50	1.07	1		-	 		I		1
	End User Premise	1		UEPFR	URETN		11.24	1.10				1		I		
2-WI	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE F	ORT (0						1	İ	
	E Port/Loop Combination Rates	T	,,	,	1 1						İ			1		İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	18.00									1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.68										
\Box	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	23.13										
$\perp \perp \perp$	2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFB	UECF2	28.46								L	ļ	
2-Wi	fire Voice Grade Line Port (Bus)	ļ												ļ		
\vdash	2-Wire voice unbundled port without Caller ID - bus	!		UEPFB	UEPBL	1.32	108.36	70.71		1.33				ļ		
\vdash	2-Wire voice unbundled port with Caller + E484 ID - bus	 		UEPFB	UEPBC	1.32	108.36	70.71		1.33				-	ļ	
\vdash	2-Wire voice unbundled port outgoing only - bus	!	-	UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33		 		 	 	
	2-Wire voice Grade unbundled South Carolina extended local	1		UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33		1		I		
\vdash	dialing parity port with Caller ID - bus	 	-	UEPFB UEPFB	UEPAZ UEPB1		108.36	70.71						 	 	-
\vdash	2-Wire voice unbundled incoming only port with Caller ID - Bus	!	-	UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33	-	-	-	 		-
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33				1		
\vdash	2-Wire Voice Unbundled South Carolina Business Dialing Plan	1		ULFFD	UEFAD	1.32	100.30	70.71	1.42	1.33	-			+		
	without Caller ID	1		UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33		1		I		
1.00	CAL NUMBER PORTABILITY	 		OLITO	JEI VVIVI	1.32	100.30	70.71	1.42	1.33				t	 	
100	Local Number Portability (1 per port)	 		UEPFB	LNPCX	0.35			1	 				t	 	
INTE	EROFFICE TRANSPORT	1		02110		0.55			1		-	 		I		1
I I I I I	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	t -			1 1				1		-	 		t	 	1

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISI	DISC Add I
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0134										1
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															[
	Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87								1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.24	1.10								1
2-W	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (PBX)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.00										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										[
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.68										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	23.13										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46										
2-W	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31		11.51						l
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51						l
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31		11.51						ı
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31		11.51						l
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						l
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
	Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						l
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port			UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51						1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51						
1 1	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	l			I							1				1
	Calling Port			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51	1					
Loc	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
1 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	l										1				1
<u> </u>	or Fraction Mile	ļ	ļ	UEPFP	1L5XX	0.0134										
FEA	TURES	.	!	LIEDED	LIED. :-											
	All Features Offered	ļ	1	UEPFP	UEPVF	3.04	0.00	0.00								\vdash
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	<u> </u>		-						-			-		
1 1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l		HEDED	110400		0.50	4.0=				1				1
\vdash	Combination - Conversion - Switch-as-is	ļ	1	UEPFP	USAC2		8.50	1.87	ļ		-	ļ		-		
1 1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l		HEDED	110400		0.50	4.0=				1				1
\vdash	Combination - Conversion - Switch with change	 	 	UEPFP	USACC		8.50	1.87	1		 	ļ		 		
1 1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	l		HEDED	LIDETN		44.01					1				1
LINIDUMEN =	End User Premise	 	 	UEPFP	URETN		11.24	1.10	1		 	ļ		 		—
	D PORT/LOOP COMBINATIONS - COST BASED RATES	I DODT	1		1				ļ		-	ļ		.		
2-W	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT									<u> </u>					1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	_	_
CATEGORY	RATE ELEMENTS	Interi	Zone	Е	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Addi	DISC 1St	DISC Add I
							_ 1	Nonrec	urrina	Nonrecurring	Disconnect	i e		oss	Rates (\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates		1														
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				35.52										
UNE L	oop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68									Î	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13									Î	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
UNE P	ort Rate					ĺ	ĺ									Î	
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is	1		UEPPX		USAC1		7.32	1.87	I		1	1		I		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion						j										
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87								
ADDIT	TONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.24	1.10								
Teleph	none Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	[
UNE P	ort/Loop Combination Rates																ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		38.60										ļ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		44.23										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<u> </u>	1	UEPPB	UEPPR	USL2X	21.90			ļ		1			-		_
1			_														
\vdash	2-Wire ISDN Digital Grade Loop - UNE Zone 2	_	2	UEPPB	UEPPR	USL2X	29.64			-		-			-		
H	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										ļ
UNE P	ort Rate		<u> </u>	LIEDDD	HEDDD	LIEDDD	0.00	100.51	100.11	100.05	04.07						ļ
	Exchange Port - 2-Wire ISDN Line Side Port		-	UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						ļ
NONK	ECURRING CHARGES - CURRENTLY COMBINED	-	-	ļ		1						-					
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	38.59	27.08								
ADDIT	TONAL NRCs	-	-	UEPPB	UEPPR	USACB	0.00	38.59	27.08			-					
ADDIT			-							-		 	-				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise	1		UEPPB	UEPPR	URETN		11.24	1.10	I		1	1		I		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	1	UEPPB	UEPPR	UKETIN		11.24	1.10	-		1			-		-
	Premise	1		UEPPB	UEPPR	URETL		8.33	0.83	I					I		
LOCA	L NUMBER PORTABILITY	 	 	ULPPD	ULPPR	ONLIL	1	0.33	0.63	+		1	-		+	1	
LOCA	Local Number Portability (1 per port)	 	 	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	 		}	-		 	 	
B-CU	NNEL USER PROFILE ACCESS:	1	 	SEIFB	OLFFR	LIVI OA	0.35	0.00	0.00	t		1			t	 	1
Б-СПА	CVS/CSD (DMS/5ESS)	 	\vdash	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	 		+			 	 	
	CVS (EWSD)	 	 	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	 		 			 	 	
	CSD	 	 	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	t		†			t		
B-CH/	NNNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TNI	JEITD	OLITIN	31000	0.00	0.00	0.00	 		 			 	 	
D-OHA		٠,١٠٠٠, ٥	,	<u> </u>		1	ı			1		1	1		L	L	

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Fxhi	bit: A
ONDONDE	The first the fi	1					1					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	Е	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										po. zo.	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1				Rec	Nonre		Nonrecurring		001450	001111		Rates (\$)	001141	001141
	CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	U1UCD	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
L	facilities termination				UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
4 14/10	Interoffice Channel mileage each, additional mile E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K DODT	1	UEPPB	UEPPR	M1GNM	0.0167	0.00	0.00								
	NE-P DS1 combination rates below for in this rate exhibit appl			Idad hase	in nlace a	e of 10/2/03 i	Intil 4/1/04 Af	tor 4/1/04 these	rates shall re	ert to tariff rat	os or a sonara	te commerc	al agreeme	nt			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital																
	Port/Loop Combination Rates		1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			176.82										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP		ļ	347.84										
UNE L	oop Rates		1	UEPPP		1101 4D	90.87										
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	-		UEPPP		USL4P USL4P	155.43										
-	4-Wire DS1 Digital Loop - UNE Zone 2	1	3	UEPPP		USL4P	261.89					-					
LINE F	Port Rate	1	3	UEFFF		USL4F	201.09										
ONE !	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								1
ADDIT	TONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)	ļ	ļ	UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TO		44.54	44.54								
-	Outward Tel Numbers (All States except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	+	UEPPP		PR/10		11.54	11.54			-					
1 1	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07				1				, [
LOCA	L NUMBER PORTABILITY			OLITI		110/21		20.07	20.07								
- 30%	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75								İ		
	Voice/Data		1	UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel	L	<u> </u>	LIEBBE		DD#D\/							ļ		ļ		,
	New or Additional - Voice/Data B Channel	1	1	UEPPP		PR7BV	0.00	14.56									
\vdash	New or Additional - Digital Data B Channel New or Additional Inward Data B Channel	1	1	UEPPP		PR7BF PR7BD	0.00	14.56 14.56				1					
CALL	TYPES	 	1	UEPPP		LKIBD	0.00	14.56			 	 			 		
CALL	Inward	t	 	UEPPP		PR7C1	0.00	0.00	0.00			-	 				
	Outward	t -		UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way	1		UEPPP		PR7CC	0.00	0.00	0.00		l						
Intero	ffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48						
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	L	<u> </u>	<u> </u>		1	L			L			L				
The U	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embed	ided base	in place a	is of 10/2/03 ι	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall re	ert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eftert/Loop Combination Rates	rective o	ate of	tnis amer	iament sha	iii be provide	ea pursuant to	a separate agre	ernent or tarif	at BeilSouth's	aiscretion.	1					
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 	1	UEPDC		1	149.77	1			 	 			 		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	 	2	UEPDC		+	214.33	1		 	 	H			 		
\Box	Do. Digital Loop/TV DDITO Hallict Oil CIVE Zolle Z			00.00		1	217.00	L		L	L		L		1		

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ł		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
1																
1													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC		320.78	11100	Auui	11100	Addi	COMILO	COMPAN	OOMAN	COMPAN	OOMAN	COMPAR
LINE	Loop Rates	_		OLI DO	+	320.70										
OIAL I	4-Wire DS1 Digital Loop - UNE Zone 1	_	1	UEPDC	USLDC	90.87										
	4-Wire DC4 Digital Loop - UNE Zone 1	ļ		UEPDC	USLDC											
$\vdash \vdash \vdash$	4-Wire DS1 Digital Loop - UNE Zone 2	-	2			155.43					ļ					
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	ļ		UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20	ļ					
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
i l	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
i l	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
1	- Conversion with DS1 Changes (E:4/1/2004)	1		UEPDC	USAWA		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	İ	1						1	İ	İ	İ		i
ı l	- Conversion with Change - Trunk (E:4/1/2004)		1	UEPDC	USAWB		129.78	67.17				l		l		1
ADDI	TIONAL NRCs	 	 	02.100	30,440		123.10	07.17	1		1	 	 	 		
ADDI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	+	-	-	+				1		 	-	-	-		-
1		1		UEPDC	LIDTTA		44.54	44.54								
$\vdash \vdash \vdash$	Subsequent Channel Activation/Chan - 2-Way Trunk	-		UEPDC	UDTTA		14.51	14.51			ļ					
i l	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
\sqsubseteq	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51								
i l	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51								
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
i l	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan										İ					
i l	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51								
BIPO	LAR 8 ZERO SUBSTITUTION			02. 50	05.12			1 1.01			1					
15.1.0	B8ZS -Superframe Format	 	 	UEPDC	CCOSF		0.00i	605.00s			1					
	B8ZS - Extended Superframe Format	_	 	UEPDC	CCOEF			605.00s								
Alton	nate Mark Inversion	-	-	OLFDC	CCOLI		0.001	003.008			-					
Aiteri		<u> </u>		LIEDDO	140005		0.00	0.00								
$\vdash \vdash \vdash$	AMI -Superframe Format	-		UEPDC	MCOSF		0.00	0.00			ļ					
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group	ļ		UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
ı T	DID Numbers, Establish Trunk Group and Provide First Group		1													l
I	of 20 DID Numbers	<u></u>	<u>L</u>	UEPDC	NDZ	0.00	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u></u>	<u> </u>		<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers, Per Number		1	UEPDC	ND5	0.00	0.00	0.00				ĺ	ĺ	ĺ		l
\Box	Reserve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00			1	İ	İ	İ		i
	Reserve DID Numbers	1	t	UEPDC	NDV	0.00	0.00	0.00			1	i e	i e	i e		i
Dedir	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Dinita	Loon			0.00	0.00	0.00			1	 	l	 		1
Deale	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	. Digital			ank i oit						1	†	 	 		
ı I	Termination)	1		UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
	remination)	1	-	UEPDC	ILINUT	77.14	89.47	81.99	16.39	14.48	 	.	ļ	-		
1		1		Lienno	1											
$\vdash \vdash \vdash$	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	 	!	UEPDC	1LNOA	0.3415	0.00	0.00								
1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
\sqsubseteq	Termination)	1		UEPDC	1LNO2	0.00	0.00	0.00			1					
1 -	Interoffice Channel Mileage - Additional rate per mile - 9-25															
I	miles	<u></u>	<u>L</u>	UEPDC	1LNOB	0.3415	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
ı l	Termination)	1	1	UEPDC	1LNO3	0.00	0.00	0.00				l	l	l		1
\Box	, , , , , , , , , , , , , , , , , , ,		1	İ	1	2.20	2.30	2.30			1	İ	İ	İ		i
ı I	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3415	0.00	0.00								
	Local Number Portability, per DS0 Activated	t	t	UEPDC	LNPCP	3.15	0.00	0.00			1	†	 	 		
	Central Office Termininating Point	+	 	UEPDC	CTG	0.00	0.00	0.00	1		1	 	 	-		
\vdash		1	1	ULFDU	UIG	0.00		ı	1	ı	1	1	1	1	1	
4 18/15		i -	1													
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT om is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	dissatia														

UNBUNI	DLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444
							Rec		curring		Disconnect				Rates (\$)		
								First	Add'l	First	Add'l		SOMAN			SOMAN	SOMAN
		E-P DS1 combination rates below for 4-Wire DS1 Loop with 0											shall revert	to tariff rates	or a separate	agreement.	
Re	eques	ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	t shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UI	NE DS	1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00								
UN	NE DS	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	82.78	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	827.80	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s	1	1	UEPMG	VUM28	993.36	0.00	0.00	İ		1			İ	İ	†
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								†
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00								†
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								†
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2.317.84	0.00	0.00								
No		curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio					0.00				1				
		num System configuration is One (1) DS1, One (1) D4 Channe						l									+
		es of this configuration functioning as one are considered Ac											1				
	unapi	NRC - Conversion (Currently Combined) with or without	I	1 110 111	ininiani system con	I	l l						1				
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38								
Sv	/stem	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat					0.00								+
		ot Currently Combined) in all states, except in Density Zone 1				Thation ours		i i									+
140	244 (144	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1 01 10p	I		+											+
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
Ri	nolar	8 Zero Substitution			OLI WO	VOIVID4	0.00	717.71	423.01	143.00	17.03						+
DI	poiai	Clear Channel Capability Format, superframe - Subsequent	-	-		-						-	-		-		
		Activity Only			UEPMG	CCOSF	0.00	0.00:	605.00s								
		Clear Channel Capability Format - Extended Superframe -	-	-	UEFIVIG	CCOSF	0.00	0.001	005.008			-	-		-		
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00:	605.00s								
A I	torno	te Mark Inversion (AMI)	-	-	UEFIVIG	CCOEF	0.00	0.001	005.008			-	-		-		-
Ai	terna	Superframe Format	-	-	UEPMG	MCOSF	0.00	0.00	0.00								
			-	-	UEPMG	MCOPO	0.00	0.00	0.00								
-		Extended Superframe Format		Doort	UEPING	MCOPO	0.00	0.00	0.00								
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1											
EX	cnan	ge Ports	-	-		1											
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)		-	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00						.
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00						.
		Line Side Inward Only Channelized PBX Trunk Port without DID				l											
		(E:4/1/2004)			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00						
Fe	eature	Activations - Unbundled Loop Concentration															ļ
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17						
	1	Feature (Service) Activation for each Trunk Port Terminated in		1				l		_			1				
		D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60						
Te	elepho	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00			İ	l				
-		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00							ĺ	
		Reserve DID Numbers	1	1	UEPPX	NDV	0.00	0.00	0.00	İ		1			İ	İ	
Lo	cal N	umber Portability	İ							İ		İ	l				
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00	t		İ				İ	
		, pon			1	,	50	5.50	0.00						·		

IINRI	INDI FI	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	hit: A
OND	JNDLL	D NETWORK ELEMENTS - South Calonna	ı	1	I	1						Cua Ordar	Cva Ordar	Incremental			Incremental
												1	Submitted		Incremental		Charge -
												Elec		Charge -	Charge -	Charge -	
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually	Manual Svc	Manual Svc		Manual Svo
OA. L		TOTAL ELEMENTO	m	20.10	500	0000			ικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU	RES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC															
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	ne manner as	they are applied	to the Stand	-Alone Unbun	dled Port secti	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport	Usage I	rates in	the Port section of	this rate exh	nibit shall apply	to all combina	ations of loop/	port network e	elements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	Additional ND	000
		first and additional Port nonrecurring charges apply to Not Cu	urrentiy	Combi	inea Combos. For	Currently Co	mbinea Combo	s, the nonrect	irring charges	snall be those	e identified in t	ne Nonrecu	rring - Curre	entiy Combine	ea sections.	Additional NR	CS may
		llso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	ho noae	atiotod	an an Individual Ca	oo Booio un	til further netice	-		ı	r .	1			1	ı	1
		CENTREX - 5ESS (Valid in All States)	be nego	Jualeu	on an murviduai Ca	ise basis, uii	in further notice					-					
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	 			 	1			 	 	H			 	1	
		ort/Loop Combination Rates (Non-Design)	 			+	+ +				 	-				1	
	S.VL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 			1	 				-	 			1	1	
		Non-Design		1	UEP95		14.89				1						
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	<u> </u>		1	14.00				-	 			1	1	
		Non-Design		2	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 00		202										
		Non-Design		3	UEP95		27.17										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		29.59										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	20.38										
	ļ	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2 UECS2	16.68 23.13				-						
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95 UEP95						-						
	LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46				-	-					
	All Stat		-	-		+					-	1					
	All Otal	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65	1					
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			02. 00	025	0	10.00	10.00	21.00	0.00						
		Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	i e			1	1			50	1.30				İ		İ
	1	Center)2,3 Basic Local Area	1		UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94			<u> </u>	<u> </u>		<u> </u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -	l												l		l
		Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65						
	AL, KY	, LA, MS, SC, & TN Only	ļ		LUEDOS	Luspa	1	10.55	10								
	 	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65						
	+	2-Wire Voice Grade Port (Centrex 800 termination)	 	-	UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65				 	1	
	+	2-Wire Voice Grade Port (Centrex with Caller ID)1	 	-	UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65				 	1	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	UEPQM	1.13	108.36	70.71	54.47	11.04						
	+	Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-	UEP95	UEPQIVI	1.13	108.36	70.71	54.47	11.94						
1		Term 2.3	1		UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94						
	+	101111 2 ₁ 0	 		OLI 33	JLI QZ	1.13	100.30	70.71	34.47	11.34	H			 	1	
ı		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65						
	1	2-Wire Voice Grade Port Terminated in on Meganitik of equivalent	l		UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65	 			1	1	
		Switching		-	02.00	J-1 W-	1.10	70.00	10.00	27.00	5.05						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
Local	Number Portability															
<u> </u>	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur	All Standard Features Offered, per port	1		UEP95	UEPVF	3.04			-							
 	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42		 							
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04	100.12		t							
NARS		1														
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
84:	Unbundled Network Access Register - Outdial	1	1	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		 		.		
	Ilaneous Terminations	 			+	 			 			-				
2-99116	Trunk Side Trunk Side Terminations, each	 		UEP95	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire	Digital (1.544 Megabits)	1			1	0.00			55.50	07						
	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51	-								
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
Footur	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP95	M1GBM	0.0167			-							
	annel Bank Feature Activations	l			+				 							
D4 011	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
					11.51.10											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56										
	Different wife Center	1		UEP95	IFQWF	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				_											
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		37.93	16.72								
 	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70	10.72	 							
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use					1 7			_							
\vdash	Premise	1	—	UEP95	URETL	 	8.33	0.83	-							
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.24	1.10	1							
UNF-P	CENTREX - DMS100 (Valid in All States)	1		OLF 95	OKLIN		11.24	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1				1							
	ort/Loop Combination Rates (Non-Design)	1														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design	1	1	UEP9D		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	2	UEP9D	1	21.52										
 	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+		UEFAD	+	21.52	-		 		-			-		
1 1	Non-Design		3	UEP9D	1	27.17			1							
UNE P	ort/Loop Combination Rates (Design)	1			1				1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design	1	1	UEP9D		17.81								ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_	LIEDOD	1	04.00			1							
	Design	1	2	UEP9D		24.26			1		l			L		

UNBUN	IDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
1												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
├	1515 1 .	Design		3	UEP9D	-	29.59										
—		op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		4	UEP9D	UECS1	13.76										
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										
-		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
—		2-Wire Voice Grade Loop (SL 2) - Zone 3		1	UEP9D	UECS2	16.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
		ort Rate		Ŭ	02. 02	02002	20.10										
	ALL ST																
T	Ť	2-Wire Voice Grade Port (Centrex) Basic Local Area	l		UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65	İ			l	l	l
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area	l		UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local					İ										
		Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
		Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
		Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEBAB			40.00	40.00								
		Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	UEPYT	4.40	40.00	10.00	04.00	0.05						
\vdash		Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYI	1.13	40.30	19.90	24.98	6.65	-					
		Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65						
-		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1	OLF 9D	OLFTO	1.13	40.30	19.90	24.90	0.03						
		Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65						
-		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	OLI 3D	OLITV	1.13	40.50	13.30	24.30	0.03						
		Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			02. 02	020	0	10.00	10.00	21.00	0.00						
		Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				1											
		Indication))4 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
		Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	l								-				l	I	I
\vdash		2,3-Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	1										1				
\vdash		Basic Local Area	ļ	ļ	UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94				 	 	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4	l		LIEDOD	LIEDVD	4 40	400.00	70.74	F4 47	44.04						
\vdash		Basic Local Area	 	-	UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94				-	-	
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area	l		UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94						
\vdash	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	 	 	OFLAD	UEFIU	1.13	108.36	70.71	54.47	11.94	-	 		 	 	
		Basic Local Area	l		UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						
 		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	-		021 00	JEI III	1.13	100.00	70.71	54.47	11.34		-				
		Basic Local Area	l		UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	i e			1	0			071	54				İ	İ	İ
		Basic Local Area	l		UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
		Basic Local Area	1		UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		1				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4					İ										
		Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						
1 T	J	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4													l		
		Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						

UNBUNDL	.ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
			l								Svc Order	Svc Order	Incremental	Incremental		Incrementa
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								l l
OATEGORT	NATE ELEMENTO	m	20110	500	0000			ικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			 				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		<u> </u>
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				_		11100	Addi	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	021 12	1.10	100.00	70.71	04.47	11.04	1					†
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
-	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02. 05	02. 10	0	10.00	10.00	200	0.00	1					†
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
ΑΙ.	KY, LA, MS, SC, & TN Only			02. 05	022	0	10.00	10.00	200	0.00						
, t <u>_</u> , .	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65	1					†
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		t	UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65			i	i		1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		t	UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65			i	i		1
1	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		t	UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65			i	i		1
1	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		t	UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65			i	i		
1	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		t	UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65			i	i		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						†
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						†
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					_										
	Indication)4			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65	İ					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
	, , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
													Î	Î		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
													ĺ			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65						
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996										
Loca	Number Portability															ļ
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										ļ
Feat																ļ
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42									L
	All Centrex Control Features Offered, per port		<u> </u>	UEP9D	UEPVC	3.04										ļ
NAR			<u> </u>		1								ļ	ļ		ļ
	Unbundled Network Access Register - Combination		 	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			ļ	ļ		<u> </u>
	Unbundled Network Access Register - Inward		L	UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	1					ļ
. 1	Unbundled Network Access Register - Outdial	l	l	UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	1		I	I		1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
Miscol	l aneous Terminations		_		1		FIISL	Add I	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Trunk Side				-	-										
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
	Digital (1.544 Megabits)			OLI 3D	CLINDO	0.00	113.37	10.70	00.03	3.11						
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel		_	UEP9D	M1HDO	0.00	14.51	33.30	12.13	2.47						
Interes	ice Channel Mileage - 2-Wire		_	OLF 9D	WITIDO	0.00	14.51									
interor	Interoffice Channel Facilities Termination		_	UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
—	Interoffice Channel mileage, per mile or fraction of mile		_	UEP9D	M1GBC	0.0167	40.03	21.41	10.77	0.91	-	-				
Footur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		_	OLF 9D	IVITGBIVI	0.0107					-	-				
	nnel Bank Feature Activations	e	_		+						-	-				
D4 Clia	Feature Activation on D-4 Channel Bank Centrex Loop Slot		_	UEP9D	1PQWS	0.56					-	-				
	Peature Activation on D-4 Channel Bank Centrex Loop Stot		_	UEF9D	IFQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										i I
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02		0.00						1				
	Slot			UEP9D	1PQW7	0.56										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02.02		0.00										
	Different Wire Center			UEP9D	1PQWP	0.56										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										i I
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.56										i l
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72								i l
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								i
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.24	1.10								ı
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and F	ort													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to ra	ate tru	e-up as set forth in	General Terr	ns and Conditio	ns.									

CATEGORY The http: OPERATION NOT elect each NOT that	.ED NETWORK ELEMENTS - Tennessee RATE ELEMENTS "Zone" shown in the sections for stand-alone loops or loops as ://www.interconnection.bellsouth.com/become_a_clec/html/intellAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the either the state specific Commission ordered rates for the serv		Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec	Submitted	Attach Incremental Charge - Manual Svc	ment: 2 Incremental Charge - Manual Svc	Incremental Charge -	lncremental Charge -
The http: OPERATION NOT elect each NOT that	"Zone" shown in the sections for stand-alone loops or loops as //www.interconnection.bellsouth.com/become_a_clec/html/inte lAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the	m s part of		BCS	USOC			RATES (\$)			Submitted	Submitted	Charge -	Charge -	Charge -	
The http: OPERATION NOT elect each NOT that	"Zone" shown in the sections for stand-alone loops or loops as //www.interconnection.bellsouth.com/become_a_clec/html/inte lAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the	m s part of		BCS	USOC			RATES (\$)								Charge -
The http: OPERATION NOT elect each NOT that	"Zone" shown in the sections for stand-alone loops or loops as //www.interconnection.bellsouth.com/become_a_clec/html/inte lAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the	m s part of		BCS	USOC			RATES (\$)			Flec	Manuallu	Monuel Cve	Manual Svc	Manager I Occup	
The http: OPERATION NOT elect each NOT that	"Zone" shown in the sections for stand-alone loops or loops as //www.interconnection.bellsouth.com/become_a_clec/html/inte lAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the	m s part of		BCS	USOC			RATES (S)				Manually	Wanuai Svc	Wallual Ovc	Manual Svc	Manual Svc
http: OPERATION NOT elect each NOT that	://www.interconnection.bellsouth.com/become_a_clec/html/inte IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the							= (+)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
http: OPERATION NOT elect each NOT that	://www.interconnection.bellsouth.com/become_a_clec/html/inte IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the												Electronic-	Electronic-	Electronic-	Electronic-
NOT elect each NOT that	://www.interconnection.bellsouth.com/become_a_clec/html/inte IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the												1st	Add'l	Disc 1st	Disc Add'l
NOT elect each NOT that	://www.interconnection.bellsouth.com/become_a_clec/html/inte IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the						Nonrecurring	ı	Monrocurrin	g Disconnect		l	088	Rates (\$)		L
http: OPERATION NOT elect each NOT that	://www.interconnection.bellsouth.com/become_a_clec/html/inte IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the					Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NOT elect each NOT that	://www.interconnection.bellsouth.com/become_a_clec/html/inte IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the						11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
OPERATION NOT elect each NOT that	IAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" E: (1) CLEC should contact its contract negotiator if it prefers the	rconnec	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ns by Cent	ral Office, refe	er to internet \	Website:	
NOT elect each NOT that	E: (1) CLEC should contact its contract negotiator if it prefers the		tion.ht	m												
elect each NOT that																<u> </u>
each NOT that	t either the state specific Commission ordered rates for the serv															
NOT that		ice orde	ring ch	arges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
that	of the 9 states.															
	E: (2) Any element that can be ordered electronically will be bill		•						•	` '		•			•	
	cannot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	i be billed to a	CLEC once el	ectronic oraeri	ng capabilities	come on-II	ne for that e	element. Otne	erwise, the ma	inuai ordering	រ cnarge,
	IAN, will be applied to a CLECs bill when it submits an LSR to E E: (3) OSS - Manual Service Order Charge, Per Element - UNE Or			a annliachla rata ala	mant for CO	MAN abarga**		ı	1	ı	1	ı	ı	1		Г
NOT	OSS - Electronic Service Order Charge, Per Local Service	y Pi	case se	e applicable rate ele		man charge"				<u> </u>			1			
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						1
UNE SERVIC	CE DATE ADVANCEMENT CHARGE	1					0.00		0.00							
	E: The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
				UAL, UEANL, UCL,												i .
				UEF, UDF, UEQ,												1
				UDL, UENTW, UDN, UEA, UHL, ULC,												1
				USL, U1T12, U1T48,												1
				U1TD1, U1TD3,												1
				U1TDX, U1TO3,												1
				U1TS1, U1TVX.												1
				UC1BC, UC1BL,												1
				UC1CC, UC1CL,												1
				UC1DC, UC1DL,												1
				UC1EC, UC1EL,												1
				UC1FC, UC1FL,												1
				UC1GC, UC1GL,												l .
				UC1HC, UC1HL,												1
				UDL12, UDL48, UDLO3, UDLSX,												1
				UE3, ULD12,												1
				ULD48, ULDD1,												1
				ULDD3, ULDDX,												1
				ULDO3, ULDS1,												1
				ULDVX, UNC1X,												1
				UNC3X, UNCDX,												1
				UNCNX, UNCSX,												1
				UNCVX, UNLD1,												1
				UNLD3, UXTD1, UXTD3, UXTS1,												1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												1
	Day			U1TUB, U1TUA	SDASP		200.00									1
UNBUNDLEI	D EXCHANGE ACCESS LOOP	t e					200.00			1						
	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEASL	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<u> </u>		UEANL	UEASL	17.23	31.99	20.02	10.65	1.41		 	20.35	10.54	13.32	13.32
\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41	-		20.35	10.54	13.32	13.32
1 1	Premise			UEANL	URETL		8.33	0.83				1	20.35	10.54	13.32	13.32
 	Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
	Loop Testing - Basic Additional Half Hour	t		UEANL	URETA		23.33	23.33				 	20.35	10.54	13.32	13.32
 	CLEC to CLEC Conversion Charge Without Outside Dispatch	t e					20.00	20.00		1			20.00	10.04	10.02	10.02
	(UVL-SL1)			UEANL	UREWO		15.80	8.95				1	20.35	10.54	13.32	13.32

ATEGORY RATE ELEMENTS INDIA RATE ELEMENTS INDI	UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
ATTEMPT ATT ELEMENTS PART ELEM	- ·- •			1			1						Svc Order	Svc Order				
RATE GLERKYS - Many Services - Market Services -																		
ACT-COMP RATE ELEMENTS IN BOOK BEES BOOK STATES (1) FATES (1) FOR STATES (1) FOR				1													_	_
Part Part	CATEG	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Part				m						***			per Lor	per Lor				
Note																		
Manufact Vision Long Name People (Prince Description Control Prince Descr															151	Auu	DISC 1St	DISC Add I
Inflamental Vision Loss Nan-Omero Vision Loss (Illing to RST)								Boo	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
Description makes up (Exponents Information 1- EL)								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Manual Chief Coopening for VLA, 51 to give feet VLAS VLAS			Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
Prince Constitution of Specified Convention Time for UN-SLT SEAN S																		
Bigs LSSN			Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
2-Wile (Bisburdlet COPPEL LOOP 1																		
Public Information Company Long - Non-Degraph Caper Long - 1 1 USC URCOX 13.10 31.00 20.00 10.06 1.41 20.00 10.65 10.54 13.20 13.2						UEANL	OCOSL		34.29	34.29								
2 Wite Unknowled Copyer Loop - Nan-Designed - Zone 3 1 2 UEO UEOX 17:23 31:39 20:02 10:68 1.41 20:33 10:54 13:32 13:33 13:34		2-WIRE																
2 Wire Unknowled Copper Loop - Non-Designed - Cone 3 1 3 UEO UREX 2 : 03 31 : 00 31 : 00 31 : 00 32 10 : 00 : 0				+														
Disburded Micelianeous Rate Element, Tog Loop at End User UEQ UERT 8.33 0.65 10.56 10.56 11.32 13.32				ı														
Permiss					3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Minus Code Contraction 2 Wire Unbounded Copper Loop -							l											
Non-Designed (per loop) UEO USBMC 36.52 36.52	<u> </u>			ļ	1	UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
Unburided Copper Loop, Non-Design Coopper Loop, Elling for SET professing nature up (Engine market professing nature up (Engine market) (Enginemen				1	1	LIFO	LICDAGO		00.50	00.50			1	1		I		1
BET proxising invale-up (Engineering Information: £1.)	\vdash			!	1	UEQ	OSRIVIC		36.52	36.52				ļ		-	 	├
Lings Feeling - Basic Salt Mel Hour				1	1	LIFO	LIEOVALI		00.00	00.00			1	1	00.0=	10.51	10.00	10.00
Lucy Testing - Base: Additional Half Hour UEC URETA 23.33 23				<u> </u>	+													
CLEC to CLEC Conversion Charge Without Quissée Disparch (UCC) UREWO 14.29 7.44 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.33 13.32 13.33 13.33 13.33 13.34	\vdash			<u> </u>	-													
UCC_ND UEQ				-	+	UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
NUMBURGE EXCHANGE ACCESS LOOP 2 Wire Analog Voice Grade Loop-Service Level 1-Line Spitting 1 UEPSR UEPSB UEALS 13.19 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.33 2 2 2 2 2 2 2 2 2						LIEO	LIDEWO		14.20	7 11					20.25	10.54	12 22	12 22
Parker Analog Vote Grade Loop-Service Level 1-Line Splitting- 1 UEPSR UEPSB UEALS 13.19 31.99 20.02 10.66 1.41 20.35 10.54 13.32 13.35 13.37 13.39 20.02 10.66 1.41 20.35 10.54 13.32 13.35 13.39 20.02 2 Wire Analog Vote Grade Loop-Service Level 1-Line Splitting- 2 UEPSR UEPSB UEALS 17.23 31.99 20.02 10.66 1.41 20.35 10.54 13.32 13.35 13.	LIMBUM	DI ED I		-	+	UEQ	UKEWO		14.29	7.44					20.33	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1	+		+									-		
Zone 1		Z-VVIINL			+		+											
2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 2 Wife Analog Visios Grade Loop-Service Level 1-Line Splitting- 3 WEPSR UEPSR UEALS 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.					1	HEDSD HEDSB	LIEALS	13 10	31 00	20.02	10.65	1 /1			20.35	10.54	13 32	13 32
Zone 1					+ '	OLI OK OLI OB	OLALO	13.13	31.33	20.02	10.03	1.41			20.55	10.54	10.02	10.02
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSR UEALS 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.33 13.34 1					1	LIEPSR LIEPSR	LIFARS	13 10	31 99	20.02	10.65	1 41			20.35	10.54	13 32	13 32
Zone 2			1		<u> </u>	OLI OIL OLI OD	OLABO	10.10	01.00	20.02	10.00	1.41		1	20.00	10.04	10.02	10.02
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- 2 UEPSR UEPSB UEAS 17.23 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32					2	LIEPSR LIEPSB	UFALS	17 23	31 99	20.02	10.65	1 41			20.35	10.54	13.32	13.32
Zone 2 Zone 3 Z				t -														
2 Wire Analog Voice Grade Loop-Service Level 1-Line Spitting- Zone 3					2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Zone 3			2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zone 3 3 UESR UESB UEABS 22.53 31.99 20.02 10.66 1.41 20.35 10.54 13.32 13.3					3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBUNDLED EXCHANGE ACCESS LOOP			2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
2-WIRE ANALOG VOICE GRADE LOOP					3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2-Wire Analog Voice Grade Loop - Service Level 2 WiLoop or Ground Start Signaling - Zone 1																		
Ground Start Signaling - Zone 1		2-WIRE	ANALOG VOICE GRADE LOOP															
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 2 UEA																		
Cround Start Signaling - Zone 2					1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 3 UEA UEAL2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32										40							40	10
Ground Start Signaling - Zone 3 3 UEA UEAL 2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32	$\vdash \vdash$			<u> </u>	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)									== 00	40.00								40.00
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 1 UEA UEAR2 16.56 75.06 48.20 28.70 17.64 20.35 10.54 13.32 1					3			28.28		48.20	28.70	17.64			20.35	10.54	13.32	13.32
Battery Signaling - Zone 1	\vdash			<u> </u>	-	UEA	OCOSL		34.29									
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 2 UEA					1	LIEA	LIEADO	16.56	75.06	49.20	20.70	17.64			20.25	10.54	12 22	12.22
Battery Signaling - Zone 2	\vdash			 	+-	ULA	UEARZ	10.56	75.06	40.20	20.70	17.04			20.35	10.54	13.32	13.32
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 3					2	LIEV	I IEAD2	21.62	75.06	49.20	29.70	17.64			20.25	10.54	12 22	12 22
Battery Signaling - Zone 3 3 UEA UEAR2 28.28 75.06 48.20 28.70 17.64 20.35 10.54 13.32 13.32 13.32 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 34.29						OLA	ULANZ	21.03	73.00	40.20	20.70	17.04			20.33	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)					3	UFA	UEAR2	28 28	75.06	48 20	28 70	17 64			20.35	10 54	13 32	13 32
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13.3				1	Ť			20.20		70.20	20.70	17.04			20.00	10.04	10.02	10.02
Loop Tagging - Service Level 2 (ŠL2)	\vdash			l	1					36.41					20.35	10.54	13.32	13.32
4-WIRE ANALOG VOICE GRADE LOOP 1 UEA UEAL4 24.70 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 4-Wire Analog Voice Grade Loop - Zone 2 1 UEA UEAL4 32.25 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 42.17 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 Order Coordination for Specified Conversion Time (per LSR) UEA UEA OCOSL 34.29 34.29 39.16 20.35 10.54 13.32 13.32 2-WIRE ISDN DIGITAL GRADE LOOP UEA UEA UEA UEA UEA 0.000 75.06 36.41 36.41 20.35 10.54 13.32 13.32				†	1													13.32
4-Wire Analog Voice Grade Loop - Zone 1		4-WIRE		l	1		1										12.02	12.02
4-Wire Analog Voice Grade Loop - Zone 2 2 UEA UEAL4 32.25 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 42.17 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 34.29 CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13.32 2-WIRE ISDN DIGITAL GRADE LOOP				1	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16	İ		20.35	10.54	13.32	13.32
4-Wire Analog Voice Grade Loop - Zone 3 3 UEA UEAL4 42.17 122.76 85.57 76.35 39.16 20.35 10.54 13.32 13.32 Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 34.29 CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13.32 2-WIRE ISDN DIGITAL GRADE LOOP				1	2								İ					13.32
Order Coordination for Specified Conversion Time (per LSR) UEA OCOSL 34.29 CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13.32 2-WIRE ISDN DIGITAL GRADE LOOP				1														13.32
CLEC to CLEC Conversion Charge without outside dispatch UEA UREWO 75.06 36.41 20.35 10.54 13.32 13.32 2-WIRE ISDN DIGITAL GRADE LOOP 10.54 13.32 13.32 13.32				Ì														
2-WIRE ISDN DIGITAL GRADE LOOP						UEA	UREWO		75.06	36.41	<u> </u>				20.35	10.54	13.32	13.32
2-Wire ISDN Digital Grade Loop - Zone 1 1 UDN U1L2X 22.22 142.76 88.88 76.35 39.16 20.35 10.54 13.32 13.32		2-WIRE	ISDN DIGITAL GRADE LOOP															
			2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32

2 Miles (ESER) Signal Control Construct Train, port 1501 10 NN 1	UNBL	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
## ATE ELEMENTS ## 2 no # 0.00 ## 1500													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
RATE LEMINTS Base BCS USOC Factor Part																		
### ATE CLEMENTS m Zone DGS USC FATES (I)				Intan:														
Part	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
New DETAIL Control Part				m									per Lore	per Lore				
Non-controlled Non-																		
No. Prest April Source SOURCE																	Disc 1st	Disc Add I
Aver BIDN types Gross Lose; Zone 2 2 NN								Poc	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
Name ISSUN (Sigliar Operation For Expending Conversal Train Control (CIV) CONTROL (CIV)									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ontion Controllation Profile Controllation Profile General Controllation Profile (1955) URN OCCOR. 34.29 17.77 44.22 17.20 17.																		13.32
CLEC O CALE Conversion Charge without outside dissourch DEN DEFOO 91.77 44.22 20.35 10.54 13.32 13.3					3			37.95		88.88	76.35	39.16			20.35	10.54	13.32	13.32
Power Asymmetrical Control and Subscription (Parallel Storm Propriet) 1 U/L																		
Wine Unknowled ASE, Logs including narroal service inquity 1							UREWO		91.77	44.22					20.35	10.54	13.32	13.32
No. Friedly reconstant. 70m 1 UAL		2-WIRE		ATIBLE	LOOP													
2 Year Ununeded APE. Log including manual service injury 2 UAL																		
Statisty reservation - Zone 2					1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
2 Vive Unburied APSL Log michanger immust service inquiry 1								40.00										40.00
Stability respondent - Zone 3 July Long 22 Long 20 Long					2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
Orser Coccrimation for Speciation Conversion for Expert Str. SUR. COCSR. 34.29				1			1141.00	00.00	070.01	004.00				1	00.00	40	40.00	40.00
2 Nime Unbounded ADSL Log without manual service inquiry & 1 UAL UALZW 13.82 31.90 20.02 10.66 1.41 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.33 13.34		-		!	3			23.60		234.63	/4.54	39.14	}	-	20.35	10.54	13.32	13.32
Profession resources - Zone 1 1 UAL UALZW 18.85 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.33 13.34 13.				-		UAL	UCUSL		34.29				-		 			
2 Vivo Unbounded ASSL Loop without manual service inquiry & 1				١.		1141	1141 014/	40.00	24.00	20.02	40.05	4 44			20.25	40.54	40.00	40.00
Intellige Preservation - Zeroe 2				'	1	UAL	UALZVV	13.82	31.99	20.02	10.05	1.41	-	-	20.35	10.54	13.32	13.32
2 Wine Unbunded ADS. Loop without manual service requiry & 1 and UAL. UAL.PW 23.60 31.99 20.00 10.65 1.41 20.35 10.54 13.22 13.22 13.23 13.24				١.	_	1141	1141 014/	40.05	24.00	20.02	40.05	4 44			20.25	40.54	40.00	40.00
facility reservation - Zone 1		-		-		UAL	UALZVV	10.05	31.99	20.02	10.65	1.41	ł	-	20.33	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)					2	LIAI	1101 200/	22.60	21.00	20.02	10.65	1 //1			20.25	10.54	12 22	12 22
CLEC to CLEC Conversion Change without outside dispanch UAL UREWO 31.99 20.02 20.02 20.05 10.54 13.32 13.32 13.32 20.02 20.05					3			23.00		20.02	10.03	1.41	1		20.33	10.54	13.32	13.32
2 Wire Unbundled HDS, Loop including manual service inquiry 1 UHL UHL2X 16.83 270.01 23.463 74.54 39.14 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.33 13										20.02					20.25	10.54	12 22	12 22
2 Wire Unburdied HDSL Loop Including manual service inquiry 1 UHL		2-WIDE		TIBLE	OOP	OAL	OKEVVO		31.33	20.02			†		20.00	10.54	10.02	10.02
S facility reservation - Zone 1		_ *****		T T	1		+						1					
2 Wire Unbundled HDSL Loop including manual service inquiry 2 UHL					1	UHI	UHI 2X	10.83	270.01	234 63	74 54	39 14			20.35	10.54	13.32	13.32
Stability reservation - Zone 2					<u> </u>	01.12	O. ILLA	10.00	2, 0.0.	20 1.00	7	00.11	1		20.00	10.01	10.02	10.02
2 Wire Unbundled HDSL Loop including manual service inquiry 8 locality reservation - Zone 3 1 JHL UHLZX 18.50 Z70.01 Z34.63 74.54 39.14 20.35 10.54 13.32 13.32 13.32 13.32 13.32 13.32 13.32 13.32 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 manual service inquiry and facility reservation - Zone 1 manual service inquiry and facility reservation - Zone 3 J JHL UHLZW 18.50 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 J JHL UHLZW 18.50 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 3 JHL UHLZW 18.50 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 3 JHL UHLZW 18.50 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 4 WIRE HIGH ST RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 WIRE Unbundled HDSL Loop inducing manual service inquiry and facility reservation - Zone 1 JHL UHLZW 18.50 31.99 20.02 10.55 13.32 13.32 4 WIRE HIGH ST RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 WIRE Unbundled HDSL Loop inducing manual service inquiry and facility reservation - Zone 1 JHL UHLZW 18.50 279.60 244.22 74.54 39.14 20.35 10.54 13.32 13.32 4 WIRE HIGH ST RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 WIRE Unbundled HDSL Loop inducing manual service inquiry and facility reservation - Zone 2 JHL UHLZW 18.20 279.60 244.22 74.54 39.14 20.35 10.54 13.32 13.32 4 WIRE Unbundled HDSL Loop inducing manual service inquiry and facility reservation - Zone 3 JHL UHLZW 18.20 279.60 244.22 74.54 39.14 20.35 10.54 13.32 13.32 4 WIRE Unbundled HDSL Loop inducing manual service inquiry and facility reservation - Zone 1 JHL UHLZW 18.20 279.60 244.22 74.54 39.14 20.35 10.54 13.32 13.32 4 WIRE Unbundled HDSL Loop inducing manual service inquiry and facility reservation - Zone 2 JHL UHLZW 18.20 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.32 4 WIRE HORD HORD HORD HORD HORD HORD HORD HORD					2	UHI	UHI 2X	14 15	270.01	234 63	74 54	39 14			20.35	10.54	13.32	13.32
Stability reservation - Zone 3					_	0.1.2	O. ILLA		270.01	20 1.00	7	00.11	İ		20.00	10.01	10.02	10.02
2 Wire Unburdled HDSL Loop without manual service inquiry and facility reservation - Zone 1					3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
and facility reservation - Zone 1			Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2			2 Wire Unbundled HDSL Loop without manual service inquiry															1
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2			and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 1 3 UHL UHLW 18.50 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13			2 Wire Unbundled HDSL Loop without manual service inquiry															
and facility reservation - Zone 3			and facility reservation - Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 31.99 20.02 20.35 10.54 13.32 13.32 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 UHL UHL4W 13.93 279.60 244.22 74.54 39.14 20.35 10.54 13.32																		
CLEC to CLEC Conversion Charge without outside dispatch				- 1	3			18.50		20.02	10.65	1.41			20.35	10.54	13.32	13.32
### HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HIGL) COMPATIBLE LOOP ##Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 ##Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 ##Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 ##Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 ##Wire Unbundled																		
## Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 ## Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 ## Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 ## Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 ## Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 ## Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 ## Under Und				I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
and facility reservation - Zone 1		4-WIRE		TIBLE	LOOP													
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2					١.													
and facility reservation - Zone 2					1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) UHL UHL4W 13.93 3 UHL UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93 1 UHL4W 13.93								40.00	070.00	044.00	74.54	00.44			00.05	40.54	40.00	40.00
and facility reservation - Zone 3					2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14	-	-	20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)					2		11111 47	22.00	270.00	044.00	74.54	20.44			20.25	40.54	40.00	40.00
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1					3			23.80		244.22	74.54	39.14	-	-	20.35	10.54	13.32	13.32
and facility reservation - Zone 1				-	-	UNL	OCOSL		34.29				 					-
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2					1	LILI	11111 414/	12.02	21.00	20.02	10.65	1 //1			20.25	10.54	12 22	12 22
and facility reservation - Zone 2				- ' -	<u> </u>	OFF	OI IL4VV	13.33	31.55	20.02	10.03	1.41	<u> </u>		20.33	10.54	13.32	13.32
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3					2	ПНІ	LIHL 4W	18 20	31 99	20.02	10.65	1 41			20.35	10 54	13 32	13 32
and facility reservation - Zone 3				<u> </u>		OTTE	OTILATIV	10.20	01.00	20.02	10.00	1.41	†		20.00	10.04	10.02	10.02
Order Coordination for Specified Conversion Time (per LSR)				L	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1 41			20.35	10.54	13.32	13.32
CLEC to CLEC Conversion Charge without outside dispatch 1				<u> </u>	Ŭ			20.00		20.02	10.00		İ		20.00	10.01	10.02	10.02
4-WIRE DS1 DIGITAL LOOP JUSIAN ST.73 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11				I						20.02					20.35	10.54	13.32	13.32
4-Wire DS1 Digital Loop - Zone 2 2 USL		4-WIRE		İ														1
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 98.59 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.95 Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 34.59<			4-Wire DS1 Digital Loop - Zone 1	İ	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 34.59 Image: Conversion Con			4-Wire DS1 Digital Loop - Zone 2		2	USL			313.08	219.72	96.86				18.98			11.95
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 130.47 40.11 20.35 10.54 13.32 13.32					3			98.59		219.72	96.86	40.45			18.98	8.43	11.95	11.95
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
		4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															

UNBUN	IDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	oit: A
0.1201												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
<u> </u>	2-WIRE	Unbundled COPPER LOOP	ļ	<u> </u>		 									ļ		-
		2-Wire Unbundled Copper Loop-Designed including manual		l .													
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual		_													
		service inquiry & facility reservation - Zone 2	l l	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual	١.													40.00	
\vdash		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		36.52	36.52								——
		2-Wire Unbundled Copper Loop-Designed without manual		Ι.				0.4.00		40.00						40.00	
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual				LIOL DIA	47.00	04.00	00.00	40.05				00.05	40.54	40.00	40.00
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual	١.	3	UCL	LIOL DIA	00.50	04.00	00.00	40.05				00.05	40.54	40.00	40.00
-		service inquiry and facility reservation - Zone 3		3		UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
\vdash		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLIVIC		36.52	36.52								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	l ,		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	. WIDE	COPPER LOOP			UCL	UKEWU		31.99	20.02					20.33	10.54	13.32	13.32
	+-VVIICE	4-Wire Copper Loop-Designed including manual service inquiry		1		+											
		and facility reservation - Zone 1	l ,	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
\vdash		4-Wire Copper Loop-Designed including manual service inquiry	<u> </u>	+ '-	UCL	UCL43	24.70	122.70	65.57	70.33	39.10			20.33	10.54	13.32	13.32
		and facility reservation - Zone 2	l ,	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry	i i	-	OOL	OOL-10	02.20	122.70	00.01	70.00	00.10			20.00	10.04	10.02	10.02
		and facility reservation - Zone 3		3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ť	UCL	UCLMC	.2	36.52	36.52	7 0.00	00.10			20.00	10.01	10.02	10.02
		4-Wire Copper Loop-Designed without manual service inquiry			002	002.110		00.02	00.02								
		and facility reservation - Zone 1	Li	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2	Li	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 3	1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		36.52	36.52								i
		CLEC to CLEC Conversion Charge without outside dispatch		1													i
		(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP M	ODIFIC	CATION															i
					UAL, UHL, UCL,												i
					UEQ, ULS, UEA,												í
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												ł
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															ı
		less than or equal to 18K ft, per Unbundled Loop	<u> </u>	<u></u>	UHL, UCL, UEA	ULM4L	<u> </u>	65.40	65.40	<u> </u>				20.35	10.54	13.32	13.32
					UAL, UHL, UCL,							1					ı ————
			l		UEQ, ULS, UEA,	1											l .
		Unbundled Loop Modification Removal of Bridged Tap Removal,	l		UEANL, UEPSR,	1											l .
		per unbundled loop	l	<u> </u>	UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LO				<u> </u>	ļ	1											 '
1 1	Sub-Lo	op Distribution	l	l	İ	1	1			l		l	l	l	I		, !

LINDUNDI	ED NETWORK ELEMENTS. Terrocces												A441			
ONBONDE	LED NETWORK ELEMENTS - Tennessee	1	1	ı		1					Cue Ouden	Cua Ondan		ment: 2		bit: A
											Submitted		Incremental	Incremental		Incremental
											I .	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
OATEGORI	NATE ELEMENTO	m	20110	500	0000			ιατι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			_	Nonrecurring		Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
															1	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.					0.40.04								40.00	40.00
—	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- 1	1	UEANL	USBSC		313.01	313.01			1		20.35	10.54	13.32	13.32
	Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '	1	ULANL	03030		100.00	100.00			1		20.33	10.34	13.32	13.32
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Otatomac		3**	OL7114L	COBINE	10.02	140.04	112.04	70.14	00.00	1		20.00	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		34.29	34.29							1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1	<u> </u>	1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98	<u> </u>		20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														1	
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
															l .	
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL UEANL	USBMC USBR2	4.05	34.29 94.56	34.29 29.35			1		20.35	10.54	13.32	13.32
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	1	UEANL	USBRZ	1.35	94.56	29.35			 		20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29							1	
 	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		 	UEANL	USBR4	2.26	116.14	37.10			<u> </u>		20.35	10.54	13.32	13.32
	Cab Edop 4 Wile intraballaling Network Cable (into)	<u> </u>	1	OLITAL	OODI(4	2.20	110.14	07.10			1		20.00	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29							l .	
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09	ļ		20.35	10.54	13.32	13.32
	0-10			UEF	USBMC		34.29	34.29							1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.52	34.29 117.12	34.29 44.30	99.96	16.98	.		20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98	1		20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98		<u> </u>	20.35	10.54	13.32	13.32
	Torrain on our book blombatton bond o	T .	Ť		2 30	4	12	00	55.50	.5.50			20.00	10.04		.0.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29							1	
	Loop Testing - Basic 1st Half Hour			UEF	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEF	URETA	_	23.33	23.33								
Unb	undled Network Terminating Wire (UNTW)															
—	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48			ļ		20.35	10.54	13.32	13.32
Netv	work Interface Device (NID)	 	1	LIENTAL	LINDAO		00.00	F4 F0	0.0004	0.0004			20.05	40.54	40.00	40.00
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	+	1	UENTW UENTW	UND12 UND16		89.69 129.65	54.56 94.51	0.6391 0.6522	0.6391 0.6522	 		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
\vdash	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W	 	1	UENTW	UND16 UNDC2		129.65	94.51	0.6522	0.0522	}	-	20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W	t	1	UENTW	UNDC4		11.11	11.11			 		20.35	10.54	13.32	13.32
UNE OTHER	R, PROVISIONING ONLY - NO RATE	t					11.11	11.71					20.00	10.04	10.02	10.02
	NID - Dispatch and Service Order for NID installation	1		UENTW	UNDBX	0.00	0.00							İ		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate	<u> </u>		ENTW	UNECN	0.00	0.00						ļ	ļ		
UNE OTHER	R, PROVISIONING ONLY - NO RATE															
		1		l	1										1	
	Haland Halanda Arand Nama Barata and Aranda Aranda and Aranda Ara	1		UAL,UCL,UDC,UDL,	LINIEON	0.00	0.00								1	
\vdash	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	-	1	UDN,UEA,UHL,ULC	UNEUN	0.00	0.00				1	-	-		 	
	rate	1		UEA,UDN,UCL,UDC	LISBEO	0.00	0.00								1	
\Box	Tale			OLA,ODIN,OCL,ODC	USBFU	0.00	0.00		l	l	l	L	l	l		

ACTIONY RATE LLAMATS Name Zero DCS USO RATES (b) Sechnitic Section Corporation Corpo	UNBI	JNDLF	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	oit: A
## AFT ELEMENTS Phin Date DEC BACK BATE () Charge Ch	3.13		ELEMENTO TOMOGOGO			1							Svc Order	Svc Order				
RATE SLEENENTS March 2 ms BCS UBOC RATE SLEENENTS PLAN SUBJECT Color					1													
CATEGORY SATE ELEMENTS				Intori	1													
Description	CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
Page Page				m									po. 20.1	po. zo.				
																	Disc 1st	Disc Add'l
	-	_							Monrocurring		Monrocurrino	Disconnect			088	Pates (\$)		
International Status of President Vivo Condition Country or 100 International Country or		1					1	Rec		I'bb4			SOMEC	SOMAN			SOMAN	SOMAN
Column C			Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		 		1		11130	Addi	11130	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
Unisorated IST LEPS - Eganded Superfurine Former opens USL COOSE U.S.						UEA,USL,UCL,UDL		0.00	0.00									1
No. 00 N						USL	CCOSF	0.00	0.00									
HIGH CAPACITY UNRIANCED LOCAL LOOP																		1
Fight Council United Load Loap - 1933 - Per Mile per U.S. U					ļ	USL	CCOEF	0.00	0.00									1
Minute M	HIGH	CAPACI																
High Capacity (Unbrodied Local Loop - 1515 - 1 Per Mis per UES UESPX 374.24 565.37 304.50 234.65 170.16 56.84 56.8						I IE3	11 5ND	0.10										1
Termination per month US3 US5PX 374.24 595.37 304.60 234.83 170.16 9.644 36.64 3		+				023	TESIND	3.13										
High Capacity Unbounded Load Load Sept 3514 - Pa Mile per U.O. 6.X						UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		1
Tight Capacity Unbrunded Local Loop - 1975 - Facility Urb. SX Urb. SX 308-35 596-37 304-50 215.82 151.15 36.84 36.84								\$1										
Note (1) Face provided in T Nor both electronic and manual Loop Makeup are inserin and subject to retro-extinct true up adjustments pending a permanent root uning on these rates elements from the Tennessee Regularious yathrority.						UDLSX	1L5ND	9.19										1
Note (1): Rates provided in TN for both electronic and manual Loop Makeup are interim and subject to retro-active true-up adjustments pending a permanent rate ruling on these rate elements from the Temessee Regulatory Authority.																		
CopP MARCUP Loop Makeup - Proceeding Without Reservation, per working or upon testing years (active years)																		
Loop Makeap-Precordently Without Reservation, per sorting of R ULINK UMR/LV 0.76 0.76 0.76 19.99	1.000			Makeu	p are ir	nterim and subject to	retro-active	true-up adjust	ments pending	a permanent	rate ruling on t	hese rate elen	nents from t	he Tenness	ee Regulatory	y Authority.		
Spring facility quested (Minus) 1999 1	LOOP	MAKE-U																
Loop Makeup - Precordeng With Reservation, per spanse facility Question (Manual). Loop Makeup - Without Reservation, per working or 19.99 19				R		LIMK	LIMKI W		0.76	0.76					19 99	19 99	19 99	19 99
Quarted (Menush) NOTE : 100/22003 - 100/12004 25% of the rate for an unbundled copper loop non-designed (*UCLNO*) NOTE : 100/22003 - 100/12004 25% of the rate for an unbundled copper loop non-designed (*UCLNO*) NOTE : 100/22003 - 100/12004 25% of the rate for an unbundled copper loop non-designed (*UCLNO*) NOTE : 100/22003 - 100/12004 25% of the rate for an unbundled copper loop non-designed (*UCLNO*) NOTE : 100/22003 - 100/12004 25% of the rate for an unbundled copper loop non-designed (*UCLNO*) NOTE : 100/22003 - 100/12005 25% of the rate for UCLNO NOTE : 100/22003 - 100/12005 25% of the rate for UCLNO NOTE : 100/22003 - 100/12005 25% of the rate for UCLNO NOTE : 100/22003 - 100/12005 25% of the rate for UCLNO NOTE : 100/22003 - 100/12005 25% of the rate for UCLNO NOTE : 100/22003 25% of the ra		1		- '`	1	OWIT	OWNER		0.70	0.70			†		10.00	10.00	10.00	10.00
Sparse facility queried (Mechanized)				R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
LINE SHARING AND LINE SPLITTING NOTE : 1:00:22003 nonthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																		
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:				R		UMK	UMKMQ		0.76	0.76								ı
NOTE :1:00/22003 -1001/22005 59%-of the rate for a unbundled copper loop non-designed ("UCLND") NOTE :1:00/22006 59%-of the rate for UCLND NOTE :1:00/22006 59%-of the rate in the rate for UCLND NOTE :1:00/22006 59%-of the rate in the rate for UCLND NOTE :1:00/22006 59%-of the rate in the rate	LINE S																	
NOTE 1: 100/22004 - 1001/2000: 579/ of the rate for UCLND NOTE 1: Above will apply to USCOS; ULSDT and ULSCT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT and ULSCT NOTE 1: Above will apply to USCOS; ULSDT and ULSCT NOTE 1: Above will apply to USCOS; ULSDT and ULSCT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1: Above will apply to USCOS; ULSDT NOTE 1:								idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
NOTE 1:10022003 - 10012006: 79% of the rate for UCLND NOTE 1:10022003 USCS: ULSD to USCS: ULSD	-			opper Io	op noi	n-designed ("UCLNL)")											
NOTE 1: Above will apply to USOCS: ULSDT and ULSCT	-				<u> </u>		1											
NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003					1								†					
SPLITTERS-CENTRAL OFFICE BASED				SDC and	d ULSO	CC applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03							
Line Sharing Splitter, per System 96 Line Capacity U.S ULSDR 100.00 150.00 0.00 0.00 0.00 0.00 20.35 10.54 13.32 13.		LINE S	HARING			l												
Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per Cover A activation (per LSOD) Line Sharing Splitter, cover A activation (per LSOD) Line Sharing - per Line Activation (BST Owned splitter) - OSSOLETE see "NOTE 2 Line Sharing - per Line Activation (BST Owned splitter) - Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter) Line Sharing Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 Line Sharing Service, TRO per line activation, BST owned splitter - Central Office Located (5% of UCLND) - please see NOTE 1 Line Sharing - per Subsequent Activity per Line Activation (LEC owned Splitter) Line Sharing - per Subsequent Activity per Line Activation (LEC owned Splitter) Line Sharing - per Subsequent Activity per Line Activation (LEC owned Splitter) Line Sharing - per Subsequent Activity per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter) Line Sharing - per Line Activation (LEC owned Splitter)		SPLIT																
Line Sharing-DLEC Owned Splitter in CO-GFA activation-deactivation (per LSDD) ULS ULSDG 163.06 0.00 92.71 0.00 20.35 10.54 13.32 13.32					<u> </u>													
Description (per LSOD)		ļ				ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING							LII CDC		402.00	0.00	00.74	0.00			20.25	40.54	40.00	40.00
Line Sharing - per Line Activation (BST owned splitter) - OBSOLETE see "NOTE 2 ULS ULSDC 0.61 40.00 31.39 0.00 0.00 20.35 10.54 13.32 13.32	-	ENDII			-	ULS	ULSDG		163.06	0.00	92.71	0.00	-		20.35	10.54	13.32	13.32
DBSOLETE see "NOTE 2		LIND																
Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 ULS ULSDT						ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
CE:10/2/2003 ULS ULSDT 2.94 40.00 31.39 0.00 0.00 0.00																		
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Rearrangement(BST Owned Splitter) ULS ULSD U			Central Office Located (25% of UCLND) - please see NOTE 1															1
Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)						ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						1
CE:10/2/2004)																		1
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)									40.00									1
Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)		-	(/			ULS	ULSDI	5.87	40.00	31.39	0.00	0.00						
CE:10/2/2005 ULS ULSDT 8.81 40.00 31.39 0.00 0.00 0.00																		1
Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) ULS ULSDS 30.00 15.00 20.35 10.54 13.32						IIIS	LILSDT	8 81	40.00	31 39	0.00	0.00						1
Rearrangement(BST Owned Splitter)		1		l	t		32001	0.01	40.00	01.00	0.00	0.00	1			1		
Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) ULS ULSCS 30.00 15.00 20.35 10.54 13.32					1	ULS	ULSDS		30.00	15.00				1	20.35	10.54	13.32	13.32
Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2 ULS ULSCC 0.61 47.44 19.31 0.00 0.00 20.35 10.54 13.32 13.						III S	HISCS		30.00	15.00					20.35	10.54	13 32	13 32
Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) ULS ULSCT 2.94 47.44 19.31 0.00 0.00 ULS ULSCT 2.94 47.44 19.31 0.00 0.00 ULS Splitter - Central Office Located (50% of UCLND) - please see			Line Sharing - per Line Activation (DLEC owned Splitter) -					0.01			0.00	0.00	<u> </u>					
Splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)	-	+		-	!	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00	-		20.35	10.54	13.32	13.32
NOTE 1 (E:10/2/2003)	1				1									1				ı
Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see					1	ULS	ULSCT	2 94	47 44	19.31	0.00	0.00						i
splitter - Central Office Located (50% of UCLND) - please see		1			t		32001	2.04	71.74	10.01	0.00	0.00						
NOTE 1 (E:10/2/2004) ULS ULSCT 5.87 47.44 19.31 0.00 0.00	1		splitter - Central Office Located (50% of UCLND) - please see		1													ļ I
			NOTE 1 (E:10/2/2004)		<u> </u>	ULS	ULSCT	5.87	47.44	19.31	0.00	0.00		<u> </u>				

CATEGORY RATE ELEMENTS Inter- March Sub-control	Exhib	Exhibit: A
CATEGORY BATE ELEMENTS Internal Inte		
CATEGORY RATE ELEMENTS Initial Property Source	- Charge -	arge - Charge -
CATEGORY RATE ELEMENTS		
Record Secretaria Secreta		
Test		
Comparison Com		
Line Share Service. TRO per line activation, CLEC owned Line Share Service. TRO per line activation, CLEC owned Line Share Service. TRO per line activation St cannot grow of UCLNO) - pieces see Line Share Service. Service. Service Service. Service. Service Service. Service Service. Service Service. Service Service. Service Service. Service Service. Service Service. Service. Service Service. Service Service. Service Service. Service Service. Service Service. Service Service. Service Service. Service. Service Service. Serv	DISC ISL	C ISI DISC AUG
Intelligence Inte		
Spitiar - Central Office Located (70% of LOLAD) - plasses see U.S. U.S.CT 8.81 47.44 10.31 0.00 0.00	SOMAN	MAN SOMAN
Spiller - Central Office Located (79% of LICLND) - pleases see ULS		
Characteristics Characterist		
UNIT UNIT		
Line Spitting-per line activation, DLCC cowned spittler Line Spitting-per line activation SPT count chybridal UEPSR UEPSR URECS 0.61 48.66 21.39 55.06 10.79 20.35 10.5 Line Spitting-per line activation SPT count chybridal UEPSR UEPSR PSR UEPSR		
Line Spitting-per line activation BST owned - physical UEPSR UEPSB UEBSP 0.61 44.95 21.39 35.06 10.79 20.35 10.5		
Line Spitting - per line activation BST owned - virtual LEPSR UEPSR UREBY 0.61 48.96 21.39 35.06 10.79 20.35 10.5		
MAINTENANCE	54 13.32	13.32 13.3
No Trouble Found - per 1/2 hour increments - Desico. No Trouble Found - per 1/2 hour increments - Overtime 170.00 85.05	54 13.32	13.32 13.3
No Trouble Found - per 1/2 hour increments - Overring 120.00 82.50		
No Trouble Found - per 1/2 hour increments - Premium 160.00 110.00		
UNBONDLED DEDICATED TRANSPORT		
UNBOUNCED DEDICATED TRANSPORT		
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade DITTX LEXX D.0054 DITTX LEXX D.0054 DITTX DIT		
Per Mile per month		
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade U1TVX		
Facility Termination		
Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. Park Bey From His Per month Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. U1TVX U1TR2 18.68 55.39 17.37 27.96 3.51 20.35 21.0		
Rev Bat Per Mile per month U1TVX U1TR2 18.58 55.39 17.37 27.96 3.51 20.35 21.0)9	
Interoffice Channel - Dedicated Transport - SWire VG Rev Bat.		
Facility Termination U1TTX U1TR2 18.58 55.39 17.37 27.96 3.51 20.35 21.0		
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade U1TVX		
Per Mile per month)9	
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		
Facility Termination		
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month U1TDX 1L5XX 0.0174		
Der month Interoffice Channel - Dedicated Transport - 56 kbps - Facility U1TDX 1L5XX 0.0174 1.)8	
Interoffice Channel - Dedicated Transport - 56 kbps - Facility U1TDX		
Termination		
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month U1TDX 1L5XX 0.0174 U1TDX		
Der month)9	
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		
Termination		
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		
Month Microffice Channel - Dedicated Tranport - DS1 - Facility U1TD1 U1TF1 T7.86 112.40 T6.27 19.55 14.99 20.35 21.0	19	
Interoffice Channel - Dedicated Transport - DS3 - Facility U1TD1		
Termination		
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		
month mont	19	
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 848.99 395.29 176.56 109.04 105.91 36.84 36.81 36		
Termination per month	\bot	
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 1L5XX 2.34	.	
month	i4	-+-
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		
Termination	+	
DARK FIBER Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel UDF, UDFCX 1L5DF 28.74	.	
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX 1L5DF 28.74 NRC Dark Fiber - Interoffice Channel UDF, UDFCX UDF14 1,121.00 153.19 580.26 357.17 20.35 10.5 20.35 10.5 20.35 20.3	j4	-+-
Thereof per month - Interoffice Channel	\longrightarrow	\longrightarrow
NRC Dark Fiber - Interoffice Channel		
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction UDF, UDFCX 1L5DL 58.83 INRC Dark Fiber - Local Loop UDF, UDFCX UDFL4 1,121.00 153.19 580.26 357.17 20.35 10.50	10.00	40.00
Thereof per month - Local Loop	54 13.32	13.32 13.3
NRC Dark Fiber - Local Loop UDF, UDFCX UDFL4 1,121.00 153.19 580.26 357.17 20.35 10.5		
	40.00	40.00
	54 13.32	13.32 13.3
SAX ACCESS Ten Digit Screening, Per Call OHD 0.0005192	++	\longrightarrow
SXX ACCess 1 en Digit Screening, Per Call OPID 0.0005192 0.0005192 SXX ACCess Ten Digit Screening, Reservation Charge Per 8XX	++	-
Number Reserved OHD N8R1X 5.21 0.76 20.35 20.3	35 13.28	13.28 13.2
Notifiber Reserved OND NORTX 5.21 0.76 20.35 20.3	0 13.28	13.20 13.2
SAX Access fer Digit Screening, Per 8XA No. Established W/O POTS Translations OHD 11.47 1.46 7.34 0.7602 20.35 20.35	35 13.28	13.28 13.2

UNBUN	NDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exh	ibit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incrementa Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
		OVA A Tr. Dirit Oran in Dr. OVAN Franklish LIMIN				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Customized Area of Service			ОПО	INOFIA	 	11.47	1.40	7.34	0.7602			20.33	20.33	13.20	13.20
		Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR			-												
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
		8XX Access Ten Digit Screening, Call Handling and Destination			OUD	NOEDY		4.47						00.05	00.05	40.00	40.00
I INE INE	EODM A	Features TION DATA BASE ACCESS (LIDB)			OHD	N8FDX	-	4.47						20.35	20.35	13.28	13.28
LINE IN		LIDB Common Transport Per Query		1	OQT	1	0.0000354					1	1				
		LIDB Validation Per Query			OQU	1	0.0117403										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		49.03						20.35	20.35	13.28	13.28
SIGNAL																	
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
		CCS7 Signaling Usage, Per TCAP Message			UDB	_	0.0000916										
-		CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	17.84	130.84	130.84			1		20.35	20.35	13.32	13.32
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
		CCS7 Signaling Usage, Per ISUP Message			UDB	111177	0.0000373	130.04	130.04					20.55	20.55	13.32	10.02
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
		Signaling Point Code, per Originating Point Code Establishment															
		or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING		E (CNAM) SERVICE															
		CNAM For DB Owners - Service Establishment			OQV	_		43.27									
-		CNAM For Non DB Owners - Service Establishment			OQV	-	1	43.27					-				1
		CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV			1,868.00	1,382.00								
		CNAM For Non DB Owners - Service Provisioning With Point			OQV	+	 	1,000.00	1,302.00								1
		Code Establishment			oqv			645.50	432.23								
		CNAM for DB Owners, Per Query			OQV		0.0010541										
		CNAM for Non DB Owners, Per Query			OQV		0.0010541										
		CNAM (Non-Databs Owner), NRC, applies when using the															
		Character Based User Interface (CHUI)			OQV	CDDCH								20.35	20.35	13.28	13.28
SELECT		Selective Routing Per Unique Line Class Code Per Request Per		1		+	1	-				1					
		Switch						179.60	179.60					20.35	20.35		
VIRTUA		-OCATION				+		173.00	173.00					20.55	20.55		1
1		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			İ	1	1					1		İ			1
		Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSIC		LOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line		1													
AIN CE		Splitting E CARRIER POLITING		-	UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66	<u> </u>		19.99	19.99	19.99	19.99
AIN SEL		E CARRIER ROUTING Regional Service Establishment		-	SRC	SRCEC	-	190.638.00		1		1		20.35			-
-		End Office Establishment			SRC	SRCEO	 	317.55	317.55	3.19	3.19	 	 	20.35	20.35	13.28	13.28
		Query NRC, per query			SRC	311020	0.0206047	317.33	317.33	5.19	5.19			20.00	20.00	10.20	10.20
AIN - BE		JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		135.56	135.56			<u> </u>		20.35	20.35	13.28	13.28
				1	l		1	l l									
\vdash		AIN SMS Access Service - Port Connection - Dial/Shared Access		-	A1N	CAMDP CAM1P	 	41.75	41.75	1		 	-	20.35	20.35	13.28 13.28	13.28
		AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User		-	A1N	CAMTP	-	41.75	41.75	1		1		20.35	20.35	13.28	13.28
		ID Code			A1N	CAMAU	1	96.63	96.63					20.35	20.35	13.28	13.28
		AIN SMS Access Service - Security Card, Per User ID Code,				C/ 111// 10	<u> </u>	55.05	55.05					20.00	20.00	10.20	15.20
		Initial or Replacement		L	A1N	CAMRC	<u> </u>	113.67	113.67			<u></u>	<u></u>	20.35	20.35	13.28	13.28
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
		AIN SMS Access Service - Session, Per Minute			1		0.0820123					1	1		1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l	Disc 1st	Disc Add'l
													1st	Add I	DISC ISL	DISC Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.27										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per													l		1
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															ĺ
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															ĺ
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															ĺ
	Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	EXTENDED LINK (EELs)	<u> </u>	1		<u> </u>						<u> </u>					
	: The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	ly Combined' I	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	טא טביו	I INTER			40.50	108.76	25 47	70.04	40.00	-	ļ	20.35	21.09		
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2 UEAL2	16.56		35.47	72.94	10.86	-		20.35			
\vdash	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3	+	3	UNCVX UNCVX	UEAL2 UEAL2	21.63 28.28	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86	-	-	20.35	21.09 21.09	-	
\vdash	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	OINCVA	UEAL2	∠8.∠8	108.76	35.47	12.94	10.86			∠0.35	∠1.09		
	per month	1		UNC1X	1L5XX	0.3562					1	1				1
 	Interoffice Transport - Dedicated - DS1 combination - Facility	1		OINCIA	ILOAA	0.3362					-					
	Termination per month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90		1	20.35	21.09		1
 	1/0 Channelization System in combination Per Month	 		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.33	21.09		
 	Voice Grade COCI - Per Month	 	 	UNCVX	1D1VG	0.91	5.70	4.42	5.04	2.14						
 	VOICE CLAUGE COOL 1 OF MICHIEF	t		J	.5.40	0.31	5.70	7.72				-				
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1
		†	<u> </u>		1	10.00	100.70	55.41	72.34	10.00			20.00	21.00		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		1
	The second secon	t				00			1 _ 10 1	. 5.00						
1 1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1
	Voice Grade COCI - Per Month	1	Ť	UNCVX	1D1VG	0.91	5.70	4.42	1		1					
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12		1	20.35	21.09		1
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTE						ĺ							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	<u> </u>	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
																1
1 1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1	1	20.35	21.09		1

UNBUNI	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental	Incremental	Incremental
												Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-					+	_	Nonrecurring		Nonrecurring	Disconnect		l	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			0.1017	120701	0.0002			1							
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
-	_	Voice Grade COCI in combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.91	5.70	4.42								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional Voice Grade COCI in combination - per month		Ŭ	UNCVX	1D1VG	0.91	5.70	4.42	72.04	10.00			20.00	21.00		
		Nonrecurring Currently Combined Network Elements Switch -As-															
	/TEN	Is Charge	0.4.7.5.0	DO4 IN	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E)	CIEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	D51 IN	TEROFFICE TRANS	SPORT											
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		_	011027	05200	00.11	100.70	00.17	72.01	10.00			20.00	21.00		
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - combination Facility			LINIOAY	U1TF1	77.00	474.04	440.40	70.07	00.00			00.05	04.00		
-	_	Termination Per Month 1/0 Channel System in combination Per Month			UNC1X UNC1X	MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74			20.35	21.09		
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	0.04	2.17						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
-		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	011027	02200	10.01	100.70	00.17	72.01	10.00			20.00	21.00		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			LINCDY	1D1DD	0.91	F 70	4.42								
	-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	טטוטו	0.91	5.70	4.42	-							
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E)	(TEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
 	-	This 4-wife outcops Digital Grade Loop III Combination - 2016 1		-	OINODA	JDL04	31.10	100.76	33.47	12.94	10.00			20.33	21.09		
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	٦	First A Mire Oddies - Birth Lond - 1 - 1 - 2 - 1 - 1 - 1			LINODY	LIDLC:		400 ==	a= :-						21.0-		
+	-	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Per Month			UNC1X	1L5XX	0.3562										.
		interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	-	1/0 Channel System in combination Per Month OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	80.77 0.91	105.76 5.70	14.48 4.42	3.04	2.74						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			5.13 <i>b</i> /		0.91	5.70	7.72								
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_	LINCDY	LIDI C1	40.01	400 70	05 17	70.0:	10.00			00.0=	04.00		, 7
	-	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		<u>. </u>

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Instant									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Addi	Disc 1st	DISC Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month															l .
	(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								1
	Nonrecurring Currently Combined Network Elements Switch -As-	1														1
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
ļļ	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>04											l .
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	LIATEA	77.00	474.01	110.10	70.0-	00.00			00.0-	04.00		1
\vdash	Termination Per Month	-	-	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCAY	LINICCC		E0 70	24.00	0.40	0.40	1	1	20.25	24.00		1
EVE	Is Charge NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DOG	INITES	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXIE		ED D53	1		USLXX	57.73	228.40	404.74	79.87	24.88	-		20.35	21.09		
	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2		2	UNC1X UNC1X	USLXX	75.40	228.40	161.74 161.74	79.87	24.88			20.35	21.09		
			3													——
	First DS1Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	-		20.35	21.09		
	Per Month			UNC3X	1L5XX	2.34										l .
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	-	-	UNCSA	ILSAA	2.34					-	-				
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		l .
—	3/1Channel System in combination per month		1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			30.04	30.04		—
—	DS1 COCI in combination per month		1	UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77						—
 	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	OCIDI	17.50	3.70	7.72								
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		1
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	ONOTA	OOLAX	37.73	220.40	101.74	13.01	24.00			20.55	21.03		—
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		l .
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	0.10.17	002/01	70.10	220.10		7 0.07	21.00			20.00	21.00		
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		1
	Additional DS1 COCI in combination per month		Ť	UNC1X	UC1D1	17.58	5.70	4.42	70.07	21.00			20.00	21.00		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		l .
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	RT											
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month	<u></u>		UNCVX	1L5XX	0.0174			<u> </u>					<u> </u>		1
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-													l		1
	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD								· ·						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86						
$\sqcup \sqcup$	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
1 1	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per											1				1
\vdash	Month		<u> </u>	UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility				l		=				1	1				1
\vdash	Termination per month	ļ	-	UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOVO	LINICOS		F0 70	04.65	0.40	0.10		1	00.0-	04.00		1
	Is Charge	INITES	 	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	rrice		41 END	0.10						 		 		
\vdash	DS3 Local Loop in combination - per mile per month	-	-	UNC3X	1L5ND	9.19								-		
	DS2 Local Loop in combination Facility Termination are result			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24		1				1 '
	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month	-	 	UNC3X	1L5XX	2.34	240.23	180.87	100.78	45.24		 		-		
	Interonice Transport - Dedicated - D53 - Per Mile per month		L	OINCOV	ILDVY	2.34					1	L		l		1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility				1		11130	Auui	11130	Addi	COME	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
	Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		1
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOON	01113	034.31	402.01	100.01	04.43	33.43			30.04	30.04		
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		1
EVTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	EBOEE		UNCCC		32.73	24.02	9.12	9.12	-	-	30.04	30.04		
LAIL	STS-1 Local Lolp in combination - per mile per month	3-1 1141	LKOFF	UNCSX	1L5ND	9.19										
	STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per	-	-	UNCOA	ILSIND	9.19			 		-	-				
	month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						ı
-			-	UNCSX	UDLST	394.56	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															1
	per month		-	UNCSX	1L5XX	2.34										
1 1	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINGOV				.=0.5:								ı
\vdash	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		ļ	36.84	36.84		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1			I				_	1	1				ı
\perp	Is Charge		<u> </u>	UNCSX	UNCCC	ļ	52.73	24.62	9.12	9.12		ļ	36.84	36.84		
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													1
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		1
	Interoffice Transport - Dedicated - DS1 combination - per mile															ı
	per month			UNC1X	1L5XX	0.3562										ı
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		ı
	1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		ı
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		ı
	Additional 2-wire ISDN COCI (BRITE) - in combination- per		Ŭ	ONON	OTLEX	07.00	100.70	00.41	72.04	10.00			20.00	21.00		
	month			UNCNX	UC1CA	3.24	5.70	4.42								1
	Nonrecurring Currently Combined Network Elements Switch -As-		-	OTTOTAX	0010/1	0.24	0.70	7.72								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		ı
EVTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED OTO	4 INITE				32.73	24.02	9.12	9.12	-	-	20.33	21.09		
LAIL	First DS1 Loop Combination - Zone 1	LD 313	1 4	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	-		20.35	21.09		
	First DS1 Loop Combination - Zone 1	-	2	UNC1X	USLXX	75.40	228.40	161.74		24.88	-	-	20.35	21.09		
\vdash	First DS1 Loop Combination - Zone 2 First DS1 Loop Combination - Zone 3	-		UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	-	-	20.35	21.09		
\vdash	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	-	3	ONCIA	USLAX	98.59	228.40	101.74	79.87	∠4.88			∠0.35	∠1.09		
			1	LINCOV	41.577	1 004]			1	l	1	1	l		ı
\vdash	Per Month	-	-	UNCSX	1L5XX	2.34			 		 			 		
1 1	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINGOV				.=0.5:								ı
\vdash	Termination per month	—	1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43		ļ	36.84	36.84		
\vdash	3/1 Channel System in combination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77						
\vdash	DS1 COCI in combination per month		L	UNC1X	UC1D1	17.58	5.70	4.42	ļ		ļ					
1 1	Additional DS1Loop in the same STS-1 Interoffice Transport		1			I					1	1				ı
	Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	ļ	ļ	20.35	21.09		
1 1	Additional DS1Loop in the same STS-1 Interoffice Transport		1			I				1	l	1	1	l		ı
	Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		1
	Additional DS1Loop in the same STS-1 Interoffice Transport		1			_				I		1	l			
	Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															. <u></u>
	Is Charge		1	UNCSX	UNCCC	I	52.73	24.62	9.12	9.12	1	1	36.84	36.84		ı
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT	EROFF	ICE TRANSPORT			l i									
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -								1	1	ĺ	1	1	ĺ		
1 1	Per Mile per month		1	UNCDX	1L5XX	0.0174				1	I	1	1	1		ı
$\overline{}$	1 · · · · · · · · · · · · · · · · · · ·			1	,	. 0.0								1		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		1
	Nonrecurring Currently Combined Network Elements Switch -As-	-														1
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															i .
—	Per Mile per month	-	-	UNCDX	1L5XX	0.0174										+
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		LINCDY	LIATEC	04.40	70.00	44.00	00.00	24.00	1		20.05	04.00		1
\vdash	Facility Termination per month	-	-	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1	1	UNCDX	UNCCC		52.73	24.62	9.12	9.12	1	1	20.35	21.09		1
EVTE		DANCE	ODT		UNCCC		52.73	24.02	9.12	9.12		-	20.35	21.09		
EXIE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T First 2-wire VG Loop (SL2) in Combination - Zone 1	KANSP	UKI W	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
—	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	-	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		—
 	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		
 	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONCVX	OLALZ	20.20	100.70	33.47	12.34	10.00			20.55	21.03		
	Mile			UNC1X	1L5XX	0.3562										l .
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	TEO/O	0.0002										
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		i .
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.00	21.00		
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.91	5.70	4.42								
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		1
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															l .
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09		——
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															l .
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAN	114754	77.00	474.04	440.40	70.07	00.00			00.05	04.00		l .
	same 3/1 Channel System per month	-	-	UNC1X	U1TF1 UC1D1	77.86 17.58	171.24	113.12	70.07	30.90			20.35	21.09		
—	Each Additional DS1 COCI combination per month			UNC1X	OCIDI	17.58	5.70	4.42				-				
1 1	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EYTE	INSCHARGE NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TO				32.13	24.02	9.12	9.12			20.35	21.09	 	
ILATE	First 4-Wire Analog Voice Grade Local Loop in Combination -	LIVOFF	IOL IK	ANDI ON I WI SIT WI			 				-		 	 	 	
	Zone 1	1	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	1		20.35	21.09		1
	First 4-Wire Analog Voice Grade Local Loop in Combination -		T ·			20		33.11	.2.54				20.00	255	1	
	Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	1		20.35	21.09		1
	First 4-Wire Analog Voice Grade Local Loop in Combination -	t	Ť		12	02.20		33.17	. 2.54				20.00	250	İ	
	Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		i .
	First Interoffice Transport - Dedicated - DS1 combination - Per	i –													1	
	Mile Per Month	1		UNC1X	1L5XX	0.3562					1			I		1
i i	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	3/1 Channel System in combination per month	1		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
\vdash	Per each DS1 COCI in combination per month	ļ		UNC1X	UC1D1	17.58	5.70	4.42					ļ	1	ļ	
	Additional 4-Wire Analog Voice Grade Loop in same DS1			11000	lue at a											1
\vdash	Interoffice Transport Combination - Zone 1	!	1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	ļ		20.35	21.09	 	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		1
	interence transport combination - Zone Z			UINCVA	UEAL4	32.26	108.76	35.47	72.94	10.86	l	ı	20.35	21.09	L	

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
3	1011100000										Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1						=-			40.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86	1		20.35	21.09		
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.3362					 	-				
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	70.07	30.90			20.55	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	15170	0.01	0.70	7.72								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE								İ					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		-	UNCDX	1D1DD	0.91	5.70	4.42	47.40	0.77	1		36.84	00.04		
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77	1		36.84	36.84		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCIA	OCIDI	17.56	5.70	4.42			 	-				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	UNCDA	ODL30	31.10	100.70	33.47	72.54	10.00	 		20.33	21.09		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	0.1027	02200	10.01	100.10	00.11	72.01	10.00	1	1	20.00	21.00		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	OCU-DP COCI (data) COCI in combination per month (2.4-		Ť			****										
	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAV	111000		50.70	04.00	0.40	0.40			00.05	04.00		
EVTE	Is Charge NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITED	L	UNC1X	UNCCC		52.73	24.62	9.12	9.12	 	-	20.35	21.09	-	-
EVIE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INIEK	/rriue	TRANSPURT W/ 3/1	INIOV				 		}			 	 	
	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	+ -	5ODA	JULUT	31.10	100.70	55.47	72.34	10.00	 	-	20.00	21.09		
	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		ΤĒ			.0.01		55.17	. 2.54				20.00	255	İ	
	Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.3562			I							
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Per each OCU-DP COCI (data) in combination - per month (2.4-				1				1							
\vdash	64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	ļ							
\vdash	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77	ļ		36.84	36.84		
\vdash	Per each DS1 COCI in combination per month		ļ	UNC1X	UC1D1	17.58	5.70	4.42	-					 	 	
1 1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	LIDICA	04.40	400 70	05.47	70.01	10.00			00.0-	04.00		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	<u> </u>	1	20.35	21.09	l	

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									P =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrecurring			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						=-									1 '
	Interoffice Transport Combination - Zone 2	-	2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	1		20.35	21.09		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3	LINCDV	LIDL C4	50.44	400.70	25.47	70.04	10.00			20.25	24.00		, ,
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	 		20.35	21.09		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								l .
 	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDA	10100	0.91	5.70	4.42	 		<u> </u>					
	Channel System per month			UNC1X	1L5XX	0.3562										1 '
	Each Additional DS1 Interoffice Channel Facility Termination in		1	ONOTA	120701	0.0002					†					
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1 '
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.1%		77.00		110112	70.07	00.00	İ		20.00	200		
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42								i .
	Nonrecurring Currently Combined Network Elements Switch -As-	ŀ	i –		1			·			İ					ſ
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1 '
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT	RT w/ 3/	1 MUX													()
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															l .
	Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															l .
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAY	41.5307	0.0500										i .
	Mile per month First Interoffice Transport - Dedicated - DS1 combination -	-		UNC1X	1L5XX	0.3562					1					
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1 '
	Per each Channel System 1/0 in combination - per month	-	<u> </u>	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	1	1	20.33	21.09		—
	Ter each chainer cystem 1/0 in combination - per month		1	ONOTA	IVIQI	00.77	103.70	14.40	3.04	2.14	†					—
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								l .
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		1	36.84	36.84		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1													
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		l .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		l .
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															l .
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															i .
\vdash	system combination- per month	!	├	UNCNX	UC1CA	3.24	5.70	4.42	 		-					
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1		LINICAV	1L5XX	0.3500			I							1
\vdash	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	├	 	UNC1X	ILOAA	0.3562	-		+							
	same 3/1 Channel System per month	1		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
 	Each Additional DS1 COCI in the same 3/1 channel system	 	†	014017	01111	11.00	111.24	113.12	70.07	30.90	 	-	20.33	21.09		
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42	1							1 '
	Nonrecurring Currently Combined Network Elements Switch -As-		t		12.2.	50	50	12	<u> </u>							
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1 '
EXT	ENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT								İ					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	First Interoffice Transport - Dedicated - DS1 combination - Per															1
\vdash	Mile Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.3562			L							
	First Interoffice Transport - Dedicated - DS1 combination -															1
\vdash	Facility Termination Per Month	.	<u> </u>	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	ļ		20.35	21.09		
\vdash	3/1 Channel System in combination per month	1	<u> </u>	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
\vdash	Per each DS1 COCI combination per month	!	 	UNC1X	UC1D1	17.58	5.70	4.42	 		 		 			
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINCAV	1L5XX	0.3562			1							1 '
	Channel System per month	<u> </u>	<u> </u>	UNC1X	ILOXX	0.3362	Į.		L		l	I	l	l		

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
0.120		I TELLINGIAN ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring	l	Nonrecurring	Disconnect			oss	Rates (\$)		
	t						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone													Î		
		2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone													Î		
		3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
		Nonrecurring Currently Combined Network Elements Switch -As-															
	<u></u>	Is Charge		L_	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
		First 4-wire 56 kbps Local Loop in combination - Zone 1		_1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile											1				
		per month			UNCDX	1L5XX	0.0174										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
		First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
		First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
		First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
		per month			UNCDX	1L5XX	0.0174										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		ļ
ADDIT		NETWORK ELEMENTS															ļ
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-															
	<u> </u>	Is Charge - 2 wire/4-Wire VG		<u> </u>	UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		_
l	1	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINIODY	LINIOGO							1				
<u> </u>	!	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
l	1	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINGAY	Liniono		50.50	04.00		0.10	1	1	50.70	04.00		
 	 	Is Charge - DS1		<u> </u>	UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		1
l		Nonrecurring Currently Combined Network Elements Switch -As-			LINICOV	LINICCO		50.70	04.00	0.40	0.40			50.70	04.00		
<u> </u>	!	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12		ļ	53.73	24.62		├
l		Nonrecurring Currently Combined Network Elements Switch -As-			LINCOV	LINICOS		50.70	04.65	0.40	0.40			50.70	04.00		
	Ontin	Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		-
	Option	al Features & Functions:		 	U1TD1,	_		-	-		-			-	-		
l		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		01	OI.	OI	OI.						
 	 	Oreal Orialities Capability Extended Frame Option - per DST		 	U1TD1,	COUEF		UI	OI .	OI .	01		 	-	-		
l	1	Clear Channel Capability Super FrameOption - per DS1		1	ULDD1,UNC1X	CCOSF		01	OI.	OI	OI.		1				
-	1	Clear Channel Capability (SF/ESF) Option - Subsequent		 	ULDD1, UNCTX	CCOSF		UI	OI .	OI .	01	1		 	1		1
l	1	Activity - per DS1		1	UNC1X, USL	NRCCC		185.16S	23.85S	2.03S	0.79S	1	1	45.68	1.76		
-	1	nouvey per DOT		 	U1TD3, ULDD3,	1411000		100.100	20.000	2.000	0.730	1		40.00	1.70		1
1	1	C-bit Parity Option - Subsequent Activity - per DS3	l ,	1	UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	os	1	1	45.68	1.76		
-	MULTI	PLEXERS		-	OLO, UNOOA	1411003		210.400	7.000	.,00,0			-	40.00	1.70		
-	WOLIII	DS1 to DS0 Channel System per month		\vdash	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74		 	20.35	9.80		
—	 	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		\vdash	0.401/	.71021	00.11	100.70	17.40	5.04	2.74		 	20.33	3.00		
l		month (2.4-64kbs) used for a Local Loop		l	UDL	1D1DD	1.82	6.07	4.66	1					9.80		
	1			!	1	1.0.00	1.02	0.07	7.00	L	L	1			5.50		

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
ONDO	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	I TO TO TO TO TO TO TO TO TO TO TO TO TO										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	Rec	Nonrecurring	A	Nonrecurring		001150	001441		Rates (\$)	001441	001111
<u> </u>		OCU-DP COCI (data) - DS1 to DS0 Channel System - per		<u> </u>		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01.05		1.02	0.07				1					
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
<u> </u>		used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month		<u> </u>	UEA	1D1VG	0.91	6.07	4.66			.					
		used for connection to a channelized DS1 Local Channel in the															
1	1	same SWC as collocation	1		U1TUC	1D1VG	0.91	6.07	4.66								
\vdash	<u> </u>	DS3 to DS1 Channel System per month	l		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		1
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
		DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
		DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	U1TD1	UC1D1	17.58	6.07	4.66								
		month			ULDD1	UC1D1	17.58	6.07	4.66								
UNBUN	IDI FD I	LOCAL EXCHANGE SWITCHING(PORTS)			OLDD1	OCIDI	17.50	0.07	4.00			1					
		nge Ports															
		Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	3								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Foot and Body O.W. Andre I in Body it Colleges B.			LIEDOD	LIEBBO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local			OLI OK	OLI KO	1.03	9.93	3.13	3.00	2.02			20.33	10.54	10.02	1.40
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
		with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92	ļ		20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			OLFSK	OLFAL	1.09	9.93	5.15	3.00	2.52			20.33	10.54	13.32	1.40
		port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling								0.00							
		port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (2MR)		ļ	UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		with Caller ID (LUM) Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan			UEPSR	UEPAP	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
		without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
—	<u> </u>	Exchange Port - 2-Wire VG Tennessee Residence Area Plus	l			1		5.55	00	3.30	2.32			20.00		.0.02	70
	<u></u>	without Caller ID	<u></u>	L	UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92		<u> </u>	20.35	10.54	13.32	1.40
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
<u> </u>		Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<u> </u>	FF 4 T.	Subsequent Activity	ļ	_	UEPSR	USASC	0.00	0.00	0.00			1		20.35	10.54	13.32	1.40
<u> </u>	FEATU	-	-	-	LIEDED	UEPVF	0.00	0.00	0.00			1		20.25	10.54	12.00	1.40
	2-W/IDE	All Available Vertical Features VOICE GRADE LINE PORT RATES (BUS)	-	 	UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
\vdash	_ · · · · · · · · · · · · · · · · · · ·	Exchange Ports - 2-Wire Analog Line Port without Caller ID -	-	 		1						1	 				1
1 -																	

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	bit: A
CIADO	1DLL	NETWORK ELEMENTO Termessee				1						Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
			to read									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
		Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area															
—		Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
—		& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
-		& Memphis Local Calling Port		-	UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-W VG unbundled TN, Business Line Inward,			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
L		Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire Voice Tennessee Business Dialing			LIEDOD	LIEDWO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
		Plan without Caller ID		-	UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	4.40
		Capability			UEPSB	UEPBE	1.89 0.00	9.93	9.19	3.66	2.92		-	20.35	10.54	13.32	1.40
	FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				-	20.35	10.54	13.32	1.40
	FEATU	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				-	20.35	10.54	13.32	1.40
\vdash	EVCH	NGE PORT RATES (DID & PBX)			UEPSB	UEPVF	0.00	0.00	0.00			-		20.35	10.54	13.32	1.40
-	EXCHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
-		2-Wire VG Unburidled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
-		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		-	UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92	-		20.35	10.54	13.32	1.40
		2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
		2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee						0.00	*****								
		Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
T		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					-								l		1
		Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy															
		Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1									1				1
\sqcup		Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination,															1 .
\vdash		Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Exchange Ports, PBX Trunk Combination, first trunk,		1									1				1
\vdash		Collierville and Memphis Local Calling Plan		.	UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
\vdash		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling		1	LIEDOD	LIEDVII	4 70	9.93	9.19	2.00	0.00		1	20.05	40.54	40.00	1 440
oxdot		Port		<u> </u>	UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92	1	1	20.35	10.54	13.32	1.40

LINDI	INDLE	D NETWORK ELEMENTO, Townson															
UNB	JNDLE	D NETWORK ELEMENTS - Tennessee	1		1	1						I 0 0 I			ment: 2		bit: A
												1		Incremental			
													Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	I
CATE	JUKT	RATE ELEMENTS	m	Zone	BCS	0300			KATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					-		Nonrecurring		Nonrecurring	Disconnect	+	1	OSS	Rates (\$)		
	1					 	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ				1		11130	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	0.00	2.02			20.35	10.54	13.32	1.40
	FEATU				02. 0.	00/100	0.00	0.00	0.00			1		20.00	10.01	10.02	
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00			İ		20.35	10.54	13.32	1.40
	EXCH/	ANGE PORT RATES (COIN)										t					
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92	İ		20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage	will also apply to c	ircuit switche						iated with 2	wire ISDN r				
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBU		LOCAL EXCHANGE SWITCHING(PORTS)			ĺ	1	1					I	1		1		
	EXCH/	ANGE PORT RATES															
		S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply t	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a separate aq	reement.		
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			İ	1											
	1	capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04	1	1	20.35	10.54	13.32	1.40
	1	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40
	1	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-Ch	annels assoc	iated with 2	wire ISDN p	ports.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		ANGE PORT RATES (continued)			ĺ		ĺ										
	1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
	i –	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54		
	i –	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.51	53.27	40.16								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						1
	Detaile	d E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															1
		State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
		Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															1
		Locator Capability - Outdial Telephone Numbers, per number in															1
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															1
		Telephone Numbers - Inward Data Only Option [New or															1
		Additional]			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)		<u> </u>	UEPEX UEPDX	LNPCN	1.75					ļ		20.35	10.54		└──
	INTER	FACE (Provsioning Only)		1	L	 	ļ					ļ		 _	ļ		
<u> </u>	 	Voice/Data	ļ	-	UEPEX	PR71V	0.00	0.00	0.00			1		20.35	10.54		
<u> </u>	1	Digital Data			UEPEX	PR71D	0.00	0.00	0.00			ļ		20.35	10.54		
	ļ.,	Inward Data		<u> </u>	UEPDX	PR71E	0.00	0.00	0.00			1		20.35	10.54		
<u> </u>	New or	Additional Channel	ļ	-	LIEBEY		<u> </u>					1					
<u> </u>	 	New or Additional - Voice/Data "B" Channel	ļ	-	UEPEX	PR7BV	0.00	28.39				1		20.35	10.54		
	 	New or Additional - Digital Data "B" Channel		ļ	UEPEX	PR7BF	0.00	29.11						20.35	10.54		\vdash
<u> </u>	1	New or Additional Inward Data "B" Channel		ļ	UEPDX	PR7BD	0.00	29.39				-		20.35	10.54		\vdash
<u> </u>	 	New or Additional Useage Sensitive Voice Data "B" Channel		ļ	UEPEX	PR7BS	0.00	29.39				-		20.35	10.54		\vdash
	1	New or Additional Useage Sensitive Digital Data "B" Channel	1	1	UEPEX	PR7BU	0.00	29.39		1		1	1	20.35	10.54		1

UNRUN	IDI F	D NETWORK ELEMENTS - Tennessee												Δttach	ment: 2	Exhi	hit: A
0.4001	.022	- HELLIGINE TEHNICOSOC										Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			lustani									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ			ļ			1											
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
-		New or Additional PRI "D" Channel	-	-	UEPEX	PR7EX	0.00	First 29.39	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN 20.35	SOMAN 10.54	SOMAN	SOMAN
	CALL T				UEPEX	PR/EA	0.00	29.39				ł	1	20.33	10.54		
	ALL I	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00			İ			t		
ι	JNBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	1														
L	JNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
 	lon D	Unbundled Remote Call Forwarding Service, IntraLATA - Res	-	<u> </u>	UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92	ļ	1	20.35	10.54	13.32	1.40
	NOII-RE	curring Unbundled Remote Call Forwarding Service - Conversion -	╂	-		1	1	1		-		-			 		
		Switch-as-is	1		UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
+		Unbundled Remote Call Forwarding Service - Conversion with	 		OLI VIX	COACZ	1	1.03	0.29	1				20.33	10.34	10.32	1.40
		allowed change (PIC and LPIC)	1		UEPVR	USACC		1.03	0.29						I		
ι	JNBUN	DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERVJ	4.00	9.93	0.40	2.00	2.92			20.25	40.54	40.00	4.40
	lon Do	Exception Local Calling	-	-	UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92		-	20.35	10.54	13.32	1.40
	VOII-IVE	Unbundled Remote Call Forwarding Service - Conversion -				+									-		
		Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
		Unbundled Remote Call Forwarding Service - Conversion with										İ					
		allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
UNBUND	DLED L	OCAL SWITCHING, PORT USAGE															
E		fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0008041										
1	Tanden	n Switching (Port Usage) (Local or Access Tandem)				ļ											
\vdash		Tandem Switching Function Per MOU				1	0.0009778										
\vdash		Tandem Switching Function Per MOU (Melded) Melded Factor: 38.90% of the Tandem Rate	-	-		-	0.000380364						-		-		
-	Commo	on Transport	1			1	+	+		+	 	1	 	 	 	 	
 		Common Transport - Per Mile, Per MOU	 			<u> </u>	0.0000064	+		†		1	-		t		
		Common Transport - Facilities Termination Per MOU	l –				0.0003871	1		1			1	1	1	1	
UNBUND	DLED F	PORT/LOOP COMBINATIONS - COST BASED RATES				1		1		İ	l	Ì			1		
	Cost Ba	ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos															
		fice and Tandem Switching Usage and Common Transport Us															
		st and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	ed Combos. For Cur	rently Comb	ined Combos t	he nonrecurrin	g charges sha	II be those ide	ntified in the N	lonrecurring	- Currently	Combined s	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	 	-		-	1	1		1	-	ļ		.	 	!	
	JNE PO	ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	-	1		+	14.18			1		-	-	-	 	-	
+		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	2		-	18.01	1		1	-	1	-	-	 	-	
+		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	 	3		+	23.02			+		 		 	 	 	
1	JNE Lo	pop Rates	t			1	20.02			1		1	<u> </u>	1	†	1	
		2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	12.48					1		İ	1	İ	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31								1		İ
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	21.32										
2	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.70		15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91	<u> </u>	15.69	ļ	L	ļ	
		2-Wire voice unbundled port outgoing only - res	<u> </u>		UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91		15.69	ļ	1	ļ	

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
CATEGORY		Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
LOC	AL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX	LNPCX	0.35			-							
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-		UEPKA	LINFUX	0.33										
, itoli	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update			OLI TOX	UUACC		0.76	0.23				15.69				
ADD	ITIONAL NRCs	1			+		0.70					10.00				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEDDV											40.00	40.00
OFF	Premise /ON PREMISES EXTENSION CHANNELS	 		UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT															L
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	ļ			ļ								ļ	ļ		
UNE	Port/Loop Combination Rates	 			1	1110							!	!		
	2-Wire VG Loop/Port Combo - Zone 1	!	1 2		1	14.18 18.01			-				 	 		
\vdash	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	+	3		1	23.02					-	-			-	
LINE	Loop Rates	 	J		1	23.02							 	 		
ONE	2-Wire Voice Grade Loop (SL1) - Zone 1	t	1	UEPBX	UEPLX	12.48					†	†	1	1		
	2-Wire Voice Grade Loop (SL1) - Zone 2	l –	2	UEPBX	UEPLX	16.31							İ	İ		
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	21.32			1		1	1	İ	İ		

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
			Interi						(a)			Svc Order Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGOR	KY .	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						+	_	Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-1	Wire \	/oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Tennessee extended local			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
		dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				ĺ
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and								90							
		Memphis Local Calling Port (B2F) 2-Wire Voice Unbundled Tennessee Business Dialing Plan			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
\vdash		without Caller ID Tennessee Inward Collierville and Memphis Local Calling Plan			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
		(BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FE	ATU	-			LIEBBY	uen e							4 = 00				
N/C		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
INC		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
		Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				l .
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						0.76					15.69				1
ΑI		ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															40.00
0.0		Premise PREMISES EXTENSION CHANNELS	-	-	UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
Or	FF/ON	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
IN		FFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								<u> </u>
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)							· · · · · ·								
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1	1	1			14.18					<u> </u>		ļ			
-		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	2		+	18.01 23.02					ļ	-	-			
\vdash		2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPRG	UEPLX	12.48					1		-			
	-	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3	l	3	UEPRG	UEPLX	21.32										
2.1		/oice Grade Line Port Rates (RES - PBX)		T	-	1						1	1				

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
I											Submitted			Charge -	Charge -	Charge -
I		Interi									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ł		l m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
í													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>															2.00 .01	2.007.444.
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -					. =0			0.45							
1.00	Res CAL NUMBER PORTABILITY	1	-	UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LOC		-		UEPRG	LNPCP	3.15	0.00	0.00				15.69				-
EEA	Local Number Portability (1 per port)	1		UEFRG	LINECE	3.13	0.00	0.00				15.69				
FEA	All Features Offered	1		UEPRG	UEPVF	0.00	0.00	0.00				15.69				
100	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLI NO	OLI VI	0.00	0.00	0.00				13.03				
1101	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update	<u> </u>					0.76					15.69		<u> </u>	<u> </u>	
ADD	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
$-\!\!\!\!-\!\!\!\!\!-$	Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00				15.69			ļ	
.	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														40.00	40.00
055	Premise CONTRACTOR OF THE PROPERTY OF THE PROP	1	-	UEPRG	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF	F/ON PREMISES EXTENSION CHANNELS	1	4	UEPRG	P2JHX	16.56	75.06	48.20	28.70	17.64	-		20.35	10.54	13.32	13.32
-	Local Channel Voice grade, per termination Local Channel Voice grade, per termination	1	2	UEPRG	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination	1	3	UEPRG	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade	1	SW		SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INT	EROFFICE TRANSPORT	1	Ovv	OLI IKO	ODDEX	10.02	140.04	112.04	70.14	00.00			20.00	10.04	10.02	10.02
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
	Termination			UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3	-	3			23.02										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	2	UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	3	UEPPX	UEPLX	21.32										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)	1	l –	OLITA	OLI EX	21.02										
	15.55 5.445 Ellio I off ratios (Boo 1 BA)	1														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91	İ	15.69		1		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91	İ	15.69		1		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
	Calling Port	1		UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				
.	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			l								1				
$-\!\!\!\!-\!\!\!\!\!-$	Calling Port	1	<u> </u>	UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69				
$-\!+\!-$	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	╂	-	UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69			-	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	+	-	UEPPX UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91 3.91		15.69		-	 	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	+	+	UEPPX	UEPXC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91	-	15.69 15.69				
$-\!+\!-$	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	╂	-	OLFFA	OLFAD	1.70	22.14	15.25	0.45	3.91	-	15.09		 	 	-
	Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	+	 	OLI I A	OLI AL	1.70	ZZ. 14	10.20	0.43	5.51		10.09				—
·																
				UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				

UNBUND	LEC	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
01120112			1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
071120011	٠ ا		m			0000			101120 (4)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrecurring		Nonrecurring	Disconnect	†		oss	Rates (\$)	<u> </u>	
	_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy							71441		7.44	0020	00				
		Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				1 '
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OZ. I X	02.7.1			10.20	0.10	0.01		10.00				
		Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91	†	15.69				——
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling			OZ. I X	02.70			10.20	0.10	0.01		10.00				
		Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			OZ. I X	02.70			10.20	0.10	0.01		10.00				
		Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				1
		Tennessee PBX 2-Way Combo Each Additional Trunk			OLI I X	02.70			10.20	0.10	0.01	†	10.00				——
1 1		Collierville and Memphis Local Calling Plan	1		UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				1
 		Tennessee PBX 2-Way Combo First Trunk Collierville and	l -			02.710	1.70	22.17	10.20	0.40	5.51		10.00	i	i		
		Memphis Local Calling Plan	1		UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				1
10		NUMBER PORTABILITY	1		OLITA	OLI 70	1.70	22.17	10.20	0.40	0.01	-	10.00				—
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			†	15.69				——
FE	ATUF				OLI I X	LIVI OI	0.10	0.00	0.00			†	10.00				——
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00			†	15.69				——
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI I X	OLI VI	0.00	0.00	0.00			†	10.00				——
110		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															—
		Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	00/102		1.03	0.23				13.03				—
		Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				1
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITA	OOACC		1.03	0.23				13.03				—
		Subsequent Database Update						0.76					15.69				1
ΔD		DNAL NRCs				+		0.70				†	10.00				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						†					——
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				1 '
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	00/102	0.00	0.00	0.00			1	10.00				
		Group						14.64	14.64				15.69				1
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				+						†	10.00				——
		Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OF		PREMISES EXTENSION CHANNELS			OLITA	ORETE		0.00	0.00			1		20.00	10.04	10.02	10.02
- ·	.,,	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	_	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INT		FFICE TRANSPORT	t -														10102
	Ī	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	ŀ	Termination	1		UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51		1				1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	t -														
	Į,	or Fraction Mile	1		UEPPX	U1TVM	0.0174	0.00	0.00				1				1
UN		rt/Loop Combination Rates	1														ſ
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18					İ					
		2-Wire VG Coin Port/Loop Combo – Zone 2	t -	2			18.01										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02					İ					
UN		op Rates	i –														
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48							ĺ	ĺ		ſ
		2-Wire Voice Grade Loop (SL1) - Zone 2	i –	2	UEPCO	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32							ĺ	ĺ		ſ
2-V		/oice Grade Line Ports (COIN)				1								ĺ	ĺ		ſ
		2-Wire Coin 2-Way without Operator Screening and without				1								ĺ	ĺ		ſ
		Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	Ì			1									İ		
		900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1														ſ
		(TN)	1		UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				1
		2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
1 1		900/976, 1+DDD, 011+, and Local (NC, TN)		1	UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91	1	15.69		l		1

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1			1			B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and 011 Blocking															ı I
		(TN)	ļ	-	UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				ı l
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88	22.17	10.20	0.40	0.01		15.69				
		2-Wire Coin Outward Smartline with 900/976 (all states except															
		LA)		ļ	UEPCO	UEPCR	1.88						15.69				
	ADDITI	ONAL UNE COIN PORT/LOOP (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)		<u> </u>	UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69				\vdash
-	1	Local Number Portability (1 per port)		+	UEPCO	LNPCX	0.35	0.00	0.00	0.00	0.00		13.09				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	021 00	EI OX	0.00										
		Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	ł														ı l
-		Switch with change	ļ	-	UEPCO	USACC		1.03	0.29				15.69				
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				ı l
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	021 00	00/102	0.00	0.00	0.00				10.00				
		Premise			UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE	PORT (I	RES)												
	UNE Po	ort/Loop Combination Rates					10.45										\vdash
-	-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	1 2		_	18.45 23.52										
	 	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			30.17										
	UNE Lo	pop Rates		1			-										
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										
-	0 18/:	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port Rates (Res)	ļ	3	UEPFR	UECF2	28.28										
-	2-vvire	2-Wire voice unbundled port - residence		+	UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled port with Caller ID - res		1	UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice Grade unbundled Tennessee extended local															
-		dialing parity port with Caller ID - res		<u> </u>	UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				\vdash
		2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				ı l
		2-Wire voice unbundled Tennessee Area Calling port with Caller			OLITIK	OLI AII	1.03	04.93	37.39	32.30	20.30		13.03				
		ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				i l
		2-Wire voice unbundled Tennessee Area Calling port with Caller			l												
<u> </u>	-	ID - res (TACER)		1	UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69				ı l
		2-Wire voice unbundled Tennessee Area Calling port with Caller		t	<u></u>	OLI AW	1.09	04.33	31.33	32.30	20.00	<u> </u>	15.05				
		ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				i
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
<u> </u>	-	ID - res (2MR)	 	+	UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56	-	15.69				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				ı l
		2-Wire Voice Unbundled Tennessee Residence Dialing Plan		 	OLI I IX	JLI AI	1.09	04.55	31.33	52.50	20.30		15.09				$\overline{}$
		without Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69				i l
	INTER	OFFICE TRANSPORT					_										
1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDED	LIATA (O	40.50	FF 00	47.07	07.00	2.54						ı l
-	1	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		+	UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51	-					
		or Fraction Mile			UEPFR	1L5XX	0.0174										₁ 1
	FEATU	RES	L	L													
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
-	LOCAL	NUMBER PORTABILITY		1	LIEDED	LNDCV	0.05										
-	NONE	Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	1	UEPFR	LNPCX	0.35			 		1					
<u> </u>	INOINKE	CONTINUE CHARGES (NRCS) - CORRENTET COMBINED		1	l							1	1		l		

UNBU	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
1			Interi									Elec	Manually	Manual Svc			Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																טוסט ואנ	DISC AUU'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at														40.00	
	0.14/10/	End User Premise		ODT (UEPFR	URETN		11.23	1.10			1		20.35	10.54	13.32	13.32
-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (BUS)	+						 					
	UNE P	ort/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	18.45					1					
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	23.52					 	-				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	30.17					 	-				
	LINEL	pop Rates		3		+	30.17					1	1	-			
-	JIVE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56	 		 		+		 	1	 	
	 	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFB	UECF2	21.63			<u> </u>		}		 		 	
	 	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFB	UECF2	28.28			<u> </u>		}		 		 	
	2-Wiro	Voice Grade Line Port (Bus)		3	UEFFB	UEGFZ	20.20					1	1	-			
-	Z-44116	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56	1	15.69	+	1	1	l
-	 	2-Wire voice unbundled port with Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		 	UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56	+	15.69	 	1	 	
-	1	2-Wire voice unbundled port with Carlet + E464 ib - bus 2-Wire voice unbundled port outgoing only - bus		-	UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56	1	15.69	-			
		2-Wire voice Grade unbundled Tennessee extended local			OLITB	OLI DO	1.03	04.33	37.33	32.30	20.50		15.05		1		
		dialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
-		2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56	<u> </u>	15.69			1	
		2-Wire voice unburidled Trennessee Bus 2-Way Area Calling			OLITB	OLIDI	1.03	04.55	37.33	32.30	20.50	+	15.05				
		Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
-	1	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			OLITO	OLI 710	1.00	04.00	07.00	02.00	20.00	†	10.00				
		Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			OLITE	OLI AD	1.00	04.00	07.00	02.00	20.00	1	10.00	1			
		Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan			02.10	02.7.2	1.00	0 1.00	01.00	02.00	20.00	1	10.00	1			
		without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
	t -	Tennessee Inward Collierville and Memphis Local Calling Plan										t					
		(BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan															
		(BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35	<u> </u>									
	INTER	OFFICE TRANSPORT						<u> </u>									
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						l i									
L	L	Termination			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51			<u> </u>			
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFB	1L5XX	0.0174										
	FEATU																
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															I
	<u> </u>	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72			<u> </u>	15.69	L	ļ.	ļ	
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			l	1				[I			
L	ļ	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69	ļ		ļ	
1	1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			l	l		I I				1		l			l
		End User Premise			UEPFB	URETN		11.23	1.10			1		20.35	10.54	13.32	13.32
<u> </u>		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (PRX)							1		-	ļ		
<u> </u>	UNE P	ort/Loop Combination Rates		4		+	40.15			-		<u> </u>	-	-	ļ	ļ	
	<u> </u>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	18.45			<u> </u>			-	-	ļ	ļ	
	ļ	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	23.52					-		-			
<u> </u>		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	30.17			-		<u> </u>	-	-	ļ	ļ	
<u> </u>	UNE L	oop Rates		-	UEDED	UECES	10.50			-		 		 	1	 	
-	!	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56			 		 	-	 	1	-	-
<u> </u>	!	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63			-		<u> </u>	-	-	ļ	-	
Щ_	1	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28					<u> </u>	1	1	1	L	

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
				1								Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGORY	γ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	·		m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
\vdash	-+					+ -		Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)		
\vdash	-+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Vire V	oice Grade Line Port Rates (BUS - PBX)				+		11100	Addi	11100	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
- - · · ·		oloc Grade Ellie Fort Nates (BGG FBA)				+											
	l,	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
		ine Side Unbundled Outward PBX Trunk Port - Bus		1	UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				+
\vdash		ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
\vdash		-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
\vdash		-Wire Voice Unbundled 2-Way Combination PBX Tennessee			CLITT	OLI LD	1.70	100.40	00.00	42.07	10.04		10.00				
		Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
		-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee		1	02	02. 12	0	100.10	00.00	12.01	10.01		10.00				+
		Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
\vdash		-Wire Voice Unbundled 2-Way Combination PBX Usage Port		t —	UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69		 		+
\vdash		-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		t —	UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69		 		+
-+		-Wire Voice Unbundled PBX LD DDD Terminals Port		t —	UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69		 		+
-		-Wire Voice Unbundled PBX LD Terminal Switchboard Port	H	1	UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69		 		+
\vdash		-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			CLITI	OLI AD	1.70	100.40	00.00	42.07	10.04		10.00				+
		Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54	1	15.69				
\vdash		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.73	100.40	03.00	42.07	10.54		13.03				+
		Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.73	100.40	03.00	42.07	10.54		13.03				
		Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
		-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy			OLFIF	OLFAIVI	1.75	100.40	03.00	42.07	10.54		13.09				
		Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
\vdash		-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLFIF	OLFAIN	1.75	100.40	03.00	42.07	10.54		13.09				
		Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
\vdash		-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
 		-Wire Voice Unbundled PBX Collierville and Memphis Calling			OLFIF	ULFAG	1.75	100.40	03.00	42.07	10.54		13.09				+
		Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
		-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			OLITI	OLI XO	1.73	100.40	03.00	42.07	10.54		13.03				+
		Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
100		NUMBER PORTABILITY			OLITI	OLI XV	1.73	100.40	03.00	42.07	10.54		13.03				
100		ocal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				+
INT		FICE TRANSPORT			OLITI	LIVI OI	3.13	0.00	0.00				13.03				+
11011		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+ -											+
		remination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
\vdash		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			CLITI	OTTVE	10.00	00.00	17.07	27.00	0.01						+
		r Fraction Mile			UEPFP	1L5XX	0.0174										
EE/	ATUR				OLITI	TESKK	0.0174										+
1.2		Il Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	0.00	0.00	0.00				10.00				+
		-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
\vdash		-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITI	00/102		10.04	0.72				10.00				
		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
		Inbundled Miscellaneous Rate Element, Tag Designed Loop at			02	00/100			0.72				10.00				
		End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
UNBUNDI F		ORT/LOOP COMBINATIONS - COST BASED RATES			OLITI	ORLIN		11.20	1.10					20.00	10.04	10.02	10.02
		OICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1	 	+ +									 		
		t/Loop Combination Rates			1	1		1							i		
		-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	1	1 1	18.38					1	1				
		-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	1	1	19.87								i		1
		-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	İ	1	24.78					1					1
UNF		p Rates		ΙŤ	İ	1	0					1					1
1.77		-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60					1					1
		-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11.09					1					1
		-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16.00					1					1
1 1					+	1	0					-	-		-		
UNE		t Rate						l		I							
UNE	E Por	t Rate exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		

UNBUNDL	LED NETWORK ELEMENTS - Tennessee														ment: 2		bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	m	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.23	1.10								
Tele	ephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00					Î	Î		
2-W	VIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT			ĺ		ĺ						Î	Î		
UNE	E Port/Loop Combination Rates							<u> </u>									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					ĺ		ĺ						Î	Î		
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE	E Loop Rates					ĺ		ĺ						Î	Î		
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	·																
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25	ĺ						Î	Î		
UNE	E Port Rate													ĺ			
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NON	NRECURRING CHARGES - CURRENTLY COMBINED					ĺ		ĺ						Î	Î		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADD	DITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy													ĺ			
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
I	Premise	<u></u>	<u> </u>	UEPPB	UEPPR	URETL	<u> </u>	8.33	0.83	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>		<u>1</u>
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CI	CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CI	CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	ER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	RTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																1
	facilities termination	<u> </u>	<u> </u>		UEPPR	M1GNC	17.91	53.99	17.37		<u></u>			19.99	19.99	L	
	Interoffice Channel mileage each, additional mile	1		UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
	VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK SOUNE-P DS1 combination rates below for in this rate exhibit apply																

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fxhi	ibit: A
ONBONDE		1									Svc Order	Svc Order	Incremental		1	
											1	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrecurring		Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Trunk Po	ort afte	r the effective date o	f this amend	ment shall be	provided pursu	uant to a separ	ate agreement	or tariff at Bel	lSouth's di	scretion.				
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2	ļ	2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_			.=										
	Zone 3		3	UEPPP		173.44										ļ
UNE	Loop Rates	<u> </u>	_	UEPPP	USL4P	F7.70					1					-
\vdash	4-Wire DS1 Digital Loop - UNE Zone 1	<u> </u>	_	UEPPP	USL4P USL4P	57.73 75.40					 					
\vdash	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	 	3	UEPPP	USL4P USL4P	98.59	-			-				 		
LINE	Port Rate	ł	3	UEPPP	USL4P	90.39					1	1	-		-	-
ONE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	 	-	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43	1	H	19.99	19.99	t	
NON	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	-	OLITI	OLITI	74.00	410.00	000.00	00.20	77.40	†	-	10.00	10.00		
, itom	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port										1	1	1			†
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADD	TIONAL NRCs			02	00/101	0.00	020.00	020.00			İ		10.00	10.00		
1	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										İ			1		
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										ļ
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data	<u> </u>	-	UEPPP	PR71E	0.00	0.00	0.00			1					-
New	or Additional "B" Channel New or Additional - Voice/Data B Channel	<u> </u>		UEPPP	PR7BV	0.00	28.39				 		19.99	19.99		
	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	-		UEPPP	PR7BF	0.00	28.39				 	-	19.99	19.99		+
	New or Additional Inward Data B Channel	-		UEPPP	PR7BD	0.00	29.11				 	-	19.99	19.99		+
CALI	TYPES	ł	-	OLFFF	FRIBD	0.00	29.39				1	1	15.55	19.99	-	+
UALI	Inward	<u> </u>	-	UEPPP	PR7C1	0.00	0.00	0.00			†	-				
	Outward			UEPPP	PR7CO	0.00		0.00			İ			1		
	Two-way	i -		UEPPP	PR7CC	0.00	0.00	0.00			İ		t			
Inter	office Channel Mileage	1											1		1	
	Fixed Each Including First Mile	Ì		UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	JNE-P DS1 combination rates below for in this rate exhibit appl										te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	fective d	ate of	this amendment sha	II be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.						<u> </u>
UNE	Port/Loop Combination Rates	!	<u> </u>	LIEBBO							ļ				ļ	
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	 		UEPDC	1	93.28	1		!	 	 		19.99	19.99	 	
\vdash	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	 	3	UEPDC UEPDC		110.95 134.14	-				-		19.99 19.99	19.99 19.99	 	
LINE	Loop Rates	 	3	OLPDO	1	134.14	1				 	-	19.99	19.99	 	
ONE	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPDC	USLDC	57.53	1		1	 	1	H	t	1	t	
	4-Wire DS1 Digital Loop - UNE Zone 2	†		UEPDC	USLDC	75.40	1						-	1	-	
	4-Wire DS1 Digital Loop - UNE Zone 3	†		UEPDC	USLDC	98.59			1	1			<u> </u>		<u> </u>	
UNE	Port Rate	t	Ť			55.55			İ	İ			1		1	
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)	1		UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99	1	
NON	RECURRING CHARGES - CURRENTLY COMBINED								<u> </u>							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)	ļ		UEPDC	USAC4		312.91	312.91]		19.99	19.99		ļ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		l		l								1		1	
	- Conversion with DS1 Changes (E:4/1/2004)	<u> </u>	l	UEPDC	USAWA		312.91	312.91]	l	19.99	19.99	L	

UNBUNDI	LED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	Incrementa
		1									Submitted	Submitted		Charge -	Charge -	Charge -
		Inter.									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc ist	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
L	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		312.91	312.91					19.99	19.99		
ADD	DITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	110404		04.00	04.00								
\vdash	Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		-	UEPDC	USAS4		94.88	94.88			-					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLFDC	ODITA		100.07	100.07					15.55	19.99		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 20	05115		100.01	100.01			1		10.00	10.00		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	i	İ	-												
	Activation Per Chan - Inward Trunk with DID	1		UEPDC	UDTTD		108.67	108.67				1	19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	ĺ														
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIP	OLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
Alte	ernate Mark Inversion															
\vdash	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
I ele	ephone Number/Trunk Group Establisment Charges	ļ	<u> </u>	LIEDDO	LIDTOV	0.00							19.99	19.99		
\vdash	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group	1	<u> </u>	UEPDC UEPDC	UDTGX	0.00							19.99	19.99		
\vdash	Telephone Number for 1-Way Inward Trunk Group Without DID	<u> </u>	<u> </u>	UEPDC	UDTGZ	0.00					-		19.99	19.99		
+-	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
-	DID Numbers, Non- consecutive DID Numbers , Per Number	1	<u> </u>	UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00					10.00	10.00		
	Reserve DID Numbers	1	1	UEPDC	NDV	0.00	0.00	0.00								
Ded	licated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Frunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
$\vdash \vdash \vdash$	Termination)	ļ	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41 NO5											
$\vdash \vdash$	miles	.	<u> </u>	UEPDC	1LNOB	0.3525	0.00	0.00				 		 		
1 1	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1		UEPDC	1LNO3	0.00	0.00	0.00				1				
\vdash	Termination)			IUEPUC	LILINUS	U ()()	U.00	u.00	I		1					
						0.00										
	Interoffice Channel Mileage - Additional rate per mile - 25± miles															
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated															
4-W	Local Number Portability, per DS0 Activated Central Office Termininating Point			UEPDC UEPDC	1LNOC LNPCP	0.3525 3.15	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC UEPDC	1LNOC LNPCP	0.3525 3.15	0.00	0.00								
Syst Eacl	Local Number Portability, per DS0 Activated Central Office Termininating Point IRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act h System can have up to 24 combinations of rates depending or	ivations	nd num	UEPDC UEPDC UEPDC	1LNOC LNPCP CTG	0.3525 3.15 0.00	0.00	0.00								
Syst Eacl The	Local Number Portability, per DS0 Activated Central Office Termininating Point IIRE DS1 LOOP WITH CHANNELIZATION WITH PORT teem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act th System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	ivations type ar	nd num	UEPDC UEPDC UEPDC UEPDC uber of ports used with Port in this ra	1LNOC LNPCP CTG	0.3525 3.15 0.00	0.00 0.00	0.00 0.00				shall revert	to tariff rates	or a separate	agreement.	
Syst Eacl The Req	Local Number Portability, per DS0 Activated Central Office Termininating Point IRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act th System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with to upuests for 4-Wire DS1 Loop with Channelization with Port after the	ivations type ar	nd num	UEPDC UEPDC UEPDC UEPDC uber of ports used with Port in this ra	1LNOC LNPCP CTG	0.3525 3.15 0.00	0.00 0.00	0.00 0.00				shall revert	to tariff rates	or a separate	agreement.	
Syst Eacl The Req	Local Number Portability, per DS0 Activated Central Office Termininating Point IRIE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act in System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0 ILIUST CHAIR OF A WIRE DS1 Loop with Channelization with Port after the EDS1 Loop	ivations type ar	nd num	UEPDC UEPDC UEPDC uepdc uber of ports used with Port in this ra e of this amendmen	1LNOC LNPCP CTG te exhibit app	0.3525 3.15 0.00 ly to the embe	0.00 0.00	0.00 0.00 blace as of 10/2 agreement or				shall revert	to tariff rates	or a separate	agreement.	
Syst Eacl The Req	Local Number Portability, per DS0 Activated Central Office Termininating Point VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act th System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 1 Juests for 4-Wire DS1 Loop with Channelization with Port after the EDS1 Loop 4-Wire DS1 Loop - UNE Zone 1	ivations type ar	ization ive date	UEPDC UEPDC UEPDC UEPDC uber of ports used with Port in this ra e of this amendmen UEPMG	1LNOC LNPCP CTG te exhibit app t shall be pro	0.3525 3.15 0.00 By to the embedided pursuar 57.73	0.00 0.00 dded base in put to a separate	0.00 0.00 0.00 Diace as of 10/2 agreement or				shall revert	to tariff rates	or a separate	agreement.	
Syst Eacl The Req	Local Number Portability, per DS0 Activated Central Office Termininating Point IRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act in System can have up to 24 combinations of rates depending or IVINE-P DS1 combination rates below for 4-Wire DS1 Loop with in Ivinests for 4-Wire DS1 Loop with Channelization with Port after the E DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2	ivations type ar	ization ive date	UEPDC UEPDC UEPDC UEPDC uber of ports used with Port in this ra e of this amendmen UEPMG UEPMG	1LNOC LNPCP CTG te exhibit app t shall be pro USLDC USLDC	0.3525 3.15 0.00 ly to the embe vided pursuar 57.73 75.40	0.00 0.00 dded base in ji t to a separate 0.00 0.00	0.00 0.00 0.00 0lace as of 10/2 agreement or 0.00 0.00				shall revert	to tariff rates	or a separate	agreement.	
Syst Eacl The Req UNE	Local Number Portability, per DS0 Activated Central Office Termininating Point IRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act is System can have up to 24 combinations of rates depending or INNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0 uests for 4-Wire DS1 Loop with Channelization with Port after the E DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	tivations type al Channel e effect	ization ive date	UEPDC UEPDC UEPDC UEPDC uber of ports used with Port in this ra e of this amendmen UEPMG	1LNOC LNPCP CTG te exhibit app t shall be pro	0.3525 3.15 0.00 By to the embedided pursuar 57.73	0.00 0.00 dded base in put to a separate	0.00 0.00 0.00 Diace as of 10/2 agreement or				shall revert	to tariff rates	or a separate	agreement.	
Syst Eacl The Req UNE	Local Number Portability, per DS0 Activated Central Office Termininating Point IRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act in System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0 UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0 E DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 E DSO Channelization Capacities (D4 Channel Bank Configuration	tivations type al Channel e effect	ization ive date	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPTC UEPTC UEPTC UEPMG UEPMG UEPMG UEPMG	te exhibit app t shall be pro USLDC USLDC	0.3525 3.15 0.00 ly to the embe vided pursuar 57.73 75.40 98.59	0.00 0.00 0.00 dded base in ji ti to a separate	0.00 0.00 0.00 0.00 0.00 0.00 0.00				shall revert			agreement.	
Syst Eacl The Req UNE	Local Number Portability, per DS0 Activated Central Office Termininating Point VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act in System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0 Unests for 4-Wire DS1 Loop with Channelization with Port after the E DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 E DSO Channelization Capacities (D4 Channel Bank Configuration [24 DSO Channel Capacity - 1 per DS1	tivations type al Channel e effect	ization ive date	UEPDC UEPDC UEPDC UEPDC UEPDC ber of ports used with Port in this ra e of this amendmen UEPMG UEPMG UEPMG UEPMG	te exhibit app t shall be pro USLDC USLDC USLDC VUM24	0.3525 3.15 0.00 ly to the embevided pursuar 57.73 75.40 98.59	0.00 0.00 0.00 dded base in ji ti to a separate 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00				shall revert	19.99	19.99	agreement.	
Syst Eacl The Req UNE	Local Number Portability, per DS0 Activated Central Office Termininating Point IRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act th System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with to Justify the DS1 Loop with Channelization with Port after the E DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 E DSO Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s	tivations type al Channel e effect	ization ive date	UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPTC UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	1LNOC LNPCP CTG te exhibit app t shall be pro USLDC USLDC USLDC VUM24 VUM48	0.3525 3.15 0.00 ly to the embevided pursuar 57.73 75.40 98.59	0.00 0.00 0.00 dded base in p tt to a separate 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0				shall revert	19.99 19.99	19.99	agreement.	
Syst Eacl The Req UNE	Local Number Portability, per DS0 Activated Central Office Termininating Point VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT Item is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act in System can have up to 24 combinations of rates depending or UNE-P DS1 combination rates below for 4-Wire DS1 Loop with 0 Unests for 4-Wire DS1 Loop with Channelization with Port after the E DS1 Loop 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3 E DSO Channelization Capacities (D4 Channel Bank Configuration [24 DSO Channel Capacity - 1 per DS1	tivations type al Channel e effect	ization ive date	UEPDC UEPDC UEPDC UEPDC UEPDC ber of ports used with Port in this ra e of this amendmen UEPMG UEPMG UEPMG UEPMG	te exhibit app t shall be pro USLDC USLDC USLDC VUM24	0.3525 3.15 0.00 ly to the embevided pursuar 57.73 75.40 98.59	0.00 0.00 0.00 dded base in ji ti to a separate 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00				shall revert	19.99	19.99	agreement.	

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
		J										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 1	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
	- 1	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	(672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
No	n-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio	n with Port - Conver	rsion Charge	Based on a Sy	stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ad															
		NRC - Conversion (Currently Combined) with or without			· ·	Ĭ											
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Sv	stem	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ntly Exists and										
		ot Currently Combined) in all states, except in Density Zone 1															
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port										İ					
		and Assoc Fea Activation (E:4/1/2004)	l		UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41	1		19.99			
Bi		8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -										i e					†
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
Al		e Mark Inversion (AMI)						0.00				i e					†
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			i e					†
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			i e					†
Ех		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								i e					†
		ge Ports										İ					
		Line Side Combination Channelized PBX Trunk Port - Business										İ					
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business															
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID										İ					
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –										i e					
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)	1	1	UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Combination	İ														
		(AL, KY, LA, MS, & TN) (Conversion from Network Access	1	1		1				I			1				
		Service) (E:4/1/2004)	1	1	UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –										1					
		Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)	1	1	UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized - Two Way -												Î	Î		
	ŀ	Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)	1	1	UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03		
Fe	ature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank (includes Q.1.4, P50.1, P.50.498)	<u></u>	L	UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80	<u></u>	<u></u>	30.89	7.03	<u> </u>	
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank (includes Q.1.4, P50.1, P.50.498)	<u></u>	L	UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57	<u></u>	<u></u>	30.89	7.03	<u> </u>	
Te	lepho	ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lc		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ATUR	RES - Vertical and Optional															
Lc		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00							1	

HINDHINDI	ED NETWORK ELEMENTS - Tennessee												Attack	ment: 2	Exhil	-:4. A
UNBUNDL	ED NETWORK ELEWENTS - Tellilessee	l			1	ı					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
					ĺ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S														
	st Based Rates are applied where BellSouth is required by FCC															
	atures shall apply to the Unbundled Port/Loop Combination - C															
3. En	d Office and Tandem Switching Usage and Common Transport	Usage i	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	e first and additional Port nonrecurring charges apply to Not Cu	urrently	Combi	ned Combos. For 0	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecui	rring - Curre	ently Combine	ed sections. A	Additional NR	Cs may
	/ also and are categorized accordingly.					C1 6	_			1	1		1			
	arket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		otiated	on an individual Cas	se Basis, uni	ili further notic	e.				-					
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)		-													
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
	Non-Design		1	UEP91		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02101		14.10					-					
1 1	Non-Design		2	UEP91		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		Ė			.5.51										
	Non-Design		3	UEP91		23.02										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP91		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		29.98										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
—	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91 UEP91	UECS2 UECS2	16.56 21.63					-					
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28					-					
LINE	Ports		3	OLF91	ULC32	20.20										
	tates (Except North Carolina and Sout Carolina)															
All O	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02. 0.	02	0		10.20	0.10	0.01		00.00	7.00			
	Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area	L		UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>		<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			_				_								
	Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															7
	- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1 1	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEBO4	LIEDV ²			.=								
A	Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	(Y, LA, MS, & TN Only		-	UEP91	UEPQA	1.70	22.14	45.05	0.45	3.91		30.89	7.00			<u> </u>
\vdash	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP91 UEP91	UEPQA	1.70	22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03 7.03			
\vdash	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1	-	 	UEP91	UEPQB	1.70	22.14	15.25	8.45 8.45	3.91	-	30.89	7.03			
 	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL1 01	JLI VII	1.70	22.14	15.25	0.40	3.31		30.08	7.03			
1 1	Center)2.3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800				«III	1.70	22.17	10.20	575	0.01	-	30.00	7.00			
	Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
						0	22.14	.3.20	5.40	0.01		55.55	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Loca	Number Portability															

UNB	UNDLE	D NETWORK ELEMENTS - Tennessee		•										Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental			
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			1				Order vs.	Order vs.
OAIL		NATE ELEMENTO	m		500	0000			πατεσ (ψ)			per LSR	per LSR	Order vs.	Order vs.		
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrecurring		Nonrecurring	Disconnect	1		OSS	Rates (\$)	l	
	+					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35		71441		71441	0020	00				
	Featur				02. 0.	2.1.00	0.00					i e					
	1 000000	All Standard Features Offered, per port			UEP91	UEPVF	0.00					t	30.89	7.03			
	†	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78				t	30.89	7.03			
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03		Î	
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Miscel	laneous Terminations												ĺ			
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				ļ											
		Conversion - Currently Combined Switch-As-Is with allowed			LIEBOA	110400		4.00	0.00				00.00	7.00			ĺ
		changes, per port	-	-	UEP91	USAC2	0.00	1.03	0.29			1	30.89	7.03			-
		New Centrex Standard Common Block	-	-	UEP91 UEP91	M1ACS M1ACC	0.00	658.60				1	30.89 30.89	7.03			
	+	New Centrex Customized Common Block	-	-	UEP91	M2CC1	0.00	658.60 73.55				-	30.89	7.03			——
	-	Secondary Block, per Block NAR Establishment Charge, Per Occasion	-	-	UEP91	URECA	0.00	68.57				-	30.89	7.03 7.03			
	A dditi	onal Non-Recurring Charges (NRC)	-	-	UEP91	UKECA		00.37				ł	30.69	7.03	-		
	Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1	1		1						1			-		
		Premise	1		UEP91	URETL		8.33	0.83			1	1		I		1
\vdash	+	Unbundled Miscellaneous Rate Element, Tag Design Loop at	 	\vdash	02.31	OINETE		0.33	0.03	 		+		 	 	 	
		End Use Premise	1		UEP91	URETN		11.23	1.10			1	1		I		1
	IINF-P	CENTREX - 5ESS (Valid in All States)			OLI OI	ORETIV		11.20	1.10			†					
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1						†					
		ort/Loop Combination Rates (Non-Design)		1		+						†					
	0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1						†					
		Non-Design		1	UEP95		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 00							i e					
		Non-Design		2	UEP95		18.01										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1								İ	t	İ	
		Non-Design		3	UEP95		23.02								1		1
	UNE P	ort/Loop Combination Rates (Design)	1		1									ĺ		ĺ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	i –									İ		1		1	
		Design	1	1	UEP95		18.26								I		1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1		Design	1	2	UEP95		23.33					1	1		I		1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
L		Design	<u> </u>	3	UEP95		29.98							<u> </u>			
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		1			1						Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
		In terms									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		t -				_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
		t -				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32						İ				
	2-Wire Voice Grade Loop (SL 2) - Zone 1	i –	1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	i –	2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	i –	3	UEP95	UECS2	28.28										
UNE	Port Rate	i	1													
All St	tates												Î	Î	Î	
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Î	Î	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	Î	Î	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local												Î	Î	Î	
	Area	<u> </u>	L	UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91	<u></u>	30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
I	Center)2,3 Basic Local Area	<u></u>		UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>	<u> </u>	<u> </u>
1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area	<u> </u>		UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	(Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	GA Only															
Local	I Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu					-l											
	All Standard Features Offered, per port			UEP95	UEPVF	0.00	100 =0					30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
1111	All Centrex Control Features Offered, per port	!	1	UEP95	UEPVC	0.00			ļ		-	30.89	7.03	.	-	_
NARS		!	1	LIEDOE	LIADOX						-			.	-	_
	Unbundled Network Access Register - Combination	!	1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03	.	-	_
	Unbundled Network Access Register - Indial	<u> </u>		UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
BASS -	Unbundled Network Access Register - Outdial ellaneous Terminations	!	<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03	-	-	-
		!	 	 	+				1		 	 	 	 	 	
2-Wir	re Trunk Side	!	 	LIEDOE	CENIDO	0.70	47.75	47.04	0.01	0.47	 	20.22	7.00	 	 	
4 187	Trunk Side Terminations, each	 	1	UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			-
4-Wir	re Digital (1.544 Megabits) DS1 Circuit Terminations, each	 	<u> </u>	UEP95	M1HD1	35.55	75.93	38.15	1		-	30.89	7.03	-	-	-
	DS1 Circuit Terminations, each DS0 Channels Activated, each	 	1	UEP95 UEP95	M1HD1 M1HDO	0.00	108.67	38.15	-		<u> </u>	30.89	7.03	-		-
Intere	office Channel Mileage - 2-Wire	 	1	OLFSO	INITIDO	0.00	108.67		-		<u> </u>	30.89	7.03	-		-
interd		 	<u> </u>	LIEDOS	M1GBC	18.58	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	-
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	 	 	UEP95 UEP95	M1GBC M1GBM	0.0174	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	
Ecot	re Activations (DS0) Centrex Loops on Channelized DS1 Service		 	05.590	INITORIN	0.0174	 		1		 		 	 	 	
	hannel Bank Feature Activations	I	<u> </u>	-	+ +		-		1		-		-	-	-	-
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot	 	 	UEP95	1PQWS	0.66	 		1		-	-	-	-	-	
+	r eature Activation on D-4 Chainnel Bank Centrex Loop Slot	 	 	05.590	IFUVIS	0.00	 		1		 		 	 	 	-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP95	1PQW6	0.66										
					111 02 11 10											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1														

UNBU	NDI FI	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Fyhi	bit: A
5.120												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
L								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
'		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOE	400140	0.00										
<u> </u>		Different Wire Center			UEP95	1PQWP	0.66										-
'		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop	1		OLF 93	IFQVVV	0.00					1					
'		Slot			UEP95	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66					1					
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 00		0.00										
		NRC Conversion Currently Combined Switch-As-Is with allowed				1 1											
'		changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	Additio	onal Non-Recurring Charges (NRC)															
1		Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1														
L		Premise	ļ		UEP95	URETL		8.33	0.83								ļ
'		Unbundled Miscellaneous Rate Element, Tag Design Loop at				l											
		End Use Premise			UEP95	URETN		11.23	1.10								
L		CENTREX - DMS100 (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											-
	UNE PO	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+						-					
'		Non-Design	1	1	UEP9D		14.18										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- '	OLI 3D	+	14.10										1
'		Non-Design		2	UEP9D		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI OD	1	10.01					1					
'		Non-Design		3	UEP9D		23.02										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
'		Design		1	UEP9D		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		23.33										
'		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9D		29.98										
	UNE Lo	pop Rate															
-		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP9D UEP9D	UECS1 UECS1	16.31 21.32					-					
		2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	16.56					-					
<u> </u>		2-Wire Voice Grade Loop (SL 2) - Zone 1	 	2	UEP9D	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	t	3	UEP9D	UECS2	28.28					-	-				
\vdash	UNE Po	ort Rate		Ť	02. 00	22002	20.20										
	ALL ST		l –			1									İ		İ
		2-Wire Voice Grade Port (Centrex) Basic Local Area	l –		UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ		İ
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	i –														1
L '		Area	<u> </u>	<u> </u>	UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1														
L		Area	ļ		UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
l '		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1														
<u> </u>		Area	_		UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
'		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			LIEBOD	UEPYF	4 70	00.44	45.05	0.45	0.01		20.00	7.00			
<u> </u>		Area	-	-	UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	-		
1 '	1	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area	1		UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1 ,			1	1	IOCEAD	UEFIG	1.70	22.14	15.∠5	8.45	3.97	1	30.89	7.03	1	1	1
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	†	1	1	1 1											

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zana	BCS	USOC			RATES (\$)			Svc Order Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	0500			KATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Dan	Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)		<u></u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only			OLI OD	OLI 12	1.70	22.17	10.20	0.40	0.01		00.00	7.00			<u> </u>
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPQD UEPQE	1.70 1.70	22.14	15.25 15.25	8.45 8.45	3.91 3.91	1	30.89 30.89	7.03 7.03	-		-
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQE	1.70	22.14 22.14	15.25	8.45	3.91	-	30.89	7.03	-		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91	H	30.89	7.03	l		
+	2-Wire Voice Grade Port (Centrex / EBS-M5008)4	-		UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03	i		1
İ	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	hit: A
0.120	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO TOMOGOGO										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
	t -						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł '
		, , , , ,										1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			í
		, , , ,															·
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i –	, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		, , , ,															·
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i –	, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i	, , , ,															
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
		, , , , , ,													ĺ		i
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	i –	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	t -																
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ł
	t -	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
	Local I	Number Portability										İ					i
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					İ					i
	Feature											İ					i
	i –	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	i –	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	i –	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	Î		i T
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03	Î		i T
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			i
	Miscel	aneous Terminations													Î		i T
	2-Wire	Trunk Side													Î		í T
		Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			i
	4-Wire	Digital (1.544 Megabits)															i
		DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
	Interof	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	1										I						ı ———
	<u> </u>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
		Slot			UEP9D	1PQW7	0.66										<u> </u>
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															·
	ļ	Different Wire Center			UEP9D	1PQWP	0.66										
																	·
	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9D	1PQWV	0.66				<u></u>			L		L	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															ı
		Slot			UEP9D	1PQWQ	0.66										L
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	1	NRC Conversion Currently Combined Switch-As-Is with allowed]		7					Ī						1
1		changes, per port		<u> </u>	UEP9D	USAC2		1.03	0.29		<u></u>		30.89	7.03		<u> </u>	

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	v	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
CATEGOR	'	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_														- (2)		
							Rec	Nonrecurring		Nonrecurring		ļ			Rates (\$)		
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
Add	ditior	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	1	Premise			UEP9D	URETL		8.33	0.83								
	- 1	Unbundled Miscellaneous Rate Element, Tag Design Loop at										1			1		
		End Use Premise			UEP9D	URETN		11.23	1.10								
UN		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)										1			1		
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		t/Loop Combination Rates (Non-Design)		-		+											
UN		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	 	 	 	1				 		t	 		t	 	
			1	_	LIEDOE	1	4440					1	1		1	l	1
		Non-Design		1	UEP9E		14.18					.	ļ		-		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	l	1						1	1		1	l	1
		Non-Design		2	UEP9E		18.01					1	ļ		1	ļ	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		23.02										
UN	IE Po	rt/Loop Combination Rates (Design)															
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	- Iı	Design		1	UEP9E		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI OL	_	20.00										
		Design		3	UEP9E		29.98										
		3		3	ULF9L		25.50										
UN		op Rate		_	LIEDOE	UEOO4	10.10										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48					ļ			ļ		
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
UN	IE Po	rt Rate															
AL.	, FL,	KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area		1	UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	l	1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI OL	OLI ID	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
		Area		1	UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	l	1
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	-	 	OL1 3L	OL: III	1.70	22.14	15.25	0.45	3.91	 	30.09	1.03	 	 	
				1	UEP9E	UEPYM	1.70	22.44	15.05	0.45	3.91		30.89	7.00			
		Center)2,3 Basic Local Area		-	UEPSE	UEPTIVI	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	 	-	
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	LIEBOE	LUEDY C			.=			1			1	l	1
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			ļ
	12	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	l	1						1	l .		1	l	1
		Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term -				1							l				l
		Basic Local Area	<u></u>	<u></u>	UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	L	<u> </u>	<u> </u>
AL.	, KY.	LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		İ	
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	t	i	
		2-Wire Voice Grade Fort (Centrex with Caller 19)1		 	02.02	JEI WII	1.70	22.17	10.20	0.40	0.91	t	55.55	7.00	 		
		Center)2,3		1	UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	-	1	OL: 3L	OLF QIVI	1.70	22.14	15.25	0.40	5.91	1	30.09	1.03	 	-	
				1	LIEDOE	LIEDOZ	4 70	00.44	45.05	0.45	2.04	1	20.00	7.00	1	l	1
	- ;	Service Term	<u> </u>	-	UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	-	-	
				1								1			1	l	1
\vdash		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91	.	30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term		L	UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	ļ	
Loc		witching						_									
	-	Centrex Intercom Funtionality, per port		\Box	UEP9E	URECS	0.6381										
	_																

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							Dan.	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local I	lumber Portability															
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										i
	Feature	es															i T
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			i
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			i T
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03			i
	NARS																ĺ
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			l
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			ĺ
		Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			í .
		aneous Terminations															
	2-Wire	Trunk Side				1											
		Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	4-Wire	Digital (1.544 Megabits)									· ·						
		DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15		· ·		30.89	7.03			
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
	Interof	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		Foot and Additional Date of Date of EVII're Olde Learn Olde			LIEDOE	4001410	0.66										ł
-	+	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															ł
-	+	Slot		-	UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										í
	+	Different wire Center			UEP9E	IPQWP	0.00										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										í
-	+	Feature Activation on D-4 Channel Bank Fivate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	-	-	UEF9E	IFQVV	0.00			-		-	-				
		Slot			UEP9E	1PQWQ	0.66										ł
-	+	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
-	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI 3L	II QVVA	0.00										
	I TOIL IN	NRC Conversion Currently Combined Switch-As-Is with allowed				+											
		changes, per port			UEP9E	USAC2		1.03	0.29				30.89	7.03			ł
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60	0.20			1	30.89	7.03			
	1	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	1	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
	Additio	nal Non-Recurring Charges (NRC)															
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1									İ		(
		Premise			UEP9E	URETL		8.33	0.83								l .
	1	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1									1		1
1	1	End Use Premise		1	UEP9E	URETN		11.23	1.10				1				1
	UNE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															i T
	UNE P	ort/Loop Combination Rates (Non-Design)															i T
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		14.18							<u> </u>			<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ı ———
	1	Non-Design		2	UEP93		18.01										
1	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1				\neg						<u> </u>			1
		Non-Design		3	UEP93	1	23.02										
	UNE P	ort/Loop Combination Rates (Design)				1											
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP93		18.26										l
\vdash	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF33	+	10.20							-	 		
1	1	Design		2	UEP93	I	23.33						1				1
	1	Dougn	l		OLI 30	1	20.00					1			ı		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	1	Interi	Zone								Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS			BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per LSR	per Lor	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect	t		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							71441	101	71441	0020			00		
	Design		3	UEP93		29.98										
LINE	oop Rate	-	Ŭ	OLI SO	+	20.00					1					
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP93	UECS1	12.48	 				1	†	-	1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP93	UECS1	16.31	 				1	†	-	1		
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32					 					
			1				-				<u> </u>			-		
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	16.56	-					ļ				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63					ļ					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
	Port Rate			ļ												
AL, K	Y, LA, MS, & TN only			ļ												
	2-Wire Voice Grade Port (Centrex) Basic Local Area	ļ		UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	_	30.89	7.03	ļ	ļ	
1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	l	1									1	I		l	1
	Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	l														
	Area	<u> </u>	<u></u>	UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>		<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire													1		
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800											İ				
	Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			1							†					
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI SO	OLI 10	1.70	22.17	10.20	0.40	0.01	1	00.00	7.00	1		
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		-		UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex 800 termination)		-								 					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03	-		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port	Ì		UEP93	UEPVF	0.00								1	İ	ĺ
1	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00								1	ĺ	
NARS				İ			1				1		1	1	ĺ	l
	Unbundled Network Access Register - Combination	i –	i –	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	İ	0.00	7.03	i e	İ	i
 	Unbundled Network Access Register - Indial	l -	t	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03	1	†	1
 	Unbundled Network Access Register - Outdial	l -	 	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00	1	0.00	7.03	1	†	l
Misco	Ilaneous Terminations	 		021 00	3/11/3/	0.00	0.00	0.00	0.00	0.00	†	0.00	7.03	1		
	e Trunk Side	 	H	†	+		 				 	t	t	1	†	
2-1116	Trunk Side Terminations, each	 	H	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91	 	30.89	7.03	1	†	
A_\Mira	e Digital (1.544 Megabits)	 	 	OL: 30	CLINDO	0.70	22.14	10.20	0.43	5.91	†	30.09	7.03	1	 	
-+-AA11 6	DS1 Circuit Terminations, each	 	 	UEP93	M1HD1	35.55	75.93	38.15	+		†	30.89	7.03	1	 	
-	DS0 Channels Activated, Per Channel	 	 	UEP93	M1HD0	0.00	108.67	30.15	+		†	30.89	7.03	1	 	
Into		-	1	OLFBS	IVITIDO	0.00	100.67				 	30.89	7.03	1	-	l
intero	ffice Channel Mileage - 2-Wire	 		LIEDOS	MICEC	40.50	00.44	45.05	0.45	2.01	1	20.00	7.00	 		
	Interoffice Channel Facilities Termination	ļ		UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03	1		
	Interoffice Channel mileage, per mile or fraction of mile	L		UEP93	M1GBM	0.0174	-				ļ	-		!		ļ
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e									ļ			ļ		
D4 Ch	annel Bank Feature Activations				1001110		-				ļ	-		!		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP93	1PQWS	0.66					ļ	.		ļ	ļ	<u> </u>
.		l	1	l	1							1	I		1	1
. 1	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot	Ь	<u></u>	UEP93	1PQW6	0.66			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	L	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										Attach	ment: 2	Exhibit: A			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'I
						Rec	Nonrecurring Disconnect							Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66					t					
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex										İ					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60				t	30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60				İ	30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			02. 00	O.K.E.III		11120	0			İ					
	2 - Regures Interoffice Channel Mileage				1	İ										
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment	Ĺ										1				
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Conditi	ons.					1				

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

Version 3Q03: 11/12/2003

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- BellSouth shall provide to Tel West nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that Tel West can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Tel West with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of Tel West and other CLECs in the aggregate.
- BellSouth shall provision services during its regular working hours. To the extent Tel West requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Tel West, BellSouth will not assess Tel West additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Tel West nondiscriminatory access to its OSS and the necessary information contained therein in order that Tel West can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Tel West to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Tel West's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that Tel West can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic

Version 3Q03: 11/12/2003

interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Tel West will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Tel West shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Tel West shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Tel West shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Tel West will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Tel West's access to customer record information. If a BellSouth audit of Tel West's access to customer record information reveals that Tel West is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Tel West may take corrective action, including but not limited to suspending or terminating Tel West's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to Tel West electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Tel West will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to Tel West electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Tel West will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Tel West agree to adhere to BellSouth's Operational

Version 3Q03: 11/12/2003

Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide Tel West nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- Change Management. BellSouth and Tel West agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Tel West agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Tel West at BellSouth's interconnection website.
- 2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by Tel West will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, Tel West shall be required to submit a new service request. Incorrect or invalid requests returned to Tel West for correction or clarification will be held for thirty (30) calendar days. If Tel West does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. Tel West will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Tel West to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Tel West and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Tel West to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify

Tel West that such a request has been processed but will not be required to notify Tel West in advance of such processing.

- 3.2.1 Neither BellSouth nor Tel West shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 Tel West shall return a FOC to BellSouth within thirty-six (36) hours after Tel West's receipt from BellSouth of a valid LSR.
- 3.2.4 Tel West shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Tel West elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Tel West by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Tel West that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When Tel West's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Tel West, which has the billing relationship with that End User, and Tel West may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If Tel West cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the

provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Tel West places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Tel West places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Tel West may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Tel West elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Tel West, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.