# BELLSOUTH® / CLEC Agreement

## Customer Name: Tennessee Telephone Service, LLC dba Freedom Communications USA,

Tennessee Telephone Service, LLC dba Freedom Communications USA, LLC - 2005 Contract	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	24
Att 1 - Resale	25
Att 1 - Resale Discounts & Rates	47
Att 2 - Network Elements & Other Services	56
Att 2 - Network Element Rates Exh A	100
Att 2 - Network Element Rates, Exh B	236
Att 3 - Network Interconnection	263
Att 3 - Network Interconnection Rates	294
Att 4 - Collocation - Central Office	312
Att 4 - Collocation - Remote Site	364
Att 4 - Collocation Rates - Exhibit B	404
Att 5 - Access to Numbers and Number Portability	450
Att 6 - Ordering	456
Att 7 - Billing	465
Att 7 - CMDS Rates	480
Att 8 - Rights of Way	489
Att 9 - Perf Meas Intro	491
Att 10 - Disaster Recovery Plan	493
Att 11 - BFR and NBR Process	502

## **Interconnection Agreement**

## Between

**BellSouth Telecommunications, Inc.** 

and

Tennessee Telephone Service, LLC d/b/a Freedom Communications USA, LLC

### **TABLE OF CONTENTS**

#### **General Terms and Conditions**

De		4 .		
eti	nı	Ħ	Λn	C

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- **26.** Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

## TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation Central Office**
- **Attachment 4 Physical Collocation Remote Site**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- **Attachment 7 Billing**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request and New Business Request Process**

## AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Tennessee Telephone Service, LLC d/b/a Freedom Communications USA, LLC (Freedom Communications), a Limited Liability corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Freedom Communications or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

**WHEREAS**, Freedom Communications is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

**WHEREAS**, pursuant to Sections 251 and 252 of the Act; Freedom Communications wishes to purchase certain services from BellSouth; and

**WHEREAS**, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Freedom Communications agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent (10%).

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Version: 2Q05 Standard ICA

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- 1.1 Freedom Communications agrees to provide BellSouth in writing Freedom Communications's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Freedom Communications is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Freedom Communications may not purchase services hereunder in that state. Freedom Communications will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, Freedom Communications may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approval.
- 1.3 Should Freedom Communications's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, or BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. Freedom Communications shall provide an effective

Version: 2Q05 Standard ICA

certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

#### 2. Term of the Agreement

- 2.1 The initial term of this Agreement shall be three (3) years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- 2.3.1 Freedom Communications may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to Freedom Communications. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Freedom Communications pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section

Version: 2Q05 Standard ICA

- 2.3 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.
- If, at any time during the term of this Agreement, BellSouth is unable to contact Freedom Communications pursuant to the Notices provision hereof or any other contact information provided by Freedom Communications under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to Freedom Communications pursuant to the Notices section hereof.
- 2.5 In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.

#### 3. Nondiscriminatory Access

When Freedom Communications purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Freedom Communications shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of Freedom Communications shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Freedom Communications.

# 4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

4.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services for Freedom Communications, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Freedom Communications End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request.

Version: 2Q05 Standard ICA

BellSouth shall maintain such information for Freedom Communications End Users for the same length of time it maintains such information for its own End Users.

- 4.2 <u>Subpoenas Directed to Freedom Communications.</u> Where BellSouth is providing resold services to Freedom Communications, then Freedom Communications agrees that in those cases where Freedom Communications receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Freedom Communications End Users, and where Freedom Communications does not have the requested information, Freedom Communications will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with Section 4.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 5 Liability and Indemnification

- 5.1 <u>Freedom Communications Liability.</u> In the event that Freedom Communications consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using Freedom Communications's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of Freedom Communications under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> BellSouth shall not be liable to Freedom Communications for any act or omission of another entity providing any services to Freedom Communications.
- Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to Freedom Communications pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to Freedom Communications pursuant to this Agreement.
- 5.3.1 <u>Limitations in Tariffs.</u> A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have

Version: 2Q05 Standard ICA

charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- 5.3.2 Neither BellSouth nor Freedom Communications shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY

Version: 2Q05 Standard ICA

REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 6 Intellectual Property Rights and Indemnification

- No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

#### 6.3 <u>Intellectual Property Remedies</u>

6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify

Version: 2Q05 Standard ICA

the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

### 6.3.2 <u>Claim of Infringement</u>

- 6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

#### 7 Proprietary and Confidential Information

7.1 <u>Proprietary and Confidential Information.</u> It may be necessary for BellSouth and Freedom Communications, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing,

Version: 2Q05 Standard ICA

staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

- 7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 7.3 Exceptions
- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.

Version: 2Q05 Standard ICA

7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### **8** Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees

Version: 2Q05 Standard ICA

regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 9.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.

Version: 2Q05 Standard ICA

- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- 9.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

Version: 2Q05 Standard ICA

#### 10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Freedom Communications, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

#### 11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to Freedom Communications any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

## 12 Modification of Agreement

- 12.1 If Freedom Communications changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Freedom Communications to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, Freedom Communications shall provide BellSouth with any necessary supporting documentation.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Freedom Communications or BellSouth to perform any material terms of this Agreement, Freedom Communications or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice,

Version: 2Q05 Standard ICA

and either Party elects to pursue resolution of such amendment such Party shall pursue the dispute resolution process set forth in Section 8 above.

#### 13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 14 Indivisibility

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

#### 15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

#### 16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

Version: 2Q05 Standard ICA

#### 17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 18 Assignments and Transfers

- 18.1 Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that Freedom Communications is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Freedom Communications shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) Freedom Communications pays all bills, past due and current, under this Agreement, or (2) Freedom Communications's assignee expressly assumes liability for payment of such bills.
- In the event that Freedom Communications desires to transfer any services hereunder to another provider of Telecommunications Service, or Freedom Communications desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

#### 19 Notices

With the exception of billing notices, governed by Attachment 7, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 10<sup>th</sup> floor Birmingham, AL 35203

Version: 2Q05 Standard ICA

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

# Tennessee Telephone Service, LLC d/b/a Freedom Communications USA, LLC

Mathew T. Davis CEO 201 Skyline Drive Dickson, Tennessee 37055 e-mail: <a href="mailto:matt@tenntel.com">matt@tenntel.com</a>

Telephone Number: 615-229-2123

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

#### **20** Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### **Multiple Counterparts**

Version: 2Q05 Standard ICA

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Freedom Communications is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

## 24 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

#### 25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### **26** Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 27. Rates

27.1 Freedom Communications shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement,

Version: 2Q05 Standard ICA

BellSouth reserves the right to back bill Freedom Communications for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement. To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.

To the extent Freedom Communications requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

#### 28 Rate True-Up

- 28.1 This section applies to rates that are expressly subject to true-up.
- The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Freedom Communications specifically or upon all carriers generally, such as a generic cost proceeding.

#### 29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 30 Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties

Version: 2Q05 Standard ICA

shall be governed by the terms of this Agreement and Freedom Communications acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned.

Version: 2Q05 Standard ICA

## General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Tennessee Telephone Service, LLC d/b/a Freedom Communications USA, LLC		
By: Gent 2 Shory	By: MM TC		
Name: Kristen E. Shore	Name: MATTHEN T DAVI		
Title: Director	Title: CEO		
Date: 16/18/05	Date: 10/14/05		

Version: 2Q05 Standard ICA 07/06/05

## **Attachment 1**

Resale

Version: 2Q05 Standard ICA 07/06/05

## **Table of Contents**

1.	Discount Rates	4
2.	Definition of Terms	4
3.	General Provisions	4
4	BellSouth's Provision of Services to Freedom Communications	9
5.	Maintenance of Services	10
6.	Discontinuance of Service	10
7.	White Pages Listings	10
8.	<b>Operator Services (Operator Call Processing and Directory Assistance)</b>	12
9.	Branding for Wholesale OCP and DA	13
10.	LIDB	14
11.	Revenue Accounting Office (RAO) Hosting	15
12.	Optional Daily Usage File (ODUF)	15
13.	Enhanced Optional Daily Usage File (EODUF)	15
Res	ale Restrictions	Exhibit A
Opt	tional Daily Usage File (ODUF)	Exhibit B
Enh	nanced Option Daily Usage File (EODUF)	Exhibit C
Res	ale Discounts and Rates	Exhibit D

Version: 2Q05 Standard ICA 07/06/05

## RESALE

Version: 2Q05 Standard ICA 07/06/05

#### 1. Discount Rates

- 1.1 The discounts rates applied to Freedom Communications's purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit D. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by Freedom Communications for the purposes of resale to Freedom Communications's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D and subject to the exclusions and limitations set forth in Exhibit A.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Freedom Communications, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Freedom Communications for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Freedom Communications provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates,

Version: 2Q05 Standard ICA

- regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- Freedom Communications as a reseller of Lifeline and Link-Up Services hereby certifies that it has and will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 417(a) and (b). This includes the requirements set forth in BellSouth's GSST, Sections A3.31 and A4.7.
- 3.2.1 Freedom Communications shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and Freedom Communications shall provide such documentation to the FCC or it's Administrator upon request.
- In Tennessee, if Freedom Communications does not resell Lifeline service to any End Users, and if Freedom Communications agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event Freedom Communications resells Lifeline service to any End User in Tennessee, BellSouth will begin applying the sixteen percent (16%) discount rate to all services. Upon Freedom Communications and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service End Users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- Freedom Communications must provide written notification to BellSouth within thirty (30) days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- 3.3 Freedom Communications may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 Freedom Communications must resell services to other End users.
- Freedom Communications cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3.3 Freedom Communications will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Freedom Communications for said services.
- Freedom Communications will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the

Version: 2Q05 Standard ICA

right to serve directly any End User within the service area of Freedom Communications. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Freedom Communications. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 BellSouth will accept a request from another CLEC for conversion of the End User's service from Freedom Communications to such other CLEC. Upon completion of the conversion BellSouth will notify Freedom Communications that such conversion has been completed.
- 3.5.2 When an End User of Freedom Communications or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.3 BellSouth and Freedom Communications will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Freedom Communications to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to Freedom Communications, BellSouth will provide Freedom Communications with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Freedom Communications acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Freedom Communications acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Freedom Communications shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Freedom Communications to designate up to one hundred (100) intermediate telephone numbers per CLLIC, for Freedom Communications's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Freedom

Version: 2Q05 Standard ICA

Communications acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six (6) months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Freedom Communications's End Users, pursuant to Section 4 of General Terms and Conditions.
- 3.13 If Freedom Communications or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Freedom Communications has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Freedom Communications remain the property of BellSouth.
- 3.15 Service Ordering and Operations Support Systems (OSS)
- 3.15.1 Freedom Communications must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Freedom Communications may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by BellSouth.
- 3.15.2 LSRs submitted by means of one of these interactive interfaces will incur an electronic service order charge as set forth in Exhibit D. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual service order charge as set forth in Exhibit D. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities

Version: 2Q05 Standard ICA

- Call Forward Busy Line (CF/B)
- Call Forward Don't Answer (CF/DA)

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.17 BellSouth shall provide branding for, or shall unbrand, voice mail services for Freedom Communications per the Bona Fide Request/New Business Request process as set forth in Attachment 11.
- 3.18 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.19 In the event Freedom Communications acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Freedom Communications that Special Assembly at the wholesale discount at Freedom Communications's option. Freedom Communications shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.20 BellSouth shall provide 911/E911 for Freedom Communications End Users in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Freedom Communications customer information to the Public Safety Answering Point (PSAP). BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Freedom Communications customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- 3.21 Pursuant to 47 C.F.R. § 51.617, BellSouth shall bill to Freedom Communications, and Freedom Communications shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

Version: 2Q05 Standard ICA

#### 4 BellSouth's Provision of Services to Freedom Communications

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's GSST, Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Freedom Communications to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Freedom Communications shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Freedom Communications for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If Freedom Communications cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and Private Line Services Tariffs.
- 4.4 Service Jointly Provisioned with an Independent Company or CLEC
- 4.4.1 BellSouth will in some instances provision resold services in accordance with BellSouth's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC.
- 4.4.2 When Freedom Communications assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to Freedom Communications.
- 4.4.4 Freedom Communications must establish a billing arrangement with the ICO or other CLEC prior to assuming an End User account where such circumstances apply.

Version: 2Q05 Standard ICA

4.4.5 Specific guidelines regarding such services are available on the BellSouth Interconnection Web site.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Freedom Communications or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Freedom Communications accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 Freedom Communications will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.5 For all repair requests, Freedom Communications shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth reserves the right to contact Freedom Communications's End Users, if deemed necessary, for maintenance purposes.

#### 6. Discontinuance of Service

- 6.1 The procedures for discontinuing service to an End User are as follows:
- 6.1.1 BellSouth will deny service to Freedom Communications's End User on behalf of, and at the request of, Freedom Communications. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Freedom Communications.
- 6.1.2 At the request of Freedom Communications, BellSouth will disconnect a Freedom Communications End User.
- 6.1.3 All requests by Freedom Communications for denial or disconnection of an End User for nonpayment must be in writing.
- Freedom Communications will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 6.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Freedom Communications when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Freedom Communications and/or the End User against any claim, loss or damage arising from providing this information to Freedom Communications. It is the responsibility of Freedom Communications to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

#### 7. White Pages Listings

Version: 2Q05 Standard ICA

- 7.1 BellSouth shall provide Freedom Communications and its End Users access to white pages directory listings under the following terms:
- 7.1.1 Listings. Freedom Communications shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Freedom Communications residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Freedom Communications and BellSouth End Users. Freedom Communications shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> Freedom Communications will be required to provide to BellSouth the names, addresses and telephone numbers of all Freedom Communications End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.3 Inclusion of Freedom Communications End Users in Directory Assistance

  Database. BellSouth will include and maintain Freedom Communications End
  User listings in BellSouth's Directory Assistance databases. Freedom
  Communications shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Freedom Communications's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as Freedom Communications provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Freedom Communications one (1) basic White Pages directory listing per Freedom Communications End User at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Freedom Communications End User at no charge or as specified in a separate agreement between Freedom Communications and BellSouth's agent.
- 7.3 Procedures for submitting Freedom Communications Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Freedom Communications authorizes BellSouth to release all Freedom Communications SLI provided to BellSouth by Freedom Communications to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS) in BellSouth's GSST. Such

Version: 2Q05 Standard ICA

Freedom Communications SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.

- No compensation shall be paid to Freedom Communications for BellSouth's receipt of Freedom Communications's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Freedom Communications's SLI, or costs on an ongoing basis to administer the release of Freedom Communications's SLI, Freedom Communications shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Freedom Communications's SLI, Freedom Communications will be notified. If Freedom Communications does not wish to pay its proportionate share of these reasonable costs, Freedom Communications may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Freedom Communications shall amend this Agreement accordingly. Freedom Communications will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Freedom Communications under this Agreement. Freedom Communications shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Freedom Communications listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Freedom Communications any complaints received by BellSouth relating to the accuracy or quality of Freedom Communications listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

### 8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- 8.2 Upon request for BellSouth OCP, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls.
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to Freedom Communications End User's calling card that can be validated by BellSouth.

Version: 2Q05 Standard ICA

8.2.4	Process person-to-person calls.
8.2.5	Process collect calls.
8.2.6	Provide the capability for callers to bill a third party and shall also process such calls.
8.2.7	Process station-to-station calls.
8.2.8	Process Busy Line Verify and ELI requests.
8.2.9	Process emergency call trace originated by PSAP.
8.2.10	Process operator-assisted DA calls.
8.2.11	Adhere to equal access requirements, providing Freedom Communications local End Users the same IXC access that BellSouth provides its own operator service (OS).
8.2.12	Exercise at least the same level of fraud control in providing OS to Freedom Communications that BellSouth provides for its own OS.
8.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
8.2.14	Direct customer account and other similar inquiries to the customer service center designated by Freedom Communications.
8.2.15	Provide call records to Freedom Communications in accordance with Optional Daily Usage File (ODUF) standards.
8.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards.
8.3	<u>DA Service</u>
8.3.1	DA Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
8.3.2	DA Service shall provide up to two (2) listing requests per call, if available and if requested by Freedom Communications's End User. BellSouth shall provide caller-optional DA call completion service at rates set forth in BellSouth's GSST to one of the provided listings.
8.4	<u>DA Service Updates.</u> BellSouth shall update End User listings changes daily. These changes include:
8.4.1	New End User connections;
8.4.2	End User disconnections;
8.4.3	End User address changes; and
8.4.4	Non-listed and non-published numbers for use in emergencies.
Q	Branding for Wholesale OCP and DA

- 9.1 BellSouth's branding feature provides a definable announcement to Freedom Communications's End Users using BellSouth's DA/OCP prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows Freedom Communications to have its calls custom branded with Freedom Communications's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D.
- 9.2 BellSouth offers three (3) branding options to Freedom Communications when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 9.3 Freedom Communications's order for Custom Branding is considered firm ten (10) business days after BellSouth's receipt of the order. Freedom Communications may cancel its order more than ten (10) business days after BellSouth's receipt of the order. Freedom Communications shall notify BellSouth in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), Freedom Communications must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.

# 9.4 Branding via OLNS

- 9.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Freedom Communications shall not be required to purchase dedicated trunking.
- 9.4.2 BellSouth Branding is the default branding offering.
- 9.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Freedom Communications must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, Freedom Communications must submit a manual order form which requires, among other things, Freedom Communications's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth Traffic Operator Position System (TOPS) during the peak busy hour. Freedom Communications shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Freedom Communications's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Freedom Communications End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

### 10. LIDB

10.1 BellSouth LIDB stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and

Version: 2Q05 Standard ICA

- nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention.
- 10.2 Where Freedom Communications is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from Freedom Communications LSR's to populate LIDB with Freedom Communications's End User information. BellSouth provides access to information in its LIDB, including Freedom Communications End User information, to various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for Freedom Communications, pursuant to this Agreement, shall be available to those Telecommunications Service providers.
- 10.2.1 When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of Freedom Communications data to the LIDB (e.g., calling card deactivation).
- 10.3 <u>Responsibilities of the Parties</u>
- 10.3.1 BellSouth will administer the data provided by Freedom Communications pursuant to this Agreement in the same manner as BellSouth administers its own data.
- 10.3.2 Freedom Communications is responsible for completeness and accuracy of the data being provided to BellSouth.
- 10.3.3 BellSouth shall not be responsible to Freedom Communications for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- 11. Revenue Accounting Office (RAO) Hosting
- 11.2 RAO Hosting is not required for resale in the BellSouth region.
- 12. Optional Daily Usage File (ODUF)
- 12.1 The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D.
- 12.2 BellSouth will provide ODUF service upon written request.
- 13. Enhanced Optional Daily Usage File (EODUF)
- The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D.
- 13.2 BellSouth will provide EODUF service upon written request.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)**

Type of Convice		AL		FL		GA	]	KY	]	LA	I	MS	]	NC		SC	,	ΓN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Services (Note 1) 2 Promotions - > 90 Days(Note 2 & 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions $- \le 90$ Days (Note 2 & 3)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall <sup>®</sup> Service	e No	No	No	No	No	No	No	No	Yes	No	No	No	No	No	Yes	No	No	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Nonrecurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable N																		
1. Grandfather												_						_
2. Where availab									would h	ave qualif	ied for t	he promot	ion had	it been pr	ovided l	y BellSou	th direc	tly.
3. Promotions sh			-															
4. Some of BellS	South's lo	ocal exchar	nge and	toll teleco	mmunic	ations serv	rices are	e not availa	able in c	ertain cent	tral offic	es and are	eas.					

Version: 2Q05 Standard ICA

# **Optional Daily Usage File**

1.	Upon written request from Freedom Communications, BellSouth will provide the ODUF service to Freedom Communications pursuant to the terms and conditions set forth in this section.
2.	Freedom Communications shall furnish all relevant information required by BellSouth for the provision of the ODUF.
3.	The ODUF feed provides Freedom Communications messages that were carried over the BellSouth network and processed by BellSouth for Freedom Communications.
4.	Charges for ODUF will appear on Freedom Communications's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format.
6.	ODUF Specifications
6.1	ODUF Message to be Transmitted
6.1.1	The following messages recorded by BellSouth will be transmitted to Freedom Communications:
6.1.1.1	Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.);
6.1.1.2	Measured local calls;
6.1.1.3	Directory Assistance messages;
6.1.1.4	IntraLATA Toll;
6.1.1.5	WATS and 800 Service;
6.1.1.6	N11;
6.1.1.7	Information Service Provider Messages;
6.1.1.8	OS Messages;
6.1.1.9	OS Message Attempted Calls;
6.1.1.10	Credit/Cancel Records; and
6.1.1.11	Usage for Voice Mail Message Service.
6.1.2	Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
6.1.3	BellSouth will perform duplicate record checks on records processed to ODUF.

Version: 2Q05 Standard ICA 07/06/05

Communications.

Any duplicate messages detected will be deleted and not sent to Freedom

- 6.1.4 In the event that Freedom Communications detects a duplicate on ODUF they receive from BellSouth, Freedom Communications will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to Freedom Communications via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and Freedom Communications for the purpose of data transmission. Where a dedicated line is required, Freedom Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Freedom Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Freedom Communications's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Freedom Communications. Additionally, all message toll charges associated with the use of the dial circuit by Freedom Communications will be the responsibility of Freedom Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Freedom Communications's end for the purpose of data transmission will be the responsibility of Freedom Communications.
- 6.2.3 If Freedom Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Freedom Communications.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Freedom Communications which BellSouth RAO is sending the message. BellSouth and Freedom

Communications will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Freedom Communications and resend the data as appropriate.

# 6.4 ODUF Pack Rejection

6.4.1 Freedom Communications will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Freedom Communications will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Freedom Communications by BellSouth.

## 6.5 ODUF Control Data

6.5.1 Freedom Communications will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Freedom Communications's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Freedom Communications for reasons stated in the above section.

## 6.6 <u>ODUF Testing</u>

6.6.1 Upon request from Freedom Communications, BellSouth shall send ODUF test files to Freedom Communications. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that Freedom Communications set up a production (live) file. The live test may consist of Freedom Communications's employees making test calls for the types of services Freedom Communications requests on ODUF. These test calls are logged by Freedom Communications, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 2Q05 Standard ICA

## **Enhanced Optional Daily Usage File**

- 1. Upon written request from Freedom Communications, BellSouth will provide the EODUF service to Freedom Communications pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Freedom Communications shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on Freedom Communications's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
- 5. All messages will be in the standard ATIS EMI record format.
- 6. Messages that error in the billing system of Freedom Communications will be the responsibility of Freedom Communications. If, however, Freedom Communications should encounter significant volumes of errored messages that prevent processing by Freedom Communications within its systems, BellSouth will work with Freedom Communications to determine the source of the errors and the appropriate resolution.
- 7. <u>EODUF Specifications</u>
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Freedom Communications:
- 7.1.1.1 Customer usage data for flat rated local calls originating from Freedom Communications's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time
- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators

Version: 2Q05 Standard ICA

#### 7.1.1.1.11 Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Freedom Communications.
- 7.1.3 In the event that Freedom Communications detects a duplicate on EODUF they receive from BellSouth, Freedom Communications will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to Freedom Communications via FTP. The EODUF messages will be intermingled among Freedom Communications's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Freedom Communications for the purpose of data transmission. Where a dedicated line is required, Freedom Communications will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Freedom Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Freedom Communications. Additionally, all message toll charges associated with the use of the dial circuit by Freedom Communications will be the responsibility of Freedom Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Freedom Communications's end for the purpose of data transmission will be the responsibility of Freedom Communications.
- 7.2.3 If Freedom Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Freedom Communications.
- 7.3 <u>EODUF Packing Specifications</u>
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.

Version: 2Q05 Standard ICA

7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Freedom Communications which BellSouth RAO is sending the message. BellSouth and Freedom Communications will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Freedom Communications and resend the data as appropriate.

Version: 2Q05 Standard ICA 07/06/05

RESAL	LE DIS	COUNTS & RATES - Alabama												Attachment:	1 Exh D		
															Incremental	Incremental	Increment
			Interi									Submitted Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sv
ATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""										•	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add
				+		_	ļ	Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				1				THOL	Auu	Tilot	Auu	JONEC	JONIAN	JOINAIN	JOWAN	JOHAN	JONAN
APPLIC	ABI F I	DISCOUNTS		+ +													<del></del>
1 - 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Residence %		1			16.30										
		Business %	1	1			16.30										
		CSAs %					16.30										
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	e specifi	c" OSS charges a	s ordered by	the State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.	ice or ac	oning cir	arges, or occom	ay elect the re	gioriai service (	ordering charge	s, nowever, or	LC can not or	rain a mixture	or the two	egararess i	OLLO Has a	interconnecti	on contract e	stabilisticu i
	eacii o	OSS - Electronic Service Order Charge, Per Local Service		1 1							ı					1	
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request		+ +		SOIVILO		3.30	0.00	3.30	0.00						<del></del>
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIDECT		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COETI	MADE		SOMAN		19.99	0.00	13.33	0.00						<del> </del>
DIRECT	OKTA	Recording of DA Custom Branded Announcement	SOFI	WARE				3.000.00	3,000.00								
		Loading of DA Custom Branded Announcement per Switch per		+				3,000.00	3,000.00								
		OCN						1,170,00	1,170.00								
DIRECT		SSISTANCE UNBRANDING via OLNS SOFTWARE		1		-		1,170.00	1,170.00								
DIRECT		Loading of DA per OCN (1 OCN per Order)		1		-		420.00	420.00								
		Loading of DA per Octv (1 OCtv per Otder)		1		-		16.00	16.00								-
OPERA		SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE				10.00	10.00								
OI LIVA		Recording of Custom Branded OA Announcement	00111	TAIL		+		7.000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV		+				7,000.00	7,000.00								
		per OCN						500.00	500.00								
		Loading of OA Custom Branded Announcement per Switch per		1				000.00	000.00								<del> </del>
		OCN						1,170.00	1,170.00								
OPERA		SSISTANCE UNBRANDING via OLNS SOFTWARE		1		-		1,170.00	1,170.00								
O. L.KA	TON A	Loading of OA per OCN (Regional)		1				1,200.00	1.200.00								
ODUF/F	ODUE	SERVICES		† †		+	<b>†</b>	.,200.00	.,200.00	<b> </b>		1					<b>—</b>
		NAL DAILY USAGE FILE (ODUF)		† †		+	<b>†</b>			<b> </b>		1					<b>—</b>
		ODUF: Recording, per message					0.000011										
		ODUF: Message Processing, per message		1 1		-	0.004101										<b> </b>
		ODUF: Message Processing, per Magnetic Tape provisioned		1 1		-	42.67										<b> </b>
		ODUF: Data Transmission (CONNECT:DIRECT), per message	<del>                                     </del>	1		+	0.000094										
		ICED OPTIONAL DAILY USAGE FILE (EODUF)	<del>                                     </del>	1		+	0.000034										
	LINIA	EODUF: Message Processing, per message		1 1			0.22	-									<del>                                     </del>
		LODOI . Micoodye i Tobessiny, per message					0.22								ļ	ļ	<del></del>

DECALE DIC	SCOUNTS & RATES - Florida												Attachment:	1 Evh D	1	l
RESALE DIS	I	1		I	1						Cua Ordar	Cua Ordar		Incremental	Ingramantal	Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BUS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								7.44.		7.44	0020	00				
APPLICABLE D	DISCOUNTS															
	Residence %					21.83										
	Business %		1			16.81										
	CSAs %					16.81										
OPERATIONS S	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (	(1) CLEC should contact its contract negotiator if it prefers th	ne "state	e specit	fic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges.	CLEC may
elect eit	ther the state specific Commission ordered rates for the servi	ice orde	ering ch	narges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished in
	f the 9 states.		-	•	-	-						_				
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
	SSISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00	1,170.00								
	Loading of DA per OCN (1 OCN per Order)	1			+		420.00	420.00			1					
	Loading of DA per Switch per OCN						16.00	16.00								
	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE				10.00	10.00								
	Recording of Custom Branded OA Announcement	1	1				7.000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV		i e		i i		,	,,	İ	İ				İ		
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
OPERATOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE						·									
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF S	SERVICES				1			•								
OPTION	NAL DAILY USAGE FILE (ODUF)															
UP HUN	I					0.0000071										
	ODUF: Recording, per message															
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.002146 35.91										

RESALE DISCOUNTS & RATES - Georgia												Attachment:	1 Evh D		
RESALE DISCOUNTS & RATES - Georgia	1	1	I	1	1					Cua Ordar	Cua Ordar		Incremental	Ingramantal	Incremental
											Submitted				
													Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec				Manual Svc	
CATEGORY RATE ELEMENTS	m	Zone	BUS	0300			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							,,,,,,	101	7.44	0020	00			00	
APPLICABLE DISCOUNTS															
Residence %					20.30										
Business %					17.30										
CSAs %					17.30										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers to	he "state	e specif	fic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	service orde	ring charges.	CLEC may
elect either the state specific Commission ordered rates for the serv	ice orde	ering ch	narges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
each of the 9 states.		·		•	•						ū				
OSS - Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Request	t														
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE													
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per															
OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE													
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV															
per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per															
OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.0000068										
ODUF: Message Processing, per message					0.002167										
ODUF: Message Processing, per Magnetic Tape provisioned					36.06										
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)								1	1				I		
EODUF: Message Processing, per message					0.227409										

08/25/05

RESALE DISC	COUNTS & RATES - Kentucky												Attachment:	1 Exh D		
	•										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		Interi									Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			1		_		Nonrec	urrina	Nonrecurring	Disconnect			088	Rates(\$)		
			+ +			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							FIISL	Add I	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
APPLICABLE DI	SCOUNTS															
	Residence %		1			16.79										
	Business %		1			15.54										
	CSAs %					15.54										
	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	I) CLEC should contact its contract negotiator if it prefers th	ne "state	e specifi	c" OSS charges a	s ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rate	exhibit are	the BellSou	th "regional	service orde	ring charges.	CLEC may
	her the state specific Commission ordered rates for the servi															
	the 9 states.	ice or a	sining Cit	arges, or occom	ay elect the re	gioriai service (	ordering charge	s, However, Or	LO Can not of	tani a mixture	or the two i	egararess ii	OLLO Has a	inter connecti	on contract e	stabilisticu ii
	DSS - Electronic Service Order Charge, Per Local Service		1 1													
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request		+ +		SOIVILO		3.30	0.00	3.30	0.00						
	LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COET	MADE		SOMAN		19.99	0.00	13.33	0.00						
	Recording of DA Custom Branded Announcement	3061	WARE				3.000.00	3,000.00								
	Loading of DA Custom Branded Annuarcement per Switch per		+				3,000.00	3,000.00								
	OCN						1.170.00	1,170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE		1				1,170.00	1,170.00								
	Loading of DA per OCN (1 OCN per Order)		1				420.00	420.00								
	Loading of DA per Switch per OCN		1				16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	VARE				10.00	10.00								
	Recording of Custom Branded OA Announcement	1	1				7.000.00	7,000.00								
								.,								
	_oading of Custom Branded UA Announcement per shelf/NAV															
	oading of Custom Branded OA Announcement per shelf/NAV						500.00	500.00								
р	per OCN						500.00	500.00								
p L	per OCN  Loading of OA Custom Branded Announcement per Switch per															
L C	per OCN						500.00 1,170.00	500.00 1,170.00								
DPERATOR ASS	per OCN  Loading of OA Custom Branded Announcement per Switch per OCN															
OPERATOR ASS	per OCN						1,170.00	1,170.00								
OPERATOR ASS	per OCN						1,170.00	1,170.00								
OPERATOR ASS  ODUF/EODUF SI OPTION/	per OCN  coading of OA Custom Branded Announcement per Switch per OCN  SISTANCE UNBRANDING via OLNS SOFTWARE  coading of OA per OCN (Regional)  ERVICES					0.0000136	1,170.00	1,170.00								
OPERATOR ASS ODUF/EODUF SI OPTION	per OCN Loading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF)					0.0000136 0.002506	1,170.00	1,170.00								
OPERATOR ASS ODUF/EODUF SI OPTION	Der OCN Loading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) DDUF: Recording, per message DDUF: Message Processing, per message						1,170.00	1,170.00								
OPERATOR ASS ODUF/EODUF SI OPTION OCCUPANTO	Der OCN Loading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) DDUF: Recording, per message					0.002506	1,170.00	1,170.00								
OPERATOR ASS ODUFFEODUF SIS OPTION OCCUPANTION	per OCN coading of OA Custom Branded Announcement per Switch per DCN SISTANCE UNBRANDING via OLNS SOFTWARE coading of OA per OCN (Regional) ERVICES AL DAILY USAGE FILE (ODUF) DDUF: Recording, per message DDUF: Message Processing, per message DDUF: Message Processing, per Magnetic Tape provisioned					0.002506 35.90	1,170.00	1,170.00								

08/25/05 CCCS 50 of 508

DESALE DIS	SCOUNTS & RATES - Louisiana												Attachment:	1 Evh D		1
RESALE DIS	l	1	1		ı	1					Cvo Ordor	Cua Ordar		Incremental	Ingramantal	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1		101	7.00		71441		00		00		
APPLICABLE I	DISCOUNTS															
	Residence %					20.72										
	Business %					20.72										
	CSAs %					9.05										
<b>OPERATIONS</b>	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	ne "state	e specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	exhibit are	the BellSo	uth "regional'	' service orde	ring charges.	CLEC may
elect ei	ither the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	egardless if	CLEC has a	interconnecti	on contract e	stablished in
	f the 9 states.		-		-	-						_				
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE				1		1,110.00	1,170.00								
	II cading of DA per OCN (1 OCN per Order)				1		420.00	420.00								
	Loading of DA per OCN (1 OCN per Order)						420.00 16.00	420.00 16.00								
	Loading of DA per Switch per OCN	SOFTV	WARF				420.00 16.00	420.00 16.00								
	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	VARE				16.00	16.00								
	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement	SOFTV	WARE													
	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV	SOFTV	WARE				7,000.00	7,000.00								
	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN	SOFTV	WARE				16.00	16.00								
OPERATOR AS	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per	SOFTV	VARE				7,000.00 500.00	7,000.00 500.00								
OPERATOR AS	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN	SOFTV	WARE				7,000.00	7,000.00								
OPERATOR AS	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE	SOFTV	WARE				7,000.00 500.00	7,000.00 500.00								
OPERATOR AS	Loading of DA per Switch per OCN  SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV per OCN  Loading of OA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE  Loading of OA per OCN (Regional)	SOFTV	WARE				7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								
OPERATOR AS  OPERATOR AS  ODUF/EODUF	Loading of DA per Switch per OCN  SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV per OCN  Loading of OA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE  Loading of OA per OCN (Regional)	SOFTV	WARE				7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								
OPERATOR AS  OPERATOR AS  ODUF/EODUF  OPTION	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES	SOFTV	WARE			0.0000117	7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								
OPERATOR AS  OPERATOR AS  ODUF/EODUF  OPTIOI	Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF)	SOFTV	WARE			0.0000117	7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								
OPERATOR AS  OPERATOR AS  ODUF/EODUF  OPTIOI	Loading of DA per Switch per OCN  SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional)  SERVICES NAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message ODUF: Message Processing, per message	SOFTV	WARE				7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								
OPERATOR AS  OPERATOR AS  ODUF/EODUF  OPTIO	Loading of DA per Switch per OCN  SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV per OCN  Loading of OA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE  Loading of OA per OCN (Regional)  SERVICES  NAL DAILY USAGE FILE (ODUF)  [ODUF: Recording, per message	SOFTV	WARE			0.004641	7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								
OPERATOR AS  OPERATOR AS  ODUF/EODUF  OPTIO	Loading of DA per Switch per OCN  SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES  NAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned	SOFTV	WARE			0.004641 48.45	7,000.00 500.00 1,170.00	7,000.00 500.00 1,170.00								

08/25/05

RESALE DISCOUNTS & RATES - Mississippi												Attachment:	1 Evh D	1	1
RESALE DISCOUNTS & RATES - MISSISSIPPI	1	1	I	1						Cua Ordar	Cua Ordar		Incremental	Ingramantal	Incremental
											Submitted		Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec				Manual Svc	
CATEGORY RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
	1					Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	l	
				1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1 01	,,,,,,	1 01	7.44.1	0020	00				
APPLICABLE DISCOUNTS								İ							
Residence %					15.75										
Business %					15.75										
CSAs %					15.75										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the	he "state	e specif	fic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC mav
elect either the state specific Commission ordered rates for the serv															
each of the 9 states.			3 ,	,	<b>3</b>		.,,								
OSS - Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Request	t					0.00									
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE													
Recording of DA Custom Branded Announcement		T				3.000.00	3.000.00								
Loading of DA Custom Branded Anouncement per Switch per						0,000.00	-,,,,,,,,,,								
OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE						,	, , , , , , , , , , , , , , , , , , , ,								
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV							·								
per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per															
OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.0000063										
ODUF: Message Processing, per message					0.004707										
ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															

08/25/05

												1		1	
RESALE DISCOUNTS & RATES - North Carolina												Attachment:			
												Incremental	Incremental	Incremental	Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													Add'l		
												1st	Addi	Disc 1st	Disc Add'l
					_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
Residence %					21.50										
Business %					17.60										
CSAs %					17.60										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers t	he "state	e specifi	ic" OSS charges a	s ordered by	the State Comm	issions. The	OSS charges o	urrently conta	ned in this rat	e exhibit ar	the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
elect either the state specific Commission ordered rates for the serv															
each of the 9 states.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	cinig on	arges, or otto in	ay cicot tile ic	gioriai scivioc v	oracining oriang	c, 110 W C V C 1, O	0 0 0 0 1 1 1 0 1 0 1	Julii a illixturo	or the two	egararess i	. OLLO mas a	microomicot.	on contract c	otabilorica ii
OSS - Electronic Service Order Charge, Per Local Service		1 1			1			1		1	1	ı		1	1
				001450		3.50	0.00	0.50	0.00						
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Reques	t														
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE													
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per															
OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	S SOFT\	WARE													
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV															
per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per		1 1													
OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE	+	+ +				1,110.00	1,170.00								
Loading of OA per OCN (Regional)						1.200.00	1,200,00								
ODUF/EODUF SERVICES	1	+ +		+	1	1,200.00	1,200.00	1	<del> </del>	1			1	1	1
OPTIONAL DAILY USAGE FILE (ODUF)	+			+						1					
ODUF: Recording, per message	+	+		-	0.0000174			-	-	1	<b> </b>	-	-	-	-
ODUF: Recording, per message ODUF: Message Processing, per message	-	+ +		-					1	1		-	1		1
	<del> </del>	1			0.001647					<b>.</b>					-
ODUF: Message Processing, per Magnetic Tape provisioned	ļ	1			35.91										
	1	1			0.00011029			1	I	1	ı	l	1		
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00011023										
COUNT: Data Transmission (CONNECT:DIRECT), per message   ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)   EODUF: Message Processing, per message					0.131005										

RESALE DISCOUNTS & RATES - South Carolina												Attachment:	1 Exh D		
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	Intori									Elec	Manually	Manual Svc		Manual Svc	Manual Sv
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic
												1st	Add'l	Disc 1st	Disc Add'
												ist	Addi	DISC 1St	DISC Add I
					Rec	Nonrec		Nonrecurring	g Disconnect				Rates(\$)		
					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS					1100										<u> </u>
Residence %					14.80										<u> </u>
Business %					14.80										<b></b>
CSAs %					8.98										<b></b>
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers t															
elect either the state specific Commission ordered rates for the serv	ice orde	ering ch	arges, or CLEC ma	ay elect the re	gional service of	ordering charge	, however, Cl	EC can not ob	tain a mixture	of the two	egardless it	f CLEC has a	interconnecti	on contract e	stablished i
each of the 9 states.															
OSS - Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Reques	t														
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE													
Recording of DA Custom Branded Announcement						3.000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
OCN						1,170,00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE						·	· · · · · · · · · · · · · · · · · · ·								
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	VARE													
Recording of Custom Branded OA Announcement		1				7.000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV		1 1				.,	.,								
per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per		1 1				000.00	000.00								
OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE		1 1		_		1,170.00	1,170.00								
Loading of OA per OCN (Regional)	-	+ +				1,200,00	1,200,00								
ODUF/EODUF SERVICES	+	+ - 1		+		1,200.00	1,200.00								
ODUP/EODUP SERVICES OPTIONAL DAILY USAGE FILE (ODUF)	+	+ +		+											
ODUF: Recording, per message	+	+ +		+	0.0000216										<del></del>
ODUF: Message Processing, per message	<del>-</del>	1 - 1			0.000216										<del></del>
ODUF: Message Processing, per message  ODUF: Message Processing, per Magnetic Tape provisioned	+	+		+											<del></del>
	+	+ +		+	48.87								-		<del>                                     </del>
ODUF: Data Transmission (CONNECT:DIRECT), per message	-	+ +		-	0.00010863								-		<b>├</b>
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															<del> </del>
EODUF: Message Processing, per message					0.258301										

Page 8 of 9

RESALE DISCOUNTS & RATES - Tennessee												Attachment:	1 Evh D	1	
RESALE DISCOUNTS & RATES - Tellilessee	1	1								Cua Ordar	Sua Ordar		Incremental	Ingramantal	Incremental
											Submitted		Charge -	Charge -	Charge -
CATEGORY RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(#)			Elec				Manual Svc	
CATEGORY RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
	1			+		Nonrecurring		Nonrecurring	g Disconnect			OSS	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
Residence %					16.00										
Business %					16.00										
CSAs %					16.00										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the	ne "state	e specif	fic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	e the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
elect either the state specific Commission ordered rates for the serv	ice orde	erina ch	narges. or CLEC ma	v elect the re	gional service	ordering charge	e. however. Cl	_EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	on contract e	established in
each of the 9 states.				,	•	3	, , .				•				
OSS - Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Request	i i														
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT\	WARE													
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per															
OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV															
per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per															
OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.0000044										
ODUF: Message Processing, per message					0.002446										
ODUF: Message Processing, per Magnetic Tape provisioned					35.54										
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)			_												
EODUF: Message Processing, per message					0.229779										

# **Attachment 2**

**Network Elements and Other Services** 

Version: 2Q05 Standard ICA - New

# **TABLE OF CONTENTS**

1	Introduction	3
2	Loops	7
3	Line Splitting	28
4	Unbundled Network Element Combinations	29
5	Dedicated Transport and Dark Fiber Transport	32
6	Automatic Location Identification/Data Management System (ALI/DMS)	38
7	White Pages Listings	42
Rat	tes	Exhibit A
Rat	tes	Exhibit B

Version: 2Q05 Standard ICA - New

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Freedom Communications for Freedom Communications's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Freedom Communications (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Freedom Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Freedom Communications purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- Freedom Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Freedom Communications shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Freedom Communications pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Freedom Communications pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as

Version: 2Q05 Standard ICA - New

of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Freedom Communications. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Freedom Communications and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Freedom Communications may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Freedom Communications has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide Freedom Communications with thirty (30) days written notice to disconnect or convert such Arrangements. If Freedom Communications fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Freedom Communications shall undertake a reasonably diligent inquiry to determine whether Freedom Communications is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Freedom Communications self-certifies that to the best of Freedom Communications's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Freedom Communications's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill Freedom Communications the difference between the rates for such circuits pursuant to this Agreement and the applicable

Version: 2Q05 Standard ICA - New

nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, Freedom Communications shall submit a spreadsheet identifying those noncompliant circuits to be transitioned to tariffed services or disconnected.

- 1.9 Freedom Communications may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Freedom Communications, BellSouth shall perform the RNM.

# 1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Freedom Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Freedom Communications must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the

Version: 2Q05 Standard ICA - New

remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Freedom Communications should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on BellSouth's Interconnection Web site at: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Freedom Communications's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Freedom Communications's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.
- 1.13.4 <u>Testing/Trouble Reporting</u>
- 1.13.4.1 Freedom Communications will be responsible for testing and isolating troubles on Network Elements. Freedom Communications must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Freedom Communications will be required to provide the results of the Freedom Communications test which indicate a problem on the BellSouth network.

Version: 2Q05 Standard ICA - New

- 1.13.4.2 Once Freedom Communications has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Freedom Communications reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Freedom Communications a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Freedom Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Freedom Communications for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

# 2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Freedom Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable,

Version: 2Q05 Standard ICA - New

whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Freedom Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Freedom Communications. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Freedom Communications with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 DS1 and DS3 Loop Requirements
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.

Version: 2Q05 Standard ICA - New

- 2.1.4.2 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 except as described below:
- 2.1.4.2.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.2.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3 A list of wire centers meeting the criteria set forth in Sections 2.1.4.2.1 and 2.1.4.2.2 above as of March 10, 2005 (Initial Wire Center List), is available on BellSouth's Interconnection Services Web site.
- 2.1.4.4 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.5 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods
- 2.1.4.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.2 above but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.6.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 2.1.4.6.3 For purposes of Section 2.1.4.6 above, BellSouth shall make available DS1 and DS3 Loops that were in service for Freedom Communications in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 2.1.4.6.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 2.1.4.6.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.6.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Freedom Communications shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.4.6.6.1 If Freedom Communications fails to submit the spreadsheet(s) specified in Section 2.1.4.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Freedom Communications's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.6.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.6.6 above or transitioned pursuant to Section 2.1.4.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Freedom Communications in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.

- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Freedom Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Freedom Communications may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Freedom Communications shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and Freedom Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Freedom Communications's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Freedom Communications to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Freedom Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with Freedom Communications a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Freedom Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Freedom Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

2.1.9

	Order	Order Coordination	Test Points	DLR	Charge for Dispatch
--	-------	--------------------	-------------	-----	---------------------

Version: 2Q05 Standard ICA - New

	Coordination (OC)	- Time Specific (OC-TS)			and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Freedom Communications must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by Freedom Communications when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Freedom Communications's Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

Version: 2Q05 Standard ICA - New

2.1.10.3 The Loops converted to Freedom Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

### 2.1.11 Bulk Migration

- 2.1.11.1 BellSouth will make available to Freedom Communications a Bulk Migration process pursuant to which Freedom Communications may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site:

  www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should Freedom Communications request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Freedom Communications must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Freedom Communications will be able to continue to provide any advanced services over the new facility. BellSouth will

Version: 2Q05 Standard ICA - New

offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Freedom Communications, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Freedom Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Freedom Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Freedom Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Freedom Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop;

Version: 2Q05 Standard ICA - New

- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or
- 2.3.2.8 STS-1 Loop.
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Freedom Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, DS1 Loops include 2-wire and 4-Wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Freedom Communications at any single building in which DS1 Loops are available as unbundled Loops.

- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 <u>STS-1 Loop.</u> STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501

  LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Freedom Communications may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Freedom Communications.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Freedom Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Freedom Communications can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Freedom Communications may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Freedom Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Freedom Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.5.3 For any copper loop being ordered by Freedom Communications which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Freedom Communications, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Freedom Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Freedom Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Freedom Communications requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Freedom Communications will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Freedom Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Freedom Communications desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Freedom Communications, Freedom Communications will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Freedom Communications is available at the location for which the ULM was requested, Freedom Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Freedom Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.

## 2.6 <u>Loop Provisioning Involving IDLC</u>

- 2.6.1 Where Freedom Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Freedom Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Freedom Communications (e.g., hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

Version: 2Q05 Standard ICA - New

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Freedom Communications, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Freedom Communications will then have the option of paying the one-time SC rates to place the Loop.

# 2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Freedom Communications to connect Freedom Communications's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

# 2.7.3 Access to NID

- 2.7.3.1 Freedom Communications may access the End User's premises wiring by any of the following means and Freedom Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Freedom Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire

Version: 2Q05 Standard ICA - New

from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Freedom Communications may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Freedom Communications's responsibility to ensure there is no safety hazard, and Freedom Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Freedom Communications shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Freedom Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Freedom Communications to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Freedom Communications's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Freedom Communications may request BellSouth to do additional work to the

Version: 2Q05 Standard ICA - New

NID on a time and material basis. When Freedom Communications deploys its own local loops in a multiple-line termination device, Freedom Communications shall specify the quantity of NID connections that it requires within such device.

- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Subloop Distribution (USLD)</u>
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG) Unbundled Copper Subloop (UCSL) USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Freedom Communications requests a UCSL and it is not available, Freedom Communications may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

Version: 2Q05 Standard ICA - New

- 2.8.2.4.1 Upon request for USLD-INC from Freedom Communications, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Freedom Communications's use on this cross-connect panel. Freedom Communications will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Freedom Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Freedom Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Freedom Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Freedom Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site:

  www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Freedom Communications can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Freedom Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Freedom Communications will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Freedom Communications requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Freedom Communications for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

# 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Freedom Communications does own or control such wiring, Freedom Communications will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Freedom Communications.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Freedom Communications for each pair activated commensurate to the price specified in Freedom Communications's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User

Version: 2Q05 Standard ICA - New

is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party

Version: 2Q05 Standard ICA - New

will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

# 2.9 <u>Loop Makeup</u>

# 2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to Freedom Communications LMU information with respect to Loops that are required to be unbundled under this Agreement so that Freedom Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Freedom Communications intends to install and the services Freedom Communications wishes to provide. LMU is a preordering transaction, distinct from Freedom Communications ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Freedom Communications LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Freedom Communications as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Freedom Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Freedom Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved

Version: 2Q05 Standard ICA - New

taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Freedom Communications's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Freedom Communications or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Freedom Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Freedom Communications, according to the applicable network disclosure requirements. It will be Freedom Communications's responsibility to move any service it may provide over such facilities to alternative facilities. If Freedom Communications fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

#### 2.9.2 Submitting LMUSI

- 2.9.2.1 Freedom Communications may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on BellSouth's Interconnection Web site:

  www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Freedom Communications needs further Loop information in order to determine Loop service capability, Freedom Communications may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Freedom Communications will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Freedom Communications does not reserve facilities upon an initial LMUSI, Freedom Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

Version: 2Q05 Standard ICA - New

- 2.9.2.3 Where Freedom Communications has reserved multiple Loop facilities on a single reservation, Freedom Communications may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Freedom Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Freedom Communications.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

# 3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Freedom Communications provides its own switching or obtains switching from a third party, Freedom Communications may engage in line splitting arrangements with another CLEC using a splitter, provided by Freedom Communications, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 3.3.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Freedom Communications owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 <u>CLEC Provided Splitter Line Splitting UNE-L</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, Freedom Communications must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Freedom Communications may purchase, install and maintain central office POTS splitters in its collocation arrangements. Freedom Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules

Version: 2Q05 Standard ICA - New

and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

- 3.4.3 Any splitters installed by Freedom Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Freedom Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 <u>Maintenance Line Splitting UNE-L</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.5.2 Freedom Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

#### 4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Freedom Communications are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Freedom Communications are not already combined by BellSouth in the location requested by Freedom Communications but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Freedom Communications are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Freedom Communications requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

Version: 2Q05 Standard ICA - New

### 4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Freedom Communications.

# 4.3 Enhanced Extended Links (EELs)

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Freedom Communications with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Freedom Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Freedom Communications's high-capacity EELs as specified below.

#### 4.3.4 Service Eligibility Criteria

4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Freedom Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

Version: 2Q05 Standard ICA - New

- 4.3.4.1.1 Freedom Communications has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Freedom Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Freedom Communications will have at least one (1) active DS1 local service interconnection trunk over which Freedom Communications will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Freedom Communications's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Freedom Communications failed to comply with the service eligibility criteria, Freedom Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Freedom Communications did not comply in any material respect with the service eligibility criteria, Freedom Communications shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Freedom Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse

Freedom Communications for its reasonable and demonstrable costs associated with the audit. Freedom Communications will maintain appropriate documentation to support its certifications.

4.3.4.4 In the event Freedom Communications converts special access services to UNEs, Freedom Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

# 5 Dedicated Transport and Dark Fiber Transport

- 5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Freedom Communications, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Freedom Communications. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Freedom Communications unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth (Entrance Facilities).
- 5.2 <u>DS1 and DS3 Dedicated Transport Requirements</u>
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport except as described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 A list of wire centers meeting the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above as of March 10, 2005, is available on BellSouth's Interconnection Services Web site as (Initial Wire Center List).
- 5.2.2.4 Once a wire center exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.

Version: 2Q05 Standard ICA - New

- 5.2.2.5 Once a wire center exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 5.2.2.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods
- 5.2.2.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 5.2.2.6.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 5.2.2.6.3 For purposes of Section 5.2.2.6, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for Freedom Communications in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.2.2.6.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 5.2.2.6.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Freedom Communications shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 5.2.2.6.6.1 If Freedom Communications fails to submit the spreadsheet(s) specified in Section 5.2.2.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Freedom Communications's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and

the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.6 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.2.3 BellSouth shall:
- 5.2.4 Provide Freedom Communications exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, Freedom Communications to connect Dedicated Transport to equipment designated by Freedom Communications, including but not limited to, Freedom Communications's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, Freedom Communications to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.3 BellSouth shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Freedom Communications.
- 5.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 5.5 Freedom Communications may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.6 Technical Requirements

Version: 2Q05 Standard ICA - New

- 5.6.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.6.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.6.2.1 DS0 Equivalent;
- 5.6.2.2 DS1;
- 5.6.2.3 DS3;
- 5.6.2.4 STS-1; and
- 5.6.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.6.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Freedom Communications shall specify the termination points for Dedicated Transport.
- 5.6.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.6.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.6.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.6.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.7 Unbundled Channelization (Multiplexing)
- 5.7.1 To the extent Freedom Communications is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at

the discretion of BellSouth. Once UC has been installed, Freedom Communications may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 5.7.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Freedom Communications's channelization equipment must adhere strictly to form and protocol standards. Freedom Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.9 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Dark Fiber Transport Requirements
- 5.9.1.1 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport except as described below:
- 5.9.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.9.1.3 A list of wire centers meeting the criteria set forth in Section 5.9.1.2.1 above as of March 10, 2005, (Initial List) is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com.

Version: 2Q05 Standard ICA - New

- 5.9.1.4 Once a wire center exceeds either of the thresholds set forth in Section 5.9.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods
- 5.9.1.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.9.1.2.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 5.9.1.5.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 5.9.1.5.3 For purposes of Section 5.9.1.5, BellSouth shall make available Dark Fiber Transport that was in service for Freedom Communications in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.9.1.5.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 5.9.1.5.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.9.1.5.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Freedom Communications shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 5.9.1.5.6.1 If Freedom Communications fails to submit the spreadsheet(s) specified in Section 5.9.1.5.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Freedom Communications's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall

be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

5.9.1.5.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 5.9.1.5.6 above or transitioned pursuant to Section 5.9.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

# 5.10 <u>Rearrangements</u>

- A request to move a working Freedom Communications CFA to another Freedom Communications CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of Freedom Communications, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Freedom Communications may request OC-TS for such orders.
- 5.10.4 BellSouth shall accept a LOA between Freedom Communications and another carrier that will allow Freedom Communications to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

# 6 Automatic Location Identification/Data Management System (ALI/DMS)

#### 6.1 911 and E911 Databases

- 6.1.1 BellSouth shall provide Freedom Communications with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Freedom Communications will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.

Version: 2Q05 Standard ICA - New

- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide Freedom Communications the capability of providing updates to the ALI/DMS database through a specified electronic interface. Freedom Communications shall contact BellSouth's 911 database vendor directly to request interface. Freedom Communications shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Freedom Communications and BellSouth shall not be liable for the transactions between Freedom Communications and BellSouth's 911 database vendor.
- 6.2.2 It is Freedom Communications's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- Freedom Communications shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Freedom Communications, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Freedom Communications to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Freedom Communications that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Freedom Communications shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Freedom Communications within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Freedom Communications shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Freedom Communications's records.
- 6.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.

- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 6.3.1.1 The database capability allows Freedom Communications to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the Freedom Communications PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- 6.3.2 Freedom Communications may order either the database capability or the transport component as desired or Freedom Communications may order both components of the service.
- 6.3.3 <u>911 PBX Locate Database Capability.</u> Freedom Communications's End User or Freedom Communications's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by Freedom Communications pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 6.3.5 Freedom Communications's End User, or Freedom Communications's End User DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Freedom Communications to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. Freedom Communications should not submit telephone number updates for specific PBX station telephone numbers that are submitted by Freedom Communications's End User, or Freedom Communications's End User DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 Freedom Communications must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 Freedom Communications agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Freedom Communications's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by Freedom Communications or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation,

failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. Freedom Communications is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Freedom Communications's End User or DMA pursuant to these terms. Specifically, Freedom Communications's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 6.3.7 Freedom Communications may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for Freedom Communications's End Users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires Freedom Communications to order a CAMA type dedicated trunk from Freedom Communications's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the Freedom Communications's End User premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. Freedom Communications is responsible for connectivity between the End User's PBX and Freedom Communications's switch or POP location. Freedom Communications will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Freedom Communications purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Freedom Communications is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

Version: 2Q05 Standard ICA - New

- 6.3.9 Ordering and Provisioning. Freedom Communications will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by Freedom Communications pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by Freedom Communications pursuant to the terms and conditions set forth in Attachment 3.

# **7 White Pages Listings**

- 7.1 BellSouth shall provide Freedom Communications and its End Users access to white pages directory listings under the following terms:
- 7.1.1 <u>Listings.</u> Freedom Communications shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Freedom Communications residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Freedom Communications and BellSouth End Users. Freedom Communications shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> Freedom Communications will be required to provide to BellSouth the names, addresses and telephone numbers of all Freedom Communications End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.
- 7.1.3 <u>Inclusion of Freedom Communications End Users in Directory Assistance</u>

  <u>Database.</u> BellSouth will include and maintain Freedom Communications End

  User listings in BellSouth's DA databases. Freedom Communications shall

  provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Freedom Communications's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.

Version: 2Q05 Standard ICA - New

- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as Freedom Communications provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Freedom Communications one (1) basic White Pages directory listing per Freedom Communications End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Freedom Communications End User at no charge or as specified in a separate agreement between Freedom Communications and BellSouth's agent.
- 7.3 Procedures for submitting Freedom Communications SLI are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Freedom Communications authorizes BellSouth to release all Freedom Communications SLI provided to BellSouth by Freedom Communications to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), BellSouth's GSST. Such Freedom Communications SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to Freedom Communications for BellSouth's receipt of Freedom Communications SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Freedom Communications's SLI, or costs on an ongoing basis to administer the release of Freedom Communications SLI, Freedom Communications shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Freedom Communications's SLI, Freedom Communications will be notified. If Freedom Communications does not wish to pay its proportionate share of these reasonable costs, Freedom Communications may instruct BellSouth that it

does not wish to release its SLI to independent publishers, and Freedom Communications shall amend this Agreement accordingly. Freedom Communications will be liable for all costs incurred until the effective date of the agreement.

- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Freedom Communications under this Agreement. Freedom Communications shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Freedom Communications listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Freedom Communications any complaints received by BellSouth relating to the accuracy or quality of Freedom Communications listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

Version: 2Q05 Standard ICA - New

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_	Nonre	curring	Nonrecurrin	Disconnect		1	oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	1			1						1		
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers th	o "ototo	onooif	ia" OCC abargas as	ardered by t	ha Stata Camm	icciono The	OCC oborgoo o	urrantly conto	ned in this ret	o ovbibit or	the Bellee	uth "regional"	"	ring sharass	CI EC mov
		(1) CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the servi															
		ther the state specific commission ordered rates for the servi f the 9 states.	ice orae	ering cn	arges, or CLEC may	elect the re	gional service o	ordering charg	e, nowever, Ci	LEC can not of	otain a mixture	or the two	regardiess	r CLEC nas a	interconnecti	on contract e	stablished in
		(2) Any element that can be ordered electronically will be bill	ed acco	ordina t	o the SOMEC rate li	sted in this	rategory Pleas	e refer to Rell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be ordere	ed electronica	Illy For thos	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B			,		3				3 - 1				,		3
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
LINIE O	D) (10E	(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
UNE SI		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	Policon	th's EC	C No 1 Tariff Soction	on 5 ac annli	cable			L		l					l
-	NOTE:	The Expedite charge will be maintained commensurate with	Delisou	IIIISFU	UAL, UEANL, UCL,	лі з аз арріі Т	Cable.		ı		1				ı		
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
		L			U1TUB, U1TUA,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			NTCVG, NTCUD, NTCD1	SDASP		200.00	200.00								
ORDER	MODIE	Day FICATION CHARGE			NICDI	SDASP		200.00	200.00	-							
JINDE		Order Modification Charge (OMC)						35.13	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBUN		XCHANGE ACCESS LOOP			<u> </u>												
	2-WIRE	ANALOG VOICE GRADE LOOP		L .			10										
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
<b> </b>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL UEANL	UEAL2 UEAL2	21.05 34.34	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30	<del>                                     </del>	<del>                                     </del>				
-	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30						
	i	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	34.34	37.81	17.56	23.49					1		
						,		2.101			2.00						

Version: 2Q05 Standard ICA 09/20/05 (New CLECs) Page 1 of 136

UNBUN	NDLE	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
							1	Nonrec	urring	Nonrecurring	Disconnect	<b>+</b>	l	OSS	Rates(\$)		
-						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEANL	URETL		8.93	0.88								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.09									
2		Unbundled COPPER LOOP															1
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.93	0.88								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		8.15									+
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	0.00								
LINDUNE	DI ED E	Loop Testing - Basic Additional Half Hour XCHANGE ACCESS LOOP			UEQ	URETA		19.85	19.85								
		ANALOG VOICE GRADE LOOP				+											+
	2-VVII\L	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															+
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA, NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44						
		Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	22.85	88.00	55.00	47.24	7.44	ļ					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA, NTCVG	URESL		24.89	3.51								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)			UEA, NTCVG	URESP		26.37	4.99								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.72	36.36								<b>†</b>
		Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.21	1.10								
4		ANALOG VOICE GRADE LOOP														_	
		4-Wire Analog Voice Grade Loop - Zone 1			UEA, NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50	1					
		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA, NTCVG UEA, NTCVG	UEAL4 UEAL4	38.58 60.02	131.97 131.97	94.51 94.51	59.14 59.14	14.50 14.50						+
-+		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	OLA, NICVO	UEAL4	00.02	131.97	94.51	59.14	14.50	<del>                                     </del>					+
		DS0)			UEA, NTCVG	URESL		24.89	3.51								<u> </u>
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA. NTCVG	URESP		26.37	4.99								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.72	36.36								<del>                                     </del>
2		ISDN DIGITAL GRADE LOOP					İ										
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						$\perp$
		2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch			UDN UDN	U1L2X UREWO	48.55	117.24 91.63	79.77 44.16	52.88	10.54						+
		L. Leutro L. Leut. Conversion Charge Without outside dispatch	i .	1	II II JIN								i				1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
					1	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						i
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	11.01	110.00	66.00	41.24	7.44						
	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						l
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						<b>—</b>
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						l
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0,12	071277		00.00	07.00								
	facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						l
	facility reservaton - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UREWO	14.30	90.00 86.20	40.40	47.24	7.44						
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	OAL	ORETTO		00.20	40.40								
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						<b></b>
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						l
<del>                                     </del>	2 Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHLZA	10.17	110.00	66.00	41.24	7.44						
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						i
	2 Wire Unbundled HDSL Loop without manual service inquiry															i
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						<b> </b>
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						l
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFF	OFILZVV	10.17	90.00	37.00	47.24	7.44						
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						i
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													<b></b>
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						i
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFILTA	10.00	140.00	00.00	01.70	0.70						
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry					45.05	4 40 00	00.00	54.70	0.70						l
<b></b>	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						<b>——</b>
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						i
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						<b></b>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						i
<b> </b>	CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	13.23	86.14	40.40	31.70	9.73						
4-WIR	E DS1 DIGITAL LOOP															i
	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2			USL, NTCD1	USLXX	154.18	252.47	157.54	44.70	11.71						<del></del>
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, single LSR, (per		3	USL, NTCD1	USLXX	314.52	252.47	157.54	44.70	11.71						<del>                                     </del>
	DS1)			USL, NTCD1	URESL		24.89	3.51								i
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															i
$\vdash$	DS1)			USL, NTCD1	URESP		26.37	4.99			ļ					<b>——</b>
4-14/10	CLEC to CLEC Conversion Charge without outside dispatch E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101.09	43.05			-	1				
4-1411	4 Wire Unbundled Digital 19.2 Kbps		1	UDL, NTCUD	UDL19	26.09	126.27	88.80	59.14	14.50	1	<b>†</b>				<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL, NTCUD	UDL19	35.95	126.27	88.80	59.14	14.50						i
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	37.88	126.27	88.80	59.14	14.50						
$\vdash$	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL56	26.09	126.27	88.80	59.14	14.50						<b>——</b>
<del>                                     </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD UDL, NTCUD	UDL56 UDL56	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL64	26.09	126.27	88.80	59.14	14.50						i
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL, NTCUD	UDL64	35.95	126.27	88.80	59.14	14.50						

ONROND	ED NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
$\overline{}$		+	1				Nonrec	urring	Nonrecurring	Disconnect	1	l	OSS	Rates(\$)		
-+		+	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	+	3	UDL. NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50	JOINEC	JONAN	JOINAIN	JOINAIN	JOHAN	JOINAIN
-+	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	+	-	ODE, NICOD	ODL04	37.00	120.21	00.00	33.14	14.50	1					+
	DS0)			UDL, NTCUD	URESL		24.89	3.51								
-+	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			002,111000	0.1202		200	0.01								<del></del>
	DS0)			UDL, NTCUD	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		102.13	49.75								1
2-W	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual	1												[		
$-\!+\!$	service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						<b></b>
	2 Wire Unbundled Copper Loop-Designed including manual				LIOL DD	44.00	440 10	05.00	47.01	<b>-</b>		1				1
$-\!\!+\!\!\!-$	service inquiry & facility reservation - Zone 3	+	3	UCL	UCLPB UCLMC	14.30	112.46	65.30	47.24	7.44	ļ	ļ				+
-+	Order Coordination for Unbundled Copper Loops (per loop)	+	1	UCL	UCLIVIC		8.15	8.15			ļ					+
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						1
-+	2-Wire Unbundled Copper Loop-Designed without manual	+	-	UUL	JOLF VV	11.01	91.40	34.30	41.24	1.44	1					+
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
+	2-Wire Unbundled Copper Loop-Designed without manual	+	-	002	OOL! W	12.70	01.40	04.00	77.27	7	1					+
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	1 11.00	8.15	8.15			†					+
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48								
4-W	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73	ļ					
	4-Wire Copper Loop-Designed without manual service inquiry				1101 4141	47.00	444.04	07.05	54.70	0.70						
	and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry	+	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73	<b>.</b>					+
	and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry	+		UCL	UCL4VV	20.70	114.21	07.03	31.70	9.73	1					+
	and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)		ľ	UCL	UCLMC	20.21	8.15	8.15	01.70	0.70	1					<b>†</b>
-	CLEC to CLEC conversion Charge without outside dispatch	1		UCL	UREWO		97.23	42.48								<b>†</b>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								1
				UEA, UDN, UAL, UHL, UDL, NTCVG,												
	0.10			NTCUD, USL,	0000:							1				1
LOOD MOD	Order Coordination for Specified Conversion Time (per LSR)	1	1	NTCD1, UEANL	OCOSL		18.09									+
LOOP MOD	PICATION	+	₩	LIAL LIUL LICI							ļ	-				+
				UAL, UHL, UCL, UEQ, ULS, UEA,		J										
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,								1				1
	pair less than or equal to 18k ft. per Unbundled Loop			UEPSB	ULM2L		0.00	0.00				1				1
-+	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	<del>                                     </del>	05			0.00	0.00			1					<b>†</b>
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L	J	0.00	0.00								1
	7, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,			UAL, UHL, UCL, UEQ,ULS,UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal	,		UEANL, UEPSR,												1
	per unbundled loop			UEPSB	ULMBT		32.41	32.41				1				1
SUB-LOOPS	3															
	-Loop Distribution															
Sub	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	_														

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec		curring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC		177.45									<u> </u>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	UEANL	USBSD		55.15				1		-			+
	Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANE	CODINZ	11.21	03.00	30.30	40.20	0.70						+
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					40.00	=									
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07	-	<b> </b>				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70	1					+
	Cub Ecop 2 vine intrabalianty rection cable (irvo)			OL7 II VL	COBINE	2.21	00.01	10.17	40.20	0.70	1					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	1					1
	•															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						<b>↓</b>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70	1					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	1	1				+
1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	1		1	İ	İ	<b>T</b>
<del>-  </del>										5.4			1		İ	<b>T</b>
L	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15		<u> </u>	L	<u> </u>	<u> </u>		<u> </u>	1
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88	Į			<u> </u>	L	ļ	ļ	<b>↓</b>
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	0.00			ļ		ļ			<del></del>
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85	ļ		<u> </u>	<u> </u>				<del>                                     </del>
Unbur	ndled Sub-Loop Modification		-		1				1	-	<u> </u>	ļ	<del>                                     </del>	<b>.</b>	ļ	+
1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEF	ULM2X		175.78	5.10					I			1
-	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLF	ULIVIZA		1/5./8	5.10	+	1	1	1	<del>                                     </del>	<del> </del>		+
1	Coil/Equip Removal per 4-W PR			UEF	ULM4X		175.78	5.10					I			1
	Unbundled Loop Modification, Removal of Bridge Tap, per				02 77		170.70	5.10	1		l	1	<b>†</b>	1		<del>                                     </del>
I	unbundled loop			UEF	ULMBT		278.20	6.11					1			1
Unbur	ndled Network Terminating Wire (UNTW)									<u> </u>						
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01									
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								$\perp$
1	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11		ļ	ļ	ļ	1	ļ	ļ	<del></del>
																1
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4		5.87 5.87	5.87 5.87			-	-				+

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonred	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	1	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									<u> </u>
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									ــــــــــ
	Unbundled DS1 Loop - Expanded Superframe Format option -															İ
	no rate  NID - Dispatch and Service Order for NID installation	-	-	USL UENTW	CCOEF UNDBX	0.00	0.00									<del>                                     </del>
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									<del></del>
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			S=14144	SLITOL	0.00	0.00									
	minimum billing period of three months for DS3/STS-1 Local	Loop										•				
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	_ ·														
	month			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility															ĺ
LOOP MAKE-I	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						<b>——</b>
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															-
	spare facility queried (Manual).  Loop Makeup - Preordering With Reservation, per working or spare facility			UMK	UMKLW		20.00	20.00								ļ
	queried (Manual).  Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		21.00	21.00								
	spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								ĺ
LINE SPLITTI																
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						<b></b>
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	NDLED EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP															<del></del>
Z-WIKI	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															<del></del>
	Zone 1  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						1
	Zone 1  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						1
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						<u> </u>
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						<u> </u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						<b></b>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
PHYSI	Physical Collocation-2 Wire Cross Connects (Loop) for Line				DE U.S.					_						<del>                                     </del>
VIRTII	Splitting AL COLLOCATION		-	UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44	-					<del>                                     </del>
VIICIO	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Solitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
UNBUNDLED	DEDICATED TRANSPORT			OLI ON OLFOD	V L ILO	0.03	12.30	11.00	0.03	5.44	<b>-</b>					<del></del>
	OFFICE CHANNEL - DEDICATED TRANSPORT														İ	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.008838										
	Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	4.09										
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.09										
UNBUN	Termination IDLED DARK FIBER			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						
0.120.1	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction										1					1
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	22.34	639.09	137.87	317.06	197.66						
911 PBX LOCA																
911 PB	X LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,813.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.44									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07	=00.00									<b></b>
	Change Company (Service Provider) ID		ļ	9PBDC	9PBPC	404.00	532.60				+					
	PBX Locate Service Support per CLEC (MonthIt) Service Order Charge	<b>-</b>	<del>                                     </del>	9PBDC 9PBDC	9PBMR 9PBSC	181.33	15.66				1	-			-	<del>                                     </del>
Q11 PP	X LOCATE TRANSPORT COMPONENT		<del>                                     </del>	0. 000	31 500		10.00				1	<b>H</b>	<b>l</b>	<del>                                     </del>	l	<del>                                     </del>
See Att			1								+					<del>                                     </del>
	(TENDED LINK (EELs)										1	1				<b>†</b>
	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not ann	ly for UNE con	binations pro	visioned as ' C	Ordinarily Comb	ined' Networ	k Elements.			•		
	The monthly recurring and the Switch-As-Is Charge and not the															
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT															
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						

IINRI	INDI FI	D NETWORK ELEMENTS - Alabama												Attachment:	2 Evh A		
UNDU	INDLE	NETWORK ELEMENTS - Alabama		1		1	I					Sua Ordar		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec				Manual Svc	Manual Svc
CATEG	ODV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				Manually	Manual Svc	Manual Svc		
CAILG	OKI	RATE ELEMENTS	m	Zone	BC3	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-	-		<b>-</b>		Nonrec	urrina	Nonrecurring	Disconnect	-	l	066	Rates(\$)		
	-		-	-		<b>-</b>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1		FIISL	Auu i	FIISt	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
		Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.53	6.58	4.72	47.24	7.44						
	EVTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DG	1 INITE			0.55	0.56	4.72	ļ		-	-				
	LAILN	I	I ED D3	INTE	COFFICE TRANSFOR	T				1							
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						1
-		I ist 4-Wife Arialog Voice Grade Loop in Combination - Zone i		'	ONCVA	ULAL4	25.54	131.91	34.31	35.14	14.50						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						1
-		I list 4-Wire Arialog Voice Grade Loop in Combination - Zone Z			ONOVA	OLALT	30.30	131.37	34.31	33.14	14.50						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						1
$\vdash$	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<del>                                     </del>	3	0140 4 7	JLAL	00.02	131.31	34.31	33.14	14.30	<del> </del>	<del>                                     </del>	<b> </b>	<u> </u>		
	1	Per Month		1	UNC1X	1L5XX	0.18					1	1				
-	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		<del>                                     </del>	DINOIA	ILUAA	0.10								<del> </del>		
	1	Month		1	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	1	1				ı
-	-	1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	-	-				
	-	Voice Grade COCI in combination - per month	-	-	UNCVX	1D1VG	0.53	6.58	4.72	10.54	9.79	-	-				
	1	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		UNCVA	IDIVG	0.55	0.30	4.72	1							
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						1
	-	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	'	UNCVA	ULAL4	25.54	131.31	34.31	33.14	14.50	-	-				
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						1
	-	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		UNCVA	UEAL4	30.30	131.97	94.51	39.14	14.50	-	-				
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						1
	-	Additional Voice Grade COCI in combination - per month	-	3	UNCVX	1D1VG	0.53	6.58	4.72	39.14	14.50	-	-				
-	EVTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN			0.55	0.30	4.72								
-	EVIEN	DED 4-WIRE 36 RBFS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DOTIN	TERUFFICE TRAINS	I											
		First 4 Wire ESVans Digital Crade Lean in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	-	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-	'	UNCDA	UDLS6	20.09	120.27	00.00	39.14	14.50	-	-				
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						1
-	-	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone Z			UNCDA	UDLS6	33.93	120.21	00.00	39.14	14.50						
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						1
	-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDA	UDLS6	31.00	120.27	00.00	39.14	14.50	-	-				
		Per Month			UNC1X	1L5XX	0.18										1
	-	Interoffice Transport - Dedicated - DS1 - combination Facility	-	-	UNCIA	ILSAA	0.10			ļ		-	-				
		Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						1
	-	1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	101.06	91.04	62.57		9.79	-	-				
-	1	OCU-DP COCI (data) per month (2.4-64kbs)	-		UNCDX	1D1DD	1.12	6.58	4.72	10.54	9.79						
-	-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	-	UNCDA	טטוטו	1.12	0.30	4.72	ļ		-	-				
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						1
-	-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	'	UNCDA	ODESO	20.09	120.21	00.00	33.14	14.50	-	-				
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						1
<b>—</b>	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	-	סואסטא	JULJO	33.95	120.27	00.00	J9.14	14.30	<b>-</b>		<b> </b>	1		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						1
<b>—</b>	1	Additional OCU-DP COCI (data) - in combination per month (2.4-	<u> </u>	-3	סואסטא	JULJO	31.08	120.27	00.00	J9.14	14.30	<b>-</b>		<b> </b>	1		
	1	64kbs)	1	1	UNCDX	1D1DD	1.12	6.58	4.72			1	1				
<b>—</b>	EYTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS4 IN			1.12	0.36	4.12			<b>-</b>					
<b>—</b>	EVIEN	DED 4-MINE 04 RDF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	DOI IN	LIVOLLICE I KANS	JAI				1		<b>-</b>		<b> </b>	1		
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		4	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
<b>—</b>	1	i not vvne o-nopo Digital Grade Loop III Combination - Zone T	<del>                                     </del>	<del>- '-</del>	סואסטא	JDL04	20.09	120.27	00.00	J9.14	14.30	<b>-</b>		<b> </b>	1		
	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	1	1				
-	1	i not 4-14116 0410005 Digital Grade Loop in Combination - Zone Z			OINODA	UDLU4	35.95	120.27	00.00	33.14	14.50	<b>-</b>					
	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	1	1				ı
<b>—</b>	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<del>                                     </del>	-3	סואסטא	JDL04	31.08	120.27	00.00	J9.14	14.30	<b>-</b>		<b> </b>	1		
		Per Month			UNC1X	1L5XX	0.18										ı
<b>—</b>	-	interoffice Transport - Dedicated - DS1 combination - Facility	-	+	OINCIA	ILOAA	0.18			-							
		Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						ı
<b>—</b>	-	1/0 Channel System in combination Per Month	<b>-</b>	<del>                                     </del>	UNC1X UNC1X		101.06	91.04	62.57	10.54	9.79		-	-	-		
-	<del>                                     </del>		-	$\vdash$		MQ1					9.79		-			-	
<b>—</b>	-	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-	+	UNCDX	1D1DD	1.12	6.58	4.72	-							
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	<u> </u>	Interonice Transport Combination - Zone T	l		OIACDV	UDL04	∠6.09	120.27	88.80	59.14	14.50	L	L	L	L		

ONRONDE	ED NETWORK ELEMENTS - Alabama												Attachment:			ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.12	6.58	4.72								
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	l		LINICAY	41.577	0.40								1		
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	<del>                                     </del>	-	UNC1X	1L5XX	0.18								<del>                                     </del>	1	-
				UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
EVTE	Termination Per Month  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC2	INTER			60.16	89.27	81.81	16.35	14.44	-					
EXIE	First DS1Loop in Combination - Zone 1	ED D93	INIER	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						-
	First DS1Loop in Combination - Zone 1		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						-
																-
-	First DS1Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	-					
	Per Month			LINICOV	41.577	4.09										
-				UNC3X	1L5XX	4.09					-					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINIOOV	LIATEO	700.50	070.75	400.70	00.00	50.40						
-	month			UNC3X	U1TF3 MQ3	703.52	278.75	162.76	60.20	58.46	-					
	3/1 Channel System in combination per month		-	UNC3X		166.13	178.14	93.97 4.72	33.26	31.83						
	DS1 COCI in combination per month	-	-	UNC1X	UC1D1	12.70	6.58	4.72								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	00.55	050.47	457.54	44.70	11.71						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNCIX	USLAA	82.55	252.47	157.54	44.70	11.71						-
			2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	USLAA	134.10	232.47	157.54	44.70	11.71						<b>-</b>
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Additional DS1 COCI in combination per month		3	UNC1X	UC1D1	12.70	6.58	4.72	44.70	11.71						<b>-</b>
EVTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	CDAD	 E INITE			12.70	6.58	4.72								<b>-</b>
LAIL	2-WireVG Loop in combination - Zone 1	GRAD	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44					1	
	2-WireVG Loop in combination - Zone 1	-	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	-			-	ļ	<del></del>
	2-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	-			-	ļ	<del></del>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVA	ULALZ	30.14	88.00	33.00	47.24	7.44					1	
	Month			UNCVX	1L5XX	0.008838										
<del>-  </del>	Interoffice Transport - 2-wire VG - Dedicated - Facility	<del>                                     </del>	<del>                                     </del>	0140 V /	ILUAA	0.000000			<del>                                     </del>					t	1	<del>                                     </del>
	Termination per month	l		UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90				1		
EYTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE			21.10	40.04	27.71	10.74	0.00						<del>                                     </del>
LAIL	4-WireVG Loop in combination - Zone 1	I	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						1
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					İ	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		Ť													
	Month	1	1	UNCVX	1L5XX	0.008838					1			I		
	Interoffice Transport - 4-wire VG - Dedicated - Facility				1-2											
	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT					1							1
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	8.38			i i						1	1
1		Ì							į į							1
	DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58	1			I		
1	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										1
ĺ	Interoffice Transport - Dedicated - DS3 combination - Facility								ĺ							
	Termination per per month	l		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46				1		
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT					į į							1
	STS-1 Local Lolp in combination - per mile per month		L	UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination - Facility Termination per															
	month	1	1	UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58	1			1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile			LINIOOV	41.500/	4.00										
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	011007	01110	701.07	270.70	102.70	00.20	00.40						1
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month		-	UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
+-	1/0 Channel System in combination - per month	<del>                                     </del>	<del>                                     </del>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1					<del>                                     </del>
-+	2-wire ISDN COCI (BRITE) - in combination - per month	<b> </b>	<b>t</b>	UNCNX	UC1CA	2.41	6.58	4.72	10.54	3.13	1	<b> </b>				<b>†</b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l			22.3/1	2	5.55	2								1
	Combination - Zone 1	L	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		<u> </u>			<u> </u>	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54	ļ					
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	2.41	6.58	4.72								
FXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	.1 INTE			2.41	0.56	4.72								
- EXIL	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						1
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility					=0.4.0=		=-		=0.40						
	Termination per month		<u> </u>	UNCSX UNCSX	U1TFS MQ3	701.37 166.13	278.75 178.14	162.76 93.97	60.20 33.26	58.46 31.83	<b>.</b>					
-+-	3/1 Channel System in combination per month  DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03						1
	Additional DS1Loop in the same STS-1 Interoffice Transport			ONOTA	COIDI	12.70	0.00	4.72								
	Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport		_													
$\!\!+\!\!-$	Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						ļ
EVTE	DS1 COCI in combination per month  NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INT	EDOEE	UNC1X	UC1D1	12.70	6.58	4.72	-							
EVIE	4-wire 56 kbps Local Loop in combination - Zone 1	INI C		UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50	<del>                                     </del>					<del>                                     </del>
-	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3	İ	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						İ									
	Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1			====	4						1				
EVE	Facility Termination per month	De iviz	EBOTT	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90	ļ	-			-	1
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE 4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I III G		UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
-+	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
-	4-wire 64 kbps Looal Loop in Combination - Zone 3			UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						$\Box$								l	
1	Facility Termination per month	<u> </u>	00-	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
-V		KANSP	ORIW	3/1 MUX							l	l				
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	I TOTAL			LIEVI 3	14.20	99.00	55 OO	47.04	7 4 4						
EXTE	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	TO TO	1	UNCVX UNCVX	UEAL2 UEAL2	14.38 22.85	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44						

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -				l											
	Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	ļ					
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI - Per Month per month  3/1 Channel System in combination per month			UNCVX UNC3X	1D1VG MQ3	0.53 166.13	6.58 178.14	4.72 93.97	33.26	31.83	<b>.</b>		-			
	Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	12.70	6.58	4.72		31.83	<b> </b>		-			
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCIX	OCIDI	12.70	0.56	4.72			1		1			
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		Ė	0.10171	027122	1 1100	00.00	00.00			İ					
. 1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		1	I			
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44			<u> </u>		<u> </u>	
. 1																
	Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1				l l											
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in			11041/		00.40	00.07	04.04	40.05	4444						
	same 3/1 Channel System per month		-	UNC1X UNC1X	U1TF1 UC1D1	60.16	89.27	81.81	16.35	14.44						
EVTE	Each Additional DS1 COCI combination per month  NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EDVEE				12.70	6.58	4.72			<b> </b>		-			
EXIE	First 4-Wire Analog Voice Grade Local Loop in Combination -	EKUFF	ICE IK	ANSPORT W/ 3/1 W	107						1		1			
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		i i	0.10171	02,121	20.0 .	101.01	0 1.01	00	1 1100						
	Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI in combination - per month		-	UNCVX	1D1VG MQ3	0.53	6.58	4.72 93.97		24.02						
	3/1 Channel System in combination per month  Per each DS1 COCI in combination per month		-	UNC3X UNC1X	UC1D1	166.13 12.70	178.14 6.58	4.72	33.26	31.83	<b> </b>		-			
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONCIA	ועוטט	12.70	86.0	4.72			1	<u> </u>	<del> </del>	<del> </del>		
. 1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		1	I			
	Additional 4-Wire Analog Voice Grade Loop in same DS1		Ė		1	20.04	.0	001	554	50			1	1		
. 1	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50			1			
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
.	Each Additional DS1 Interoffice Channel per mile in same 3/1				$\Box$											
	Channel System per month			UNC1X	1L5XX	0.18						ļ	1	ļ		
. 1	Each Additional DS1 Interoffice Channel Facility Termination in								40			1	I			
	same 3/1 Channel System per month  Additional Voice Grade COCI - in combination - per month		-	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			<del>                                     </del>			1
EVTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INITERO		UNCVX	1D1VG	0.53	6.58	4.72	-		<del>                                     </del>	-	<del>                                     </del>		-	1
EATE	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		, TIUE	INMINOFORT W/ 3/	· WIOA	-			+		1		<del>                                     </del>	<del> </del>	<b> </b>	
. 1	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			1			
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		Ė		1	20.00	.20.27	55.50	554	50			1	İ	İ	Ì
	Zone 2	<u></u>	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	<u> </u>	<u></u>	L	<u> </u>	<u></u>	
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per				Ι Τ								_			
	Mile Per Month			UNC1X	1L5XX	0.18					ļ		1			
	First Live (For Transport Bullions L Bod and Live															
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						

UNBUND	ED NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1			l <b>.</b>	1							1	I			
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.18						ļ	ļ	ļ	ļ	1
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								ļ
EXT	ENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						ļ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice						400.00		=0.44							
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						ļ
	First Interoffice Transport - Dedicated - DS1 combination - Per				1L5XX											
	Mile Per Month	-	-	UNC1X	1L5XX	0.18										-
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.35	9.79	-					<b>_</b>
	Per each OCU-DP COCI (data) in combination - per month (2.4-			UNCIX	IVIQT	101.06	91.04	02.57	10.54	9.79	-					<b>_</b>
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
<del></del>	3/1 Channel System in combination per month	-	-	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	ł	-	-			<del> </del>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03	1		-			<del>                                     </del>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCIX	OCIDI	12.70	0.30	4.72	1		1		-			<del>                                     </del>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	ONODA	ODL04	20.03	120.21	00.00	33.14	14.50	1					+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		ΙĒ			33.30	.20.27	55.00	55.14	00			1	i		1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50			1			
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System												t	İ		1
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72					1			
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		1	UNC1X	1L5XX	0.18						1	I			
	Each Additional DS1 Interoffice Channel Facility Termination in															
l	same 3/1 Channel System per month		Ц_	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	<u> </u>		<u> </u>	<u> </u>	<u> </u>	
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
EXT	ENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54			L			1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			l <b>.</b>									1			
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	ļ					<b>_</b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_			40.5-		=				1	I			
	Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54			ļ			<b>_</b>
	First Interoffice Transport - Dedicated - DS1 combination - Per					!							1			
	Mile per month	ļ	-	UNC1X	1L5XX	0.18					ļ		<b>_</b>			<b>_</b>
	First Interoffice Transport - Dedicated - DS1 combination -		1	11041/		00.40	00.0=	04.04	40.00			1	I			
	Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	<b> </b>					<b></b>
	Per each Channel System 1/0 in combination - per month		<u> </u>	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	l	1	l	l	L

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1									Attachment:			<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72	20.00							
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	166.13 12.70	178.14 6.58	93.97 4.72	33.26	31.83				-	1	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		-	UNCIA	OCIDI	12.70	0.30	4.72				-		-	-	
	Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	0110117	OTLEX	21.00	117.24	70.77	02.00	10.04						<b>—</b>
	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						<u> </u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.41	6.58	4.72			1			ļ	ļ	<b>↓</b>
1	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0.18								I	I	1
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in		-	UNCIX	ILDAX	0.18			-			-		-	-	
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	01111	00.10	03.27	01.01	10.55	14.44					-	
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	PORT													1
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAN	114754	00.40	00.07	04.04	40.05	4444						
	Facility Termination Per Month  3/1 Channel System in combination per month		-	UNC1X UNC3X	U1TF1 MQ3	60.16 166.13	89.27 178.14	81.81 93.97	16.35 33.26	14.44 31.83		-		-	-	
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72	33.20	31.03		1		1	1	+
+	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOTA	OCIDI	12.70	0.30	7.72							-	+
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				1	1	+
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
+	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			OINOIA	USLAA	104.18	202.47	107.04	44.70	11.71	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	+
1	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				I	I	1
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE		002/01	011102	202.11	101.01						t	t	+
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						1
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile				[									1	1	
	per month		-	UNCDX	1L5XX	0.008838			1					<del>                                     </del>	<del>                                     </del>	+
1	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90				I	I	1
FYTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FEICE		פטווט	15.12	40.54	21.41	10.74	0.90	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	+
EXIE	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	<b>-</b>	<del>                                     </del>		<b>†</b>	t	+
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50				1	1	<u> </u>
	First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.008838										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			l	1										_	
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1	1				
A DDITIONAL												1		1	1	1
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr	na oko	race de	not apply but a	Switch As Is a	argo doos ann	alv.		1		1	L		1	1	

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			ļ				Nonred	nurring.	Nonrecurring	Disconnoct				Rates(\$)	DISC 1St	DISC Add
+					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge			1		11131	Auu	11130	Addi	JOHILO	JONAN	JOWIAN	JONAN	JOINAIN	JOWAN
	nal Features & Functions:	g-				1										
1				U1TD1,												1
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	ı		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	- 1		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
	Activity - per DST		1	U1TD3, ULDD3,	INRCCC	+	104.00	23.01	1.99	0.7741	1					<del>                                     </del>
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
1	o bit i diny option outbooks in return y por 200			UNCVX, UNCDX,		1	210110	7.01	0.7000	0.00						
				UNC1X, UNC3X,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,												
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	- 1		U1TS1, UDF, UE3	URESL		40.28	13.52								
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX. U1TDX.												
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	- 1		U1TS1, UDF, UE3	URESP		64.09	25.63								
MULT	TIPLEXER Interfaces															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per							. ==								
	month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			0.1.05	10.00	2	0.00	2	0.00	0.00	1					
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			1154	4041/0	0.53	6.58	4.72	0.00	0.00						
	used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						<b>-</b>
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month		<u> </u>	U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00	<u> </u>				ļ	<u> </u>
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00	<u> </u>			-		-
	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
Acces	ss to DCS - Customer Reconfiguration (FlexServ)		<del>                                     </del>	02001	30101	12.10	0.56	4.12	0.00	0.00	<u> </u>			<del> </del>	1	<del>                                     </del>
7,0000	Customer Reconfiguration Establishment				<b>†</b>	† †	1.48		1.84		l	1			1	<b>—</b>
	DS1 DSC Termination with DS0 Switching				†	29.46	25.55	19.66	16.63	13.38		İ				
	DS1 DSC Termination with DS1 Switching					9.94	18.47	12.58	12.21	8.96						
	DS3 DSC Termination with DS1 Switching					105.16	25.55	19.66	16.63	13.38						
Service	ce Rearrangements															
	NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX.												
	Rearrangement	- 1		UNCVX, UNCDX	URETD		270.08	47.13								

UNE	UNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh. A		
													Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR		Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
			m									por zon	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic- Disc Add'l
	-															Disc 1st	DISC Add I
-	-						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
-	-			-	LIATING LIATING			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					U1TVX, U1TDX,												
					UEA, UDL, U1TUC, U1TUD, U1TUB,												
		NRC - Change in Facility Assignment per circuit Project			ULDVX, ULDDX,												
		Management (added to CFA per circuit if project managed)				URETB		1.28	1.28								
					UNCVX, UNCDX,												
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
		Commingling Authorization			U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
		aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	- 1		UNC1X	OCOSR		18.93	18.93								

UNBU	INDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m				1						1		
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"			- 11 000 - 1				000 -1								01.50
		(1) CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the servi															
		ther the state specific commission ordered rates for the servi	ice orae	ering cn	arges, or CLEC may	elect the re	gional service o	ordering charg	e, nowever, Ci	LEC can not of	otain a mixture	or the two	regardiess	r CLEC nas a	interconnecti	on contract e	stablished in
		(2) Any element that can be ordered electronically will be bill	ed acco	ordina t	o the SOMEC rate lis	sted in this o	ategory Pleas	e refer to Rell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be ordere	ed electronica	Illy For thos	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B									J				,-		
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
	EDVIOL	(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	Policon	th's EC	C No 1 Tariff Soction	n 5 ac annli	cable										l
	NOTE.	The Expedite charge will be maintained commensurate with	Delisou	Illisie	UAL, UEANL, UCL,	ii 5 as appii	cable.		I	1	1				I		I
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX, UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,	SDASP		200.00	200.00								
ORDER	MODIE	Day CICATION CHARGE			NTCUD, NTCD1	SDASP		200.00	200.00								
UNDER		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00		<del>                                     </del>				
	1	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBUN		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
<u> </u>	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		1				
<b>—</b>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL UEANL	UEAL2 UEAL2	15.20 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57		-				
<b>-</b>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>	1	UEANL UEANL	UEASL	26.97 10.69	49.57	22.83	25.62	6.57		-				
$\vdash$	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57		<b>-</b>				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
																t	

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 16 of 136

UNBUNI	DLED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		1
CATEGOR		Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEANL	URETL		8.93	0.88								<u> </u>
-	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour	<del> </del>		UEANL UEANL	URET1 URETA		48.65 23.95	0.00 23.95								<del>                                     </del>
	CLEC to CLEC Conversion Charge Without Outside Dispatch	1		UEAINL	URETA	+	23.95	23.95								<del>                                     </del>
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
2.1	Manual Order Coordination for UVL-SL1s (per loop)  WIRE Unbundled COPPER LOOP	<del> </del>		UEANL	UEAMC		9.00	9.00								<del>                                     </del>
2-1	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						<del></del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise  Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	<u> </u>	UEQ	URETL		8.93	0.88								<del> </del>
	Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for	1		024	0050		0.00									1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch	1	<u> </u>	UEQ	URETA		23.95	23.95								<del> </del>
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBUNDL	ED EXCHANGE ACCESS LOOP	1		OLQ	ONLWO		17.27	7.40								
	WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA, NIOVO	OLALZ	30.07	155.75	02.47	03.33	12.01						<b>—</b>
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					Ì										
	Battery Signaling - Zone 3	ļ	3	UEA, NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01						<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA, NTCVG	URESL		24.97	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA, NTCVG	URESP		00.40	5.04								
	DS0)  CLEC to CLEC Conversion Charge without outside dispatch	1		UEA, NTCVG	UREWO	+	26.46 87.71	5.01 36.35								<del>                                     </del>
	Loop Tagging - Service Level 2 (SL2)		1	UEA, NTCVG	URETL	İ	11.21	1.10								1
4-1	WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56						
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 2	<del> </del>		UEA, NTCVG	UEAL4	26.84	167.86	115.15	67.08	15.56	ļ	ļ				
-	4-Wire Analog Voice Grade Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	3	UEA, NTCVG	UEAL4	47.62	167.86	115.15	67.08	15.56	1					+
	DS0)	<u> </u>	<u> </u>	UEA, NTCVG	URESL		24.97	3.52								<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA. NTCVG	URESP		26.46	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch	1	<u> </u>	UEA, NTCVG	UREWO	+	87.71	36.35								<del>                                     </del>
2-1	WIRE ISDN DIGITAL GRADE LOOP	1	<b>†</b>													t
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch	+	3	UDN UDN	U1L2X UREWO	48.62	147.69 91.61	94.41 44.15	62.23	10.71	-					<del> </del>
		1	1	IODIN				44.10		i e		i				1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
011201122											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>		+	I	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
-	& facility reservation - Zone 2	-	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63	-					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ŭ	O/ IL	O/ LEZ/C	20.04	140.00	100.00	70.00	10.00						
	facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12	<u> </u>					
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UREWO	20.94	86.19	40.39	60.64	9.12						
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	J, 12	CILLIVO		55.15	40.00								
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OFF	UTILZA	10.21	159.09	113.41	75.05	15.05						
	and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL2W UREWO	18.21	134.40 86.12	80.69 40.39	60.64	9.12						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UNL	UKEWO		00.12	40.39								
	4 Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	1													
	and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	OTIL	OTILAX	21.00	190.01	130.30	77.15	12.01						
	and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		_	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	21.39	86.12	40.39	02.74	11.22	<del>                                     </del>					
4-WIR	E DS1 DIGITAL LOOP			O1 1L	SINLAAO		00.12	40.39								
1 1	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2			USL, NTCD1	USLXX	100.54	313.75	181.48	61.22	13.53						
$\vdash$	4-Wire DS1 Digital Loop - Zone 3		3	USL, NTCD1	USLXX	178.39	313.75	181.48	61.22	13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			USL, NTCD1	URESL		24.97	3.52								
<del>                                      </del>	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		<del>                                     </del>	OOL, NICUI	UKESL		24.97	3.52	<del>                                     </del>		<del>                                     </del>					
1 1	DS1)			USL, NTCD1	URESP		26.46	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP							<u> </u>								
$\vdash$	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56						
$\vdash$	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-		UDL, NTCUD UDL, NTCUD	UDL19 UDL19	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56	1	-				
<del>                                     </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL56	22.20	161.56	108.85	67.08	15.56	<b>-</b>					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL, NTCUD	UDL56	31.56	161.56	108.85	67.08	15.56	l					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL, NTCUD	UDL56	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	l	2	UDL, NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56	l			<u> </u>		

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
											1	1	Incremental	Incremental	Incremental	Incremental
											Submitted		Charge - Manual Svc	Charge - Manual Svc	Charge -	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec per LSR	per LSR	Order vs.	Order vs.	Manual Svc Order vs.	Order vs.
		m						- (1)			per Lor	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		-					Nonrec	rurring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL, NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LIDI NTOLID	LIDEOL		04.07	0.50								
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UDL, NTCUD	URESL		24.97	3.52								
	DS0)			UDL, NTCUD	URESP		26.46	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		102.11	49.74								
2-WIRI	E Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed without manual		3	OOL	OCLI D	20.34	140.50	102.02	73.03	15.05						
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPVV	11.80	123.81	70.09	60.64	9.12						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch															
4 WID	(UCL -Des) E COPPER LOOP	1		UCL	UREWO		97.21	42.47								
4-VVIK	4-Wire Copper Loop-Designed including manual service inquiry	<b> </b>														
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry				1101.40	40.04	477.07	100 70	77.45	47.70						
	and facility reservation - Zone 2  4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry	ļ	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry					İ										
	and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	CLEC to CLEC Conversion Charge without outside dispatch Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UREWO UCLMC		97.21 9.00	42.47 9.00								
	Order Odordination for Oribunated Copper Ecops (per 160p)			UEA, UDN, UAL,	COLIVIO		0.00	0.00								
				UHL, UDL, NTCVG,												
	Order Coordination for Specified Conversion Time (per LSR)			NTCUD, USL, NTCD1, UEANL	OCOSL		23.02									
LOOP MODIFI				NICDI, OLANL	OCOSL		23.02									
				UAL, UHL, UCL,		İ										
	Unbundled Loop Medification, Remarks of Lood Coils, C.Wiss			UEQ, ULS, UEA, UEANL, UEPSR,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OLI OD	OLIVIZE		0.00	0.00								
	less than or equal to 18K ft, per Unbundled Loop	<u> </u>		UHL, UCL, UEA	ULM4L		0.00	0.00				1				
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
	per unbundled loop			UEPSB	ULMBT		10.52	10.52								
SUB-LOOPS	pop Distribution	-	<u> </u>									-				
Sub-Li	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-											<del>                                     </del>				
	Up	<u></u>		UEANL, UEF	USBSA		487.23					<u></u>				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	<del>                                     </del>		UEANL, UEF	USBSB		6.25				-	<del>                                     </del>				
	Facility Set-Up			UEANL	USBSC		169.25									

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
					+	Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel				+		FIRST	Addi	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Set-Up			UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				LIODNIO	0.40	00.40	04.70	47.50	5.00						
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					-	<b>-</b>
	Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
1	25110 0		Ŭ	027.112	002.12	10.20	00.10	20		0.20					1	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
-	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60					1	<del> </del>
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	OL7 II VL	COBIT	10.47	00.00	00.42	40.71	0.00						
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.00	9.00	9.00	47.50	5.00						<b>.</b>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26					1	<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	, , , , , , , , , , , , , , , , , , ,															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour		_	UEANL	URETA	5.45	23.95	23.95	47.50	5.00						ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF UEF	UCS2X UCS2X	5.15 7.31	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26					-	<del> </del>
+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	12.98	60.19	21.78	47.50	5.26					+	1
1	2 This copper distanced due 200p Blothbullon 2010 o		Ŭ	02.	0002/	12.00	00.10	20		0.20					1	<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60					1	-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OL!	CODIVIO		0.00	0.00								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbu	ndled Sub-Loop Modification				_											
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
+	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULIVIZA	+	10.11	10.11							<del> </del>	-
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per				1											
	unbundled loop			UEF	ULMBT		15.58	15.58								<u> </u>
Unbu	ndled Network Terminating Wire (UNTW)			LIEN ITM	LUENDO	0.455	10								1	<b></b>
B1.7	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02		-	-						<del></del>
Netw	ork Interface Device (NID)  Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	<del>                                     </del>	71.49	48.87		-	-				<del>                                     </del>	+
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		113.89	48.87 89.07							<b>-</b>	<del>                                     </del>
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63						İ	1	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63						<u> </u>		
UNE OTHER.	PROVISIONING ONLY - NO RATE															

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-							1	Nonred	curring	Nonrecurring	Disconnect			088	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
		Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									ļ
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									ļ
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									1
HIGH C		Y UNBUNDLED LOCAL LOOP						0.00									
	NOTE:	minimum billing period of three months for DS3/STS-1 Local	Loop														
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per						556.57	343.01	139.13	90.04						
		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.92										
		Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						<u> </u>
LOOP N	AKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE SI	PLITTIN																
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual IDLED EXCHANGE ACCESS LOOP			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	ļ					ļ
-		ANALOG VOICE GRADE LOOP															<b>.</b>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	40.00	49.57	22.83	25.62	6.57						
		Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					10.69										
		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57	1					<del>                                     </del>
		Zone 2  2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57	1					<del></del>
		Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						<u> </u>
	PHYSIC	CAL COLLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
	VIRTU	AL COLLOCATION							_		-						
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
UNBUN		DEDICATED TRANSPORT			SEI OIL OEI OE		5.0502	11.57	11.57	0.00	0.00	1	<b> </b>				<del>                                     </del>
		OFFICE CHANNEL - DEDICATED TRANSPORT															<u> </u>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						

UNBUNDLE	D NETWORK ELEMENTS - Florida							· · · · · · · · · · · · · · · · · · ·					Attachment:	2 Exh. A	I	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091										
	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	3.87										
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	3.87										
UNBUN	Termination IDLED DARK FIBER			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						-
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction															
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	26.85	751.34	193.88								
911 PBX LOCA																
	X LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,820.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.14									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07	=0.4.00									<b></b>
	Change Company (Service Provider) ID		<del>                                     </del>	9PBDC	9PBPC	470.00	534.66				<del>                                     </del>	ļ		<del> </del>	-	<del> </del>
	PBX Locate Service Support per CLEC (MonthIt) Service Order Charge		1	9PBDC 9PBDC	9PBMR 9PBSC	178.80	11.90				1					<del>                                     </del>
	X LOCATE TRANSPORT COMPONENT			SEDUC	9FB3C		11.90									<del>                                     </del>
See Att					+											<del>                                     </del>
	(TENDED LINK (EELs)		-		+						-					<b>-</b>
	The monthly recurring and non-recurring charges below will	annly s	nd the	Switch-As-Is Chara	e will not ann	ly for LINE com	hinations pro	visioned as ' O	rdinarily Comb	ined' Networ	r Flemente			1	I	1
	The monthly recurring and non-recurring charges below will a state of the monthly recurring and the Switch-As-Is Charge and not the same of the same o															
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT							30	,		T					
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1 1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	i .			i	i	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	i .			i	i	
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81					İ	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channelization System in combination Per Month		i –	UNC1X	MQ1	146.77	51.83	10.75		-				1		
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						

CATEGORY   RATE ELEMENTS   In   Series   Serie			2 Evb A	Attachment:												NBUNDLED NETWORK ELEMENTS - Florida	INBLINDIE
## DES USOC ### RATE ELEMENTS   Interf   Zone   BCS USOC   RATESAD   Standard Special Manually   Amount of the per USP   Amoun	mental Incrementa	Incremental			Svc Order	Svc Order					ı	1	I				UNDUNDLE
ATT   PRICE																	
CATEGORY   RATE ELEMENTS																	
Part									DATES(\$)			HEOC	BC6	7000	Interi	ATEGODY DATE ELEMENTS	CATEGORY
14   April   Discrete   Discret					per LSR	per LSR			KATES(\$)			0300	603	Zone	m	ATEGORY KATE ELEMENTS	CATEGORI
Sept. Additional 2-Wint Vol. Lope (St. ) in Combination - Zone 3   3 UNCOX   USA12   30.87   177.09   60.56   42.79   2.81   1.80   1	ronic- Electronic	Electronic-	Electronic-	Electronic-													
Each Additional Z-Web Volt Loop, ER, 2h Fromthoston - Zone 3	c 1st Disc Add'	Disc 1st	Add'l	1st													
Each Additional Z-Web Volt Loop, ER, 2h Fromthoston - Zone 3																	
Sear Additional 2 New VCL Loop (SE, 7) in Combination - Zeros 3   UNCVX											Rec						
Visice Grade COCC - For Mouring   Extremed Visice Grade Loop in Commission - Zone 1   1   NACVX   UEA,4   18.89   177.99   60.94   42.79   2.81	MAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	1100						
Vivos Grade COCT   Fee Month																	
Part A-Vine Analog Voice Grade Loop in Combination - Zone 1							2.81	42.79	60.54	127.59	30.87	UEAL2	UNCVX	3		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	
Part A-Vittle Foundary Given Grande Loop in Combinston - Zone 1							4.84	6.71	8.77	12.16	1.38	1D1VG	UNCVX			Voice Grade COCI - Per Month	
First 4-Wire Analog Vose Grade Loop in Combination - Zone 2												RT	ROFFICE TRANSPO	INTER	TED DS1	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	EXTE
First 4-Wire Analog Vicin Grade Loop in Combination - Zone 2																	
First 4-Wire Analog Vicin Grade Loop in Combination - Zone 2							2 81	42 79	60 54	127 59	18 89	UFAL4	UNCVX	1		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	
First 4-Wire Analog Veier Grade Loop in Combination - Zone 3			1														
First 4-Wire Analog Veier Grade Loop in Combination - Zone 3							2.81	12 70	60.54	127 50	26.84	ΠΕΔΙΛ	LINCVY	2		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	
Interesting Transport - Decidenced - DS1 - Society Familiation - Per Millor   Per Medicin	-+	<del></del>	$\longrightarrow$		-	-	2.01	42.13	00.54	127.00	20.04	OLAL	ONCVX			1 list 4-Wire Arialog Voice Grade Loop in Combination - Zone Z	
Interesting Transport - Decidenced - DS1 - Society Familiation - Per Millor   Per Medicin							0.04	40.70	CO 54	407.50	47.00	LIE AL 4	LINIONA	_		First 4 Wise Apples Voice Conde Langue Combination 7 and 3	
Per Mouth	-+	<del></del>	+	<del>                                     </del>	-	-	2.81	42.79	00.54	127.59	41.02	UEAL4	UNUVA	3	-		
Interesting   Interesting		1	]	'							0.46=0	41.500/	LINIOAY				
Month   UNCTX		<b>├</b>		<b> </b>				ļ			0.1856	1L5XX	UNC1X	$\vdash \vdash$			
10 Channes System is combination Per Month   UNCTX   MO1   146.77   51.83   10.75		1	]	'													
Notice Grade COCI in combination - per month   NOCVX   EDIVIG   1.88   12.16   8.77   6.71   4.84							17.95	45.61									
Additional 4-Wire Analog Vioce Grade Loop in same DS1		<u> </u>								51.83							
Interoffice Transport Combination - Zone 1							4.84	6.71	8.77	12.16	1.38	1D1VG	UNCVX			Voice Grade COCI in combination - per month	
Additional 4-Wire Analog Voice Grade Loop in same DST   2 UNCVX   UEAL4   26.84   127.99   60.54   42.79   2.81			]													Additional 4-Wire Analog Voice Grade Loop in same DS1	
Additional 4-Wire Analog Voice Grade Loop in same DST   2 UNCVX   UEAL4   26.84   127.99   60.54   42.79   2.81							2.81	42.79	60.54	127.59	18.89	UEAL4	UNCVX	1		Interoffice Transport Combination - Zone 1	
Intereffice Transport Combination - Zone 2																	
Additional A-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   SINCVX   UEALA   47.62   127.59   60.54   42.79   2.81   Interoffice Transport Combination - Zone 1   INCVX   UEALA   47.62   127.59   60.54   42.79   2.81   Interoffice Transport Combination - Zone 1   INCVX   UDLS6   22.20   127.59   60.54   42.79   2.81   Interoffice Transport Combination - Zone 2   INCDX   UDLS6   31.56   127.59   60.54   42.79   2.81   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   31.56   127.59   60.54   42.79   2.81   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   Interoffice Transport - Dedicated - DS1 combination - Zone 3   INCDX   UDLS6   Interoffice Transport - Dedicated - DS1 combination - Zone 3   UNCDX   UDLS6   INCDX   UDLS6							2.81	42 79	60 54	127 59	26.84	LIEAL 4	LINC\/X	2			
Interdifice Transport Combination - Zone 3   3 UNCVX   URLA   47.82   127.59   60.54   42.79   2.81			<del>                                     </del>	<del>                                     </del>			2.01	72.70	00.04	127.00	20.04	OL71L-T	ONOVA	-			
Additional Viole Grade COCI in combination - per month   UNCX   IDIVG   1.38   12.16   8.77   6.71   4.84							2 91	42.70	60.54	127.50	47.62	LIENI 4	LINICVY	2			
EXTENDED 4-WIRE 56 KBPS EXTENDED Digital Grade Loop in Combination - Zone 1	-+	<del></del>	$\longrightarrow$		-	-								•			
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		<b>├</b>	<del>                                     </del>	<b></b> '			4.04	0.71	0.11	12.10	1.30				CATED		EVTE
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	$\longrightarrow$	<b>└</b>		ļ								PURI	TEROFFICE TRANS	ואו ויפט	CATED	EXTENDED 4-WIRE 30 KBPS EXTENDED DIGITAL LOOP WITH DED	EXIE
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2																	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   55.99   127.59   60.54   42.79   2.81							2.81	42.79	60.54	127.59	22.20	UDL56	UNCDX	1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   55.99   127.59   60.54   42.79   2.81																	
Interoffice Transport - Dedicated - DS1 combination - Per Mile							2.81	42.79	60.54	127.59	31.56	UDL56	UNCDX	2		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	
Interoffice Transport - Dedicated - DS1 combination - Per Mile																	
Per Month							2.81	42.79	60.54	127.59	55.99	UDL56	UNCDX	3		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month  UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95  110 Channel System in combination Per Month UNC1X MQ1 146.77 51.83 10.75  COU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 8.77 6.71 4.84  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81  Additional 4-Wire 64Kbps Digital Grade Loop in combination - Zone 2 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81  Additional A-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 UNCDX UDL56 25.99 127.59 60.54 42.79 2.81  Additional A-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 UNCDX UDL56 25.99 127.59 60.54 42.79 2.81  Additional A-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 UNCDX UDL56 25.99 127.59 60.54 42.79 2.81  Additional A-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 UNCDX UDL56 25.99 127.59 60.54 42.79 2.81  Additional A-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.20 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.90 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.90 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.81  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 UNCDX UDL64 25.99 127.59 60.54 42.79 2.8			]													Interoffice Transport - Dedicated - DS1 combination - Per Mile	
Termination Per Month											0.1856	1L5XX	UNC1X			Per Month	
Termination Per Month												İ				Interoffice Transport - Dedicated - DS1 - combination Facility	
1/10 Channel System in combination Per Month							17.95	45.61	122.46	174.46	88.44	U1TF1	UNC1X				
OCU-DP COCI (data) per month (2.4-64kbs)			<del>                                     </del>														
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   1 UNCDX UDL56   22.20   127.59   60.54   42.79   2.81	-+-	<b>—</b>	<del>                                     </del>	$\vdash$	<b>-</b>	<b>-</b>	4 84	6.71							<b>-</b>		
Interoffice Transport Combination - Zone 1	-+-		<del>                                     </del>	<del>                                     </del>	<del> </del>	<del> </del>	7.04	0.71	0.77	10.07	2.10	10100	O14ODA	H	-		<del></del>
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2   UNCDX   UDL56   31.56   127.59   60.54   42.79   2.81		1	]	'			2 04	42.70	60 F4	127 50	22.20	LIDLES	LINCDY	4			
Interoffice Transport Combination - Zone 2	-		+	<del>                                     </del>	1	1	2.81	42.79	00.54	127.59	22.20	ODESO	OINODA	1	-		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81    Additional OCU-DP COCI (data) - in combination per month (2.4- 64kbs) UNCDX 1D1DD 2.10 10.07 8.77 6.71 4.84    EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT  First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL64 22.20 127.59 60.54 42.79 2.81    First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL64 31.56 127.59 60.54 42.79 2.81    First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81    Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95    Termination Per Month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95    1/O Channel System in combination - per month (2.4-64kbs) UNC1X ID1DD 2.10 10.07 8.77 6.71 4.84		1	]	'			0.01	40.70	00	407 =0	04.50		LINODY				
Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   55.99   127.59   60.54   42.79   2.81		<b>└</b>		<b></b>			2.81	42.79	60.54	127.59	31.56	UDL56	UNCDX	2			
Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)   UNCDX   1D1DD   2.10   10.07   8.77   6.71   4.84		1	]	'			_					1	l				
C4kbs   UNCDX   1D1DD   2.10   10.07   8.77   6.71   4.84		<b>└</b>	ļ	ļ			2.81	42.79	60.54	127.59	55.99	UDL56	UNCDX	3			
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		1	1	'	l	l						1			1		
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			<u> </u>	<u> </u>			4.84	6.71	8.77	10.07	2.10				<u></u>		
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1												SPORT	TEROFFICE TRANS	DS1 IN1	CATED	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DED	EXTE
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2																	
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1	1	'	l	l	2.81	42.79	60.54	127.59	22.20	UDL64	UNCDX	1		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone	
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL64   55.99   127.59   60.54   42.79   2.81					ĺ	ĺ		Ī			ĺ		Ì				i
First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL64   55.99   127.59   60.54   42.79   2.81		1	1	'	l	l	2.81	42.79	60.54	127.59	31.56	UDL64	UNCDX	2		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	
Interoffice Transport - Dedicated - DS1 combination - Per Mile   UNC1X	-+	<del>                                     </del>	<del>                                     </del>	<del></del>	<del>                                     </del>	<del>                                     </del>	2.01	72.73	00.04	127.00	01.00	10000				1 100 1 1110 0 110po Digital Orado Loop III Oombilation - Zone I	
Interoffice Transport - Dedicated - DS1 combination - Per Mile   UNC1X		1	1	'	l	l	2.04	42.70	60 F4	127 50	55.00	LIDL 64	LINCDY	2		First A-Wire 64Khns Digital Grada Loop in Combination Tons (	
Per Month	-+	<del></del>	+	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	2.61	42.79	60.34	127.39	55.99	UDL04	OIAODV	3	<del></del>		
Interoffice Transport - Dedicated - DS1 combination - Facility   UNC1X U1TF1   88.44   174.46   122.46   45.61   17.95		1	1	'	I	I	1				0.4050	41.577	LINGAY		1		
Termination Per Month		<b>├</b>		<b> </b>				ļ			0.1856	TL5XX	UNCTX	$\vdash \vdash$			
1/0 Channel System in combination Per Month   UNC1X   MQ1   146.77   51.83   10.75		1	1	'	l	l						I	l				
OCU-DP COCI (data) - in combination - per month (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 8.77 6.71 4.84		<b>↓</b>	ļ	ļ'	ļ	ļ	17.95	45.61									
		<b></b>		L	ļ	ļ											
Additional 4-Wire 64Khps Digital Grade Loop in same DS1							4.84	6.71	8.77	10.07	2.10	1D1DD	UNCDX	I			
		1					l									Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	
Interoffice Transport Combination - Zone 1		1	1	'	I	I	2.81	42.79	60.54	127.59	22.20	UDL64	UNCDX	1	1		

TOMBUNDLY	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
ONDONDE	The state of the s										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1					== 00			40.00							
$\overline{}$	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
EVTE	NDED 4-WIRE D\$1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INITED			2.10	10.07	0.77	0.71	4.04	1					-
LATE	4-Wire DS1 Digital Loop in Combination - Zone 1	LD D31	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1					
<del>                                     </del>	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	1					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
$\vdash$	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť		55200	170.00	217.75	121.02	51.44	1-1-10						<u> </u>
	Per Month			UNC1X	1L5XX	0.1856										1
	Interoffice Transport - Dedicated - DS1 combination - Facility			-		,								l		1
	Termination Per Month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1				I
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPO				-								
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	3/1Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
$\vdash$	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1			LINICAV	LICLYY	70.74	047.75	404.00	54.44	14.45						
<b></b>	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	-					-
	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
<del>                                     </del>	Additional DS1Loop in DS3 Interoffice Transport Combination -		-	ONOTA	OOLXX	100.54	217.75	121.02	31.44	14.40						
	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Additional DS1 COCI in combination per month		Ŭ	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility												-	I		
$\vdash$	Termination per month	<u> </u>		UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE													1
$\vdash$	4-WireVG Loop in combination - Zone 1	<b>.</b>	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						ļ
$\vdash$	4-WireVG Loop in combination - Zone 2	<b>!</b>	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						<del>                                     </del>
$\vdash$	4-WireVG Loop in combination - Zone 3	<b>!</b>	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		ļ		<b> </b>		<del>                                     </del>
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINICVY	11.5	0.0004										1
$\vdash$	Month  Intereffice Transport, 4 wire VG. Dedicated, Escility	+	+	UNCVX	1L5XX	0.0091			<del>                                     </del>		-	-			-	<del>                                     </del>
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						1
FXTF	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE		011V4	22.30	34.70	52.55	30.49	21.00						<b>†</b>
EXIL	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92					<del>                                     </del>	<b> </b>				<b>I</b>
	por miss por missian				1	2										<u> </u>
1 1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	İ		UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility	i –														
1 1	Termination per month	1		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		1				I
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
	STS-1 Local Loop in combination - Facility Termination per												-	I		
1 1	month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						

UNBUNDI	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23	ļ					
EXI	ENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE First 2-Wire ISDN Loop in Combination - Zone 1	E IRAN		UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				1	-	<u> </u>
	First 2-Wire ISDN Loop in Combination - Zone 1  First 2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	<b> </b>		-	-	-	<del> </del>
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	<b>+</b>			-		
	Interoffice Transport - Dedicated - DS1 combination - per mile	1	- 3	ONONA	OTLEX	40.02	127.55	00.00	42.73	2.01					<b>-</b>	+
	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	i –						1				1	1	1	
	Termination per month	<u> </u>	<u>L</u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				L	<u> </u>	
	1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	51.83	10.75								
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														_	
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				ļ	ļ	<b>_</b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					07.40			40.70							
	Combination - Zone 2	1	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per	1	3	UNCNX	UTLZX	48.62	127.59	00.00	42.79	2.81	<b> </b>					<b>+</b>
	month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84						
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	-1 INTE			3.00	12.10	0.11	0.71	4.04	1					<del>                                     </del>
	First DS1 Loop Combination - Zone 1	1		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1					
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1														
	Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	3/1 Channel System in combination per month			UNCSX	MQ3	211.19	115.60	59.93	5.45	0.00						
	DS1 COCI in combination per month	-	ļ	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				1	-	<u> </u>
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport	1	-	UNCIA	USLAA	70.74	217.75	121.02	31.44	14.45	<b> </b>					<b>+</b>
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport	<del>                                     </del>		011017	JOLAN	100.34	211.13	121.02	31.44	17.43			<b>-</b>	<b>-</b>	<b>†</b>	<del>                                     </del>
	Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		1	I	I	I	
	DS1 COCI in combination per month	1	Ħ	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			1	1		
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KI	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81			L	L		<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				I				1			1	I	I	I	
	Per Mile per month	1	<u> </u>	UNCDX	1L5XX	0.0091			1				-	-	-	<b></b>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	LIATE	40.44	04.70	50.50	50.40	04.50		1	I	I	I	
EVT	Facility Termination per month  ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KI	DDC INT	EDOE	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b>├</b>
EXI	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	Jes INT		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	<del>                                     </del>		UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81	<del>                                     </del>	<b>-</b>	t	t	t	<del>                                     </del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81			<b>†</b>	<u> </u>	t	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ť			55.55	.200	00.04		2.51			1	1	1	<b>†</b>
	Per Mile per month			UNCDX	1L5XX	0.0091			1			1	I	I	I	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month		<u> </u>	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
EXT	ENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE 1	RANSP														
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81			ļ	ļ	ļ	<u> </u>
	First 2-wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81			ļ	ļ	ļ	<b>↓</b>
ı	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	l			1	1	L

UNBUND	DLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
	ĺ						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First Interoffice Transport - Dedicated - DS1 combination - Per															
		Mile			UNC1X	1L5XX	0.1856										<u> </u>
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	51.83	10.75	0.74	4.04	1					
		Per each Voice Grade COCI - Per Month per month 3/1 Channel System in combination per month			UNCVX UNC3X	1D1VG MQ3	1.38 211.19	12.16 115.60	8.77 59.93	6.71 5.45	4.84 0.00	-					
		Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1		-			<del>                                     </del>
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCIA	OCIDI	13.76	10.07	7.00	0.00	0.00	-	1				<b>-</b>
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1		- '	DINCVX	ULALZ	12.24	127.55	00.54	42.13	2.01						
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81			I			
		Each Additional 2-Wire VG Loop(SL2) in the same DS1					0	.200	00.04	.20	2.51	1		1	İ	İ	<b>†</b>
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81			I			
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84			1	İ	l	1
		Each Additional DS1 Interoffice Channel per mile in same 3/1													1		
		Channel System per month			UNC1X	1L5XX	0.1856										
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EX		DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	IUX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		First 4-Wire Analog Voice Grade Local Loop in Combination -					47.00			40.70							
		Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
-		First Interoffice Transport - Dedicated - DS1 - Facility			UNCIA	ILSAA	0.1656					-	-				<b>-</b>
		Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	51.83	10.75	45.01	17.55	<del> </del>	1		1		
-		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		<b>-</b>				1
-		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00		<b>-</b>				1
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1	1				1
		Additional 4-Wire Analog Voice Grade Loop in same DS1			011017	00.5.	10.70	10.01	7.00	0.00	0.00						
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		Additional 4-Wire Analog Voice Grade Loop in same DS1										1					
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81	<u></u>		<u> </u>			<u> </u>
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81	ļ					1
		Each Additional DS1 Interoffice Channel per mile in same 3/1												_			
		Channel System per month			UNC1X	1L5XX	0.1856							L	ļ	ļ	ļ
		Each Additional DS1 Interoffice Channel Facility Termination in				1								I			
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	ļ		ļ			<del>                                     </del>
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84						
EX		DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	PFFICE	TRANSPORT W/ 3/	1 IVIUX						<u> </u>	-	<del>                                     </del>	-		-
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81			1			
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	-	-	OIAODV	ODEJO	22.20	127.59	00.54	42.19	2.01	<b> </b>	<del>                                     </del>	+	<del> </del>	<b> </b>	<del>                                     </del>
		Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81			I			
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			5.1057	35230	31.30	121.05	00.54	72.13	2.01	<b> </b>	<del>                                     </del>	<b>I</b>		1	<del>                                     </del>
		Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81			I			
		First Interoffice Transport - Dedicated - DS1 combination - Per		Ť			55.55	.200	00.04	.20	2.51			<u> </u>	1		
		Mile Per Month			UNC1X	1L5XX	0.1856							1			
		First Interoffice Transport - Dedicated - DS1 - combination								1					1		
		Facility Termination Per Month	L		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	L	<u></u>	<u> </u>		<u> </u>	L
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	51.83	10.75								
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
$\vdash$	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_	LINCDY	UDL56	24.50	107.50	CO 54	40.70	2.04						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EYTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	EEICE			13.76	10.07	7.08	0.00	0.00						
EXIL	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	I TRANSFORT W/ 3/1	INOX											
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	51.83	10.75	40.01	17.55						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDI 04	00.00	107.50	00.54	40.70	0.04						
<b></b>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						İ									
igwdown	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1							V1	V 1							
$\sqcup \sqcup \sqcup$	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
EVTEN	combination per month  IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T/ 2/	4 MILIV	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXIEN	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KIW/3/	1 MUX													
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	i ilot interemee Transport - Dedicated - Do i combination - Fel	1	1	1							1	l				1
	Mile per month			UNC1X	1L5XX	0.1856			ļ							
	Mile per month  First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X UNC1X	1L5XX U1TF1	0.1856 88.44	174.46	122.46	45.61	17.95						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1			<u> </u>			ı	Nonroc	urrina	Nonrecurring	Disconnect			088	Rates(\$)		
			<u> </u>			Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+							FIISL	Auu	Filst	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWIAN
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					40.00			40 =0							
	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINIONIN	110404	0.00	40.40	0.77	0.74	4.04						
	system combination- per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		-		-		
1	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		1	UNC1X	1L5XX	0.1856								I		
+	Each Additional DS1 Interoffice Channel Facility Termination in		1	DINGIA	ILUAA	0.1000			<del>                                     </del>					<del>                                     </del>	1	
	same 3/1 Channel System per month	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				I		
	Each Additional DS1 COCI in the same 3/1 channel system		<b>†</b>	5517	31111	55.44	174.40	122.40	-10.01	17.95				t		
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT											1		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAN	41.5307	0.4050										
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in		1	UNC1X	1L5XX	0.1856										
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	011111	00.44	174.40	122.40	45.01	17.95	1					
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			O. TO IX	00.5.	10.70	10.01	7.00	0.00	0.00	1	1		1		
1	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				I		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		† †		1					10				1		
	2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				1		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		_	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				1		
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				1		
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				ļ		
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			LINCDY	41.577	0.000								1		
	per month		<b>├</b>	UNCDX	1L5XX	0.0091			1		1	-		<del>                                     </del>	1	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month	1		UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53				I		
FXTFI	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTFRO	FFICE		01100	10.44	34.70	52.59	30.49	21.33	<b>—</b>	<b>H</b>		t	1	
EXIL	First 4-wire 64 kbps Local Loop in combination - Zone 1		1 1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81				<del>                                     </del>	1	
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81				t		
<u> </u>	First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81				1		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
ļ	per month	l		UNCDX	1L5XX	0.0091								I		1
									1 1			1		1		
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility							52.59	50.49	21.53						

UNDUNDL	ED NETWORK ELEMENTS - Florida												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		T 0011111
		01			-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ecurring Currently Combined Network Elements "Switch As Is" anal Features & Functions:	Charge	-		<b>-</b>	-									1	
Optio	nai reatures & runctions:		-	U1TD1,	+						1				<b> </b>	
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Occar Orialmor Capability Extended Frame Option - per Bot	-		U1TD1,	CCCLI		0.00	0.00	0.00	0.00					1	
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						<u> </u>
				U1TD3, ULDD3,												1
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
				UNCVX, UNCDX,												
	Miledender (- INE - O. Vele As Is Occurred to Observe			UNC1X, UNC3X,			0.00	0.00	0.00	0.00						
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98	1					+
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,			40.00	40.50								
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	- 1		U1TS1, UDF, UE3	URESL		40.28	13.52			1					+
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,												
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	I		U1TS1, UDF, UE3	URESP		64.09	25.64								
MULT	TIPLEXER Interfaces															1
<b>.</b>	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	51.83	10.75								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
<b></b>	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	טטוטו	2.10	10.07	7.08							1	+
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			01100	10100	2.10	10.07	7.00	0.00	0.00						+
	month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per					0.00										1
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08 59.93	0.00	0.00						-
<b></b>	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UNC3X UNCSX	MQ3 MQ3	211.19 211.19	115.60 115.60	59.93	5.45 5.45	0.00					1	+
<del></del>	DS1 COCI used with Loop per month		-	USL	UC1D1	13.76	10.07	7.08	5.45	0.00	1				<b> </b>	
	DS1 COCI (used for connection to a channelized DS1 Local		1	USL	OCIDI	13.70	10.07	7.00								+
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
<del>                                     </del>	DS1 COCI used with Interoffice Channel per month		t	U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00				1	1	<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		l		1	120		50				İ	l		ĺ	1
	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						1
Acces	ss to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment						1.63		1.63							
	DS1 DSC Termination with DS0 Switching					27.39	32.89	23.58	16.96	12.77						
<b></b>	DS1 DSC Termination with DS1 Switching		<u> </u>			11.70	25.07	15.76	13.05	8.86				ļ	ļ	
<u> </u>	DS3 DSC Termination with DS1 Switching		<u> </u>			146.81	32.89	23.58	16.96	12.77				ļ	ļ	
Servi	ce Rearrangements		<u> </u>	LIATIVY LIATIDY	-	1			1		<b></b>		<b> </b>	1	<del> </del>	
	NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX,												
1 1	Rearrangement		1	UNCVX, UNCDX	URETD		270.08	47.13					l	1		

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Charge - Manual Svc Order vs.	Charge -
							Dan.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		'
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I			URETB		1.28	1.28								
		Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous																
		NRC - Order Coordination Specific Time - Dedicated Transport	ı		UNC1X	OCOSR		18.90	18.90								

LIND	IINDI =	D NETWORK ELEMENTS - Georgia												Attachment:	2 Evh ^	I	I
OND	UNDLL	I NETWORK ELEMENTS - Georgia	1	1	I		1					Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			1				Manual Svc	
OAIL	OOKI	KATE ELEMENTO	m	20116	B00	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	e Designation	ns by Cent	ral Office, ref	er to internet	Website:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ither the state specific Commission ordered rates for the servi	ice orde	ring ch	narges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	flects the cha	arge that would	d be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the ma	anual ordering	g charge,
<u> </u>	SOMA	N, will be applied to a CLECs bill when it submits an LSR to E	sellSout	h.	ı		1	1	ı	Ī	ī		1	1	1	1	1
	1	OSS - Electronic Service Order Charge, Per Local Service				SOMEC		3.50	0.00	3.50	0.00		1				
<u> </u>	+	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		-		JOUIVIEU		3.50	0.00	3.50	0.00	-	-		1		
		(LSR) - UNE Only	1			SOMAN		11.73	0.00	6.13	0.00						
UNF S	SERVICE	DATE ADVANCEMENT CHARGE	1			OOWAN		11.75	0.00	0.13	0.00	1					
OIVE C		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff. Section	on 5 as appli	cable.	1	1			1	1	1	1	1	1
	1		1														
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC, UC1BL, UC1CC,												
					UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX, UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
	1				U1TUD, U1TUB.												
1	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,	1							1				
		Day			NTCUD, NTCD1	SDASP		200.00	200.00								
ORDE	R MODIF	ICATION CHARGE															
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBU		EXCHANGE ACCESS LOOP															
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP	<b>!</b>	L.													
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>		UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72			-	1	<b> </b>	-
<u> </u>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>		UEANL	UEAL2 UEAL2	15.85	40.02	9.99 9.99	5.61	1.72	-		-	1		
<b>—</b>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-		UEANL UEANL	UEAL2 UEASL	31.97 10.51	40.02 40.02	9.99	5.61 5.61	1.72 1.72				-		
$\vdash$	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>		UEANL	UEASL	15.85	40.02	9.99	5.61	1.72			<del> </del>	1	-	-
<b>—</b>	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>		UEANL	UEASL	31.97	40.02	9.99	5.61	1.72	<b>-</b>		<del> </del>	1		
		12 TYTIC / WIGHOS VOICE CHAVE LOOP - DELVICE LEVEL I ZUITE 3	I	J	OL/ WAL	OLAGE	51.31	70.02	3.33	5.01	1.72		L	1		L	L

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 31 of 136

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CITECITE			l I								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	1		Charge -	Charge -	Charge -
		Interi									Elec	1	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc ist	DISC Add I
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
	Premise			UEANL	URETL		8.92	0.88								
-	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1 URETA		25.12 13.62	0.00			1					
$\vdash$	Loop Testing - Basic Additional Half Hour	1	ļ	UEANL	UKETA		13.02	13.62			<b> </b>					<del></del>
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	<del>                                     </del>		ULANL	UKLWO		13.73	0.92			<del> </del>			1		<del></del>
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Manual Order Coordination for UVL-SL1s (per loop)	1	1	UEANL	UEAMC		18.92	18.92				1				<del></del>
2-W	VIRE UNBUNDLED COPPER LOOP - NON-DESIGNED										İ					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1	1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00			İ		İ	
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	1	2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00	İ			1		
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u> </u>	UEQ	URETL		8.92	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour	ļ		UEQ	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDEIMO		44.05	7.40								
LINDUNDU	(UCL-ND) ED EXCHANGE ACCESS LOOP	1	ļ	UEQ	UREWO		14.25	7.42			<b> </b>					$\vdash$
	VIRE ANALOG VOICE GRADE LOOP	1									<b> </b>	-				
2-91	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1								ł	1				
	Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	027,111010	OLIVILLE	11.07	70.00	24.00	10.02	7.07	1	1				
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		,							İ					
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	33.08	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1														
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ĺ
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LIEA NITOVO	LIDEC		05.00	0.50								1
$\vdash$	DS0)	+	<del>                                     </del>	UEA, NTCVG	URESL		25.06	3.53	<del>                                     </del>		<del> </del>	1	-	<b> </b>	-	<del></del>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA, NTCVG	URESP		26.55	5.03								1
$\vdash$	CLEC to CLEC Conversion Charge without outside dispatch	1	<del>                                     </del>	UEA, NTCVG	UREWO		87.72	36.36	<del>                                     </del>		<b>+</b>			<del> </del>		<del>                                     </del>
$\vdash$	Loop Tagging - Service Level 2 (SL2)	<del>                                     </del>	<del>                                     </del>	UEA, NTCVG	URETL		11.19	1.10								
4-W	VIRE ANALOG VOICE GRADE LOOP	t	<del>                                     </del>		0		11.19	1.10			1	<del>                                     </del>				
	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA, NTCVG	UEAL4	17.80	93.01	28.17	19.52	8.12				1		
	4-Wire Analog Voice Grade Loop - Zone 2	1	2	UEA, NTCVG	UEAL4	21.68	93.01	28.17	19.52	8.12			İ		İ	
	4-Wire Analog Voice Grade Loop - Zone 3	1		UEA, NTCVG	UEAL4	30.25	93.01	28.17	19.52	8.12	İ			1		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	<u></u>	<u></u>	UEA, NTCVG	URESL	L	25.06	3.53					<u> </u>		<u> </u>	<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															1
	DS0)		<u> </u>	UEA, NTCVG	URESP		26.55	5.03								<b></b>
$\vdash$	CLEC to CLEC Conversion Charge without outside dispatch	L	<u> </u>	UEA, NTCVG	UREWO		87.72	36.36			ļ			ļ		1
2-W	VIRE ISDN DIGITAL GRADE LOOP		<u> </u>	LIBAL	1111.011		,									<b></b>
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97	ļ					<del>                                     </del>
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 2	-	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97	-					<del></del>
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 3	1	3	UDN UDN	U1L2X	40.17	180.06	35.25	18.23	6.97	-	-		-		<del></del>
2 14	CLEC to CLEC Conversion Charge without outside dispatch VIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI F	1 000		UREWO	<del>                                     </del>	120.98	33.04			<del>                                     </del>	-	-		-	<del>                                     </del>
Z-V	VINE AS IMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AHBLE	LOUP						I	1	<u> </u>	<u> </u>	I	l	I	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	curring	Nonrecurring			···		Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						l .
	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	11.23	44.09	31.33	0.00	0.00						
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						-
	facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1											
	facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						i
	CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UREWO	20.62	44.69	29.29	0.00	0.00						
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						-
	& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry					0.00										
	& facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHLZVV	7.88	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL2W	14.48	44.69 44.69	31.55 31.55	0.00	0.00						-
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	UHL	UREWO		44.69	31.55								<u> </u>
4 0000	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDEL .	1													
	and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry					40.00		0.4 ==								
	and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						1
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						<b></b>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						1
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OI IL4VV	12.00	44.09	31.33	0.00	0.00						
	and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								<u> </u>
4-WIR	E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL, NTCD1	USLXX	41.02	211.93	72.49	38.24	7.20						<del>                                     </del>
	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1	USLXX	46.41	211.93	72.49	38.24	7.20						<u> </u>
	4-Wire DS1 Digital Loop - Zone 3			USL, NTCD1	USLXX	62.03	211.93	72.49	38.24	7.20						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
$\vdash$	DS1)			USL, NTCD1	URESL		25.06	3.53			-	-				<b>—</b>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL, NTCD1	URESP		26.55	5.03								1
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97			<u> </u>	t				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	21.86	196.66	37.00	18.82	7.20						<del></del>
$\vdash$	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD UDL, NTCUD	UDL19 UDL19	28.36 38.22	196.66 196.66	37.00 37.00	18.82 18.82	7.20 7.20		1				<del>                                     </del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL56	21.86	196.66	37.00	18.82	7.20		<del>                                     </del>				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL, NTCUD	UDL56	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD	UDL56	38.22	196.66	37.00	18.82	7.20						H
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL, NTCUD	UDL64 UDL64	21.86 28.36	196.66 196.66	37.00 37.00	18.82 18.82	7.20 7.20		-				<del></del>
	4 write oribunated Digital Loop 64 Kbps - Zone 2		- 2	UDL, NTCUD	บบเช4	28.36	196.66	37.00	18.82	7.20	1	1	l			1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL, NTCUD	UDL64	38.22	196.66	37.00	18.82	7.20						ļ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)  Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UDL, NTCUD	URESL		25.06	3.53								
	DS0)			UDL, NTCUD	URESP		26.55	5.03								
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL, NTCUD	UREWO		101.95	49.66								+
2-WIRI	Unbundled COPPER LOOP			ODE, IVIOOD	OKETTO		101.00	40.00								
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00	ļ					<b></b>
	2 Wire Unbundled Copper Loop-Designed including manual		_		LIOL BS			a. ==								
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual		'	UCL	UCLPVV	12.02	44.69	31.55	0.00	0.00	1	1				-
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual			002	002	10.00	1 1100	01.00	0.00	0.00	i e					
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		44.69	31.55								
4-WIRI	COPPER LOOP															ļ
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						<u> </u>
	and facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry		- '	OCL	UCL4VV	10.03	44.03	31.33	0.00	0.00						-
	and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry										1					
	and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92	$\Box$							<u> </u>
				UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL,												
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1, UEANL	OCOSL		57.79									
LOOP MODIFI	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			021 00	ULIVIEL		0.00	0.00			1	<b>-</b>				<b>†</b>
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL, UEQ, ULS, UEA,			2.20	2.30								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULMBT		17.91									
SUB-LOOPS											1					<u> </u>
	pop Distribution						İ									
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-						İ									
	Up			UEANL, UEF	USBSA		255.76									ļ
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09									

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
															2.00 .01	2.007.444
		-	-			Rec	Nonred First			g Disconnect	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel						FIISL	Add'l	First	Add'l	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															
	and Spare Loop Activation		-	UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		'	OLANE	OODINZ	0.32	20.40	5.05	2.20	0.01	1					<b></b>
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01	1					<u> </u>
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	5.93	24.07	4.79	2.27	0.01						
-	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	UEANL	USBIN4	5.93	31.07	4.79	2.21	0.01						<b>-</b>
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			027.112	005.11	0	01.07			0.01						
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Cas 200p 1 1110 milasanang Hollion Casio (into)			02,442	005.11	7.07	01.07			0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	5.94	28.46	3.85		0.01	1					<del> </del>
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS2X UCS2X	7.51 9.22	28.46 28.46	3.85 3.85		0.01						<b>+</b>
	2 Wife Copper Oribunaled Cub-Loop Distribution - Zone 3		3	OLI	0002X	3.22	20.40	5.05	2.20	0.01						<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79		0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	6.32	31.07	4.79		0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
<del>                                     </del>	Loop tagging Service Level 1, Unbundled Copper Loop, Non-		<del>                                     </del>	OLI	OSDIVIC		10.92	10.92	1		+					
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								L
Unbun	dled Sub-Loop Modification		<b>_</b>		1				ļ		1	1				
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEF	ULM2X		0.00	0.00								
<del>                                     </del>	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLF	ULIVIZA		0.00	0.00	1	<del> </del>	1	<b>—</b>				-
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of bridge Tap, per						2.30			ĺ	1					
	unbundled loop			UEF	ULMBT		17.91	17.91								
	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		<b>_</b>	UENTW	UENPP	0.533	25.12	12.28	ļ		1	1				
Netwoi	rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines	-	-	UENTW	UND12		32.86	20.69	1		+	<del>                                     </del>				<del>                                     </del>
+	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	-	<del>                                     </del>	UENTW	UND12 UND16		56.03	43.86	1		+	1				+
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45			†					
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45		İ						<b>†</b>
UNF OTHER, F	PROVISIONING ONLY - NO RATE															

CATEORY   RATE ELEMENTS   Manual Zone   BCS   USOC   RATER(S)   RATER(S)   Report   Received   Re	UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
ACTIONY RATE ELEMENTS    Marriary   Company		State Element o Georgia		l		I						Svc Order	Svc Order			Incremental	Incrementa
RATE BLEMENTS INTO THE PLAN TH												1					
ATTEMPT RATE ELEMENTS												1					_
No.   Section	CATEGORY	PATE ELEMENTS	Interi	Zone	RCS	LISOC			PATES(\$)								
1	CATEGORI	KATE EEEMENTO	m	20116	500	0000			KATLO(ψ)			per LSR	per LSR				
Page																	
DUTIES   Mile   Prist   Add   SOME														1st	Add'l	Disc 1st	Disc Add'l
DUTIES   Mile   Prist   Add   SOME	<u> </u>			-				Nonroc	urring	Monrocurrino	Disconnect	<b>-</b>		088	Patac(\$)		
Districted Cyntex Name							Rec					SOMEC	SOMAN			NAMOS	ROMAN
Unit Colon   Uni					HAL HCL HDC			FIISL	Auu	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
URS, URSN., URSN																	i
Distributed Cristant Name, Procisionis Offs - sources   Vision																	ı
Unburded Control Nation Producting City - For time   NTCOL 1081   OACO																	ı
Unburided Costent Name, Previousness Duly, no nate   NICDP, USL   USE, COOSE   0.00   0.00																	ı
Unstandio DS   Long- Superframe Forms deptine. no rate   USI.   CLOSE   D.00																	ı
Unbursted DS11,000 - Expended Superfurine Format ciption -   US																	<b></b>
No.   Departs and Service Chefer for NID recallation   URFATV					USL	CCOSF	0.00	0.00									
NBO   Departs and Shortes Order for MID installations   UENTRY   URDSX   O.00																	ł
IUNTY Cloud Establishment, Productioning City - No Rate   CRYMY   CRYCE   0.00   0.0																	ı
HIGH CARACTY UNBUNDED LOCAL LOOP					UENTW	UNDBX	0.00	0.00									ı
NOTE: minimum billing parked of three months for DS3/STS-1 Local Loop   Play Capacity Unburnded Local Loop - DS3 - Facility   UE3   UE3/Y					UENTW	UENCE	0.00	0.00									
High Capably Unburded Local Loop - DS3 - Fer Mile per   UES																	
High Capably Unburded Local Loop - DS3 - Fer Mile per   UES	NOTE:		Loop														ı
Fight Capacity Unbounded Local Loop - DS3 - Facility   UE3																	
Fight Capacity Urbourded Local Loop - DS3 - Facility   UE3	] [		1	1	UE3	1L5ND	10.97						]				1
Termination per month		High Capacity Unbundled Local Loop - DS3 - Facility															
High Capacity Unbunded Local Loop - STS-1 - Per Mile per					UE3	UE3PX	253.38	1.753.23	131.90	112.91	75.88						ı
Month   Mont								.,									
High Capacity Unburnded Local Loop - STS-1 - Facility   UDLSX					UDLSX	11.5ND	10.97										ł
Termination per month   UDLSX   UDLS1   305.42   1,753.23   131.90   112.91   75.88				<b>-</b>	05207	120112	10.07										
Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).   UMK   UMKLW   15.19   15.19     UMK   UMKLW   15.19   UMK   UMKLW   15.19   UMK   UMKLW   U					I IDI SV	LIDI 61	205.42	1 752 22	121 00	112.01	75 90						i
Loop Makeup - Preordering Without Reservation, per working or spare facility queefid (Manual).	LOOP MAKE!				ODLOX	ODLOT	303.42	1,733.23	131.30	112.31	75.00						
Spair facility queried (Manual).   UMK	LOOF MAKE-0																
Licon Makeup - Precordering With Reservation, per spare facility   UMK					LIMIZ	LIMIZLAN		15 10	15 10								i
Queried (Manual),   UMK   UMKCP   19.85   19.85   19.85				-	OIVIN	OWINLYV		13.19	13.19			-					
Line Spitting - per line activation BST owned - yhysical   UWK   UWK/MQ   UWK   UWK/MQ   UWK   UWK/MQ   UWK   UWK/MQ					LIMIZ	LIMIZI D		40.05	40.05								ł
Spare facility queried (Mechanized)	-				UIVIK	UWKLP		19.85	19.85								
LINE SPLITTING																	i
END USER ORDERING-CENTRAL OFFICE BASED   UPSR UEPSB URED   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6297   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   12.40   7.68   4.30   UPSR UEPSB URED   0.6298   20.10   1.20					UMK	UMKINQ		0.82	0.82								<b></b>
Line Splitting - per line activation BST owned - physical   UPERS UEPSB   UREOS   0.61				-													<b></b>
Line Splitting - per line activation BST owned - physical   UEPSR UEPSB   UREBP   0.6297   20.10   12.40   7.68   4.30	END U			-			2.21										<b></b>
Unit																	<del></del>
UNBUNDLED EXCHANGE ACCESS LOOP																	<b></b>
2-Wire Nalo Collegate   1.0   2.0					UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USCCs match the lower port-loop combor rates UEPLX)																	
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1																	
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	UNE Lo																1
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			- 1														
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			I														
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	Ī	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3										1.37	1.28						
PHYSICAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting VIRTUAL COLLOCATION VIRTUAL COLLOCATION VIRUAL COLLOCATION VIRUAL COLLOCATION UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			- 1					10.05									i
Physical Collocation-2 Wire Cross Connects (Loop) for Line   UEPSR UEPSB   PE1LS   0.0197   0.00   0.00   0.00	PHYSIC	CAL COLLOCATION					İ										i
Splitting				1		l							1		1		i
VIRTUAL COLLOCATION   Virtual Collocation-2 Wire Cross Connects (Loop) for Line   Splitting   UEPSR UEPSB   VE1LS   0.0188   0.00   0.00   0.00   0.00   0.00   0.00   UNBUNDLED DEDICATED TRANSPORT   UEPSR UEPSB   VE1LS   0.0188   0.00   0	] [		1	1	UEPSR UEPSB	PE1LS	0.0197	0.00	0.00				]				1
Virtual Collocation-2 Wire Cross Connects (Loop) for Line   UEPSR UEPSB   VE1LS   0.0188   0.00	VIRTU					··	5.5.07	2.00	2.00			1					i
Splitting	1			<b>†</b>		i						1	1				1
UNBUNDLED DEDICATED TRANSPORT  INTEROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month  Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat U1TVX  IL5XX  IL5					UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						1
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month   U1TVX	UNBUNDI ED I		<b>-</b>	t			5.0100	0.00	0.00	0.00	0.00	1					(
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination U1TVX U1TV2 12.87 48.46 19.48 16.58 5.00 Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat.			<b>-</b>	t		<b> </b>						1					
Per Mile per month U1TVX 1L5XX 0.0057 Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	INTERN		-	<b>t</b>								1					
Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat  U1TVX U1TV2 12.87 48.46 19.48 16.58 5.00  U1TVX 1L5XX 0.0057	] [		1	1	LITVY	11 5 7 7	0.0057						]				1
Facility Termination	<del>                                     </del>			<del>                                     </del>	01117	ILUAA	0.0057					1			<b> </b>		
Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month U1TVX 1L5XX 0.0057 Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	] [		1	1	LITVY	L14T\/2	12 07	10 10	10.49	16 50	5.00						1
Rev Bat Per Mile per month U1TVX 1L5XX 0.0057 Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	$\vdash$			+	ΟΙΙΥΛ	01172	12.87	40.40	19.48	10.38	5.00	<del> </del>					
Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.					LIATVA	11 5 7 7	0.0057										1
	<del>                                     </del>			<del>                                     </del>	UIIVA	YYCTI	0.0057					1	<b>—</b>		-		
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination	1	1	U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00		]				1

UNBUNDLE	D NETWORK ELEMENTS - Georgia			<del></del>									Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
							Names		Namaaaaa	Dianamant					D130 131	DISC Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1		+		FIRST	Addi	FIRST	Addi	SOMEC	SOWAN	SOWAN	SUMAN	SUMAN	SUMAN
	Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			OTTVX	120701	0.0007					1					
	- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0057										
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	UTIDX	ILSXX	0.0057					<b> </b>					-
	Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			01127	01120	7.00	10.10	10.10	10.00	0.00						
	month			U1TD1	1L5XX	0.1154										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEO	U1TF3	0.40.00	000.47	00.00	00.77	50.04						
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		<u> </u>	U1TD3	U11F3	342.02	320.47	86.32	66.77	52.81	<b>.</b>					-
	Interoffice Charmer - Dedicated Transport - 313-1 - Per Mile per Imonth			U1TS1	1L5XX	2.53										
<del></del>	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01101	TESTON	2.00					1					<b>†</b>
	Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
UNBU	NDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	23.29	1,776.53	89.75	73.53	18.70						
11 PBX LOCA				ODI, ODI OX	TEODI	20.23	1,770.33	09.73	75.55	10.70	1					
	X LOCATE DATABASE CAPABILITY										†					
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,825.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.67									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		536.23									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	176.96	11.73				ļ					
011 DB	Service Order Charge  X LOCATE TRANSPORT COMPONENT		<u> </u>	9PBDC	9PBSC		11.73				<b>.</b>					
See At			<u> </u>		1											
	XTENDED LINK (EELs)				1									1	1	
NOTE:	The monthly recurring and non-recurring charges below will															
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below v	will apply for l											
EXTEN	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	ļ		UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						1
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	-	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86	ļ	<b> </b>	<b> </b>	<b>.</b>	-	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	1		UNC1X	1L5XX	0.1154						1				
+	Interoffice Transport - Dedicated - DS1 combination - Facility	1	<b>-</b>	OIVO IA	ILOAA	0.1154	-				1		<del> </del>	<del> </del>	1	<del>                                     </del>
	Termination per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channelization System in combination Per Month	l		UNC1X	MQ1	69.75	86.10		.5.56	2				1	1	
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					<u> </u>	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			ļ	ļ		
	Fort A 1875 and O 1875			LINIONA	LIEALO		,									
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
		l	I				195.94	36.38	18.42	6.86						
	Each Additional 2 Miro VC Loop (CL 2) in Combination 7 2															
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month		3	UNCVX UNCVX	UEAL2 1D1VG	33.08 0.4689	27.33	2.90	16.86	1.04						<b>†</b>

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring			•		Rates(\$)		
					1	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First A Wiss Assistant Visits Constitution in Constitution 7 and			11000		47.00	405.04	00.00	40.40	0.00						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			-			<u> </u>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	The transfer of the control of the c		_	O. TO TA	02/121	21.00	.00.01	00.00	.02	0.00			1			<u> </u>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>07											
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.1154										4
	Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10	40.70	40.00	27.07						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	1					
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86	ļ					<u> </u>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	04.00	405.04	00.00	40.40	6.86						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	UEAL4	21.68	195.94	36.38	18.42	6.86	<del>                                     </del>	-	-			+
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Additional Voice Grade COCI in combination - per month		Ť	UNCVX	1D1VG	0.4689	27.33	2.90		1.04	i e					
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First A Mire FOld on Picital One In Law in Combination 7 and 0			LINIODY	LIDI FO	00.00	105.01	00.00	40.40	0.00						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86			-			<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	ONODX	ODLOG	00.22	100.04	00.00	10.42	0.00						
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)			UNC1X	MQ1 1D1DD	69.75 0.9963	86.10	0.00	40.00	4.04						ļ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	טטוטו	0.9963	27.33	2.90	16.86	1.04			-			<b>-</b>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		Ė	0.1027	02200	21.00	.00.01	00.00	.02	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	<u> </u>	<u> </u>				<del>                                     </del>
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
FXTF	ाठनराऽ) NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			0.8803	21.33	2.90	10.00	1.04	1	<del>                                     </del>	<b> </b>			<del>                                     </del>
LATE	WITH DEDICATE CONTROL OF THE CONTROL C															<b>†</b>
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	ļ	1				ļ
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINCDA	UDL04	38.22	195.94	30.38	18.42	0.86	<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
	Per Month			UNC1X	1L5XX	0.1154										
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	ļ					
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	<u> </u>					<del>                                     </del>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	OIYODA	UDLU4	∠1.00	190.94	30.38	10.42	0.80	1	<del>                                     </del>	<b> </b>			<del>                                     </del>
.	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86			<u> </u>		<u> </u>	

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Fxh. A		Г
SHESHEL	LD II. I TORRE LELINEIT I O - Georgia	1	1	ı							Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually	Manual Svc			
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del></del>		+	-		+		Nonrec	urring	Nonrecurring	Disconnoct	<b>-</b>	l	088	Rates(\$)		
$\vdash$		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	Additional OCLEDD COCL (data) in combination and month	1			+		FIIST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	Additional OCU-DP COCI (data) - in combination - per month			LINODY	40400	0.0000	07.00	0.00	40.00	4.04					1 !	ĺ
EVE	(2:101120)	ED D04	INITED	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04				<u> </u>		<b>├</b>
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D51				44.00	200.45	70.44	07.04	0.00				ļ	$\vdash$	<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				ļ		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				ļ		
	4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						<b>└</b>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile													1	1	
	Per Month			UNC1X	1L5XX	0.1154								<u> </u>		
	Interoffice Transport - Dedicated - DS1 combination - Facility													1	1	
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3										ļ		L		
$\square$	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				L		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	2.53								1	1	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88					1 !	
	3/1Channel System in combination per month			UNC3X	MQ3	121.90										
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				1	1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -										İ					
	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				1	1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1														
	Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				1	1	
	Additional DS1 COCI in combination per month		Ť	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
FXTF	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	F GRAD	FINTE			7.00	27.00	2.00	10.00							
EXIL	2-WireVG Loop in combination - Zone 1	I	1 1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
$\vdash$	2-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
$\vdash$	2-WireVG Loop in combination - Zone 3	1	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	_	-	ONCVX	OLALZ	33.00	133.34	30.30	10.42	0.00						-
	Month			UNCVX	1L5XX	0.0057									1 !	
$\vdash$	Interoffice Transport - 2-wire VG - Dedicated - Facility	<del> </del>		UNCVA	ILSAA	0.0057					-			-	$\vdash$	-
	Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60					1 !	
EVTE		- CDAD	E INITE			12.87	66.53	33.01	43.42	27.60	-			-	$\vdash$	-
EXIE	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GKAD		UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86	-		-	<b></b>		<del></del>
$\vdash$	4-WireVG Loop in combination - Zone 1	1									-		-	<b></b>		<del></del>
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86	-	<b>.</b>	-	<b>├</b>	$\vdash$	<b>├</b>
$\vdash$	4-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86	-	-		<del></del> '	$\vdash$	<b>├</b>
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			1110101	41.5307				I			1		1	1 !	1
$\vdash$	Month	1	<u> </u>	UNCVX	1L5XX	0.0057			ļ					<b> </b>	Ļ——J	<b>├</b>
	Interoffice Transport - 4-wire VG - Dedicated - Facility													'	1	1
<u> </u>	Termination per month	<u> </u>		UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60			ļ	<u> </u>		<del></del>
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1				ļ		1	ļ	ļ	ļ'		<b>↓</b>
$\vdash$	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97			ļ		1			ļ'		<b>↓</b>
									I			1		1	1 !	1
$\square$	DS3 Local Loop in combination - Facility Termination per month	1	L	UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76		ļ		L		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
	Interoffice Transport - Dedicated - DS3 combination - Facility							-								
	Termination per month	<u></u>	<u></u>	UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88			<u> </u>	<u> </u>		<u> </u>
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76				'	1	1
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
1 1	per month			UNCSX	1L5XX	2.53			I			1		1	1 !	1
1 1				i												
$\vdash$	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88					! i	

AND INDE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A	<u>                                     </u>	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			l l	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					1	_	Nonrec	urring	Nonrecurring	Disconnect	†	l .	oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility				=.				40.00							
-+-	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	ļ					
-+-	1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10	2.00	40.00	1.01	ļ					
-+-	2-wire ISDN COCI (BRITE) - in combination - per month  Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	-					
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
-+-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	0140147	O ILZX	13.02	133.34	30.30	10.42	0.00			<b>-</b>			
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86		1	I			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport							22.30		2.30			1	İ	İ	
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44		6.86						
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44		6.86						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	ļ					
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINICOV	41.577	2.52										
-+	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	2.53					<b>.</b>		-			
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
-+	3/1 Channel System in combination per month			UNCSX	MQ3	121.90	323.91	77.07	49.30	32.00	<b>+</b>					
-+	DS1 COCI in combination per month		<b>-</b>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1					
	Additional DS1Loop in the same STS-1 Interoffice Transport			0.10.17	00.5.	7.00	27.00	2.00	10.00		†					İ
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT				24.00	10= 0.1		10.10		ļ					
$\longrightarrow$	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX UNCDX	UDL56 UDL56	21.86 28.36	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
-+-	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38.22	195.94	36.38		6.86	1		-			
-+-	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 3	0.1007	0000	30.22	155.54	30.36	10.42	0.00	1	<u> </u>	<del> </del>	<b> </b>		-
	Per Mile per month			UNCDX	1L5XX	0.0057						1	I			
$\neg$	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -										Ì		1	1		Ì
	Facility Termination per month	L		UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	11 5 7 7	0.0057							1			
$-\!+\!-$	Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		<u> </u>	UNCDX	1L5XX	0.0057			-		1		<del>                                     </del>	-		
	Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		1	I			
FYTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		01100	1.03	00.55	33.01	40.42	21.00	<b> </b>	<b> </b>	<del>                                     </del>			<b> </b>
LATE	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	1		<b>†</b>	1		
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86			1	İ	İ	
$\neg$	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38		6.86	Ì		1	1		Ì
	First Interoffice Transport - Dedicated - DS1 combination - Per					İ	İ									
	Mile		l	UNC1X	1L5XX	0.1154										
+	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Fxh. A		1
ONBONDE					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
OATEGORT	TATE ELEMENTO	m	20110	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect		I	OSS	Rates(\$)		-
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	JOINEC	JONAN	JONAN	JOHAN	JOHIAN	JOHAN
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90	27.55	2.30	10.00	1.04						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04		1				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONOTA	00101	7.00	27.00	2.00	10.00	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>	ONOVA	OLALE	11.07	100.04	00.00	10.42	0.00		1				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			0.10171	027122	10.00	100.01	00.00	10.12	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Each Additional Voice Grade COCI in combination - per month		Ŭ	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04		1				
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.10171	13.10	0.1000	27.00	2.00	10.00							
	Channel System per month			UNC1X	1L5XX	0.1154										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in		t			511.04								1		
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ĺ
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04		1				
FXTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	ICF TR			7.00	27.00	2.00	10.00							
	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>		1											
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						ĺ
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť													
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ĺ
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in		1											_		1
	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		ļ		ļ		<b></b>
	Additional Voice Grade COCI - in combination - per month		<u> </u>	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				<b></b>		<b></b>
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF	ICE TRANSPORT V	w/ 3/1 MUX									<b>_</b>		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINORY	LIDI ES							1		I		1
$\vdash$	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				-		<del></del>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						<b></b>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			LINODY	LIDI 50	00.00	405.04	00.00	40.40	0.00						ĺ
	Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						<b></b>
	First Interoffice Transport - Dedicated - DS1 combination - Per		1	LINICAV	41.5727	0.1151					1	1		I		1
<del></del>	Mile Per Month	-	├	UNC1X	1L5XX	0.1154					-	ļ		<del>                                     </del>		<del>                                     </del>
	First Interoffice Transport - Dedicated - DS1 - combination			LINIOAV	LIATE4	04.40	07.70	45.70	40.00	07.07						ĺ
<del></del>	Facility Termination Per Month	-	├	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	-	ļ		<del>                                     </del>		<del>                                     </del>
<del></del>	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	-	├	UNC1X	MQ1 1D1DD	69.75	86.10	2.90	16.86	1.04	-	ļ		<del>                                     </del>		<del>                                     </del>
<del></del>		-	├	UNCDX		0.9963	27.33	2.90	16.86	1.04	-	ļ		<del>                                     </del>		<del>                                     </del>
<del></del>	3/1 Channel System in combination per month	-	├	UNC3X	MQ3	121.90	07.00	0.00	40.00	4.04	-	ļ		<del>                                     </del>		<del>                                     </del>
$\vdash$	Per each DS1 COCI in combination per month		-	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				<del>                                     </del>		<del></del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				1		1
$\Box$	Interonice Transport Combination - Zone 1	<u> </u>		OINCDV	UDLOD	∠1.ŏb	195.94	30.38	18.42	ტ.შნ	<u> </u>	l		1		1

UNBUNDU	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Evh Δ		
ONDONDE	LD NETWORK ELLINENTS - Georgia		1		1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			1	,			Order vs.	Order vs.
0711200111	10112 =======	m			0000						per LSR	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	PFFICE	TRANSPORT W/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDL64	21.86	195.94	30.38	18.42	0.80	-					-
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
<del> </del>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL04	20.30	133.34	30.30	10.42	0.00						
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
<del> </del>	First Interoffice Transport - Dedicated - DS1 combination - Per		-	ONODA	ODL04	30.22	195.54	30.30	10.42	0.00						
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -			0.10.77	120701	0.1101										
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each OCU-DP COCI (data) in combination - per month (2.4-		1													
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3	LINODY	UDL64	00.00	405.04	00.00	40.40	6.86						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	0.80						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
$\vdash$	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	<u> </u>	UNCDA	טטוטו	0.9963	21.33	2.90	10.00	1.04	1			-		1
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in	<del>                                     </del>	<del>                                     </del>	5.1517	.20/01	0.1104								<b>-</b>		<del>                                     </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		
	Each Additional DS1 COCI in the same 3/1 channel system		i –		1	50	20		.5.50					1	l	
1 1	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				1		
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
_	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1												_		7
$\vdash$	Transport - Zone 2	L	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				<b>.</b>		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	_	LINIONIN								1		I		
$\vdash$	Transport - Zone 3	-	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86	-			-	<b> </b>	+
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAV	11.5	0.4454								1		
$\vdash$	Mile per month  First Interoffice Transport - Dedicated - DS1 combination -	+	<del>                                     </del>	UNC1X	1L5XX	0.1154					-	-	-	<del>                                     </del>	-	<del> </del>
	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		
$\vdash$	Per each Channel System 1/0 in combination - per month	<del>                                     </del>	<del>                                     </del>	UNC1X	MQ1	69.75	86.10	45.73	43.60	21.91		<b> </b>		<del>                                     </del>	<b> </b>	<del>                                     </del>
<del>                                     </del>	i or odori orialinei oyatem i/o in combination - per month	<del>                                     </del>	<b>†</b>	011017	14/0(1	03.73	00.10					<b> </b>		<del>                                     </del>		<del>                                     </del>
1 1	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04		1		I		
	3/1 Channel System in combination per month		t	UNC3X	MQ3	121.90	21.00	2.50	10.00	1.54				<u> </u>		
	Per each DS1 COCI in combination per month	t	t —	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				1	İ	
	1. 1. 111. Do. Goor in combination per month		1	110.11	50.51	7.00	21.00	2.50	10.00	1.04	1	<u> </u>		1	·	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.			40.00										
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						<del> </del>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UTLZX	20.20	193.94	30.30	10.42	0.00	1					1
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		Ŭ	0.10.01	U I LLIX	.2	100.01	00.00	.02	0.00						
	system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system			LINICAY	LIC4D4	7.0-	07.00	0.00	10.00			1				
FVTF	combination per month DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	PODT	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	-				-	-
EXTEN	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	IKANS		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	-					-
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	1					1
-	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86	1					<del>                                     </del>
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť	0.10.1%	002701	02.00	200.10		01.01	0.00						
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1				1											
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system		-	UNCIX	UTIFT	34.19	87.76	45.73	43.80	27.97	-					-
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
<del> </del>	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OCIDI	7.55	21.55	2.30	10.00	1.04	1					<del>                                     </del>
	1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO			UDL56	04.00	405.04	20.00	40.40	0.00						ļ
	First 4-wire 56 kbps Local Loop in combination - Zone 1 First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56 UDL56	21.86 28.36	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						<del> </del>
-	First 4-wire 56 kbps Local Loop in combination - Zone 2  First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	<del>                                     </del>					<del>                                     </del>
-+	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile			0.1007	JULJU	30.22	133.34	30.36	10.42	0.00	<del>                                     </del>	<b> </b>				$\vdash$
	per month			UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			-		,,,,,,,								l		
	Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						ļ
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			LINICDY	41.577	0.0057			]			1				
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		-	UNCDX	1L5XX	0.0057			<u> </u>			<b> </b>				<del>                                     </del>
	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60		1				
ADDITIONAL N	IETWORK ELEMENTS				320	7.00	00.00	55.51	70.72	27.50	<b>†</b>				1	
	used as a part of a currently combined facility, the non-recurr	ng char	ges do	not apply, but a S	witch As Is ch	arge does app	oly.								İ	<b>—</b>
When t	used as ordinarily combined network elements in All States, the	he non-	recurri													
	curring Currently Combined Network Elements "Switch As Is"	Charge														
Option	al Features & Functions:			U1TD1.	1				<u> </u>		1					
											1	i				

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Fxh. A		
						Ι					Svc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
				UNCVX, UNCDX,												
	l			UNC1X, UNC3X,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
		1		U1TVX, U1TDX,					I							
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,												
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	- 1		U1TS1, UDF, UE3	URESL		40.26	13.51								
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,												
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	1		U1TS1, UDF, UE3	URESP		64.05	25.62								
MUL	TIPLEXER Interfaces			,,,							İ					
I	DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10				İ					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per										İ					
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
	DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
	DS1 COCI (used for connection to a channelized DS1 Local	1			11045											
$\vdash$	Channel in the same SWC as collocation) per month	<b>!</b>	<b>—</b>	U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61	<b> </b>		<del>                                     </del>	<del>                                     </del>		
$\vdash$	DS1 COCI used with Interoffice Channel per month	├	<b>—</b>	U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61	<del> </del>		<b> </b>	<b> </b>		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month	1		ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
A 0	month ess to DCS - Customer Reconfiguration (FlexServ)	+	1	וערטטו	וטוטט	1.35	15.61	11.39	0.01	0.01	<del>                                     </del>	-			-	
Acce	Customer Reconfiguration (FlexServ)	<del>                                     </del>	1			<del>                                     </del>	1.40		1.63		}	-	<del> </del>	<del> </del>		
<del>                                     </del>	DS1 DSC Termination with DS0 Switching	<del>                                     </del>	<b>†</b>		ł	19.65	24.90	18.92	15.04	11.95	1	<b>-</b>	1	1		
<del>                                     </del>	DS1 DSC Termination with DS1 Switching	<del>                                     </del>	1		†	7.09	18.18	12.20	11.14	8.05	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>		
<del>                                     </del>	DS3 DSC Termination with DS1 Switching	<del>                                     </del>			†	125.62	24.90	18.92	15.04	11.95	<b>+</b>		<del> </del>	<del> </del>		
Servi	ice Rearrangements	<del>                                     </del>			1	120.02	24.30	10.32	15.04	11.95	<del>                                     </del>		<b> </b>	<b> </b>		
Jeivi		<del>                                     </del>	1	U1TVX, U1TDX,	<b>†</b>				t		<b>†</b>	<b>-</b>				
				UEA, UDL, U1TUC,					1							J
				U1TUD. U1TUB.					1							
	NRC - Change in Facility Assignment per circuit Service			ULDVX, ULDDX,					1							
	Rearrangement	1		UNCVX, UNCDX	URETD		269.92	47.10	I		1	1				
				U1TVX, U1TDX,	T	†			İ		1	1	İ	İ		
				UEA, UDL, U1TUC,					1							
				U1TUD, U1TUB,					1							
	NRC - Change in Facility Assignment per circuit Project			ULDVX, ULDDX,					1							
1 1	Management (added to CFA per circuit if project managed)	1		UNCVX, UNCDX	URETB		1.28	1.28	I		1	1				
	,	•			•						•					

UNB	UNDLE	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UNCVX, UNCDX,												
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
		Commingling Authorization			U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Miscell						·	·			·						
		NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.89	18.89								

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky												Attachment:			
														Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
		5	Interi	_								Elec	,	Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-								Nonre	curring	Monrocurring	Disconnect			088	Rates(\$)		l
<b>-</b>	_						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								FIISt	Auu i	FIISL	Auu i	SOWIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	The "70	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NF Zones. To	view Geograp	hically Deaver	aged UNF Zone	Designation	ons by Cent	ral Office, refe	er to internet	Website:	1
		ww.interconnection.bellsouth.com/become_a_clec/html/inter				og.upou,	Dours.agou o		Goog.up	moun, zouvon	.900 0.12 20.11	, 200.ga	, , , , , , , , , , , , , , , , , , ,				
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.		3			•	3	., , .								
N	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording t	o the SOMEC rate li	sted in this	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be ordere	ed electronica	Illy. For those	e elements
		nnot be ordered electronically at present per the LOH, the list															
s	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.												<u> </u>	
		OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
1 T		OSS - Manual Service Order Charge, Per Local Service Request														l	
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
		DATE ADVANCEMENT CHARGE				<u> </u>											
	NOIE:	The Expedite charge will be maintained commensurate with	BellSou	ith's FC		on 5 as appli	cable.		1		1	1		1	1		
					UAL, UEANL, UCL, UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48, UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,					1							
					U1TUB,					I							
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,	00400		000.00	200 22	I							
OBDED	MODIC	Day ICATION CHARGE			NTCUD, NTCD1	SDASP		200.00	200.00	<del>                                     </del>		-			<del> </del>	-	
OKDEKI	MODIF	Order Modification Charge (OMC)						33.37	0.00	0.00	0.00	-					
+		Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)	<b>-</b>			<del>                                     </del>		150.00	0.00	0.00	0.00				<b> </b>		
UNBUNE		EXCHANGE ACCESS LOOP						100.00	0.00	0.30	0.00				1		
		ANALOG VOICE GRADE LOOP								1					İ		
	Ī	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	İ			ĺ	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	L				l	

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 46 of 136

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1						1							
	Premise			UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
2-WIR	E Unbundled COPPER LOOP		<u> </u>		115001	40.50			0.5.04							
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+	3	UEQ	UEQ2X UEQ2X	11.51	44.97	20.89	25.64 25.64	6.65 6.65	1			<del>                                     </del>	<del>                                     </del>	-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	+	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65	1			<del>                                     </del>	<del>                                     </del>	-
	Premise			UEQ	URETL		8.93	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -		<u> </u>	UEQ	UKETL		0.93	0.00	<b>+</b> + + + + + + + + + + + + + + + + + +		1				-	
	Non-Designed (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		1	OLQ	OODIVIO		3.00	3.00			<b>-</b>					
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		24.16	24.16			1					
	CLEC to CLEC Conversion Charge Without Outside Dispatch			024	O.L.		20	20								
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP		1													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	33.22	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2	-	2	UEA, NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA, NTCVG	UEAR2	33.22	404.00	81.87	73.65	14.88						
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	33.22	134.89	81.87	73.00	14.88	1					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA, NTCVG	URESL		24.96	3.52							1	
+	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del>                                     </del>	<del>                                     </del>	OLA, NIOVO	UNLOL		24.30	3.32	<del>                                     </del>		<b>—</b>			<del> </del>	<del>                                     </del>	l
	DS0)			UEA, NTCVG	URESP		26.44	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)		1	UEA, NTCVG	URETL		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA, NTCVG	UEAL4	34.25	164.11	112.36	78.91	18.66						
				UEA, NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 3															
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															I
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		Ŭ	UEA, NTCVG	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)  Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA, NTCVG												
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA, NTCVG	URESP		26.44	5.01								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG												
2-WIR	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) CLEC to CLEC Conversion Charge without outside dispatch E ISDN DIGITAL GRADE LOOP			UEA, NTCVG UEA, NTCVG UEA, NTCVG	URESP UREWO	40.11	26.44 87.72	5.01 36.36	74.00	40.00						
2-WIR	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)  Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)  CLEC to CLEC Conversion Charge without outside dispatch  EISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1		1	UEA, NTCVG UEA, NTCVG UEA, NTCVG	URESP UREWO U1L2X	18.44	26.44 87.72	5.01 36.36 95.02	71.38	13.83						
2-WIR	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0) CLEC to CLEC Conversion Charge without outside dispatch E ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2		1 2	UEA, NTCVG UEA, NTCVG UEA, NTCVG UDN UDN	URESP UREWO U1L2X U1L2X	25.08	26.44 87.72 146.77	5.01 36.36 95.02 95.02	71.38	13.83						
2-WIR	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)  Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)  CLEC to CLEC Conversion Charge without outside dispatch  EISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1		1	UEA, NTCVG UEA, NTCVG UEA, NTCVG	URESP UREWO U1L2X		26.44 87.72	5.01 36.36 95.02								

CATEGORY											T -					
	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry		'	UAL	UALZX	10.02	141.90	19.13	09.02	11.47						
.   '	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						<u> </u>
	facility reservation - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ė	07 IL	O7 ILLEVV	10.02	121.10	00.00	00.00	11.04						
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &								20.0-							
	facility reservaton - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UAL UAL	UAL2W UREWO	12.87	121.18 86.20	69.00 40.40	69.09	11.54						<del>                                     </del>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP	OAL	OKEWO		00.20	40.40								<del>                                     </del>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry		_			0.50	454.54	00.00	CO 00	44.54						
	& facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						<del>                                     </del>
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry		_		911				99.00							
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry					0.50	400.74	70.50	00.00	44.54						
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						<del> </del>
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	.00P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1			UHL	UHL4X	13.95	405.75	400.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						<del> </del>
	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL4VV	13.95	104.95	114.04	11.32	15.60						
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3			UHL UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch  DS1 DIGITAL LOOP			UHL	UREWO		86.14	40.40								
	4-Wire DS1 Digital Loop - Zone 1		1	USL, NTCD1	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2			USL, NTCD1	USLXX	114.10	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3		3	USL, NTCD1	USLXX	297.76	306.69	174.44	65.83	14.55						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LICI NITODA	LIDECI		24.00	2.52								
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL, NTCD1	URESL		24.96	3.52			1					<del>                                     </del>
	DS1)			USL, NTCD1	URESP		26.44	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		ĻŢ	LIEU VIECUE	LIBI 4											<b>↓</b>
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19 UDL19	27.59 32.48	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66	-					<del>                                     </del>
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL, NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD UDL, NTCUD	UDL56 UDL64	36.37 27.59	157.81 157.81	106.06	78.91 78.91	18.66 18.66	-					<del>                                     </del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1							106.06		18 66					1	1

UNBUN	DLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UDL, NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66						<u> </u>
		DS0)			UDL, NTCUD	URESL		24.96	3.52								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			, , , , , , , , , , , , , , , , , , , ,												
		DS0)			UDL, NTCUD	URESP		26.44	5.01								
-		CLEC to CLEC Conversion Charge without outside dispatch Unbundled COPPER LOOP			UDL, NTCUD	UREWO		102.13	49.75								1
2-		2-Wire Unbundled Copper Loop-Designed including manual															1
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual		3	OCL	UCLFB	12.07	140.93	76.70	09.09	11.54						<del>                                     </del>
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual					44.55	100 :-									
		service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						<del> </del>
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		97.23	42.48								
4-		COPPER LOOP															<b>_</b>
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry		Ů	002	COLTO	20.10	170.01	100.00	74.50	14.00						
		and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry			001	OCLAVV	17.50	143.32	91.55	74.93	14.03						
		and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
		CLEC to CLEC Conversion Charge without outside dispatch							10.10								
$\vdash$		(UCL-Des) Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UREWO UCLMC		97.23 9.00	42.48 9.00								
		Order Coordination for Oribundled Copper Loops (per 100p)			UEA, UDN, UAL,	UCLIVIC		9.00	9.00								<del>                                     </del>
					UHL, UDL, NTCVG,												
					NTCUD, USL,												
LOOP MO	אחובור	Order Coordination for Specified Conversion Time (per LSR)		-	NTCD1, UEANL	OCOSL		23.01									<del> </del>
LOOP IVIC	ורועי	PATION		<b>†</b>	UAL, UHL, UCL,							1					<del>                                     </del>
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
$\vdash$		pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire		-	UEPSB	ULM2L		9.24	9.24			-					-
		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
					UAL, UHL, UCL,			J.27	0.27								<b>†</b>
					UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
SUB-LOC		рег инвинатеа тоор		-	UEPOB	OFINIR I		10.47	10.47			1					+
		op Distribution															<del>                                     </del>
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			LIEANII LIEE	LICDC A		007.01	007.01								
<del>                                     </del>		Up		-	UEANL, UEF	USBSA		207.91	207.91			1					+
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		12.50	12.50								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurring	-				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder				LIODOO		00.07	00.07								
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		1	UEANL	USBSC		80.87	80.87			1	-				<del> </del>
	Set-Up			UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OL7 II VL	CODOD		40.04	40.04								
	Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -								====							
	Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						3.30	2.30			1					<b>†</b>
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88	<u> </u>					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				LIODALA	05.00	100.01	50.00	05.04	40.00						
	Zone 3	-	3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		1				<del>                                     </del>
	Cab 2000 2 Trino intrabalianing Hothoric Gable (into)			0271112	005.12	2.01	00.00	22.00	00.01	7.00						<b>†</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	-		UEANL UEANL	USBMC URET1		9.00 46.88	9.00								<del> </del>
-	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour			UEANL	URETA		46.88 24.16	24.16								<b>-</b>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
<del>                                     </del>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-		UEF UEF	UCS4X UCS4X	8.66 19.40	102.31 102.31	56.32 56.32		10.88 10.88		-				-
<del>                                     </del>	4 write Copper Officialist Sub-Loop Distribution - Zone 3		3	ULF	UU34X	19.40	102.31	56.32	65.24	10.88	<del>                                     </del>	<b>—</b>				-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	1		-				- /-	1	l			1	1	l	
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								ļ
Unbun	dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load	-														<del> </del>
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		<b>†</b>	0_1	OLIVIZA		5.23	5.23	+		1	<del>                                     </del>				<del>                                     </del>
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
	Unbundled Loop Modification, Removal of Bridge Tap, per															
	unbundled loop			UEF	ULMBT		7.97	7.97	1		<u> </u>					
	dled Network Terminating Wire (UNTW)		<b>_</b>	LIENITA	LIENES				ļ		<u> </u>	1				
	Unbundled Network Terminating Wire (UNTW) per Pair	-	-	UENTW	UENPP	0.53	23.51	23.51	1		1	-				-
Netwoi	rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines	<b>-</b>	<del>                                     </del>	UENTW	UND12		73.53	49.47	1	-	1	-	-	-	-	<del>                                     </del>
<del>                                     </del>	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines			UENTW	UND12 UND16		115.96	91.91	1	<b> </b>	<del>                                     </del>	<b>—</b>				<del>                                     </del>
	Network Interface Device (ND) - 1-0 lines  Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56						İ	İ	
LINE OTHER	PROVISIONING ONLY - NO RATE															

UNBUN	NDLEI	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																	
							Rec	Nonred		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL, UCL, UDC,												
					UDL, UDN, UEA,												
					UHL, UEANL, UEF,												
					UEQ, UENTW,												
		Habita diad Contact Name Benjaira in a Calif.			NTCVG, NTCUD,	LINIEGNI	0.00	0.00									
$\vdash$		Unbundled Contact Name, Provisioning Only - no rate Unbundled DS1 Loop - Superframe Format Option - no rate			NTCD1, USL USL	UNECN	0.00	0.00				-					-
-		Unbundled DS1 Loop - Superframe Format Option - no rate  Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00				<b> </b>					
		no rate			USL	CCOEF	0.00	0.00									
$\vdash$		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				-					-
$\vdash$		UNTW Circuit Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00				-				-	1
HIGH CA		Y UNBUNDLED LOCAL LOOP			OLIVIVV	ULINUE	0.00	0.00		<del>                                     </del>		1		<b> </b>		l	1
		minimum billing period of three months for DS3/STS-1 Local I	Loon	<del>                                     </del>		1				<del>                                     </del>							1
<del>                                     </del>	TO IE.	High Capacity Unbundled Local Loop - DS3 - Per Mile per	Loop			1	-			<del>                                     </del>		1		<del> </del>		l	1
		month			UE3	1L5ND	9.25										
$\vdash$		High Capacity Unbundled Local Loop - DS3 - Facility			020	ILUIND	5.23			<del>                                     </del>		<del>                                     </del>					<del> </del>
		Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
-		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLO	OLSI X	300.31	331.30	330.00	175.00	120.42	1					
		month			UDLSX	1L5ND	9.25										
-		High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TEGINE	0.20					1					
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
LOOP M					ODLOX	ODLOT	020.01	001.00	000.00	170.00	120.42	1					
100	AIL O	Loop Makeup - Preordering Without Reservation, per working or										1					
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
		Loop Makeup - Preordering With Reservation, per spare facility			O V	O.V.II. C.V.V		20.10	20.10								
		queried (Manual).			UMK	UMKLP		24.85	24.85								
		Loop MakeupWith or Without Reservation, per working or			0	O.V.II CE.		2 1.00	2 1.00			İ					İ
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SP	LITTIN											İ					
E	END US	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						
		DLED EXCHANGE ACCESS LOOP															
2	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
igspace		Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	l	l					_						
$\vdash \!$		Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65	ļ					
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEDOD LIEGOS	LIEADO											
$\vdash$		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65			ļ		<b> </b>	ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	LIEDOD LIEGOS												
$\vdash$		Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65	ļ					1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	LIEDOD LIEDOD	LIEADO	24.44	40.00	00.57	20.05	7.05						
-	DUVEIO	Zone 3 CAL COLLOCATION		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65					-	1
<del>-  </del>	miol	Physical Collocation-2 Wire Cross Connects (Loop) for Line		-		<del>                                     </del>										-	1
		Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
,		AL COLLOCATION		<del>                                     </del>	OLI ON ULFOD	I LILO	0.0333	۷4.00	20.00	12.14	10.95						1
<del>                                     </del>		Virtual Collocation-2 Wire Cross Connects (Loop) for Line		<del>                                     </del>			+										1
		Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
UNBUNI		DEDICATED TRANSPORT		t			3.3333	200	20.00	.2.14	.0.00						
		DEFICE CHANNEL - DEDICATED TRANSPORT															
H		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -												İ		İ	Ì
1		Per Mile per month			U1TVX	1L5XX	0.01										
														ì			Ť .
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				U1TV2											

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							N		L NI	B'						
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Later (fire Observed Brail Francisco Control Vision October		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UTTVA	ILJAA	0.01					<b>+</b>					+
	Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -				1						†					<b>†</b>
	Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0115					ļ					-
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		1				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIDA	פעווט	20.97	41.35	31.78	22.11	0.75	1		<b> </b>	<del> </del>		<del></del>
	per month			U1TDX	1L5XX	0.0115						1				
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility				1	5.5.10								İ		<b>†</b>
	Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination Page 19 At 1			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATES	41.577	4.07										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility		-	U1TD3	1L5XX	4.97					<b>.</b>					+
	Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01100	01113	1,170.10	333.40	213.24	09.51	01.13						+
	month			U1TS1	1L5XX	4.97										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
UNBU	INDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction															
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	30.74	732.53	192.67	377.27	241.67	ļ					
911 PBX LOC	BX LOCATE DATABASE CAPABILITY		-		-											+
911 P	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1.814.00									+
+	Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.57				<b>+</b>					+
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07	101.01				1					<u> </u>
	Change Company (Service Provider) ID			9PBDC	9PBPC		533.00									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	179.88										
	Service Order Charge			9PBDC	9PBSC		7.86									
	BX LOCATE TRANSPORT COMPONENT				ļ						ļ					<u> </u>
See A					1											₩
	EXTENDED LINK (EELs)  The monthly recurring and non-recurring charges below will a	annly a	nd the	Switch-As-Is Chara	o will not ann	ly for LINE com	hinations no	visioned as ! C	ordinarily Comb	inad' Notura	( Flamonto	L	L	l	L	Ь
	:: The monthly recurring and non-recurring charges below will a :: The monthly recurring and the Switch-As-Is Charge and not the															
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT						C DI OVISIONE	Ja us Surielli	., combined it	LIGHT		l	I	1		T
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84				İ		<b>†</b>
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.19					ļ					<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	LIATE 4	70.00	404.01	100 50	50.70	00.00		1				
	Termination per month		<u> </u>	UNC1X UNC1X	U1TF1 MQ1	79.02 113.33	181.24 57.26	123.53 14.74	56.72 1.86	22.32 1.67	ļ	-	-	<del> </del>		+
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84	1.86	1.07	1	-	-	-	<b> </b>	+
-+	VOICE CIAGO COOT - I OF INICITE!			0.4047	10146	0.02	0.71	4.04			1		<b> </b>	<del> </del>		+
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		1				
					1	:=:01		557.10	22.00				İ		İ	†
			2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	1		1		1	1

IINRI	INDI FI	D NETWORK ELEMENTS - Kentucky												Attachment:	2 Evh A		
UNDU	INDLE	NETWORK ELEMENTS - Relitucky				1	I					Sua Ordar		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc	Manual Svc	Manual Svc
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually	Manual Svc			
CATE	JONI	RATE ELEMENTS	m	Zone	B03	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1		-	-		<b>-</b>		Nonrec	urrina	Nonrecurring	Disconnect	-	l	066	Rates(\$)		
-	<u> </u>		-	-		<b>-</b>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1					1		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	1	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.62	6.71	4.84	39.09	7.04						
-	EVTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DG	1 INITED			0.02	0.71	4.04			-	-				
-	LAILN	DED 4-WIRE VOICE GRADE EXTENDED LOOF WITH DEDICA	I ED D3	INIL	COFFICE TRANSFO	T						-	-				
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
-	1	I ist 4-Wife Arialog Voice Grade Loop in Combination - Zone i		'	UNCVX	ULAL4	29.20	123.22	00.40	39.09	7.04						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
-	1	I list 4-Wire Arialog Voice Grade Loop in Combination - Zone Z			ONOVA	OLALT	34.23	125.22	00.40	33.03	7.04						
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
$\vdash$	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile			011017	JLAL	05.00	120.22	00.40	39.09	1.04			<del>                                     </del>	<del>                                     </del>		
	1	Per Month		1	UNC1X	1L5XX	0.19					1	1				
<b>-</b>	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		<del>                                     </del>	DINOTA	ILUAA	0.19			<del>                                     </del>					<del> </del>		
	1	Month		1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1	1				
	<u> </u>	1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	-	-				
<b>—</b>	<del>                                     </del>	Voice Grade COCI in combination - per month	<del>                                     </del>	1	UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07	<b>-</b>		<b> </b>	1		
	ł	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	UNCVA	IDIVG	0.62	0.71	4.04								
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
	<u> </u>	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	UNCVX	ULAL4	29.20	123.22	00.40	39.09	7.04	-	-				
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
	<u> </u>	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		UNCVA	UEAL4	34.23	123.22	00.40	39.09	7.04	-	-				
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
	<u> </u>	Additional Voice Grade COCI in combination - per month	-	3	UNCVX	1D1VG	0.62	6.71	4.84	39.09	7.04	-	-				
_	EVTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN			0.02	0.71	4.04								
_	EXIEN	DED 4-WIRE 36 RBFS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DOTIN	TEROFFICE TRAINS	I											
		First 4 Wire ESVans Digital Crade Lean in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	<u> </u>	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-	-	UNCDA	UDLS6	27.59	123.22	00.40	39.09	7.04	-	-				
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
	<u> </u>	I list 4-Wire 30Kbps Digital Grade Loop III Combination - Zone Z	-		UNCDA	ODESO	32.40	123.22	00.40	39.09	7.04	-	-				
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
-	<u> </u>	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDA	UDLS6	30.37	123.22	00.40	39.09	7.04	-	-				
		Per Month			UNC1X	1L5XX	0.19										1
	ł	Interoffice Transport - Dedicated - DS1 - combination Facility	-	-	UNCIA	ILSAA	0.19										
		Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	<u> </u>	1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	113.33	57.26	14.74		1.67	-	-				
	ł	OCU-DP COCI (data) per month (2.4-64kbs)	-	-	UNCDX	1D1DD	1.32	6.71	4.84	1.00	1.07						
-	<del>                                     </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	OINCDA	טטוטו	1.32	0.71	4.84			<b>-</b>					
	1	Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	1	1				ı
<b>—</b>	<del>                                     </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>-</b>	-	OINODA	JULJO	21.59	125.22	60.48	99.69	1.04		-	-	-		
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						1
<b>-</b>	<del>                                     </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>		OIVODA	JULJO	32.48	125.22	60.48	99.69	1.04	<b>-</b>		<b> </b>	1		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						1
<b>-</b>	<del>                                     </del>	Additional OCU-DP COCI (data) - in combination per month (2.4-	<u> </u>	3	OIVODA	JULJO	30.37	125.22	60.48	99.69	1.04	<b>-</b>		<b> </b>	1		
	1	64kbs)	1	1	UNCDX	1D1DD	1.32	6.71	4.84			1	1				
-	EYTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS4 IN			1.32	0.71	4.04			<b>-</b>					
<b>-</b>	EVIEN	DED 4-MINE 04 RDF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	DOI IN	LINOFFICE I KANS	JAI				<u> </u>		<b>-</b>		<b> </b>	1		
	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84	1	1				
<b>-</b>	<del>                                     </del>	i nat 4-vvii 6 04/tupa Digital Grade Loop in Combination - Zone 1		-	OINODA	UDLU4	21.59	120.22	00.40	39.69	1.04				<del> </del>		
	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	1	1				
<b>—</b>	<del>                                     </del>	I not - Trie o-tropo Digital Grade Loop III Combination - Zone Z	<del>                                     </del>		011007	JULUM	J∠. <del>4</del> 0	120.22	00.40	39.09	7.04	<b>-</b>		<b> </b>	1		
	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	1	1				
$\vdash$	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINODA	UDLU4	30.37	120.22	00.40	39.69	1.04	<del>                                     </del>	l		<del> </del>		
	1	Per Month		1	UNC1X	1L5XX	0.19					1	1				ı
-	<del>                                     </del>	interoffice Transport - Dedicated - DS1 combination - Facility	-	<del>                                     </del>	DINOIA	ILUAA	0.19			_		-	-	-	-		
	1	Termination Per Month		1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1	1				ı
<b>-</b>	<del>                                     </del>	1/0 Channel System in combination Per Month	<b>-</b>	-	UNC1X UNC1X	MQ1	113.33	181.24 57.26	123.53	1.86	1.67		-	-	-		
-	1	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-	<del>                                     </del>	UNCTX	1D1DD	113.33	6.71	4.84	1.86	1.67		-				
<b>-</b>	<del>                                     </del>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<b>-</b>	-	OINCDA	טטוטו	1.32	0.71	4.84				-	-	-		
1	1	Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84	1	1				
	L	Interonice Transport Combination - Zone T	l		OINCDA	UDL04	21.59	125.22	60.48	59.69	7.84	L	L	L	L		

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
ONDONDE		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				,				
OATEOOKI	NATE ELEMENTO	m	20110	500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1			1	I	Nonred	urring	Nonrecurring	Disconnect		I	OSS	Rates(\$)	I.	
		1			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1			1		11130	Addi	11130	Auu i	JOINEC	JONAN	JONAN	JOWAN	JOHAN	JONAN
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	_		ONODA	ODLOT	32.40	120.22	00.40	33.03	7.04						+
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - in combination - per month	1	3	ONODA	ODLOT	30.37	120.22	00.40	33.03	7.04						-
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
EVT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC4	INITED			1.32	0.71	4.04			-	-				
EAII	4-Wire DS1 Digital Loop in Combination - Zone 1	ED D31	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	-	-				
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
		1			USLXX	297.76	210.70	114.60	63.96							
	4-Wire DS1 Digital Loop in Combination - Zone 3	<del>                                     </del>	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	41.577	0.40										
	Per Month	-	-	UNC1X	1L5XX	0.19					<del>                                     </del>			<del>                                     </del>		+
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAY		70.00	404.04	100.50	50.70	00.00						
	Termination Per Month		<u> </u>	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3														
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month	ļ		UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	3/1Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						1
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOIC	E GRAD	E INTE	ROFFICE TRANSPO	RT											
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84				Î		
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84				Î		
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month		1	UNCVX	1L5XX	0.01					1	1			1	1
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month	1	1	UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42	l	1		l	1	1
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOIC	E GRAD	E INTE	ROFFICE TRANSPO	RT											
l l	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
l l	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
l l	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per										İ	l				1
	Month			UNCVX	1L5XX	0.01										1
	Interoffice Transport - 4-wire VG - Dedicated - Facility										İ	l				1
	Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						1
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT							İ	l				1
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25					İ	İ				1
		1									İ	İ				1
	DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67	l	1		l	1	1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	1	UNC3X	1L5XX	4.09			220		1			İ	İ	<u> </u>
	Interoffice Transport - Dedicated - DS3 combination - Facility	t			1						İ			İ		<u> </u>
	Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						1
FXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		1	300.00	300.00		.0.00	20.00				<b>i</b>	<b> </b>	<del>                                     </del>
EXII	STS-1 Local Lolp in combination - per mile per month	1	<u>5. 1</u>	UNCSX	1L5ND	9.25								<b>i</b>	<b> </b>	<del></del>
					. 20. 10	0.20						<del>                                     </del>		<b></b>	<b> </b>	
	STS-1 Local Loop in combination - Facility Termination per					I			I							

UNBUNDL	LED NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINGOV		0.45.70	050.50	444.50	40.00	00.00						
EVT	Termination per month TENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETDANG	PODT	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39	-			-	-	
EAI	First 2-Wire ISDN Loop in Combination - Zone 1	IKAN		UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84	1			1	1	
	First 2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84				<u> </u>	-	
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility												l			
	Termination per month	<u> </u>		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination - per month	<del>                                     </del>	-	UNC1X	MQ1 UC1CA	113.33	57.26	14.74	1.86	1.67			-	<del>                                     </del>	<del>                                     </del>	
	2-wire ISDN COCI (BRITE) - in combination - per month  Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>		UNCNX	UCTCA	2.84	6.71	4.84	+		1		-	<del>                                     </del>	<del>                                     </del>	
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84				1	1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		0140147	O ILZX	10.44	120.22	00.40	55.09	7.04				<b>—</b>	<u> </u>	
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						-									
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.84	6.71	4.84								
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
	First DS1 Loop Combination - Zone 1	ļ		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination - Zone 2 First DS1 Loop Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	114.10 297.76	210.70 210.70	114.60 114.60	63.96 63.96	17.97 17.97	-			-	-	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1	3	UNCIX	USLAA	297.76	210.70	114.60	63.96	17.97				<u> </u>	1	
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			0.100%	120701											
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional DS1Loop in the same STS-1 Interoffice Transport						0.40 =0									
	Combination - Zone 1	ļ	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Additional DS1Loop in the same STS-1 Interoffice Transport		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Combination - Zone 2  Additional DS1Loop in the same STS-1 Interoffice Transport	<del>                                     </del>		OINCIA	USLAA	114.10	210.70	114.00	03.90	17.97	<del>                                     </del>		<b> </b>	<del> </del>	<del> </del>	
	Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				I	I	
	DS1 COCI in combination per month	<b>i</b>	Ť	UNC1X	UC1D1	11.80	6.71	4.84	22.00					1	1	
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 2	ļ		UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84				ļ	ļ	
	4-wire 56 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINCDY	11 5 7 7	0.04								I	I	
	Per Mile per month  Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		UNCDX	1L5XX	0.01			+ +		-		1	<del></del>	<del>                                     </del>	
	Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42				I	I	
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	SPS INT	EROFF		050	17.20	55.55	55.57	30.01	22.72	1			1	1	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84			1	1	1	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1			1 7				Ι Π					_	_	
	Per Mile per month	<u> </u>		UNCDX	1L5XX	0.01			1		1		ļ			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	U1TD6	17.25	00.00	53.67	56.31	22.42				I	I	
EVT	Facility Termination per month TENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANSD	OPT ···	UNCDX	סטווט	17.25	98.09	53.67	56.31	22.42	-		-	<del>                                     </del>	<del>                                     </del>	
EAI	First 2-wire VG Loop (SL2) in Combination - Zone 1	- VAINOF		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	
		+		UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	t		<b> </b>	1	1	1
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45 [	125.22	00.40	59.69	7.04	1					

UNBUND	LED	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
CATEGORY	(	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	F	First Interoffice Transport - Dedicated - DS1 combination - Per															
		/lile			UNC1X	1L5XX	0.19										
		First Interoffice Transport - Dedicated - DS1 combination -															
		acility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	ļ					
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.62	6.71	4.84	45.40	5.00	1					
		3/1 Channel System in combination per month		-	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
		Per each DS1 COCI in combination per month Each Additional 2-Wire VG Loop(SL 2) in the same DS1		-	UNC1X	UC1D1	11.80	6.71	4.84								
		nteroffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
-		Each Additional 2-Wire VG Loop(SL2) in the same DS1		-	UNCVA	UEALZ	12.07	125.22	00.40	59.09	7.04	1		-			
		nteroffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		1	I			
		Each Additional 2-Wire VG Loop(SL2) in the same DS1	l		J. 10 1/1	JL/1L2	17.43	120.22	00.40	55.05	7.04	1	<b> </b>	<b>I</b>			1
		nteroffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84			1			
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	22.00				1	İ	İ	
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1			1	5.02							1			
		Channel System per month			UNC1X	1L5XX	0.19										
		each Additional DS1 Interoffice Channel Facility Termination in															
	s	ame 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
EXT		ED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	UX											
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
		First 4-Wire Analog Voice Grade Local Loop in Combination -						40=00		== ==							
		Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84	ļ					
		First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAY	1L5XX	0.19										
		Mile Per Month		-	UNC1X	1L5XX	0.19										
		First Interoffice Transport - Dedicated - DS1 - Facility Fermination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
		Per each 1/0 Channel System in combination Per Month		-	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	1		-			
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07	1					
		3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	1					
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	10.12	0.00						
	1	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.1017	00.5.	11.00	0				İ					İ
		nteroffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
]		nteroffice Transport Combination - Zone 2	<u></u>	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84			<u> </u>			
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		nteroffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		Each Additional DS1 Interoffice Channel per mile in same 3/1	1			Ι								_			
		Channel System per month			UNC1X	1L5XX	0.19							L	ļ	ļ	
		Each Additional DS1 Interoffice Channel Facility Termination in	1			I 7								_			
		ame 3/1 Channel System per month	<b>!</b>		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			ļ			
EV		Additional Voice Grade COCI - in combination - per month	INITEDO		UNCVX	1D1VG	0.62	6.71	4.84			ļ					
EXT		ED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	rrice	TRANSPORT W/ 3/	INIUX				<del> </del>		1		<del>                                     </del>			
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1	1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			1			
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>	-	OIAODV	ODESO	21.39	125.22	00.48	59.69	1.04	}	<b> </b>	+	<del> </del>	<del>                                     </del>	}
		Zone 2	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		1	I			
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	l		5.10DX	55250	JZ.70	120.22	00.40	55.05	7.04	1	<b> </b>	<b>I</b>			1
		Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		1	I			
		First Interoffice Transport - Dedicated - DS1 combination - Per	<b> </b>	Ť			00.01	.20.22	55.10	55.55	7.54			<u> </u>	1	1	
		Mile Per Month	1		UNC1X	1L5XX	0.19						1	I			
		First Interoffice Transport - Dedicated - DS1 - combination															
	F	Facility Termination Per Month	L		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	<u> </u>	<u> </u>	<u> </u>			
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	- 1	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								=====							i
ļ	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						<b></b>
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/							1					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						ī
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								l .
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						<b></b>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDL 04	00.07	405.00	00.40	50.00	7.04						ł
$\vdash$	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	1	-				
	combination - per month (2.4-64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	1.32	6.71	4.84								
	Channel System per month			UNC1X	1L5XX	0.19										<b> </b>
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						ļ
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.19										 
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								

UNBUNDI F	D NETWORK ELEMENTS - Kentucky												Attachment:	2 Fyh Δ		
ONDONDEE	The Indian Control Remarks		Ι	1	1	1					Svc Order	Svc Order		Incremental	Incremental	Incremental
											1	1				
											Submitted		Charge -	Charge -	Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BUS	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							None		T. 61	B'				D-((A)		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
				1.0007		450.00	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															1
	system combination- per month			UNCNX	UC1CA	2.84	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								1
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT	w/ 3/1 MUX											Î	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97					Î	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.19										1
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84	10.12	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.10.1%	00.5.	11.00	0									
	Channel System per month			UNC1X	1L5XX	0.19										1
	Each Additional DS1 Interoffice Channel Facility Termination in		1	0.10.1%	120701	0.10					<b>†</b>	1				
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						1
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	13.02	101.24	120.00	30.72	22.02						
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								1
<del>                                     </del>	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONOTA	OCIDI	11.00	0.71	4.04	<del>                                     </del>							
	Additional 4-Wife DST Digital Local Loop III Combination - Zone		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						1
	Additional A Wise DC4 Digital Level Level Level in Combination 7		-	UNCIA	USLAA	00.47	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						1
-	Additional 4 Wise DC4 Digital Level Level in Combination 7			UNCIA	USLAA	114.10	210.70	114.00	63.96	17.97						<del></del>
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_	LINICAY	LICLYY	207.70	040.70	444.00	62.00	47.07						1
EVIEN	DED 4 MIDE SC KRDS DIGITAL EXTENDED LOOP MITH DOOR	NITEDO	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
EXIE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIERO			LIDI 50	07.50	405.00	00.40	50.00	7.04						
<del>                                     </del>	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	<del>                                     </del>	-	-	<del>                                     </del>	<del> </del>	$\vdash$
$\vdash$	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84				-		$\longleftarrow$
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84				-		$\longleftarrow$
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	1			L								1	I		1 1
	per month		<u> </u>	UNCDX	1L5XX	0.01			<b></b>					<b></b>		
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1		l	1								1	I		1 1
<u> </u>	Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42				-		<b>↓</b>
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			Luni c									-		<b>↓</b>
$\vdash$	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84				<b>.</b>	ļ	
$\vdash$	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84				<b>.</b>	ļ	<b>└──</b>
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84				L		$\vdash$
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			l	1		J							1		1 1
	per month			UNCDX	1L5XX	0.01					L			ļ	ļ	<b>↓</b>
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1		İ	İ								1	I	l	1
	Termination per month		<u> </u>	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the			ng charges apply a	nd the Switch	As Is Charge	does not.				_	_				
	curring Currently Combined Network Elements "Switch As Is"	Charge														
Option	nal Features & Functions:	l											1			

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Clear Channel Capability Extended Frame Option - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Chairner Capability Exterided Frame Option - per DOT	-		U1TD1,	CCCLI		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	NDOOO		101.01	00.00	4.00	0.70						
	Activity - per DS1			UNC1X, USL U1TD3, ULDD3,	NRCCC		184.91	23.82	1.99	0.78						
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
				UNCVX, UNCDX,		İ										
	NAME AND ASSESSED AS ASSESSEDADAS AS ASSESSED AS ASSESSED AS ASSESSED AS ASSESSED AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDADAS AS ASSESSEDA			UNC1X, UNC3X,	1111000		0.00	0.00	44.47	44.47						
-	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17			-			
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX, U1TD1, U1TD3,												
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TS1, UDF, UE3	URESL		40.26	13.51								
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,		İ										
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	ı		U1TS1, UDF, UE3	URESP		64.05	25.62								
MULTI	PLEXER Interfaces DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67			-			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIX	IVIQI	113.33	57.26	14.74	1.00	1.07			<u> </u>			
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1			LIATUD	1D1DD	4.00	40.07	7.00								
	Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			U1TUD	טטוטו	1.32	10.07	7.08					-			
	month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per					İ										
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	110404	2.84	10.07	7.00								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UC1CA	2.84	10.07	7.08					-			
	used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			1147110	1D1VG	0.0000	10.07	7.00								
	DS3 to DS1 Channel System per month			U1TUC UNC3X	MQ3	0.6228 158.20	10.07	7.08 56.53	15.12	5.30			-			
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI used with Loop per month			USL	UC1D1	11.80	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local			1147114	UC1D1	44.00	40.07	7.00								
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1 UC1D1	11.80 11.80	10.07 10.07	7.08 7.08	<del>                                     </del>		-	<del>                                     </del>	-			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per					11.00	10.07				<u> </u>	t	t			
	month			ULDD1	UC1D1	11.80	10.07	7.08								
Access	to DCS - Customer Reconfiguration (FlexServ)						4.00		0.00		ļ					
<del>                                     </del>	Customer Reconfiguration Establishment DS1 DSC Termination with DS0 Switching				<del>                                     </del>	25.69	1.63 32.88	23.58	2.03 21.09	15.88	-	<del>                                     </del>	-			
	DS1 DSC Termination with DS1 Switching				<u> </u>	12.41	25.07	15.76	16.23	11.02		<u> </u>				
	DS3 DSC Termination with DS1 Switching					154.20	32.88	23.58	21.09	15.88						
Service	Rearrangements			LIATING LIATING												
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETD		269.66	47.05								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								

UNE	UNDLE	NETWORK ELEMENTS - Kentucky												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	ı						
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UNCVX, UNCDX,												
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
		Commingling Authorization			U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Miscell																
		NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.87	18.87								

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
	2001	DATE EL EMENTO	Interi	<b>-</b>	200				D 4 T F O (A)			Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						<b>†</b>	B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>																	
		one" shown in the sections for stand-alone loops or loops as				eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	
ODED		/ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnec	tion.ht	m	1	1				1						
OPERA		(1) CLEC should contact its contract negotiator if it prefers th	o "etate	cnocif	io" OSS charges as	ordered by t	ho Stato Comm	issions The	DSS charges o	urrontly conta	nod in this rat	ovhibit ar	the Bellee	uth "rogional	" corvice orde	ring charges	CI EC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.	ice orac	ing ci	arges, or occomay	, elect the re	gioriai service c	ordering charg	e, nowever, or	LLO Can not o	Jani a mixture	or the two	regaratess i	i ollo nas a	miercomiecu	on contract e	stabilished ili
		(2) Any element that can be ordered electronically will be bill	ed acco	ording t	o the SOMEC rate lis	sted in this	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be ordere	ed electronica	Illy. For thos	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rate	in this category ref	flects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	anual ordering	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service			· · · · · · · · · · · · · · · · · · ·												
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
LINE S	ERVICE	DATE ADVANCEMENT CHARGE				SOIVIAIN		15.20	0.00	15.20	0.00						
OIVE OI		The Expedite charge will be maintained commensurate with	BellSou	ith's FC	C No.1 Tariff, Section	on 5 as appli	cable.		l	1					l		l
					UAL, UEANL, UCL,												l
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD, U1TUB.												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUB, U1TUA,NTCVG,												
		Day			NTCUD, NTCD1	SDASP		200.00	200.00								
ORDEF	R MODIF	ICATION CHARGE				027101		200.00	200.00								
	1	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00				İ		İ
		Order Modification Additional Dispatch Charge (OMCAD)			•			150.00	0.00	0.00	0.00						
UNBU		XCHANGE ACCESS LOOP															
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP		4	LIEANI	UEAL2	12.90	36.54	16.87	-	-						
$\vdash$	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL UEANL	UEAL2 UEAL2	12.90 23.33	36.54	16.87	<del>                                     </del>			<del>                                     </del>				
$\vdash$	<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87	<del>                                     </del>			<b>-</b>				
	t e	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87	1	İ						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	48.43	36.54	16.87								

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 61 of 136

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>						+	1	Nonrec	urring	Nonrecurrin	g Disconnect			088	Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User							71447		7144.		00			00/	00
		Premise			UEANL	URETL		8.92	0.88								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00								
		Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch		-	UEANL	URETA		19.28	19.28								
		(UVL-SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
	2 MIDE	Manual Order Coordination for UVL-SL1s (per loop)  Unbundled COPPER LOOP			UEANL	UEAMC		7.92	7.92		1						
	Z-VVIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	14.32	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	16.87	35.27	15.60								
1 7		Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEO	UDET:											
$\vdash$		Premise  Manual Order Coordination 2 Wire Unbundled Copper Loop -		-	UEQ	URETL		8.92	0.88		-						
		Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00								
		Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	URETA		19.28	19.28								
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	50.46	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
$\vdash$		Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	50.46	102.10	65.72								
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA, NTCVG	URESL		24.98	3.52								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA, NTCVG	URESP		26.47	5.01								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.59	36.30								
		Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.20	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP															
$\vdash$		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	30.81	127.40	91.02		1						
$\vdash$		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	-		UEA, NTCVG UEA, NTCVG	UEAL4 UEAL4	38.32 60.39	127.40 127.40	91.02 91.02		+						
$\vdash$		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			JE71, 1410VO	JUNET	00.39	127.40	31.02								
		DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA, NTCVG	URESL		24.98	3.52								
		DS0)			UEA, NTCVG	URESP		26.47	5.01								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.59	36.30								
	2-WIRE	ISDN DIGITAL GRADE LOOP															
$\vdash$		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22.09	113.34	76.96		1						
$\vdash$		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN UDN	U1L2X U1L2X	35.28 65.18	113.34 113.34	76.96 76.96		+						
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	05.10	91.49	44.09								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP											1		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attachment:	2 Exh. A		
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
										Submitted			Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi	<b>-</b>	200				DATEO(6)		Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring Disconne	ct	1	oss	Rates(\$)	1	
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36							
	2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	14.09	447.00	00.00							
+-+-	& facility reservation - Zone 2  2 Wire Unbundled ADSL Loop including manual service inquiry	-		UAL	UALZX	14.09	117.08	68.36		-	<b>+</b>				
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36							
	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ť	0,12	O/ LE/	10.70	111.00	00.00			1				
	facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02			1				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	45.75	00.00	50.00							
-	facility reservaton - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch	-	3	UAL	UREWO	15.75	92.83 86.07	56.02 40.34			+				
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	OAL	OKLVVO		80.07	40.34			1				
1 111	2 Wire Unbundled HDSL Loop including manual service inquiry	T	1								1				
	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77							
	2 Wire Unbundled HDSL Loop including manual service inquiry														
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77							
	2 Wire Unbundled HDSL Loop including manual service inquiry														
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77			1				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry		<del>-</del>	OFIL	UTILZVV	5.75	101.24	04.43			+				
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34			1				
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	<u>'</u>	OFIL	OTIL4X	10.24	133.20	104.54			1				
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54							
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20			1				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20							
<del>                                      </del>	4-Wire Unbundled HDSL Loop without manual service inquiry			O. IL	JI IL-TVV	10.03	125.00	52.20	<del>                                     </del>	+	<del>                                     </del>				
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34							
4-WI	RE DS1 DIGITAL LOOP							<u> </u>							
	4-Wire DS1 Digital Loop - Zone 1	<u> </u>		USL, NTCD1	USLXX	85.70	245.16	152.98			1				
$\vdash$	4-Wire DS1 Digital Loop - Zone 2			USL, NTCD1	USLXX	194.96	245.16	152.98	<del>                                     </del>	-	1				
$\vdash$	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	3	USL, NTCD1	USLXX	491.94	245.16	152.98	+ + + - + +	-	-	-	-		
1 1	DS1)			USL, NTCD1	URESL		24.98	3.52		1					
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	<b>†</b>	,			250	3.02			<b>†</b>	İ	İ		
	DS1)	<u> </u>	L	USL, NTCD1	URESP		26.47	5.01	<u>                                      </u>		<u> </u>				
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98							
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		ļ .	LIBL NECT	1101.4										
$\vdash$	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD UDL, NTCUD	UDL19 UDL19	30.99 36.78	121.86 121.86	85.48 85.48	<del>                                     </del>	-	1				
$\vdash$	4 Wire Unbundled Digital 19.2 Kbps  4 Wire Unbundled Digital 19.2 Kbps	<del>                                     </del>		UDL, NTCUD UDL, NTCUD	UDL19 UDL19	36.78	121.86 121.86	85.48 85.48	<del>                                     </del>	-	-				
$\vdash$	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL56	30.99	121.86	85.48	<del>                                     </del>	+	<del>                                     </del>				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	t		UDL, NTCUD	UDL56	36.78	121.86	85.48	<del>                                     </del>		†	1	1		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD	UDL56	38.92	121.86	85.48			İ .				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL64	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<u> </u>	2	UDL, NTCUD	UDL64	36.78	121.86	85.48				İ	İ		

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL. NTCUD	UDL64	38.92	First 121.86	Add'I 85.48	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ODL, NICOD	UDL64	30.92	121.00	00.40	1	+	1	1				<del> </del>
	DS0)			UDL, NTCUD	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			,												
	DS0)			UDL, NTCUD	URESP		26.47	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		101.97	49.67		1						
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual		<u>'</u>	UCL	UCLPB	12.29	110.10	67.40		+						<del>                                     </del>
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46	1	1						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3	<u></u>	3	UCL	UCLPB	15.75	116.18	67.46	<u> </u>	<u> </u>	<u> </u>					
	2-Wire Unbundled Copper Loop-Designed without manual															
$\vdash$	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12		ļ	ļ	ļ				
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	14.09	91.92	55.12								
<b></b>	service inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	14.09	91.92	55.12	-	+						<b>.</b>
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	CLEC to CLEC Conversion Charge without outside dispatch		Ť	002	002	10.70	01.02	00.12		1						1
	(UCL-Des)			UCL	UREWO		91.92	42.47								
4-WI	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry				1101.40	40.00	100.00	00.00								
	and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4S	10.99	139.69	90.96	-	<del>                                     </del>						-
	and facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry		<u> </u>	002	COLTIT	22.21	110.40	70.00		1						1
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63		1						
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEMO		04.00	10.47								
	(UCL-Des) Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UREWO UCLMC		91.92 7.92	42.47 7.92	-	+						<del> </del>
	Order Coordination for Oribundled Copper Loops (per 100p)			UEA, UDN, UAL,	UCLIVIC		1.52	1.52		+						<del> </del>
				UHL, UDL, NTCVG,					1	1						
				NTCUD, USL,												
	Order Coordination for Specified Conversion Time (per LSR)		ļ	NTCD1, UEANL	OCOSL		17.56		ļ	1	ļ					<u> </u>
LOOP MODI	FICATION		<u> </u>	LIAL LILIL LICE					<del> </del>	+	<u> </u>					₩
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		İ						1	1						
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00		<u> </u>						
				UAL, UHL, UCL,												
	Habundled Lean Medification Personal of Bridged Tex Demonstra			UEQ, ULS, UEA,					1	1						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15	1	1						
SUB-LOOPS			<b>†</b>	ULFOD	ULIVID I		12.15	12.15	<del>                                     </del>	+		<del>                                     </del>				
	Loop Distribution		<u>†                                      </u>						<b> </b>	1		1				<b>†</b>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1													
	Up		ļ	UEANL, UEF	USBSA		144.09	144.09		1	<u> </u>					<u> </u>
	O L Lore Brown Broken in Brown Broken in Brown			115 4411 1155	HODGE				1	1						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UEANL, UEF	USBSB		10.99	10.99	1	1	1	<u> </u>	l			1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'I	Disc 1st	Disc Add'
						Rec	Nonre	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC		86.16	86.16								1
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			LIFANII	LIODOD		07.40	07.10								
	Set-Up		-	UEANL	USBSD		27.13	27.13	1		-					+
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.57	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		- '	OLANL	USBINZ	1.51	03.03	30.00			+					+
	Zone 2		2	UEANL	USBN2	12.75	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															+
	Zone 3		3	UEANL	USBN2	21.45	63.89	30.06								
		•														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92		ļ.			ļ	ļ		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			=												
	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			115 4411	LIODALA	40.04	70.75	10.00								
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92			+					+
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
1	Zone 3		3	OLANL	USBIN4	15.21	70.73	42.52			1					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65								1
	, and the same of															1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00								<u> </u>
	Loop Testing - Basic Additional Half Hour		4	UEANL UEF	URETA	0.00	19.28 63.89	19.28 30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X UCS2X	6.26 10.07	63.89	30.06			+					+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	12.70	63.89	30.06	1							+
	2 Wile Copper Cribanaled Cab-Loop Distribution - Zone 3			OLI	0002X	12.70	03.03	30.00			1					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.03	76.75	42.92								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.71	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	76.75	42.92								
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92			1					1
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			LIEE LIEANII	LUDETI		0.00	0.00								
	Designed and Distribution Subloops  Loop Testing - Basic 1st Half Hour			UEF, UEANL UEF	URETL URET1		8.92 33.17	0.88		1	1	-				+
-	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28		1	+		<del> </del>	<del> </del>	-	+
Unbur	ndled Sub-Loop Modification			0_1	UNLIA		13.20	13.20		1	+					+
J	Unbundled Sub-Loop Modification - 2-W Copper Dist Load								1							<del>                                     </del>
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
İ	Unbundled Sub-loop Modification - 4-W Copper Dist Load												1	1		
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of Bridge Tap, per														l	
	unbundled loop			UEF	ULMBT		224.55	4.29	ļ							1
Unbun	ndled Network Terminating Wire (UNTW)			LIENITA	LIENES	0.04=:			1	1	1					<del>                                     </del>
B1 - 4-	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0.3454	14.72	14.72	1	1	1		<b>!</b>	<b>!</b>	ļ	+
Netwo	rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12		42.26	27.83	1	1	1					+
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines		-	UENTW	UND12 UND16		62.86	48.43			+	-				+
+	Network Interface Device (IND) - 1-6 lines  Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73		1	+		<del> </del>	<del> </del>		+
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73		1	†	<b>-</b>	<b> </b>		1	+
UNIC OTLICE	PROVISIONING ONLY - NO RATE		1				5.10	3.70	1		1	<b>†</b>	1	<b>i</b>		<del>                                     </del>

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
												Svc Order	Incremental	Incremental	Incremental	I .
											1	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGORI	NATE ELEMENTO	m	20116	500	0000			KATEO(ψ)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
													1st	Add'l	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
						IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL, UCL, UDC,												
				UDL, UDN, UEA,												
				UHL, UEANL, UEF, UEQ, UENTW,												
				NTCVG. NTCUD.												
	Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				1					
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	CITY UNBUNDLED LOCAL LOOP				1											ļ
NOT	E: minimum billing period of three months for DS3/STS-1 Local	Loop														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	41 END	40.01										
$\vdash$	month High Capacity Unbundled Local Loop - DS3 - Facility		<u> </u>	UE3	1L5ND	10.04					1		-			<del>                                     </del>
	Termination per month			UE3	UE3PX	362.34	438.46	256.30								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UES	UESFA	302.34	430.40	256.50								-
1 1	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility			0520/1	.20.12	.0.01					1					
	Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								
LOOP MAKE	-UP															
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or			1.15.41.2	UMKMQ		0.40	0.40								
LINE SPLIT	spare facility queried (Mechanized)		-	UMK	UMKINQ		0.19	0.19								
	USER ORDERING-CENTRAL OFFICE BASED		-		-						-					<del> </del>
LIND	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29								
UNB	UNDLED EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEARO	40.00	00.51	10.07	0.00	0.00						
$\vdash$	Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00	1		-			<u> </u>
1 1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI ON OLF OD	JULALO	20.00	30.34	10.07	0.00	0.00	<b>-</b>					<del> </del>
	Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del>-</del>		1		22.31		2,00	5.00						
	Zone 3	<u></u>	3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00	<u></u>		<u></u>			<u> </u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					İ										
	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						ļ
PHY	SICAL COLLOCATION															ļ
	Physical Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOS	DE41.6											
VIDT	Splitting UAL COLLOCATION		-	UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00	-					<del> </del>
VIRI	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		-		+											<del>                                     </del>
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
UNBUNDLE	D DEDICATED TRANSPORT		<u> </u>			5.0200	11.54	11.70	3.30	5.50	<b>†</b>		1			<u> </u>
	ROFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>													<b>†</b>
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.013										<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			l <u> </u>	l	Ι Τ										
	Facility Termination		<u> </u>	U1TVX	U1TV2	22.60	39.36	26.62					<u> </u>			]

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.81	39.36	26,62								
-+	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	01114	13.01	39.30	20.02								+
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.013										
	Termination			U1TDX	U1TD5	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	70.47	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility						070.00	450.05								
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	850.45	270.69	158.05								
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	6.04										
UNBU	Termination			U1TS1	U1TFS	830.19	270.69	158.05								1
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction				1						1					<b>†</b>
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	25.28	620.60	133.88								
911 PBX LOCA				, , , , , , , , , , , , , , , , , , , ,												
	BX LOCATE DATABASE CAPABILITY															1
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,819.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.99									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		534.22									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.58										
	Service Order Charge			9PBDC	9PBSC		15.20									
	BX LOCATE TRANSPORT COMPONENT															
See At																
	XTENDED LINK (EELs)															
	: The monthly recurring and non-recurring charges below will a															
	: The monthly recurring and the Switch-As-Is Charge and not the					UNE combination	ons provisione	ed as ' Current	ly Combined'	Network Eleme	ents.					
EXTEN	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1									ļ					1
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09			ļ					1
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09		ļ	ļ					<b>↓</b>
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.47	143.58	103.88								
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26		İ	ĺ					1
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Ė	-	+				<b>-</b>	<del>1</del>	1				<b>-</b>	

LINDI	INDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	2 Evh ^		
OIND	NULE	D ME I AAOUV EFEIAIEM 19 - FORIZIQUIQ				1						Suc Order		Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	SOBA	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JONI	KATE ELEMENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1		-	-		<b>-</b>		Nonrec	urrina	Nonrecurring	Disconnoct	-	l	066	Rates(\$)		
	+		-	-		<b>-</b>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1					1		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09	1							
	1	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.6497	5.91	43.09								
-	EVTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DO	1 INITED			0.0497	3.91	4.20			-	-				
-	LAILN	I	ILD D3	INIL	COFFICE TRANSFO	T	-					-	-				
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09	1							1
-	1	I list 4-Wile Alialog Voice Grade Loop in Combination - Zone i		'	ONCVA	ULAL4	30.01	34.21	45.05								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								1
-	1	I list 4-Wire Arialog Voice Grade Loop in Combination - Zone Z			ONOVA	OLALT	30.32	34.21	40.00								
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	1							1
-	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVA	ULAL4	00.39	34.21	45.05								
	1	Per Month		1	UNC1X	1L5XX	0.2652					1	1				ı
-	+	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		<del>                                     </del>	DINOIA	ILUAA	0.2032			+					<del> </del>		
	1	Month		1	UNC1X	U1TF1	70.47	143.58	103.88			1	1				ı
-	+	1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	105.09	59.97	12.96			-	-				
-	+	Voice Grade COCI in combination - per month	-	-	UNCVX	1D1VG	0.6497	59.97	4.26			-	-				
	+	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	UNCVA	IDIVG	0.6497	5.91	4.20	+							
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09	1							1
-	+	Additional 4-Wire Analog Voice Grade Loop in same DS1	-	-	UNCVA	ULAL4	30.01	34.21	45.09			-	-				
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09	1							1
-	+	Additional 4-Wire Analog Voice Grade Loop in same DS1	-		UNCVA	UEAL4	30.32	94.21	45.09			-	-				
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09	1							1
-	+	Additional Voice Grade COCI in combination - per month	-	3	UNCVX	1D1VG	0.6497	5.91	43.09			-	-				
_	EVTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN			0.0497	5.91	4.20								
	LAILN	I	CAILD	DOTIN	TEROFFICE TRAINS	I	-					-	-				
		First 4 Wire ECKhan Digital Crade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
-	+	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	-	-	UNCDA	UDLS6	30.99	94.21	45.09			-	-				
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09	1							1
_	-	First 4-Wire 36Kbps Digital Grade Loop in Combination - Zone Z			UNCDA	UDLS6	30.70	94.21	45.09								
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								1
-	+	Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNCDA	UDLS6	30.92	94.21	45.09			-	-				
		Per Month			UNC1X	1L5XX	0.2652			1							1
	+	Interoffice Transport - Dedicated - DS1 - combination Facility	-	-	UNCIA	ILSAA	0.2652			+							
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88	1							1
-	+	1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	105.09	59.97	12.96			-	-				
	+	OCU-DP COCI (data) per month (2.4-64kbs)	-	-	UNCDX	1D1DD	1.38	5.91	4.26	+							
<b>—</b>	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	1	OIVODA	טטוטו	1.38	5.81	4.20	+				<b> </b>	1		
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								1
-	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	<u>'</u>	011007	JDLJU	30.39	34.∠1	40.09	+				<b> </b>	1		
	1	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			1	1				ı
-	+	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			OINODA	UDLUU	30.76	34.∠1	40.09	+					<del> </del>		
	1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			1	1				ı
<b>—</b>	+	Additional OCU-DP COCI (data) - in combination per month (2.4-	<del>                                     </del>		CITODA	JDLJU	30.32	34.∠1	40.09	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
1	1	64kbs)		1	UNCDX	1D1DD	1.38	5.91	4.26			1	1				
$\vdash$	EXTEN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			1.50	5.51	7.20	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
$\vdash$	LATEN	SED 4 MINE OF RDI O EXTERDED DIGITAL LOOF WITH DEDI	ON LED		LINOTH TOE TRANS	J				<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
<b>—</b>	1	- 1.1. CONTROPO DIGITAL CITAGE LOOP IN COMBINATION - ZONE 1	<b>—</b>	<u> </u>	5.10DA	30204	50.55	37.21	40.05	<del>                                     </del>		<b> </b>	<b> </b>	<b> </b>			
1	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			1	1				
-	+		<b>-</b>		5.15DA	U DEUT	55.76	U-1.Z I	-10.00	+		<b> </b>	<b> </b>				
	1	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09			1	1				ı
<b>—</b>	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<b>—</b>		5.10DA	30204	30.32	37.21	40.05	<del>                                     </del>		<b> </b>	<b> </b>	<b> </b>			
	1	Per Month		1	UNC1X	1L5XX	0.2652					1	1				ı
<b>—</b>	+	interoffice Transport - Dedicated - DS1 combination - Facility		<del>                                     </del>	5.101A	120707	3.2032			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
		Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								ı
<b>—</b>	+	1/0 Channel System in combination Per Month		<del>                                     </del>	UNC1X	MQ1	105.09	59.97	12.96	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
<b>—</b>	+	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		<del>                                     </del>	UNCDX	1D1DD	1.38	59.97	4.26	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>		
-	1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<b>-</b>	OHODA	10100	1.30	5.91	7.20	+		<b> </b>			<b> </b>		
1	1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			1	1				
	1	Interesses transport combination - Zone 1		_ '	OHODA	JDL04	30.33	⊅4.∠ I	40.09	1		L	L	L	L		

Svc Order   Svc Order   Incremental   Increm	UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attachment:	2 Fxh. A		<del></del>
ATT ELEMENTS   Note	3201102			1							Svc Orde	r Svc Order			Incremental	Incremental
MATERIANNESS   March																
ATTEMPS			Intori											_		Manual Svc
Bestronic   Bestronic   Bestronic   Section	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)							
Part			m								po. 20.1	po. 2011				
Pack																
Mode   Mode															D130 131	DISC Add I
Additional Aven delibors lighted lookers from search ST   2   SPECIX   150.44   58.76   94.21   46.09   1   1   1   1   1   1   1   1   1							Rec									
Invancion Transport Combinition 2, 2012   2 DECDX   URD   45.00   1 DECDX   URD   45.00							1100	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional A-Viville Reflection Design Corpus Cor				_												
Interditive Transport Contention: Zero 3   JUNCOX   UDLO   38.02   94.1   45.0	$\vdash$			2	UNCDX	UDL64	36.78	94.21	45.09							
Accisional Colicity FCCCC (Seeing in combination per revent)																
SCHEDELD AUTHOR DOTTAL EXTENDED LOOP WITH DEDICATED DIS INTERPORTED TRANSPORT   SCHEDELD AUTHOR DOTTAL EXTENDED LOOP WITH DEDICATED DIS INTERPORTED TRANSPORT   AVWN DIS Digital Loop in Combination - Zero 2   2   UNCX   USUX   1848   199.2   199.89	$\vdash$			3	UNCDX	UDL64	38.92	94.21	45.09							
SETENDED AWARE OS I DURTAL EXTENDED LOOP WITH DEDICATED OS INTEROPTICE TRANSPORT					LINCDY	4D4DD	4.00	5.04	4.00							ĺ
A-Wine DST Digital Loop in Combination - Zone 1	EVTE		ED DC4	INITED			1.38	5.91	4.26		_	+				
A-Vivin CSS Digital Loop in Commission: - Zene 2	LAIL		LD D31	1			85.70	160.22	100.80	<del>                                     </del>	+	+	1	1		<del></del>
A-Wind DS Digital Loop in Combination - Zene 3   3 UNCIX   USLXX   491.94   169.22   100.99	<del>                                     </del>			2						<del>                                     </del>	+	+	1	1		<del> </del>
Interesting Transport - Declared - DSI combrasion - Per Mile   Per Month   P	h + +		1								+	+				<del></del>
Pet North					ONOTA	OOLAC	401.04	100.22	100.00			+				
Interdition Fraingaph - Decidated - DSI - STATE   LINCIX   LINCI			1		UNC1X	1L5XX	0.2652									1
Termination Per Month			1	i –									İ	İ	l	
ETFORDED 4-WIRE DS IDIGITAL EXTENDED LOOP WITH DEDICATED DSS INTEROPPICE TRANSPORT   169.22   10.38			1		UNC1X	U1TF1	70.47	143.58	103.88	1						1
First DS1Ltop in Combination - Zone 3	EXTE		ED DS3	INTER	OFFICE TRANSPO							1				
First DS1Lops in Combination - Zene 3   3 UNCIX   USLXX   491.94   169.22   100.89								169.22	100.89							
Interoffice Transport - Dedicated - DS3 - Facility Termination per Multi-   UNCXX		First DS1Loop in Combination - Zone 2		2					100.89							
Per Month				3	UNC1X	USLXX	491.94	169.22	100.89							
Interdifice Transport - Dedicated - DS3 - Facility Termination per month		Interoffice Transport - Dedicated - DS3 combination - Per Mile														
month					UNC3X	1L5XX	6.04									
SYChannel System in combination per month																ĺ
DST COCI II combination per month																
Additional DSILoop in DSI Interoffice Transport Combination - 1   UNC1X																
Zone 1					UNC1X	UC1D1	11.78	5.91	4.26							
Additional DSILoop in DS3 Interoffice Transport Combination -   2 UNC1X USLXX 194.96 169.22 100.89																ĺ
Zone 2	$\vdash$		1	1	UNC1X	USLXX	85.70	169.22	100.89	<del>                                     </del>	_	+				<del></del>
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3  JUNC1X  JUSLXX				2	LINCAV	LICLVV	104.06	160.00	100.00							ĺ
Zone 3	-				UNCIA	USLAA	194.90	109.22	100.69		_	+				-
Additional DSI COCI in combination per month   LINCIX   UCID1   11.78   5.91   4.26				3	LINC1Y	LISLYY	/01 0/	160 22	100.80							ĺ
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT    2-WireVIG Loop in combination - Zone 1			1	-												
2-Wire/VL Loop in combination - Zone 1	EXTE		GRAD	E INTE			11.70	0.01	4.20			1				
2-WireVS Loop in combination - Zone 2   2 UNCVX UEAL2   25.35   94.21   45.09			1				14.93	94.21	45.09							
2-Wire/VG Loop in combination - Zone 3   3 UNCVX   UEAL2   50.46   94.21   45.09				2												
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per																
Month			i	i –												
Termination per month					UNCVX	1L5XX	0.013									
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																1
4-WireVG Loop in combination - Zone 1							22.60	72.60	41.75							1
4-WireVG Loop in combination - Zone 2 2 UNCVX UEAL4 38.32 94.21 45.09	EXTE		GRAD	E INTE												
4-WireVG Loop in combination - Zone 3   3 UNCVX   UEAL4   60.39   94.21   45.09			ļ	1						<del>                                     </del>		ļ	ļ	ļ		1
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month UNCVX 1L5XX 0.013 UNCVX 1L5XX 0.013 UNCVX 1L5XX 0.013 UNCVX 1L5XX 0.013 UNCVX 1L5XX 0.013 UNCVX U1TV4 19.81 72.60 41.75			<b>!</b>									1				<del>                                     </del>
Month   UNCVX   1L5XX   0.013			<b>!</b>	3	UNCVX	UEAL4	60.39	94.21	45.09			1				<del>                                     </del>
Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month  UNCVX U1TV4  19.81  72.60  41.75  EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT  DS3 Local Loop in combination - per mile per month UNC3X  US3X  US3X  US3PX  362.34  188.45  125.51  Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X  UNC3X  US3PX  362.34  188.45  125.51  Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X  UNC3X  UNC3X  UNC3X  US3PX  362.34  188.45  125.51  UNC3X					1110101	41.500/	0.010					1				1
Termination per month	$\vdash$		<del>                                     </del>	<del>                                     </del>	UNCVX	TL5XX	0.013			<del>                                     </del>		+	<b> </b>	<b> </b>	-	<del></del>
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT    DS3 Local Loop in combination - per mile per month   UNC3X   1L5ND   10.04			1		LINCVY	11477/4	10.04	70.60	44.75							1
DS3 Local Loop in combination - per mile per month UNC3X 1L5ND 10.04  DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 362.34 188.45 125.51  Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X 1L5XX 6.04  Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X UT1F3 850.45 296.68 121.16  EXTENDED STS-1 Local Loop in combination - per mile per month UNC3X 1L5ND 10.04  STS-1 Local Loop in combination - Facility Termination per Month UNC3X	EYTE		INTER	EFICE		01174	19.81	12.00	41.75			+	<del> </del>	<del> </del>	-	<del>                                     </del>
DS3 Local Loop in combination - Facility Termination per month UNC3X UE3PX 362.34 188.45 125.51  Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X UNC3X UNC3X UNC3X UNC3X USSPX 4.6.04  Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U			ERC	,, , 10E		11.5ND	10.04					+	<del> </del>	<del> </del>	<b>l</b>	<del>                                     </del>
Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 850.45 296.68 121.16  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX U1TF3 850.45 121.16  UNC3X U1TF3 850.45 121.16		255 255ai 250p iii oombiiiaalori - per mile per monar	<b>†</b>	<b>†</b>	5.100A	120140	10.04			<del>                                     </del>	+	1	<b> </b>	<b> </b>		<del>                                     </del>
Interoffice Transport - Dedicated - DS3 - Per Mile per month UNC3X Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 850.45 296.68 121.16  EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX U1TF3 850.45 121.16  UNC3X U1TF3 850.45 121.16		DS3 Local Loop in combination - Facility Termination per month	1		UNC3X	UE3PX	362.34	188.45	125.51							1
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month UNC3X U1TF3 850.45 296.68 121.16  EXTENDED STS-1 DigitAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT STS-1 Local Lolp in combination - per mile per month UNCSX U1TF3 850.45 121.16  UNC3X U1TF3 850.45 121.16			i –	i –				.00.40	.20.01		1	1	i	i		
Termination per month   UNC3X U1TF3 850.45 296.68 121.16			1	i –			5.51						İ	İ	l	
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT  STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 10.04  STS-1 Local Loop in combination - Facility Termination per					UNC3X	U1TF3	850.45	296.68	121.16							1
STS-1 Local Lolp in combination - per mile per month UNCSX 1L5ND 10.04 STS-1 Local Loop in combination - Facility Termination per	EXTE		S-1 INT	EROFF			•						İ	İ	l	
STS-1 Local Loop in combination - Facility Termination per						1L5ND	10.04									
month     UNCSX   UDLS1   374.56   188.45   125.51																
	$\perp$	month	L	L	UNCSX	UDLS1	374.56	188.45	125.51			<u> </u>			<u> </u>	<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attachment:	2 Exh. A		<u></u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disconne			oss	Rates(\$)		
						Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile														
	per month			UNCSX	1L5XX	6.04									
	Interoffice Transport - Dedicated - STS-1 combination - Facility														
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16							
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN			1141.01/		2121	4= 00							
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.09	94.21	45.09	<b>.</b>		1				
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	35.28	94.21	45.09	+		+				
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09	+		+				
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSAA	0.2652			+ +	+	+	-			1
	Termination per month	1		UNC1X	U1TF1	70.47	143.58	103.88			1	I			
	1/0 Channel System in combination - per month			UNC1X	MQ1	105.09	59.97	12.96			<u> </u>	<u> </u>			
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26			<u> </u>	<b>†</b>			
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	i e		-		0		20				1	İ		1
	Combination - Zone 1	1	1	UNCNX	U1L2X	22.09	94.21	45.09			1	I			
ĺ	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														1
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09							
	Additional 2-wire ISDN COCI (BRITE) - in combination- per														
	month			UNCNX	UC1CA	2.96	5.91	4.26							
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSPO	ORT										ĺ
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	194.96	169.22	100.89							
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89							
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile														
	Per Month			UNCSX	1L5XX	6.04			<b>.</b>						
	Interoffice Transport - Dedicated - STS-1 combination - Facility														
	Termination per month		-	UNCSX	U1TFS	830.19	296.68	121.16	<b>.</b>		1				
	3/1 Channel System in combination per month			UNCSX	MQ3 UC1D1	201.48 11.78	107.05	91.25	+		+				
	DS1 COCI in combination per month  Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	UNC1X	OCIDI	11.78	5.91	4.26		-	<del>                                     </del>	-			
	Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							
	Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	UNCIX	USLAA	65.70	109.22	100.09			+		1		1
	Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89							
-	Additional DS1Loop in the same STS-1 Interoffice Transport		-	ONOTA	COLAC	104.00	100.22	100.00	<b>†</b>	+	1				1
	Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89							
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -														
	Per Mile per month			UNCDX	1L5XX	0.013									<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1									1	_			
	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75		_		1	ļ		<b></b>
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT			LIDIO		212			-		-			<del>                                     </del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	<b> </b>		UNCDX	UDL64	30.99	94.21	45.09		_		<del>                                     </del>	<del>                                     </del>		<del> </del>
	4-wire 64 kbps Local Loop in Combination - Zone 2	<b>!</b>		UNCDX UNCDX	UDL64 UDL64	36.78 38.92	94.21 94.21	45.09 45.09	<del>                                     </del>	-	+	<del>                                     </del>		-	<del> </del>
	4-wire 64 kbps Looal Loop in Combination - Zone 3	<del>                                     </del>	3	OIACDV	UDL04	38.92	94.21	45.09	<del>                                     </del>	_	+	+	<del> </del>		<del>                                     </del>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month	1		UNCDX	1L5XX	0.013					1	I			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	<del>                                     </del>		0.1007	/LUAA	0.013			<del>                                     </del>	-	+	t	<del> </del>		<del>                                     </del>
	Facility Termination per month	1		UNCDX	U1TD6	15.61	72.60	41.75		1		1			
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		320	10.01	72.00	71.70				<u> </u>	1		1
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09				1	İ		1
<u> </u>	First 2-wire VG Loop (SL2) in Combination - Zone 2	i e		UNCVX	UEAL2	25.35	94.21	45.09				1	İ		1
	First 2-wire VG Loop (SL2) in Combination - Zone 3	i –		UNCVX	UEAL2	50.46	94.21	45.09	1				İ		i e

UNBUNDL	ED NETWORK ELEMENTS - Louisiana											Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring Disconne	ct	•	oss	Rates(\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per														
	Mile			UNC1X	1L5XX	0.2652									
	First Interoffice Transport - Dedicated - DS1 combination -														
	Facility Termination per month			UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58	103.88			1				
	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month		-	UNC1X UNCVX	MQ1 1D1VG	105.09 0.6497	59.97 5.91	12.96 4.26			1		1		
	3/1 Channel System in combination per month		-	UNC3X	MQ3	201.48	107.05	91.25		_	+	-	-		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26		-	1	1	1		1
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONCIA	OCIDI	11.76	5.51	4.20		-	1	1	1		ł
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09							
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	l		5.10 VA	01,112	17.55	34.21	45.05			<del>                                     </del>	<b>I</b>	<b>I</b>		1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09		1		1	1		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	ΙĪ	-			¥		i i		1	1	1	İ	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09		1		1	1		
	Each Additional Voice Grade COCI in combination - per month	L		UNCVX	1D1VG	0.6497	5.91	4.26							
	Each Additional DS1 Interoffice Channel per mile in same 3/1														
	Channel System per month			UNC1X	1L5XX	0.2652									
	Each Additional DS1 Interoffice Channel Facility Termination in														
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88							
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
EXT	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 N	IUX										
	First 4-Wire Analog Voice Grade Local Loop in Combination -		١.		l			4= 00							
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	First 4-Wire Analog Voice Grade Local Loop in Combination -			1110101	UEAL4	00.00	04.04	45.09							
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09		-	<del>                                     </del>	-	-		
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONOVA	OLAL	00.55	34.21	45.05	<del>                                     </del>	-	<b>+</b>				
	Mile Per Month			UNC1X	1L5XX	0.2652									
	First Interoffice Transport - Dedicated - DS1 - Facility			0.10.77	120701	0.2002					1				
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96	i i						
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26							
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l										
	Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL4	38.32	94.21	45.09			1				
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	_	LINIOVO	LIEAL 4	00.00	24.21	45.00			1	I	I		
	Interoffice Transport Combination - Zone 3	-	3	UNCVX	UEAL4	60.39	94.21	45.09		-	+	1	1	-	
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month	1		UNC1X	1L5XX	0.2652					1	I	I		
	Each Additional DS1 Interoffice Channel Facility Termination in		-	UNUIA	ILDAA	0.2002					+	+	+		
	same 3/1 Channel System per month	1		UNC1X	U1TF1	70.47	143.58	103.88			1	I	I		
	Additional Voice Grade COCI - in combination - per month	<b> </b>		UNCVX	1D1VG	0.6497	5.91	4.26	<del>                                     </del>	_	+	<del>                                     </del>	t	<del> </del>	<del>                                     </del>
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC				5.0437	5.51	7.20			†	<b>†</b>	<b>†</b>		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	1	0 0.	1							1	1	İ	
	Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09			1	I	I		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	ĺ								1					
	Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09							
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -							-							
	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							
	First Interoffice Transport - Dedicated - DS1 combination - Per	1			1						1	_	_		
	Mile Per Month	ļ		UNC1X	1L5XX	0.2652				_		1	1	ļ	
	First Interoffice Transport - Dedicated - DS1 - combination			LINIOAN	LIATE:		,			1		1	1		
1	Facility Termination Per Month	L		UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96		_		<del>                                     </del>	-	<b>.</b>	ļ
	Per each 1/0 Channel System in combination Per Month														1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		_
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
<b>—</b>	Per each DS1 COCI in combination per month	-	-	UNC1X	UC1D1	11.78	5.91	4.26		-					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOBA	OBLOG	00.70	04.21	40.00							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09							
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	טטוטו	1.38	5.91	4.25							
	Channel System per month			UNC1X	1L5XX	0.2652									
	Each Additional DS1 Interoffice Channel Facility Termination in														
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	70.47	143.58	103.88							
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
EXTEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.01	20		1					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice									1					
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDLO4	00.70	04.04	45.00							
<b></b>	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	-	2	UNCDX	UDL64	36.78	94.21	45.09		-					
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	First Interoffice Transport - Dedicated - DS1 combination - Per														
	Mile Per Month			UNC1X	1L5XX	0.2652									
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	Per each Channel System 1/0 in combination Per Month	-		UNC1X	MQ1	105.09	59.97	12.96							
	Per each OCU-DP COCI (data) in combination - per month (2.4-			0.10.77		100.00	00.07	12.00							
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDI 04	00.00	04.04	45.00							
<b>—</b>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	30.99	94.21	45.09		+					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				32207	55.75	J-1.21	40.00		1					
	Interoffice Transport Combination - Zone 3	<u></u>	3	UNCDX	UDL64	38.92	94.21	45.09							
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System														
$\vdash$	combination - per month (2.4-64kbs)	ļ		UNCDX	1D1DD	1.38	5.91	4.26		1	<u> </u>				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.2652									
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILOAA	0.2002				+					
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88							
	Each Additional DS1 COCI in the same 3/1 channel system														
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
EXIEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT W/3/	1 MUX		1					-					
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09							
<del>                                     </del>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	5.1011/1	JILEN	22.03	37.21	70.03		1					
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09	<u> </u>						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														
$\vdash$	Transport - Zone 3	ļ	3	UNCNX	U1L2X	65.18	94.21	45.09							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652									
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination -	<del>                                     </del>		UNUIA	ILUAA	0.2032									
	Facility Termination per month	<u></u>		UNC1X	U1TF1	70.47	143.58	103.88					<u> </u>		<u> </u>
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	105.09	59.97	12.96							

ONBONDLE	D NETWORK ELEMENTS - Louisiana											T -	Attachment:		ļ	<del></del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
<del></del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>	ONONA	OTLZX	22.03	34.21	43.03								
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26							<del>                                     </del>	<del></del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															
EVTE	combination per month	TDANK	DODT	UNC1X	UC1D1	11.78	5.91	4.26								<u> </u>
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IKAN		UNC1X	USLXX	85.70	169.22	100.89							-	<del></del>
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	194.96	169.22	100.89			1				1	
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3			UNC1X	USLXX	491.94	169.22	100.89								<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ŭ	0140174	OOLAA	401.04	100.22	100.00			1					
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								l
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								<del></del>
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26			1					
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month  Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	UC1D1	11.78	5.91	4.26								<u> </u>
	1		1	UNC1X	USLXX	85.70	169.22	100.89								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	194.96	169.22	100.89								
-	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			ONCIX	USLAA	194.90	109.22	100.09								<del></del>
	3		3	UNC1X	USLXX	491.94	169.22	100.89								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		_	UNCDX	UDL56	30.99	94.21	45.09								
$\longrightarrow$	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09						-	<del>                                     </del>	<del></del>
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.013										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility						=0.77									
FVTE	Termination per month	NTEDO	EEICE	UNCDX	U1TD5	15.61	72.60	41.75						-	<del>                                     </del>	-
EXIE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II First 4-wire 64 kbps Local Loop in combination - Zone 1	NIERO		UNCDX	UDL64	30.99	04.24	45.09			-				-	<del></del>
+	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64 UDL64	36.78	94.21 94.21	45.09 45.09			<del>                                     </del>	1		1	<del>                                     </del>	<del>                                     </del>
<del>-  </del>	First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	38.92	94.21	45.09							<b>—</b>	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ť				021	.0.00								
	per month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.013					<del>                                     </del>				<del>                                     </del>	$\vdash$
ı	Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr															

ONRONDE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
			ļ				Nonred	nurring.	Nonrecurring	Disconnoct				Rates(\$)	DISC 1St	DISC Add
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge			1		11130	Auu	11130	Addi	JOINLO	JONAN	JONAN	JOMAN	JOINAIN	JOWAN
	onal Features & Functions:	J									İ					
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
	Activity - per DS1			U1TD3, ULDD3,	NRCCC		104.00	23.19	1.97	0.77				-		<del>                                     </del>
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00						
	o six any opion cassoquent rounty per sec	-		UNCVX, UNCDX,	1111000	†	210.70	7.00	0.7200	0.00				t		
				UNC1X, UNC3X,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		5.43	5.43								
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,												
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	I		U1TS1, UDF, UE3	URESL		40.28	13.52								
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,												
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	I		U1TS1, UDF, UE3	URESP		64.09	25.63								
MUL	TIPLEXER Interfaces															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LIDI	10100	4.00	0.00	4.50								
	month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.38	6.39	4.58	-					-		
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			01105	15.55	1.00	0.00				†			1		
	month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			1154	404)/0	0.6497	0.00	4.58								
	used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6497	6.39	4.58						-		-
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	201.48	107.05	91.25								
	DS1 COCI used with Loop per month			USL	UC1D1	11.78	6.39	4.58								
	DS1 COCI (used for connection to a channelized DS1 Local			l <u>-</u>									l			
	Channel in the same SWC as collocation) per month		<u> </u>	U1TUA	UC1D1	11.78	6.39	4.58						-		<del>                                     </del>
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	U1TD1	UC1D1	11.78	6.39	4.58	<del>                                     </del>		1	-		<del>                                     </del>	-	<del> </del>
	month		1	ULDD1	UC1D1	11.78	6.39	4.58	[					I		
Acce	ss to DCS - Customer Reconfiguration (FlexServ)		<del>                                     </del>	02001	30.01	11.78	0.35	7.50			<b>†</b>			<b>†</b>		<del>                                     </del>
7.030	Customer Reconfiguration Establishment				<u> </u>		1.43							1	1	<b>—</b>
	DS1 DSC Termination with DS0 Switching				İ.,	19.58	24.81	19.09								
	DS1 DSC Termination with DS1 Switching					10.95	17.93	12.22								
	DS3 DSC Termination with DS1 Switching					149.41	24.81	19.09								
Servi	ce Rearrangements		<u> </u>								ļ					ļ
				U1TVX, U1TDX, UEA, UDL, U1TUC,												
			1	U1TUD, U1TUB,										I		
	NRC - Change in Facility Assignment per circuit Service			ULDVX, ULDDX,										1		
	Rearrangement	- 1	<u> </u>	UNCVX, UNCDX	URETD		269.66	47.05			<u> </u>					

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment: 2	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous															
	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.85	18.85								

IINRI	INDI FI	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Evh Δ	I	
31400	40666	METHORIC ELEMENTO - IMIGGIGGIPPI					1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1			1			1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			l			1						Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LOR	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
1			1										1	1st	Add'l	Disc 1st	Disc Add'l
<u></u>			<u> </u>	<u></u>												טוסט ואנ	DISC AUU'I
							Rec		curring		g Disconnect				Rates(\$)		
<u> </u>							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<u> </u>														
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
ODED/		ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnec	tion.ht	m		1				1	1			1		
OPERA		(1) CLEC should contact its contract negotiator if it prefers the	o "ototo	onooif	io" OCC oborgoo oo	ordorod by t	ha Stata Camm	issiens The	DCC oborgoo o	urrantly conta	ned in this ret	avhibit ara	the Bellee	uth "rogional	" comico orde	ring charges	CI EC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.	ice orde	ring ci	larges, or CLEC may	elect the re	gioriai service i	ordering charg	e, nowever, Ci	LEC Can not of	Main a mixture	or the two i	egaruless i	CLEC Has a	merconnecti	ion contract e	Stabilshed iii
-		(2) Any element that can be ordered electronically will be bill	lad acco	rding f	to the SOMEC rate li	stad in this	rategory Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be order	ad electronics	ally For those	a alamants
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B			and outogoty tel		50 11101 110010		J 01106 610	oooiiio oideii	Jupubiiities		ioi mat t		,	aau oracini	g 0.101 g0,
$\vdash$	JOWIAN	OSS - Electronic Service Order Charge, Per Local Service	I	i			1		1	1	1	1			I	1	I
1		Request (LSR) - UNE Only	1			SOMEC		3.50	0.00	3.50	0.00		1			I	
		OSS - Manual Service Order Charge, Per Local Service Request	1				İ	2.30	2.30	1.30	2.30				İ	1	
1		(LSR) - UNE Only	1			SOMAN		15.75	0.00	1.97	0.00		1			I	
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC		n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1, ULDD3, ULDDX,												
1			1		ULDO3, ULDS1,					1			1			I	
1			1		ULDVX, UNC1X,					1			1			I	
			1		UNC3X, UNCDX,					1			1			I	
1			1		UNCNX, UNCSX,					1			1			I	
			1		UNCVX, UNLD1,					1			1			I	
					UNLD3, UXTD1,					1						1	
1			1		UXTD3, UXTS1,					1			1			I	
			1		U1TUC, U1TUD,					1			1			I	
					U1TUB,					1						1	
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,					1						1	
		Day	<b></b>		NTCUD, NTCD1	SDASP		200.00	200.00	ļ					ļ	1	
ORDER	MODIF	ICATION CHARGE	<b>_</b>	<u> </u>				22.5			2.5					-	
<u> </u>		Order Modification Charge (OMC)	<del>                                     </del>	-				26.21	0.00	0.00	0.00				-	<del>                                     </del>	
LIMBIT	IDI ED 5	Order Modification Additional Dispatch Charge (OMCAD)	-	-			-	150.00	0.00	0.00	0.00				<del>                                     </del>	<del>                                     </del>	-
ONBON		EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP	1							<b>-</b>		-			-	<del>                                     </del>	
	2 WILDI		-	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25					<del>                                     </del>	
$\vdash$	2-WIRE	2-Wire Anglog Voice Grade Loop - Service Level 1 7000 1				ULALZ						1	<b> </b>				L
	2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-			LIEAL 2	16 97	27 02	17 55								
	2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87 25.68	37.92 37.92	17.55 17.55	23.48	5.25 5.25						
	2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
	2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3     2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		3	UEANL UEANL UEANL	UEAL2 UEAL2	25.68 43.85	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						
	2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIFANI	LIDETI		0.00	0.00								
	Premise Loop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		8.92 34.36	0.88								
	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97			1	1				
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
2-WIR	E Unbundled COPPER LOOP		4	LIFO	LIEOCY	11.00	00.50	10.70	00.00	1 **	<u> </u>					
$\vdash$	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ UEQ	UEQ2X UEQ2X	11.01 11.51	36.53 36.53	16.16 16.16	22.66 22.66	4.42 4.42	1					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<u> </u>		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42	1	<del>                                     </del>				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	Ė								1					
	Premise			UEQ	URETL		8.92	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)		ļ	UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			LIEO	LIEONALI		10.51	10.51								
	BST providing make-up (Engineering Information - E.I.)  Loop Testing - Basic 1st Half Hour			UEQ UEQ	UEQMU URET1		13.51 34.36	13.51								
	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			LIEA NEOVO	11541.0	40.00	405.00	00.00	50.00	40.07						
<b></b>	Ground Start Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA, NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA, IVIOVO	OLALZ	10.75	103.30	00.20	32.02	10.57						
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			,												
	Ground Start Signaling - Zone 4		4	UEA, NTCVG	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA, NICVO	ULANZ	10.73	103.90	00.20	32.02	10.37						
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse								ĺ			1				
	Battery Signaling - Zone 4		4	UEA, NTCVG	UEAR2	45.72	105.96	68.28	52.82	10.37						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LIEA NEOVO	LIDEC		05.04	0.50								
$\vdash$	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	-	-	UEA, NTCVG	URESL		25.01	3.53	<del>                                     </del>		<del>                                     </del>	1				
	DS0)			UEA, NTCVG	URESP		26.50	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch	1		UEA, NTCVG	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.19	1.10								
4-WIR	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA, NTCVG	UEAL4	27.47	132.27	94.59	60.68	14.64						
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 2			UEA, NTCVG	UEAL4	38.26	132.27	94.59	60.68	14.64	<u> </u>					
<del>                                     </del>	4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4			UEA, NTCVG UEA, NTCVG	UEAL4 UEAL4	50.03 50.03	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64	1	<del>                                     </del>				
<del>                                     </del>	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del>                                     </del>	4	OLA, NICVO	ULAL4	50.03	132.27	94.09	80.08	14.04	<u> </u>	<del>                                     </del>				
	DS0)			UEA, NTCVG	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per											1				
	DS0)			UEA, NTCVG	URESP		26.50	5.02			<u> </u>					
- 1277	CLEC to CLEC Conversion Charge without outside dispatch	ļ	<b>_</b>	UEA, NTCVG	UREWO		87.56	36.29	<b> </b>		<u> </u>	<u> </u>				<u> </u>
2-WIR	E ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1	-	4	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37	<b> </b>	-				
	2-write ISDIN Digital Grade Loop - Zone 1	<u> </u>	1 1	אועט	UILZX	21.01	117.111	79.92	52.82	10.37	1	<u> </u>			l	L

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment: 2	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O ME - IODN D'etal O - Ia I 7 0		_	LIDA	1141.07/		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN UDN	U1L2X U1L2X	27.59 37.34	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37						<b>—</b>
	2-Wire ISDN Digital Grade Loop - Zone 3  2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59.18	117.61	79.92		10.37						<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	00.10	91.46	44.07	02.02	.0.0.						
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4     Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	2 wire Unburdled ADSL Loop without manual service inquiry & facility reservaton - Zone 1  2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	facility reservaton - Zone 2  2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	facility reservaton - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						-
	facility reservaton - Zone 4  CLEC to CLEC Conversion Charge without outside dispatch		4	UAL	UAL2W UREWO	12.69	96.15 86.04	58.03 40.33	50.38	7.93						
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	Wire Unbundled HDSL Loop including manual service inquiry     facility reservation - Zone 3     Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	A facility reservation - Zone 4      Wire Unbundled HDSL Loop without manual service inquiry		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	and facility reservation - Zone 1  2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 4  CLEC to CLEC Conversion Charge without outside dispatch		4	UHL UHL	UHL2W UREWO	10.46	104.86 85.98	66.74 40.33	50.38	7.93						
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1     4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						
	and facility reservation - Zone 4  CLEC to CLEC Conversion Charge without outside dispatch		4	UHL UHL	UHL4W UREWO	14.46	133.62 85.98	95.50 40.33	56.72	10.68						
4-WIR	E DS1 DIGITAL LOOP				51,2110		33.30	.0.00								

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07						<del>                                     </del>
<b>—</b>	4-Wire DS1 Digital Loop - Zone 2			USL, NTCD1 USL, NTCD1	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07	1					<del></del>
<b>-</b>	4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 4			USL, NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07	-	-				<b>—</b>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	OSL, NICDI	USLAA	430.40	255.95	130.43	40.10	12.07						<u> </u>
	DS1)			USL, NTCD1	URESL		25.01	3.53								l .
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)			USL, NTCD1	URESP		26.50	5.02								l .
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															<b></b>
<b>  </b>	4 Wire Unbundled Digital 19.2 Kbps	ļ		UDL, NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64	ļ					<b>—</b>
$\vdash$	4 Wire Unbundled Digital 19.2 Kbps	<b>!</b>		UDL, NTCUD	UDL19	34.55	126.53	88.85	60.68	14.64	<u> </u>					<b>—</b>
<del></del>	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD UDL, NTCUD	UDL19 UDL19	40.76 32.25	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	<u> </u>	-				<del></del>
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64	<b> </b>					<del>                                     </del>
<del>                                     </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<b> </b>		UDL, NTCUD	UDL56	34.55	126.53	88.85	60.68	14.64		<b>-</b>				<del>                                     </del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			UDL, NTCUD	UDL56	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL, NTCUD	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL, NTCUD	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL, NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64						<b></b>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL, NTCUD	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL, NTCUD	URESP		26.50	5.02								ĺ
	CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		101.94	49.66			1					
2-WIR	E Unbundled COPPER LOOP			,							1					
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						1
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						1
	2 Wire Unbundled Copper Loop-Designed including manual			002	OOL! D	11.47	120.04	00.01	00.00	7.00						
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						ĺ
	2 Wire Unbundled Copper Loop-Designed including manual						Ì									
	service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						l .
	2-Wire Unbundled Copper Loop-Designed without manual															1
<b>  </b>	service inquiry and facility reservation - Zone 1	ļ	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93	ļ					<b>—</b>
	2-Wire Unbundled Copper Loop-Designed without manual		_	LICI	LICE DIA	44 47	05.04	F7 00	50.00	7.00						ĺ
$\vdash$	service inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop-Designed without manual	-	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93	1	-				<del>                                     </del>
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						1
<del>                                     </del>	2-Wire Unbundled Copper Loop-Designed without manual	1		001	JOLI VV	11.74	33.21	37.09	50.56	7.93						
	service inquiry and facility reservation - Zone 4	1	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						1
	CLEC to CLEC Conversion Charge without outside dispatch	i														
	(UCL-Des)			UCL	UREWO		95.21	42.40								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry		١.						====							i .
<del></del>	and facility reservation - Zone 1	ļ	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68	<u> </u>	1				<del></del>
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry							-								1
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68	ļ					
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed without manual service inquiry						440.50		====							
	and facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68					-	
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch							-								
	(UCL-Des)			UCL	UREWO		95.21	42.40								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL, NTCD1, UEANL	OCOSL		18.19									
LOOP MODIFI	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				ULM4L		20.57	20.57								
	less than or equal to 18K ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal,			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,			32.57	32.57								
SUB-LOOPS	per unbundled loop			UEPSB	ULMBT		32.59	32.59							-	
	Dop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	I		UEANL, UEF	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	1		UEANL, UEF	USBSB		22.77									
	Facility Set-Up	ı		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	١,		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71					-	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
			1		1	10.20				0.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		8.20	8.20								
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
			ĺ		USBMC											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		<del>                                     </del>	UEANL UEANL	USBR2	2.29	8.20 53.32	8.20 18.28	45.36	6.71	1				<del>                                     </del>	
	TTT TTT TIME INICIDANCE (ITO)		l -			2.20	00.02		.0.00	5.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		ļ	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
				I / * * -			0.20	0.20				i	i		1	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	8.16	66.18	31.14	45.36	6.71	1					<b>—</b>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71	-					<b>-</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35				1		<del>                                     </del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	9.11	79.49	44.45	51.27	9.35				1		<del>                                     </del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35	1					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
									¥	0.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEF	USBMC		8.20	8.20								1
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		i i								Ì			ĺ	l	
	Designed and Distribution Subloops	l		UEF, UEANL	URETL		8.92	0.88								1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															ĺ
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															ĺ
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
	Unbundled Loop Modification, Removal of Bridge Tap, per			UEF	ULMBT		070.04	0.45								1
Unber	unbundled loop dled Network Terminating Wire (UNTW)		ļ	UEF	OTMR I		279.81	6.15								<del>                                     </del>
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55				<b> </b>					<del>                                     </del>
	k Interface Device (NID)		1	DENTW	UENPP	0.3300	30.55				1					
INGENIO	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines		1	UENTW	UND16		65.30	50.36								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94								
UNE OTHER, P	ROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate	l	<del>                                     </del>	USL	CCOSF	0.00	0.00									$\vdash$
	Unbundled DS1 Loop - Expanded Superframe Format option -		t			0.00	5.50							1		
	no rate			USL	CCOEF	0.00	0.00									1
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Y UNBUNDLED LOCAL LOOP															
NOTE:	minimum billing period of three months for DS3/STS-1 Local	Loop														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58								

CATEGORY   BATE ELEMENTS   Interest   Part   BGS   USOC   BATES(6)   Section   Charges   Color   Charges   C	UNBUNDLEI	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
Log Nations - William Reservation, per vorking or   Log Nations - William Reservation, per vorking or   Log Nations - William Reservation, per vorking or   Log Nations - William Reservation, per vorking or   Log Nations - William Reservation, per vorking or   Log Nations - William Reservation Reservatio				Zone	BCS	USOC						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
Coop Nationary - William   South   S							Rec										
		Lean Makeup, With as Without Department on partworking or				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ENDUSER ORDERING-CENTRAL OFFICE BASED					LIMK	LIMKMO		0.6652	0.6652								
BROUGER ORDERING-CENTRAL OFFICE BASED   U.EPSR UEPSB   U.BROS   0.61   19.67					OWIIC	OWNER		0.0002	0.0002								
Une Spitting per fram existentin SET consect -physical   UFPSR UEPSS   UREAP   0.61   18.62   10.68   10.04   4.93																	
Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode   Unaphance Decidance Accessed Gode Gode Gode Gode Gode Gode Gode Loop-Service Level 1-Line Spilling-   Twin Analogy Voice Grade Loop-Service Level 1-Line S																	
UNBOUNCED EXCHANGE ACCESS LOOP																	
2					UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						_
2 Wite Analog Voice Grade Loop-Service Level 1-Line Spitting-						+											-
LIMPSR LEPSB   LIMPSR LEVERS   1.00   37.50   17.55   22.46   5.25	Z-WIKE					+											-
2 Wire Analog Voice Grade Loop-Service Level 1-Line Spilling-				1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23,48	5.25						
Zone 1				Ė			1		50		2.20						
Zone 2   2   UPERS UPERS   UPEAS   16.87   37.92   17.55   23.48   5.25				1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 3 UEPSR UEPSB UEALS 25.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 25.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 25.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 25.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 25.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 3 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.68 37.92 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEPSB UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEPSR UEALS 35.79 17.55 23.48 5.25 4 UEALS 35.79 17.55 23.48 5.25 4 UEALS 35.79 17.55 23.48 5.25 4 UEALS 25.79 17.55 23.48 5.25 4 UEALS 25.79 17.55 23.48 5.25 4 UEALS 25.79 17.55 23.48 5.25 4 UEALS 25.79 17.55																	
Zone 2   2   UPPSR UEPSB   UEABS   16.87   37.92   17.55   23.48   5.25				2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   2 Done 3				_	LIEDOD LIEDOD	LIEADO	40.07	27.00	47.55	22.40	5.05						
Zone 3   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   UEPSR UEPSB   UEABS   25.68   37.92   17.55   23.48   5.25   2 Wire Vandago Voice Grade Loop-Service Level 1-Line Splitting-Zone 4   UEPSR UEPSB UEABS   25.68   37.92   17.55   23.48   5.25   2 Wire Vandago Voice Grade Loop-Service Level 1-Line Splitting-Zone 4   UEPSR UEPSB UEABS   25.68   37.92   17.55   23.48   5.25   2 Wire Vandago Voice Grade Loop-Service Level 1-Line Splitting-Wire Voice Grade Loop-Service Loop-Service Level 1-Line Splitting-Wire Voice Grade Loop-Service Loop-Service Level 1-Line Splitting-Wire Voice Grade Loop-Service Lovel 1-Line Splitting-Wire Voice Grade Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel Loop-Service Lovel L					UEPSK UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						1
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3				3	LIEPSR LIEPSB	UEALS	25.68	37 92	17 55	23 48	5 25						
Zone 3   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4   UEPSR UEPSB   UEALS   43.85   37.92   17.55   23.48   5.25   2   2   2   2   2   2   2   2   2				Ť	02. 0 02. 02	027.20	20.00	07.02	11.00	20.10	0.20						
Zone 4   2 Wire Analog Vice Grade Loop-Service Level 1-Line Splitting-   Zone 4   2 Wire Analog Vice Grade Loop-Service Level 1-Line Splitting-   Zone 4   2 Wire Analog Vice Grade Loop-Service Level 1-Line Splitting-   Zone 4   2 Wire Analog Vice Grade Loop-Service Level 1-Line Splitting-   Zone 4   2 Wire Analog Vice Grade Loop-Service Level 1-Line Splitting-   Physical Collocation-2 Wire Cross Connects (Loop) for Line   Splitting-   Splitting Virtual Collocation-2 Wire Cross Connects (Loop) for Line   Virtual Collocation-2 Wire Cross Co				3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zone 4				4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
PHYSICAL COLLOCATION				١.,			40.05			00.40							
Physical Collocation-2 Wire Cross Connects (Loop) for Line   UEPSR UEPSB   PE1LS   0.0288   12.37   11.87   6.04   5.46				4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
Spitting						+						1	1				1
VIRTUAL COLLOCATION					UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
Splitting						1	0.0200										
UNBUNDLED DEDICATED TRANSPORT		Virtual Collocation-2 Wire Cross Connects (Loop) for Line					İ										
INTEROFFICE CHANNEL - DEDICATED TRANSPORT   Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month   U1TVX					UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month   U1TVX   1L5XX   0.0098   U1TVX   U1TVZ   22.52   40.77   27.57   17.26   7.11   U1TVX																	
Per Mile per month				-													<del> </del>
Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination					LI1T\/Y	11 5YY	0.0008										
Facility Termination					OTTVX	TESTON	0.0030										1
Rev Bat Per Mile per month					U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat Facility Termination  Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month  Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination  Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination  Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  Interoffice Channel - Dedicated Transport - DS1 - Facility  Interoffice Channel - Dedicated Transport - DS1 - Facility							İ										
Facility Termination					U1TVX	1L5XX	0.0098										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination U1TVX U1TVX U1TV4 U1TV5 U1TV4 U1TV5 U1TV4 U1TV5 U1TV7 U1T						l											
Per Mile per month					U1IVX	U11R2	22.52	40.77	27.57	17.26	7.11						
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Interoffice Channel - Dedicated Transport - 64 kbps - Facility Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility Interoffice Channel - Dedicated Transport - DS1 - Facility					LI1T\/X	11 5XX	0.0098										
Facility Termination					OTTVX	120/01	0.0000										1
Der month					U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination		Interoffice Channel - Dedicated Transport - 56 kbps - per mile					İ										
Termination					U1TDX	1L5XX	0.0098					<u> </u>	ļ				
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination  U1TDX  U1TDX  1L5XX  0.0098  U1TDX  1L5XX  0.0098  Termination  U1TDX  U1TDA					LUTDY	LIATOS	45.00	40 =0	07	47.00	<b></b>						
Der month				<u> </u>	UTIDX	לעודט	15.68	40.78	27.57	17.26	7.11	<b> </b>	ļ	-			1
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination U1TDX U1TD6 15.68 40.78 27.57 17.26 7.11 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility					LITTOX	11 5XX	0 0008										
Termination					OTIDA	120//	0.0090										
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 1L5XX 0.201 Interoffice Channel - Dedicated Tranport - DS1 - Facility					U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
Interoffice Channel - Dedicated Tranport - DS1 - Facility																	
					U1TD1	1L5XX	0.201					ļ					<u> </u>
I I IT					LIATDA	LIATEA	F7.00	00.70	00.00	40.00	44.00						
Termination			-		דעווט	UTIF1	57.33	89.79	82.28	16.86	14.90	1	-				-
month of the first					U1TD3	1L5XX	4 76										

UNBUNDL	.ED NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											1	Submitted				
														Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	USOC			DATEC(®)			Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			OTTEC	01110	041.00	200.07	100.70	02.00	00.20						<del> </del>
	month			U1TS1	1L5XX	4.76										
			<b>!</b>	01131	ILSAA	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination		<u> </u>	U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
UNB	UNDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction															
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	28.27	642.79	138.67	326.97	203.85						
911 PBX LO			1								i e	i .				1
	PBX LOCATE DATABASE CAPABILITY		l		İ						İ	i	1			
311	Service Establishment per CLEC per End User Account		<del>                                     </del>	9PBDC	9PBEU		1,822.00				1	<b>-</b>	<b> </b>			<b>†</b>
	Changes to TN Range or Customer Profile		<del>                                     </del>	9PBDC	9PBTN	1	182.29		1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>			+
			-			0.07	182.29		1		<del>                                     </del>	<b>!</b>	<del>                                     </del>			<del></del>
	Per Telephone Number (Monthly)		1	9PBDC	9PBMM	0.07					<b></b>		-			<del>                                     </del>
	Change Company (Service Provider) ID		<u> </u>	9PBDC	9PBPC		535.11				<u> </u>					Ļ
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.43					ļ					<u> </u>
	Service Order Charge			9PBDC	9PBSC		15.75									
911	PBX LOCATE TRANSPORT COMPONENT															ĺ
See	Att 3															
	EXTENDED LINK (EELs)															
	E: The monthly recurring and non-recurring charges below will a	annly a	nd the	Switch-Ae-le Chara	e will not an	aly for LINE con	hinations pro	visioned as ' C	Ordinarily Comb	nined' Networ	Flomente			l .		
	E: The monthly recurring and the Switch-As-Is Charge and not the					UNE combinati	ons provisione	as Current	lly Combined N	etwork Eleme	ents.					
EXI	ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED D2														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.47	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	19.32	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.13	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	46.30	105.96	68.28	52.82	10.37						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile										i e		1			1
	per month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility			0110171	120701	0.1010										<del>                                     </del>
				UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Termination per month		<b>!</b>													-
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.47	105.96	68.28	52.82	10.37						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	19.32	105.96	68.28	52.82	10.37						
			<u> </u>			.0.02		33.20	52.02	. 5.01	1	<b>†</b>	t			
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.13	105.96	68.28	52.82	10.37	1	I	1			
-+	Lauri Additional 2-vviie vo Loop (SL 2) in Combination - Zone 3		3	OIVOVA	ULALZ	20.13	105.96	00.28	32.02	10.37	<del>                                     </del>	<b>!</b>	<del>                                     </del>			<del> </del>
1	Fort Allegand OME WOLL (OLD)		١.	1110101					== ==							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	46.30	105.96	68.28	52.82	10.37	<b></b>					<b></b>
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	0.5737	6.62	4.74			ļ					<u> </u>
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	ORT	<u> </u>			<u> </u>			<u> </u>				L
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	28.04	132.27	94.59	60.68	14.64	1	I	1			
	the state of the s				1			200	22.00		1	1				
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.84	132.27	94.59	60.68	14.64						
+	1 1131 - VVII 3 7 III alog Voice Grade Loop III Goribii Iation - Zone Z		-	01101/	JEALT	30.04	102.21	34.33	00.00	17.04	<del>                                     </del>	<del> </del>	<del> </del>			<del>                                     </del>
- 1	First 4 Wire Angles Voice Crede Lear in Combination 7 200		_	LINCVV	UEAL4	50.60	400.07	04.50	00.00	14.64	1	I	1			
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64	<b></b>	<b></b>				<del>                                     </del>
I			1	l <b>.</b>	1						1	I	1			
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64	ļ					<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1		1											
I	Per Month		1	UNC1X	1L5XX	0.1813					1	I	1			
i	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															1
1	Month		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1	I	1			
<del>- 1</del>	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	1	<b>†</b>	t			
$\overline{}$	Voice Grade COCI in combination - per month		+	UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10	<del>                                     </del>	<del> </del>	<del> </del>			
			<del>                                     </del>	OIVOVA	טיוטו	0.5737	0.02	4.74	<del>                                     </del>		+	<b>-</b>	<del>                                     </del>	-		<del>                                     </del>
1	Additional 4-Wire Analog Voice Grade Loop in same DS1		١.	1110101							1	I	1			
. 1	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	28.04	132.27	94.59	60.68	14.64	1	1	1	l		1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		1			+		Nonrec	urring	Nonrecurring	Disconnect		]	OSS	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1			+		11130	Addi	11130	Auu i	JOINEC	JOHAN	JONAN	JOWAN	JOHAN	JOMAN
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.84	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1		0.10171	027121	00.01	102.21	0 1.00	00.00		†					
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	28.65	126.53	88.85	60.68	14.64						
	First A Was 50// as Pickel On to Long to On the Co.	1		LINODY	1101.50	05 =0	400 =0	00.00	00.00	44.01		1				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.76	126.53	88.85	60.68	14.64	1					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	41.99	126.53	88.85	60.68	14.64		1				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 5	<b>-</b>	3	UNCDA	UDLS6	41.99	120.55	00.00	60.66	14.04	<b> </b>					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	33.48	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	7	ONODA	ODESO	33.40	120.55	00.00	00.00	14.04	1					
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - combination Facility										İ					
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month	i		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	28.65	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.76	126.53	88.85	60.68	14.64	ļ					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	UDL56	41.99	400.50	00.05	60.68	14.64						
	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDLS6	41.99	126.53	88.85	80.08	14.64	-					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	33.48	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - in combination per month (2.4	<u> </u>	4	UNCDA	UDLS6	33.40	120.55	00.00	60.66	14.04	1					
.	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
EXT	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN				0.02		0.00	0.00	İ					
		1	1		1						†					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	28.65	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.76	126.53	88.85	60.68	14.64						
		1			1				1 7							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	41.99	126.53	88.85	60.68	14.64		ļ	ļ			1
	First 4 Wise CAl/has Digital Car to Large to Combined St.	1		LINCDY	LIDLO	00.40	400 50	20.65	20.00	4461		1				
-+	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile	<del>                                     </del>	4	UNCDX	UDL64	33.48	126.53	88.85	60.68	14.64	ļ		<b> </b>		-	+
	Per Month			UNC1X	1L5XX	0.1813										
	interoffice Transport - Dedicated - DS1 combination - Facility	1		UNCIX	ILJAA	0.1013			<b>+</b> + + + + + + + + + + + + + + + + + +		1					
.	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	1					
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	28.65	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									-		1				
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	35.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL64	41.99	126.53	88.85	60.68	14.64						ļ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	Ι.,	LINODY	LIBLA	00.10	400 =0	00.00	00.00	44.01		1				
	Interoffice Transport Combination - Zone 4	<u> </u>	4	UNCDX	UDL64	33.48	126.53	88.85	60.68	14.64	ļ		-			+
	Additional OCLEDD COCL (data) in sembling stine and in the											i			i	1
	Additional OCU-DP COCI (data) - in combination - per month			LINCDY	10100	1 22	6 62	171	0.00	0.00						
FYTI	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)  ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS1	INTER	UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			•									Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	ļ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility		-	UNCIA	ILSAA	0.1013			+		1				-	-
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER			01.72	00.70	02.20	10.00	14.00	1					
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	1				1	1
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	İ					
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1Loop in Combination - Zone 4			UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29					1	1
	3/1Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		١.			======		.==	40.40							
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<b>.</b>				-	-
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIA	USLAA	129.30	255.95	136.43	46.10	12.07	1				1	1
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		Ŭ	ONOTA	COLFOR	200.74	200.00	100.40	40.10	12.01	1					
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	İ					
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.47	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	19.32	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.13	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL2	46.30	105.96	68.28	52.82	10.37						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per				41 = 207											
	Month			UNCVX	1L5XX	0.00088					ļ					
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
EVTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	EINTE			20.32	40.77	21.51	17.20	7.11	<b>-</b>				-	-
EVIE	4-WireVG Loop in combination - Zone 1	GRAD		UNCVX	UEAL4	28.04	132.27	94.59	60.68	14.64	1				<del> </del>	<del>                                     </del>
	4-WireVG Loop in combination - Zone 2	<b> </b>	2	UNCVX	UEAL4	38.84	132.27	94.59	60.68	14.64	<b>†</b>				t	<b>†</b>
	4-WireVG Loop in combination - Zone 3	l	3	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64					1	1
	4-WireVG Loop in combination - Zone 4	1		UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64				İ	1	1
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per				1						İ					
	Month	<u></u>		UNCVX	1L5XX	0.00088			<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>
	Interoffice Transport - 4-wire VG - Dedicated - Facility													l		
	Termination per month	l		UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11				ļ	L	
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		41.51.15				<b> </b>		ļ				ļ	ļ
	DS3 Local Loop in combination - per mile per month	<b> </b>	-	UNC3X	1L5ND	11.20			<del>                                     </del>		ļ			<b> </b>	<del>                                     </del>	<del>                                     </del>
	DS3 Local Loop in combination - Facility Termination per month	1		UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19					I	I
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	4.29	404.13	200.47	123.23	00.19	1				<del>                                     </del>	<del>                                     </del>
	Interoffice Transport - Dedicated - DS3 - Fer Mile per Month  Interoffice Transport - Dedicated - DS3 combination - Facility			01403/	ILUAA	4.29			+		<b>†</b>				<del>                                     </del>	<del>                                     </del>
	Termination per month	1		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29					1	1
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		1	350	200.07		32.33	00.20				İ	1	1
	STS-1 Local Lolp in combination - per mile per month	l		UNCSX	1L5ND	11.20									1	
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						
	Interoffice Transport - Dedicated - STS-1 combination - per mile													l		
	per month	i .	1	UNCSX	1L5XX	4.29					I	1	l	ı	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect		ı	oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT													
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		ļ				<del></del>
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX UNCNX	U1L2X U1L2X	37.34 59.18	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37	-	<b>.</b>				<del>                                     </del>
	First 2-Wire ISDN Loop in Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - per mile		4	UNCINX	UTLZX	59.18	117.01	79.92	52.82	10.37	1	<b> </b>				
	per month .			UNC1X	1L5XX	0.1813										ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	E4 70	90.70	00.00	16.96	14.00						ł
+	Termination per month  1/0 Channel System in combination - per month			UNC1X UNC1X	MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10	1	1				
+	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00	<b> </b>	1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>		011011/	COTOA	2.02	0.02	7.74	0.00	0.00		<b> </b>				
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	0.10107	O I LLIX	27.00		70.02	02.02	10.01						i
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						l
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSP	ORT											
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						i
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						<b></b>
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						<b></b>
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															ł
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		ļ				<del></del>
	3/1 Channel System in combination per month			UNCSX UNC1X	MQ3	170.63 2.62	179.17 6.62	94.52 4.74	34.30 0.00	32.82 0.00		ļ				<del></del>
	DS1 COCI in combination per month  Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	UC1D1	2.62	0.02	4.74	0.00	0.00						<del></del>
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						1
	Additional DS1Loop in the same STS-1 Interoffice Transport															í
$\overline{}$	Combination - Zone 3 Additional DS1Loop in the same STS-1 Interoffice Transport		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		1				
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<b></b>
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT			LIDLEO	00.05	100 =0	20.25	00.00	44.01						<b>—</b>
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	28.65	126.53	88.85	60.68	14.64	<b> </b>	ļ				
-+	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	<b>-</b>	3	UNCDX UNCDX	UDL56 UDL56	35.76 41.99	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	1	<del>                                     </del>				
+	4-wire 56 kbps Local Loop in combination - Zone 3  4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	33.48	126.53	88.85	60.68	14.64	<b> </b>	1				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		7				120.55	00.03	00.00	14.04						
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0088										
EVTEN	Facility Termination per month	DC INT		UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11	ļ					
EXIEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT			LIDL64	20.65	100 E0	88.85	60.68	11.04	<b> </b>	ļ				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2	<b>-</b>		UNCDX	UDL64 UDL64	28.65 35.76	126.53 126.53	88.85	60.68	14.64 14.64	1	<del>                                     </del>				
+	4-wire 64 kbps Lcoal Loop in Combination - Zone 2  4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	41.99	126.53	88.85	60.68	14.64	<u> </u>	1				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4			UNCDX	UDL64	33.48	126.53	88.85	60.68	14.64	l	1				·
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1	22.10	00	22.00	100							
	Per Mile per month			UNCDX	1L5XX	0.0088										

UNBUND	LED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			l l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
EX		DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
		First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.47	105.96	68.28	52.82	10.37						
		First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX UNCVX	UEAL2 UEAL2	19.32 28.13	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						<u> </u>
		First 2-wire VG Loop (SL2) in Combination - Zone 3 First 2-wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	46.30	105.96	68.28	52.82	10.37	<b> </b>		-			<del> </del>
		First Interoffice Transport - Dedicated - DS1 combination - Per		4	UNCVA	ULALZ	40.30	105.90	00.20	32.02	10.37						
		Mile First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.1813					1					
		Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	102.85	91.57	62.26	10.87	10.10			<b>-</b>			<b>†</b>
	<del>- l</del> i	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.5737	6.62	4.74	10.07	10.10			<u> </u>			
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82			<u> </u>			
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00			1	İ		i e
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1			-					5.50	2.30			1	İ		Î .
	I	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.47	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.32	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	l l	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.13	105.96	68.28	52.82	10.37						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1															
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	46.30	105.96	68.28	52.82	10.37						
		Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								ļ
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month		-	UNC1X	1L5XX	0.1813										<u> </u>
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	1		1			
FX		DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFF	ICF TR			2.02	0.02	7.77	0.00	0.00	1					1
		First 4-Wire Analog Voice Grade Local Loop in Combination -	LICOLI	TOL 111	ANOTORY W/ G/ 1 W	100						1					1
		Zone 1		1	UNCVX	UEAL4	28.04	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 2		2	UNCVX	UEAL4	38.84	132.27	94.59	60.68	14.64						
		First 4-Wire Analog Voice Grade Local Loop in Combination -															1
		Zone 3		3	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64						ļ
		First 4-Wire Analog Voice Grade Local Loop in Combination -				l											
		Zone 4		4	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64	ļ					
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813						1	I			
		First Interoffice Transport - Dedicated - DS1 - Facility			ONCIA	ILOAA	0.1013			1		<u> </u>		<del>                                     </del>	<del> </del>		<del>                                     </del>
		Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1	I			
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10			1	1		<b>—</b>
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74	13.37				1	İ		1
		3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	28.04	132.27	94.59	60.68	14.64			ļ			ļ
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_	LINIOVO	LIEAL 4	00.01	400.0=	04.50	20.00	4461			1			
		Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	38.84	132.27	94.59	60.68	14.64	1		<del>                                     </del>			<del>                                     </del>
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64			1			
		Additional 4-Wire Analog Voice Grade Loop in same DS1		3	0110 V /	ULAL#	30.00	102.21	34.39	00.00	14.04	1	<b> </b>	t			<del>                                     </del>
		Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.60	132.27	94.59	60.68	14.64		1	I			
		Each Additional DS1 Interoffice Channel per mile in same 3/1		Ė		1	22.20		230					1	İ		1
		Channel System per month			UNC1X	1L5XX	0.1813			<u>                                      </u>			<u> </u>	<u> </u>			
		Each Additional DS1 Interoffice Channel Facility Termination in							<del></del>								
		same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						ļ
	7	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74			1					

UNBUNE	DLED	NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ					Nonrec	urrina	Nonrecurring	Disconnect			088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EX	KTENI	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX		11130	Addi	11130	Addi	JOINEO	JOINAIN	JOWAN	JOWAN	JONIAN	JOWAN
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	-	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	UNCDX	UDL56	28.65	126.53	88.85	60.68	14.64	-					
		Zone 2		2	UNCDX	UDL56	35.76	126.53	88.85	60.68	14.64						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	41.99	126.53	88.85	60.68	14.64						
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 4		4	UNCDX	UDL56	33.48	126.53	88.85	60.68	14.64						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 - combination															
		Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
$\vdash$		Per each 1/0 Channel System in combination Per Month	ļ		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
-		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)  3/1 Channel System in combination per month	-		UNCDX UNC3X	1D1DD MQ3	1.22 170.63	6.62 179.17	4.74 94.52	0.00 34.30	0.00 32.82	-					
$\vdash$		Per each DS1 COCI in combination per month	-		UNC1X	UC1D1	2.62	6.62	94.52 4.74	0.00	0.00	-					
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCIX	OCIDI	2.02	0.02	4.74	0.00	0.00						
		Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	28.65	126.53	88.85	60.68	14.64						
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.76	126.53	88.85	60.68	14.64						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	41.99	126.53	88.85	60.68	14.64						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 4 OCU-DP COCI (data) COCI in combination per month (2.4-		4	UNCDX	UDL56	33.48	126.53	88.85	60.68	14.64						
		64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1813										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
FX		DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE			2.02	0.02	4.74	0.00	0.00						
	1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice					1										
		Transport Combination - Zone 1		1	UNCDX	UDL64	28.65	126.53	88.85	60.68	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.76	126.53	88.85	60.68	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
		Transport Combination - Zone 3	ļ	3	UNCDX	UDL64	41.99	126.53	88.85	60.68	14.64						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	33.48	126.53	88.85	60.68	14.64						
		First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
		First Interoffice Transport - Dedicated - DS1 combination -	İ												1		
		Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
		Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
		Per each OCU-DP COCI (data) in combination - per month (2.4-64kba)			LINCDY	10100	4.00	0.00	4.74	0.00	0.00						
$\vdash$		64kbs)	1		UNCDX UNC3X	1D1DD MQ3	1.22 170.63	6.62 179.17	4.74 94.52	0.00 34.30	0.00 32.82	1			-		
$\vdash$		3/1 Channel System in combination per month Per each DS1 COCI in combination per month	1		UNC3X UNC1X	UC1D1	2.62	6.62	94.52 4.74	0.00	0.00	<del>                                     </del>			<del> </del>		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	28.65	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1				25.50	.20.00	00.00	33.00							
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.76	126.53	88.85	60.68	14.64	1					
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	41.99	126.53	88.85	60.68	14.64						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	33.48	126.53	88.85	60.68	14.64						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			1							r -	r -	Attachment:			<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	40400	4.00	0.00	474	0.00	0.00						1
<b></b>	combination - per month (2.4-64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						<b>—</b>
	Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	T w/ 3/	1 MUX	UNCIX	OCIDI	2.02	0.02	4.74	0.00	0.00						<del>                                     </del>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNC1X	1L5XX	0.1813		70.02	02.02	10.01						
	Mile per month  First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILOXX	0.1813										<b>——</b>
	Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						ĺ
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						<del>                                     </del>
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	170.63 2.62	179.17 6.62	94.52 4.74	34.30 0.00	32.82 0.00						<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2													
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Combination - Zone 3 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Combination - Zone 4 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINGAY		F4 =0	00 =0	00.00	40.00	44.00						1
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<b>——</b>
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS			USLXX	70.00	050.00	450.45	46.10	12.07						<del></del>
$\vdash$	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	-	7	UNC1X UNC1X	USLXX	79.08 129.38	253.93 253.93	158.45 158.45	46.10 46.10	12.07						<del>                                     </del>
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	1	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
<del>                                     </del>	3/1 Channel System in combination per month		<b>†</b>	UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82		<b>-</b>				<u> </u>
<del>                                     </del>	Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1											Ì				
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.1813										
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
		The state of the s										Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												l .	l .	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>								Names		I Name a committee	Discounces	ļ		220	Detec(t)		
-				<u> </u>		-	Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
$\vdash$		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone						FIISL	Add I	FIISL	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
		1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
		3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	ļ					<u> </u>
		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
-	FYTEN	<sup>4</sup> DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO			USLXX	458.46	253.93	158.45	46.10	12.07						ļ
	LXILI	First 4-wire 56 kbps Local Loop in combination - Zone 1	TILITO	1	UNCDX	UDL56	28.65	126.53	88.85	60.68	14.64	<b>+</b>					
		First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	35.76	126.53	88.85	60.68	14.64			1			
		First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	41.99	126.53	88.85	60.68	14.64						
	•	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	33.48	126.53	88.85	60.68	14.64						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
$\vdash$		per month		<b>_</b>	UNCDX	1L5XX	0.0088										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
-		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	EEICE :		UTID5	22.52	40.78	21.51	17.20	7.11						1
-	LAILN	First 4-wire 64 kbps Local Loop in combination - Zone 1	VILKO		UNCDX	UDL64	28.65	126.53	88.85	60.68	14.64						-
		First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	35.76	126.53	88.85	60.68	14.64	1					
		First 4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	41.99	126.53	88.85	60.68	14.64						
		First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	33.48	126.53	88.85	60.68	14.64						
		First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
		per month			UNCDX	1L5XX	0.0088										
		First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LINODY	U1TD6	00.50	40.78	07.57	47.00	7.44						
ADDITI	ONAL N	Termination per month		1	UNCDX	01106	22.52	40.78	27.57	17.26	7.11	<b> </b>					<del> </del>
		used as a part of a currently combined facility, the non-recurr	ng chai	raes do	not apply, but a S	witch As Is c	harge does and	ilv.		L		L		l .	l	l	
	When t	used as ordinarily combined network elements in All States, th	ne non-	recurri	ng charges apply an	d the Switch	As Is Charge	does not.									
	Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge														
	Option	al Features & Functions:															
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X U1TD1.	CCOEF		0.00	0.00	0.00	0.00						ļ
		Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
$\vdash$		Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent		+	ULDD1, U1TD1,	CCUSF	<del>                                     </del>	0.00	0.00	0.00	0.00						
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76		1				
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
					UNCVX, UNCDX,		Ι Π			_							
		M/halaasla ta LINE. Cuitah Aa la Commissi Olimon			UNC1X, UNC3X,	LINICOO				7.00	7.00						
$\vdash$		Wholesale to UNE, Switch-As-Is Conversion Charge		+	UNCSX	UNCCC		5.63	5.63	7.20	7.20	-	-	1			<del>                                     </del>
		Habitandlad Mica Data Flamont, CNF CAL City No. 1			U1TVX, U1TDX,												
		Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.22	13.50	1			1				
$\vdash$		<u> </u>			i i	UNLOL	<del>                                     </del>	40.22	13.30	<del>                                     </del>		<del>                                     </del>		<del> </del>			<del>                                     </del>
		Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX, U1TD1, U1TD3,												
		Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet)			U1TS1, UDF, UE3	URESP		63.98	25.59								
$\vdash$	MULTII	PLEXER Interfaces			51151, 0DI , 0L3	OINLOI		05.50	25.55								<b>†</b>
		DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						<u> </u>
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per								1			1				
		month (2.4-64kbs) used for connection to a channelized DS1			LIATUD	4D4DD	4.00	0.00	474								
$\vdash$		Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per		-	U1TUD	1D1DD	1.22	6.62	4.74	<del>                                     </del>		1	-	1			-
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74	1			1				
		month for a Local Loop			0014	JUIUA	2.02	0.02	4.74	1			l		L	L	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								[ '
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
h + +	DS3 to DS1 Channel System per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82	<b>†</b>					<del></del>
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82	1					
	DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.96	6.62	4.74								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.96	6.62	4.74								
Acces	s to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment						1.49		1.90							
	DS1 DSC Termination with DS0 Switching					20.81	25.69	19.77	17.15	13.79						
	DS1 DSC Termination with DS1 Switching					10.73	18.57	12.65	12.60	9.24						
	DS3 DSC Termination with DS1 Switching					145.05	25.69	19.77	17.15	13.79						
Servic	e Rearrangements															
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETD		269.66	47.05								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
Misce	llaneous															
	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR	1	18.87	18.87			1	İ				

UNB	JNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:			
													Svc Order		Incremental		Incremental
												1	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	
CAIL	JONI	RATE ELEMENTS	m	20116	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic- Add'l	Electronic-	Electronic- Disc Add'l
														1st	Addi	Disc 1st	DISC Add I
							Rec		curring		g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	L					L	L	<u> </u>	L	<u> </u>	L	<u> </u>		L			
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designati	ons by Cent	tral Office, refe	er to internet	Website:	
OPER		ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connec	tion.nti	n	1		I	I	I	1	1	1	1	T	ı	1
OFER		(1) CLEC should contact its contract negotiator if it prefers th	e "state	snecif	ic" OSS charges as	ordered by t	he State Comm	issions The	OSS charges c	urrently conta	ined in this rat	e exhibit ar	e the BellSo	uth "regional	" service orde	ring charges	CLEC may
		ther the state specific Commission ordered rates for the servi															
		f the 9 states.	oc orac	inig on	urges, or occoming	CICOL LIIC IC	gioriai scrvioc (	oracing onarg	, noncrei, o		otani a mixtare	or the two	regulatess i	ii ollo iiuo u	interconnecti	on contract c	otabilolica III
		(2) Any element that can be ordered electronically will be bill	ed acco	rding t	o the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	Illy. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list															
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service															
	1	Request (LSR) - UNE Only		Ш		SOMEC		3.50	0.00	3.50	0.00	ļ	ļ				
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		45.00	0.00	45.00	0.00						
LINE S	EDVICE	DATE ADVANCEMENT CHARGE				SOMAN		15.20	0.00	15.20	0.00						
ONE 3		The Expedite charge will be maintained commensurate with I	BellSou	th's FC	C No.1 Tariff, Section	n 5 as annli	cable.	I.	I.	1	1		l	1	1	I.	
					UAL, UEANL, UCL,	l c de appii	1										
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,												
OPPE	D MODIS	Day FICATION CHARGE		$\vdash$	NTCUD, NTCD1	SDASP		200.00	200.00		1			1			
OKDE	K WIODIF	Order Modification Charge (OMC)	-	$\vdash$			<del>                                     </del>	26.21	0.00	0.00	0.00	-	1	1			
<b> </b>	+	Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)		$\vdash$			<del>                                     </del>	0.00	0.00	0.00	0.00	<del>                                     </del>	1	+			
UNBU	NDLED E	EXCHANGE ACCESS LOOP		П				5.50	5.50	3.50	3.30	1	1		İ		
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.82	36.54	16.87								
<u> </u>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.21	36.54	16.87					1			
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	24.08	36.54	16.87		1			1			
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL UEASL	10.82 16.21	36.54 36.54	16.87 16.87		1	-	1	-			
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	24.08	36.54	16.87			<b> </b>			<del> </del>		
	1	12 11.10 7 11.010g 70100 01000 LOOP 0011100 LOVO? 1- Z0116 0		, v	U = 1 =	02/10L	2-7.00	00.04	10.07	1		1	1	L	1	L	

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 92 of 136

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh. A		
ONDONDE	The state of the s		1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		to the second									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per Lak	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1			+	1	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
		1			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1			+		11131	Auu i	11130	Auu i	JONIEC	JONAN	JOINAIN	JOINAIN	JOINAIN	JOINAIN
	Premise			UEANL	URETL		8.93	0.88								ı l
-	Loop Testing - Basic 1st Half Hour	_		UEANL	URET1		33.17	0.00								$\overline{}$
<b></b>	Loop Testing - Basic Additional Half Hour	+	-	UEANL	URETA		19.28	19.28			-	-				$\overline{}$
<del></del>	CLEC to CLEC Conversion Charge Without Outside Dispatch	1		OLANE	OKLIA		13.20	13.20								$\overline{}$
	(UVL-SL1)			UEANL	UREWO		15.74	8.92								ı l
<del></del>	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1		ULANL	UKLWO		13.74	0.92								$\overline{}$
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								ı l
$\vdash$	Manual Order Coordination for UVL-SL1s (per loop)	+	-	UEANL	UEAMC		7.92	7.92			-	-				
2 14/15	RE Unbundled COPPER LOOP	+	-	ULAINL	ULAIVIC		1.52	1.52			-	-				
2-1011	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+	1	UEQ	UEQ2X	10.93	35.27	15.60			-	-				
		1	2	UEQ	UEQ2X	12.75	35.27	15.60								$\overline{}$
<del>                                     </del>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<del>                                     </del>	3	UEQ	UEQ2X	13.92	35.27	15.60			<b>-</b>			<b> </b>		
$\vdash$	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>	- 3	ULW	ULWZA	13.82	აა.∠/	10.00				-		-		
				UEQ	URETL		8.93	0.00								ı l
<b>—</b>	Premise	<del>                                     </del>	1	UEQ	UKETL		8.93	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			UEQ	USBMC		7.92	7.00								ı l
$\vdash$	Non-Designed (per loop)	<del>                                     </del>	1	UEQ	USBIVIC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		40.04	40.04								ı l
	BST providing make-up (Engineering Information - E.I.)	<del>                                     </del>					13.04	13.04								
$\vdash$	Loop Testing - Basic 1st Half Hour	1	1	UEQ	URET1		33.17	0.00			-					
<b>—</b>	Loop Testing - Basic Additional Half Hour	<del>                                     </del>		UEQ	URETA		19.28	19.28								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			LIEO	LIDEWO		44.00	7.44								ı l
LINIDUNIDU ED	(UCL-ND)  EXCHANGE ACCESS LOOP			UEQ	UREWO		14.23	7.41								
		<del>                                     </del>			-											
2-WII	RE ANALOG VOICE GRADE LOOP	<del>                                     </del>			-											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			LIEA NITOVO		44.00	100.10	05.70								ı l
<b>—</b>	Ground Start Signaling - Zone 1	<del>                                     </del>	1	UEA, NTCVG	UEAL2	11.96	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	LIEA NITOVO	UEAL2	47.00	100.10	CF 70								ı l
	Ground Start Signaling - Zone 2	<del>                                     </del>		UEA, NTCVG	UEALZ	17.36	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA, NTCVG	UEAL2	25.23	102.10	65.72								ı l
<b>—</b>	Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	3	UEA, NTCVG	UEALZ	25.23	102.10	65.72								
			1	LIEA NITOVO	UEAR2	11.96	102.10	65.72								ı l
<b>—</b>	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	-	UEA, NTCVG	UEARZ	11.90	102.10	05.72								
			2	LIEA NITOVO	UEAR2	17.36	100.10	CF 70								ı l
<b>—</b>	Battery Signaling - Zone 2	<del>                                     </del>		UEA, NTCVG	UEARZ	17.30	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	LIEA NITOVO	LIEADO	25.23	100.10	CF 70								ı l
-	Battery Signaling - Zone 3	1	3	UEA, NTCVG	UEAR2	25.23	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA, NTCVG	URESL		25.05	3.53			1	1				
$\vdash$		1	<u> </u>	ULA, NICVG	UKESL		25.05	3.53						-		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA, NTCVG	URESP		26.55	5.03			1	1				, ,
$\vdash$	CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	<del>                                     </del>	UEA, NTCVG	UREWO	-	26.55 87.49	36.26				-		-		
$\vdash$	Loop Tagging - Service Level 2 (SL2)	1	1	UEA, NTCVG	URETL		11.20	1.10			<del></del>	-				
4-18/11	RE ANALOG VOICE GRADE LOOP	1	<u> </u>	ULA, NICVG	UKEIL		11.20	1.10						-		
4-441	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA, NTCVG	UEAL4	19.52	127.40	91.02						-		
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	1	2	UEA, NTCVG	UEAL4 UEAL4	19.52	127.40	91.02						-		
$\vdash$		1		UEA, NTCVG	UEAL4	46.11	127.40	91.02			<del></del>	-				
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 3  Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	- 3	ULA, NICVG	UEAL4	40.11	121.40	91.02			<del></del>	-				
	DS0)			UEA, NTCVG	URESL		25.05	3.53			1	1				
$\vdash$	,	<del>                                     </del>	<del>                                     </del>	OLA, NICVG	UNLOL	-	20.05	3.33				-		-		
1 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA, NTCVG	URESP		26.55	5.03								ı
$\vdash$	CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	<del>                                     </del>	UEA, NTCVG	UREWO	-	26.55 87.49	36.26				-		-		
2.14/15	RE ISDN DIGITAL GRADE LOOP	<del>                                     </del>	<del>                                     </del>	OLA, NICVG	UKEWU	-	87.49	30.26				-		-		
Z-VVII	2-Wire ISDN Digital Grade Loop - Zone 1	<del>                                     </del>	1	UDN	U1L2X	19.78	113.34	76.96				-		-		
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 1  2-Wire ISDN Digital Grade Loop - Zone 2	<del>                                     </del>	2	UDN	U1L2X	26.16	113.34	76.96				-		-		
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	<del>                                     </del>	3	UDN	U1L2X U1L2X	35.37	113.34	76.96				-		-		
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch	<del>                                     </del>	-	UDN	UREWO	33.37	91.39	44.04			1			<b> </b>		$\overline{}$
2.14/15	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	DATIRE	1.000		SINLAND		91.38	44.04			<del>                                     </del>	<del>                                     </del>		<b> </b>		$\overline{}$
7-7411	LE ASTIMILE TRIBAL DIGITAL GODGORIDER LINE (ADSL) COMP	ATTIOLI			1							·		L		

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina											Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring Disconnec				Rates(\$)		
	0.000 - 11-1 - 11-1 - 10						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10.14	117.08	68.36							
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	OAL	UALZA	10.14	117.00	00.30							<del>                                     </del>
	& facility reservation - Zone 2		2	UAL	UAL2X	11.59	117.08	68.36							
	2 Wire Unbundled ADSL Loop including manual service inquiry														
	& facility reservation - Zone 3		3	UAL	UAL2X	12.28	117.08	68.36			-				ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	10.14	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry &		'	OAL	OALZVV	10.14	32.03	30.02		+	<del>                                     </del>				<del> </del>
	facility reservaton - Zone 2		2	UAL	UAL2W	11.59	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UAL UAL	UAL2W UREWO	12.28	92.83 78.06	56.02 32.38		+		ļ			1
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	UAL	UKEWU		78.06	32.38		+	1	-			1
2 *****	2 Wire Unbundled HDSL Loop including manual service inquiry	TIDEL .	1												
	& facility reservation - Zone 1		1	UHL	UHL2X	7.95	125.50	76.77							
	2 Wire Unbundled HDSL Loop including manual service inquiry														
	& facility reservation - Zone 2		2	UHL	UHL2X	9.15	125.50	76.77							ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.53	125.50	76.77							
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	UTILZA	9.55	125.50	70.77		+	<del>                                     </del>				<del> </del>
	and facility reservation - Zone 1		1	UHL	UHL2W	7.95	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 2		2	UHL	UHL2W	9.15	101.24	64.43							ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	9.53	101.24	64.43							
	CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	9.55	78.00	32.38				<u> </u>			1
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	OTIL	OREVIO		70.00	02.00				1			<u> </u>
	4 Wire Unbundled HDSL Loop including manual service inquiry														
	and facility reservation - Zone 1		1	UHL	UHL4X	11.01	153.26	104.54							ļ
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12.20	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL4X	12.20	153.26	104.54			+	<u> </u>			-
	and facility reservation - Zone 3		3	UHL	UHL4X	13.49	153.26	104.54							
	4-Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 1		1	UHL	UHL4W	11.01	129.00	92.20			1				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	12.20	129.00	92.20							
	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL4VV	12.20	129.00	92.20		+	1	-			1
	and facility reservation - Zone 3		3	UHL	UHL4W	13.49	129.00	92.20							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		78.00	32.38							
4-WIR	E DS1 DIGITAL LOOP										ļ				1
	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1	USLXX	63.62 104.40	245.16 245.16	152.98 152.98			-				ļ
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL, NTCD1 USL, NTCD1	USLXX	210.22	245.16	152.98		+	1	-			1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	COL, NIODI	OOLAA	210.22	245.10	132.30			1	<b>†</b>			<del>                                     </del>
	DS1)			USL, NTCD1	URESL		25.05	3.53							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per														
$\vdash$	DS1)		-	USL, NTCD1	URESP		26.55	5.03		_	-				<del>                                     </del>
4-WID	CLEC to CLEC Conversion Charge without outside dispatch E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		-	USL	UREWO		100.99	43.00			1	<del>                                     </del>			+
7	4 Wire Unbundled Digital 19.2 Kbps		1	UDL, NTCUD	UDL19	21.98	121.86	85.48							<b>†</b>
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL, NTCUD	UDL19	27.58	121.86	85.48							
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	43.08	121.86	85.48							ļ
$\vdash$	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL, NTCUD UDL, NTCUD	UDL56 UDL56	21.98 27.58	121.86 121.86	85.48 85.48			1	-			-
<del>                                     </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2  4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD	UDL56	43.08	121.86	85.48 85.48			<del>                                     </del>	<del>                                     </del>			+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL64	21.98	121.86	85.48			t	1			<b>†</b>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL, NTCUD	UDL64	27.58	121.86	85.48			1				

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2 Fxh. A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ	3	UDL, NTCUD	UDL64	43.08	121.86	85.48								
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL, NTCUD	URESL		25.05	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL, NTCUD	URESP		26.55	5.03								
-		CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		101.86	49.62								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.14	116.18	67.46								
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.59	116.18	67.46								
		2 Wire Unbundled Copper Loop-Designed including manual	-		UCL	UCLPB	11.59	110.10	67.40								
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.28	116.18	67.46								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.14	91.92	55.12								
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.59	91.92	55.12								
		2-Wire Unbundled Copper Loop-Designed without manual		3	UCL	UCLPW	12.28	04.00	55.40								
		service inquiry and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch	-	3	UCL	UCLPW	12.28	91.92	55.12								
		(UCL-Des)			UCL	UREWO		89.06	34.45								
	4-WIRE	COPPER LOOP															
		4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	13.10	139.69	90.96								
		4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	15.17	139.69	90.96								
		4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	17.03	139.69	90.96								
		4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	13.10	115.43	78.63								
		4-Wire Copper Loop without manual service inquiry and facility		<u>'</u>	OCL	UCL4VV	13.10	113.43	76.03								
-		reservation - Zone 2  4-Wire Copper Loop without manual service inquiry and facility		2	UCL	UCL4W	15.17	115.43	78.63								
		reservation - Zone 3		3	UCL	UCL4W	17.03	115.43	78.63								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		89.06	34.45								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
					UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD. USL.												
		Order Coordination for Specified Conversion Time (per LSR)		L	NTCD1, UEANL	OCOSL		17.56									
LOOP I	MODIFI	CATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification, Removal of Load Coils - 2 wire	-	-	UEPSB	ULM2L		0.00	0.00								
		greater than 18k ft			UCL, ULS, UEQ	ULM2G		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire		<b>†</b>	,,	T		2.20	2.20		İ						
		less than or equal to 18K ft, per Unbundled Loop	ļ	ļ	UHL, UCL, UEA	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		0.00	0.00								
					UAL, UHL, UCL,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA, UEANL, UEPSR,												
SUB-LO	)OPS	per unbundled loop	<b> </b>	<u> </u>	UEPSB	ULMBT		12.15	12.15		1						
		l pop Distribution		<del>                                     </del>							1						
			<u> </u>	1	l	<u> </u>				1	1	L	<u> </u>		1		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disconn	ect	•	oss	Rates(\$)	•	•
						Nec	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			LIEANII LIEE	110004		444.00								
	Up			UEANL, UEF	USBSA		144.09				+	-			<del> </del>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		10.99	10.99							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder				-										<b>†</b>
	Facility Set-Up			UEANL	USBSC		86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			115 441	HODOD		07.40	07.40							
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		27.13	27.13		-		-			+
	Zone 1		1	UEANL	USBN2	6.70	63.89	30.06							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				332		33.00								
	Zone 2		2	UEANL	USBN2	9.93	63.89	30.06							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	12.79	63.89	30.06							
	Zone 3		3	UEANL	USBNZ	12.79	63.89	30.06				-			<b>-</b>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -														
	Zone 1		1	UEANL	USBN4	10.81	76.75	42.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	LIFANI	USBN4	44.40	70.75	40.00							
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	14.16	76.75	42.92				-			<b>-</b>
	Zone 3		3	UEANL	USBN4	24.67	76.75	42.92							
			_		332111										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.34	51.48	17.65							ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.18	57.54	23.71				1			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							ļ
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA		33.17 19.28	0.00 19.28				ļ			1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.43	63.89	30.06		+		<del> </del>			<del>                                     </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.04	63.89	30.06			+				<b>†</b>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	9.79	63.89	30.06							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		4	UEF UEF	USBMC UCS4X	6.34	7.92 76.75	7.92 42.92			1				<b></b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X UCS4X	9.62	76.75 76.75	42.92		-		-			-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	13.04	76.75	42.92		+					
			_												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			LIEE LIEANII	LIDET		0.00	0.00							
	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour			UEF, UEANL UEF	URETL URET1		8.93 33.17	0.88			+	-			<del>                                     </del>
	Loop Testing - Basic 1st Half Hour		l	UEF	URETA		19.28	19.28		+	1	<b>+</b>			<del>                                     </del>
Unbun	dled Sub-Loop Modification														
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load						_								
	Coil/Equip Removal per 2-W PR		<u> </u>	UEF	ULM2X		0.00	0.00			1				<b></b>
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00							
	Unbundled Loop Modification, Removal of Bridge Tap, per			02.	JEIVITA		0.00	0.00							
[	unbundled loop		L	UEF	ULMBT		224.55	4.29			<u> </u>	<u> </u>	<u> </u>		
Unbun	dled Network Terminating Wire (UNTW)														
Net	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.51	14.72	14.72				-			<del>                                     </del>
Netwo	rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	<del> </del>	86.37	56.69		+	1	<del>                                     </del>			-
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21			1				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73				1	1		

UNBUI	NDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh. A		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73								
UNE OT	HER, P	ROVISIONING ONLY - NO RATE															
		Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				i e					
		Unbundled DS1 Loop - Expanded Superframe Format option -										İ					
		no rate			USL	CCOEF	0.00	0.00					1	I			
İ		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
HIGH C		Y UNBUNDLED LOCAL LOOP		1		1						1			ĺ		ĺ
	NOTE:	minimum billing period of three months for DS3/STS-1 Local	Loop														
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.95										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	229.90	438.46	256.30								
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.95	100.10	200.00								
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	257.82	438.46	256.30								
LOOP N	AVE				UDLOX	UDLST	257.02	430.40	230.30			-					
LOOP IV	AKE-U	Loop Makeup - Preordering Without Reservation, per working or										<b> </b>					
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE SF																	
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	15.53	7.79								
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6325	17.87	10.29								
		DLED EXCHANGE ACCESS LOOP					ļ							<b></b>			ļ
ļ!	2-WIRE	ANALOG VOICE GRADE LOOP				ļ	ļ					ļ		<b></b>	ļ		ļ
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.82	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.82	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3			UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3			UEPSR UEPSB	UEABS	24.08	36.54	16.87	0.00	0.00						
	PHYSIC	CAL COLLOCATION		Ŭ	C. SK OLI OD	02/100	24.00	55.54	10.07	0.00	0.00						
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	19.77	14.95	0.00	0.00						
ļ]	virtu/	AL COLLOCATION				ļ	ļ					ļ		<b></b>	ļ		ļ
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
		DEDICATED TRANSPORT															
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0095										

	RATE ELEMENTS  Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination	Interi m	Zone	BCS							1	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa
				603	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l		Charge - Manual Svo Order vs. Electronic Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonre			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TVX	U1TV2	12.12	39.36	26.62								ļ
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			11477.07	41.500/	0.0005										
I	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0095									1	<u> </u>
	Facility Termination			U1TVX	U1TR2	12.12	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVA	UTINZ	12.12	39.30	20.02								+
. 1	Per Mile per month			U1TVX	1L5XX	0.0095										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade					0.000									t	
.	- Facility Termination			U1TVX	U1TV4	10.19	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0095										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	7.47	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0095										<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	7.47	39.37	26.62								
	month			U1TD1	1L5XX	0.1938										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	וטווטו	ILSAX	0.1938					-				-	<del> </del>
	Termination			U1TD1	U1TF1	31.19	86.69	79.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIDI	01111	31.19	80.03	75.44							-	-
	month			U1TD3	1L5XX	4.44										
	Interoffice Channel - Dedicated Transport - DS3 - Facility														t	
	Termination per month			U1TD3	U1TF3	329.91	270.69	158.05								
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
,	month			U1TS1	1L5XX	4.44										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	339.20	270.69	158.05								
	IDLED DARK FIBER															ļ
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction			LIBE LIBEOU				400.00								
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	24.77	620.60	133.88								ļ
911 PBX LOCAT	X LOCATE DATABASE CAPABILITY				-										1	<u> </u>
	Service Establishment per CLEC per End User Account		1	9PBDC	9PBEU		1,823.00				-				-	<del> </del>
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.45									+
	Per Telephone Number (Monthly)		<b>†</b>	9PBDC	9PBMM	0.07	102.43		1						<b>-</b>	<b>†</b>
	Change Company (Service Provider) ID			9PBDC	9PBPC	5.07	535.57								<b>†</b>	
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	165.63									1	1
	Service Order Charge			9PBDC	9PBSC		15.20									1
	X LOCATE TRANSPORT COMPONENT															
See Att																
	(TENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will a															
	The monthly recurring and the Switch-As-Is Charge and not the					UNE combinati	ons provision	ed as ' Current	ly Combined' I	Network Eleme	nts.				ļ	<u> </u>
EXTENT	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1				11.00	005.00	70.00	1	1					<del>                                     </del>	<del>                                     </del>
	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2		1 2	UNCVX	UEAL2 UEAL2	11.96 17.36	385.26	72.08 72.08	1	1	1				1	-
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3		_		UEAL2	25.23	385.26	72.08	1	1				-	<del>                                     </del>	+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEALZ	25.23	385.26	12.08							+	<del>                                     </del>
	per month			UNC1X	1L5XX	0.1938									I	
	Interoffice Transport - Dedicated - DS1 combination - Facility		<b>†</b>	OINO IA	ILUAA	0.1938			1	1	<b>H</b>				t	1
	Termination per month			UNC1X	U1TF1	31.06	234.02	162.52							I	
	1/0 Channelization System in combination Per Month		<b>†</b>	UNC1X	MQ1	70.84	170.57	0.00	1						<b>-</b>	<b>†</b>
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4329	54.14	17.51							<u> </u>	
					1				1	1					İ	1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2 Exh. A		
												Incremental	Incremental	Incremental	Incremental
										Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)		per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m								po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
		-					Nonrec	urring	Nonrecurring Disconne	~+	1	OSS	Rates(\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
											1				
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.36	385.26	72.08							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	25.23	385.26	72.08							
	Voice Grade COCI - Per Month	1	3	UNCVX	1D1VG	0.4329	54.14	17.51							
EXTEN	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER			37.13									
					I										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1	UNCVX	UEAL4	19.52	385.26	72.08							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.74	385.26	72.08							
	Zono Z		<u> </u>								†				
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	ļ	3	UNCVX	UEAL4	46.11	385.26	72.08							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINCAV	11 5 7 7	0.4000									
	Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per	<b>-</b>		UNC1X	1L5XX	0.1938				+	1				
	Month			UNC1X	U1TF1	31.06	234.02	162.52							
	1/0 Channel System in combination Per Month			UNC1X	MQ1	70.84	170.57	0.00							
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4329	54.14	17.51							
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	19.52	385.26	72.08							
	Additional 4-Wire Analog Voice Grade Loop in same DS1		'	ONCVA	OLAL4	19.32	363.20	72.00							
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	24.74	385.26	72.08							
	Additional 4-Wire Analog Voice Grade Loop in same DS1				I										
	Interoffice Transport Combination - Zone 3  Additional Voice Grade COCI in combination - per month	-	3	UNCVX UNCVX	UEAL4 1D1VG	46.11 0.4329	385.26 54.14	72.08 17.51							
EXTEN	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			0.4329	54.14	17.51							
		Ī													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.98	385.26	72.08							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08							
	First 4-Wire Sokops Digital Grade Loop III Combination - Zone Z	1		UNCDA	UDLS6	21.56	303.20	72.00							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.08	385.26	72.08							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile														
	Per Month	ļ		UNC1X	1L5XX	0.1938				_					
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	31.06	234.02	162.52							
	1/0 Channel System in combination Per Month			UNC1X	MQ1	70.84	170.57	0.00							
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.9199	54.14	17.51							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINCDY	LIDLEC	24.00	205.00	70.00							
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>-</b>	1	UNCDX	UDL56	21.98	385.26	72.08		+	1				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	43.08	385.26	72.08			1				
1 1	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1		UNCDX	1D1DD	0.9199	54.14	17.51							
EXTEN	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			0.3199	54.14	17.31							
						İ									
$\vdash$	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL64	21.98	385.26	72.08							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08							
				5.105/	JULUT	21.50	303.20	12.00		+	<u> </u>				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINGAY	41.5007	6 1005									
$\vdash$	Per Month interoffice Transport - Dedicated - DS1 combination - Facility	-	-	UNC1X	1L5XX	0.1938				+	+				
1 1	Termination Per Month			UNC1X	U1TF1	31.06	234.02	162.52							
	1/0 Channel System in combination Per Month			UNC1X	MQ1	70.84	170.57	0.00							
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9199	54.14	17.51							

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina											Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Do.	Nonre	urring	Nonrecurring Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.98	385.26	72.08							<b></b>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_					=							i .
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08		-					<del>                                     </del>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08							ĺ
	Additional OCU-DP COCI (data) - in combination - per month		3	ONODA	ODL04	43.00	303.20	72.00		+					<b>——</b>
	(2.4-64kbs)			UNCDX	1D1DD	0.9199	54.14	17.51							ĺ
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	63.62	412.03	139.55							
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	104.40	412.03	139.55							l —
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	210.22	412.03	139.55							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAY	41.500										1
	Per Month			UNC1X	1L5XX	0.1938									<b>—</b>
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	31.06	234.02	162.52							1
EYTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED DS3	INTER			31.06	234.02	102.52		+					<b></b>
LATE	First DS1Loop in Combination - Zone 1	LD D33		UNC1X	USLXX	63.62	412.03	139.55		+					<b> </b>
-	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	104.40	412.03	139.55		+	1				<b>—</b>
1	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	210.22	412.03	139.55		1					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile														
	Per Month			UNC3X	1L5XX	4.44									1
	Interoffice Transport - Dedicated - DS3 - Facility Termination per														1
	month			UNC3X	U1TF3	329.91	802.81	146.02							<b></b>
	3/1Channel System in combination per month			UNC3X	MQ3	84.32	0.00	0.00							<b></b>
	DS1 COCI in combination per month			UNC1X	UC1D1	8.43	54.14	17.51		-					<del>                                     </del>
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	63.62	412.03	139.55							ĺ
_	Additional DS1Loop in DS3 Interoffice Transport Combination -		-	UNCIA	USLAA	03.02	412.03	139.55		+					<b></b>
	Zone 2		2	UNC1X	USLXX	104.40	412.03	139.55							ĺ
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	COLFOR	104.40	412.00	100.00		1					
	Zone 3		3	UNC1X	USLXX	210.22	412.03	139.55							i .
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.43	54.14	17.51							
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE												
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.96	385.26	72.08							<b></b>
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.36	385.26	72.08			ļ				<del> </del>
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	25.23	385.26	72.08		+					<del></del>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0095									1
	Interoffice Transport - 2-wire VG - Dedicated - Facility			5.1017	120/0/	0.0033				+	1				<del>                                     </del>
	Termination per month			UNCVX	U1TV2	12.12	131.81	78.34							ĺ
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE												
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	19.52	385.26	72.08							
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	24.74	385.26	72.08							
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	46.11	385.26	72.08							<b></b>
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINGVA	41.577	0.0005									1
	Month Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	1L5XX	0.0095			<del>                                     </del>	+	1				<del>                                     </del>
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	10.19	131.81	78.34							1
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		31144	10.19	101.01	70.04		1					
	DS3 Local Loop in combination - per mile per month		T	UNC3X	1L5ND	12.95				1					
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	229.90	802.81	146.02							<u> </u>
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.44		· · · · ·							
	Interoffice Transport - Dedicated - DS3 combination - Facility				I	l 🗍									1
	Termination per month	0.4.15:=		UNC3X	U1TF3	329.91	802.81	146.02		+					<del></del>
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	5-1 INT	EROFF		11 END	40.05				+	ļ				<del></del>
	STS-1 Local Lolp in combination - per mile per month		<u> </u>	UNCSX	1L5ND	12.95			11		1	l .		1	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	_	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring Disconnec	t	•	oss	Rates(\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	STS-1 Local Loop in combination - Facility Termination per														ĺ
	month CTO 1		ļ	UNCSX	UDLS1	339.20	3,073.55	1,245.84							<b>!</b>
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.44									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	339.20	802.81	146.02							
EXTEN	IDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN													<b></b>
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.78	385.26	72.08							1
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	26.16	385.26	72.08							1
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	35.37	385.26	72.08							<b></b>
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.1938									
	Interoffice Transport - Dedicated - DS1 combination - Facility		1		=.					1		I			1
	Termination per month			UNC1X	U1TF1	31.06	234.02	162.52							<b></b>
	1/0 Channel System in combination - per month			UNC1X	MQ1	70.84	170.57	0.00							<b>——</b>
<b></b>	2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	1.53	54.14	17.51				-			<del></del>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.78	385.26	72.08							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	26.16	385.26	72.08							
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	35.37	385.26	72.08							
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	1.53	54.14	17.51							
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS													<b></b>
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	63.62	412.03	139.55							<b></b>
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	104.40	412.03	139.55							<del>                                     </del>
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	210.22	412.03	139.55		_					<del></del>
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.44									
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINIOOV		000.00	000.04	4.40.00							i .
	Termination per month		1	UNCSX	U1TFS	339.20	802.81	146.02	<b>.</b>	-	+				<del></del>
	3/1 Channel System in combination per month			UNCSX	MQ3	84.32	0.00	0.00			1				<del></del>
	DS1 COCI in combination per month Additional DS1Loop in the same STS-1 Interoffice Transport			UNC1X	UC1D1	8.43	54.14	17.51							
	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	63.62	412.03	139.55							
	Combination - Zone 2 Additional DS1Loop in the same STS-1 Interoffice Transport		2	UNC1X	USLXX	104.40	412.03	139.55							
	Combination - Zone 3		3	UNC1X	USLXX	210.22	412.03	139.55				L			<b></b>
	DS1 COCI in combination per month	L	<u> </u>	UNC1X	UC1D1	8.43	54.14	17.51				1			<b></b>
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT			LIDLE?	212		=0.4-				-	<b> </b>		
ļ	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.98	385.26	72.08		_		ļ			<b>—</b>
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08		_					<b></b>
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	43.08	385.26	72.08							
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0095									
	Facility Termination per month		l	UNCDX	U1TD5	7.47	131.81	78.34				ļ			<b></b>
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT			LUDI 6:					_	1				<b></b>
	4-wire 64 kbps Local Loop in Combination - Zone 1			UNCDX	UDL64	21.98	385.26	72.08		_					<b></b>
<b></b>	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08				-			<del></del>
	4-wire 64 kbps Local Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	43.08	385.26	72.08		_		<b>_</b>			<del></del>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINORY	41.500						1	I			1
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0095	101 -								
EVT	Facility Termination per month	/ 0//	MILE	UNCDX	U1TD6	7.47	131.81	78.34		+	1	<del>                                     </del>	<b> </b>		<b>—</b>
EXIEN	IDED 2-WIRE VG LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-wire VG Loop (SL2) in Combination - Zone 1	w/ 3/1	1	UNCVX	UEAL2	11.96	385.26	72.08							

UNDUNDLE	NETWORK ELEMENTS - North Carolina											Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonreci		Nonrecurring Disconnec				Rates(\$)		
	51			1 11 10 10 1			First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX UNCVX	UEAL2 UEAL2	17.36 25.23	385.26 385.26	72.08 72.08			1				<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCVX	UEAL2	25.23	385.26	72.08		-	+				<del></del>
	Mile			UNC1X	1L5XX	0.1938									İ
	First Interoffice Transport - Dedicated - DS1 combination -														
	Facility Termination per month			UNC1X	U1TF1	31.06	234.02	162.52							
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	70.84	170.57	0.00							
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4329	54.14	17.51							
	3/1 Channel System in combination per month			UNC3X	MQ3	84.32	0.00	0.00							<b></b>
	Per each DS1 COCI in combination per month	-	-	UNC1X	UC1D1	8.43	54.14	17.51			1				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1	LINICV	UEAL2	11.96	205.00	70.00		- 1	1				1
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1	<del>                                     </del>	-	UNCVX	UEALZ	11.90	385.26	72.08		+	+	<del> </del>	<del> </del>	<b> </b>	<del>                                     </del>
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.36	385.26	72.08		- 1	1				1
<del>                                     </del>	Each Additional 2-Wire VG Loop(SL2) in the same DS1			DINOVA	ULALZ	17.30	303.20	12.00		+	<del>                                     </del>	<del> </del>	<del> </del>	-	<del>                                     </del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	25.23	385.26	72.08		- 1					1
	Each Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.4329	54.14	17.51			+				<del>                                     </del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOVA	15110	0.4020	04.14	17.01			1				
	Channel System per month			UNC1X	1L5XX	0.1938									
	Each Additional DS1 Interoffice Channel Facility Termination in														
	same 3/1 Channel System per month			UNC1X	U1TF1	31.06	234.02	162.52							
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	8.43	54.14	17.51							
	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 N	IUX										
	First 4-Wire Analog Voice Grade Local Loop in Combination -														
	Zone 1		1	UNCVX	UEAL4	19.52	385.26	72.08							
	First 4-Wire Analog Voice Grade Local Loop in Combination -														
	Zone 2		2	UNCVX	UEAL4	24.74	385.26	72.08							
	First 4-Wire Analog Voice Grade Local Loop in Combination -														
	Zone 3		3	UNCVX	UEAL4	46.11	385.26	72.08							
	First Interoffice Transport - Dedicated - DS1 combination - Per														ĺ
	Mile Per Month			UNC1X	1L5XX	0.1938									
	First Interoffice Transport - Dedicated - DS1 - Facility														
	Termination Per Month			UNC1X	U1TF1	31.06	234.02	162.52							<b></b>
	Per each 1/0 Channel System in combination Per Month	-	-	UNC1X	MQ1	70.84	170.57	0.00			1				
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4329	54.14	17.51		_	+				<del></del>
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month		-	UNC3X UNC1X	MQ3 UC1D1	84.32 8.43	0.00 54.14	0.00 17.51			<del>                                     </del>		-	-	<del></del>
	Additional 4-Wire Analog Voice Grade Loop in same DS1	<del>                                     </del>	-	ONCIA	OCIDI	8.43	54.14	17.51		+	+	<del> </del>	<del> </del>	<b> </b>	<del>                                     </del>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	19.52	385.26	72.08		- 1	1				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1	<b>-</b>	<del></del>	5.15VA	JE/ IE-	10.02	555.20	72.00			<del>                                     </del>				<b>—</b>
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	24.74	385.26	72.08		- 1	1				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	46.11	385.26	72.08		- 1					1
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			1 1					1	1	İ	İ	l	
	Channel System per month			UNC1X	1L5XX	0.1938				- 1	1				1
	Each Additional DS1 Interoffice Channel Facility Termination in														
	same 3/1 Channel System per month			UNC1X	U1TF1	31.06	234.02	162.52							
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4329	54.14	17.51							
	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX	$\Box$					<u> </u>				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	21.98	385.26	72.08							1
			-	UNCDX	UDLS6	21.98	385.26	72.08		_	-				<del></del>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	27.58	385.26	72.08		- 1	1				1
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	-		OINCDV	UDLOB	21.08	აგე.∠გ	72.08	<del>                                     </del>	+	1			-	<del></del>
	Zone 3		3	UNCDX	UDL56	43.08	385.26	72.08		- 1	1				1
1	First Interoffice Transport - Dedicated - DS1 combination - Per	<b>H</b>	٥	אַסטאַיס	ODESO	43.00	303.20	12.08		+	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b>l</b>	<del>                                     </del>
[ [	Mile Per Month			UNC1X	1L5XX	0.1938				- 1	1				1
	First Interoffice Transport - Dedicated - DS1 - combination					2250				1	<u> </u>	İ	İ		
	Facility Termination Per Month	1		UNC1X	U1TF1	31.06	234.02	162.52	1	1	1				1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disconnect		1	oss	Rates(\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	70.84	170.57	0.00							ļ
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9199	54.14	17.51		+	ļ				<b></b>
-	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	84.32 8.43	0.00 54.14	0.00 17.51		-	<b>.</b>				<b>-</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	OCIDI	0.43	34.14	17.51		+					<b> </b>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.98	385.26	72.08							l
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														l
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	43.08	385.26	72.08		-					<del>                                     </del>
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	0.9199	54.14	17.51							l
	Each Additional DS1 Interoffice Channel per mile in same 3/1	<del>                                     </del>	<del>                                     </del>	0.1007	טטוטו	0.5159	34.14	11.31		+	1				
	Channel System per month			UNC1X	1L5XX	0.1938									l
	Each Additional DS1 Interoffice Channel Facility Termination in	İ													
	same 3/1 Channel System per month			UNC1X	U1TF1	31.06	234.02	162.52		1					
	Each Additional DS1 COCI in the same 3/1 channel system						_,								l
EVTEN	combination per month	INTERO	FFICE	UNC1X	UC1D1	8.43	54.14	17.51		_					<b> </b>
EXIEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERO	FFICE	TRANSPORT W/ 3/	1 MUX					-					-
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.98	385.26	72.08							l
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODX	OBLOT	21.00	000.20	72.00		1					
	Transport Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08							l
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice														
	Transport Combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08							
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAN	41.500/	0.4000									l
	Mile Per Month First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	1L5XX	0.1938				+					<b> </b>
	Facility Termination Per Month			UNC1X	U1TF1	31.06	234.02	162.52							l
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	70.84	170.57	0.00		1					
	Per each OCU-DP COCI (data) in combination - per month (2.4-														
	64kbs)			UNCDX	1D1DD	0.9199	54.14	17.51							1
	3/1 Channel System in combination per month			UNC3X	MQ3	84.32	0.00	0.00							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.43	54.14	17.51							ļ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	LINCDY	UDL64	21.98	385.26	72.08							l
<del>                                     </del>	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<del>                                     </del>	<u> </u>	UNCDX	UDL04	21.98	385.∠6	12.08		+	}				<b>——</b>
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL64	27.58	385.26	72.08							l
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	<u> </u>				322.29	50		1					
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08		1					
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System				15155										
	combination - per month (2.4-64kbs)	-		UNCDX	1D1DD	0.9199	54.14	17.51		-	ļ				<del> </del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1938									l
<del>                                     </del>	Each Additional DS1 Interoffice Channel Facility Termination in	<u> </u>	-	ONOIA	ILUAA	0.1530	+			+					<b>——</b>
	same 3/1 Channel System per month	1		UNC1X	U1TF1	31.06	234.02	162.52							
	Each Additional DS1 COCI in the same 3/1 channel system	İ													
	combination per month			UNC1X	UC1D1	8.43	54.14	17.51							
EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX												<u> </u>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1	UNCNX	U1L2X	19.78	205.00	70.00							
$\vdash$	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<del>                                     </del>	1	UNCINA	UILZX	19.78	385.26	72.08		+	}				<del></del>
	Transport - Zone 2	1	2	UNCNX	U1L2X	26.16	385.26	72.08							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	i e	T-			250	300.20	. 2.30		1					
	Transport - Zone 3		3	UNCNX	U1L2X	35.37	385.26	72.08							
	First Interoffice Transport - Dedicated - DS1 combination - Per														
	Mile per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1938				-	1				<b></b>
	First Interoffice Transport - Dedicated - DS1 combination -			UNC1X	U1TF1	31.06	234.02	162.52							l
	Facility Termination per month	l		OINCIA	UTIFT	31.06	234.02	102.52	1 1	1	L	1			

UNBUNDLE	NETWORK ELEMENTS - North Carolina												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	70.84	170.57	0.00								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.53	54.14	17.51								
	3/1 Channel System in combination per month			UNC3X	MQ3	84.32	0.00	0.00								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.43	54.14	17.51								-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.78	385.26	72.08								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCIX	UTLZX	19.78	385.26	72.08							-	<del> </del>
	Combination - Zone 2		2	UNCNX	U1L2X	26.16	385.26	72.08								l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONON	OTLEX	20.10	000.20	72.00	1							<del>                                     </del>
	Combination - Zone 3		3	UNCNX	U1L2X	35.37	385.26	72.08								
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		Ť		1	33.57	300.20	. 2.30							1	
	system combination- per month			UNCNX	UC1CA	1.53	54.14	17.51							I	1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.1938								<u></u>		
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	31.06	234.02	162.52								
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.43	54.14	17.51								<u> </u>
EXTEN	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS			1											ļ
	First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 1			UNC1X	USLXX	63.62	412.03	139.55								<b></b>
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2			UNC1X	USLXX	104.40	412.03	139.55							1	<del></del>
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNC1X	USLXX	210.22	412.03	139.55								<del>                                     </del>
	Mile Per Month			UNC1X	1L5XX	0.1938										
_	First Interoffice Transport - Dedicated - DS1 combination -		-	UNCIX	ILSAA	0.1930									-	<del>                                     </del>
	Facility Termination Per Month			UNC1X	U1TF1	31.06	234.02	162.52								l
	3/1 Channel System in combination per month			UNC3X	MQ3	84.32	0.00	0.00							1	1
	Per each DS1 COCI combination per month			UNC1X	UC1D1	8.43	54.14	17.51								
	Each Additional DS1 Interoffice Channel per mile in same 3/1								i i							
	Channel System per month			UNC1X	1L5XX	0.1938										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	31.06	234.02	162.52								
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.43	54.14	17.51								1
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	63.62	412.03	139.55								ļ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_	LINGAY	LICLYY	404.40	440.00	400 ==							1	
	Additional 4 Wire DC4 Digital Local Local Local Combination 7	-	2	UNC1X	USLXX	104.40	412.03	139.55			1			-	1	<del>                                     </del>
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		3	UNC1X	USLXX	210.22	412.03	139.55							I	1
FYTEN	ाउ DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 ।	NTERO			USLAA	210.22	412.03	138.55							<del>                                     </del>	<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 1	I LKO		UNCDX	UDL56	21.98	385.26	72.08	<del>                                     </del>						t	<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.58	385.26	72.08	<del>                                     </del>						t	<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	43.08	385.26	72.08							<u> </u>	<b>—</b>
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ť		1	.5.00	555.20							İ	1	
	per month			UNCDX	1L5XX	0.0095									1	1
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility								i i							
	Termination per month			UNCDX	U1TD5	7.47	131.81	78.34					<u> </u>	<u> </u>	<u> </u>	
	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO				•		•		•						
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.98	385.26	72.08								
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	27.58	385.26	72.08								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08								<del></del>
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			LINODY	41.500/	0.000=									I	1
	per month  First 4 wire 64 kbps Intereffice Transport Dedicated Facility		-	UNCDX	1L5XX	0.0095					1				<del>                                     </del>	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	7.47	131.81	78.34							I	1
DDITIONAL N	ETWORK ELEMENTS	<del>                                     </del>	<del>                                     </del>	סואסטא	סטווט	1.41	131.01	10.34	1		1			<b> </b>	+	<del></del>
	ISEN AS A part of a currently combined facility, the non-recurr	l ma ob ==	ave 4-	not apply but - C	witch As Is al-	argo dess a	dv		+ +		1			<b> </b>	-	<del></del>

	ED NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh. A		
	NETWORK ELEMENTS NORTH Sursmin										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		lustani									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
When	used as ordinarily combined network elements in All States, the	ne non-	recurri	ng charges apply an	d the Switch	As Is Charge d	oes not.									
	ecurring Currently Combined Network Elements "Switch As Is"	Charge														
Optio	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			404 =0			. =.						
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
		i		U1TD3, ULDD3,			0.40.00	=								
	C-bit Parity Option - Subsequent Activity - per DS3		-	UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00	1					
				UNCVX, UNCDX, UNC1X. UNC3X.												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		11.28	11.28								
	Wholesale to ONE, Switch-As-is Conversion Charge				UNCCC		11.20	11.20			<b> </b>					
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,												
	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	ı		U1TS1, UDF, UE3	URESL		40.25	13.51								
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,												
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	- 1		U1TS1, UDF, UE3	URESP		64.04	25.62								
MULT	TIPLEXER Interfaces															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	70.84	170.57	0.00								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9199	6.39	4.58								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9199	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month for a Local Loop			UDN	UC1CA	1.53	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month used for connection to a channelized DS1 Local Channel			LIATUD	110404	4.50	0.00	4.50								
	in the same SWC as collocation		-	U1TUB	UC1CA	1.53	6.39	4.58			1					
	Voice Grade COCI - DS1 to DS0 Channel System - per month			1 I = A	4041/0	0.4000	0.00	4.50								
$\vdash$	used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month		-	UEA	1D1VG	0.4329	6.39	4.58			-					
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.4329	6.39	4.58								. 1
$\vdash$	DS3 to DS1 Channel System per month		<del>                                     </del>	UNC3X	MQ3	84.32	0.00	0.00						<del> </del>		
+	STS-1 to DS1 Channel System per month		<del>                                     </del>	UNCSX	MQ3	84.32	0.00	0.00								
+	DS1 COCI used with Loop per month		<del>                                     </del>	USL	UC1D1	8.43	6.39	4.58								
	DS1 COCI (used for connection to a channelized DS1 Local		t			3.40	3.00	00								
	Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	8.43	6.39	4.58				1				
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.43	6.39	4.58					i	i		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per		1			55	5.55	50			1	1		İ		
	month		1	ULDD1	UC1D1	8.43	6.39	4.58				1				
Acces	ss to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment						1.43	1.43								
	DS1 DSC Termination with DS0 Switching					21.64	24.81	19.09								
	DS1 DSC Termination with DS1 Switching					7.34	17.93	12.22								
	DS3 DSC Termination with DS1 Switching					136.07	24.81	19.09								
Service	ce Rearrangements															
				U1TVX, U1TDX,									l			. 7
			1	UEA, UDL, U1TUC,								1				
			1	U1TUD, U1TUB,								1				
	NRC - Change in Facility Assignment per circuit Service	_		ULDVX, ULDDX,	l											
1 1	Rearrangement			UNCVX, UNCDX	URETD		269.90	47.10			1		l			

UNE	BUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment: 2	2 Exh. A		
CAT	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								
		Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
		aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.89	18.89								

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect			220	Rates(\$)	l .	l
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavers	ged UNE Zone	Designation	ons by Centi	ral Office, refe	er to internet	Website:	
	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m		-			•		-	-				
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers th															
		ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	LEC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	flects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	anual ordering	g charge,
-	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	eliSout	n.		I	1		ı		ı	ı	1		ı	ı	1
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
$\vdash$		OSS - Manual Service Order Charge, Per Local Service Request				JOIVILO		3.30	0.00	3.30	0.00				<b> </b>	<b> </b>	
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE SE	RVICE	DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC		on 5 as appli	cable.			•							
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,					1							
		Day			NTCUD, NTCD1	SDASP		200.00	200.00	ļ							
ORDER	MODIF	ICATION CHARGE						00.01	0.00						ļ	ļ	
$\vdash$		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	-					26.21 150.00	0.00	0.00	0.00				-	-	<del>                                     </del>
UNRUN		EXCHANGE ACCESS LOOP						150.00	0.00	0.00	0.00				<del> </del>	1	
		ANALOG VOICE GRADE LOOP								<b>†</b>		<b>†</b>			1	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32				l		

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 107 of 136

ONRONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		L	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
1						I	Nonrec	urring	Nonrecurring	Disconnect		l .	OSS	Rates(\$)	1	I .
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						101	71441		71441		00		00		00
	Premise			UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.81	8.96								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ļ	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42				ļ	1	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ļ	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42					ļ	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ļ	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42					ļ	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	<b> </b>	-	UEQ	URETL		8.95	0.88						<b> </b>	<del>                                     </del>	1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			UEQ	1100140		0.47	0.47								
	Non-Designed (per loop)			UEQ	USBMC		8.17	8.17	-							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		13.47	13.47								
	BST providing make-up (Engineering Information - E.I.)  Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	0.00	-							
	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90			-					
	CLEC to CLEC Conversion Charge Without Outside Dispatch		1	UEQ	UKETA		19.90	19.90	<b>+</b> + + + + + + + + + + + + + + + + + +		1				-	
	(UCL-ND)			UEQ	UREWO		14.30	7.45								
INBLINDI ED	EXCHANGE ACCESS LOOP		1	ULQ	UKLWO		14.30	7.43	<b>+</b> + + + + + + + + + + + + + + + + + +		1				-	
	E ANALOG VOICE GRADE LOOP								+ +						-	
2-4411	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			027,111010	027122	10.00	100.00	00.10	00.00	10.01						İ
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			,												
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	<b>!</b>	<u> </u>	UEA, NTCVG	URESL		24.88	3.51	ļ						ļ	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	l		LIEA NEOVO	LIDEOD		00.0=	4.00							1	
	DS0)	<b> </b>	-	UEA, NTCVG	URESP		26.37	4.99 36.44						<b> </b>	<del>                                     </del>	1
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	-	-	UEA, NTCVG UEA, NTCVG	UREWO URETL		87.90 11.24	1.10	<del>                                     </del>						<del>                                     </del>	1
4-78/10	E ANALOG VOICE GRADE LOOP	<del>                                     </del>	-	UEA, NTCVG	UKEIL		11.24	1.10	<del>                                     </del>		1			-	<del>                                     </del>	1
4-VVIR	4-Wire Analog Voice Grade Loop - Zone 1	<del>                                     </del>	1	UEA, NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61				<b> </b>	<del>                                     </del>	1
	4-Wire Analog Voice Grade Loop - Zone 1  4-Wire Analog Voice Grade Loop - Zone 2	-	2	UEA, NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61	<del>                                     </del>				+	1
+	4-Wire Analog Voice Grade Loop - Zone 2			UEA, NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61	<b>-</b>				t	<del> </del>
<del>-  </del>	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1		527, 111000	OL/ IL-T	70.00	102.00	37.03	33.33	17.01	<del>                                     </del>			1	<b>I</b>	1
	DS0)	1	1	UEA, NTCVG	URESL		24.88	3.51							I	
- 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				3202		200	3.01							<u> </u>	
	DS0)	l		UEA, NTCVG	URESP		26.37	4.99							1	
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch	i e		UEA, NTCVG	UREWO		87.90	36.44						İ	1	Ì
2-WIR	E ISDN DIGITAL GRADE LOOP	l		,	1		220							ĺ	1	
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61					t	1
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61					t	1
-	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
I .			_	Line	11051110		01.00	11.05	1		1				1	Ì
	CLEC to CLEC Conversion Charge without outside dispatch E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP			UDN	UREWO		91.82	44.25								

CATEGORY   RATE ELEMENTS   1964   200   8.05   8.05   8.05   8.05   8.05   8.05   8.05   9.			2 Exh. A	Attachment:												NBUNDLED NETWORK ELEMENTS - South Carolina
New Distancible APSE, Loop including mismal service inquiry   1	arge - ual Svc Manual Sv ler vs. Order vs. tronic- Electronic	Charge -	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- 1st	Submitted Manually	Submitted Elec			ν,			USOC	BCS	Zone		
2 West Unburneled ADSILLogo including menual service requiry   1 UAL UNIZEX   12.10   170.06   170.06   170.05   170.0											Rec					
Signifity reservation - Zero 1	MAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First						
2 Vivir Unbounded ADSL Loop Including namual service requiry   2 UAL		ĺ	ı				7.02	50.27	70.56	120.94	12.10	LIALOV	LIAI	4		
A facility reservation - Zone 2   2   UAL   UALZX   13.71   120.84   70.56   50.37   7.56			$\longrightarrow$				7.93	50.37	70.56	120.84	12.19	UALZX	UAL	-1	1	
							7.93	50.37	70.56	120.84	13.71	UAL2X	UAL	2		& facility reservation - Zone 2
Facility reservation - Zone 1							7.93	50.37	70.56	120.84	14.14	UAL2X	UAL	3		& facility reservation - Zone 3
2 Wine Unburned ADE, Loop without manual service inquiry 8   2 UML		l	ı				7 03	50.37	57.82	95.81	12 10	1101 210/	ΙΙΔΙ	1		
featility reservation - Zone 2		<del></del>					7.55	30.37	37.02	33.01	12.13	UALZVV	OAL		1	
Section reservation - Zone 3		<u> </u>					7.93	50.37	57.82	95.81	13.71	UAL2W	UAL	2		facility reservaton - Zone 2
CLEC TO CLEC CONVENION Change without outland diagraphic   VAL   UREWO   86.38   40.48		l	ı				7 93	50.37	57 82	95.81	14 14	UAL 2W	LIAI	3		
2 Wink High His Park E (OGPTAL SUBSIGNER LINE (HDS), COMPATIBLE LOOP							7.55	55.57			14.14					
Stability reservation - Zone 1   UPL									- 1-						TIBLE L	
2 Vivire Introvinded HOSI, Loop including manual service inquiry 8 is beingt receivation. 2 Toma 2 2 Vivire Indovinded HOSI, Loop including manual service inquiry 8 is beingt receivation. 2 Toma 2 2 Vivire Indovinded HOSI, Loop including manual service inquiry 9 and facility receivation. 2 Toma 3 1 UHL. UHL2W 0.58 10.49 66.50 50.37 7.93 1 UHL UHL2W 0.58 10.49 66.50 50.37 7.93 2 Vivire Indovinded HOSI, Loop without manual service inquiry 9 and facility receivation. 2 Toma 2 2 Vivire Indovinded HOSI, Loop without manual service inquiry 9 and facility receivation. 2 Toma 2 2 Vivire Indovinded HOSI, Loop without manual service inquiry 9 and facility receivation. 2 Toma 2 2 Vivire Indovinded HOSI, Loop without manual service inquiry 9 and facility receivation. 2 Toma 3 2 Vivire Indovinded HOSI, Loop without manual service inquiry 9 and facility receivation. 2 Toma 3 2 Vivire Indovinded HOSI, Loop without manual service inquiry 9 and facility receivation. 2 Toma 3 2 Vivire Indovinded HOSI, Loop individing manual service inquiry 1 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop individing manual service inquiry 1 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop individing manual service inquiry 1 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop individing manual service inquiry 2 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop individing manual service inquiry 2 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop without manual service inquiry 3 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop without manual service inquiry 3 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop without manual service inquiry 3 UHL UHLAW 16.02 158.18 107.89 55.12 10.38 1 4-Vivire Indovinded HOSI, Loop without manual service inquiry 4 UNIT Indovinded HOSI, Loop without manual service inquiry 5 UHLAW 16.02 158.18 107.89 55.12 10.38 107.89 55.12 10.38 107.89 55.12																
S facility reservation - Zone 2	$\longrightarrow$	├──					7.93	50.37	79.24	129.52	9.58	UHL2X	UHL	1		
8 facility reservation - Zone 3 2 Wire Unbrundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 2 Wire Unbrundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbrundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbrundled HDSL Loop without manual service inquiry 3 3 UHL UHL2W 10.92 10.44.96 66.50 50.37 7.93  10.44.96 66.50 50.37 7.93  10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 11.40 10.44.96 66.50 50.37 7.93  10.44.97 10.44.96 66.50 50.37 7.93  10.44.97 10.44.96 66.50 50.37 7.93  10.44.97 10.44.96 66.50 50.37 7.93  10.44.97 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96 66.50 50.37 7.93 10.44.96		<u> </u>					7.93	50.37	79.24	129.52	10.92	UHL2X	UHL	2		& facility reservation - Zone 2
and facility reservation - Zone 1		<u> </u>					7.93	50.37	79.24	129.52	11.40	UHL2X	UHL	3		& facility reservation - Zone 3
and facility reservation - Zono 2							7.93	50.37	66.50	104.49	9.58	UHL2W	UHL	1		and facility reservation - Zone 1
and facility reservation - Zone 3							7.93	50.37	66.50	104.49	10.92	UHL2W	UHL	2		
CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   86.32   40.48		İ					7.02	50.27	66 50	104.40	11 40	11111 2111		2		
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		<del></del>					7.55	30.37			11.40				1	
A Wire Unbundled HOSL Loop including manual service inquiry and facility reservation - Zone 1									10.10	00.02		O.C.L.	0.12		TIBLE L	
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2																
Advise Date of Date							10.38	55.12	107.89	158.18	16.02	UHL4X	UHL	1		
and facility reservation - Zone 3							10.38	55.12	107.89	158.18	14.33	UHL4X	UHL	2		
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1																
And facility reservation - Zone 1		<del>                                     </del>					10.38	55.12	107.89	158.18	16.84	UHL4X	UHL	3		
and facility reservation - Zone 2		ĺ	ı				10.38	55.12	95.16	133.14	16.02	UHL4W	UHL	1		
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3   3 UHL   UHL4W   16.84   133.14   95.16   55.12   10.38							10.38	55.12	95.16	133.14	14.33	UHL4W	UHL	2		
CLEC to ČLEC Conversion Charge without outside dispatch   UHL   UREWO   86.32   40.48																
4-WiRE DS1 Digital Loop - Zone 1							10.38	55.12			16.84				$oxed{oxed}$	
4-Wire DS1 Digital Loop - Zone 1						1			40.48	86.32		UREWO	UHL	$\sqcup$	$\vdash$	
4-Wire DS1 Digital Loop - Zone 2 2 USL, NTCD1 USLXX 136.00 253.03 157.89 44.80 11.73 3 USL, NTCD1 USLXX 229.15 253.03 157.89 44.80 11.73  Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)  USL, NTCD1 URESL 24.88 3.51  Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)  USL, NTCD1 URESP 26.37 4.99  USL, NTCD1 URESP 26.37 4.99  CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 101.30 43.13  4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP  4 Wire Unbundled Digital 19.2 Kbps 1 UDL, NTCUD UDL19 29.93 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital 19.2 Kbps 3 UDL, NTCUD UDL19 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL, NTCUD UDL56 29.93 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61  4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 UDL, NTCUD UDL56 33.99 126.66 89.12 59.35 14.61		<del></del>				1	44.70	44.00	157 00	252.02	70.54	I ICI VV	LICI NITCD4	1	-	
4-Wire DS1 Digital Loop - Zone 3   3 USL, NTCD1   USLXX   229.15   253.03   157.89   44.80   11.73	-+-	$\vdash$														
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)	$\overline{}$	<del></del>	$\longrightarrow$			<del>                                     </del>									$\vdash$	
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)							11.75	44.50			220.10					Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per
CLEC to CLEC Conversion Charge without outside dispatch   USL   UREWO   101.30   43.13																Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP     1     UDL, NTCUD     UDL19     29.93     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital 19.2 Kbps     2     UDL, NTCUD     UDL19     33.99     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital 19.2 Kbps     3     UDL, NTCUD     UDL19     34.74     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 1     1     UDL, NTCUD     UDL56     29.93     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 2     2     UDL, NTCUD     UDL56     33.99     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 3     3     UDL, NTCUD     UDL56     34.74     126.66     89.12     59.35     14.61		⊢—				ļ		<del>                                     </del>							1	- /
4 Wire Unbundled Digital 19.2 Kbps       1 UDL, NTCUD       UDL19       29.93       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital 19.2 Kbps       2 UDL, NTCUD       UDL19       33.99       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital 19.2 Kbps       3 UDL, NTCUD       UDL19       34.74       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital Loop 56 Kbps - Zone 1       1 UDL, NTCUD       UDL56       29.93       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital Loop 56 Kbps - Zone 2       2 UDL, NTCUD       UDL56       33.99       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital Loop 56 Kbps - Zone 3       3 UDL, NTCUD       UDL56       34.74       126.66       89.12       59.35       14.61	-+	<del></del>	$\longrightarrow$			1			43.13	101.30	-	UKEWU	USL	$\vdash$	1	
4 Wire Unbundled Digital 19.2 Kbps     2 UDL, NTCUD     UDL19     33.99     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital 19.2 Kbps     3 UDL, NTCUD     UDL19     34.74     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 1     1 UDL, NTCUD     UDL56     29.93     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 2     2 UDL, NTCUD     UDL56     33.99     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 3     3 UDL, NTCUD     UDL56     34.74     126.66     89.12     59.35     14.61	$\overline{}$	<del></del>	$\longrightarrow$			<del>                                     </del>	14 61	59 35	89 12	126.66	29 93	UDL19	UDL. NTCUD	1	$\vdash$	
4 Wire Unbundled Digital 19.2 Kbps     3 UDL, NTCUD     UDL19     34.74     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 1     1 UDL, NTCUD     UDL56     29.93     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 2     2 UDL, NTCUD     UDL56     33.99     126.66     89.12     59.35     14.61       4 Wire Unbundled Digital Loop 56 Kbps - Zone 3     3 UDL, NTCUD     UDL56     34.74     126.66     89.12     59.35     14.61																4 Wire Unbundled Digital 19.2 Kbps
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1       1 UDL, NTCUD       UDL56       29.93       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital Loop 56 Kbps - Zone 2       2 UDL, NTCUD       UDL56       33.99       126.66       89.12       59.35       14.61         4 Wire Unbundled Digital Loop 56 Kbps - Zone 3       3 UDL, NTCUD       UDL56       34.74       126.66       89.12       59.35       14.61															1 1	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL, NTCUD UDL56 34.74 126.66 89.12 59.35 14.61											29.93	UDL56	UDL, NTCUD	1		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1
																4 Wire Unbundled Digital Loop 56 Kbps - Zone 2
I I 14 Wire Unbundled Digital Loop 64 Kbps - Zone 1   1 1 IIDL NTC ID   IIDL 64   20 03   126 66   90 12   50 35   14 64																
4 Wire Unburided Digital Loop 64 Kbps - Zone 2   1 UDL, NTCUD   UDL64   29-93   126.66   89.12   59.35   14.61		<del></del>					14.61	59.35	89.12	126.66	29.93	UDL64			$\vdash$	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1

UNBUI	NDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
					LIBI LITOLIB			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL, NTCUD	UDL64	34.74	126.66	89.12	59.35	14.61						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL, NTCUD	URESL		24.88	3.51								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			052,111005	OTTEGE		200	0.01								
		DS0)			UDL, NTCUD	URESP		26.37	4.99								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		102.34	49.85								
		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual		'	UCL	UCLPB	12.19	119.91	09.02	50.57	7.93						1
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93	ļ					
		2-Wire Unbundled Copper Loop-Designed without manual		١.					=====		= 00						
		service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93	-					-
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual			002	002	10.7 1	0	00.00	00.01	7.00						
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)		-	UCL	UREWO		94.87	42.57								ļ
ľ		4-Wire Copper Loop-Designed including manual service inquiry															ļ
		and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry		3	OOL	OCL40	19.54	144.17	33.00	33.12	10.30						<del> </del>
		and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						ļ
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
		CLEC to CLEC Conversion Charge without outside dispatch		3	OOL	OCLTVV	19.54	113.13	01.13	33.12	10.30						<del> </del>
		(UCL-Des)			UCL	UREWO		94.87	42.57								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
					UEA, UDN, UAL, UHL, UDL, NTCVG,												
, [		Order Coordination for Specified Conversion Time (per LSR)			NTCUD, USL, NTCD1, UEANL	OCOSL		18.13									
LOOP M	IODIFIC	CATION		<del>                                     </del>	INTODI, UEAINL	UUUSL		10.13									$\vdash$
	יויטטויונ	ALIEN TO THE PROPERTY OF THE P			UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop		<b>_</b>	UEPSB	ULM2L		32.46	32.46			<u> </u>					
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								
		1633 than or equal to for it, per oribunitied Loop		<del>                                     </del>	UAL, UHL, UCL,	OLIVIAL		32.40	32.40								<del>                                     </del>
					UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
OUE :		per unbundled loop			UEPSB	ULMBT		32.48	32.48			ļ					
SUB-LO		op Distribution		-								<b> </b>					ļ
.—		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-								1					<del> </del>
		Up			UEANL, UEF	USBSA		241.42	241.42								<u> </u>
ı		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.69	22.69								

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A	<u> </u>	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonred		Nonrecurring	-				Rates(\$)		
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up			UEANL	USBSC		177.84	177.84			1					-
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OLANL	03030		33.36	33.36			1					<del> </del>
	Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					0.0.				•						
	Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						ļ
	0-10		1		LIODITO						1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	<u> </u>	UEANL	USBMC		8.17	8.17	1	-	+	1		<del> </del>	-	ļ
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		'	OLANL	USBIN4	14.11	75.21	44.23	49.02	9.09	+	1				<u> </u>
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
				1.15.45.11	LIODAGO		0.47	0.47								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	5.36	8.17 59.38	8.17 24.47	49.82	9.09	1					<del> </del>
	Sub-Loop 4-Wire intrabuliding Network Cable (INC)			UEAINL	USBR4	5.30	39.30	24.41	49.02	9.09	+	-				<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00			<u> </u>					<b>†</b>
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	7.85	8.17 79.21	8.17 44.29	49.82	9.09	1					-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	14.17	79.21	44.29		9.09		-				<b>-</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	12.64	79.21	44.29		9.09						+
	This copps. Shoulded our Loop Bishibation - Zolle 5		Ť		2004/	12.04	10.21	77.23	70.02	5.09	†			1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		8.17	8.17			1					
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88	1		1					ļ
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								ļ
Unbun	dled Sub-Loop Modification										1					<del> </del>
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		İ	UEF	ULM2X		176.17	5.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	1	<del>                                     </del>	OLI	ULIVIZA		170.17	5.11	1	<b> </b>	+	<del>                                     </del>		<del> </del>		<del>                                     </del>
	Coil/Equip Removal per 4-W PR		1	UEF	ULM4X		176.17	5.11			1					
	Unbundled Loop Modification, Removal of Bridge Tap, per	1							1	l	1				l	
	unbundled loop	<u></u>	<u> </u>	UEF	ULMBT		278.82	6.13		<u></u>	<u> </u>					
	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20	1							
	k Interface Device (NID)	<u> </u>	<u> </u>	LIENTA	LINIDAO		40.00	00 =0	ļ	ļ	1	1				
	Network Interface Device (NID) - 1-2 lines		<u> </u>	UENTW UENTW	UND12 UND16		43.68 64.42	28.79 49.53	1							<del></del>
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<b>-</b>	-	UENTW	UNDT6 UNDC2		5.92	49.53 5.92	1	-	1	-		-	-	<del>                                     </del>
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		5.92	5.92	1		<del>                                     </del>			<b> </b>		<del>                                     </del>
	PROVISIONING ONLY - NO RATE	<del></del>	$\vdash$	J-11117	0.1007		5.32	5.32	<u> </u>	<del>                                     </del>	+	1			<b> </b>	<del></del>

UNBUI	NDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
, <u>.</u>												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
0.4750	201	DATE EL EMENTO	Interi	<b>.</b>	500	11000			DATEO(6)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	JKY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UAL, UCL, UDC,												
					UDL, UDN, UEA,												
					UHL, UEANL, UEF,												
					UEQ, UENTW,												
					NTCVG, NTCUD,												
		Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00					ļ				
-		Unbundled DS1 Loop - Superframe Format Option - no rate		-	USL	CCOSF	0.00	0.00					1				-
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
$\vdash$		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				-	<b>.</b>				-
		UNTW Circuit Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00				1	<b> </b>				<del> </del>
HIGH C	ΔΡΔCI	TY UNBUNDLED LOCAL LOOP			OLIVIV	OLINCL	0.00	0.00					<b>+</b>				
		minimum billing period of three months for DS3/STS-1 Local	Loop	l —		<b>I</b>						<b> </b>	1				<b>†</b>
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				<b>†</b>											
		month			UE3	1L5ND	12.26										
		High Capacity Unbundled Local Loop - DS3 - Facility			-	1											
		Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	12.26										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP M	AKE-L																
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.49	25.49								
		Loop MakeupWith or Without Reservation, per working or															
LINE SP	LITTIN	spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34				ļ				
		SER ORDERING-CENTRAL OFFICE BASED										-	-				<del>                                     </del>
	END 0	Line Splitting - per line activation DLEC owned splitter		-	UEPSR UEPSB	UREOS	0.61					1	1				-
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		<b>+</b>				
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85	1	1				<b>†</b>
	UNBU	NDLED EXCHANGE ACCESS LOOP			02. 0 02. 03	O.KEBV	0.01	07.00		20.01	0.00	1	1				<b>†</b>
		ANALOG VOICE GRADE LOOP										1	†				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	L	1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32	L	<u> </u>	<u> </u>			
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32	ļ					ļ
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		١.		l											
$\vdash$		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32	ļ					<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.		l			.=								
$\vdash$		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32	1		ļ			<b></b>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	LIEDOD LIEDOD	LIEABO	26.72	27.00	47.00	22.52	F 00						
$\vdash$	DUVCI	ZAL COLLOCATION	<b>-</b>	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	1	<del>                                     </del>		-	-	<del>                                     </del>
+	пты	Physical Collocation-2 Wire Cross Connects (Loop) for Line	-	<del>                                     </del>		<del>                                     </del>	+	-				<b> </b>	}	<b> </b>			<del> </del>
		Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
ļ ,	VIRTU	AL COLLOCATION		l —	021 OK 021 0D		3.0341	12.02	11.00	0.04	5.45	<b> </b>	1				<b>†</b>
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line				t											
		Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
UNBUNI	DLED I	DEDICATED TRANSPORT															
		OFFICE CHANNEL - DEDICATED TRANSPORT		İ									İ				
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					İ	İ									
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -												l			
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															Diac iat	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Literature Channel Bulling Literature Communication Communication						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			OTTVX	120701	0.0107					1					1
	Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			LIATOV	1L5XX	0.0407										
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		-	U1TDX	ILSXX	0.0167					1	<b> </b>				<del>                                     </del>
	Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
i i	Interoffice Channel - Dedicated Transport - 64 kbps - per mile						.0.00	2	.5.77	3.01				İ		<b>†</b>
	per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		-	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	1					<u> </u>
	month			U1TD3	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILJAA	0.02						<b>+</b>				
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	8.02										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						ļ
UNBU	NDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	36.41	640.51	138.17	317.76	198.11						
911 PBX LOC			-	UDF, UDFCX	ILSDF	36.41	640.51	138.17	317.76	198.11	1	<b> </b>				<del>                                     </del>
	BX LOCATE DATABASE CAPABILITY											<b>+</b>				
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,813.00				1	1				1
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.40				1					
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		532.48									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	181.29					ļ	ļ				ļ
044.5	Service Order Charge BX LOCATE TRANSPORT COMPONENT		-	9PBDC	9PBSC		15.69		<u> </u>		<u> </u>	ļ	<b> </b>	<b>!</b>		<del>                                     </del>
911 PI See A					+				<del>                                     </del>		<del>                                     </del>	1	-			<del> </del>
	XTENDED LINK (EELs)				1						<u> </u>	1	<b> </b>	<del> </del>		<del>                                     </del>
	: The monthly recurring and non-recurring charges below will a	apply a	nd the	Switch-As-Is Chard	e will not ann	lv for UNE com	binations pro	visioned as ' C	Ordinarily Comb	ined' Networl	k Elements.	1		1	<u> </u>	
	The monthly recurring and the Switch-As-Is Charge and not the															
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT															
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						ļ
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	ļ	ļ				ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAY	41.577	0.07										
	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.27			<del>                                     </del>		1	1	-	-		+
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
<u> </u>	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	l	1	1	1		<del>                                     </del>
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00				1		<b>—</b>
														1		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						L
									[							
1	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	<u> </u>	l		İ		<u> </u>

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
											Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR		Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\vdash$							Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Foot Additional 2 Miss VC Loop (CL 2) in Combination 7 and 2		3	LINIOVA	LIEALO	28.46	405.00	CO 40	52.05	40.04						
<del></del>	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month		3	UNCVX UNCVX	UEAL2 1D1VG	0.56	105.98 6.59	68.43 4.73	53.05 0.00	10.61 0.00			<del> </del>			
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS1	INTE			0.00	0.00		0.00	0.00						
$\vdash$	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61			-			
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per					İ										
$\vdash$	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
$\vdash$	1/0 Channel System in combination Per Month  Voice Grade COCI in combination - per month			UNC1X UNCVX	MQ1 1D1VG	107.57 0.56	91.24 6.59	62.71 4.73	10.56 0.00	9.81 0.00			-			
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONCVA	IDIVG	0.30	0.59	4.73	0.00	0.00						
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
EVTE	Additional Voice Grade COCI in combination - per month	ATED		UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
EXIE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	AIEDI	DSTIN	TERUFFICE TRANS	I								-			-
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)			UNC1X UNCDX	MQ1 1D1DD	107.57 1.19	91.24 6.59	62.71 4.73	10.56 0.00	9.81 0.00			-			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					İ										
<b></b>	Interoffice Transport Combination - Zone 1  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61			-			
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1					İ										
	Interoffice Transport Combination - Zone 3  Additional OCU-DP COCI (data) - in combination per month (2.4-		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	-					├
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN		SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61			[			
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
				UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3			İ	120.00	89.12	59.35	14.01						
	Per Month interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.27										
$\sqcup \sqcup \sqcup$	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per Month			UNC1X	MQ1 1D1DD	107.57	91.24	62.71	10.56 0.00	9.81 0.00		-				<del>                                     </del>
$\vdash$	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)  Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	טטוטו	1.19	6.59	4.73	0.00	0.00	<u> </u>					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						

UNDUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					1		Nonrec	curring	Nonrecurring	Disconnect	1		oss	Rates(\$)	1	1
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1				00.07	050.00	457.00	44.00	44.70						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X UNC1X	USLXX	90.87 155.43	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	-					
<del></del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<b>-</b>	3	OINC IV	JJLAA	201.09	203.03	157.69	44.00	11./3	<del>                                     </del>				1	
1	Per Month			UNC1X	1L5XX	0.27										
<u> </u>	Interoffice Transport - Dedicated - DS1 combination - Facility					Ç.M.										
1	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPOR	RT									Ī		
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINIONY	LIATEO	704.50	070.07	100.10	00.00	50.50						
	month 3/1Channel System in combination per month			UNC3X UNC3X	U1TF3 MQ3	704.52 144.02	279.37 178.54	163.12 94.18	60.33	58.59 31.90				-		
	DS1 COCI in combination per month		1	UNC1X	UC1D1	8.64	6.59	4.73	33.33	0.00	-					
	Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNCIA	OCIDI	0.04	0.59	4.73	0.00	0.00	1					1
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			O. CO. IX	002,01	00.01	200.00	107.00	1 1100							İ
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2-WIRE VOICE	GRAD														
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2 UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 3 Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	-					
	Month			UNCVX	1L5XX	0.0134										
-+	Interoffice Transport - 2-wire VG - Dedicated - Facility			0.101/	120707	0.0104			<del>                                     </del>		<u> </u>				1	
	Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE						1							
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
1	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
$\longrightarrow$	Month		1	UNCVX	1L5XX	0.0134									1	
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
EYTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	EEICE		01174	17.03	40.03	21.41	10.77	0.91	1					ł
EATE	DS3 Local Loop in combination - per mile per month	EK	,, , ioe	UNC3X	1L5ND	12.26					<del>                                     </del>				1	
+-	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				.20.10	12.20			<del>                                     </del>		<u> </u>				1	
1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
EXTE			1													
EXTE	STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per			UNCSX	1L5ND	12.26										

UNBU	INDLEI	NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
01120												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1					1		Manne		I Name a coming	Discouncet			220	Detec(t)		
-			-			-	Rec	Nonrec First		Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-		Interoffice Transport - Dedicated - STS-1 combination - per mile						FIISL	Add'l	FIISL	Add'l	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
		per month			UNCSX	1L5XX	6.42										i !
		Interoffice Transport - Dedicated - STS-1 combination - Facility				1											
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						1
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	SPORT													
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
-		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						$\vdash$
_		First 2-Wire ISDN Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						<b>—</b>
		per month			UNC1X	1L5XX	0.27										1
		Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120/01	0.27										
		Termination per month	L	L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u></u>	<u> </u>				<u>                                     </u>
		1/0 Channel System in combination - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIN	1141.027		,									1
	-	Combination - Zone 1	-	1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						1
-		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONCINA	UTLZX	32.70	117.56	80.03	33.03	10.01						
		Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						i
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE													
		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		First DS1 Loop Combination - Zone 2		3	UNC1X UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						<b>—</b>
-		First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile		3	UNCIA	USLAA	201.09	255.05	137.09	44.00	11.73						
		Per Month			UNCSX	1L5XX	6.42										1
		Interoffice Transport - Dedicated - STS-1 combination - Facility								†							
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						i
		3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						1
	1	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		'	UNCIA	USLAA	90.67	255.05	157.09	44.00	11.73						
		Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						1
		Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	- 17				.000		0						
		Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						1
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
$\vdash$	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT	EROFF		LIDLE?	00.00	100.00									<b></b>
		4-wire 56 kbps Local Loop in combination - Zone 1	<b> </b>	2	UNCDX	UDL56 UDL56	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						$\vdash$
	1	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	-					<del> </del>
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		O110DX	CDLOU	54.74	120.00	03.12	55.55	17.01						
		Per Mile per month			UNCDX	1L5XX	0.0134										1
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						igspace
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF		LIDICI	22.25	100.00									
$\vdash$	-	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
$\vdash$	1	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3	<del>                                     </del>	3	UNCDX UNCDX	UDL64 UDL64	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61		-				$\vdash$
$\vdash$		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	<del>                                     </del>	-	0.4007	JULU4	34.14	120.00	05.12	39.33	14.01		<b> </b>				
		Per Mile per month	1		UNCDX	1L5XX	0.0134						1				1
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				İ				1							
		Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	EXTEN	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			1											$\vdash$
$\vdash$	<b>!</b>	First 2-wire VG Loop (SL2) in Combination - Zone 1	<b>!</b>	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						$\vdash$
<u> </u>	-	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3	1	2	UNCVX UNCVX	UEAL2 UEAL2	23.13 28.46	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61	-					<del>  </del>
	1	i not z-wine vo Loop (olz) in Combination - Zone o		J	OINONY	ULALZ	20.40	105.98	00.43	ეე.სე	10.01	1	l		l		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina										Ι	Τ -	Attachment:			<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAV	1L5XX	0.07										
	First Interoffice Transport - Dedicated - DS1 combination -		<u> </u>	UNC1X	ILSXX	0.27						<b> </b>				<del> </del>
	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each DS1 Channelization System Per Month		1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						<del>                                     </del>
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			LINOVA	LIEALO	00.40	405.00	00.40	50.05	40.04						
	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61				-		<del>                                     </del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Each Additional Voice Grade COCI in combination - per month		<del>-</del> ت	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00		1				<del>                                     </del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1	0.1017	1.5.10	0.00	0.00		0.00	0.00	İ	†				
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	1 MUX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	LINIOVO	UEAL4	20.50	420.00	04.00	50.05	44.04						
	Zone 1 First 4-Wire Analog Voice Grade Local Loop in Combination -		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		<b>.</b>				-
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONCVX	OLAL	45.05	132.30	94.03	33.33	14.01		1				<del>                                     </del>
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		ļ				ļ
	Per each Voice Grade COCI in combination - per month 3/1 Channel System in combination per month		<u> </u>	UNCVX UNC3X	1D1VG MQ3	0.56 144.02	6.59 178.54	4.73 94.18	0.00 33.33	0.00 31.90						<del> </del>
	Per each DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00		<b> </b>				<b>-</b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCIX	OCIDI	0.04	0.59	4.73	0.00	0.00						+
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61	ļ					
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	41.500/	0.0-										
<b></b>	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in	1	<del>                                     </del>	UNC1X	1L5XX	0.27			<u> </u>		1	1	-	-		
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month		<b>†</b>	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						<del>                                     </del>
EXTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE			3.50	3.00	0	3.00	0.00						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					İ					İ					
	Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -												l	l		
	Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	ļ					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_	LINCDY	LIDLES	047.	400.00	20.42	50.0-	4461						
	Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	-					<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
+	First Interoffice Transport - Dedicated - DS1 - combination	1	<del>                                     </del>	OINO IA	ILUAA	0.27			<del>                                     </del>		<b>+</b>	1	<b> </b>	<b> </b>		<del>                                     </del>
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each 1/0 Channel System in combination Per Month		1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81				İ	İ	
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		1	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	İ	İ				

ONRONDLE	D NETWORK ELEMENTS - South Carolina			T.		ı							Attachment:			<del> </del>
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE			5.01	2.00	0	1.00	2.00					İ	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -					Ţ										
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination Per Month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINODY	10100	4.40	0.50	4.70	0.00	0.00						l
<b></b>	64kbs) 3/1 Channel System in combination per month			UNCDX UNC3X	1D1DD MQ3	1.19 144.02	6.59 178.54	4.73 94.18	0.00 33.33	0.00 31.90						-
	Per each DS1 COCI in combination per month	1	<del>                                     </del>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						<del>                                     </del>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<del>                                     </del>	ONOTA	00151	0.04	0.00	4.70	0.00	0.00						
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						-
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)	1	<u> </u>	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						<del> </del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										<b></b>
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						1
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNC1X	1L5XX	0.27	117.50	00.03	33.03	10.01						
	Mile per month First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month  Per each Channel System 1/0 in combination - per month		1	UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81						<del>                                     </del>
		1	l		1		***-				İ			l	1	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						<u></u>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						<b></b>
<u> </u>	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						<b></b>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT													
, i	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAN		04.74	00.47	04.00	40.00	44.40						1
	Facility Termination Per Month		-	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						<del>                                     </del>
	3/1 Channel System in combination per month Per each DS1 COCI combination per month		<u> </u>	UNC3X UNC1X	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	33.33	31.90 0.00						<b>—</b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1						6.59	4.73	0.00	0.00						
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.27										
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	combination per month  Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	1 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	2 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	3   DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NITEDO	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
-		NIEKU			LIDLES	20.02	126.66	90.12	E0.2E	11.61						<b>—</b>
	First 4-wire 56 kbps Local Loop in combination - Zone 1 First 4-wire 56 kbps Local Loop in combination - Zone 2	-	2	UNCDX UNCDX	UDL56 UDL56	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61		-	-	-	-	<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 2  First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134	120.00	00.12	00.00	14.01						
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
EXTFN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE :		01100	10.41	40.00	21.71	10.77	0.91						
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61			1		1	ſ
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, th															
Nonrec	curring Currently Combined Network Elements "Switch As Is"															
Option	al Features & Functions:															

UNBUNDLE	D NETWORK ELEMENTS - South Carolina								•				Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonro	curring	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TD1,												
		I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	00001	1	0.00	0.00	0.00	0.00						
	Activity - per DS1	I		UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
	C hit Darity Ontion Subagguent Activity, per DC2	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
-	C-bit Parity Option - Subsequent Activity - per DS3	-		UNCVX, UNCDX,	NRCC3		219.58	7.69	0.737	0.00						
				UNC1X, UNC3X,												
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.27	13.52								
	Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX,	UNLOL		40.27	13.52				<del>                                     </del>				<del>                                     </del>
	Element - Switch As Is Non-recurring Charge, per circuit			U1TD1, U1TD3,												
	(Spreadsheet)	- 1		U1TS1, UDF, UE3	URESP		64.07	25.63								
MULT	PLEXER Interfaces															
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			002			0.00	0								
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			U1TUD	1D1DD	1.19	6.59	4.73								-
	month for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
	month used for connection to a channelized DS1 Local Channel			LIATUD	110404	0.50	0.50	4.70								
	in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	2.56	6.59	4.73								-
	used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
-	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73	<del>                                     </del>		1	<del>                                     </del>				<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	8.64	6.59	4.73				1				
Acces	s to DCS - Customer Reconfiguration (FlexServ)  Customer Reconfiguration Establishment				<del>                                     </del>		1.48		1.85		-	<del>                                     </del>				-
	DS1 DSC Termination with DS0 Switching				<u> </u>	27.96	25.60	19.70	16.67	13.41		<u> </u>				
	DS1 DSC Termination with DS1 Switching					12.67	18.51	12.61	12.24	8.98						
Comit	DS3 DSC Termination with DS1 Switching				-	176.51	25.60	19.70	16.67	13.41		-				<del>                                     </del>
Servic	e Rearrangements			U1TVX, U1TDX, UEA, UDL, U1TUC,												
	NRC - Change in Facility Assignment per circuit Service			U1TUD, U1TUB, ULDVX, ULDDX,												
	Rearrangement			UNCVX, UNCDX	URETD		269.90	47.10			-	-				
				U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB,												
	NRC - Change in Facility Assignment per circuit Project			ULDVX, ULDDX,	LIDETS		4.00	4.00								
	Management (added to CFA per circuit if project managed)			UNCVX, UNCDX	URETB		1.28	1.28			l	l	1		<u> </u>	

UNB	UNDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UNCVX, UNCDX,												
					UNC1X, UNC3X,												
					UNCSX, U1TD1,												
					U1TD3, U1TS1,												
					UE3, UDLSX,												
					U1TVX, U1TDX,												
		Commingling Authorization			U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Miscell																
		NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.90	18.90								

UNBU	INDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1				Nonrecurring		Nonrecurrin	g Disconnect	1		OSS	Rates(\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									71441		7144	0020	00			00	00
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	oination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter				. ,	•		٠.	•		ū	•	,			
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	ic" OSS charges as	ordered by t	he State Comm	nissions. The (	OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
	elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ering ch	arges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ol	btain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic order	ing capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	ınual orderinç	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to B															
<u> </u>	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nıy **Pl∈	ease se	ee applicable rate ele	ment for SO	IVIAN charge**	ı		ı	1			1	1		
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00					į .	
LINES	ERVICE	DATE ADVANCEMENT CHARGE		<u> </u>		SOIVIEC		3.50	0.00	3.50	0.00					<del> </del>	
ONE 3		The Expedite charge will be maintained commensurate with	RellSou	ith's F(	C No 1 Tariff Section	n 5 as annli	rahle										
	NOTE.	The Expedite charge will be maintained commensurate with	l	1	UAL. UEANL. UCL.	п з аз аррп	Cable.						1				
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,											1	
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL.												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,											1	
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
					U1TUB,											1	
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,											1	
ODDE	MODIE	Day FICATION CHARGE			NTCUD, NTCD1	SDASP		200.00	200.00							$\vdash$	
OKDE	INIODIF	Order Modification Charge (OMC)	-	<del>                                     </del>				26.21	0.00	0.00	0.00					<del>                                     </del>	
<b>-</b>		Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)	<del>                                     </del>	1				150.00	0.00	0.00	0.00				<del> </del>		
UNRU	IDLED F	EXCHANGE ACCESS LOOP	<del>                                     </del>	<b>-</b>				130.00	0.00	0.00	0.00						
320		ANALOG VOICE GRADE LOOP		t											İ		
	T	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	i e	1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	29.37	31.99	20.02	10.65				20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3	UEANL	UEASL	29.37	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	13.32
1		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		UEANL	URETL		8.95	0.88							1	
	l	Premise	<u> </u>	1	UEANL	UKEIL	I	J 8.95	0.88	l	I	1	1	l	1		

Version: 2Q05 Standard ICA 09/20/05 (New CLECs)

Page 122 of 136

ONBONDLE	D NETWORK ELEMENTS - Tennessee		,	ı									Attachment:			<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		25.33	25.33								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.95	0.88			1	1			l	
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
1	Non-Designed (per loop)			UEQ	USBMC		36.52	36.52			1	1			l	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for		t													
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		25.33	25.33					20.35	10.54	13.32	13.32
<del> </del>	Loop Testing - Basic 1st Half Hour			UEQ	URET1		57.67	0.00			1	1	20.00	10.04	10.02	10.02
	Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		37.44	37.44	<del>                                     </del>		1					+
	CLEC to CLEC Conversion Charge Without Outside Dispatch			OLQ	OKLIA		37.44	37.44								
	(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
LINDUNDI ED E	EXCHANGE ACCESS LOOP	-	-	UEQ	UKEWU		14.29	7.44			-	-	20.33	10.54	13.32	13.32
	E ANALOG VOICE GRADE LOOP		-								-					
Z-VVIKE			1		<del> </del>		<b>-</b>		-		1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.,	LIEA NITOVO		4474	75.00	40.00	00.70	47.04			00.05	40.54	40.00	40.00
	Ground Start Signaling - Zone 1		- 1	UEA, NTCVG	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						== 00	40.00								40.00
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															Ī
	DS0)			UEA, NTCVG	URESL		23.42	3.30					20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						ĺ									
	DS0)			UEA, NTCVG	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.23	1.10					20.00	10.01	10.02	10.02
4-WIRE	ANALOG VOICE GRADE LOOP			02/1,111010	0.42.12		11120	0								
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16	1		20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 1			UEA, NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 2				UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ULA, NICVO	ULAL4	34.33	122.70	00.01	10.55	39.10	+		20.33	10.54	13.32	13.32
	DS0)			UEA, NTCVG	URESL		23.42	3.30					20.35	10.54	13.32	13.32
		<b>I</b>	1	OLA, NICVG	UKESL		23.42	3.30	<del>                                     </del>		1	-	20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			LIEA NTOVO	URESP		04.00	4.70								
	DS0)	<u> </u>		UEA, NTCVG			24.82	4.70			<b>!</b>	<b> </b>			10.5-	
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA, NTCVG	UREWO		75.06	36.41			<b></b>	ļ	20.35	10.54	13.32	13.32
2-WIRE	ISDN DIGITAL GRADE LOOP		<b>⊢</b>		1				<b></b> _		<b></b>				L	<b></b>
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.77	142.76	88.88	76.35	39.16	ļ		20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142.76	88.88	76.35	39.16	ļ	<u> </u>	20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry									· · · · · · · · · · · · · · · · · · ·		l				
	& facility reservation - Zone 1		1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93	1		20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
					$\bot$	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
<del>                                     </del>	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZX	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	& facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48	1		20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_		UAL2W	40.40	00.40	05.04	70.00	44.40			00.05	10.54	13.32	13.32
-	facility reservaton - Zone 2  2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2VV	18.43	89.40	35.91	72.02	11.48	-		20.35	10.54	13.32	13.32
	facility reservation - Zone 3		3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch		_	UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry				11111014	000	450.01	05.00	20.01	10.00			00.0=	10.51	10.00	40.00
$\vdash$	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	& facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	14.44	100.04	00.20	00.04	10.50			20.00	10.04	10.02	10.02
	& facility reservation - Zone 3		3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48	-		20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
<del>                                     </del>	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHLZVV	14.44	69.40	33.91	12.02	11.40			20.33	10.54	13.32	13.32
	and facility reservation - Zone 3		3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry				111111111111111111111111111111111111111	10.10	400.00	75.00	00.70	40.50			00.05	40.54	40.00	40.00
$\vdash$	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53	-		20.35	10.54	13.32	13.32
	and facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry		١.		l	40.40										40.00
$\vdash$	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	and facility reservation - Zone 2		2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry			0112	0112111	10.00	100.00	10.00	70.70	10.07	1		20.00	10.01	10.02	10.02
	and facility reservation - Zone 3		3	UHL	UHL4W	31.03	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WI	RE DS1 DIGITAL LOOP			LIGH NITORA		=1.00	0.10.00	010 =0					10.00			44.00
-	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1 USL, NTCD1	USLXX	51.38 76.98	313.08	219.72 219.72	96.86	40.45 40.45			18.98 18.98	8.43 8.43	11.95 11.95	11.95 11.95
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL, NTCD1	USLXX	128.54	313.08 313.08	219.72	96.86 96.86	40.45	<del>                                     </del>		18.98	8.43	11.95	11.95
<del> </del>	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	OSL, NICDI	USLAA	120.54	313.00	219.72	90.00	40.43	+		10.90	0.43	11.93	11.90
	DS1)			USL, NTCD1	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				1						Ì					
	DS1)			USL, NTCD1	URESP		24.82	4.70								
4 140	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI NITOLID	LIDI 40	07.00	007.04	444.00	00.70	44.40			00.05	40.54	40.00	40.00
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD UDL, NTCUD	UDL19 UDL19	27.68 41.47	207.01 207.01	141.38 141.38		44.18 44.18	<del>                                     </del>		20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	69.24	207.01	141.38		44.18		1	20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL, NTCUD	UDL56	27.68	207.01	141.38		44.18	<del>                                     </del>	1	20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL, NTCUD	UDL56	41.47	207.01	141.38		44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD	UDL56	69.24	207.01	141.38		44.18	1		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL, NTCUD	UDL64	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL, NTCUD	UDL64	41.47	207.01	141.38		44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL, NTCUD	UDL64	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
$\vdash$		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS0)			UDL, NTCUD	URESL		23.42	3.30					20.35	10.54	13.32	13.32
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL, NTCUD	URESP		24.82	4.70								
		CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-1		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
$\vdash$		2-Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.33	10.54	13.32	13.32
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop-Designed including manual															
$\vdash$		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual			002	002. 11		01.00	20.02	10.00				20.00	10.01	10.02	10.02
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed without manual		_	-	LICL DV	00.0=	04.00	00.00	10.0=				00.0=	10.51	10.00	40.00
$\vdash$		service inquiry and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		(UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-1		COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry															
$\vdash$		and facility reservation - Zone 1		1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
$\vdash$		4-Wire Copper Loop-Designed including manual service inquiry			OCL	UCL43	32.93	122.70	65.57	70.33	39.10			20.33	10.54	13.32	13.32
		and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry															
$\vdash$		and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		and facility reservation - Zone 2		2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Copper Loop-Designed without manual service inquiry		_	002	002111	02.00	122170	00.01	70.00	30.10			20.00	10.01	10.02	10.02
		and facility reservation - Zone 3		3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch						0.4.00									40.00
$\vdash$		(UCL-Des) Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UREWO UCLMC	-	31.99 36.52	20.02 36.52			-	<del>                                     </del>	20.35	10.54	13.32	13.32
		Order Coordination for Oribunided Copper Loops (per 100p)			UEA, UDN, UAL, UHL, UDL, NTCVG,	OOLIVIC		30.32	30.32								
					NTCUD, USL,												
<u></u>		Order Coordination for Specified Conversion Time (per LSR)			NTCD1, UEANL	OCOSL		34.29									
LOOP MO	DIFIC	ATION			UAL. UHL. UCL.							1	1				1
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
S€	ervice	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40	<u> </u>							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
Se	ervice	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40								<del>                                     </del>
					UAL, UHL, UCL, UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
	ervice	per unbundled loop			UEPSB	ULMBT		65.44	65.44								
SUB-LOOF																	
Su		op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										ļ	-				
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL, UEF	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
					·												
+		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder		-	UEANL, UEF	USBSB		42.68	42.68	<del>                                     </del>		-	1	20.35	10.54	13.32	13.32
		Facility Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32

CHDUNDLEL	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Statewide			UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
				-												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		١.					=								
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
	Zone 2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
, ] ]	Order Coordination for Linburgland Cub Lanna and Lanna in			UEANL	USBMC		34.29	34.29								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	1.35	94.56	29.35				<del>                                     </del>	20.35	10.54	13.32	13.32
	Cab Ecop 2 11116 intrabuliding Network Cable (1140)			OL/ UNL	CODINZ	1.00	34.30	20.00					20.33	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
i	Order Condination for Habita dlad Cub Lanca and the land asia			UEANL	USBMC		34.29	34.29								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00						<del> </del>		
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
$\longrightarrow$	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
i	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
i				UEF	LIODAGO		04.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF	USBMC		34.29	34.29						-		
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		37.44	37.44								
	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load				/		500.00	7.02				<u> </u>		<u> </u>		
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82								
	Unbundled Loop Modification, Removal of Bridge Tap, per															
	unbundled loop dled Network Terminating Wire (UNTW)			UEF	ULMBT		528.48	9.74						-		
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.32
	rk Interface Device (NID)			OLIVIV	OLIVI I	0.4000	2.40	2.40	0.0014	0.0014			20.00	10.04	10.02	10.02
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.46	31.06	0.6522	0.6522			20.35	10.54	13.32	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2 UNDC4		8.75	8.75 8.75				-	20.35	10.54	13.32	13.32 13.32
	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE		-	UENTW	UNDC4		8.75	8.75			1	<del>                                     </del>	20.35	10.54	13.32	13.32
				UAL, UCL, UDC, UDL, UDN, UEA,												
	Unbundled Contact Name, Provisioning Only - no rate			UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									

UNBUND	LED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		Unbundled DS1 Loop - Expanded Superframe Format option -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		no rate			USL	CCOEF	0.00	0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		Y UNBUNDLED LOCAL LOOP ninimum billing period of three months for DS3/STS-1 Local	Loon														
INO		High Capacity Unbundled Local Loop - DS3 - Per Mile per	гоор														
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
LOOP MAK																	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		0.76	0.76					20.35	10.54	13.32	13.32
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		0.76	0.76					20.35	10.54	13.32	13.32
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.76	0.76					20.35	10.54	13.32	13.32
LINE SPLIT	TTING	3															
ENI		ER ORDERING-CENTRAL OFFICE BASED			LIEBOR LIEBOR	LIBEOO											
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical			UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	48.96	21.39	25.06	10.79			20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06 35.06	10.79			20.35	10.54	13.32	13.32
UN		DLED EXCHANGE ACCESS LOOP			02. 01. 02. 02	O.K.E.D.V	0.01	10.00	21.00	00.00	10170			20.00	10.01	10.02	10.02
2-W		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	:	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2			UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3			UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
D. D.		Zone 3 AL COLLOCATION		3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
FN		Physical Collocation-2 Wire Cross Connects (Loop) for Line				1						<b>†</b>					<del>                                     </del>
		Splitting			UEPSR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66			0.00	0.00	0.00	0.00
VIR		L COLLOCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
UNBUNDLE		EDICATED TRANSPORT			ULFOR UEFOB	VEILO	0.57	11.02	9.90	10.38	0.00			2.07	2.81	0.67	1.41
	ERO	FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0174										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174										

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.54
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
UNBU	JNDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction			LIDE LIDEOV	1L5DF	00.74	4 404 00	450.40								
911 PBX LOC	Thereof - Interoffice Transport		<u> </u>	UDF, UDFCX	1L5DF	28.74	1,121.00	153.19								<b>-</b>
	PBX LOCATE DATABASE CAPABILITY				+											
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,706.00									
	Changes to TN Range or Customer Profile		1	9PBDC	9PBTN		170.69									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
i i	Change Company (Service Provider) ID			9PBDC	9PBPC		501.06				1	1				
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	191.92										i e
	Service Order Charge			9PBDC	9PBSC		23.20									i e
911 P	BX LOCATE TRANSPORT COMPONENT										1	1				
See A											1	1				
	EXTENDED LINK (EELs)										1	1				<b>†</b>
	: The monthly recurring and non-recurring charges below will	anniv a	nd the	Switch-As-Is Charo	e will not apr	ly for UNF cor	nhinations pro	visioned as ' (	Ordinarily Comb	ined' Networl	k Flements.	1	1	l		
	The monthly recurring and the Switch-As-Is Charge and not the															-
	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT								Í I					I	I	Ī
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86		İ	31.26	10.42		1
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			31.26	10.42		
	First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
I	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			31.26	10.42		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			31.26	10.42		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42		
	Voice Grade COCI - Per Month		<u> </u>	UNCVX	1D1VG	0.91	5.70	4.42	ļ		ļ		20.35	8.80	11.49	1.18
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRT	ļ			ļ		ļ					<b></b>
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42		

UNBUN	DLED	NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
							Rec	Nonrecurring		Nonrecurring		L			Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42		
		Thist 4-ville Arialog voice Grade Loop in Combination - Zone 2			ONCVA	ULAL4	32.93	100.70	33.47	72.54	10.00	<del>                                     </del>		31.20	10.42		+
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		Per Month			UNC1X	1L5XX	0.3562					-					<b></b>
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74	+		20.35	9.80	11.49	
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42		2	1		20.35			
		Additional 4-Wire Analog Voice Grade Loop in same DS1			-							1			2.30	1	1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42		<u> </u>
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86	1	-	31.26	10.42		
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42		
		Additional Voice Grade COCI in combination - per month		3	UNCVX	1D1VG	0.91	5.70	4.42		10.86	+		20.35	9.80	11.49	1.18
F)		DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			0.51	3.70	4.42			1		20.33	9.00	11.49	1.10
	1					1						<b>†</b>					1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
																	1
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
										== 0.4							
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIX	ILJAA	0.3302					+					+
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74			20.35	9.80		
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42					20.35	9.80	11.49	1.18
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	<b></b>
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINIODY	LIDI 50	44.47	400.70	05.47	70.04	40.00			00.05	40.54	40.00	
		Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	+
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
		Additional OCU-DP COCI (data) - in combination per month (2.4-		Ŭ	ONODA	ODLOG	00.24	100.70	00.47	72.04	10.00	1		20.00	10.04	10.02	†
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42					20.35	9.90	11.49	1.18
E)	XTENI	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											T
-+		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86	+	-	20.35	10.54	13.32	<del>                                     </del>
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	.
		1 1101 - 11110 O-110po Digital Otade Loop III Combination - Zone Z			0.4007	0004	41.47	100.76	33.47	12.94	10.00	+	<del>                                     </del>	20.33	10.34	13.32	+
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
		Per Month			UNC1X	1L5XX	0.3562					1				ļ	<u> </u>
		interoffice Transport - Dedicated - DS1 combination - Facility				l=.					06	1					
		Termination Per Month 1/0 Channel System in combination Per Month		-	UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48		30.90 2.74	1		20.35 20.35	21.09 9.80	9.80 11.49	
-+		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		-	UNC1X UNCDX	MQ1 1D1DD	0.91	105.76 5.70	14.48 4.42		2.74	+	-	20.35	9.80		
-+		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			0.4007	10100	0.91	5.70	4.42	1		+	<del>                                     </del>	20.33	5.00	11.49	1.19
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1										1	1				
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	1
- 1		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		3	LINCDY	LIDICA	00.01	100 70	05 17	70.01	40.00			00.0=	10.51	10.00	
		Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination - per month		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86	+	<del>                                     </del>	20.35	10.54	13.32	+
1		(2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42			1		20.35	9.80	11.49	1.18

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment: 2	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>							Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT .			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		71441	0020		00/	00/		
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	LIATEA	77.00	474.04	440.40	70.07	20.00			20.25	24.00	0.00	40.54
FYTE	Termination Per Month  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
LATE	First DS1Loop in Combination - Zone 1	LD D33	1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	<del>                                     </del>
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	128.54	228.40	161.74		24.88			18.98	8.43	11.95	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month		ļ	UNC3X	1L5XX	2.34					ļ					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.01
	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80	11.49	1.18
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.92	8.43	11.95	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.92	8.43	11.95	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.92	8.43	11.95	
	Additoinal DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	E INTE			14.74	400.70	35.47	72.94	10.00			31.26	10.42		<del>                                     </del>
-	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		2	UNCVX UNCVX	UEAL2 UEAL2	22.08	108.76 108.76	35.47	72.94	10.86 10.86			31.26	10.42		<del></del>
	2-WireVG Loop in combination - Zone 2		3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42		<del>                                     </del>
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0174							01120			
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI	E INTE			10.00	70.00	44.00	00.02	01.00			20.00	21.00	5.00	10.04
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42		
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42		
$\vdash$	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86	ļ		31.26	10.42		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			15.08	15.08	8.66	8.66
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		41 END	0.40										<b>├</b>
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.19					1					<del></del>
	DS3 Local Loop in combination - Facility Termination per month			UNC3X UNC3X	UE3PX	374.24 2.34	240.23	180.87	106.78	45.24			36.84	36.84	19.01	19.01
$\vdash$	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		<del>                                     </del>	OINCOV	1L5XX	2.34			<del>                                     </del>		1	1				<del>                                     </del>
	Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.01
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.19										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	389.35	240.23	180.87	106.78	45.24			36.84	36.84	19.01	19.01
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.01
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	PORT	LINIONIV	1141.027	10.5-	400 70				<u> </u>		24.0-	10.1-		
$\vdash$	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		1	UNCNX UNCNX	U1L2X U1L2X	19.77	108.76	35.47	72.94	10.86 10.86	<b> </b>		31.26 31.26	10.42 10.42		<u> </u>
	First 2-vvire ISDIN Loop in Combination - Zone 2		2	UNUNA	UILZX	29.63	108.76	35.47	72.94	10.86	1	1	31.26	10.42		1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.86			31.26	10.42		
	Interoffice Transport - Dedicated - DS1 combination - per mile			LINIOAV	41.500/	0.0500										
	per month			UNC1X	1L5XX	0.3562					1	1				1
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Termination per month  1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	+		20.35	9.80		1.18
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.10	5.70	4.42	0.04	2.74	<b>†</b>		20.35	9.80		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86			31.26	10.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	29.63	108.76	35.47	72.94	10.86			31.26	10.42		1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIX	1141.037		400 ==				1					
	Combination - Zone 3		3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.86			31.26	10.42		1
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	3.10	5.70	4.42			1		20.35	9.80	11.49	1.18
FXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD STS	.1 INTE		PORT	3.10	5.70	4.42	+		+		20.33	9.00	11.43	1.10
EXTEN	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	51.38	228,40	161.74	79.87	24.88	1		18.98	8.43	11.95	1
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	First DS1 Loop Combination - Zone 3			UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43		
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.01
	3/1 Channel System in combination per month			UNCSX UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77	<del>                                     </del>		20.35	9.80 9.80		
	DS1 COCI in combination per month  Additional DS1Loop in the same STS-1 Interoffice Transport			UNCIX	OCIDI	17.58	5.70	4.42	1		1		20.35	9.80	11.49	1.18
	Combination - Zone 1		1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	Additional DS1Loop in the same STS-1 Interoffice Transport			0.10.77	002/01	01.00	220:10		7 0.07	2 1.00	1	İ	10.00	0.10		1
	Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT			LIDI 50	07.00	100 70	05.47	70.04	40.00			00.05	40.54	40.00	
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56 UDL56	41.47 69.24	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86	<del>                                     </del>		20.35 20.35	10.54 10.54	13.32 13.32	
+	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDA	UDLS6	09.24	100.76	33.47	72.94	10.00	+		20.33	10.54	13.32	1
	Per Mile per month			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						i i		1		1					1
	Facility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86	1	ļ	20.35	10.54	13.32	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86	1	-	20.35	10.54	13.32	<u> </u>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174					1					
-+	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			0.1007	ILUAA	0.0174			+ +		+	1	1			<u> </u>
	Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00	1		20.35	21.09	9.80	10.54
EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w								1					
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			20.35	21.09		
$\longrightarrow$	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86	1	ļ	20.35	21.09		1
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINICAV	41.577	0.0500			1		1					
-+	Mile  First Intereffice Transport Dedicated DS1 combination			UNC1X	1L5XX	0.3562			+		+	1	1			1
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	<del>                                     </del>		20.35	9.80		
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.91	5.70	4.42	0.04	2.17	†		20.35	9.80		
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77	+	<del></del>	20.35	9.80		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
$\vdash$					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	11130	Addi	COMILO	OOMAN	20.35	9.80	11.49	1.18
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			20.35	21.09		<b>└</b>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1						400 =0		====							İ
<b>—</b>	Interoffice Transport Combination - Zone 3  Each Additional Voice Grade COCI in combination - per month		3	UNCVX UNCVX	UEAL2 1D1VG	36.87 0.91	108.76 5.70	35.47 4.42	72.94	10.86			20.35 20.35	21.09 9.80	11.49	1.18
$\vdash$	Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCVA	IDIVG	0.91	5.70	4.42			+	-	20.33	9.60	11.49	1.10
	Channel System per month			UNC1X	1L5XX	0.3562										İ
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.1%	120701	0.0002					1					
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	9.80	11.49	1.18
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
EXTE	IDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	CE TR	ANSPORT w/ 3/1 M	IUX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -															l
	Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			20.35	21.09		
	First 4-Wire Analog Voice Grade Local Loop in Combination -		_	LINICVAY	LIEAL 4	20.02	400.70	25.47	70.04	10.00			20.25	24.00		ĺ
<b>—</b>	Zone 2 First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86	<del>                                     </del>	-	20.35	21.09		<del></del>
	Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			20.35	21.09		ĺ
h + +	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOVA	OLAL	34.99	100.70	33.47	72.54	10.00	+		20.55	21.03		<del></del>
	Mile Per Month			UNC1X	1L5XX	0.3562										l
	First Interoffice Transport - Dedicated - DS1 - Facility				1 - 4 - 1 - 1											
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80	11.49	1.18
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42					20.35	9.80	11.49	1.18
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80	11.49	1.18
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110000		04.00	100.70	05.47	70.04	10.00			00.05	04.00		l
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86	<del>                                     </del>	-	20.35	21.09		-
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			20.35	21.09		l
h + +	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OLAL	32.93	100.70	33.47	72.54	10.00	+		20.55	21.03		<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			20.35	21.09		l
	Each Additional DS1 Interoffice Channel per mile in same 3/1		_													
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	9.80	11.49	1.18
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42					20.35	9.80	11.49	1.18
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	١,	LINCDY	LIDI 50	07.00	400.70	25.47	70.04	40.00	1		20.05	10.51	40.00	1
	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	-	1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86	<del>                                     </del>		20.35	10.54	13.32	<del></del>
	Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	1
<del>                                     </del>	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>		0.4007	00230	41.47	100.76	35.47	12.34	10.00	+	<del>                                     </del>	20.33	10.54	13.32	<del></del>
	Zone 3	1	3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	1
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	Ť		1				1 - 101	. 3.00	1					
	Mile Per Month			UNC1X	1L5XX	0.3562				<u> </u>			<u> </u>		<u> </u>	<u> </u>
	First Interoffice Transport - Dedicated - DS1 - combination	l														1
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
$\vdash$	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	1		20.35	9.80	11.49	1.18
<del></del>	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	-	<u> </u>	UNCDX	1D1DD	0.91	5.70	4.42	47.40	^ 77	+	1	20.35	9.80	11.49	1.18
	3/1 Channel System in combination per month	-		UNC3X UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77	<del>                                     </del>		20.35 20.35	9.80 9.80	11.49 11.49	1.18
$\vdash$	Per each DS1 COCI in combination per month  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-	-	ONCIA	וטוטט	17.58	5.70	4.42	+		1	-	∠0.35	9.80	11.49	1.18
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86	1		20.35	10.54	13.32	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	5.13DA	35200	27.00	100.70	55.47	72.54	10.00	<u> </u>		20.00	10.04	10.02	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	1

CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(S)   Submitted   Submitted   Changes   Manual Svot   per LSR   Per LSR   Manual Svot   per LSR   Per														Attachment: 2	AII. M		1
COLUPE COCI (data) COCI in combination per month (2.4 (AAC))	GORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
COLUP POOL (state) COCI in combination per month (2.4   UNCDX   101DD   0.91   5.70   4.42   2.035							Pac								Rates(\$)		
Sikbe   UNCDX   10100   0.91   5.70   4.42   20.35							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each Additional DSI Intereffice Channel part mile in same 3/1   UNC1X 1L5XX 0.5862					LINCDY	4D4DD	0.04	5.70	4.40					20.25	0.00	44.40	4.40
Channel System per month	1				UNCDX	10100	0.91	5.70	4.42	-				20.35	9.80	11.49	1.18
Each Additional DSI Interoffice Channel Facility Termination in same 91 channel System per month   UNC1X   U1TF1   77.86   171.24   113.12   70.07   30.90   20.35					UNC1X	1L5XX	0.3562										
Each Additional DST OCCI in the same 3rt channel system   UNC1X   UC101   17.58   5.70   4.42   20.38	1	Each Additional DS1 Interoffice Channel Facility Termination in															
Combination per month   UNCTX   UCTD1   17.58   5.70   4.42   20.38	ļ				UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
EXTENDED 4-WIRE 64 KBPS INGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W 3/1 MUX   First 4-Wire 64 KBps Digital Grade Loop in a DS1 Interoffice   1 UNCDX UDL64   27.66   108.76   35.47   72.94   10.86   20.35   First 4-Wire 64 KBps Digital Grade Loop in a DS1 Interoffice   2 UNCDX UDL64   41.47   108.76   35.47   72.94   10.86   20.35   First 4-Wire 64 KBps Digital Grade Loop in a DS1 Interoffice   2 UNCDX UDL64   41.47   108.76   35.47   72.94   10.86   20.35   First 4-Wire 64 KBps Digital Grade Loop in a DS1 Interoffice   2 UNCDX UDL64   41.47   108.76   35.47   72.94   10.86   20.35   MIX DX UDL64   69.24   108.76   35.47   72.94   10.86   20.35   MIX DX UDL64   69.24   108.76   35.47   72.94   10.86   20.35   MIX DX UDL64   69.24   108.76   35.47   72.94   10.86   20.35   MIX DX UDL64   69.24   108.76   35.47   72.94   10.86   20.35   MIX DX UDL64   69.24   108.76   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76   171.24   113.12   70.07   30.90   20.35   MIX DX UDL64   108.76					LINC1V	LIC1D1	17.50	5.70	4.42					20.25	9.80	11.49	1.18
First 4-Wire 64Kpps Digital Grade Loop in a DS1 Interoffice   1 UNCDX	EXTEN		NTERO	FFICE			17.30	5.70	4.42	<u> </u>				20.33	9.00	11.45	1.10
Transport Combination - Zone 1	1					1		1		t							
Transport Combination - Zone 2	<u> </u>	Transport Combination - Zone 1		1	UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86	ļ		20.35	10.54	13.32	
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice   Transport Combination - Zone 3   Series Interoffice   Transport Combination - Zone 3   Series Interoffice   Serie				_	LINCDY	LIDI C1		400.70	05.75	70.01	10.00			20.05	10.51	10.00	
Transport Combination - Zone 3	+			2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86	-	-	20.35	10.54	13.32	-
First Interoffice Transport - Dedicated - DST combination - Per   UNC1X				3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
First Interoffice Transport - Dedicated - DS1 combination -   UNC1X	1	First Interoffice Transport - Dedicated - DS1 combination - Per															
Facility Termination Per Month					UNC1X	1L5XX	0.3562										
Per each Channel System 1/0 in combination Per Month   UNC1X   MQ1   80.77   105.76   14.48   3.04   2.74   20.35					LINC1V	LIATE4	77.96	171 24	112 12	70.07	30.00			20.25	21.09	9.80	10.54
Per each OCU-DP COCI (data) in combination - per month (2.4- 8dkbs)	+														9.80	11.49	
31 Channel System in combination per month	1				O. CO. IX		00.11	100.70		0.01	2			20.00	0.00		
Per each DST COCI in combination per month		64kbs)			UNCDX										9.80	11.49	1.18
Additional 4-Wire B4Kbps Digital Grade Loop in same DS1	1										6.77				9.80	11.49	
Interoffice Transport Combination - Zone 1	1				UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL64   41.47   108.76   35.47   72.94   10.86   20.35				1	UNCDX	UDI 64	27.66	108 76	35 47	72 94	10.86			20.35	10.54	13.32	
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3 UNCDX   UDL64   69.24   108.76   35.47   72.94   10.86   20.35																	
Interoffice Transport Combination - Zone 3		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)								400 =0								40.00	
Combination - per month (2.4-64kbs)	+			3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
Each Additional DS1 Interoffice Channel per mile in same 3/1   UNC1X					UNCDX	1D1DD	0.91	5.70	4.42					20.35	9.80	11.49	1.18
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month																	
Same 3/1 Channel System per month					UNC1X	1L5XX	0.3562										
Each Additional DS1 COCI in the same 3/1 channel system combination per month   UNC1X					LINIOAY		77.00	474.04	440.40	70.07	00.00			00.05	0.00	44.40	4.40
Combination per month	1				UNCTX	UTIFT	77.86	1/1.24	113.12	70.07	30.90			20.35	9.80	11.49	1.18
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X 19.77 108.76 35.47 72.94 10.86 20.35					UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
Transport - Zone 1	EXTEN		T w/ 3/1	MUX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   2 UNCNX U1L2X					LINONIX	1141.07	10.77	400.70	05.47	70.04	40.00			00.05	04.00		
Transport - Zone 2   2 UNCNX   U1L2X   29.63   108.76   35.47   72.94   10.86   20.35				1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86			20.35	21.09		ļ
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3 3 UNCNX U1L2X 49.47 108.76 35.47 72.94 10.86 20.35 First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month First Interoffice Transport - Dedicated - DS1 combination -				2	UNCNX	U1L2X	29.63	108.76	35.47	72.94	10.86			20.35	21.09		
First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month UNC1X 1L5XX 0.3562 First Interoffice Transport - Dedicated - DS1 combination -	1																
Mile per month UNC1X 1L5XX 0.3562	ļ			3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.86			20.35	21.09		
First Interoffice Transport - Dedicated - DS1 combination -					LINC1Y	11.577	0.3563			1							
	1		-		ONOIA	ILUAA	0.3362			<b>†</b>		1	<b>†</b>				<del>                                     </del>
		Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
Per each Channel System 1/0 in combination - per month         UNC1X         MQ1         80.77         105.76         14.48         3.04         2.74         20.35		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80	11.49	1.18
Per each 2-wire ISDN COCI (BRITE) in combination - per month UNCNX UC1CA 3.10 5.70 4.42 20.35		Por each 2 wire ISDN COCI (PRITE) in combination			LINCNIY	LIC1CA	2.40	E 70	4.40					20.25	9.80	11.49	1.18
Per each 2-Wire ISDN COCI (BRITE) in combination - per month   UNCX   UC1CA   3.10   5.70   4.42     20.35	+									17 12	6 77				9.80	11.49	1.18
Per each DS1 COCI in combination per month										2	0.11	<u> </u>			9.80	11.49	1.18
Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
Combination - Zone 1	1			1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86	-		20.35	21.09		<del>                                     </del>
Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1			2	UNCNX	U11 2X	29.63	108 76	35 47	72 94	10.86			20.35	21.09		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.00			20.35	21.09		
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCINX	UTLZX	49.47	108.76	35.47	72.94	10.86			20.35	21.09		1
	system combination- per month			UNCNX	UC1CA	3.10	5.70	4.42					20.35	9.80	11.49	1.18
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	9.80	11.49	1.18
	Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	UTIFT	77.86	171.24	113.12	70.07	30.90			20.35	9.80	11.49	1.18
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	PORT	w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	51.38	228.40	161.74		24.88			18.98	8.43	11.95	
$\vdash$	First 4-wire DS1 Digital Lcoal Lcop in Combination - Zone 2			UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88	ļ		18.98	8.43	11.95	
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	Mile Per Month			UNC1X	1L5XX	0.3562										
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	120701	0.0002										
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	Per each DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.3562										
<b>—</b>	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.3362							<del> </del>			
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
<b></b>	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNCIX	USLAA	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	1
	2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone													9		
	3		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56 UDL56	41.47 69.24	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	10.54 10.54	13.32 13.32	
	First 4-wire 56 kbps Local Loop in combination - Zone 3  First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		3	OINCDA	UDLOB	69.24	108.76	35.47	12.94	10.86	<del>                                     </del>	<del>                                     </del>	20.35	10.54	13.32	1
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility											1				
	Termination per month		<u> </u>	UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00	ļ		20.35	21.09	9.80	10.54
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II First 4-wire 64 kbps Local Loop in combination - Zone 1	NTERO		TRANSPORT UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86	<b>_</b>	-	20.35	10.54	13.32	ļ
	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64 UDL64	27.66 41.47	108.76	35.47	72.94 72.94	10.86	1	-	20.35	10.54	13.32	1
	First 4-wire 64 kbps Local Loop in combination - Zone 2  First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86	<del>                                     </del>	<del>                                     </del>	20.35	10.54	13.32	1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ť		3320.	33.Z-i		00.47	. 2.04				25.00	10.04	.5.02	<b>†</b>
	per month .			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
ADDITIONAL	Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00	ļ	-	20.35	21.09	9.80	10.54
	used as a part of a currently combined facility, the non-recurr	na cha	rnes de	notanniv but a	Switch As Is a	harge does an	nlv						<u> </u>	l	<u> </u>	1
	used as a part of a currently combined facility, the non-recurr															
	curring Currently Combined Network Elements "Switch As Is"			5 5 v					<u> </u>							
	al Features & Functions:															
.	0. 00			U1TD1,						_						
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X U1TD1.	CCOEF		0.00	0.00	0.00	0.00	<del>                                     </del>	1	<del>                                     </del>		1	<del>                                     </del>
. [	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
<del>-  </del>	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	3000.		5.00	0.00	5.00	3.00			1			
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		185.16	23.86	2.03	0.79			45.68	1.76	21.75	1.76

UNBL	NDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring			g Disconnect		1		Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	0.00S			45.68	1.76	21.75	1.76
		C-bit Fairty Option - Subsequent Activity - per 033			UNCVX, UNCDX,	INICOS		219.403	7.003	.70373	0.003			45.00	1.70	21.73	1.70
					UNC1X, UNC3X,												
		Wholesale to UNE, Switch-As-Is Conversion Charge		-	UNCSX	UNCCC		52.73	24.62	9.12	9.12						
		Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)	I		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.35	13.54								
		Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet)	ı		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		64.20	25.68								
	MULTI	PLEXER Interfaces															
<u> </u>		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	-		20.35	9.80	11.49	1.18
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.82	6.07	4.66					20.35	9.80	11.49	1.18
		month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66					20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
		Used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			UEA	IDIVG	0.91	6.07	4.00					20.35	9.80	11.49	1.18
		same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
		DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12				20.35	9.80	11.49	
-		STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX USL	MQ3 UC1D1	222.98 17.58	156.02 6.07	49.41 4.66	17.12	6.77			20.35 20.35	9.80 9.80	11.49 11.49	1.18 1.18
		DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	17.58	6.07	4.66					20.35	9.80	11.49	1.18
	Access	to DCS - Customer Reconfiguration (FlexServ)  Customer Reconfiguration Establishment						2.78		3.32				20.35	10.54		<u> </u>
		DS1 DSC Termination with DS0 Switching					23.35	41.14	34.25	29.94	24.08			45.68	1.76		
		DS1 DSC Termination with DS1 Switching					13.45	27.79	20.90		16.12			45.68	1.76	_	
<u> </u>	Sarvice	DS3 DSC Termination with DS1 Switching Rearrangements		-		<del>                                     </del>	150.88	41.14	34.25	29.94	24.08	1		45.68	1.76		-
	Jei VICE	NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETD		270.55	47.21					45.68	1.76		
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28					45.68	1.76		
		Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Misce	llaneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	I		UNC1X	OCOSR		18.93	18.93								

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonco	RATES (\$)	I Nonzoouvin	q Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
UNBUNDI ED	EXCHANGE ACCESS LOOP															<del> </del>
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													<del> </del>
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1													
	& facility reservation - Zone 1		1	UHL	UHL2X	10.05										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	11.70										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	13.16										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	10.05										
	2 Wire Unbundled HDSL Loop without manual service inquiry		_		1 11 11 014/	44.70										
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	11.70										
	and facility reservation - Zone 3		2	UHL	UHL2W	13.16										
4-WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	UNL	UHLZVV	13.10										
4-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOF													-
	and facility reservation - Zone 1		1	UHL	UHL4X	16.04										
	4-Wire Unbundled HDSL Loop including manual service inquiry		<del>                                     </del>	OTIL	OTILHA	10.04										
	and facility reservation - Zone 2		2	UHL	UHL4X	17.89										
	4-Wire Unbundled HDSL Loop including manual service inquiry		_	0.12	0112170	17.00										
	and facility reservation - Zone 3		3	UHL	UHL4X	17.54										
	4-Wire Unbundled HDSL Loop without manual service inquiry			-												
	and facility reservation - Zone 1		1	UHL	UHL4W	16.04										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	17.89										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	17.54										
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	94.93										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31										
LUCII CADAC	4-Wire DS1 Digital Loop - Zone 3 TY UNBUNDLED LOCAL LOOP		3	USL	USLXX	361.70										
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per				-				-							
	month			UE3	1L5ND	9.64										
	High Capacity Unbundled Local Loop - DS3 - Facility			ULS	ILSIND	5.04										-
	Termination per month			UE3	UE3PX	355.33										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	020.70	000.00										<del> </del>
	month			UDLSX	1L5ND	9.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility		1													
	Termination per month	<u> </u>	<u>L</u>	UDLSX	UDLS1	367.80			<u> </u>						<u> </u>	<u></u>
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT						•	_								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			]												
	month	<u> </u>	<u> </u>	U1TD1	1L5XX	0.21										1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				==											
	Termination	<u> </u>	ļ	U1TD1	U1TF1	69.18				ļ						-
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD3	1L5XX	4.70										1
	month Interoffice Channel - Dedicated Transport - DS3 - Facility	<del>                                     </del>	1	טווט	ILOAA	4.70			+	<b> </b>				-	-	
	Termination per month			U1TD3	U1TF3	809.05										1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	<del>                                     </del>	<u> </u>	01103	01113	003.03			+	<del> </del>						<del>                                     </del>
	month			U1TS1	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	<b>†</b>		1	.20,51	7.70			1					1		<del>                                     </del>
	Termination			U1TS1	U1TFS	806.58										1
	XTENDED LINK (EELs)		1													
	The monthly recurring and non-recurring charges below will															
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurr	ing charges below	will apply for											
EXTE	NDED 4-WIRÉ DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT											

UNBUN	IDLF	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	94.93										<u> </u>
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAV	41.5307	0.04										
		per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.21										+
		Termination per month			UNC1X	U1TF1	69.18										
		DS1 COCI in combination per month			UNC1X	UC1D1	14.60										+
E	XTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTERO	FFICE		COIDI	14.00										+
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.08										
																	1
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	408.63										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	809.05										
E	XTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.08										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	422.98										
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
<b></b>		per month			UNCSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			LINIOOV		000.50										
ADDITIO	NIAI N	Termination per month			UNCSX	U1TFS	806.58										-
						Suitab Aalaal											+
		used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, the															+
		curring Currently Combined Network Elements in All States, to					As is charge of	ioes not.									+
		al Features & Functions:	Citarge	(One a	pplies to each con	ibiliation)											+
$\vdash$	ption	ai i eatures a i unctions.			U1TD1.	+											+
		Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						<u> </u>
		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	ı		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
		C-bit Parity Option - Subsequent Activity - per DS3	:		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
	/III TI	PLEXERS		-	UE3, UNU3X	NRCC3		219.13	7.67	0.7355	0.00						+
	IULII	DS1 to DS0 Channel System per month			UNC1X	MQ1	116.22										+
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQ I	110.22										+
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.29										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															1
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.29										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.77										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.77										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.61										
		Voice Grade COCI - DS1 to DS0 Channel System - per month lused for connection to a channelized DS1 Local Channel in the				1	0.01										
		same SWC as collocation			U1TUC	1D1VG	0.61										
$\vdash$		DS3 to DS1 Channel System per month			UNC3X	MQ3	191.05								1	1	$\leftarrow$
$\vdash$		STS-1 to DS1 Channel System per month			UNCSX	MQ3	191.05								<del>                                     </del>	<del> </del>	+
$\vdash$		DS1 COCI used with Loop per month			USL	UC1D1	14.60								<b> </b>	<b> </b>	+
		DS1 COCI (used for connection to a channelized DS1 Local			1 - 1 -		50								İ	İ	<del>                                     </del>
				1	U1TUA	UC1D1	14.60								I	I	1
		Channel in the same SWC as collocation) per month			UTTUA	UCIDI	14.00										

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	14.60										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B	I	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Name	RATES (\$)	Monroquein	q Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							Filat	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP							1						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.30										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	11.80				ļ						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	20.94										
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	UNL	UHLZA	20.94		-	-	+						
	and facility reservation - Zone 1		1	UHL	UHL2W	8.30										
	2 Wire Unbundled HDSL Loop without manual service inquiry		i i	0.1.2	0	0.00				1						
	and facility reservation - Zone 2		2	UHL	UHL2W	11.80										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	20.94										
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		١.			40.40										
	and facility reservation - Zone 1		1	UHL	UHL4X	12.49				1						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	17.76										
	4-Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTIL4X	17.70				+						
	and facility reservation - Zone 3		3	UHL	UHL4X	31.50										
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ť	0.12	0.12.50	01.00										
	and facility reservation - Zone 1		1	UHL	UHL4W	12.49										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	17.76										
	4-Wire Unbundled HDSL Loop without manual service inquiry		_		I											
4 14/15	and facility reservation - Zone 3		3	UHL	UHL4W	31.50										
4-WIR	E DS1 DIGITAL LOOP  4-Wire DS1 Digital Loop - Zone 1		4	USL	USLXX	81.35				+						<u> </u>
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	115.62				1						
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	205.15			1	-						†
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP		Ť	002	002701	200.10										
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	12.56										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	444.91										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			LIDI CV	41 END	10.50										
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	12.56			-	-						-
	Termination per month			UDLSX	UDLS1	490.59										
UNBUNDLED	DEDICATED TRANSPORT			ODLOX	ODLOT	490.33			1	+						<b>†</b>
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.21										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	101.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.500/	4.45										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	4.45		<b>-</b>	-	1						
	Termination per month		1	U1TD3	U1TF3	1231.65		I		1						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	01100	01113	1231.03		<del> </del>	+	+						<del>                                     </del>
	month		1	U1TS1	1L5XX	4.45		I		1						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	1214.40				<u> </u>						<u> </u>
	XTENDED LINK (EELs)									1						
	: The monthly recurring and non-recurring charges below will															<u> </u>
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	ne non-	recurr	ing charges below	will apply for	UNE combination	ons provision	ed as ' Curren	tly Combined'	Network Eleme	nts.					<b></b>
EXIE	NDED 4-WIRÉ DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	⊏บ บร1	INIE	CUFFICE TRANSPO	KI			1	1		<u> </u>					L

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic
							N		M	B'					DISC 1St	DISC Add I
		<u> </u>				Rec	Nonrec		Nonrecurring					Rates (\$)		
	LANGE POLICIES IN COLUMN TO A		<u> </u>		1101307	04.05	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>04											
	per month		-	UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	101.71										
	DS1 COCI in combination per month			UNC1X	UC1D1	15.82										
EXIE	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DEFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.44										
		1	1												Ì	1
	DS3 Local Loop in combination - Facility Termination per month	ļ	1	UNC3X	UE3PX	511.65									ļ	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	<u> </u>	1	UNC3X	1L5XX	4.45										
	Interoffice Transport - Dedicated - DS3 combination - Facility	1	1												Ì	1
	Termination per month			UNC3X	U1TF3	1231.65										
EXTE	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.44										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	564.18										
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	4.45										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1214.40										
DDITIONAL	NETWORK ELEMENTS															
Whei	n used as a part of a currently combined facility, the non-recurr	rng cha	rges d	o not apply, but a	Switch As Is cl	harge does app	ly.									
	n used as ordinarily combined network elements in All States, the															
Nonr	recurring Currently Combined Network Elements "Switch As Is"	Charge	(One	applies to each con	nbination)											
Optio	onal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
	, , , , , , , , , , , , , , , , , , ,			U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
MUL	TIPLEXERS		1													
	DS1 to DS0 Channel System per month	1		UNC1X	MQ1	168.79										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	ONO IX		100.10										
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.42										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	ODL	10100	2.72										
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.42										
				OTTOD	10100	2.72										
	2-wire ISDN COCL (BRITE) - DS1 to DS0 Channel System - per													l		l
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			LIDN	LIC1CA	1 21										
	month for a Local Loop			UDN	UC1CA	4.21										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	4.21										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UDN U1TUB	UC1CA UC1CA	4.21										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	4.21										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop															
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	4.21										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			U1TUB UEA	UC1CA 1D1VG	4.21 1.59										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB UEA U1TUC	UC1CA 1D1VG	4.21 1.59 1.59										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month			U1TUB UEA U1TUC UNC3X	UC1CA  1D1VG  1D1VG  MQ3	4.21 1.59 1.59 242.87										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			U1TUB UEA U1TUC UNC3X UNCSX	UC1CA  1D1VG  1D1VG  MQ3  MQ3	4.21 1.59 1.59 242.87 242.87										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  DS3 to DS1 Channel System per month  STS-1 to DS1 Channel System per month  DS1 COCI used with Loop per month			U1TUB UEA U1TUC UNC3X	UC1CA  1D1VG  1D1VG  MQ3	4.21 1.59 1.59 242.87										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI (used for connection to a channelized DS1 Local			U1TUB UEA U1TUC UNC3X UNCSX USL	UC1CA  1D1VG  1D1VG  MQ3  MQ3  UC1D1	4.21 1.59 1.59 242.87 242.87 15.82										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  DS3 to DS1 Channel System per month  STS-1 to DS1 Channel System per month  DS1 COCI used with Loop per month			U1TUB UEA U1TUC UNC3X UNCSX	UC1CA  1D1VG  1D1VG  MQ3  MQ3	4.21 1.59 1.59 242.87 242.87										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	<b>Manual Svc</b>	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	15.82										

RATE ELEMENTS  Interi m Zone BCS USOC RATES (\$)  Svc Order Submitted Elec Per LSR Manual Svc Order vs. Electronic- 1st Madd'l Disc 1st Disc Add Dis	UNBUNDLE	D NETWORK ELEMENTS - Georgia				-			-					Attachmen	t: 2 Exh. B		<del></del>
MUNICHAELD EXCHANGE ACCESS LOOP	CATEGORY			Zone	BCS	USOC		Nonro		Nonrocurrin	a Dissonnest	Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
Note:   Note				1			Rec					SOMEC	SOMAN			SOMAN	SOMAN
2   2004   100				1				1 1130	Addi	11100	Auu	COMILO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
SWINE Unknowned HIDSL Loop including manual service incipated   1																	
Bit English yearwards - Zoos 1	2-WIR		TIBLE	LOOP													
2 Yee Chicangled FISEL Loop coloring remail service requiry   1 2 UH. UH-ZX   10.46																	
R. Racity meanwriter. John 2   1   2   0.04.   94-12.   10.55   10.5			- 1	1	UHL	UHL2X	9.06										
2 Vive Unknowled HDSL Log without manual service inquiry     3 UHE.							40.45										
S. Boolly reservation - Zens 3   Vertical Homolader (FIDE) Loop without manual service inquiry   1   2   [Jink			ı	2	UHL	UHL2X	10.45									-	<del> </del>
2 Vivis (Inhanded PISK Loop without manual service inquiry   1   1   UHE, UHLZW   3.06				3	ПНІ	LIHL 2Y	16 65										
Set Statisty reservation - Zone 1			-	3	OTIL	OTILZX	10.05										-
2 Year Unburded FISE, Logs without manual service inquiry   1			1	1	UHL	UHL2W	9.06										
2 Wire Urbander MSSL Lope whost manual service inquiry   1   3   UHL		2 Wire Unbundled HDSL Loop without manual service inquiry															
and facility operantion			- 1	2	UHL	UHL2W	10.45										
A-Wire Description   Descrip																	
A Wire Unbundled HDSL Loop including manual service inquiry   1					UHL	UHL2W	16.65										
and facility reservation - Zone 1	4-WIR		TIBLE	LOOP													
### United HDSL Loop including manual service inquiry and facility reservation - Zone 2				1	ш	LILII AV	11.05										
Image: A control con	-		-	-	UNL	UHL4X	11.95									-	<del> </del>
H-Wise Unburieded HDSL Loop including manual service inquiry   1				2	ПНІ	LIHLAX	13.80										
and facility reservation - Zone 3					OTIL	OT IL-IX	10.00										
A-Wire London From 1			- 1	3	UHL	UHL4X	21.93										
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation 2.70 at 9																	
and facility reservation - Zone 2			- 1	1	UHL	UHL4W	11.95										
### Affire Unbrundled HDSL Loop without manual service inquiry and facility reservation. Zone 3 I J JUHL UHLAW 21,93																	
and facility reservation - Zone 3			- 1	2	UHL	UHL4W	13.80										
###RE ST Digital Loop - Zone 1							04.00										
H-Wire DS1 Digital Loop - Zone 1	4-WID		- 1	3	UHL	UHL4VV	21.93										
A-Wire DSI Digital Loop - Zone 2	4-4411			1	LISI	LISL XX	<i>∆</i> 7 17									1	
A-Wire DSI Digital Loop - Zone 3   3 USL																	
HIGH CAPACITY VINBUNDLED LOCAL LOOP    High Capacity Unbundled Local Loop - DS3 - Per Mile per month   UE3   1L5ND   12.62																İ	
month   UE3   LISND   12.62	HIGH CAPACI																
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLSX UDLSX UDLSI 351.23 UNBUNDLE DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT UITD1 INTEROFFICE CHANNEL - DEDICATED TRANSPORT UITD1 Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Termination per month UITD3 UIT		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
Termination per month    UE3					UE3	1L5ND	12.62										
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSI JS51.23 UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD1 U1TD3 U1T						l											
month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLS1 UDLSX UDLS1 351.23 UNBUNDLED DEDICATED TRANSPORT UNTEROFFICE CHANNEL - DEDICATED TRANSPORT UITD1 Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD					UE3	UE3PX	291.39										
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month  UDLSX  UDLS1  351.23  UDLS2  UDLS1  351.23  UDLS2  UDLS1  351.23  UDLS2  UDLS1  351.23  UDLS2  UDLS1  1L5XX  UDLS1  UDLS2  UDLS1  UDLS2  UDLS2  UDLS2  UDLS2  UDLS1  UDLS2  UDLS2  UDLS2  UDLS1  UDLS2  UDL					IIDI GY	11 END	12.62										
Termination per month					ODLOX	TESIND	12.02									1	
UNBUNDLED DEDICATED TRANSPORT  INTEROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS1 - Facility  Termination  Interoffice Channel - Dedicated Transport - DS1 - Facility  Termination - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility  Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility  Termination  U1TS1  U1TS1  U1TFS  412.47  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Ourrenty Combined' Network Elements.					UDLSX	UDLS1	351.23										
Interoffice Channel - Dedicated Tranport - DS1 - Per Mile per month  Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  U1TS1  U1TS1  U1TFS  412.47  INTEROFE DEXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.	UNBUNDLED					1											
month   U1TD1   1L5XX   0.13	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination U1TD1 U1TF1 39.32  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 U1TD3 U1TD3 U1TF3 393.32  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 393.32  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 393.32  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS1 U1TS1 U1TFS 412.47  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
Termination U1TD1 U1TF1 39.32					U1TD1	1L5XX	0.13										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  U1TD3  U1TD3  U1TF3  393.32  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  U1TD3  U1TD3  U1TF3  393.32  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  U1TS1  U1TS1  U1TS1  U1TFS  412.47  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																	
month					U1TD1	U1TF1	39.32										
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 393.32 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS1 U1TS1 U1TFS 412.47  ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.					LIATOS	11 5 7 7	2.01										
Termination per month U1TD3 U1TF3 393.32 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS1 2.92 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TFS 412.47  ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.				<b>!</b>	פטווט	ILOAA	2.91			1	1				-	<del></del>	<del>                                     </del>
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.					U1TD3	U1TF3	393.32										
month			1			30	000.0Z			1	1				1	<b>†</b>	†
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.					U1TS1	1L5XX	2.92										
ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.		Interoffice Channel - Dedicated Transport - STS-1 - Facility															1
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.					U1TS1	U1TFS	412.47										<u> </u>
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																	
																	<b></b>
							UNE combination	ons provision	ea as ' Curren	tiy Combined'	Network Eleme	nts.			-	1	<del> </del>

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring		201150	001111		Rates (\$)	001441	001111
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	53.37				1						1
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	71.33										+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.13										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	1LO/O	0.10										
	Termination per month			UNC1X	U1TF1	39.32										
	DS1 COCI in combination per month			UNC1X	UC1D1	8.45										
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTER	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.51										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	335.10										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.91										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	393.32										
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.51										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	403.92										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.91										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	412.47										
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															ļ
	used as ordinarily combined network elements in All States, th curring Currently Combined Network Elements "Switch As Is"					As is Charge of	ioes not.				-					-
	nal Features & Functions:	Charge	One a	pplies to each com	Dination)					-	-	-				+
Орио	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	_		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	I		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.62	23.78	2.03	0.79						
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
MULT	IPLEXER\$															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.21										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LIDI	40400	4.45										
	month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.15										
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			U1TUD	1D1DD	1.15										
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	1.91										
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.91										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.54										
	used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.54										
	DS3 to DS1 Channel System per month		l -	UNC3X	MQ3	140.18				<del> </del>			1	1		<del></del>
	STS-1 to DS1 Channel System per month		l -	UNCSX	MQ3	140.18				<del> </del>			1	1		<del></del>
<b>!</b>										1	l .	1	1	1		
					UC1D1	8.45										
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL	UC1D1	8.45										
	DS1 COCI used with Loop per month				UC1D1 UC1D1	8.45 8.45										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	<b>Manual Svc</b>	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	8.45										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonro	RATES (\$)	Monroquesin	g Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1 1130	Addi	11130	Auu	COMILO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06										
	2 Wire Unbundled HDSL Loop including manual service inquiry					40.00										l
	& facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.99										<b>—</b>
	& facility reservation - Zone 3		3	UHL	UHL2X	12.20										l
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OTIL	OTTLEX	12.20										
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06										l
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.99										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	12.20										
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.04										l
<b></b>	4-Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHL4A	16.04										<del></del>
	and facility reservation - Zone 2	1	2	UHL	UHL4X	18.03										İ
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILAX	10.00										
	and facility reservation - Zone 3		3	UHL	UHL4X	19.53										İ
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.04										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.03										
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	11111 4147	10.50										İ
4-WID	and facility reservation - Zone 3 E DS1 DIGITAL LOOP		3	UHL	UHL4W	19.53										<b></b>
4-4411	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	99.44										<del> </del>
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	131.22										
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	342.42										
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.64										
	High Capacity Unbundled Local Loop - DS3 - Facility															İ
	Termination per month			UE3	UE3PX	354.56										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.64										1
<del>                                     </del>	High Capacity Unbundled Local Loop - STS-1 - Facility		1	ODLOX	ILUIND	10.04			+							<del>                                     </del>
	Termination per month			UDLSX	UDLS1	368.59										İ
UNBUNDLED	DEDICATED TRANSPORT					000.00										
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						· · · · · · · · · · · · · · · · · · ·									
	month			U1TD1	1L5XX	0.26										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			III TO	114754	440.45										İ
<b></b>	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	110.45			+							<del>                                     </del>
	month			U1TD3	1L5XX	5.72										İ
<del>                                     </del>	Interoffice Channel - Dedicated Transport - DS3 - Facility		<del>                                     </del>	0.100	120707	5.72			+	1						
	Termination per month		1	U1TD3	U1TF3	1351.42										1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	5.72										1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	1321.94			1	1						
	XTENDED LINK (EELs)	<u> </u>		0	1	la Caralline				 	<u> </u>				ļ	
	The monthly recurring and non-recurring charges below will															+
NOTE	The monthly recurring and the Switch-As-Is Charge and not to NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	HE HON-	HECUIT	ING CHARGES DEIOW	wiii appiy tor i	UNE COMBINATIO	ons provision	eu as Curren	ny Compined.	Network Eleme	nts.			-	-	<del></del>
EVIE	ADED 4-MILE DOLDIGHAL EVIENDED FOOL MILE DEDICAL	ויטע עם	INTER	OFFICE TRANSPO	N I					1						

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		No.	RATES (\$)	Name	Diagona	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		T 0011111
	1115 2012:11 1 0 11 5 7		<b>.</b>			20.11	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	131.22										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.22										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	90.87										
	DS1 COCI in combination per month			UNC1X	UC1D1	13.57										
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.23										1
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	407.74										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1111.92										
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.23										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	423.87										
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month .			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															1
	Termination per month			UNCSX	U1TFS	1087.66										
DDITIONAL	NETWORK ELEMENTS															
Whe	n used as a part of a currently combined facility, the non-recurr	ng cha	raes do	not apply, but a S	Switch As Is ch	narge does app	lv.									
	n used as ordinarily combined network elements in All States, the															
	ecurring Currently Combined Network Elements "Switch As Is"															1
	onal Features & Functions:		ì		1											
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,				0.00								
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78						
	,, p			U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
MIII	TIPLEXERS			OLO, ONCOX	NICOOS		200.70	7.20	0.0324	0.00						<del>                                     </del>
	DS1 to DS0 Channel System per month			UNC1X	MQ1	130.33										<del>                                     </del>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQI	130.33										<b>+</b>
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.52										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	1.52										
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.52										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-	UTTUD	טטוטו	1.52										
	month for a Local Loop			UDN	UC1CA	3.27										
				UDIN	UCTCA	3.27										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel			LIATUD	110404	0.07										
	in the same SWC as collocation			U1TUB	UC1CA	3.27										
	Voice Grade COCI - DS1 to DS0 Channel System - per month				45.040											
	used for a Local Loop			UEA	1D1VG	0.72										<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System - per month	l												Ì	I	
	used for connection to a channelized DS1 Local Channel in the	l												Ì	I	
	same SWC as collocation			U1TUC	1D1VG	0.72									1	ļ
	DS3 to DS1 Channel System per month			UNC3X	MQ3	181.93								ļ		ļ
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	181.93	·									
	DS1 COCI used with Loop per month			USL	UC1D1	13.57	·									<u> </u>
																1
-+	DS1 COCI (used for connection to a channelized DS1 Local															
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1 UC1D1	13.57 13.57								_		<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	<b>Manual Svc</b>	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13.57										

ATTEMPT OF THE PROPERTY OF THE	INBUNDLE	NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
MINISTED EXCHANGE ACCESS LOOP				Zone	BCS	USOC	,	None		Nonrecurrin	a Disconnect	Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
INNIUNCILED EXCLANGE ACCESS LOOP  INNIUNCILED EXCLANGE ACCESS LOOP  INNIUNCILED EXCLANGE ACCESS LOOP  INNIUNCILED EXCLANGE ACCESS LOOP including manual service incury  I Exist presentation 7.cms I U. M. U	+						Rec					SOMEC	SOMAN			SOMAN	SOMAN
2 View Unbounded HSSL Loop including manual service inquiry   1	-					+		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
A SWEET HATE FORTY AS SUSCIENCE LINE (INSECTION LINE (LOOP)   1 Per   1.0	NBUNDI ED E	XCHANGE ACCESS LOOP															
S Verice Network NSS. Loop including manual service inquity S locity recension. Zone 2 S Verice Network 12 Cons 1 S locity recension. Zone 3 S locity recens	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
S. Basily reservation: Zone 1   1   UHL		2 Wire Unbundled HDSL Loop including manual service inquiry	1	1													
Stadily reservation - Zone 2   2   UHL				1	UHL	UHL2X	11.26										
2 Wite Enburded FISS. Logs pullous manual service inquiry   3   Jul.																	
Statility reservation - Zone 3   3   UPL   UPLZX   14.65				2	UHL	UHL2X	13.25										
2 West Unbounded HOSL Loop without manual service inquiry   2   UHL, UHL, 2W   11,26																	
Second   S				3	UHL	UHL2X	14.65										
2 Vite Unbundled HDSL Loop without manual service inquiry   2				١.													
Medically reservation - Zona 2				1	UHL	UHL2W	11.26			-							
2 Wife Unburided HDSL Loop without manual service inquiry and facility representation. Zone 3 Unit. Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) COMPATIBLE DOP Unit. Wife HDSL HD RTATE DOTT ALL SUBSCRIBER LINE (HDSL) ALL SUBSCRIBER LI				2	ПЫ	LIHI 2/M	13 25										
Advite Information   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Comparison   Total State   Tot					OFIL	OTILZVV	13.23										
AWRE HORH BIT RATE COGTAL SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP  AWRE HORN END HORN HORN AND SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP  AWRE HORN HORN HORN AND SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP  AWRE HORN HORN HORN AND SUBSCRIPE AND SUBS				3	UHI	UHI 2W	14 65										
A Vive Lubrounded PIGSL Loop including manual service inquiry and facility reservation. 2 part 1   UHL			TIBLE I	LOOP	0.12	O. ILLIV	1 1.00										
Advite Unburded HDSL Loop including manual service inquiry and facility reservation. Zone 2   UHL   UHL4X   19.15   UHL4X   19.15   UHL4X   19.15   UHL4X   19.15   UHL4X   19.15   UHL4X   19.15   UHL4X   19.15   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   19.16   UHL4X   UHL4W   UHL4X																	
and facility reservation - Zone 2   2 UHL				1	UHL	UHL4X	18.68										
### Affine Chapter of Logical Logo including manual service inquiry and facility reservation. Zone 1   ### Affine Chapter of Logical Logo State of Logical Logical Logo State of Logical Logic																	
Advice the other defined the SL Loop without manual service inquiry and facility reservation - Zone 1				2	UHL	UHL4X	19.15										
4-Wire Unbundled HOSL Loop without manual service inquiry and facility reservation. Zone 1   1   UHL   UHL4W   18.68																	
and facility reservation - Zone 1 1 UHL UHLAW 18.6.8				3	UHL	UHL4X	19.94										
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2  4-Wire Inbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3  4-Wire DS1 Digital Loop - Zone 1  4-Wire DS1 Digital Loop - Zone 2  4-Wire DS1 Digital Loop - Zone 2  4-Wire DS1 Digital Loop - Zone 2  4-Wire DS1 Digital Loop - Zone 3  3 USL  4-Wire DS1 Digital Loop - Zone 3  4-Wire DS1 Digital Loop - Zone 8  4-Wire DS1 Digital Loop - Zone 8  4-Wire DS1 Digital Loop - Zone 8  4-Wire DS1 Digita					l		40.00										
And facility reservation - Zone 2				1	UHL	UHL4VV	18.68										
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3   3 UHL				_	ш	LILLI AVA	10.15										
Advike DSI Digital Loop					UNL	UHL4VV	19.15										
4-WiRE DSI Digital Loop - Zone 1				3	UHI	UHI 4W	19 94										
4-Wire DST Digital Loop - Zone 1				ľ	0.12	0.12.11	10.01										
4-Wire DS1 Digital Loop - Zone 3   3 USL   USLXX   565.73				1	USL	USLXX	98.56										
HIGH CAPACITY UNBUNDLED LOCAL LOOP  High Capacity Unbundled Local Loop - DS3 - Per Mile per month  High Capacity Unbundled Local Loop - DS3 - Facility Termination per month  UE3  1L5ND  11.55  UE3  416.69  UE3  UE3PX  416.69  UB3X  416.69  UB3X  UB3PX  416.69  UB3X  UB3X  UB3PX  416.69  UB3X  UB3PX  416.69  UB3X  UB3PX  416.69  UB3X  UB3PX  UB		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	224.20										
High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLSX UDLSX UDLS1 430.74 UNBUNDLED DEDICATED TRANSPORT INTEROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month U1TD1 Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TD3 U1TF3 978.02 Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 U1TF3 U1TF3 978.02 INTEROFFICE CHANNEL - Dedicated Transport - STS-1 - Facility U1TS1 U1TFS 964.72  ENHANCED EXTENDED LINK (EELS) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.				3	USL	USLXX	565.73										
month	IGH CAPACIT																
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLSX UDLSX UDLS1 UTDD1 UTTD1 UTTD1 UTTD3 UT																	
Termination per month					UE3	1L5ND	11.55										
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month  High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month  UDLSX  UDLS1  UDLS2  UDLS1  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS1  UDLS3  UDLS1  430.74  UDLS1  UDLS3  UDLS1  430.74  UDLS1  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UDLS1  430.74  UDLS3  UJTD1  IL5XX  0.30  UJTD1  UJTD1  UJTD1  UJTD1  UJTD1  UJTD1  UJTD1  UJTD1  UJTD1  UJTD3					LIEO	LIEODY	440.00										
Migh Capacity Unbundled Local Loop - STS-1 - Facility   UDLSX   1L5ND   11.55				<u> </u>	UE3	UE3PX	416.69			-							
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month  UNDLSD DEDICATED TRANSPORT  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 1L5XX 6.95  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month U1TD3 U1TF3 978.02  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD1 U1TS1 U1TFS 954.72  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.					LIDI SY	11 5ND	11 55										
Termination per month					ODLOX	TEGINE	11.00										
UNBUNDLED DEDICATED TRANSPORT  INTEROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month  Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination  Interoffice Channel - Dedicated Tranport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Tranport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  U1TD3  IL5XX  6.95  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  U1TD3  U1TF3  978.02  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  U1TS1  IL5XX  6.95  U1TS1  U1TS1  U1TS1  U1TS1  U1TFS  954.72  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.					UDLSX	UDLS1	430.74										
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month  Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Facility U1TD3  U1TD3  U1TF3  978.02  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1  U1TS1																	
month   U1TD1   1L5XX   0.30	INTERC	FFICE CHANNEL - DEDICATED TRANSPORT															
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination  U1TD1  U1TF1  81.04  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3  U		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
Termination U1TD1 U1TF1 81.04  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month U1TD3 U1TD3 U1TF3 U1TF3 978.02  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 U1TF3 978.02  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TS1 U1TS1 U1TS1 U1TS1 U1TFS 954.72  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.					U1TD1	1L5XX	0.30										
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Facility Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile Transport - STS-1 - Per Mile per Mile					1												
month			ļ	<u> </u>	U1TD1	U1TF1	81.04			<u> </u>							
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month U1TD3 U1TF3 978.02 U1TF3 1L5XX 6.95 Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination U1TS1 U1TS1 U1TFS 954.72 U1TS1 U1TFS 954.72  ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.					LIATES	41.577	0.05										
Termination per month U1TD3 U1TF3 978.02 U1TF3 978.02 U1TS1			<u> </u>		UTID3	ILDXX	6.95			+	-					-	
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month  U1TS1 1L5XX 6.95  Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.					LI1TD3	111TE2	079.03										
month			<del>                                     </del>	<del>                                     </del>	סווט	01113	910.02			+	<b>†</b>					<del> </del>	
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination  U1TS1  U1TFS  954.72  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.				1	U1TS1	1L5XX	6 95									1	
Termination						. 20, 51	5.50										
ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.				1	U1TS1	U1TFS	954.72									1	
	NHANCED EX	TENDED LINK (EELs)															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.	NOTE: 1	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurr	ing charges below v	will apply for I	UNE combination	ons provision	ed as ' Curren	tly Combined'	Network Eleme	nts.					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT											<u> </u>

	LED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Order vs.	Incrementa Charge - Manual Sv Order vs. Electronic
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.30										
	Interoffice Transport - Dedicated - DS1 combination - Facility		1	UNCIX	ILDAX	0.30										
	Termination per month			UNC1X	U1TF1	81.04										
	DS1 COCI in combination per month			UNC1X	UC1D1	13.55										
EX1	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE		00.5.	10.00										
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	13.28										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	479.19										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.95										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	978.02										
EX1	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF													
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.28										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	495.36										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.95										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	954.72										
ADDITIONA	Termination per month  L NETWORK ELEMENTS		1	UNCSX	UIIFS	954.72										
	en used as a part of a currently combined facility, the non-recuri	1		o not apply but a S	Switch Ac Ic c	haraa daaa an	ds.									
Wh	en used as ordinarily combined network elements in All States, t	he non-	recurr	ing charges apply a	nd the Switch											
Who Nor	en used as ordinarily combined network elements in All States, t recurring Currently Combined Network Elements "Switch As Is"	he non-	recurr	ing charges apply a	nd the Switch											
Who Nor	en used as ordinarily combined network elements in All States, t	he non-	recurr	ing charges apply a applies to each com	nd the Switch											
Who Nor	en used as ordinarily combined network elements in All States, t recurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:	he non-	recurr	ing charges apply a applies to each com	nd the Switch		loes not.									
Who Nor	en used as ordinarily combined network elements in All States, t recurring Currently Combined Network Elements "Switch As Is"	he non-	recurr	ing charges apply a applies to each com	nd the Switch			0.00	0.00	0.00						
Who Nor	en used as ordinarily combined network elements in All States, to precurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1	he non- Charge	recurr	ung charges apply a applies to each com U1TD1, ULDD1,UNC1X U1TD1,	nd the Switch bination)		0.00									
Who Nor	en used as ordinarily combined network elements in All States, t recurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:	he non-	recurr	ung charges apply a applies to each com U1TD1, ULDD1,UNC1X	nd the Switch		loes not.	0.00	0.00	0.00						
Who Nor	en used as ordinarily combined network elements in All States, to precurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent	he non- Charge	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1,UNC1X	nd the Switch abination)  CCOEF  CCOSF		0.00 0.00	0.00	0.00	0.00						
Who Nor	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1	he non- Charge	recurr	ung charges apply a applies to each com U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X	nd the Switch bination)		0.00									
Who Nor	en used as ordinarily combined network elements in All States, to precurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent	he non- Charge	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1,UNC1X	nd the Switch abination)  CCOEF  CCOSF		0.00 0.00	0.00	0.00	0.00						
Who Nor	en used as ordinarily combined network elements in All States, to precurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent	he non- Charge	recurr	U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, UNC1X, USL	nd the Switch abination)  CCOEF  CCOSF		0.00 0.00	0.00	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, to recurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS	he non- Charge	recurr	U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3	As Is Charge	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, tirecurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month	he non- Charge	recurr	U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UTD1, ULDD1,UTD1, UNC1X, USL U1TD3, ULDD3,	nd the Switch (bination)  CCOEF  CCOSF  NRCCC		0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non- Charge	recurr	unterprise of the control of the con	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3	As Is Charge of 120.85	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	he non- Charge	recurr	U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3	As Is Charge	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per	he non- Charge	recurr	unterprise of the control of the con	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3	As Is Charge of 120.85	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	he non- Charge	recurr	unterpressible of the control of the	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD	120.85	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	l I i	recurr	unterprise of the control of the con	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3	As Is Charge of 120.85	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per	l I i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL  U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD	120.85 1.59	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1  Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	l l i	recurr	unterpressible of the control of the	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD	120.85	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	l l i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL  U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD	120.85 1.59	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel	l l i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1, U1TD1, UNC1X, USL  U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL  UTUD  UDL  UDD  UDD  UDD  UDD  UD	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA	120.85 1.59 3.40	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is"  ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	l l i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1, U1TD1, ULDD1, U1TD1, UNC1X, USL  U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD	120.85 1.59	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	l l i	recurr	untub  untub	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA	120.85 1.59 3.40	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	l l i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1, U1TD1, UNC1X, USL  U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL  UTUD  UDL  UDD  UDD  UDD  UDD  UD	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA	120.85 1.59 3.40	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Whi	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	l l i	recurr	untub  untub	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA	120.85 1.59 3.40	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Opt	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	l l i	recurr	untub  untub	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA	120.85 1.59 3.40	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Opt	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	l l i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X  U1TD1, ULDD1,UNC1X  ULDD1,UNC1X  ULDD1, U1TD1, UNC1X, USL  U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL  U1TUD  UDN  U1TUB  UEA	nd the Switch bination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA  UC1CA  1D1VG	120.85 1.59 1.59 3.40 0.75	0.00 0.00 184.65	0.00 23.79	0.00	0.00						
Opt	en used as ordinarily combined network elements in All States, threcurring Currently Combined Network Elements "Switch As Is" ional Features & Functions:  Clear Channel Capability Extended Frame Option - per DS1  Clear Channel Capability Super FrameOption - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1  C-bit Parity Option - Subsequent Activity - per DS3  LTIPLEXERS  DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop  OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	l l i	recurr	ung charges apply a applies to each com  U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1, U1TD1, UNC1X, USL U1TD3, ULDD3, UE3, UNC3X  UNC1X  UDL  U1TUD  UDN  U1TUB	nd the Switch ibination)  CCOEF  CCOSF  NRCCC  NRCC3  MQ1  1D1DD  1D1DD  UC1CA  UC1CA  1D1VG	120.85 1.59 1.59 3.40 0.75	0.00 0.00 184.65	0.00 23.79	0.00	0.00						

UNB	JNDLE	NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	I	I
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.55										
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.55										
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	13.55										

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Charge -	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurrir	ng Disconnect				Rates (\$)		
						Nec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u> </u>
	EXCHANGE ACCESS LOOP															<u> </u>
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06										ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	LILLIOV	40.00										
	& facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.60										
	& facility reservation - Zone 3		3	UHL	UHL2X	11.35										
	2 Wire Unbundled HDSL Loop including manual service inquiry		3	UNL	UNLZA	11.33				-	1					
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03										
	2 Wire Unbundled HDSL Loop without manual service inquiry		7	OTIL	OTILEX	12.00										+
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06										
	2 Wire Unbundled HDSL Loop without manual service inquiry		· ·	0.12	0	10.00										<b>†</b>
	and facility reservation - Zone 2		2	UHL	UHL2W	10.60										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.35										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	12.03										
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.93										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	15.85										ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	4547	45.44										
	and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	15.44			+							
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93										
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UNL	UHL4VV	17.93										-
	and facility reservation - Zone 4		4	UHL	UHL4W	16.63										
4-WIR	RE DS1 DIGITAL LOOP		4	OFIL	OI IL4VV	10.03										
7-8810	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	118.62			+	+						<del>                                     </del>
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	148.79			1	1				1	1	<b>†</b>
İ	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	237.75			1	İ						
	4-Wire DS1 Digital Loop - Zone 4			USL	USLXX	527.23										
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month	<u></u>		UE3	1L5ND	12.88				<u> </u>	<u> </u>			<u> </u>	<u> </u>	
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	375.07										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	12.88					ļ					<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Facility	1				T										
	Termination per month	ļ		UDLSX	UDLS1	389.33			ļ	1	ļ					<b></b>
	DEDICATED TRANSPORT	ļ								ļ	ļ					<b></b>
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT	ļ								ļ	ļ					<b></b>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l		LUTDA	41.5307	0.00			1							
	month	<b>!</b>		U1TD1	1L5XX	0.23			1	-	ļ			ļ	ļ	<b>↓</b>
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		LIATEA	LIATE 4	05.00										
<del>                                     </del>	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<del>                                     </del>	-	U1TD1	U1TF1	65.93			+	+	<del>                                     </del>			-	-	<del> </del>
1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	l	l	U1TD3	1L5XX	5.47			1	1				1	1	

UNBUND	DLE	NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	I	
							Rec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	738.18										<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.47										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			01131	ILSAA	5.47										
		Termination			U1TS1	U1TFS	740.84										
ENHANCE		TENDED LINK (EELs)															
		The monthly recurring and non-recurring charges below will															
		The monthly recurring and the Switch-As-Is Charge and not t					UNE combination	ons provisione	d as ' Current	y Combined' N	letwork Eleme	nts.					
EX		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X UNC1X	USLXX	90.94 148.79										
		4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	237.75	+							-	-	
		4-wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23	-									<del>                                     </del>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		†			02.1.20	t									
		per month	L	L	UNC1X	1L5XX	0.21								<u> </u>	<u> </u>	
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	59.48										
		DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	3.01										
EX		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1L5ND	44.04										
		DS3 Local Loop in combination - per mile per month		<u> </u>	UNC3X	1L5ND	14.81										-
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	431.33										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47										<b>†</b>
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	738.18										
EX		DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.81										
		STS-1 Local Loop in combination - Facility Termination per			LINIOOV	1101.04	447.70										
		month Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	447.73	-									<b>.</b>
		per month			UNCSX	1L5XX	5.47										
		Interoffice Transport - Dedicated - STS-1 combination - Facility			01100/1	120/01	0.47										<b>†</b>
		Termination per month			UNCSX	U1TFS	740.84										
		ETWORK ELEMENTS															
		ised as a part of a currently combined facility, the non-recurr															
		ised as ordinarily combined network elements in All States, the					As Is Charge d	loes not.									
		urring Currently Combined Network Elements "Switch As Is" al Features & Functions:	Cnarge	(One a	applies to each com	ibination)											
Ор	, ciona	ar i catares a i difetions.		1	U1TD1,	+	<del>                                     </del>	t									
		Clear Channel Capability Extended Frame Option - per DS1	1	1	ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	ı		UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76						
		C hit Davits Oation Cohannes t Anticity and DC2			U1TD3, ULDD3,	NDCCO		040.70	7.00	0.7004	0.00						
MI		C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	-		UE3, UNC3X	NRCC3	+	218.72	7.66	0.7201	0.00				-	-	
IVIC		DS1 to DS0 Channel System per month			UNC1X	MQ1	118.28										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1		t									
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.40										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per							-								
		month (2.4-64kbs) used for connection to a channelized DS1			l <u>-</u>	1		l									
		Local Channel in the same SWC as collocation		ļ	U1TUD	1D1DD	1.40										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop		1	UDN	UC1CA	3.01	l									
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIN	UCTOA	3.01	ł									
.		month used for connection to a channelized DS1 Local Channel		1	1			l									
1		in the same SWC as collocation	l	1	U1TUB	UC1CA	3.01					1			l	l	1

UNBUN	NDLED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
CATEGO	DRY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade COCI - DS1 to DS0 Channel System - per used for a Local Loop	month		UEA	1D1VG	0.66										
	Voice Grade COCI - DS1 to DS0 Channel System - per used for connection to a channelized DS1 Local Chann same SWC as collocation			U1TUC	1D1VG	0.66										
-	DS3 to DS1 Channel System per month			UNC3X	MQ3	196.22					1					
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	196.22										
	DS1 COCI used with Loop per month			USL	UC1D1	14.90										
	DS1 COCI (used for connection to a channelized DS1 L	_ocal		1147114	110404	44.00										
	Channel in the same SWC as collocation) per month DS1 COCI used with Interoffice Channel per month			U1TUA U1TD1	UC1D1 UC1D1	14.90 14.90										
	DS3 Interface Unit (DS1 COCI) used with Local Channel month	el per		ULDD1	UC1D1	14.90										

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	First	curring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
<del>  </del>							FIISL	Addi	Filst	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	9.14				-						<u> </u>
	& facility reservation - Zone 2		2	UHL	UHL2X	10.52										
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEZX	10.02										
	& facility reservation - Zone 3		3	UHL	UHL2X	10.96										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.14										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.52										
<del>                                     </del>	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	10.52										
	and facility reservation - Zone 3		3	UHL	UHL2W	10.96										
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		١.	l												
	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	12.66				-						
	and facility reservation - Zone 2		2	UHL	UHL4X	14.03										
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFFE	14.00										
	and facility reservation - Zone 3		3	UHL	UHL4X	15.51										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	12.66										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14.03										
-	4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4VV	14.03										
	and facility reservation - Zone 3		3	UHL	UHL4W	15.51										
4-WIR	RE DS1 DIGITAL LOOP				1					İ						
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	73.16										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	120.06										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	241.75										
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP  High Capacity Unbundled Local Loop - DS3 - Per Mile per															ļ
	month			UE3	1L5ND	14.89										
	High Capacity Unbundled Local Loop - DS3 - Facility		1	OLO	ILOIND	14.00										
	Termination per month			UE3	UE3PX	264.38										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	14.89										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	296.49										
LINBUNDI ED	DEDICATED TRANSPORT			UDLSX	UDLST	296.49				1						
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			İ	1				1	1						<u> </u>
	month			U1TD1	1L5XX	0.2229										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
<b> </b>	Termination  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<u> </u>	U1TD1	U1TF1	35.87		-		-						<b>├</b>
	month			U1TD3	1L5XX	5.11				1						
<del>                                     </del>	Interoffice Channel - Dedicated Transport - DS3 - Facility		t	0.100	120///	5.11			<b>†</b>	<b>-</b>	1					<del>                                     </del>
	Termination per month			U1TD3	U1TF3	379.40				1						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month		<u> </u>	U1TS1	1L5XX	5.11										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			l	l					1						
	Termination			U1TS1	U1TFS	390.08				-						
	EXTENDED LINK (EELs)  The monthly recurring and non-recurring charges below will	annly a	nd the	Switch As Is Char	uo will not and	ly for LINE	hinations ===	visioned as ! (	Ordinarily Cam	hinad' Naturari	( Elements					1
	:: The monthly recurring and non-recurring charges below will :: The monthly recurring and the Switch-As-Is Charge and not t														1	1
	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT						p. 54101011	- uo ounen	.,	l l l l l l l l l l l l l l l l l l l	1				1	<del>                                     </del>
	DEDICAL															

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	73.16										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	120.06										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	241.75										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.2229										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	35.72										
	DS1 COCI in combination per month			UNC1X	UC1D1	9.69										
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.89										
	P001 11 12		1	LINGOV	LIEOE									1	I	
	DS3 Local Loop in combination - Facility Termination per month		<u> </u>	UNC3X	UE3PX	264.38										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5XX	5.11										
1	Interoffice Transport - Dedicated - DS3 combination - Facility			LINIONY	LIATES										1	1
	Termination per month		<u> </u>	UNC3X	U1TF3	379.40										
EXIE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF			44.00										
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.89										
	STS-1 Local Loop in combination - Facility Termination per															
	month		<u> </u>	UNCSX	UDLS1	390.08										
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month		<u> </u>	UNCSX	1L5XX	5.11										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			LINIOOV		000.00										
ADDITIONAL	Termination per month NETWORK ELEMENTS		<u> </u>	UNCSX	U1TFS	390.08										
					0											
	used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, the															+
	curring Currently Combined Network Elements "Switch As Is"					AS IS Cliarge C	ioes not.								-	+
	nal Features & Functions:	Citarge	(One a	pplies to each con	iibiiiatioii)										-	+
Орио	lai i eatures a i unctions.		1	U1TD1.	+											+
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	ordar ordarinor dapability Exterioda Franco de Lorre por 201	<u> </u>	1	U1TD1,	0002.		0.00	0.00	0.00	0.00						1
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
<b></b>	Clear Channel Capability (SF/ESF) Option - Subsequent	-		ULDD1, U1TD1,	0000.		0.00	0.00	0.00	0.00						+
	Activity - per DS1	1		UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
	reality per 201			U1TD3, ULDD3,			.00	20.00	1.00	00						+
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00						
MULT	IPLEXERS		1	020, 01100/1			2.0.02	7.00	0.7070	0.00						1
	DS1 to DS0 Channel System per month		1	UNC1X	MQ1	81.47										1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.06										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															1
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.06										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	1.76										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															1
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.76										
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.4978										
<del>                                     </del>	used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month		1	UEA	IDIVG	0.4978								1	<del> </del>	+
	used for connection to a channelized DS1 Local Channel in the	l	1	ĺ	1									l	I	1
	same SWC as collocation			U1TUC	1D1VG	0.4978									1	1
	DS3 to DS1 Channel System per month		1	UNC3X	MQ3	96.97								-	<del>                                     </del>	+
<del>                                     </del>	STS-1 to DS1 Channel System per month		<del>                                     </del>	UNCSX										-	<del></del>	+
			1		MQ3 UC1D1	96.97								-	<del>                                     </del>	+
<del>                                     </del>	DS1 COCI used with Loop per month		1	USL	UCTUT	9.69									<del>                                     </del>	<del> </del>
	DS1 COCI (used for connection to a channelized DS1 Local	1	1	I	1	1					ı		l		1	1
	Channel in the same SIMC on additional and additional			LIATLIA	LIC4D4	0.00										
	Channel in the same SWC as collocation) per month DS1 COCl used with Interoffice Channel per month			U1TUA U1TD1	UC1D1 UC1D1	9.69 9.69										-

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						RATES (\$)							Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Boo	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec Nonrecurring Nonrecurring Disconnecurring First Add'l First Add'l			Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	9.69										

UNBUNDI	ED NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring		g Disconnect	001150	001111		Rates (\$)	001141	001411
		-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDI FI	D EXCHANGE ACCESS LOOP															
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.02										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	12.56										
	2 Wire Unbundled HDSL Loop including manual service inquiry		3			40.44										İ
	& facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2X	13.11										<u> </u>
	and facility reservation - Zone 1		1	UHL	UHL2W	11.02										İ
	2 Wire Unbundled HDSL Loop without manual service inquiry		<b>-</b> '-	OFIL	OTILZVV	11.02										
	and facility reservation - Zone 2		2	UHL	UHL2W	12.56										İ
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	13.11										
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	18.42										İ
	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry	-	1	UHL	UHL4X	18.42						-				
	and facility reservation - Zone 2		2	UHL	UHL4X	16.48										İ
	4-Wire Unbundled HDSL Loop including manual service inquiry		<del>  -</del>	OTIL	OFFE	10.40										
	and facility reservation - Zone 3		3	UHL	UHL4X	19.37										İ
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	18.42										
	4-Wire Unbundled HDSL Loop without manual service inquiry															İ
	and facility reservation - Zone 2		2	UHL	UHL4W	16.48										-
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.37										İ
4-WI	RE DS1 DIGITAL LOOP		3	OFIL	OI IL4VV	19.57										<del>                                     </del>
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	91.44										
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	156.40										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	263.52										
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															l
-	month	-		UE3	1L5ND	14.10										<b>—</b>
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	352.31										İ
-	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1		OLS	ULSFA	332.31				1						<del> </del>
	month			UDLSX	1L5ND	14.10				1						
	High Capacity Unbundled Local Loop - STS-1 - Facility	1														
	Termination per month			UDLSX	UDLS1	360.51										
	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	<b> </b>	-		1	<b> </b>			1	<del>                                     </del>	-					<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.39				1						1
<del>                                     </del>	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	<del>                                     </del>	וטווטו	ILOAA	0.39			<del> </del>	<del>                                     </del>						<del>                                     </del>
	Termination			U1TD1	U1TF1	88.71				I						1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			-	-											
	month			U1TD3	1L5XX	9.22										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			1	1		·									1
	Termination per month	<del>                                     </del>		U1TD3	U1TF3	1012.75			1	-						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	9.22				I						1
<del>                                     </del>	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	1	01101	ILDAX	9.22			1	+	-	+				<del>                                     </del>
	Termination			U1TS1	U1TFS	1012.63				1						1
ENHANCED	EXTENDED LINK (EELs)	<b>†</b>		1	1 0	70.2.30			1	1						
NOT	E: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	je will not app	oly for UNE com	binations pro	visioned as '	Ordinarily Com	bined' Networl	Elements.					
NOT	E: The monthly recurring and the Switch-As-Is Charge and not t	the non-	-recurr	ing charges below	will apply for	UNE combination	ons provision	ed as ' Curren	tly Combined' I	Network Eleme	nts.					1
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPO	RT											

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina					-							Attachmen	t: 2 Exh. B	1	
			1	1		l					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		l	1	İ							1					
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p	p	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			+	<u> </u>		1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)	l .	
			1		-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	111 BOLDING 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<b>.</b>	10000		101 =0	FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.31										
	<del>-  </del> -					0.0.										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	70.97										
	DS1 COCI in combination per month			UNC1X	UC1D1	9.94										
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	14.10										
<del>- 1</del>	200 Local Loop in combination - per fille per filoriti	<del>                                     </del>	<del>                                     </del>	CINOSA	ILUIND	14.10					1				1	
1	D001	l	1	LINGOV	LIEOSY											
	DS3 Local Loop in combination - Facility Termination per month	<b> </b>	<b></b>	UNC3X	UE3PX	352.31					<b></b>					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	<u> </u>		UNC3X	1L5XX	7.38										
T	Interoffice Transport - Dedicated - DS3 combination - Facility		1						-							
	Termination per month			UNC3X	U1TF3	810.20										
FXTF	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		-	2.2.20					1					
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	14.10										
-	STS-1 Local Loop in combination - Facility Termination per		1	ONCOX	TESIND	14.10										
	month			UNCSX	UDLS1	360.51										
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	7.38										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	810.11										
ADDITIONAL	NETWORK ELEMENTS		1	0.100/1	0	0.0										
	n used as a part of a currently combined facility, the non-recurr	na obo	race de	not onnly but o	Curitab As Is a	haraa daaa ann	ls.									
	used as ordinarily combined network elements in All States, t					As is Charge of	loes not.									
	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each cor	mbination)											
Optio	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	, , , , , , , , , , , , , , , , , , , ,			U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	l ,		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		-	1	ULDD1, U1TD1,	CCOSI	+	0.00	0.00	0.00	0.00	-					
	Clear Channel Capability (SF/ESF) Option - Subsequent															
	Activity - per DS1			UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
MULT	TIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	123.71										
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	ONOTA	IVIQI	120.71										
		l	1	Lubi	10100	4.0-										
	month (2.4-64kbs) used for a Local Loop		1	UDL	1D1DD	1.37										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l	1	İ		]										
	month (2.4-64kbs) used for connection to a channelized DS1															
				U1TUD	1D1DD	1.37										
	Local Channel in the same SWC as collocation			1												
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2 04										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.94					1					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop     2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2.94										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop     2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UDN U1TUB	UC1CA UC1CA	2.94										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop     2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation     Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	2.94										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop     2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation															
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			U1TUB	UC1CA	2.94										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	2.94										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			U1TUB UEA	UC1CA 1D1VG	2.94 0.64										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop  Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB UEA U1TUC	UC1CA 1D1VG 1D1VG	2.94 0.64 0.64										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month			U1TUB UEA U1TUC UNC3X	UC1CA  1D1VG  1D1VG  MQ3	2.94 0.64 0.64 165.62										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			U1TUB UEA U1TUC UNC3X UNCSX	UC1CA  1D1VG  1D1VG  MQ3  MQ3	2.94 0.64 0.64 165.62 165.62										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month			U1TUB UEA U1TUC UNC3X	UC1CA  1D1VG  1D1VG  MQ3	2.94 0.64 0.64 165.62										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			U1TUB UEA U1TUC UNC3X UNCSX	UC1CA  1D1VG  1D1VG  MQ3  MQ3	2.94 0.64 0.64 165.62 165.62										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			U1TUB UEA U1TUC UNC3X UNCSX	UC1CA  1D1VG  1D1VG  MQ3  MQ3	2.94 0.64 0.64 165.62 165.62										

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	RATES (\$)					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)	•	
						rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
1 1	month			ULDD1	UC1D1	9.94										

JNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	A -1 -111		g Disconnect	COMEC	COMAN		Rates (\$)	COMAN	COMAN
							FIRSt	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED I	EXCHANGE ACCESS LOOP															+
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													+
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 1		1	UHL	UHL2X	11.09										
	2 Wire Unbundled HDSL Loop including manual service inquiry		_		11111 07	40.04										
	& facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	16.61										
	& facility reservation - Zone 3		3	UHL	UHL2X	27.74										
	2 Wire Unbundled HDSL Loop without manual service inquiry			0.12	O. I.E.E.Y.	2										+
	and facility reservation - Zone 1		1	UHL	UHL2W	11.09										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	16.61										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	1 11 11 0)//	27.74										
4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRI F		UNL	UHL2W	21.14					1					+
4 11111	4 Wire Unbundled HDSL Loop including manual service inquiry															+
	and facility reservation - Zone 1		1	UHL	UHL4X	14.26										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	21.37										
	4-Wire Unbundled HDSL Loop including manual service inquiry		_			05.00										
	and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	35.68										
	and facility reservation - Zone 1		1	UHL	UHL4W	14.26										
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ė	0.12	0112111	20										+
	and facility reservation - Zone 2		2	UHL	UHL4W	21.37										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	35.68										
4-WIRE	E DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59.09										
-	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	88.53										
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	147.82										
IGH CAPACI	TY UNBUNDLED LOCAL LOOP		Ĭ	002	002,01	111.02										<b>†</b>
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.57										
	High Capacity Unbundled Local Loop - DS3 - Facility					400.00										
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	430.38										
	Imonth			UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility			05207	120.12	10.07										
	Termination per month			UDLSX	UDLS1	447.75										
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.40963										
-	Interoffice Channel - Dedicated Tranport - DS1 - Facility			וטויט	ILUAA	0.40903			1	<del> </del>	<del>                                     </del>					+
	Termination		1	U1TD1	U1TF1	89.54				1						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per						İ									
	month			U1TD3	1L5XX	2.69										
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	LIATES	LIATEO	070 04				1						
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	976.34			<b> </b>		<u> </u>					<del>                                     </del>
	Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth		1	U1TS1	1L5XX	2.69				1						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				.20,50	2.55			İ	1						<b>†</b>
	Termination			U1TS1	U1TFS	976.70					<u> </u>			<u> </u>		<u> </u>
	XTENDED LINK (EELs) AND THEIR COMPONETS															
NOTE:	The monthly recurring and non-recurring charges below will														ļ	
	The monthly recurring and the Switch-As-Is Charge and not t															

UNBUN	NDLF	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	59.09										
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	88.53										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	147.82										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.40963										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
<b></b>		Termination per month		<u> </u>	UNC1X	U1TF1	89.54										ļ
	VTEN	DS1 COCI in combination per month  DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NITED	L	UNC1X	UC1D1	20.22										
	ZAIEN		NIEK	FFICE	UNC3X	1L5ND	10.57										
-		DS3 Local Loop in combination - per mile per month			UNC3X	ILOND	10.57										
		DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	430.38										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69										<del>                                     </del>
$\vdash$		Interoffice Transport - Dedicated - DS3 - Fell Mile per Month  Interoffice Transport - Dedicated - DS3 combination - Facility			0.100/	120700	2.09										<del>                                     </del>
		Termination per month			UNC3X	U1TF3	983.22										
F	XTFN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFE		01110	000.22										
		STS-1 Local Lolp in combination - per mile per month		<u> </u>	UNCSX	1L5ND	10.57										1
		STS-1 Local Loop in combination - Facility Termination per															1
		month			UNCSX	UDLS1	447.75										
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.69										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	976.70										
ADDITIO	NAL N	ETWORK ELEMENTS															
٧	When I	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is cl	harge does app	oly.									
٧	When i	used as ordinarily combined network elements in All States, the	ne non-	recurri	ng charges apply a	nd the Switch	As Is Charge	does not.									
		curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
C	Option	al Features & Functions:															
		Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		Clear Channel Capability Super FrameOption - per DS1	i		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
		Activity - per DS1	ı		UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79						
		C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	0.00S						
N	MULTI	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	92.89										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
-		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.09										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.09										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			מסווט	טטוטו	2.09										+
		month for a Local Loop			UDN	UC1CA	3.57										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIV	OCTOA	5.57										<del> </del>
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.57										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.05										
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation		1	U1TUC	1D1VG	1.05										
$\vdash$		DS3 to DS1 Channel System per month			UNC3X	MQ3	256.43										1
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	256.43										<b>†</b>
		DS1 COCI used with Loop per month			USL	UC1D1	20.22										<b>†</b>
		DS1 COCI (used for connection to a channelized DS1 Local				1									İ	İ	
															1		1
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	20.22										

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	20.22										

# **Attachment 3**

**Network Interconnection** 

Version: 2Q05 Standard ICA

# TABLE OF CONTENTS

1	General	3
2	Definitions: (For the purpose of this Attachment)	
3	Network Interconnection	
3		
4	Interconnection Trunk Group Architectures	
5	Network Design And Management For Interconnection	14
6	Forecasting for Trunk Provisioning	14
7	Local Dialing Parity	17
8	Interconnection Compensation	17
9	Ordering Charges	23
10	Basic 911 and E911 Interconnection	23
11	SS7 Network Interconnection	24
Rat		Exhibit A
	sic Architecture	Exhibit B
	e Way Architecture	Exhibit C
	o Way Architecture	Exhibit D
Sup	pergroup Architecture	Exhibit E

Version: 2Q05 Standard ICA

# **NETWORK INTERCONNECTION**

1	General
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bounc Traffic, and exchange access (Switched Access Traffic) on the following terms:
2	<b>Definitions:</b> (For the purpose of this Attachment)
	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1	<b>Automatic Location Identification (ALI)</b> is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
2.2	<b>Automatic Number Identification (ANI)</b> corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
2.3	<b>BellSouth Trunk Group</b> is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Freedom Communications.
2.4	<b>911 Service</b> is as described in this Attachment.
2.5	<b>Call Termination</b> has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d).
2.6	Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c)
2.7	<b>Call Transport and Termination</b> is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.8	<b>Common (Shared) Transport</b> is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the The Telcordia® LERG <sup>TM</sup> Routing Guide (LERG).
2.9	<b>Dedicated Interoffice Facility</b> is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.

Version: 2Q05 Standard ICA 09/02/05

2.10

path between the trunk side and line side of the End Office switch.

End Office Switching is defined as the function that establishes a communications

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the last choice trunk group between two (2) switches for which there is no alternate route. 2.13 **Integrated Services Digital Network User Part (ISUP)** is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Freedom Communications. 2.15 **IntraLATA Toll Traffic** is as defined in this Attachment. **ISP-Bound Traffic** is as defined in this Attachment. 2.16 2.17 Local Channel is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in this Attachment. 2.19 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.20 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 **Serving Wire Center (SWC)** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on Freedom Communications's network that is switched and/or transported by BellSouth and delivered to a third party's

Version: 2Q05 Standard ICA

network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Freedom Communications's network.

#### 3 Network Interconnection

- 3.1 This Attachment pertains only to the provision of network interconnection where Freedom Communications owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds 8.9 million minutes per month for three (3) consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

Version: 2005 Standard ICA

- 3.3 Interconnection via Dedicated Facilities
- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.4 <u>Fiber Meet.</u> Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if Freedom Communications elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Freedom Communications and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Freedom Communications's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Freedom Communications Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

Version: 2005 Standard ICA

- 3.4.3 Upon verbal request by Freedom Communications, BellSouth shall allow Freedom Communications access to the fusion splice point for the Fiber Meet point for maintenance purposes on Freedom Communications's side of the Fiber Meet point.
- 3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

## 4 Interconnection Trunk Group Architectures

- 4.1 BellSouth and Freedom Communications shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 Freedom Communications shall establish an interconnection trunk group(s) to at least one (1) BellSouth access tandem within the LATA for the delivery of Freedom Communications's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Freedom Communications desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Freedom Communications has established interconnection trunk groups, Freedom Communications shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, Freedom Communications shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Freedom Communications has homed (i.e., assigned) its NPA/NXXs. Freedom Communications shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Freedom Communications shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from IXCs based on Freedom Communications's NXX access tandem homing arrangement as specified by Freedom Communications in the LERG.

Version: 2005 Standard ICA

- Any Freedom Communications interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Freedom Communications from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Freedom Communications to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Freedom Communications are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Freedom Communications shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Freedom Communications is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Freedom Communications's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound

Version: 2005 Standard ICA

Traffic and IntraLATA Toll Traffic. Freedom Communications shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.

- 4.10.2 <u>BellSouth Access Tandem Interconnection.</u> BellSouth Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:
- 4.10.2.1 Basic Architecture. In the basic architecture, Freedom Communications's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Freedom Communications and BellSouth Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Freedom Communications and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing (MPB) arrangement with BellSouth, and other network providers with which Freedom Communications desires to exchange traffic. This trunk group also carries Freedom Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Freedom Communications. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for Freedom Communications-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for Freedom Communications End Users. A two-way trunk group provides Intratandem Access for Freedom Communications's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Freedom Communications and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which Freedom Communications

Version: 2005 Standard ICA

exchanges traffic. This trunk group also carries Freedom Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Freedom Communications. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

- 4.10.2.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between Freedom Communications and BellSouth. In addition, a separate two-way transit trunk group must be established for Freedom Communications's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Freedom Communications and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which Freedom Communications exchanges traffic. This trunk group also carries Freedom Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Freedom Communications. However, where Freedom Communications is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the twoway Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.
- Supergroup Architecture. In the supergroup architecture, the Parties' Local 4.10.2.4 Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and Freedom Communications's Transit Traffic are exchanged on a single two-way trunk group between Freedom Communications and BellSouth to provide Intratandem Access to Freedom Communications. This trunk group carries Transit Traffic between Freedom Communications and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which Freedom Communications desires to exchange traffic. This trunk group also carries Freedom Communications originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Freedom Communications. However, where Freedom Communications is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable

Version: 2Q05 Standard ICA

BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

# 4.10.2.5 <u>Multiple Tandem Access (MTA) Interconnection</u>

- 4.10.2.5.1 Where Freedom Communications does not choose access tandem interconnection at every BellSouth Access Tandem within a LATA, Freedom Communications must utilize BellSouth's MTA interconnection. To utilize MTA Freedom Communications must establish an interconnection trunk group(s) at a minimum of one (1) BellSouth Access Tandem within each LATA as required. BellSouth will route Freedom Communications's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Freedom Communications must also establish an interconnection trunk group(s) at all BellSouth Access Tandems where Freedom Communications NXXs are homed as described in Section 4.2.1 above. If Freedom Communications does not have NXXs homed at any particular BellSouth Access Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth Access Tandem. Freedom Communications can order MTA in each BellSouth Access Tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Freedom Communications's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to End Users served through those BellSouth Access Tandems where Freedom Communications does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.2.5.2 Freedom Communications may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to Freedom Communications will be delivered to and from IXCs based on Freedom Communications's NXX access tandem homing arrangement as specified by Freedom Communications in the LERG.
- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.2.5.4 To the extent Freedom Communications does not purchase MTA in a LATA served by multiple Access Tandems, Freedom Communications must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent Freedom Communications routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Freedom Communications shall pay BellSouth the associated MTA charges.

#### 4.10.3 Local Tandem Interconnection

Version: 2005 Standard ICA

- 4.10.3.1 Local Tandem Interconnection arrangement allows Freedom Communications to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Freedom Communications-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth End Offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.3.2 When a specified local calling area is served by more than one (1) BellSouth local tandem, Freedom Communications must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Freedom Communications may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Freedom Communications may deliver Local Traffic and ISP-Bound Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Freedom Communications does not choose to establish an interconnection trunk group(s). It is Freedom Communications's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Freedom Communications's codes. Likewise, Freedom Communications shall obtain its routing information from the LERG.
- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Freedom Communications must also establish an interconnection trunk group(s) to BellSouth Access Tandems within the LATA on which Freedom Communications has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of BellSouth's GSST).
- 4.10.3.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Freedom Communications has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.4 Direct End Office-to-End Office Interconnection
- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound

Version: 2005 Standard ICA

Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.

- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:
- 4.10.4.2.1 <u>Tandem Exhaust.</u> If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Freedom Communications and BellSouth.
- 4.10.4.2.2 Traffic Volume. To the extent either Party has the capability to measure the amount of traffic between Freedom Communications's switch and a BellSouth End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.4.2.3 <u>Mutual Agreement</u>. The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.5 <u>Transit Traffic Trunk Group</u>
- 4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by Freedom Communications to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. Freedom Communications shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.
- 4.10.5.2 <u>Toll Free Traffic</u>
- 4.10.5.2.1 If Freedom Communications chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Freedom Communications originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.5.2.2 Freedom Communications may choose to perform its own Toll Free database queries from its switch. In such cases, Freedom Communications will determine the nature (local/intraLATA/interLATA) of the Toll Free call

Version: 2005 Standard ICA

(local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Freedom Communications will route the post-query local or IntraLATA converted ten (10)-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Freedom Communications will route the post-query local or intraLATA converted ten (10)-digit local number to BellSouth over the Transit Traffic Trunk Group and Freedom Communications shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Freedom Communications will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Freedom Communications's network but that are connected to BellSouth's Access Tandem.

4.10.5.2.3 All post-query Toll Free calls for which Freedom Communications performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth Access Tandem within the LATA.

## 5 Network Design And Management For Interconnection

- 5.1 <u>Network Management and Changes.</u> The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where Freedom Communications chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the Freedom Communications switch and the BellSouth STP. BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary onhook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- 5.3 <u>Network Management Controls.</u> Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

### **6** Forecasting for Trunk Provisioning

Version: 2005 Standard ICA

- 6.1 Within six (6) months after execution of this Agreement, Freedom Communications shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Freedom Communications's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- 6.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Freedom Communications-to-BellSouth one-way trunks (Freedom Communications Trunks), BellSouth-to-Freedom Communications one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Freedom Communications location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, Freedom Communications shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. Freedom Communications shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.
- The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

#### 6.4 Trunk Utilization

Version: 2005 Standard ICA

- For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and Freedom Communications shall monitor traffic on each BellSouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, BellSouth may disconnect any under-utilized BellSouth Final Trunk Groups and Freedom Communications shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 6.4.2 BellSouth's CISC will notify Freedom Communications of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Freedom Communications interface. Freedom Communications will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Freedom Communications expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with Freedom Communications to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Freedom Communications. The due date of these orders will be four (4) weeks after Freedom Communications was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.4 For the two-way trunk groups, BellSouth and Freedom Communications shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within ninety (90) days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. BellSouth will request the disconnection of

Version: 2005 Standard ICA

any under-utilized two-way trunk(s) and Freedom Communications shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 6.4.4.1 BellSouth's CISC will notify Freedom Communications of any under-utilized twoway trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Freedom Communications interface. Freedom Communications will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Freedom Communications expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with Freedom Communications to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Freedom Communications will issue disconnect orders to BellSouth. The due date of these orders will be four (4) weeks after Freedom Communications was first notified in writing of the under-utilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

### 7 Local Dialing Parity

7.1 BellSouth and Freedom Communications shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays.

Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

# 8 Interconnection Compensation

- 8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

Version: 2005 Standard ICA

- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's End User's presubscribed interexchange carrier or if one (1) Party's End User uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.
- 8.1.7 If Freedom Communications assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Freedom Communications End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Freedom Communications customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Freedom Communications agrees to identify such interLATA traffic to BellSouth and to

Version: 2005 Standard ICA

compensate BellSouth for originating and transporting such interLATA traffic to Freedom Communications at BellSouth's FCC No. 1 Tariff rates.

8.2 If Freedom Communications does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole Freedom Communications NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. BellSouth shall make appropriate billing adjustments if Freedom Communications can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.

# 8.3 <u>Jurisdictional Reporting</u>

- 8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.3 Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's intrastate Access Services Tariff will apply to Freedom Communications. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of

Version: 2005 Standard ICA

December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

- 8.3.4 Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where BellSouth has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at BellSouth's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, PIU, and/or PLF), in lieu of those provided by Freedom Communications. In the event that BellSouth opts to utilize its own data to determine jurisdictional reporting factors, BellSouth shall notify Freedom Communications at least fifteen (15) days prior to the beginning of the calendar quarter in which BellSouth will begin to utilize its own data.
- 8.3.5 Audits. On thirty (30) days written notice, Freedom Communications must provide BellSouth the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. Freedom Communications shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by Freedom Communications. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by BellSouth. Freedom Communications's PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two (2) quarters following the completion of the audit. If, as a result of an audit, Freedom Communications is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, Freedom Communications shall reimburse BellSouth for the cost of the audit.
- 8.4 <u>Compensation for IntraLATA 8XX Traffic.</u> BellSouth will charge the appropriate switched access charges as set forth in the BellSouth intrastate Access Services Tariff to the IXC that is responsible for terminating the 8XX to the appropriate Wide Area Telecommunications Service (WATS) or Plain Old Telephone Service (POTS) number. Freedom Communications will pay BellSouth the database query charge as set forth in the BellSouth Intrastate Access Services Tariff. Freedom Communications will be responsible for any applicable Common Channel Signaling (SS7).
- 8.4.1 <u>Records for 8XX Billing.</u> Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.

Version: 2Q05 Standard ICA

8.4.2 <u>8XX Access Screening.</u> BellSouth's provision of 8XX TFD to Freedom Communications requires interconnection from Freedom Communications to BellSouth's 8XX Signal Channel Point. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Freedom Communications shall establish SS7 interconnection at the BellSouth LSTPs serving the BellSouth 8XX Signal Channel Points that Freedom Communications desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's intrastate Access Services Tariff.

### 8.5 Mutual Provision of Switched Access Service

- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If a BellSouth End User chooses Freedom Communications as their presubscribed interexchange carrier, or if a BellSouth End User uses Freedom Communications as an interexchange carrier on a 101XXXX basis, BellSouth will charge Freedom Communications the appropriate BellSouth tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- 8.5.4 When Freedom Communications's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Freedom Communications as the Party providing the end office function. Each party will use the Multiple Exchange

Version: 2005 Standard ICA

Carrier Access Billing (MECAB) guidelines to establish MPB for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- When Freedom Communications's end office subtends the BellSouth Access
  Tandem switch for receipt or delivery of switched access traffic and provides an
  access service connection to or from an IXC via BellSouth's Access Tandem
  switch, BellSouth, as the tandem company agrees to provide to Freedom
  Communications, as the End Office Company, as defined in MECAB, at no
  charge, all the switched access detail usage data, recorded at the access tandem,
  within no more than sixty (60) days after the recording date. Each Party will
  notify the other when it is not feasible to meet these requirements. As business
  requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 Freedom Communications agrees not to deliver switched access traffic to BellSouth for termination except over Freedom Communications ordered switched access trunks and facilities.

#### 8.6 Transit Traffic

- 8.6.1 BellSouth shall provide tandem switching and transport services for Freedom Communications's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Freedom Communications and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Freedom Communications and Wireless Type 2A shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly MPB in accordance with MECAB guidelines.
- 8.6.2 The delivery of traffic that transits the BellSouth network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Freedom Communications is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Freedom Communications. In the event that the

Version: 2005 Standard ICA

terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Freedom Communications shall reimburse BellSouth for such charges or costs.

8.7 For purposes of intercarrier compensation, BellSouth will not be responsible for any compensation associated with the exchange of traffic between Freedom Communications and a CLEC utilizing BellSouth switching. Where technically feasible, BellSouth will use commercially reasonable efforts to provide records to Freedom Communications to identify those CLECs utilizing BellSouth switching with whom Freedom Communications has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between Freedom Communications and the CLEC utilizing BellSouth switching.

## 9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

#### 10 Basic 911 and E911 Interconnection

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to Freedom Communications a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Freedom Communications will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. Freedom Communications will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Freedom Communications will be required to begin using E911 procedures.
- 10.3 <u>E911 Interconnection.</u> Freedom Communications shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver

Version: 2005 Standard ICA

ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Freedom Communications shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Freedom Communications will be required to provide BellSouth daily updates to the E911 database. Freedom Communications will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Freedom Communications will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Freedom Communications shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

- Trunks and facilities for 911 Interconnection may be ordered by Freedom Communications from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

#### 11 SS7 Network Interconnection

- 11.1 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to ANI, originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7 based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to Freedom Communications's or any other third party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.
- 11.2 <u>Signaling Call Information.</u> BellSouth and Freedom Communications will send and receive ten (10) digits for Local Traffic. Additionally, BellSouth and Freedom Communications will exchange the proper call information, (i.e., originated call company number and destination call company number, CIC, and OZZ) including

Version: 2005 Standard ICA

all proper translations for routing between networks and any information necessary for billing.

- SS7 Network Interconnection is the interconnection of Freedom Communications LSTP switches or Freedom Communications local or tandem switching systems with BellSouth STP switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Freedom Communications local or tandem switching systems, and other third party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Freedom Communications or other third party switching systems with A-link access to the BellSouth SS7 network.
- 11.3.2 If traffic is routed based on dialed or translated digits between a Freedom Communications local switching system and a BellSouth or other third party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (i.e., Automatic Callback, Automatic Recall, and Screening List Editing) between the Freedom Communications LSTP switches and BellSouth or other third party local switch.
- 11.3.3 SS7 Network Interconnection shall provide:
- 11.3.3.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.3.3.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.3.3.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.3.4 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Freedom Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Freedom Communications LSTPs and shall not include SCCP Subsystem Management of the destination.
- 11.3.5 SS7 Network Interconnection shall provide all functions of the ISUP as specified in ANSI T1.113.

Version: 2005 Standard ICA

- 11.3.6 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.3.7 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect Freedom Communications or Freedom Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.4.1 A-link interface from Freedom Communications local or tandem switching systems; and
- 11.4.2 B-link interface from Freedom Communications STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the signaling points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.4.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.4.6 BellSouth shall set message screening parameters to accept messages from Freedom Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Freedom Communications switching system has a valid signaling relationship.
- 11.5 Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges as set forth in Exhibit A for CCS7signaling messages associated with Local Traffic. The portion of CCS7 signaling messages utilized for Local Traffic, which are subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. The remaining portion of the CCS7 signaling messages, signaling ports, and signaling links, i.e., the portion associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable

Version: 2005 Standard ICA


BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.

Version: 2Q05 Standard ICA

09/02/05

### **Basic Architecture**


#### Exhibit B



Version: 2Q0 09/02/05

# **One-Way Architecture**


#### **Exhibit C**



Version: 2Q0 09/02/05

### **Two-Way Architecture**


#### **Exhibit D**



Version: 2Q0 09/02/05

# **Supergroup Architecture**

#### **Exhibit E**



Version: 2Q05 Stanuaru ICA

09/02/05

OCAL IN	TERCONNECTION - Alabama												Attachment: 3	3 Exh A			П
= 114											Svc Order	Svc Order	Incremental		Incremental	Incremental	$\vdash$
						1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l	
									T., .	51				D (A)			╄
		-				Rec	Nonre First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN	⊬
		1					1 1131	Addi	1 11 31	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	OOMAN	H
CAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)																ഥ
	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keep	for the	at element pursuant t	o the terms a	nd conditions i	n Attachment 3.										┖
TANI	DEM SWITCHING		-		ļ	0.000.10001.1											╄
	Tandem Switching Function Per MOU  Multiple Tandem Switching, per MOU (applies to intial tandem	+			<b>+</b>	0.0004980bk	-										⊬
	only)					0.000498											
	Tandem Intermediary Charge, per MOU*	1			İ	0.0025											T
	is charge is applicable only to transit traffic and is applied in additi	ion to app	licable	switching and/or inte	erconnection	charges.			•	•		•					Г
TRU	NK CHARGE																┖
	Installation Trunk Side Service - per DS0	<u> </u>		OHD	TPP6X		21.56	8.12									╄
_	Installation Trunk Side Service - per DS0	+	-	OHD OHD	TPP9X TDEOP	0.00	21.56	8.12	1	1				-			₩
-+	Dedicated End Office Trunk Port Service-per DS0**  Dedicated End Office Trunk Port Service-per DS1**	+-	<del>                                     </del>	OHI OHIMS	TDE0P	0.00	+	<b> </b>	1	1	-	-					+
	Dedicated End Office Trunk Port Service-per DS1*  Dedicated Tandem Trunk Port Service-per DS0**	+	t	OHD	TDWOP	0.00	<u> </u>										$\vdash$
	Dedicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS	TDW1P	0.00	1	İ			i –	<u> </u>					Т
	is rate element is recovered on a per MOU basis and is included it	in the End	Office	Switching and Tand	lem Switching	g, per MOU rate	elements										
COM	IMON TRANSPORT (Shared)																匚
	Common Transport - Per Mile, Per MOU					0.0000023bk											丄
A	Common Transport - Facilities Termination Per MOU					0.0003224bk											╄
	RCONNECTION (DEDICATED TRANSPORT) ROFFICE CHANNEL - DEDICATED TRANSPORT	+			<b> </b>												⊢
INTE	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	+	<u> </u>	1	<u> </u>									1			╆
	Per Mile per month			ОНМ	1L5NF	0.008838											
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1															T
	Facility Termination per month			ОНМ	1L5NF	21.13	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per																
	month	<u> </u>		OHM	1L5NK	0.008838											╄
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	45.40	40.54	07.44	40.74	6.90							
	Termination per month  Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	+		OHM	TL5NK	15.12	40.54	27.41	16.74	6.90							⊢
	month			ОНМ	1L5NK	0.008838											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1															T
	Termination per month			ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																
	month			OH1, OH1MS	1L5NL	0.18											┺
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			0114 011440	41.55.11				40.05								
_	Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+		OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44							⊬
	month			OH3, OH3MS	1L5NM	4.09											
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	t	5.15, OTIONIO	LOININ	4.03	1										T
	Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46	<u> </u>	<u> </u>					L
LOC	AL CHANNEL - DEDICATED TRANSPORT																ഥ
_	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	13.97	193.10	33.17	36.64	3.20							╨
	Local Channel - Dedicated - 4-Wire Voice Grade per month	+	-	OHM	TEFV4	14.93	193.53	33.60	37.11	3.67							₩
	Local Channel - Dedicated - DS1 per month	+	-	OH1	TEFHG	35.76	177.47	153.72	22.19	15.26					-		⊢
	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58	1	1					1
LOCA	AL INTERCONNECTION MID-SPAN MEET	+	<del>                                     </del>	0.10		410.34	401.02	203.94	113.49	00.00	<del>                                     </del>	<del>                                     </del>					$\vdash$
	Local Channel - Dedicated - DS1 per month	1	t	OH1MS	TEFHG	0.00	0.00	İ									T
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00										┖
MUL	TIPLEXERS																匚
	Channelization - DS1 to DS0 Channel System		<u> </u>	OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79							₩
_	DS3 to DS1 Channel System per month	+	-	OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63		-					+
SNALING (	DS3 Interface Unit (DS1 COCI) per month	+	-	OH1, OH1MS	SATCO	12.70	6.58	4.72	-	-				-			₩
NOT	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keen	for the	I at element nursuant t	n the terms a	nd conditions i	n Attachment 3	l	1	1	i	I		1			+
NOT	CCS7 Signaling Termination, Per STP Port	and keep	, ior thi	UDB	PT8SX	130.83	Auacilileii( 3.	<u> </u>			1						$\vdash$
	CCS7 Signaling Connection, Per DS1 level link (A link)	1		UDB	TPP6A	15.46	35.53	35.53	16.44	16.44				i			$\vdash$
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.46	35.53	35.53	16.44								I
	CCS7 Signaling Connection, Switched access service, interface																Г
	groups, transmissiom paths 6 DS1 level path with bit stream			İ		I	I	1			1	1		l			
- 1	signaling	1	1	UDB	TPP6X	15.46	35.53	35.53	16.44	16.44							1

LOCAL INTE	RCONNECTION - Alabama												Attachment: 3	3 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -	
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)			
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known																ı I
	as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44							
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44							1
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream																
	signaling			UDB	TPP9X	15.46	35.53	35.53	16.44	16.44							
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33					ļ						
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57							i l
	CCS7 Signaling Usage, Per TCAP Message					0.0000569bk											$\overline{}$
	CCS7 Signaling Usage, Per ISUP Message					0.0000142bk											
Notes:	If no rate is identified in the contract, the rates, terms, and cond	itions fo	r the sp	ecific service or fund	ction will be a	s set forth in ap	plicable BellSou	uth tariff.									

OCAL IN.	TERCONNECTION - Florida												Attachment: 3	3 Fxh A			Т
JONE III	- LICONINEO FIOR - FIORIGA		l								Svc Order	Svc Order	Incremental		Incremental	Incremental	$\vdash$
						1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	1
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
								.,,			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-	
													1st	Add'I	Disc 1st	Disc Add'l	
													130	Addi	D130 131	DISC Add I	
						Rec		curring	Nonrecurring					Rates(\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	₩
CAL INTE	CONNECTION (CALL TRANSPORT AND TERMINATION)	1	-		<b> </b>	-	-			1							₩
	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keep	for tha	at element pursuant t	o the terms a	nd conditions i	n Attachment 3.		1	1	1			1			$\vdash$
	DEM SWITCHING				1								I				┢
	Tandem Switching Function Per MOU	1				0.0006019bk											İ
	Multiple Tandem Switching, per MOU (applies to intial tandem																
	only)					0.0006019											Ļ_
	Tandem Intermediary Charge, per MOU*	<u> </u>			L	0.0025											₩
	s charge is applicable only to transit traffic and is applied in addition	on to app	licable	switching and/or inte	erconnection	cnarges.		1	1	1			1	ı			₩
IKUN	Installation Trunk Side Service - per DS0	1	-	OHD	TPP6X	-	21.73	8.19		1							⊢
_	Installation Trunk Side Service - per DS0	<b>t</b>	$\vdash$	OHD	TPP9X	t	21.73	8.19	<b>†</b>	1			l	<b> </b>			$\vdash$
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	20	3.10		İ				İ			$\vdash$
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00											┖
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00											匚
	Dedicated Tandem Trunk Port Service-per DS1**	L		OH1 OH1MS	TDW1P	0.00	L	l		I							$\perp$
	is rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	em Switching	g, per MOU rate	elements	1	1	1				1			₩
COM	MON TRANSPORT (Shared) Common Transport - Per Mile, Per MOU	+	├		<del> </del>	0.0000035bk	<del>                                     </del>	-	1	<del>                                     </del>	-			-			$\vdash$
	Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU	<del>                                     </del>	<del>                                     </del>			0.0000035bk 0.0004372bk	<del></del>	-	<b> </b>	1			-	-			$\vdash$
AI INTE	RCONNECTION (DEDICATED TRANSPORT)	<del>                                     </del>	<del>                                     </del>		1	0.0004372DK	t	<del> </del>	1	1				<del>                                     </del>			$\vdash$
	ROFFICE CHANNEL - DEDICATED TRANSPORT	1			1					1	-						$\vdash$
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				İ				İ								T
	Per Mile per month			ОНМ	1L5NF	0.0091											
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1															Г
	Facility Termination per month			OHM	1L5NF	25.32	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per																
	month	ļ		OHM	1L5NK	0.0091											ـــــ
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	41.5007	40.44	47.05	04.70	40.04	7.00							
	Termination per month  Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	1	_	ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03							⊬
	month			ОНМ	1L5NK	0.0091											
_	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>		Onivi	ILSINK	0.0091											╁
	Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																T
	month			OH1, OH1MS	1L5NL	0.1856											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility																
	Termination per month			OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	0110 0110:	41 55 17 1		I				1						1
-	month Interoffice Channel - Dedicated Transport - DS3 - Facility	+	├	OH3, OH3MS	1L5NM	3.87	<del>                                     </del>	-	1	<del>                                     </del>	-			-			$\vdash$
	Termination per month		1	OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56	1						1
LOCA	AL CHANNEL - DEDICATED TRANSPORT	t	<del>                                     </del>	5. 10, OI 101VIO	LOIVI	1,071.00	333.40	213.20	12.03	70.50	<b>†</b>			<b> </b>			$\vdash$
1200/	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	19.66	265.84	46.97	37.63	4.00				İ			Т
	Local Channel - Dedicated - 4-Wire Voice Grade per month	1	Ì	OHM	TEFV4	20.45	266.54	47.67	44.22		İ			İ			Г
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95							
	Local Channel - Dedicated - DS3 Facility Termination per month	1		OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84				ļ			╙
LOCA	AL INTERCONNECTION MID-SPAN MEET	1	<u> </u>	0114440	TEE://		L			ļ							╙
-	Local Channel - Dedicated - DS1 per month  Local Channel - Dedicated - DS3 per month	1	<u> </u>	OH1MS OH3MS	TEFHG TEFHJ	0.00	0.00	<b> </b>	1	<del> </del>				<del>                                     </del>			$\vdash$
MILL	IPLEXERS	<del>                                     </del>	$\vdash$	OHJUNG	IEFFIJ	0.00	0.00	<b>l</b>	ł	1	<del>                                     </del>		<del> </del>	<del> </del>			$\vdash$
WULI	Channelization - DS1 to DS0 Channel System	<del>                                     </del>	<del>                                     </del>	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49				<del>                                     </del>			$\vdash$
_	DS3 to DS1 Channel System per month	t	<del>                                     </del>	OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34		<b>†</b>			<b> </b>			$\vdash$
_	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	13.76	10.07	7.08	40.04	55.07				1			$\vdash$
NALING (	CCS7)	1	Ì							l	İ			İ			T
NOTE	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keep	for tha	at element pursuant t	o the terms a	nd conditions i	n Attachment 3.										
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05											
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31								匚
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31							$\perp$
	CCS7 Signaling Connection, Switched access service, interface					I	I	1			1		1	1			ĺ
	groups, transmissiom paths 6 DS1 level path with bit stream	1									1		1	l			1
1	signaling	1		UDB	TPP6X	17.93	43.57	43.57	18.31	18.31	l	I	l	l			ட

LOCAL INT	ERCONNECTION - Florida												Attachment:	3 Exh A			i
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)   Submit Electron							Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -	
						Rec								Rates(\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	ш
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31							i
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31							
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31							
ĺ	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32								1			i
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03							1
	CCS7 Signaling Usage, Per TCAP Message					0.0000607bk											

OC/	I INT	ERCONNECTION - Georgia												Attachment: 3	3 Fyh A			
501	~⊏ IIV I	LINGUINITEO FIGHT - GEOLGIA				1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental	$\vdash$
						1	I					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	ĺ
																		1
\TE	SORY	RATE ELEMENTS	Interim	7	BCS	USOC	RATES(\$)					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	1
41EC	JUKT	RATE ELEMENTS	interim	Zone	ВСЗ	0300	KATES(\$)					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	í
														Electronic-	Electronic-	Electronic-	Electronic-	ĺ
														1st	Add'l	Disc 1st	Disc Add'l	1
	1							N		N	D'			000	D-1(ft)			—
	1			_			Rec	First	curring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN	$\vdash$
	+			-		-	-	FIIST	Add I	rirst	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN	<del></del>
CAI	INTED	L CONNECTION (CALL TRANSPORT AND TERMINATION)						1										$\vdash$
CAL		"bk" beside a rate indicates that the Parties have agreed to bill a	nd keen	for the	l at element nursuant t	o the terms a	nd conditions is	n Attachment 3	l	1		l .		l	1	l		$\vdash$
		EM SWITCHING	l a recp	1	L Cicinent parsuant t	I	lia conditions ii	Attachment o.	i e			1		I	1	I		
		Tandem Switching Function Per MOU					0.0004086bk					1						$\overline{}$
		Multiple Tandem Switching, per MOU (applies to intial tandem					0.000 100001					1						$\overline{}$
		only)					0.0004086											ĺ
		Tandem Intermediary Charge, per MOU*					0.0025											
	* This	charge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	rconnection												
	TRUNK	( CHARGE		<u> </u>														
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.53	8.11									
	t e	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.53	8.11						1			
	1	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	250	Ŭ.11	1	1			i	i e	i		
	t e	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00											
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00	1	İ	1	1			i	İ	İ		$\Box$
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00		İ	1	1			i	İ	İ		$\Box$
	** This	rate element is recovered on a per MOU basis and is included in	the End	Office						•	•			•	•	•	•	$\Box$
		ON TRANSPORT (Shared)			J		1											$\Box$
		Common Transport - Per Mile, Per MOU					0.0000027bk		1		1			1	ĺ	1		$\Box$
		Common Transport - Facilities Termination Per MOU					0.0001914bk											
CAL	INTER	CONNECTION (DEDICATED TRANSPORT)																
		OFFICE CHANNEL - DEDICATED TRANSPORT																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -																
		Per Mile per month			ОНМ	1L5NF	0.0057											ĺ
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -																
		Facility Termination per month			ОНМ	1L5NF	12.87	48,455	19.48	16,575	4,995							ĺ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per																
		month			ОНМ	1L5NK	0.0057											ĺ
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility																
		Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995							ĺ
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per																
		month			ОНМ	1L5NK	0.0057											ĺ
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility																
		Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995							ĺ
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																
		month			OH1, OH1MS	1L5NL	0.1154											ĺ
		Interoffice Channel - Dedicated Tranport - DS1 - Facility																
		Termination per month			OH1, OH1MS	1L5NL	34.19	111.025	80.28	31.355	21.73							ĺ
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per																
_	<u></u>	month	L	L	OH3, OH3MS	1L5NM	2.53	<u> </u>	<u> </u>	L	<u> </u>	<u></u>		<u>                                     </u>	<u> </u>	<u> </u>		<u></u>
		Interoffice Channel - Dedicated Transport - DS3 - Facility																$\Box$
_	<u></u>	Termination per month	L	L	OH3, OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81	<u></u>		<u>                                     </u>	<u> </u>	<u> </u>		<u></u>
Ξ	LOCAL	. CHANNEL - DEDICATED TRANSPORT																ட
Ξ		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	7.74	121.065	53.295	46.395	13.365							ட
Ξ		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	8.72	125.62	54.43	46.395	13.365							匚
Ξ		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	18.47	149.46	111.195	40.355	26.115							ட
																		ı
_	<u></u>	Local Channel - Dedicated - DS3 Facility Termination per month	L	L	OH3	TEFHJ	147.01	445.01	145.18	112.905	75.88	<u></u>		<u>                                     </u>	<u> </u>	<u> </u>		<u></u>
Ξ	LOCAL	INTERCONNECTION MID-SPAN MEET																ட
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00										
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00										
	MULTI	PLEXERS																—
	1	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19							—
	1	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065							—
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605							—
	LING (C						1	1		L	L			l	l	l		—
TE:	"bk" be	side a rate indicates that the Parties have agreed to bill and keep	for that															╙
	oxdot	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	17.05	131.96	131.96	16.91	16.91							匸
	oxdot	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	17.05	131.96	131.96	16.91	16.91							匸
		CCS7 Signaling Connection, Switched access service, interface												l		l		1 _
	1	groups, transmissiom paths 6 DS1 level path with bit stream				1	1	1	1	I	I			1	l	1		ĺ
		signaling			UDB	TPP6X	17.05	34.77	34.77	16.91	16.91							
	$\perp \equiv$	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	$ldsymbol{ldsymbol{eta}}$		UDB	TPP6B	17.05	131.96	131.96	16.91	16.91							
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	17.05	131.96	131.96	16.91	16.91							$\overline{}$

LOCAL INT	ERCONNECTION - Georgia												Attachment:	3 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES(\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring					Rates(\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<u> </u>
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.05	34.77	34.77	16.91	16.91							
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99											
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	340.67											
	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00	33.32	33.32							
	CCS7 Signaling Usage, Per TCAP Message					0.0000527bk											
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)					0.0000132bk											
Notes:	If no rate is identified in the contract, the rates, terms, and cond	litions fo	r the sp	ecific service or fund	tion will be a	as set forth in ap	plicable BellSοι	ıth tariff.									

OCAL IN	TERCONNECTION - Kentucky												Attachment: 3	B Exh A			1
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Dee	Nonred	urring	Nonrecurring	Disconnect			OSS	Rates(\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN	
	RCONNECTION (CALL TRANSPORT AND TERMINATION)																
	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keep	for tha	at element pursuant t	o the terms a	nd conditions i	n Attachment 3.										—
TANE	DEM SWITCHING	ļ															—
	Tandem Switching Function Per MOU					0.0006772bk											—
	Multiple Tandem Switching, per MOU (applies to intial tandem					0.0006772											ĺ
	only) Tandem Intermediary Charge, per MOU*	1	-			0.0006772											$\vdash$
* This	s charge is applicable only to transit traffic and is applied in addition	n to ann	licable	switching and/or inte	rconnection					l .							
	NK CHARGE	Подр	licabic	Switching and/or into		l larges.	l		1	I							
	Installation Trunk Side Service - per DS0			OHD	TPP6X	i	21.58	8.13	i	i							$\overline{}$
	Installation Trunk Side Service - per DS0	1		OHD	TPP9X		21.58	8.13									$\Box$
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00											
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00		-									
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00											ш
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00											Щ.
	is rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	em Switching	g, per MOU rate	elements		1								₩
COM	MON TRANSPORT (Shared)	-				0.00000001:			ļ	-	ļ						Η-
_	Common Transport - Per Mile, Per MOU	<del> </del>				0.0000030bk											$\leftarrow$
OAL INTE	Common Transport - Facilities Termination Per MOU  RCONNECTION (DEDICATED TRANSPORT)	<del> </del>				0.0007466bk											$\vdash$
	ROFFICE CHANNEL - DEDICATED TRANSPORT	<del> </del>															<del></del>
INTE	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1															<del>                                     </del>
	Per Mile per month			ОНМ	1L5NF	0.01											ĺ
_	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		Onivi	ILSINF	0.01											$\vdash$
	Facility Termination per month			ОНМ	1L5NF	29.11	47.34	31.78	22.77	8.75							ĺ
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1		OF IIVI	TESINI	23.11	47.54	31.70	22.11	0.73							
	month			ОНМ	1L5NK	0.0115											ĺ
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility																
	Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75							ĺ
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per					Î			Î								$\Box$
	month			OHM	1L5NK	0.0115											1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility																ĺ
	Termination per month			OHM	1L5NK	20.97	47.35	31.78	22.77	8.75							Ĺ
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																ĺ
	month			OH1, OH1MS	1L5NL	0.23											—
	Interoffice Channel - Dedicated Tranport - DS1 - Facility																ĺ
	Termination per month	ļ		OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49							—
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0110 0110140													ĺ
	month Interoffice Channel - Dedicated Transport - DS3 - Facility	<del>                                     </del>	<del>                                     </del>	OH3, OH3MS	1L5NM	4.97			-	-	-						$\vdash$
	Termination per month			OH3. OH3MS	1L5NM	1,175,15	335,40	219.24	89.57	87.75							í
LOCA	AL CHANNEL - DEDICATED TRANSPORT	<del>                                     </del>	$\vdash$	OTTO, OTTOWIO	ILOINIVI	1,173.13	333.40	213.24	09.57	07.75							$\overline{}$
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1	<b>†</b>	ОНМ	TEFV2	18.57	265.78	46.96	46.79	4.98							$\overline{}$
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.86	266.48	47.65	47.54	5.73							$\overline{}$
1	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07							$\overline{}$
		1	1			13.10			1		1						$\Box$
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42							i
LOCA	AL INTERCONNECTION MID-SPAN MEET	1															$\Box$
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00										
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00	-									二
MULT	TIPLEXERS																ш
	Channelization - DS1 to DS0 Channel System	L		OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04							Н—
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59							—
NIAI ::: - 1	DS3 Interface Unit (DS1 COCI) per month	-		OH1, OH1MS	SATCO	11.80	10.07	7.08	ļ	-	ļ						Η-
SNALING (		and to -	far "		_		Attach		I	l	l						<del></del>
NOTE	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keep						40.50	22.45	22.45							<del></del>
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	1		UDB UDB	TPP6A TPP9A	20.71	43.56 43.56	43.56 43.56	22.45 22.45	22.45 22.45							<del></del>
	CCS7 Signaling Connection, Per 56kbps Facility A-Link DS3 CCS7 Signaling Connection, Switched access service, interface	<del>                                     </del>	<del>                                     </del>	סטט	IPP9A	20.71	43.56	43.56	22.45	22.45	-						$\vdash$
	groups, transmissiom paths 6 DS1 level path with bit stream																í
	groups, transmission paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45	1						í
			<b>-</b>														<del></del>
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45							

LOCAL INT	ERCONNECTION - Kentucky												Attachment: 3	B Exh A			Ī
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates(\$)			
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45							
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39											
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08											·
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43				·	·		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43				·	·		
	CCS7 Signaling Usage, Per TCAP Message					0.0000656bk											
	CCS7 Signaling Usage, Per ISUP Message					0.0000164bk											
Notes:	If no rate is identified in the contract, the rates, terms, and cond	ditions fo	the sp	ecific service or fun	ction will be a	s set forth in ap	plicable BellSou	ıth tariff.		•		•				·	

OCAL INT	FERCONNECTION - Louisiana												Attachment: 3	B Exh A			$\overline{}$
- OAL IN				1		1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	$\overline{}$
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	í
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	i
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	i
								,			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-	ı
													1st	Add'l	Disc 1st	Disc Add'l	i
													151	Addi	DISC 1St	DISC Add I	i
						Rec		curring	Nonrecurring					Rates(\$)			$\overline{}$
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	$\overline{}$
	<u> </u>																<u> —</u>
	RCONNECTION (CALL TRANSPORT AND TERMINATION)		f = = 11-														<del></del>
	:: "bk" beside a rate indicates that the Parties have agreed to bill a EM SWITCHING	апа кеер	for the	at element pursuant t	o tne terms a	na conditions i	n Attachment 3.		1	1	1						_
TAND	Tandem Switching Function Per MOU					0.0005507bk					1						$\overline{}$
	Multiple Tandem Switching, per MOU (applies to intial tandem				1	0.0000007 DK			1		1						$\overline{}$
	only)					0.0005507											i
	Tandem Intermediary Charge, per MOU*					0.0025											П
* This	charge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	erconnection	charges.			•								П
TRUN	IK CHARGE																ī
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.64	8.15									二
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.64	8.15									
	Dedicated End Office Trunk Port Service-per DS0**	1		OHD	TDEOP	0.00	ļ			ļ							<u> </u>
_	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00				ļ							-
	Dedicated Tandem Trunk Port Service-per DS0**	<b>!</b>		OHD	TDWOP	0.00	<b>.</b>		-	ļ	<b>_</b>						_
** **	Dedicated Tandem Trunk Port Service-per DS1**	the Fr		OH1 OH1MS	TDW1P	0.00	olomonto		1	1							_
	s rate element is recovered on a per MOU basis and is included in MON TRANSPORT (Shared)	ine End	OTTICE	owitching and Tand	em Switching I	g, per MOU rate	elements	1		1	1						_
COMIN	Common Transport - Per Mile, Per MOU	<del>                                     </del>			<del>                                     </del>	0.0000032bk	1		+	1	<b>†</b>						$\overline{}$
_	Common Transport - Facilities Termination Per MOU					0.0003748bk					1						_
AL INTER	RCONNECTION (DEDICATED TRANSPORT)					0.0003740DK					1						$\overline{}$
	ROFFICE CHANNEL - DEDICATED TRANSPORT				<b>†</b>				<b>†</b>		<b>†</b>						$\overline{}$
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -																$\overline{}$
	Per Mile per month			ОНМ	1L5NF	0.013											ı
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -																$\overline{}$
	Facility Termination per month			ОНМ	1L5NF	22.60	39.36	26.62									ı
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per					Î											П
	month			OHM	1L5NK	0.013											ı
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility																i
	Termination per month			OHM	1L5NK	15.61	39.37	26.62			1						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per																i
	month			OHM	1L5NK	0.013											—
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			ОНМ		45.04	00.07										i
-	Termination per month  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-		ОНМ	1L5NK	15.61	39.37	26.62		1	-						—
	month			OH1, OH1MS	1L5NL	0.2652											i
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	-		On I, On IIVIS	ILDINL	0.2002			-		<del> </del>				-		_
	Termination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44									i
_	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTINIO	TESINE	70.47	00.03	73.44			1						$\overline{}$
	month			OH3, OH3MS	1L5NM	6.04											i
1	Interoffice Channel - Dedicated Transport - DS3 - Facility	t		2.10, 0.101110		0.04	i		1	i .	<b>†</b>						$\overline{}$
	Termination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05	1								ı
LOCA	L CHANNEL - DEDICATED TRANSPORT																匸
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	18.32	187.51	32.21									二
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.41	187.94	32.63									二
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27									_
		1		l					_								i
	Local Channel - Dedicated - DS3 Facility Termination per month	ļ		OH3	TEFHJ	469.44	438.46	256.30	<u> </u>	ļ	ļ						-
LOCA	L INTERCONNECTION MID-SPAN MEET			0111110	TEE: 10	0	0			ļ							-
_	Local Channel - Dedicated - DS1 per month	-	<u> </u>	OH1MS	TEFHG	0.00	0.00		-	1	<b>.</b>						_
NAI 11 T	Local Channel - Dedicated - DS3 per month	-	<del>                                     </del>	OH3MS	TEFHJ	0.00	0.00		<del>                                     </del>	1	<del>                                     </del>						_
WULI	Channelization - DS1 to DS0 Channel System	<del>                                     </del>		OH1, OH1MS	SATN1	105.09	88.41	60.76	+	1	<b>†</b>						$\overline{}$
-	DS3 to DS1 Channel System per month	<del>                                     </del>	$\vdash$	OH3, OH3MS	SATNS	201.48	172.99	91.25	t	<del>                                     </del>	<b>†</b>						$\overline{}$
+	DS3 Interface Unit (DS1 COCI) per month	<b>t</b>	<b>—</b>	OH1, OH1MS	SATCO	11.78	6.39	4.58	t	<del> </del>	<b>†</b>						$\overline{}$
NALING (C		<b>1</b>		,		11.70	0.53	4.50	t	1	1						$\overline{}$
NOTE	: "bk" beside a rate indicates that the Parties have agreed to bill a	and keen	for the	at element pursuant t	o the terms a	nd conditions i	n Attachment 3	1		1				1			$\overline{}$
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60											$\overline{}$
	CCS7 Signaling Connection, Per DS1 level link (A link)	1		UDB	TPP6A	15.77	34.50	34.50	1	İ	1						$\overline{}$
	CCS7 Signaling Connection, Per DS3 level link (A link)	İ		UDB	TPP9A	15.77	34.50	34.50		i e							П
	CCS7 Signaling Connection, Switched access service, interface									1							П
	groups, transmissiom paths 6 DS1 level path with bit stream	1				l	1		I		1						ı
1	signaling	1	1	UDB	TPP6X	15.77	34.50	34.50			1						ı

LOCAL INT	ERCONNECTION - Louisiana												Attachment: 3	3 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -	
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	15.77	34.50	34.50									
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.77	34.50	34.50									
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.77	34.50	34.50									l
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	ССАРО		28.17	28.17									
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17									
	CCS7 Signaling Usage, Per TCAP Message					0.000064bk									1		
	CCS7 Signaling Usage, Per ISUP Message					0.000016bk											
Notes:	If no rate is identified in the contract, the rates, terms, and cond	itions fo	r the s	pecific service or fun	ction will be a	s set forth in app	olicable BellSou	ıth tariff.									

CAL IN	TERCONNECTION - Mississippi												Attachment: 3	B Exh A			
CAL III	Live Ordine of Hold - Milasiasippi	I		l		1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	<del>                                     </del>
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
								- (17			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l	
													151	Addi	DISC 1St	DISC Add I	
						Rec		curring	Nonrecurring					Rates(\$)			
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
OAL INITE	CONNECTION (OALL TRANSPORT AND TERMINATION)	-								1	ļ						₩
	RCONNECTION (CALL TRANSPORT AND TERMINATION) :: "bk" beside a rate indicates that the Parties have agreed to bill a	and koon	for the	t alament nurcuant t	a tha tarma a	nd conditions i	n Attachment 2	l									$\vdash$
	E. DK beside a rate indicates that the Parties have agreed to bill a DEM SWITCHING	па кеер	TOT THE	at element pursuant t	the terms a	na conditions i	Attachment 3.	i	I		1						₩
17divi	Tandem Switching Function Per MOU				1	0.0005379bk				1							╆
	Multiple Tandem Switching, per MOU (applies to intial tandem																t
	only)					0.0005379											
	Tandem Intermediary Charge, per MOU*					0.0025											
	charge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	rconnection	charges.											
TRU	IK CHARGE																ـــــ
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13									₩
	Installation Trunk Side Service - per DS0	-		OHD	TPP9X	2.5-	21.58	8.13	1	-							⊢
-	Dedicated End Office Trunk Port Service-per DS0**	-	-	OHD	TDEOP	0.00	<u> </u>		1	<del>                                     </del>	1						⊢
+	Dedicated End Office Trunk Port Service-per DS1**	-	<del>                                     </del>	OH1 OH1MS	TDE1P TDWOP	0.00	-	-	1	<del></del>	<del>                                     </del>						$\vdash$
+	Dedicated Tandem Trunk Port Service-per DS0**  Dedicated Tandem Trunk Port Service-per DS1**	<del>                                     </del>		OHD OH1 OH1MS	TDW0P	0.00	1	<b>l</b>	ł	+	<del>                                     </del>						$\vdash$
** Th	is rate element is recovered on a per MOU basis and is included in	the End					elements	I	1	1	1					1	$\vdash$
	STATE Element is recovered on a per woo basis and is included in MON TRANSPORT (Shared)	THE LITE	Jince	Om Konning and Tanu	CIII OW ROTHING	g, per moo rate	Cicilicino	I	I	1							$\vdash$
30.411	Common Transport - Per Mile, Per MOU	<b>†</b>		<u> </u>	1	0.0000026bk	<del> </del>	<b> </b>		<b>†</b>	1						$\vdash$
	Common Transport - Facilities Termination Per MOU				1	0.0004541bk					1						H
AL INTE	RCONNECTION (DEDICATED TRANSPORT)					0.000 10 1151					1						$\vdash$
	ROFFICE CHANNEL - DEDICATED TRANSPORT										1						$\vdash$
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -																T
	Per Mile per month			ОНМ	1L5NF	0.0098											
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			-													Т
	Facility Termination per month			ОНМ	1L5NF	22.52	40.77	27.57	17.26	7.11							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per																
	month			OHM	1L5NK	0.0098											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility																
	Termination per month			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per																
	month			OHM	1L5NK	0.0098											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility																
	Termination per month			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																
	month			OH1, OH1MS	1L5NL	0.201											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility																
	Termination per month	ļ		OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90	ļ						╄
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		0110 0115:::				1		I							1
_	month	-		OH3, OH3MS	1L5NM	4.76			1	-							⊢
	Interoffice Channel - Dedicated Transport - DS3 - Facility			OUR OURMS	41 ENIM	644.00	200.27	100.70	60.00	60.00							1
100	Termination per month  L CHANNEL - DEDICATED TRANSPORT	-	_	OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29	1						$\vdash$
LUCA	Local Channel - Dedicated - 2-Wire Voice Grade per month	<del>                                     </del>	<u> </u>	OHM	TEFV2	14.91	194.22	33.36	37.79	3.30	<del>                                     </del>						⊢
+	Local Channel - Dedicated - 2-Wire Voice Grade per month  Local Channel - Dedicated - 4-Wire Voice Grade per month	-	<del>                                     </del>	OHM	TEFV2	14.91	194.22	33.36	37.79	3.30	<del>                                     </del>						$\vdash$
_	Local Channel - Dedicated - 4-vvire voice Grade per month	<del>                                     </del>		OHII	TEFHG	36.83	178.50	154.61	22.89	15.74							$\vdash$
-	Local Ghanner - Dedicated - Do I per Illollul	<del>                                     </del>		0111	LITIO	30.63	170.00	104.01	22.09	15.74	1						$\vdash$
	Local Channel - Dedicated - DS3 Facility Termination per month	1		OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19							1
LOCA	L INTERCONNECTION MID-SPAN MEET	<b>t</b>	<b>—</b>	0.10		413.07	404.13	204.47	120.20	00.19	<del>                                     </del>						$\vdash$
	Local Channel - Dedicated - DS1 per month	t		OH1MS	TEFHG	0.00	0.00			<del>                                     </del>	t					1	$\vdash$
	Local Channel - Dedicated - DS3 per month	<b>†</b>		OH3MS	TEFHJ	0.00	0.00	<b> </b>		<b>†</b>	1						$\vdash$
MULT	IPLEXERS					3.00	0.00			1							T
	Channelization - DS1 to DS0 Channel System	t		OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10							$\vdash$
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82							T
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	12.96	6.62	4.74	200	1							$\vdash$
NALING (		1		,		1	1										T
NOTE	: "bk" beside a rate indicates that the Parties have agreed to bill	and keep	for tha	at element pursuant t	o the terms a	nd conditions i	n Attachment 3.		•	•							Г
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21											
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Connection, Switched access service, interface																
	groups, transmissiom paths 6 DS1 level path with bit stream	1				l	1	1		I							1
1	signaling	1	1	UDB	TPP6X	16.55	35.74	35.74	16.53	16.53	1						ĺ

OCAL INT	ERCONNECTION - Mississippi												Attachment:	3 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES(\$)  RATES(\$)  Rec Nonrecurring Nonrecurring Disconnect						Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Poc	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates(\$)			
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	683.55										1	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78							
	CCS7 Signaling Usage, Per TCAP Message					0.0000597bk											

.OCAI	L INT	ERCONNECTION - North Carolina												Attachment: 3	B Exh A			$\Box$
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	$\overline{}$
												Submitted	Submitted		Charge -		Charge -	í
														Charge -		Charge -		í
				_					D. 1 = = 0 (A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	i
TEG	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	í
														Electronic-	Electronic-	Electronic-	Electronic-	i
														1st	Add'l	Disc 1st	Disc Add'l	í
														130	Auu	D130 131	DISC Add I	ĺ
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
CAL	INTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)																
		"bk" beside a rate indicates that the Parties have agreed to bill a	nd keep	for tha	at element pursuant t	o the terms a	nd conditions in	n Attachment 3.										$\overline{}$
		M SWITCHING																
		Tandem Switching Function Per MOU					0.0004788bk											
		Multiple Tandem Switching, per MOU (applies to intial tandem																$\overline{}$
		only)					0.0004788											i
		Tandem Intermediary Charge, per MOU*					0.0025					<b>+</b>						$\vdash$
_	t Thin a	charge is applicable only to transit traffic and is applied in addition	. 40	liaabla						<b>-</b>		<b>-</b>						$\vdash$
_		marge is applicable only to transit tranic and is applied in addition	n to app	licable	Switching and/or inte	rconnection	cnarges.											$\vdash$
_	IKUNK				CUE	TDDOV		04.55	0.40	ļ								$\leftarrow$
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.55	8.12	-		<b>!</b>						—
		Installation Trunk Side Service - per DS0			OHD	TPP9X	ļ	21.55	8.12			1						ш
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00											
I		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00											
$\neg$		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00											Г
$\Box$		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00											$\Box$
	** This	rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	em Switching	ner MOU rate	elements										
		ON TRANSPORT (Shared)			J uniu		1	1										$\overline{}$
		Common Transport - Per Mile, Per MOU				1	0.0000023bk		1	t		1						$\overline{}$
$\dashv$		Common Transport - Fer Wile, Fer WiOO  Common Transport - Facilities Termination Per MOU				1	0.0001676bk		<b> </b>	<del>                                     </del>		1						<u> </u>
٠,٠	MTER	CONNECTION (DEDICATED TRANSPORT)	-			<del>                                     </del>	0.000 107 0DK	_	-	<del></del>		1						_
						ļ				ļ		ļ						$\leftarrow$
	INTER	DFFICE CHANNEL - DEDICATED TRANSPORT																—
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -																i
		Per Mile per month			OHM	1L5NF	0.0095											ĺ
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -																
		Facility Termination per month			ОНМ	1L5NF	12.12	39.36	26.62									ĺ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per																
		month			ОНМ	1L5NK	0.0095											ĺ
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	ILONIX	0.0033	<b>†</b>		<b>†</b>		<b>†</b>						$\vdash$
						41.55.07		00.07										ĺ
_		Termination per month			OHM	1L5NK	7.47	39.37	26.62			ļ						$\vdash$
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per																í
		month			OHM	1L5NK	0.0095											1
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility																í
		Termination per month			OHM	1L5NK	7.47	39.37	26.62									i
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																$\Box$
		month			OH1, OH1MS	1L5NL	0.1938											i
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			0111, 01111110	120112	0.1000			†		1						$\vdash$
		Termination per month			OH1, OH1MS	1L5NL	31.19	86.69	79.44									í
_					OHT, OHTIVIS	ILSINL	31.18	00.09	19.44	<b>-</b>		<b>-</b>						$\vdash$
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OLIO OLIONAO	41 50104	l		1	1								í
_		month	<b>—</b>		OH3, OH3MS	1L5NM	4.44		<b> </b>			<b></b>						-
		Interoffice Channel - Dedicated Transport - DS3 - Facility					1	1	1	1		1						í
		Termination per month			OH3, OH3MS	1L5NM	329.91	270.69	158.05			1						ш
	LOCAL	CHANNEL - DEDICATED TRANSPORT																_
T		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	6.29	187.51	32.21									ட
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	7.08	187.94	32.63									$\overline{}$
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	22.13	172.34	149.27			1						
$\dashv$							22.10			t		1						$\overline{}$
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	82.89	438.46	256.30	1								í
$\dashv$	10041	INTERCONNECTION MID-SPAN MEET	-		0110	TEFFIJ	02.09	430.40	200.30	<del></del>		1						$\vdash$
$\dashv$	LUCAL				OLIANC	TEELIO	0.00	0.00	<b>-</b>	-		<del>                                     </del>						<del></del>
		Local Channel - Dedicated - DS1 per month	-		OH1MS	TEFHG	0.00	0.00		<del>                                     </del>		<del> </del>						$\leftarrow$
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00	<b> </b>			<b></b>						—
	MULTIF	PLEXERS				1						ļ						<u> </u>
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06									ш
I		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40									
П		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38									ı
NAL	ING (CC					ĺ	İ		1			ĺ						$\Box$
		"bk" beside a rate indicates that the Parties have agreed to bill a	nd keen	for the	at element nursuant t	o the terms a	nd conditions is	n Attachment 3										$\overline{}$
-		CCS7 Signaling Connection, Per DS1 level link (A link)	а кеер		UDB	TPP6A	8.13	34.50	34.50			1						<u> </u>
-		CCS7 Signaling Connection, Per DS1 level link (A link) CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP6A	8.13	34.50	34.50	<del></del>		<del>                                     </del>						<del></del>
			<b>—</b>		ULD	IPP9A	8.13	34.50	34.50	1		<del>                                     </del>						$\vdash$
		CCS7 Signaling Connection, Switched access service, interface				1	1		1	1		1						í
		groups, transmissiom paths 6 DS1 level path with bit stream				1	1		1	1		1						1
		signaling			UDB	TPP6X	8.13	278.02	278.02			<u> </u>						
$\neg$		CCS7 Signaling Connection, Per DS1 level link (B link) (also known																$\Gamma$
		as D link)			UDB	TPP6B	8.13	34.50	34.50	1		1						1

LOCAL INT	ERCONNECTION - North Carolina											Attachment:	3 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc						Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -	
						Rec Nonrecurring Nonrecurring Disconnect					•	oss	Rates(\$)	•		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	8.13	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	8.13	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108,19									†	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	644.04										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		55.77	55.77								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								
	CCS7 Signaling Usage, Per ISUP Message					0.00004bk							İ			
	CCS7 Signaling Usage, Per TCAP Message					0.00009bk										
Notes:	If no rate is identified in the contract, the rates, terms, and cond	itions fo	r the s	pecific service or fund	tion will be a	s set forth in ap	plicable BellSou	th tariff.								

OCAL IN	TERCONNECTION - South Carolina												Attachment: 3	3 Exh A			$\perp$
								_				Svc Order	Incremental	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l	
		ļ															╄
		1				Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN	╁
							1	71441		71441	0020	00	00	00	00112111	00.112.11	t
	RCONNECTION (CALL TRANSPORT AND TERMINATION)	L			L	L	L										┖
	E: "bk" beside a rate indicates that the Parties have agreed to bill DEM SWITCHING	and keep	for tha	at element pursuant t	o the terms a	nd conditions i	n Attachment 3.				1			ı			₩
IANI	Tandem Switching Function Per MOU	+				0.0007360bk				-							╁
	Multiple Tandem Switching, per MOU (applies to intial tandem					0.000700001			1								H
	only)					0.000736											
	Tandem Intermediary Charge, per MOU*					0.0025											
	s charge is applicable only to transit traffic and is applied in addition	on to app	licable	switching and/or inte	rconnection	charges.							1	1			╄
IRUI	NK CHARGE  Installation Trunk Side Service - per DS0	1		OHD	TPP6X		21.65	8,16									₩
-	Installation Trunk Side Service - per DS0	1		OHD	TPP9X		21.65	8.16		-	1						⊢
_	Dedicated End Office Trunk Port Service-per DS0**	+		OHD	TDEOP	0.00	21.00	0.10	1		1						╁
	Dedicated End Office Trunk Port Service-per DS0*  Dedicated End Office Trunk Port Service-per DS1**	1		OH1 OH1MS	TDE1P	0.00											╆
	Dedicated Tandem Trunk Port Service-per DS0**	<u>†                                      </u>		OHD	TDWOP	0.00					1						H
	Dedicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS	TDW1P	0.00											T
	is rate element is recovered on a per MOU basis and is included in	the End									•						┖
COM	MON TRANSPORT (Shared)																
	Common Transport - Per Mile, Per MOU					0.0000045bk											┸
	Common Transport - Facilities Termination Per MOU					0.0004095bk											┺
	RCONNECTION (DEDICATED TRANSPORT)	1															╄
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	-									ļ						╄
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			OUM	41.515	0.0407											
_	Per Mile per month	-		OHM	1L5NF	0.0167					ļ						₩
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	24.30	40.63	27.47	16.77	6.91							
_	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	+		Onivi	ILDINF	24.30	40.63	21.41	10.77	0.91	1						╁
	month			ОНМ	1L5NK	0.0167											
_	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1		OT IIVI	TEORIT	0.0107					<b>†</b>						t
	Termination per month			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	1															т
	month			OHM	1L5NK	0.0167											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					Î											Г
	Termination per month			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per																Г
	month			OH1, OH1MS	1L5NL	0.3415											┺
	Interoffice Channel - Dedicated Tranport - DS1 - Facility																
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48							┺
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0110 0110140													
	month Interoffice Channel - Dedicated Transport - DS3 - Facility	+		OH3, OH3MS	1L5NM	8.02	<del>                                     </del>		-	<del>                                     </del>	1			<b>-</b>			+
	Termination per month			OH3. OH3MS	1L5NM	880.65	279.37	163,12	60.33	58.59				1			
100	AL CHANNEL - DEDICATED TRANSPORT	+		Una, Unaivia	ILDINIVI	000.05	219.31	103.12	60.33	56.59	<del>                                     </del>			-			+
LUC	Local Channel - Dedicated - 2-Wire Voice Grade per month	+		OHM	TEFV2	15.33	193.53	33.24	36.72	3.21				<del> </del>			+
$\dashv$	Local Channel - Dedicated - 2-Wire Voice Grade per month	+	$\vdash$	OHM	TEFV4	16.54	193.97	33.68	37.19	3.68	<b>I</b>			<del>                                     </del>			+
$\dashv$	Local Channel - Dedicated - 4-Ville Voice Grade per month	1		OHM OH1	TEFHG	42.62	177.87	154.06	22.24	15.30	<del>                                     </del>			<b> </b>			$\vdash$
	200 C. Million Dodinatos Dol por montal	1				72.02	177.57	104.00	22.24	10.50				1			$\vdash$
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77				1			
LOC	AL INTERCONNECTION MID-SPAN MEET	1												1			
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00										Г
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00										
MUL	TIPLEXERS																Į_
	Channelization - DS1 to DS0 Channel System	1		OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81							$\perp$
	DS3 to DS1 Channel System per month	ļ		OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90	ļ			ļ			4
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	8.64	6.59	4.73	ļ	-	ļ						₩
NALING (		1	·		- 45 - 4				l	L	L			L			+
NOT	E: "bk" beside a rate indicates that the Parties have agreed to bill	and keep						05.01	10.10	40.10	1		1	1	,		⊬
_	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	+		UDB UDB	TPP6A TPP9A	16.93 16.93	35.61 35.61	35.61 35.61	16.48 16.48	16.48 16.48	1			<b>-</b>			+
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	+		UDB UDB	TPP9A TPP6B	16.93 16.93	35.61 35.61	35.61 35.61	16.48 16.48	16.48 16.48	1			<b>-</b>			+
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1  CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	+		UDB	TPP6B	16.93	35.61	35.61	16.48	16.48	1			-			+
$\rightarrow$	CCS7 Signaling Connection, Per 56kbps Facility B-Link DS3 CCS7 Signaling Connection, Switched access service, interface	+		סטס	illab	10.93	10.00	35.61	10.48	10.48	<del>                                     </del>			<del> </del>			+
	groups, transmissiom paths 6 DS1 level path with bit stream	1			l	l	1			I				l			1
	groups, nanomissiom panis o Do i level pani wini bit sileam	1		UDB	TPP6X	16.93	35.61	35.61	16.48	16.48	1	1	l	1			1

LOCAL INT	ERCONNECTION - South Carolina												Attachment:	3 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC							Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec	urring	Nonrecurring I	Disconnect	ct OSS Rates(\$)						
						First Add'l First Add'l					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48							
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49											
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65							
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65							
	CCS7 Signaling Usage, Per TCAP Message					0.0000692bk											
	CCS7 Signaling Usage, Per ISUP Message					0.0000173bk		•		•							
Notes:	If no rate is identified in the contract, the rates, terms, and cond	ditions for	r the sp	ecific service or fund	ction will be a	s set forth in ap	plicable BellSou	ıth tariff.									ĺ

OCAL IN	TERCONNECTION - Tennessee												Attachment: 3	B Exh A			<u></u>
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
							Nonrecurring		Nonrecurring	Disconnect		ļ	OSS	Rates(\$)			┢
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN	
	RCONNECTION (CALL TRANSPORT AND TERMINATION)																
	: "bk" beside a rate indicates that the Parties have agreed to bill a	nd keep	for the	t element pursuant t	the terms a	nd conditions i	n Attachment 3.										<u> </u>
TANE	EM SWITCHING																
	Tandem Switching Function Per MOU					0.0009778bk											ـــــ
	Multiple Tandem Switching, per MOU (applies to intial tandem					0.0009778											ĺ
-	only)					0.0009778											⊢
* Thic	Tandem Intermediary Charge, per MOU*  charge is applicable only to transit traffic and is applied in addition	n to ann	licable	owitching and/or into	roonnoction					l	l	l .					⊢
	IK CHARGE	і іо арр	licable	Switching and/or line	Connection	charges.				1							┢
11101	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.59	8.09			-						$\vdash$
	Installation Trunk Side Service - per DS0			OHD	TPP9X	i	21.59	8.09	1	i							$\vdash$
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00		2.30	İ	İ	1						
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00											
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00		•									
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00			1								┕
	s rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	em Switching	g, per MOU rate	elements										<u> </u>
COM	MON TRANSPORT (Shared)					0.00000011			-								⊢
_	Common Transport - Per Mile, Per MOU					0.0000064bk											⊢
 	Common Transport - Facilities Termination Per MOU  RCONNECTION (DEDICATED TRANSPORT)					0.0003871bk	<del>                                     </del>		<del>                                     </del>								$\vdash$
	RCONNECTION (DEDICATED TRANSPORT) ROFFICE CHANNEL - DEDICATED TRANSPORT						<del>                                     </del>		<del>                                     </del>								$\vdash$
INTE																	⊢
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0174											ĺ
_	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OHIVI	ILONE	0.0174											$\vdash$
	Facility Termination per month			ОНМ	1L5NF	18.58	55.39	17.37	27.96	3.51							ĺ
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			0.1111	120111	10.00	00.00		27.00	0.01							
	month			ОНМ	1L5NK	0.0174											ĺ
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility																
	Termination per month			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51							ĺ
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per																
	month			OHM	1L5NK	0.0174											_
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility																İ
	Termination per month			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51							ـــــ
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0114 011440													İ
_	month			OH1, OH1MS	1L5NL	0.3562											₩
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	41.5011	77.00	110.10	76.07	10.55	14.99							İ
	Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			On I, On INIS	1L5NL	77.86	112.40	76.27	19.55	14.99	-		-				$\vdash$
	month			OH3, OH3MS	1L5NM	2.34											ĺ
	Interoffice Channel - Dedicated Transport - DS3 - Facility			OT 15, OT 15WIS	ILOINIVI	2.04			1								H
	Termination per month			OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91	1						1
LOCA	L CHANNEL - DEDICATED TRANSPORT			,													
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.29	199.33	24.16	54.81	4.80							
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	16.18	201.53	24.83	55.52	5.51							
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	32.25	277.35	233.26	33.18	22.30							
																	1
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15							ـــــ
LOCA	L INTERCONNECTION MID-SPAN MEET								<b>.</b>								<b>L</b>
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00		-								₩
	Local Channel - Dedicated - DS3 per month	-	$\vdash$	OH3MS	TEFHJ	0.00	0.00		<del>                                     </del>	<del> </del>	<b></b>						⊢
MULT	Channelization - DS1 to DS0 Channel System		$\vdash$	OH1, OH1MS	SATN1	80.77	141.87	77.11	14.51	13,46							$\vdash$
-	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	44.47	42.62	<del>                                     </del>						$\vdash$
-	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07	4.66	44.47	42.02							$\vdash$
NALING (				O, OLLINO	5/1100	17.36	0.07	4.00	t								$\vdash$
	: "bk" beside a rate indicates that the Parties have agreed to bill a	nd keen	for tha	it element pursuant to	the terms a	nd conditions i	n Attachment 3.										$\vdash$
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41											
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.84	130.84	130.84					20.35	0.00	0.00	0.00	Г
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	0.00	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known			LIDD	TPP6B	47.04	120.04	120.04					20.05	0.00	0.00	0.00	Г
+	as D link)  CCS7 Signaling Connection, Per DS3 level link (B link) (also known			UDB	IPPOB	17.84	130.84	130.84	<del>                                     </del>		-		20.35	0.00	0.00	0.00	$\vdash$
	as D link)			UDB	TPP9B	17.84	130.84	130.84	1	1	1	ı	20.35	0.00	0.00	0.00	1

LOCAL INT	ERCONNECTION - Tennessee												Attachment: 3	Exh A			ī
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec Manually Manual Svc Manual Svc Manual Svc Manual Svc Manual Svc Order vs. Order vs. Electronic- Ele					Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		Nonrecurring	Disconnect	OSS Rates(\$)						
						First Add'l First Add'l					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	i
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.84	130.84	130.84					20.35	20.35	13.32	13.32	
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.84	130.84	130.84					20.35	20.35	13.32	13.32	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30					1						
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	0.00	0.00	0.00	 
	CCS7 Signaling Usage, Per TCAP Message					0.0000916bk											
	CCS7 Signaling Usage, Per ISUP Message					0.0000373bk											į.
Notes:	If no rate is identified in the contract, the rates, terms, and cond	litions for	r the sp	ecific service or fund	tion will be a	s set forth in a	plicable BellSo	ıth tariff.									1

### **Attachment 4**

**Central Office Physical Collocation** 

Version: 2Q05 Standard ICA

### **Table of Contents**

1.	Scope of Attachment	3
2	Optional Space Availability Report	6
3	Collocation Options	6
4	Occupancy	12
5	Use of Collocation Space	14
6	Ordering and Preparation of Collocation Space	22
7	Construction and Provisioning	26
8	Rates and Charges	33
9	Insurance	41
10	Mechanics Lien	43
11	Inspections	43
12	Security and Safety Requirements	43
13	Destruction of Collocation Space	46
14	Eminent Domain	47
15	Nonexclusivity	47
Env	vironmental & Safety Principles	Exhibit A
Rat	tes	Exhibit B
Ter	nnessee Regulatory Authority (TRA) Offered Language	Exhibit C
TR	A Offered Rates	Exhibit D

Version: 2Q05 Standard ICA

# BELLSOUTH CENTRAL OFFICE PHYSICAL COLLOCATION

#### 1. Scope of Attachment

1.1 BellSouth Premises. The rates, terms and conditions contained within this Attachment shall only apply when Freedom Communications is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment includes BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. If the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and/or intervals may apply in addition to the terms and conditions contained in this Attachment.

#### 1.2 Right to Occupy

- 1.2.1 BellSouth shall offer to Freedom Communications collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Freedom Communications to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Freedom Communications and agreed to by BellSouth (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.2.1 In all states other than Florida, the size specified by Freedom Communications may contemplate a request for space sufficient to accommodate Freedom Communications's growth within a twenty-four (24) month period.
- 1.2.2.2 In the state of Florida, the size specified by Freedom Communications may contemplate a request for space sufficient to accommodate Freedom Communications's growth within an eighteen (18) month period.
- 1.3 <u>Space Allocation.</u> BellSouth shall assign Freedom Communications Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate Freedom Communications's requested space preferences, if any, including the provision of

Version: 2Q05 Standard ICA

contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not materially increase Freedom Communications's cost or materially delay Freedom Communications's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Freedom Communications wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Transfer of Collocation Space</u>. Freedom Communications shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the central office is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) Freedom Communications has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with Freedom Communications's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.1 The responsibilities of Freedom Communications shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and Freedom Communications.
- 1.4.2 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.
- 1.5 Space Reclamation
- 1.5.1 In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. Freedom Communications will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.

Version: 2Q05 Standard ICA

- 1.5.2 BellSouth may reclaim unused Collocation Space when a BellSouth central office is at, or near, space exhaustion and Freedom Communications cannot demonstrate that Freedom Communications will utilize the Collocation Space within a reasonable time. In the event of space exhaust or near exhaust within a BellSouth Premises, BellSouth will provide written notice to Freedom Communications requesting that Freedom Communications release non-utilized Collocation Space to BellSouth, when one hundred percent (100%) of the Collocation Space in Freedom Communications's collocation arrangement is not being utilized.
- 1.5.3 Within twenty (20) days of receipt of written notification from BellSouth,
  Freedom Communications shall either: (1) return the non-utilized Collocation
  Space to BellSouth in which case Freedom Communications shall be relieved of
  all obligations for charges associated with that portion of the Collocation Space
  applicable from the date the Collocation Space is returned to BellSouth; or (2) for
  all states, with the exception of Florida, provide BellSouth with information
  demonstrating that the Collocation Space will be utilized within twenty-four (24)
  months from the date Freedom Communications accepted the Collocation Space
  (Acceptance Date) from BellSouth. For Florida, Freedom Communications shall
  provide information to BellSouth demonstrating that the Collocation Space will
  be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning BellSouth's claim of central office space exhaust, or near exhaust, or Freedom Communications's refusal to return requested Collocation Space should be resolved by BellSouth and Freedom Communications pursuant to the dispute resolution language contained in Section 8 of General Terms and Conditions.
- 1.6 <u>Use of Space.</u> Freedom Communications shall use the Collocation Space for the purpose of installing, maintaining and operating Freedom Communications's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to Freedom Communications may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and Charges.</u> Freedom Communications agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.

Version: 2Q05 Standard ICA

1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2 Optional Space Availability Report

- 2.1 Upon request from Freedom Communications and at Freedom Communications's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by Freedom Communications.
- 2.1.1 The request from Freedom Communications for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the LERG, and the CLLI code for the BellSouth Premises requested. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request.
- 2.1.3 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth Region, shall be negotiated between the Parties.

#### **3 Collocation Options**

3.1 Cageless Collocation. BellSouth shall allow Freedom Communications to collocate Freedom Communications's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Freedom Communications to have direct access to Freedom Communications's equipment and facilities in accordance with Section 5.1.2 below. BellSouth shall make cageless collocation available in single bay increments. Except where Freedom Communications's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Freedom Communications must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

Version: 2Q05 Standard ICA

#### 3.2 <u>Caged Collocation</u>

- 3.2.1 BellSouth will make caged Collocation Space available in fifty (50) square foot increments. At Freedom Communications's option and expense, Freedom Communications will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, Freedom Communications and Freedom Communications's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Freedom Communications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at Freedom Communications's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for Freedom Communications's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. Freedom Communications's BellSouth Certified Supplier shall bill Freedom Communications directly for all work performed for Freedom Communications. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Freedom Communications's BellSouth Certified Supplier. Freedom Communications must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Freedom Communications's locked enclosure prior to notifying Freedom Communications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to Freedom Communications's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Freedom Communications.
- 3.2.2 In the event Freedom Communications's BellSouth Certified Supplier will construct the collocation arrangement enclosure, BellSouth may elect to review Freedom Communications's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify Freedom Communications of its desire to conduct this review in BellSouth's Application Response, as defined herein, to Freedom Communications's Initial Application. If Freedom Communications's Initial Application does not indicate its desire to construct its own enclosure and Freedom Communications subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then Freedom Communications will resubmit its Initial Application, indicating its desire to construct its own enclosure. If Freedom Communications subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, Freedom Communications will submit a Subsequent Application, as defined in Section 6.2 below. If BellSouth elects to review Freedom Communications's plans and specifications, then BellSouth will provide

Version: 2Q05 Standard ICA

notification to Freedom Communications within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of Freedom Communications's plans and specifications. Regardless of whether or not BellSouth elects to review Freedom Communications's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Freedom Communications's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of Freedom Communications's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of Freedom Communications's caged Collocation Space, BellSouth shall require Freedom Communications, at Freedom Communications's expense, to remove or correct any structure that does not meet Freedom Communications's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

#### 3.3 <u>Shared Caged Collocation</u>

- 3.3.1 Freedom Communications may allow other telecommunications carriers to share Freedom Communications's caged Collocation Space, pursuant to the terms and conditions agreed to by Freedom Communications (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Freedom Communications. BellSouth shall be notified in writing by Freedom Communications upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Freedom Communications that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Freedom Communications. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and Freedom Communications.
- 3.3.2 Freedom Communications, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Freedom Communications with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Freedom Communications shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment

Version: 2Q05 Standard ICA

placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's Access Customer Name and Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.

- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 Freedom Communications shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Freedom Communications's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation
- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by Freedom Communications or Freedom Communications's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, Freedom Communications shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.2 If Freedom Communications requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above, Freedom Communications must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, Freedom Communications and Freedom Communications's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. Freedom Communications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Freedom Communications's BellSouth Certified Supplier shall bill Freedom Communications directly for all work performed for Freedom Communications to comply with this Attachment. BellSouth shall have no

Version: 2Q05 Standard ICA

liability for, nor responsibility to pay such charges imposed by Freedom Communications's BellSouth Certified Supplier. Freedom Communications must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Freedom Communications's locked enclosure prior to notifying Freedom Communications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.3 Freedom Communications must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Freedom Communications's plans and specifications prior to the construction of an Adjacent Arrangement to ensure Freedom Communications's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from Freedom Communications for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Freedom Communications's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of Freedom Communications's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after BellSouth has completed its inspection of Freedom Communications's Adjacent Arrangement, BellSouth shall require Freedom Communications, at Freedom Communications's expense, to remove or correct any structure that does not meet its submitted plans and specifications or BellSouth's specifications, as applicable.
- 3.4.4 Freedom Communications shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Freedom Communications's option and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at Freedom Communications's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. Freedom Communications will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Freedom

Version: 2Q05 Standard ICA

Communications's BellSouth Certified Supplier shall be responsible, at Freedom Communications's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

#### 3.5 Direct Connect

- BellSouth will permit Freedom Communications to directly interconnect between 3.5.1 its own physical/virtual Collocation Spaces within the same BellSouth central office (Direct Connect). Freedom Communications shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Freedom Communications. A Direct Connect shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by Freedom Communications to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where Freedom Communications's physical/virtual Collocation Spaces are contiguous in the central office, Freedom Communications will have the option of using Freedom Communications's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Freedom Communications will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. Freedom Communications may not self-provision a Direct Connect on any BellSouth distribution frame, Point of Termination (POT) Bay. Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. Freedom Communications is solely responsible for ensuring the integrity of the signal.
- 3.5.2 To place an order for a Direct Connect, Freedom Communications must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to Freedom Communications.

#### 3.6 <u>Co-Carrier Cross Connect (CCXC)</u>

3.6.1 A CCXC is a cross connection between Freedom Communications and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit Freedom Communications to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's

Version: 2Q05 Standard ICA

Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to Freedom Communications upon Freedom Communications's request for the CCXC. Freedom Communications is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.

- 3.6.2 Freedom Communications must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Freedom Communications. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Freedom Communications shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by Freedom Communications to provision the CCXC to the other collocated telecommunications carrier. In those instances where Freedom Communications's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, Freedom Communications may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Freedom Communications shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Freedom Communications shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. Freedom Communications is solely responsible for ensuring the integrity of the signal.
- 3.6.3 To place an order for a CCXC, Freedom Communications must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to Freedom Communications.

#### 4 Occupancy

4.1 <u>Space Ready Notification.</u> BellSouth will notify Freedom Communications in writing when the Collocation Space is ready for occupancy (Space Ready Date).

Version: 2Q05 Standard ICA

- 4.2 Acceptance Walkthrough. Freedom Communications will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from Freedom Communications's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If Freedom Communications completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of Freedom Communications's acceptance of the Collocation Space (Space Acceptance Date). In the event Freedom Communications fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by Freedom Communications on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If Freedom Communications decides to occupy the Collocation Space prior to the Space Ready Date, the date Freedom Communications occupies the space is deemed the Space Acceptance Date and billing will begin from that date.
- 4.4 Freedom Communications shall notify BellSouth in writing that its collocation equipment installation is complete. Freedom Communications's collocation equipment installation is complete when Freedom Communications's equipment is connected to BellSouth's network for the purpose of provisioning Telecommunication Services to Freedom Communications's End Users. BellSouth may refuse to accept any orders for cross-connects until it has received such notice from Freedom Communications.

#### 4.5 <u>Termination of Occupancy.</u>

4.5.1 In addition to any other provisions addressing termination of occupancy in this Agreement, Freedom Communications may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Freedom Communications and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Freedom Communications signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and Freedom Communications jointly conduct an inspection, confirming that Freedom Communications has corrected all of the noted discrepancies identified by

Version: 2Q05 Standard ICA

BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B. BellSouth may terminate Freedom Communications's right to occupy Collocation Space in the event Freedom Communications fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B, for such Collocation Space.

- 4.5.2 Upon termination of occupancy, Freedom Communications, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by Freedom Communications from the Collocation Space. Freedom Communications shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Freedom Communications's Guest(s), unless Freedom Communications's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to Freedom Communications's Termination Date.
- 4.5.3 Freedom Communications shall continue the payment of all monthly recurring charges to BellSouth until the date Freedom Communications, and if applicable Freedom Communications's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If Freedom Communications or Freedom Communications's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of Freedom Communications or Freedom Communications's Guest(s), in any manner that BellSouth deems fit, at Freedom Communications's expense and with no liability whatsoever for Freedom Communications's property or Freedom Communications's Guest(s) property.
- 4.5.4 Upon termination of Freedom Communications's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. Freedom Communications shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Freedom Communications, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Freedom Communications's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. Freedom Communications shall be responsible for the cost of removing any Freedom Communications constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

#### 5 Use of Collocation Space

Version: 2Q05 Standard ICA

### 5.1 Equipment Type

- 5.1.1 BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on Freedom Communications's failure to comply with this Section.
- 5.2 Terminations. Freedom Communications shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by Freedom Communications, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event Freedom Communications submits an application for terminations that will exceed the total capacity of the collocated equipment, Freedom Communications will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

Version: 2Q05 Standard ICA

- 5.3 <u>Security Interest in Equipment.</u> Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, Freedom Communications will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 <u>No Marketing.</u> Freedom Communications shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- 5.5 <u>Equipment Identification.</u> Freedom Communications shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Freedom Communications's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Freedom Communications's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities. Freedom Communications may elect to place Freedom Communications-owned or Freedom Communications leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Freedom Communications will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. Freedom Communications will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to Freedom Communications's equipment in Freedom Communications's Collocation Space. In the event Freedom Communications utilizes a nonmetallic, riser-type entrance facility, a splice will not be required. Freedom Communications must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. Freedom Communications is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of Freedom Communications's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.6.1 <u>Microwave Transmission Facilities.</u> At Freedom Communications's request, BellSouth will accommodate, where technically feasible and space is available, a

Version: 2Q05 Standard ICA

microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.

- 5.6.2 Copper and Coaxial Cable Entrance Facilities. In Florida and Georgia, BellSouth shall permit Freedom Communications to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where Freedom Communications demonstrates a necessity and entrance capacity is not at or near exhaust in a particular BellSouth Premises in which Freedom Communications's Collocation Space is located. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two (2) interconnection points at each BellSouth Premises where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by Freedom Communications for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Freedom Communications with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to Freedom Communications's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to Freedom Communications in the Application Response.

### 5.8 Shared Use

- 5.8.1 Freedom Communications may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Freedom Communications's Collocation Space within the same BellSouth Premises.
- BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. Freedom Communications must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the Freedom Communications-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If Freedom Communications desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Freedom Communications authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on Freedom Communications's entrance facility.

Version: 2Q05 Standard ICA

### 5.9 Demarcation Point

- 5.9.1 In Tennessee, if Freedom Communications elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 5.9.2 BellSouth will designate the point(s) of demarcation between Freedom Communications's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. Freedom Communications shall be responsible for providing the necessary cabling and Freedom Communications's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. Freedom Communications or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.10 Equipment and Facilities. Freedom Communications, or if required by this Attachment, Freedom Communications's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by Freedom Communications, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. Freedom Communications and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

### 5.11 BellSouth's Access to Collocation Space

- 5.11.1 From time to time, BellSouth may require access to Freedom Communications's Collocation Space. BellSouth retains the right to access Freedom Communications's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to Freedom Communications at least forty-eight (48) hours before access to Freedom Communications's Collocation Space is required. Freedom Communications may elect to be present whenever BellSouth performs work in the Freedom Communications's Collocation Space. The Parties agree that Freedom Communications will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, BellSouth will provide oral notice of entry as soon as reasonably practicable after such entry.

Version: 2Q05 Standard ICA

- 5.11.3 Freedom Communications must provide the local BellSouth Central Office Building Contact with two (2) Access Devices that will allow BellSouth entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.
- 5.12 Freedom Communications's Access
- Pursuant to Section 12 below, Freedom Communications shall have access to its 5.12.1 Collocation Space twenty-four (24) hours a day, seven (7) days a week. Freedom Communications agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier or agent of Freedom Communications or Freedom Communications's Guest(s) with Freedom Communications's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Freedom Communications and returned to BellSouth Access Management within fifteen (15) days of Freedom Communications's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. Freedom Communications agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Freedom Communications's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with Freedom Communications ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. Freedom Communications shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.12.2 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one (1) hour, to Freedom Communications's designated Collocation Space, after receipt of the BFFO, without charge to Freedom Communications. Freedom Communications must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date Freedom Communications desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Freedom Communications may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Freedom Communications desires access to its designated Collocation Space after the first accompanied free visit and Freedom Communications's access request form(s) has not been approved by BellSouth or

Version: 2Q05 Standard ICA

Freedom Communications has not yet submitted an access request form to BellSouth, Freedom Communications shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at Freedom Communications's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Freedom Communications must request that escorted access be provided by BellSouth to Freedom Communications's designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever Freedom Communications or it's approved agent or supplier requires access to the entrance manhole.

- 5.13 Lost or Stolen Access Devices. Freedom Communications shall immediately notify BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of Freedom Communications's employees, suppliers, agents or Guest(s) to return an Access Device(s), Freedom Communications shall pay for the costs of re-keying the building or deactivating the Access Device(s).
- 5.14 <u>Interference or Impairment</u>
- 5.14.1 Notwithstanding any other provisions of this Attachment, Freedom Communications shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; (3) compromises the privacy of any communications routed through the BellSouth Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Freedom Communications violates the provisions of this paragraph, BellSouth shall provide written notice to Freedom Communications, which shall direct Freedom Communications to cure the violation within forty-eight (48) hours of Freedom Communications's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.14.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Freedom Communications fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or

Version: 2Q05 Standard ICA

another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Freedom Communications's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Freedom Communications prior to the taking of such action and BellSouth shall have no liability to Freedom Communications for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Freedom Communications fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Freedom Communications or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Freedom Communications is significantly degrading the performance of other advanced services or traditional voice band services, Freedom Communications shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.15 <u>Personalty and Its Removal.</u> Facilities and equipment placed by Freedom Communications in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Freedom Communications at any time. Any damage caused to the Collocation Space by Freedom Communications's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Freedom Communications at its sole expense. If Freedom Communications decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and Freedom Communications's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill Freedom Communications the Administrative Only Application Fee associated with the type of removal activity performed by Freedom Communications, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response to Freedom Communications.

Version: 2Q05 Standard ICA

- Alterations. Under no condition shall Freedom Communications or any person acting on behalf of Freedom Communications make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Freedom Communications. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by BellSouth on the date that BellSouth provides Freedom Communications with an Application Response.
- Janitorial Service. Freedom Communications shall be responsible for the general upkeep of its Collocation Space. Freedom Communications shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premises-specific basis.

# 6 Ordering and Preparation of Collocation Space

- 6.1 <u>Initial Application.</u> For Freedom Communications's or Freedom Communications's Guest's(s') initial equipment placement, Freedom Communications shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by Freedom Communications and will be billed by BellSouth on the date BellSouth provides Freedom Communications with an Application Response.
- Subsequent Application. In the event Freedom Communications or Freedom Communications's Guest(s) desires to modify its use of the Collocation Space after a BFFO, Freedom Communications shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by Freedom Communications in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

Version: 2Q05 Standard ICA

- 6.2.1 Subsequent Application Fees. The application fee paid by Freedom Communications for an Alteration shall be dependent upon the level of assessment needed to complete the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth), an Alteration made to a Bona Fide application by Freedom Communications prior to BellSouth's receipt of the BFFO, and a virtual-tophysical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when Freedom Communications submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Premises or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Premises. The Power Reconfiguration Only Application Fee will apply when Freedom Communications submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to Freedom Communications's physical Collocation Space. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides Freedom Communications with an Application Response.
- 6.3 Space Preferences. If Freedom Communications has previously requested and received a Space Availability Report for the BellSouth Premises, Freedom Communications may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate Freedom Communications's space preference(s), Freedom Communications may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Freedom Communications with an Application Response.

### 6.4 Space Availability Notification

6.4.1 For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system

Version: 2Q05 Standard ICA

will reflect when Freedom Communications's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.

- 6.4.2 If the amount of space requested is not available, BellSouth will notify Freedom Communications of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Freedom Communications or space that is configured differently, no application fee will apply. If Freedom Communications decides to accept the available space, Freedom Communications must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Freedom Communications resubmits its application to accept the available space, BellSouth will bill Freedom Communications the appropriate application fee.
- Denial of Application. If BellSouth notifies Freedom Communications that no space is available (Denial of Application), BellSouth will not assess an application fee to Freedom Communications. After notifying Freedom Communications that BellSouth has no available space in the requested BellSouth Premises, BellSouth will allow Freedom Communications, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. §251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Freedom Communications to inspect any floor plans or diagrams that BellSouth provides to the Commission.

# 6.7 Waiting List

- 6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of

Version: 2Q05 Standard ICA

space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.

- When physical Collocation Space becomes available, Freedom Communications must submit an updated, complete and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If Freedom Communications has originally requested caged Collocation Space and cageless Collocation Space becomes available, Freedom Communications may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that Freedom Communications wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- 6.7.4 Freedom Communications may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Freedom Communications does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove Freedom Communications from the waiting list. Upon request, BellSouth will advise Freedom Communications as to its position on the waiting list for a particular BellSouth Premises.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Web site, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Web site that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.

### 6.9 Application Response

6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes

Version: 2Q05 Standard ICA

sufficient information to enable Freedom Communications to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.

- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Freedom Communications to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When Freedom Communications submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.
- 6.10 Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Freedom Communications or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Freedom Communications the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2 above.

### 6.11 <u>BFFO</u>

- 6.11.1 Freedom Communications shall indicate its intent to proceed with a Collocation Space request in a BellSouth Premises by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to Freedom Communications's Bona Fide application or Freedom Communications's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of Freedom Communications's BFFO. BellSouth will acknowledge the receipt of Freedom Communications's BFFO within seven (7) days of receipt, so that Freedom Communications will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

### 7 Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space,

Version: 2Q05 Standard ICA

BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Freedom Communications. If additional space has been requested by Freedom Communications, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Freedom Communications cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.

# 7.2 <u>Records Only Change</u>

7.2.1 When Freedom Communications adds equipment, that was originally included on Freedom Communications's Initial Application or a Subsequent Application, and the addition of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.

Version: 2Q05 Standard ICA

- 7.2.2 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Freedom Communications, when Freedom Communications requests an Alteration specifically identified in Sections 7.2.2.1 through 7.2.2.9 below as an "Augment". Except as otherwise set forth in Section 7.2.2.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by Freedom Communications. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to Freedom Communications.
- 7.2.2.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48V DC Power from Existing BellSouth Battery Distribution Fuse Bay (BDFB)
- 7.2.2.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
  - 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 99 Fiber terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.2.2.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
  - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)

Version: 2Q05 Standard ICA 07/06/05

- 7.2.2.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. This category includes all requests for additional Physical Collocation Space (caged or cageless).
- 7.2.2.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.2.2.6 If Freedom Communications submits an Augment that includes two (2) Augment items from the same category in either Sections 7.2.2.1, 7.2.2.2 or 7.2.2.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.2.2.7 If Freedom Communications submits an Augment that includes three (3) Augment items from the same category in either Sections 7.2.2.1, 7.2.2.2, or 7.2.2.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.2.2.8 If Freedom Communications submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.2.2.1, 7.2.2.2 and 7.2.2.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.2.2.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by Freedom Communications and BellSouth. If Freedom Communications and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.2.2.4 and Section 7.2.2.5 above, would apply based on whether the Augment is for Freedom Communications's physical or virtual Collocation Space.
- 7.2.2.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If Freedom Communications requests multiple items from different Augment categories, BellSouth will bill Freedom Communications the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to Freedom Communications at the time BellSouth provides

Version: 2Q05 Standard ICA

Freedom Communications with the Application Response. Freedom Communications will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.2.2.4 and 7.2.2.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.

- 7.3 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and Freedom Communications will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.4 <u>Permits.</u> Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.5 <u>Circuit Facility Assignments</u>
- 7.5.1 Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to Freedom Communications prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which Freedom Communications has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to Freedom Communications prior to the Provisioning Interval for those BellSouth Premises in which Freedom Communications has physical Collocation Space with a POT bay provided by Freedom Communications or virtual Collocation Space, until Freedom Communications has provided BellSouth with the following information:
- 7.5.1.1 For physical Collocation Space with a Freedom Communications-provided POT bay, Freedom Communications shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.5.1.2 For virtual Collocation Space, Freedom Communications shall provide BellSouth with a complete layout of Freedom Communications's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Freedom Communications's BellSouth Certified Supplier.
- 7.5.2 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from Freedom Communications. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.

Version: 2Q05 Standard ICA

- 7.5.3 BellSouth will bill Freedom Communications a nonrecurring charge, as set forth in Exhibit B, each time Freedom Communications requests a resend of its original CFA information for any reason other than a BellSouth error in the CFAs initially provided to Freedom Communications.
- 7.6 <u>Use of BellSouth Certified Supplier.</u> Freedom Communications shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Freedom Communications, if a BellSouth Certified Supplier or Freedom Communications's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, Freedom Communications must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Freedom Communications with a list of BellSouth Certified Suppliers, upon request. Freedom Communications, if a BellSouth Certified Supplier, or Freedom Communications's BellSouth Certified Supplier(s) shall be responsible for installing Freedom Communications's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Freedom Communications upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by Freedom Communications, the BellSouth Certified Supplier shall bill Freedom Communications directly for all work performed for Freedom Communications pursuant to this Attachment. BellSouth shall have no liability for nor responsibility to pay, such charges imposed by Freedom Communications's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Freedom Communications or any supplier proposed by Freedom Communications and will not unreasonably withhold certification. All work performed by or for Freedom Communications shall conform to generally accepted industry standards.
- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. Freedom Communications shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Freedom Communications's Collocation Space. Upon request, BellSouth will provide Freedom Communications with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by Freedom Communications. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.8 <u>Virtual to Physical Relocation.</u> In the event physical Collocation Space was previously denied at a BellSouth Premises due to technical reasons or space limitations and physical Collocation Space has subsequently become available,

Version: 2Q05 Standard ICA

Freedom Communications may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Premises requested by Freedom Communications, such information will be provided to Freedom Communications in BellSouth's written denial of physical Collocation Space. Freedom Communications must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.

- 7.8.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>
- 7.9.1 Virtual collocation arrangements may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill Freedom Communications an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Freedom Communications.
- 7.9.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.9.1 above.
- 7.10 <u>Cancellation.</u> Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Freedom Communications cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Freedom Communications cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, Freedom Communications will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of Freedom Communications up to the date that the written notice of cancellation

Version: 2Q05 Standard ICA

was received by BellSouth. In Georgia, if Freedom Communications cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Freedom Communications for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.

- 7.11 <u>Licenses.</u> Freedom Communications, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

#### **8** Rates and Charges

- 8.1 <u>Rates.</u> Freedom Communications agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if Freedom Communications elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should Freedom Communications elect to transition to the TRA Option after the execution of this Agreement, Freedom Communications shall notify BellSouth in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> BellSouth shall assess any nonrecurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to Freedom Communications or on Freedom Communications's next scheduled monthly billing statement.
- Recurring Charges. If Freedom Communications has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Freedom Communications fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Freedom Communications occupies the space prior to the Space Ready Date, the date Freedom Communications occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Freedom Communications's next billing cycle and will include any prorated charges for the period from Freedom Communications's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.

Version: 2Q05 Standard ICA

- 8.3.1 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by Freedom Communications on Freedom Communications's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.2 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any Freedom Communications collocation arrangement, to verify that the total number of fused amps of power capacity installed by Freedom Communications's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by Freedom Communications on Freedom Communications's Initial Application and all Subsequent Applications. If BellSouth determines that Freedom Communications's BellSouth Certified Supplier has installed more DC capacity than Freedom Communications requested on its Initial Application and all Subsequent Applications, BellSouth shall notify Freedom Communications in writing of such discrepancy and shall assess Freedom Communications for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth shall also revise Freedom Communications's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- Nonrecurring Charges. Unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to Freedom Communications or on Freedom Communications's next scheduled monthly billing statement, if Freedom Communications's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's confirmation of Freedom Communications's BFFO or on Freedom Communications's next scheduled monthly billing statement.
- 8.5 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, Freedom Communications shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of Freedom Communications's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation

Version: 2Q05 Standard ICA

Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.

Floor Space. The Floor Space Charge includes reasonable charges for lighting, 8.6 HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to Freedom Communications's Collocation Space for the operation of Freedom Communications's equipment. For caged physical Collocation Space, Freedom Communications shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, Freedom Communications shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event Freedom Communications's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, Freedom Communications shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

### 8.7 <u>Power</u>

8.7.1 BellSouth shall make available -48 Volt (-48V) Direct Current (DC) power for Freedom Communications's Collocation Space at a BellSouth BDFB. When obtaining DC power from a BellSouth BDFB, Freedom Communications's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by Freedom Communications's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power requested by Freedom Communications on Freedom Communications's Initial Application and any Subsequent Applications. Freedom Communications is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in Freedom Communications's Collocation Space. The BellSouth Certified Supplier contracted by Freedom Communications must provide BellSouth with a copy of the engineering power specifications prior to the day on which Freedom Communications's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and Freedom

Version: 2Q05 Standard ICA

Communications's Collocation Space. Freedom Communications shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable Freedom Communications's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within Freedom Communications's Collocation Space, power cable feeds and terminations of the power cabling. Freedom Communications and Freedom Communications's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.

- 8.7.2 In Florida only, pursuant to technical feasibility, commercial availability and safety limitations, BellSouth will permit Freedom Communications to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, Freedom Communications may request that BellSouth provision DC power of seventy (70) amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a two hundred twenty-five (225) amp circuit breaker.
- 8.7.3 BellSouth will revise Freedom Communications's recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when Freedom Communications submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from BellSouth for its Collocation Space. If Freedom Communications's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, Freedom Communications's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.7 and 8.7.1 above. Freedom Communications's BellSouth Certified Supplier shall provide notification to BellSouth when these activities have been completed.
- 8.7.4 BellSouth will revise Freedom Communications's recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Freedom Communications, certifying the completion of the power reduction work, including the removal of any associated power cabling by Freedom Communications's BellSouth Certified Supplier. Notwithstanding the foregoing, if Freedom Communications's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at BellSouth's discretion, cut by Freedom Communications's BellSouth Certified Supplier and Freedom Communications shall pay for the amount of power that had been requested prior

Version: 2Q05 Standard ICA

to the power reduction request for the period up to the date the power cabling is actually removed.

- 8.7.5 If Freedom Communications requests an increase or a reduction in the amount of power that BellSouth is currently providing, Freedom Communications must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Freedom Communications's Subsequent Application.
- 8.7.6 If Freedom Communications has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Freedom Communications must submit a Subsequent Application. BellSouth will respond to such application within seven (7) days and a Subsequent Application fee will apply for this reconfiguration to a BellSouth BDFB.
- 8.7.7 If Freedom Communications elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Freedom Communications's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Freedom Communications's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Freedom Communications's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Freedom Communications's option, Freedom Communications may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.7.8 Freedom Communications shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within Freedom Communications's arrangement and terminations of cable within the Collocation Space.
- 8.7.9 <u>Fused Amp Billing.</u> In all states, except as noted in Section 8.7.1 above for Florida, BellSouth shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following formula:

<u>For power provisioned from a BDFB.</u> The number of fused amps requested by Freedom Communications on its application should reflect a multiplier of one point five (1.5) to convert its requested amps to fused amps, with a minimum of ten (10) fused amps required. The number of

Version: 2Q05 Standard ICA

fused amps requested by Freedom Communications on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B. In Florida, the number of fused amps requested by Freedom Communications on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

# 8.7.10 <u>Florida Power Usage Option</u>

8.7.10.1 In Florida only, Freedom Communications may request that -48 DC power provisioned by BellSouth to Freedom Communications's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If Freedom Communications desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Freedom Communications to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power Freedom Communications requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on Freedom Communications's Initial Application or Subsequent Application. BellSouth shall allow Freedom Communications at Freedom Communications's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by Freedom Communications. BellSouth is not required to build its central office power infrastructure to meet Freedom Communications's forecasted DC power demand. Freedom Communications must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement Freedom Communications converts to the FL Option or for any new collocation arrangements Freedom Communications establishes under the FL Option.

8.7.10.2 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of Freedom Communications's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by Freedom Communications's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%)

Version: 2Q05 Standard ICA

or five (5) amps from the power usage that has been requested by Freedom Communications for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust Freedom Communications's billing to reflect BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.

- 8.7.10.3 BellSouth shall assess Freedom Communications a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. Freedom Communications shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by Freedom Communications. The requested change in DC power usage will be reflected in Freedom Communications's next scheduled monthly billing cycle.
- 8.7.11 In Alabama and Louisiana, Freedom Communications has the option to purchase power directly from an electric utility company. Under such option, Freedom Communications is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Freedom Communications. Freedom Communications's BellSouth Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If Freedom Communications currently has power supplied by BellSouth, Freedom Communications may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by Freedom Communications in provisioning said power will be billed by BellSouth on an ICB basis.
- 8.7.12 In South Carolina, Freedom Communications has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such option, Freedom Communications is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Freedom Communications. Freedom Communications's BellSouth Certified Supplier must comply with all applicable national, regional, state and

Version: 2Q05 Standard ICA

local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as BellSouth is required to comply with these codes. Freedom Communications must submit an application to BellSouth for the appropriate amount of Collocation Space that Freedom Communications requires in order to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of Freedom Communications's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Freedom Communications shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these requirements from the Commission for the BellSouth Premises requested. Freedom Communications would have the option to order its power needs directly from BellSouth.

- 8.7.13 In Alabama and Louisiana, if Freedom Communications has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, Freedom Communications must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such application within seven (7) days and no application fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, Freedom Communications will submit a Subsequent Application and the appropriate application fee will apply.
- 8.8 <u>Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of Freedom Communications's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be billed at the rates set forth in Exhibit B.
- 8.9 <u>Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to Freedom Communications in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of Freedom Communications's BFFO, in all BellSouth states, except Louisiana. In Louisiana,

Version: 2Q05 Standard ICA

Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of Freedom Communications's BFFO.

- 8.10 Security Escort. After Freedom Communications has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to Freedom Communications's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when Freedom Communications's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and Freedom Communications shall pay for such half-hour charges in the event Freedom Communications's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.11 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

#### 9 Insurance

- 9.1 Freedom Communications shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Freedom Communications shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Freedom Communications's real and personal property situated on or within a BellSouth Premises.
- 9.2.4 Freedom Communications may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

Version: 2Q05 Standard ICA

- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to Freedom Communications, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Freedom Communications shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of Freedom Communications's property has been removed from BellSouth's Premises, whichever period is longer. If Freedom Communications fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Freedom Communications.
- 9.5 Freedom Communications shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Freedom Communications shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from Freedom Communications's insurance company. Freedom Communications shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office – Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, GA 30375

- 9.6 Freedom Communications must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self Insurance.</u> If Freedom Communications's net worth exceeds five hundred million dollars (\$500,000,000), Freedom Communications may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Freedom Communications shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Freedom Communications in the event that self-insurance status is not granted to Freedom Communications. If BellSouth approves Freedom Communications for self-insurance, Freedom Communications shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Freedom Communications's corporate officers. The ability to self-insure shall continue so long as Freedom Communications meets all of the requirements of this Section. If Freedom Communications subsequently no

Version: 2Q05 Standard ICA

longer satisfies the requirements of this Section, Freedom Communications is required to purchase insurance as indicated by Section 9.2 above.

- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to Freedom Communications to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

### 10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or Freedom Communications), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11 Inspections

BellSouth may conduct an inspection of Freedom Communications's equipment and facilities in Freedom Communications's Collocation Space(s) prior to the activation of facilities and/or services between Freedom Communications's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Freedom Communications adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Freedom Communications with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

### 12 Security and Safety Requirements

Unless otherwise specified, Freedom Communications will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Freedom Communications employee hired in the past five (5) years being considered for work on a BellSouth Premises, for the states/counties where the Freedom Communications employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Freedom Communications shall not be required to perform this investigation if an affiliated company of

Version: 2Q05 Standard ICA

Freedom Communications has performed an investigation of the Freedom Communications employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Freedom Communications has performed a pre-employment statewide investigation of criminal history records of the Freedom Communications employee for the states/counties where the Freedom Communications employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- 12.2 Freedom Communications will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site, www.interconnection.bellsouth.com/guides.
- 12.3 Freedom Communications shall provide its employees and agents with picture identification, which must be worn and visible at all times while in Freedom Communications's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Freedom Communications's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of Freedom Communications not possessing identification issued by Freedom Communications or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Freedom Communications shall hold BellSouth harmless for any damages resulting from such removal of Freedom Communications's personnel from a BellSouth Premises. Freedom Communications shall be solely responsible for ensuring that any Guest(s) of Freedom Communications is in compliance with all subsections of this Section.
- 12.4 Freedom Communications shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Freedom Communications shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of Freedom Communications's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Freedom Communications chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Freedom Communications may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Freedom Communications shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Freedom Communications shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a

Version: 2Q05 Standard ICA

BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Freedom Communications employee or agent hired by Freedom Communications within the last five (5) years, who requires access to a BellSouth Premises to perform work in Freedom Communications Collocation Space(s), Freedom Communications shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Freedom Communications will disclose the nature of the convictions to BellSouth at that time. In the alternative, Freedom Communications may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other Freedom Communications employees requiring access to a BellSouth Premises pursuant to this Attachment, Freedom Communications shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Freedom Communications shall promptly remove from the BellSouth Premises any employee of Freedom Communications that BellSouth does not wish to grant access to a BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of Freedom Communications is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Freedom Communications's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Freedom Communications's Security representative of such interview. Freedom Communications and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Freedom Communications's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill Freedom Communications for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that Freedom Communications's

Version: 2Q05 Standard ICA

employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill Freedom Communications for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of Freedom Communications's employees, agents, suppliers, or Guests and where Freedom Communications agrees, in good faith, with the results of such investigation. Freedom Communications shall notify BellSouth in writing immediately in the event that Freedom Communications discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Freedom Communications shall hold BellSouth harmless for any damages resulting from such removal of Freedom Communications's personnel from a BellSouth Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

### 13 Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for Freedom Communications's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Freedom Communications's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Freedom Communications, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which

Version: 2Q05 Standard ICA

causes shall not be construed as limiting factors, but as exemplary only. Freedom Communications may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Freedom Communications's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Freedom Communications's expense. Where allowed and where practical, Freedom Communications may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Freedom Communications shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Freedom Communications's permitted use, until such Collocation Space is fully repaired and restored and Freedom Communications's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where Freedom Communications has placed an Adjacent Arrangement pursuant to Section 3.4 above, Freedom Communications shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Freedom Communications shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

## 15 Nonexclusivity

15.1 Freedom Communications understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q05 Standard ICA

#### ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

### 1. General Principles

- 1.1 Compliance with Applicable Law. BellSouth and Freedom Communications agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Freedom Communications shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Freedom Communications should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Freedom Communications to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Freedom Communications will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 below lists the Environmental categories where BellSouth practices should be followed by Freedom Communications when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect the Freedom Communications space with proper notification. BellSouth reserves the right to stop any Freedom Communications work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.

Version: 2Q05 Standard ICA

- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at a BellSouth Premises by Freedom Communications are owned by and considered the property of Freedom Communications. Freedom Communications will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Freedom Communications or different hazardous materials used by Freedom Communications at a BellSouth Premises. Freedom Communications must demonstrate adequate emergency response capabilities for the materials used by Freedom Communications or remaining at a BellSouth Premises.
- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Freedom Communications to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Freedom Communications will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Freedom Communications will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Freedom Communications must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Freedom Communications shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

#### 2. Categories for Consideration of Environmental Issues

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Freedom Communications agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Freedom Communications further agrees to cooperate with BellSouth to ensure that Freedom Communications's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental

Version: 2Q05 Standard ICA

M&Ps, which apply to the specific Environmental function being performed by Freedom Communications, its employees, agents, suppliers, and/or Guests.

The most current version of the reference documentation must be requested from Freedom Communications's BellSouth Regional Contract Manager (RCM).

Environmental Categories	Environmental Issues	Addressed By The Following Documentation	
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents &	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000	
cleaning materials)	Pollution liability insurance	Std T&C 660-3	
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)	
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises)	
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g.,	Compliance with all applicable local, state and federal laws and regulations	Std T&C 450 Std T&C 450-B	
disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	(Contact RCM Representative for copy of appropriate E/S M&Ps.)	
	Insurance	Std T&C 660	
Transportation of hazardous material	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000	
	Pollution liability insurance EVET approval of supplier	Std T&C 660-3	
		Approved Environmental Vendor List (Contact RCM Representative)	
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450	

Version: 2Q05 Standard ICA

Other maintenance work	Protection of BST employees and equipment	29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O (OSHA Standard)
Janitorial service	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 for questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

## 3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Version: 2Q05 Standard ICA

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste.</u> As defined in Section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

## 4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

CRES – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET – Environmental Vendor Evaluation Team

GU-BTEN-001BT – BellSouth Environmental Methods and Procedures

NESC – National Electrical Safety Codes

<u>P&SM</u> – Property & Services Management

Std T&C – Standard Terms & Conditions

Version: 2Q05 Standard ICA 07/06/05

# **Attachment 4**

**Remote Site Collocation** 

Version: 2Q05 Standard ICA

# REMOTE SITE COLLOCATION TABLE OF CONTENTS

I.	Scope of Attachment	3
2.	Space Availability Optional Report	4
3.	Collocation Options	6
4.	Occupancy	11
5.	Use of Remote Collocation Space	13
6.	Ordering and Preparation of Remote Collocation Space	19
7.	Construction and Provisioning	23
8.	Rates and Charges	27
9.	Insurance	28
10.	Mechanics Liens	30
11.	Inspections	30
12.	Security and Safety Requirements	31
13.	Destruction of Remote Collocation Space	34
14.	Eminent Domain	35
15.	Nonexclusivity	35
Env	vironmental and Safety Principles	Exhibit A
Rat	es	Exhibit B

Version: 2Q05 Standard ICA

#### REMOTE SITE COLLOCATION

#### 1. Scope of Attachment

- 1.1 Scope. The rates, terms, and conditions contained within this Attachment shall only apply when Freedom Communications is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location (Remote Collocation Space) pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter BellSouth Premises). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. However, if the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Freedom Communications Remote Collocation Space on rates, terms, and conditions that are just, reasonable. nondiscriminatory, and consistent with the rules of the FCC. Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Freedom Communications to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Freedom Communications and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

## 1.3 Space Reservation

- 1.3.1 In all states other than Florida, the number of bays specified by Freedom Communications may contemplate a request for space sufficient to accommodate Freedom Communications's growth within a two (2) year period.
- 1.3.2 In the state of Florida, the number of bays specified by Freedom Communications may contemplate a request for space sufficient to accommodate Freedom Communications's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and

Version: 2Q05 Standard ICA

conditions of this Attachment. Additionally, where BellSouth notifies Freedom Communications that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Freedom Communications's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Freedom Communications. Freedom Communications agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Freedom Communications. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Freedom Communications as above, Freedom Communications shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Freedom Communications in obtaining such permission.

- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Freedom Communications will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Freedom Communications shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Freedom Communications's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth UNEs in accordance with the Act, FCC and Commission rules. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.
- 1.8 <u>Compliance.</u> Subject to Section 24 of General Terms and Conditions, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

## 2. Space Availability Optional Report

2.1 Space Availability Optional Report

Version: 2Q05 Standard ICA

- 2.1.1 Upon request from Freedom Communications, BellSouth will provide a written report (Space Availability Report), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.
- 2.1.2 The request from Freedom Communications for a Space Availability Report must be written and must include the CLLI code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the NECA Tariff FCC No. 4. If Freedom Communications is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Freedom Communications may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Freedom Communications should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Freedom Communications should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.3 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) days of receipt of such request.
- 2.1.4 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth region, shall be negotiated between the Parties.

## 2.2 Remote Terminal Information

- 2.2.1 Upon request, BellSouth will provide Freedom Communications with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.2 BellSouth will provide this information on a first come, first served basis within thirty (30) days of a Freedom Communications request subject to the following conditions: (i) the information will only be provided on a compact disc in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Freedom Communications, up

Version: 2Q05 Standard ICA

to a maximum of thirty (30) wire centers per Freedom Communications request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Freedom Communications agrees to pay the costs incurred by BellSouth in providing the information. Multiple Wire Center CLLI code requests may be place on one compact disc.

## 3. Collocation Options

3.1 <u>Cageless Collocation.</u> BellSouth shall allow Freedom Communications to collocate Freedom Communications's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Freedom Communications to have direct access to Freedom Communications's equipment and facilities in accordance with Section 5.8 below. BellSouth shall make cageless collocation available in single bay increments. Except where Freedom Communications's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Freedom Communications must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.4 below.

# 3.2 <u>Caged Collocation</u>

3.2.1 At Freedom Communications's option and expense, Freedom Communications may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, Freedom Communications and Freedom Communications's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Freedom Communications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at Freedom Communications's expense, documentation, which may include existing building architectural drawings, enclosure drawings, and specifications etc., necessary for Freedom Communications's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Freedom Communications's BellSouth Certified Supplier shall bill Freedom Communications directly for all work performed for Freedom Communications pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Freedom Communications's BellSouth Certified Supplier. Freedom Communications must provide the local BellSouth Remote Site Location contact with two (2) Access Keys used to enter

Version: 2Q05 Standard ICA

the locked enclosure. Except in case of emergency, BellSouth will not access Freedom Communications's locked enclosure prior to notifying Freedom Communications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to Freedom Communications's Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Freedom Communications.

3.2.2 BellSouth may elect to review Freedom Communications's plans and specifications, if Freedom Communications has indicated its desire to have Freedom Communications's BellSouth Certified Supplier construct the collocation arrangement enclosure, prior to allowing the construction to start, to ensure Freedom Communications's compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify Freedom Communications of its desire to execute this review in BellSouth's Application Response to Freedom Communications's application. The Application Response is defined for purposes of this Attachment as BellSouth's written response that includes sufficient information for Freedom Communications to place a firm order for the Remote Collocation Space it is requesting. If Freedom Communications's application does not indicate their desire to construct their own enclosure and Freedom Communications subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then Freedom Communications will resubmit its application, indicating its desire to construct its own enclosure. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of Freedom Communications's plans and specifications. Regardless of whether or not BellSouth elects to review Freedom Communications's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Remote Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of Freedom Communications's written notification that the enclosure has been completed. BellSouth shall require Freedom Communications, at Freedom Communications's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of Freedom Communications's caged Remote Collocation Space, any structure that does not meet Freedom Communications's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

## 3.3 Shared Caged Collocation

3.3.1 Freedom Communications may allow other telecommunications carriers to sublease Freedom Communications's Remote Collocation Space pursuant to terms and conditions agreed to by Freedom Communications (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an

Version: 2Q05 Standard ICA

option. Freedom Communications shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest prior to any application. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Freedom Communications that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Freedom Communications.

- 3.3.2 Freedom Communications, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Freedom Communications with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each. BellSouth will not allocate less than one (1) bay per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Freedom Communications shall be the responsible Party to BellSouth for the purpose of submitting applications for bay placement for the Guest. In Florida the Guest may submit its own initial bay placement applications using the Host's ACNA. A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written Application Response to the Guest(s) bona fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services, and/or access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable BellSouth tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 Freedom Communications shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Freedom Communications's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 <u>Adjacent Collocation</u>
- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent Remote Site collocation arrangement (Adjacent Arrangement) on the property on which BellSouth's Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the

Version: 2Q05 Standard ICA

Remote Site Location property. The Adjacent Arrangement shall be constructed or procured by Freedom Communications and in conformance with BellSouth's design and construction specifications. Further, Freedom Communications shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Adjacent Arrangement.

- 3.4.2 Should Freedom Communications elect Adjacent Collocation, Freedom Communications must arrange with a BellSouth Certified Supplier to construct or procure an Adjacent Arrangement structure in accordance with BellSouth's specifications. Where local building codes require specifications more stringent than BellSouth's own specifications, Freedom Communications and Freedom Communications's BellSouth Certified Supplier must comply with local building code requirements. Freedom Communications's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Freedom Communications's BellSouth Certified Supplier shall bill Freedom Communications directly for all work performed for Freedom Communications pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Freedom Communications's BellSouth Certified Supplier. Freedom Communications must provide the local BellSouth Remote Site Location contact with two (2) cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Freedom Communications's locked enclosure prior to notifying Freedom Communications at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.3 Freedom Communications must submit its plans and specifications to BellSouth with its firm order. BellSouth shall review Freedom Communications's plans and specifications prior to construction of an Adjacent Arrangement to ensure compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of Freedom Communications's written notification that the Adjacent Arrangement has been completed. BellSouth shall require Freedom Communications, at Freedom Communications's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of Freedom Communications's Adjacent Arrangement, any structure that does not meet its submitted plans and specifications or, BellSouth's specifications, as applicable.
- 3.4.4 Freedom Communications shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all facilities that connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Freedom

Version: 2Q05 Standard ICA

Communications's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, at Freedom Communications's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law, BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the NEC, any and all safety and local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and intervals. Freedom Communications will pay for any and all (one hundred percent (100%)) DC power construction and provisioning costs to an Adjacent Arrangement through ICB pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins, and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Freedom Communications's BellSouth Certified Supplier shall be responsible, at Freedom Communications's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared caged Host/Guest collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

#### 3.5 CCXCs

- 3.5.1 A CCXC is a cross-connection between Freedom Communications and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Remote Site Location. Where technically feasible, BellSouth will permit Freedom Communications to interconnect between its Remote Collocation Space(s) and Remote Collocation Space(s) of another (or other) collocated telecommunications carrier(s) within the same BellSouth Remote Site Location via a CCXC, pursuant to FCC Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to the collocated telecommunications carrier that requests the CCXC. Freedom Communications is prohibited from using the Remote Collocated telecommunications carriers.
- 3.5.2 Freedom Communications must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Freedom Communications. Such cross-connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. Freedom Communications shall be responsible for providing a LOA, with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot,

Version: 2Q05 Standard ICA

per cable, of the common cable support structure used by Freedom Communications to provision the CCXC to the other collocated telecommunications carrier. In those instances where Freedom Communications's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Remote Collocation Spaces, Freedom Communications may use its own technicians to install the CCXCs using either electrical or optical facilities between the sets of equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Freedom Communications shall deploy such optical or electrical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Freedom Communications shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. Freedom Communications is solely responsible for ensuring the integrity of the signal.

3.5.3 To place an order for a CCXC, Freedom Communications must submit an application to BellSouth. If no modification to the Remote Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross-connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, the Application Fee will apply. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to Freedom Communications.

# 4. Occupancy

- 4.1 <u>Space Ready Date.</u> BellSouth will notify Freedom Communications in writing that the Remote Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. Freedom Communications will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) days after BellSouth notifies Freedom Communications that Remote Collocation Space is ready for occupancy (Space Ready Date). BellSouth will correct any deviations to Freedom Communications's original or jointly amended requirements within seven (7) days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Freedom Communications completes its acceptance walkthrough within the fifteen (15) day interval(s) associated with the applicable Space Ready Date, billing will begin upon the date of Freedom Communications's acceptance of the Remote Collocation Space (Space Acceptance Date). In the event that Freedom Communications fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Remote Collocation Space shall be deemed

Version: 2Q05 Standard ICA

accepted by Freedom Communications on the Space Ready Date and billing will commence from that date.

- 4.3 <u>Early Space Acceptance.</u> If Freedom Communications decides to occupy the Remote Collocation Space prior to the Space Ready Date, the date Freedom Communications occupies the space is deemed the Space Acceptance Date and billing will begin from that date. Freedom Communications must notify BellSouth in writing that its collocation equipment installation is complete. Freedom Communications's collocation equipment installation is complete, which is when Freedom Communications's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to Freedom Communications's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from Freedom Communications.
- 4.4 Freedom Communications must notify BellSouth in writing that its collocation equipment installation is complete. Freedom Communications's collocation equipment installation is complete, when Freedom Communications's equipment has been cross-connected to BellSouth's network for the purpose of provisioning Telecommunication Services to Freedom Communications's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from Freedom Communications.

## 4.5 <u>Termination of Occupancy</u>

- 4.5.1 In addition to any other provisions addressing termination of occupancy in this Attachment, Freedom Communications may terminate occupancy in a particular Remote Collocation Space by submitting an application requesting termination of occupancy for such Remote Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Freedom Communications and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Freedom Communications signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and Freedom Communications jointly conduct an inspection, which confirms that Freedom Communications has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Freedom Communications's right to occupy the Remote Collocation Space in the event Freedom Communications fails to comply with any provision of this Agreement, for such Remote Collocation Space.
- 4.5.2 Upon termination of occupancy, Freedom Communications, at its sole expense, shall remove its equipment and other property from the Remote Collocation Space. Freedom Communications shall have thirty (30) days from the BFFO date

Version: 2Q05 Standard ICA

(Termination Date) to complete such removal, including the removal of all equipment and facilities of Freedom Communications's Guest(s), unless Freedom Communications's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Remote Collocation Space to the Guest(s) prior to Freedom Communications's Termination Date.

- 4.5.3 Freedom Communications shall continue payment of all monthly recurring charges to BellSouth until the date Freedom Communications, and if applicable Freedom Communications's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. If Freedom Communications or Freedom Communications's Guest(s) fails to vacate the Remote Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of Freedom Communications or Freedom Communications's Guest(s), in any manner that BellSouth deems fit, at Freedom Communications's expense and with no liability whatsoever for Freedom Communications's property or Freedom Communications's Guest(s)'s property.
- 4.5.4 Upon termination of Freedom Communications's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Freedom Communications shall surrender such Remote Collocation Space to BellSouth in the same condition as when it was first occupied by Freedom Communications, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. For CEVs and huts, Freedom Communications's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, Record Drawings and ERMA Records. Freedom Communications shall be responsible for the cost of removing any Freedom Communications constructed enclosure, as well as any support structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

## 5. Use of Remote Collocation Space

## 5.1 Equipment Type

5.1.1 BellSouth permits the collocation and use of any type of equipment that is necessary and will be used primarily for interconnection to BellSouth's network or for access to UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.

Version: 2Q05 Standard ICA

- 5.1.2 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia NEBS General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on Freedom Communications's failure to comply with this Section.
- 5.1.3.1 All Freedom Communications equipment installation shall comply with TR 7350311h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic
  strength members of optical fiber cables as well as the metallic cable sheaths of all
  copper conductor cables shall be bonded to the designated grounding bus for the
  Remote Site Location. All copper conductor pairs, working and non-working,
  shall be equipped with a solid-state protector unit (over-voltage protection only),
  which has been listed by a nationally recognized testing laboratory.
- 5.1.4 Freedom Communications shall identify to BellSouth whenever Freedom Communications submits a MOP adding equipment to Freedom Communications's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Freedom Communications's Remote Collocation Space. Freedom Communications shall submit a copy of the list of any lien holders or other entities that have a financial interest to Freedom Communications's ATCC Representative.
- No Marketing. Freedom Communications shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 <u>Equipment Identification.</u> Freedom Communications shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Freedom Communications's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify Freedom Communications's equipment in the case of an emergency. For caged

Version: 2Q05 Standard ICA

Remote Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.

- 5.4 Entrance Facilities. Freedom Communications may elect to place Freedom Communications-owned or Freedom Communications-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Freedom Communications will provide and place copper cable through conduit from the Remote Collocation Space to the feeder distribution interface to the splice location of sufficient length for splicing by BellSouth. Freedom Communications must contact BellSouth for authorization and instruction prior to placing any entrance facility cable. Freedom Communications is responsible for maintenance of the entrance facilities that terminate into Freedom Communications's Remote Collocation Space. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of Freedom Communications's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.5 <u>Shared Use.</u> Freedom Communications may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Freedom Communications's Remote Collocation Space within the same BellSouth Remote Site Location.
- 5.6 <u>Demarcation Point.</u> BellSouth will designate the point(s) of demarcation between Freedom Communications's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Freedom Communications or its agent must perform all required maintenance to Freedom Communications equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, below.
- 5.7 Equipment and Facilities. Freedom Communications, or if required by this Attachment, Freedom Communications's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and network facilities used by Freedom Communications which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include but are not limited to cable(s), equipment, and point of termination connections. Freedom Communications and its selected BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouthTechnical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 <u>BellSouth Access.</u> From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation

Version: 2Q05 Standard ICA

Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Freedom Communications at least forty-eight (48) hours before access to the Remote Collocation Space is required. Freedom Communications may elect to be present whenever BellSouth performs work in the Remote Collocation Space. The Parties agree that Freedom Communications will not bear any of the expense associated with this work. In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.

- 5.9 Customer Access. Pursuant to Section 12 below, Freedom Communications shall have access to its Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Freedom Communications agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Freedom Communications or Freedom Communications's Guest(s) with Freedom Communications's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the Collocation Acknowledgement Sheet for access cards and the Key Acknowledgement Form for keys) must be signed by Freedom Communications and returned to BellSouth Access Management within fifteen (15) days of Freedom Communications's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. Freedom Communications agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Freedom Communications's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with Freedom Communications ends, upon the termination of this Agreement, or upon the termination of occupancy of Remote Collocation Space in a specific BellSouth Premises. Freedom Communications shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.9.1 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one (1) hour, to Freedom Communications's designated Remote Collocation Space, after receipt of the BFFO, without charge to Freedom Communications. Freedom Communications must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date Freedom Communications desires to gain access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Freedom Communications may submit a request for its one (1) free accompanied site visit to its designated Remote Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event Freedom

Version: 2Q05 Standard ICA

Communications desires access to its designated Remote Collocation Space after the first accompanied free visit and Freedom Communications's access request form(s) has not been approved by BellSouth or Freedom Communications\_has not yet submitted an access request form to BellSouth, Freedom Communications shall be permitted to access the Remote Collocation Space accompanied by a BellSouth security escort, at Freedom Communications's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Freedom Communications must request that escorted access be provided by BellSouth to Freedom Communications's designated Remote Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever Freedom Communications or its approved agent or supplier requires access to the entrance manhole.

5.10 <u>Lost or Stolen Access Keys.</u> Freedom Communications shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Freedom Communications shall pay for all reasonable costs associated with the re-keying or deactivating the device(s).

## 5.11 Interference or Impairment

5.11.1 Notwithstanding any other provisions of this Attachment, Freedom Communications shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that: (1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; (2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; (3) compromises the privacy of any communications routed through the Remote Site; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Freedom Communications violates the provisions of this Section, BellSouth shall provide written notice to Freedom Communications. which shall direct Freedom Communications to cure the violation within fortyeight (48) hours of Freedom Communications's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twentyfour (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct the inspection of the Remote Collocation Space.

Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Freedom Communications fails to take cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action

Version: 2Q05 Standard ICA

within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character which poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Freedom Communications's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to Freedom Communications prior to the taking of such action and BellSouth shall have no liability to Freedom Communications for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.11.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Freedom Communications fails to take curative action within forty-eight (48) hours, or such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Freedom Communications or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. Where BellSouth demonstrates that a certain technology deployed by Freedom Communications is significantly degrading the performance of other advanced services or traditional voice band services, Freedom Communications shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.12 Personalty and Its Removal. Facilities and equipment placed by Freedom Communications in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personal property and may be removed by Freedom Communications at any time. Any damage caused to the Remote Collocation Space by Freedom Communications's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Freedom Communications at its sole expense.
- 5.13 <u>Alterations.</u> Under no condition shall Freedom Communications or any person acting on behalf of Freedom Communications make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could

Version: 2Q05 Standard ICA

affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Freedom Communications. An Alteration shall require the submission of an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides Freedom Communications with an Application Response.

5.14 <u>Upkeep of Remote Collocation Space.</u> Freedom Communications shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Freedom Communications shall be responsible for removing any of Freedom Communications's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

#### 6. Ordering and Preparation of Remote Collocation Space

- Procedures and Intervals. Should any state or federal regulatory agency impose procedures or intervals applicable to Freedom Communications and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Attachment, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof.
- Remote Site Application. When Freedom Communications or Freedom Communications's Guest(s) desires to install a bay in a Remote Site Location, Freedom Communications shall input a BellSouth Physical Expanded Interconnection Application Document (Application) directly into BellSouth's electronic application (e.App) system for processing. The Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Application are completed with the appropriate type of information. An Application Fee, as set forth in Exhibit B, will apply to each Application submitted by Freedom Communications and will be billed on the date BellSouth provides Freedom Communications with an Application Response. The placement of an additional bay at a later date will be treated in the same fashion and an Application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.7 above, within an existing bay, does not require an Application.
- Availability of Space. Upon submission of an Application, BellSouth will permit Freedom Communications to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions

Version: 2Q05 Standard ICA

in Section 7 below shall apply, or BellSouth may elect to deny space in accordance with this Section, in which case, virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Freedom Communications of the amount that is available.

- 6.4 Space Availability Notification. For all states except Florida and Tennessee, BellSouth will respond to an Application within ten (10) days as to whether space is available or not available within a BellSouth Remote Site Location. In Florida and Tennessee, BellSouth will respond to an Application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when Freedom Communications's Application is Bona Fide. If the Application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Freedom Communications of the amount of space that is available and no Application fee will apply. When BellSouth's response includes an amount of space less than that requested by Freedom Communications or space that is configured differently, no Application Fee shall apply. If Freedom Communications decides to accept the available space, Freedom Communications must resubmit its Application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Freedom Communications resubmits its Application to accept the available space, BellSouth will bill Freedom Communications the appropriate Application Fee.
- 6.5 <u>Denial of Application.</u> If BellSouth notifies Freedom Communications that no space is available (Denial of Application), BellSouth will not assess an Application Fee to Freedom Communications. After notifying Freedom Communications that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Freedom Communications, upon request, to tour the Remote Site Location within ten (10) days of such Denial of Application. In order to schedule this tour within ten (10) days, BellSouth must receive the request for the tour of the Remote Site Location within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Freedom Communications to inspect any plans or diagrams that BellSouth provides to the Commission.
- 6.7 Waiting List

Version: 2Q05 Standard ICA

- 6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers who have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. Sixty (60) days prior to Remote Collocation Space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when Remote Collocation Space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available.
- 6.7.3 When Remote Collocation Space becomes available, Freedom Communications must submit an updated, complete, and accurate Application to BellSouth within thirty (30) days of such notification that Remote Collocation Space will be available in the requested Remote Site Location previously out of space. If Freedom Communications has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Freedom Communications may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that Freedom Communications wishes to maintain its place on the waiting list for caged Remote Collocation Space, without accepting the available cageless Remote Collocation Space. Freedom Communications may accept an amount of space less than what it originally requested by submitting an Application as set forth above, and, upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Freedom Communications does not submit an Application or notify BellSouth in writing within the thirty (30) day timeframe as described above, BellSouth will offer the available Remote Collocation Space to the next telecommunications carrier on the waiting list and remove Freedom Communications from the waiting list. Upon request, BellSouth will advise Freedom Communications as to its position on the waiting list for a particular Remote Site Location.
- 6.8 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services Web site, a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10)

Version: 2Q05 Standard ICA

days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services Web site that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.

- Application Response. In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide Application, when Remote Collocation Space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the Remote Collocation Space available, BellSouth will provide an Application Response including sufficient information to enable Freedom Communications to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below. When Freedom Communications submits ten (10) or more Applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when Remote Collocation Space has been determined to be available, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide Application. The Application Response will be a written response that includes sufficient information to enable Freedom Communications to place a firm order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.
- 6.10 <u>Application Modifications.</u> If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Freedom Communications or as necessitated by technical considerations, the Application shall be considered a new Application and handled as a new Application with respect to the response and provisioning intervals. BellSouth will charge Freedom Communications the Application Fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

#### 6.11 BFFO

6.11.1 Freedom Communications shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to Freedom Communications's Bona Fide Application or Freedom Communications's Application will expire.

Version: 2Q05 Standard ICA

6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of Freedom Communications's BFFO. BellSouth will acknowledge the receipt of Freedom Communications's BFFO within seven (7) days of receipt, so that Freedom Communications will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

# 7. Construction and Provisioning

## 7.1 <u>Construction and Provisioning Intervals</u>

- 7.1.1 In Florida and Tennessee, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Remote Collocation Space after the initial space has been completed, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Freedom Communications. If additional space has been requested by Freedom Communications, BellSouth will complete construction for the requested Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Remote Collocation Space and forty-five (45) days from receipt of a BFFO for virtual Remote Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and Freedom Communications cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for Remote Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions, include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Remote Collocation Space requested or BellSouth may seek a waiver from the interval, as set forth above, from the

Version: 2Q05 Standard ICA

appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.

- 7.1.3 If BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect, but not be limited, to make additional space available by rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Freedom Communications with the estimated completion date in its Application Response.
- 7.2 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and Freedom Communications will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Remote Collocation Space and the equipment configuration requirements, as reflected in the Application and affirmed in the BFFO.
- Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of finalized construction designs and specifications.
- 7.4 Use of BellSouth Certified Supplier. Freedom Communications shall select a supplier, which has been approved as a BellSouth Certified Supplier to perform all construction, engineering (as specified in TR 73503), installation, and removal work. Freedom Communications, if a BellSouth Certified Supplier, or Freedom Communications's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, Freedom Communications must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Freedom Communications with a list of BellSouth Certified Suppliers, upon request. Freedom Communications, if a BellSouth Certified Supplier, or Freedom Communications's BellSouth Certified Supplier(s) shall be responsible for installing Freedom Communications's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Freedom Communications upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by Freedom Communications, the BellSouth Certified Supplier shall bill Freedom Communications directly for all work performed for Freedom Communications pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges

Version: 2Q05 Standard ICA

imposed by Freedom Communications's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Freedom Communications or any supplier proposed by Freedom Communications and will not unreasonably withhold certification. All work performed by or for Freedom Communications shall conform to generally accepted industry standards.

Alarms and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Freedom Communications shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Freedom Communications's Remote Collocation Space. Upon request, BellSouth will provide Freedom Communications with applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by Freedom Communications. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.

#### 7.6 Virtual to Physical Remote Collocation Space Relocation

7.6.1 In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations and physical Remote Collocation Space has subsequently become available, Freedom Communications may relocate its existing virtual Remote Collocation Space(s) to physical Remote Collocation Space and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Remote Collocation Space. If BellSouth knows when additional physical Remote Collocation Space may become available at the Remote Site Location requested by Freedom Communications, such information will be provided to Freedom Communications in BellSouth's written denial of physical Remote Collocation Space. To the extent that: (i) physical Remote Collocation Space becomes available to Freedom Communications within one hundred eighty (180) days of BellSouth's written denial of Freedom Communications's request for physical Remote Collocation Space; (ii) BellSouth had knowledge that the Remote Collocation Space was going to become available; and (iii) Freedom Communications was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) day period, then Freedom Communications may relocate its virtual Remote Collocation Space to a physical Remote Collocation Space and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Freedom Communications must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Remote Collocation Space to a physical Remote Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Remote Collocation Space to the new physical Remote Collocation Space.

7.6.2 In Alabama, BellSouth will complete a relocation of a virtual Remote Collocation Space to a cageless physical Remote Collocation Space within sixty (60) days from

Version: 2Q05 Standard ICA

BellSouth's receipt of a BFFO and from a virtual Remote Collocation Space to a caged physical Remote Collocation Space within ninety (90) days from BellSouth's receipt of a BFFO.

## 7.7 <u>Virtual to Physical Conversion (In-Place)</u>

- 7.7.1 Virtual Remote Collocation Space may be converted to "in-place" physical caged Remote Collocation Space if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Remote Collocation Space; (2) the conversion of the virtual Remote Collocation Space will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the existing Remote Collocation Space can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Remote Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill Freedom Communications an Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to Freedom Communications.
- 7.7.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in-place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.7 above.
- 7.8 Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Freedom Communications cancels its order for Remote Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Freedom Communications cancels its order for Remote Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, Freedom Communications will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of Freedom Communications up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if Freedom Communications cancels its order for Remote Collocation Space at any time prior to Space Acceptance, BellSouth will bill Freedom Communications for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.
- 7.9 <u>Licenses.</u> Freedom Communications, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Remote Collocation Space.

Version: 2Q05 Standard ICA

7.10 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 Rates. Freedom Communications agrees to pay the rates and charges identified in Exhibit B.
- 8.2 Recurring Charges. If Freedom Communications has met the applicable fifteen (15) day acceptance walkthrough interval specified in Section 4 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Freedom Communications fails to complete an acceptance walkthrough within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Freedom Communications occupies the space prior to the Space Ready Date, the date Freedom Communications occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Freedom Communications 's next billing cycle and will include any prorated charges for the period from Freedom Communications's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3 <u>Application Fee.</u> BellSouth shall assess a nonrecurring Application Fee, via a service order, on the date that BellSouth provides an Application Response. BellSouth will bill the appropriate nonrecurring Application Fee on the date that BellSouth provides an Application Response to Freedom Communications.
- 8.4 <u>Bay Space.</u> The bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power Freedom Communications's equipment. Freedom Communications shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Collocation Space in conventional remote site bay lineups where feasible.
- 8.5 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Freedom Communications's Remote Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB) within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced above in Section 8.4 above. If the power requirements for Freedom Communications's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis. BellSouth will revise Freedom Communications's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Freedom Communications's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Freedom Communications certifying the completion of the

Version: 2Q05 Standard ICA

power reduction, including the removal of the power cabling by Freedom Communications's BellSouth Certified Supplier.

- 8.6 Adjacent Collocation Power. Charges for AC power will be assessed on a per breaker ampere, per month basis. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by Freedom Communications's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install the protection devices and power cables for Adjacent Collocation. Freedom Communications's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Freedom Communications's option, Freedom Communications may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.7 Security Escort. After Freedom Communications has used its one accompanied site visit, pursuant to Section 5.9.1 above, and prior to Freedom Communications's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when Freedom Communications's employees, approved agent, supplier, or Guest(s) desire access to the Remote Site Location. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one half (1/2) hour after the scheduled escort time to provide such requested escort service and Freedom Communications shall pay for such half hour charges in the event Freedom Communications's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.8 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

#### 9. Insurance

- 9.1 Freedom Communications shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Freedom Communications shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000).

Version: 2Q05 Standard ICA

BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Freedom Communications's real and personal property situated on or within a BellSouth Premises and BellSouth's Remote Site Locations.
- 9.2.4 Freedom Communications may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to Freedom Communications to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Freedom Communications shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to a BellSouth Remote Site Location and shall remain in effect for the term of this Agreement or until all of Freedom Communications's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Freedom Communications fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Freedom Communications.
- 9.5 Freedom Communications shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Freedom Communications shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from Freedom Communications's insurance company. Freedom Communications shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

Version: 2Q05 Standard ICA

- 9.6 Freedom Communications must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to such recommendations.
- 9.7 Self-Insurance. If Freedom Communications's net worth exceeds five hundred million dollars (\$500,000,000), Freedom Communications may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Freedom Communications shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Freedom Communications in the event that selfinsurance status is not granted to Freedom Communications. If BellSouth approves Freedom Communications for self-insurance, Freedom Communications shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Freedom Communications's corporate officers. The ability to self-insure shall continue so long as Freedom Communications meets all of the requirements of this Section. If Freedom Communications subsequently no longer satisfies the requirements of this Section, Freedom Communications is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to Freedom Communications to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10. Mechanics Liens

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or Freedom Communications), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 11. Inspections

Version: 2Q05 Standard ICA

BellSouth may conduct an inspection of Freedom Communications's equipment and facilities in Freedom Communications's Remote Collocation Space(s) prior to the activation of facilities and/or services between Freedom Communications's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Freedom Communications adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Freedom Communications with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

## 12. <u>Security and Safety Requirements</u>

- 12.1 Unless otherwise specified, Freedom Communications will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Freedom Communications employee hired in the past five (5) years being considered for work on a BellSouth Remote Site Location, for the states/counties where the Freedom Communications employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Freedom Communications shall not be required to perform this investigation if an affiliated company of Freedom Communications has performed an investigation of the Freedom Communications employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Freedom Communications has performed a pre-employment statewide investigation of criminal history records of the Freedom Communications employee for the states/counties where the Freedom Communications employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Freedom Communications will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/guides.
- 12.3 Freedom Communications shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in Freedom Communications's Remote Collocation Space or other areas in or around the Remote Site Location. The photo identification card shall bear, at a minimum, the employee's name and photo, and Freedom Communications's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Freedom Communications not possessing identification issued by Freedom Communications or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Freedom Communications shall hold BellSouth harmless for any damages resulting from such removal of Freedom Communications's personnel from BellSouth Remote Site Location. Freedom

Version: 2Q05 Standard ICA

Communications shall be solely responsible for ensuring that any Guest(s) of Freedom Communications is in compliance with all subsections of this Section.

- 12.4 Freedom Communications shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Freedom Communications shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any of Freedom Communications's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Freedom Communications chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Freedom Communications may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Freedom Communications shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Freedom Communications shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Freedom Communications employee or agent hired by Freedom Communications within five (5) years prior to being considered for work on the BellSouth Premises or BellSouth's Remote Site Locations, who requires access to a BellSouth Remote Site Location to perform work in Freedom Communications's Remote Collocation Space(s), Freedom Communications shall furnish BellSouth, a certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certifying that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Freedom Communications will disclose the nature of the convictions to BellSouth at that time. In the alternative, Freedom Communications may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other Freedom Communications employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Freedom Communications

Version: 2Q05 Standard ICA

shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.

- At BellSouth's request, Freedom Communications shall promptly remove from the BellSouth Remote Site Location any employee of Freedom Communications that BellSouth does not wish to grant access to a Remote Site Location: (1) pursuant to any investigation conducted by BellSouth, or (2) prior to the initiation of an investigation if an employee of Freedom Communications is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Freedom Communications's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or Remote Site Location or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Freedom Communications's Security representative of such interview. Freedom Communications and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Freedom Communications's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill Freedom Communications for all reasonable costs associated with investigations involving its employees, agents, or suppliers, or Guests if it is established and mutually agreed in good faith that Freedom Communications's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill Freedom Communications for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of Freedom Communications's employees, agents, suppliers, or Guests and where Freedom Communications agrees, in good faith, with the results of such investigation. Freedom Communications shall notify BellSouth in writing immediately in the event that Freedom Communications discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from a BellSouth Premises or Remote Site Location, any employee found to have violated the security and safety requirements of this Section. Freedom Communications shall hold BellSouth harmless for any damages resulting from such removal of Freedom Communications's personnel from a BellSouth Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g., plug-in cards) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

Version: 2Q05 Standard ICA

- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

## 13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar Acts of God or force majeure circumstances beyond a Party's reasonable control to such an extent as to be rendered wholly unsuitable for Freedom Communications's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Freedom Communications's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Freedom Communications, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Freedom Communications may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. A BellSouth Certified Vendor must perform a rebuild of equipment. If Freedom Communications's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Freedom Communications's expense. Where allowed and where practical, Freedom Communications may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Freedom Communications shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Freedom Communications's permitted use, until such Remote Collocation Space is fully repaired and restored and Freedom Communications's equipment installed therein (but in no event later than thirty (30) days after the Remote Collocation Space is fully repaired and restored). Where Freedom Communications has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4 above, Freedom Communications shall have the sole

Version: 2Q05 Standard ICA

responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

#### 14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Freedom Communications shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

## 15. Nonexclusivity

15.1 Freedom Communications understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Remote Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q05 Standard ICA

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

## 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Freedom Communications agree to comply with applicable federal, state, and local environmental and safety laws and regulations including USEPA regulations issued under the CAA, CWA, RCRA, CERCLA, SARA, the TSCA, OSHA regulations, NFPA, NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Freedom Communications shall provide notice to the other, including any MSDSs, of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Freedom Communications should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Freedom Communications to follow when working at a BellSouth Remote Site Location (see Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Freedom Communications will require its suppliers, agents, Guests and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 below lists the Environmental categories where BST practices should be followed by Freedom Communications when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections.</u> BellSouth reserves the right to inspect Freedom Communications's Remote Collocation Space with proper notification. BellSouth reserves the right to stop any Freedom Communications work operation that imposes Imminent Danger to the environment, employees or other persons in or around a Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned a BellSouth Remote Site Location by Freedom Communications are owned by and considered the property of Freedom

Version: 2Q05 Standard ICA

Communications. Freedom Communications will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Freedom Communications or different hazardous materials used by Freedom Communications at the BellSouth Remote Site Location. Freedom Communications must demonstrate adequate emergency response capabilities for the materials used by Freedom Communications or remaining at a BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Freedom Communications to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Freedom Communications will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, SPCC plans and community reporting. If fees are associated with filing, BellSouth and Freedom Communications will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Freedom Communications must comply with all of BellSouth's permit conditions and environmental processes, including environmental "BMP" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Freedom Communications shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a Remote Site Location.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Freedom Communications agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety M&Ps, incorporated herein by this reference. Freedom Communications further agrees to cooperate with BellSouth to ensure that Freedom Communications's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to

Version: 2Q05 Standard ICA

the specific Environmental function being performed by Freedom Communications, its employees, agents, suppliers and/or Guests.

2.1.1 The most current version of reference documentation must be requested from Freedom Communications's BellSouth Regional Contract Manager (RCM).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet Series 17000</li> <li>Std T&amp;C 660-3</li> <li>Approved Environmental</li> </ul>
		Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)</li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	<ul> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> </ul>
	InsuranceFreedom Communications	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)

Version: 2Q05 Standard ICA

Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations  Protection of BST employees and equipment	<ul> <li>Std T&amp;C 450</li> <li>29 C.F.R. § 1910.147 (OSHA Standard)</li> <li>29 C.F.R. § 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations  All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	<ul> <li>—Procurement Manager         (CRES Related Matters)-BST         Supply Chain Services</li> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS         (Hazcom)</li> </ul>
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> <li>Std T&amp;C 660-3</li> <li>Approved Environmental             Vendor List (Contact ATCC             Representative)</li> </ul>
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3     For questions regarding     removing or disturbing     materials that contain     asbestos, call the BellSouth     Building Service Center:     AL, MS, TN, KY & LA     (local area code) 557-6194     FL, GA, NC & SC     (local area code) 780-2740

# 3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper

Version: 2Q05 Standard ICA

management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the OSHA hazard communication standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste.</u> As defined in section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

<u>BST</u> – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET - Environmental Vendor Evaluation Team** 

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

**NESC - National Electrical Safety Codes** 

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 2Q05 Standard ICA

OLLOCAI	ΓΙΟΝ - Alabama						·						Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					ĺ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					ĺ	ĺ								Î		
IYSICAL CO	DLLOCATION				Î	ĺ										
	cation															1
	Physical Collocation - Initial Application Fee			CLO	PE1BA	Ì	1,879.48		0.51		1					1
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,566.60		0.51		İ					
	Physical Collocation - Co-Carrier Cross Connects/Direct						,				İ					
	Connect, Application Fee, per application			CLO	PE1DT		584.22									
	Physical Collocation Administrative Only - Application Fee		1	CLO	PE1BL		742.15									<b>†</b>
	Physical Collocation - Application Cost, Simple Augment		1	CLO	PE1KS		594.41		1.21		<b>†</b>					+
-+	Physical Collocation - Application Cost, Minor Augment	<b> </b>	t	CLO	PE1KM		833.47		1.21		t			<b> </b>	t	<del></del>
-	Physical Collocation - Application Cost, Intermediate Augment	<b> </b>	t	CLO	PE1K1		1,058.00		1.21		t			<b> </b>	t	+
_	Physical Collocation - Application Cost, Intermediate Augment  Physical Collocation - Application Cost - Major Augment	<del>                                     </del>	+	CLO	PE1KJ		2,410.00		1.21	<b> </b>	t			<u> </u>	<del>                                     </del>	+
Snaar	Preparation	<del>                                     </del>	+	OLO	I L INJ		∠,410.00		1.21	<del> </del>	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	+
Space	Physical Collocation - Floor Space, per sq feet	<del>                                     </del>	+	CLO	PE1PJ	3.22			<del>                                     </del>	-	1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	+
_		-	+	OLO	PETPJ	3.22			-		1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	+
	Physical Collocation - Space Enclosure, welded wire, first 50			0.0	55.57											
	square feet		_	CLO	PE1BX	140.99										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	156.33										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	15.34										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation, Common Systems				ĺ	ĺ								Î		
	Modifications-Cageless, per square foot			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems		1													<b>†</b>
	Modifications-Caged, per cage			CLO	PE1SM	88.86										
	Physical Collocation - Space Preparation - Firm Order		1	020	I L IOW	00.00					<b>†</b>					+
	Processing			CLO	PE1SJ		600.71									
	Physical Collocation - Space Availability Report, per Central	-	+	GLO	FLIOU		000.71				<b>-</b>	-			-	+
				CLO	PE1SR		4 075 47									
	Office Requested	-	<b>├</b>	CLO	PE15R		1,075.17									₩
Powe		-	<b>├</b>													₩
	Physical Collocation - Power, -48V DC Power - per Fused Amp			0.0	55.50	= 00										
	Requested			CLO	PE1PL	7.83										
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	4.91										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	9.84										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	14.74										
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	34.06										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	1													1
	,	,	1	UEANL,UEQ,												<b>†</b>
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44						
	Friysical Collocation - 2-wire closs-collifect, loop, provisioning		1	UEA, UHL, UNCVX,	FLIFZ	0.03	12.30	11.00	0.03	3.44	1					+
	Physical Collocation - 4-wire cross-connect, loop, provisioning	l		UNCDX, UCL, UDL	PE1P4	0.05	12.39	11.87	6.39	5.73					1	
_	i nysicai conocation - 4-wire cross-connect, loop, provisioning	<b>-</b>	+		CE164	0.05	12.39	11.07	0.39	5.73	-			-	<del></del>	+
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1,												
				U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,											1	
	Collocation, provisioning	ı	1	UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79	1	1		1	1	1

COLLOCAT	FION - Alabama											1	Attachment:	4 Evh D	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+		Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	14.16	20.89	15.20	7.38	5.92						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92						
	Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	4.99	25.55	19.86	9.71	8.25						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per															
	Cable.			CLO	PE1ES	0.0011										ļ
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0016										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.05	12.39	11.87	6.39	5.73						ļ
Secui	Physical Collocation - Security Escort for Basic Time - normally				+											<b>+</b>
	scheduled work, per half hour			CLO	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO	PE1OT		22.05	13.86								
	outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System			CLO	PE1PT	45.70	27.17	16.98								
	per Central Office Physical Collocation -Security Access System - New Card			CLO	PE1AX	45.70										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.78									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK PE1AL		13.10									
CFA	Stolen Key, per Key			OLU	PETAL		13.10									
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request		<u> </u>	CLO	PE1C9		77.56									
Cable	Records - Note: The rates in the First & Additional columns wi Physical Collocation - Cable Records, per request	II actua	ily be l	oill <b>ed as "Initial I" ar</b> ICLO	nd "Subsequ PE1CR	ent S" respectiv	rely I 759.29	S 488.11	133.00		1					
	Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92	U 400.11	189.12							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.81		5.90							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.25		2.76							<b>†</b>
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.88		9.66							

COLLOCAT	ION - Alabama												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
	District College Colle						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.49		77.13							
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1CB PE1C5		2.25		2.76		-					<b>-</b>
Virtua	I to Physical			CLO	PEICS		2.23		2.70		-					<b>-</b>
- Trica	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place, Fel DSO Circuit			CLO	PE1BP		23.00									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	nce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		859.71		22.49							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.11										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.87									
VIRTUAL COL																
Applic	Virtual Collocation - Application Fee			AMTFS	EAF	-	1,205.26		0.51						-	
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		584.22		0.51							
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		742.15									
Space	Preparation										1					
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
Power																
	Virtual Collocation - Power, per fused amp	L		AMTFS	ESPAX	7.83										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P  Virtual Collocation - 2-wire cross-connect, loop, provisioning	orts)		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44						
	-			UEA, UHL, UCL, UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning  Virtual collocation - Special Access & UNE, cross-connect per DS1			UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	UEAC4 CNC1X	0.05	12.39	11.87	6.39	5.73						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20		5.92						

COLLOCAT	TION - Alabama												Attachment:	4 Exh B		I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)	Nonrecurring	Division		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
					<b> </b>	Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92	SOMEC	SUMAN	SUMAN	SOWAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0011										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0016										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.03	12.30	11.80	6.03	5.44						
CFA	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.73						
Cable	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi	II actua	llv be l	AMTFS	VE1QR	t S" respectively	77.56									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		759.29	488.11	133.00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		326.92		189.12							
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair  Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		4.81 2.25		5.90 2.76							
	Virtual Collocation Cable Records - DS1, per 1111E  Virtual Collocation Cable Records - DS3, per T3TIE		-	AMTFS	VE1BD		7.88		9.66							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.49		77.13							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.25		2.76							
Secur	Virtual collocation - Security escort, basic time, normally															-
	Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		16.93	10.73								
	normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		22.05	13.86								
Maint	scheduled work day enance			AMTFS	SPTPX		27.17	16.98								
Iviaint	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.93	10.73								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86								
F	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98								<u> </u>
Entrai	virtual Collocation - Cable Installation Charge, per cable		-	AMTFS	ESPCX	<del>                                     </del>	859.71		22.49							<del>                                     </del>
	Virtual Collocation - Cable Installation Charge, per cable  Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	14.97	009.71		22.49							+
COLLOCATIO	ON IN THE REMOTE SITE															
Physi	cal Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	004.40	307.70		168.22							ļ
	Cabinet Space in the Remote Site per Bay/ Rack  Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB PE1RD	201.42	13.10									
	Physical Collocation in the Remote Site - Security Access - Rey Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		115.87									

COLLOCAT	ION - Alabama												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc	Charge - Manual Svc		Charge - Manual S
ATEOOKT	NATE ELEMENTO	m	Zone	500	0000			KATLO(ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Dan.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38				<b>-</b>					<b>†</b>
	Power, DC Power Provisioning (Alabama Only ICB Rate)			OLONO	LIKK		200.00									<b>†</b>
	Physical Collocation - Security Escort for Basic Time - normally										<b>-</b>					<b>†</b>
	scheduled work, per half hour			CLORS	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,	l		0.000												
	per half hour			CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time -	1						40								1
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98								
Adjace	ent Remote Site Collocation	<u> </u>	ļ	01.000	DE 10::										ļ	1
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary i	for adia				gotiate approp	riate rates.			1					
	Remote Site Collocation	l	l auje	l		I arries will ne	gotiate approp	riate rates.			<b>-</b>					1
711144	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		307.70	307.70	168.22	168.22						
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	201.42										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		115.87	115.87								
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.56	37.56								
JACENT CO	DLLOCATION			01.010	554.14	0.44										
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adiacont Callegation - O Mina Conse Consents	l		UEANL,UEQ,UEA,U	DE4 IE	0.00	40.00	44.00	0.00	F 44						
	Adjacent Collocation - 2-Wire Cross-Connects	-		CL, UAL, UHL, UDN		0.02	12.30	11.80	6.03	5.44						-
	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects		1	UEA,UHL,UDL,UCL USL	PE1JF PE1JG	0.04 1.03	12.39 22.03	11.87 15.93	6.39 6.40	5.73 5.79				-	-	-
			1													-
	Adjacent Collocation - DS3 Cross-Connects	-	1	UE3 CLOAC	PE1JH PE1JJ	13.95 2.36	20.89 20.89	15.20 15.20	7.38 7.38	5.92 5.92	-	-		-	-	<del> </del>
_	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	-	<u> </u>	CLOAC	PE1JJ PE1JK	4.52	25.55	15.20	7.38 9.71	5.92 8.25	-		-	<b> </b>	<b> </b>	1
_		-	1		PE1JK PE1JB	4.52		19.86	0.51	8.25	-	-		-	-	<del> </del>
-	Adjacent Collocation - Application Fee	<b> </b>	<del>                                     </del>	CLOAC	LEIJB		1,576.69		0.51		<del>                                     </del>	-	<b> </b>	1	1	<b> </b>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1JN	14.74										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate										<del>                                     </del>					
	per AC Breaker Amp Adjacent Collocation - DC power provisioning (Alabama Only		-	CLOAC	PE1JO	34.06										
	Mandate ICB)															
	Note: ICB means Individual Case Basis	<u>.                                    </u>	<u></u>	L	ļ							-	ļ	ļ	ļ	
INIOto:	Rates displaying an "I" in Interim column are interim as a resu	iit of a (	ommi:	ssion order.	l				1		1	1	l	1	1	1

COLLOCAT	ION - Florida						· · · · · · · · · · · · · · · · · · ·		-				Attachment:	4 Exh B		
		Interi		500	11005			DATEO(A)			Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Increment Charge - Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DLLOCATION								1							
Applio																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,785.00		1.20							
	Physical Collocation - Subsequent Application Fee		-	CLO	PE1CA		2,236.00		1.20							<b></b>
	Physical Collocation - Co-Carrier Cross Connects/Direct			CI O	DEADT		504.04									
	Connect, Application Fee, per application			CLO	PE1DT	-	564.81							-		
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		409.50									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		760.91		1.20		-					<del> </del>
Space	Preparation		1	CLO	PEIDL	-	760.91		1.20		1				-	<del></del>
Opace	Physical Collocation - Floor Space, per sq feet		1	CLO	PE1PJ	5.28					<b>-</b>					+
	Physical Collocation - Space Enclosure, welded wire, first 50			OLO	1 2 11 0	0.20					1				1	<del>                                     </del>
	square feet			CLO	PE1BX	171.12										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	189.73										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.61										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.50										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	84.93										
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		287.36									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		572.66									
Powe																1
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	7.80										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.26										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.53										
	Physical Collocation - Power, 120V AC Power, Three Phase, per				T -	1			1					İ	İ	1
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	15.80										<del> </del>
	Breaker Amp			CLO	PE1FG	36.47			1						1	
1	Physical Collocation - Power - DC power, per Used Amp			CLO	PE1FN	10.69	1		1					i	1	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		1					1	İ				İ	1	<b>T</b>
		,		UEANL,UEQ,UNCN X, UEA, UCL, UAL,											ĺ	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UHL, UDN, UNCVX UEA, UHL, UNCVX,	PE1P2	0.0208	7.32	5.37	4.58	2.71						<u> </u>
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0.0416	8.00	5.75	5.00	2.69						
	District Collegation DC4 Court Courted for District			UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			USL, UEPEX, UEPDX	PE1P1	0.3786	7.88	6.25	1.35	0.9899						

CATEGORY RATE ELEMENTS Intering Manual Svc Corder Not Per LSR	COLLOCAT	ION - Florida												Attachment:	4 Evh D		
Physical Collection - 283 Cross-Connect   Physical Collection - 285 Cr				Zone	BCS	USOC						Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
S. C.   First   Add   First   Add   First   Add   SOMA							Rec										
CCU, LUDOS, LU					UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,							SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UDGS, UDFS					CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
Physical Coloration - Co-Carrier Oreas Connect/Direct   Connect - Fiber Cable Support Structure, per lether foot, per cable.   CLO					ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
Physical Coloration - Co-Carrier Cross Connect/Deed Connect		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per						01.02	00.01	10.20	10.44						
Physical Collocation 2-Wire Cross Connect, Port   ULPRSX, UEPC   PE1R2   0.0208   7.32   5.37   4.58   2.71		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per			CLO												
Security Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour CLO PETOT 44.63 28.89 Physical Collocation - Security Escort for Premium Time outside of scheduled work day, per half hour CLO PETOT 44.63 28.89 Physical Collocation - Security Security Security System per Central Office, per Sq. Ft. Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card Achaston, per Card Activation, First), per State Change, existing Access Card, per Request, per State, per Card CLO PETAN 8.84 Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Stolen Security Access System - Replace Lost or Stolen Card, per Card Per Request, per State, per Card CLO PETAN 8.84 Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Stolen Security Access System - Replace Lost or Stolen Card, per Card Stolen Security Access System - Replace Lost or Stolen Card, per Card Stolen Security Access System - Replace Lost or Stolen Card, per Card Stolen Security Access System - Replace Lost or Stolen Card, per Card Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or Stolen Security Access System - Replace Lost or S					UEPSE, UEPSB, UEPSX, UEP2C												
scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time- outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time- outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office, per Sq., Ft. Physical Collocation - Security Access System - Security System per Central Office, per Sq., Ft. Physical Collocation - Security Access System - Security System Physical Collocation - Security Access System - Security System CLO PETA1 38.95  Physical Collocation - Security Access System - Security Access - Initial Security System - Security Access - I	Securi				,												
normally scheduled working hours on a scheduled work day, per half hour CLO PETOT 44.63 28.89 per half hour Scheduled work day, per half hour CLO PETOT 44.63 28.89 per half hour Dusting described the work day, per half hour CLO PETOT 55.62 35.73 per half hour Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. CLO PETAY 0.0101 per CLO PETCO 0.011 per CLO PETCO		scheduled work, per half hour			CLO	PE1BT		33.65	22.05								
ourside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office, per Sq. Fl. Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State  CLO PE1AY O.0101  Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State  CLO PE1AA  Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stoten Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - New Card Activation, per Card  CLO PE1AA  Physical Collocation - Security Access - New Replace Lost or Stoten Key, per Key  CLO PE1AK  23.28  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, VG/DSO Cable, per each Physical Collocation, Cable Records, VG/DSO Cable, per each CLO PE1CO		normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.63	28.89								
per Central Office, per Sq. Ft. CLO PETAY 0.0101		outside of scheduled work day, per half hour			CLO	PE1PT		55.62	35.73								
Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 28.78 Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AK 23.28 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 23.28  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1CD		per Central Office, per Sq. Ft. Physical Collocation -Security Access System - New Card					0.0101										
Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 28.78 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 23.28 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 23.28  Physical Collocation - CFA Information Resend Request, per Permises, per arrangement, per request CLO PE1C9 79.52  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, per request CLO PE1CR I 1515 S 973.64 256.35 Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 Physical Collocation, Cable Record		Physical Collocation-Security Access System-Administrative															
Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO  PE1C9  PE1C9  PE1C9  79.52  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO  PE1C9  PE1C9  79.52  CLO  PE1C9  PE1CS  79.52  CLO  PE1CB  PE1CS  79.52  Physical Collocation - Cable Records, CVG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO  PE1CD  PE1C		Physical Collocation - Security Access System - Replace Lost or															
CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO PE1C9 79.52  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO PE1CR I 1515 S 973.64 256.35  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  CLO PE1CD 646.84  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO PE1C1 4.52 5.35		Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or															
Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively   Physical Collocation - Cable Records, per request   CLO   PE1CR   I 1515   S 973.64   256.35     Per constant   S 973.64   256.35   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S 973.64   Per constant   S	CFA	Physical Collocation - CFA Information Resend Request, per															
Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	Cable		II actua	lly be l			ent S" respectiv										
Physical Collocation, Cable Records, VG/DS0 Cable, per each   100 pair   CLO   PE1CO   9.11   10.80		Physical Collocation, Cable Records, VG/DS0 Cable, per cable							S 973.64								
		Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.11		10.80							

OLLOCA'	TION - Florida												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonred	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		169.96		149.97							
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		4.52		5.35						Î	
Virtua	al to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															İ
	per DS1 Circuit			CLO	PE1B1		52.00									İ
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									İ
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit			CLO	PE1BR		23.00									ĺ
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit			CLO	PE1BP		23.00									ĺ
_	Physical Collocation - Virtual to Physical Collocation In-Place,			020	1 2 101		20.00				<b>†</b>					<del>                                     </del>
	Per DS1 Circuit			CLO	PE1BS		33.00									ĺ
	Physical Collocation - Virtual to Physical Collocation In-Place,		-	CLO	FLIDS		33.00				<b>-</b>					<del> </del>
	per DS3 Circuit			CLO	PE1BE		37.00									İ
Forter				CLO	PEIBE		37.00									<del></del>
Entra	nce Cable		-		1											<del></del>
	Physical Collocation - Fiber Cable Support Structure, per			01.0	DEADM	5.40										İ
_	Entrance Cable			CLO	PE1PM	5.19										<b></b>
	Physical Collocation - Fiber Entrance Cable per Cable (CO															İ
_	manhole to vault splice)			CLO	PE1EC		994.12		43.84							<u> </u>
	Physical Collocation - Fiber Entrance Cable Installation, per															İ
	Fiber			CLO	PE1ED		7.43									1
	LLOCATION															
Appli	cation															
	Virtual Collocation - Application Fee			AMTFS	EAF		1,241.00		1.20							İ
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		564.81									İ
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		760.91		1.20							
Space	e Preparation				Î											
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.28										
Powe					1											
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95										
	Virtual Collocation - Power, DC power, per Used Amp			AMTFS	VE1PF	10.69										
Cross	S Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)									1					
		,		UEANL, UEA, UDN,												
				UAL. UHL. UCL.												ĺ
				UEQ, UNCVX,												ĺ
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0201	7.32	5.37	4.58	2.71						İ
_	virtual Collocation - 2-wire cross-connect, loop, provisioning		-	UEA, UHL, UCL,	ULAGZ	0.0201	1.32	3.31	4.30	2.71	-	-				<del></del>
																ĺ
	March College Control of the control			UDL, UNCVX,	115404	0.0400	0.00		5.00	0.00						ĺ
_	Virtual Collocation - 4-wire cross-connect, loop, provisioning		-	UNCDX	UEAC4	0.0403	8.00	5.75	5.00	2.69						<del>                                     </del>
				ULR, UXTD1,												ĺ
				UNC1X, ULDD1,												1
	L			U1TD1, USLEL,												İ
	Virtual collocation - Special Access & UNE, cross-connect per		1	UNLD1, USL,								1				
	DS1		L	UEPEX, UEPDX	CNC1X	0.3786	7.88	6.26	1.35	0.9915	ļ				ļ	
			1	USL, UE3, U1TD3,								1				
				UXTS1, UXTD3,												1
			1	UNC3X, UNCSX,								1				İ
				ULDD3, U1TS1,												1
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,												İ
	DS3	l .	1	UNLD3	CND3X	4.16	32.40	31.03	11.15	10.98	1			1	I	1

COLLOCAT	TION - Florida												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		201150	001441		Rates(\$)	001111	001141
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.75	28.26	25.85	13.78	11.01						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.50	37.92	35.51	18.20	15.44						
	Virtual Collocation - 4-1 lbei Cross Connects			OLD 12, OLD 40, ODI	014041	3.30	51.52	33.31	10.20	13.44						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0008										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0012										
				UEPSX, UEPSB, UEPSE, UEPSP,												
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0201	7.32	5.37	4.58	2.71						
CFA	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	2.69						
CFA	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		79.52									
Cable	Records - Note: The rates in the First & Additional columns wi	II actua	lly be l			t S" respectivel										
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,515.00	973.64	256.35							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		646.84		362.41							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.11		10.80							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52		5.35							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81		18.73							<b>†</b>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.96		149.97							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		4.52		5.35							
Secur																İ
	Virtual collocation - Security escort, basic time, normally															
	scheduled work hours			AMTFS	SPTBX		33.65	22.05								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.63	28.89								
	scheduled work day			AMTFS	SPTPX		55.62	35.73								
Mainte	enance			7	0		00.02	00.10								<b>†</b>
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		54.05	22.05								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		72.18	28.89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.31	35.73								
Entrar	nce Cable														1	
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,473.00		43.84							
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	4.54										
	ON IN THE REMOTE SITE															-
Physic	Cal Remote Site Collocation  Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		612.23		270.35							
	Cabinet Space in the Remote Site per Bay/ Rack		-	CLORS	PE1RA PE1RB	154.59	012.23		270.35		-					1
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	134.38	23.28									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		223.91									

Code Reque Remote Site Physical Col scheduled w Physical Col normally sch per half hou Physical Col normally sch per half hou Physical Col outside of sc Remote Site Remote Site  NOTE: If Security E Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site-Collocation Site-Adjacent Collocation-Application Fee Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne	Interi	Zone	BCS  CLORS CLORS CLORS CLORS	USOC  PE1RE PE1RR PE1BT	- Rec	Nonrec First 73.39 208.02	RATES(\$) curring Add'l	Nonrecurring Dis		Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
Code Reque Remote Site Physical Col scheduled w Physical Col normally sch per half hou Physical Col normally sch per half hou Physical Col outside of sc Remote Site Remote Site  NOTE: If Security E Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	quest, per CLLI Code Requested  Site DLEC Data (BRSDD), per Compact Disk, per CO  Collocation - Security Escort for Basic Time - normally d work, per half hour  Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, iour  Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation  Site-Adjacent Collocation - Real Estate, per square fool  Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'I Engineering Fees become ne			CLORS CLORS	PE1RR	Rec	First 73.39				SOMEC	SOMAN			SOMAN	-
Code Reque Remote Site Physical Col scheduled w Physical Col normally sch per half hou Physical Col normally sch per half hou Physical Col outside of sc Remote Site Remote Site  NOTE: If Security E Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	quest, per CLLI Code Requested  Site DLEC Data (BRSDD), per Compact Disk, per CO  Collocation - Security Escort for Basic Time - normally d work, per half hour  Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, iour  Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation  Site-Adjacent Collocation - Real Estate, per square fool  Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'I Engineering Fees become ne			CLORS CLORS	PE1RR	Rec	73.39	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
Code Reque Remote Site Physical Col scheduled w Physical Col normally sch per half hou Physical Col normally sch per half hou Physical Col outside of sc Remote Site Remote Site  NOTE: If Security E Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	quest, per CLLI Code Requested  Site DLEC Data (BRSDD), per Compact Disk, per CO  Collocation - Security Escort for Basic Time - normally d work, per half hour  Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, iour  Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation  Site-Adjacent Collocation - Real Estate, per square fool  Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'I Engineering Fees become ne			CLORS CLORS	PE1RR											SOMA
Remote Site Physical Col scheduled w Physical Col normally sch per half hou Physical Col notside of sc Adjacent Remote Site Remote Site Remote Site Virtual Remote Site Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo Adjacent Co	Site DLEC Data (BRSDD), per Compact Disk, per CO Collocation - Security Escort for Basic Time - normally d work, per half hour Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, iour Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation Site-Adjacent Collocation - Special Estate, per square fool Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'I Engineering Fees become ne			CLORS CLORS	PE1RR											
Physical Col scheduled w Physical Col normally scheduled w Physical Col normally scheduled w Physical Col outside of sc Adjacent Remote Site Remote Site Remote Site Remote Site Virtual Collo Virtual Collo Virtual Collo Virtual Collo Per Premise: Virtual Collo Request, pe Adjacent Co	Collocation - Security Escort for Basic Time - normally d work, per half hour  Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, sour  Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation  Site-Adjacent Collocation-Application Fee  Site-Adjacent Collocation - Real Estate, per square fool  Site-Adjacent Collocation - AC Power, per breaker amp  y Escort and/or Add'l Engineering Fees become ne			CLORS			208 02									<u> </u>
scheduled w Physical Col normally sch per half hou Physical Col outside of sc Adjacent Remote Site Remote Site Remote Site Remote Site Virtual Remote Site Virtual Remote Site Virtual Collo Virtual Collo per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co	d work, per half hour Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, four Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation Site-Adjacent Collocation-Application Fee Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne				PE1BT		200.02									<b>!</b>
Physical Col normally scheper half hou Physical Col outside of sc Adjacent Remote Site Remote Site Remote Site Virtual Remote Site Virtual Remote Site Virtual Remote Site Virtual Collo Virtual Collo Per Premise: Virtual Collo Per Premise: Virtual Collo Adjacent Co	Collocation - Security Escort for Overtime - outside of scheduled working hours on a scheduled work day, lour Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne				PEIBI		33.65	22.05								
normally scheme in per half hou per half hou outside of scheme in physical Coloutside of scheme in physical Coloutside of scheme in physical Coloutside of scheme in physical Coloutside in per Premiser Virtual Colloutside in per Premiser Virtual C	scheduled working hours on a scheduled work day, nour Collocation - Security Escort for Premium Time - f scheduled work day, per half hour e Site Collocation Site-Adjacent Collocation-Application Fee Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'I Engineering Fees become ne			CLORS			33.03	22.05							1	<del>                                     </del>
outside of so Adjacent Remote Site Remote Site Remote Site Remote Site Remote Site Remote Site Site Note: If Security E Virtual Remote Site Virtual Collo Virtual Collo Per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	f scheduled work day, per half hour e Site Collocation Site-Adjacent Collocation-Application Fee Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne			Ì	PE1OT		44.63	28.89								
Adjacent Remote S Remote Site Remote Site Remote Site Remote Site Remote Site Remote Site Virtual Collo Virtual Collo Virtual Collo Per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	e Site Collocation  Site-Adjacent Collocation-Application Fee  Site-Adjacent Collocation - Real Estate, per square fool  Site-Adjacent Collocation - AC Power, per breaker amp  y Escort and/or Add'l Engineering Fees become ne			1												
Remote Site  Remote Site  Remote Site  Remote Site  NOTE: If Security E  Virtual Remote Site  Virtual Collo  Virtual Collo  per Premise:  Virtual Collo  Request, pe  JACENT COLLOCATION  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co	Site-Adjacent Collocation-Application Fee Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne			CLORS	PE1PT		55.62	35.73								
Remote Site  Remote Site  Remote Site  NOTE: If Security E  Virtual Remote Site  Virtual Collo  Virtual Collo  Virtual Collo  Per Premise:  Virtual Collo  Request, pe  JACENT COLLOCATION  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co	Site-Adjacent Collocation - Real Estate, per square fool Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne															
Remote Site  NOTE: If Security E  Virtual Remote Site  Virtual Collo  Virtual Collo  Virtual Collo  per Premise:  Virtual Collo  Request, pe  JACENT COLLOCATION  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co	Site-Adjacent Collocation - AC Power, per breaker amp y Escort and/or Add'l Engineering Fees become ne	:		CLORS	PE1RU		755.62	755.62								ļ
NOTE: If Security E Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	y Escort and/or Add'l Engineering Fees become ne			CLORS	PE1RT	0.134										
NOTE: If Security E Virtual Remote Site Virtual Collo Virtual Collo Virtual Collo Per Premises Virtual Collo Request, pe ACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	y Escort and/or Add'l Engineering Fees become ne			CLORS	PE1RS	6.27										
Virtual Remote Šite Virtual Collo Virtual Collo Virtual Collo Per Premise: Virtual Collo Request, pe ACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co			for adia				gotiate annror	riate rates								<del>                                     </del>
Virtual Collo  Virtual Collo  Virtual Collo  per Premise: Virtual Collo  Request, pe  JACENT COLLOCATION  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co  Adjacent Co	DITE CONDUCATION	ocooury i	l daje	l controlle site con	location, the	T di ties will ne	gotiate approp	riate rates.								
Virtual Collo per Premise: Virtual Collo per Premise: Virtual Collo Request, pe  JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	ollocation in the Remote Site - Application Fee			VE1RS	VE1RB		612.23		270.35							
per Premise: Virtual Collo Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	ollocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	154.59										
Request, pe JACENT COLLOCATION Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	ollocation in the Remote Site - Space Availability Reporises requested	t		VE1RS	VE1RR		223.91									
Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	ollocation in the Remote Site - Remote Site CLLI Code															Ì
Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	per CLLI Code Requested			VE1RS	VE1RL		73.39									<u> </u>
Adjacent Co  Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co				01.010	55414	0.4000										<u> </u>
Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	Collocation - Space Charge per Sq. Ft. Collocation - Electrical Facility Charge per Linear Ft.	+	<u> </u>	CLOAC CLOAC	PE1JA PE1JC	0.1666 4.62				-						<b>├</b>
Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co	Collocation - Electrical Facility Charge per Linear Ft.				PETJC	4.62										
Adjacent Co Adjacent Co Adjacent Co Adjacent Co Adjacent Co				UEANL,UEQ,UEA,U												İ
Adjacent Co Adjacent Co Adjacent Co	Collocation - 2-Wire Cross-Connects				PE1JE	0.0194	7.32	5.37	4.58	2.71						<u> </u>
Adjacent Co Adjacent Co	Collocation - 4-Wire Cross-Connects				PE1JF	0.0388	8.00	5.75	5.00	2.69						<u> </u>
Adjacent Co	Collocation - DS1 Cross-Connects			USL	PE1JG	0.3708	7.88	6.26	1.35	0.9915						<u> </u>
	Collocation - DS3 Cross-Connects Collocation - 2-Fiber Cross-Connect	+	<u> </u>	UE3 CLOAC	PE1JH PE1JJ	4.14	32.40	31.03	11.15	10.98						<b>├</b>
Aujacent Co	Collocation - 2-Fiber Cross-Connect Collocation - 4-Fiber Cross-Connect	-		CLOAC	PE1JJ PE1JK	1.70 3.33	28.26 37.92	25.85 35.51	13.78 18.20	11.01 15.44					-	├
Adjacent Co.	Collocation - 4-Fiber Cross-Connect  Collocation - Application Fee	+	<b>!</b>	CLOAC	PE1JK PE1JB	3.33	2,763.00	ან.51	1.02	15.44					<del>                                     </del>	<del>                                     </del>
	Collocation - Application ree Collocation - 120V, Single Phase Standby Power Rate	1	<del>                                     </del>	OLONO	100		2,700.00		1.02						<b>+</b>	<del>                                     </del>
per AC Brea				CLOAC	PE1JL	5.26										
per AC Brea				CLOAC	PE1JM	10.53										
per AC Brea				CLOAC	PE1JN	15.80										
per AC Brea	Collocation - 120V, Three Phase Standby Power Rate reaker Amp			CLOAC	PE1JO	36.47										<u> </u>
Adjacent Co Cable Note: Rates display	Collocation - 120V, Three Phase Standby Power Rate reaker Amp Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1JP	5.19										

COLLOCAT	ION - Georgia										_		Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
			ļ		1	Rec	Nonrec		Nonrecurring					Rates(\$)		T
			1		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION		1		1						1					<del>                                     </del>
Applic			1		+				+		1					<del>                                     </del>
7.66	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98		0.59							1
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,085.48		0.59							
	Physical Collocation - Co-Carrier Cross Connects/Direct					İ	·									1
	Connect, Application Fee, per application			CLO	PE1DT		583.18									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.05		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21							1
	Physical Collocation - Application Cost, Intermediate Augment	ļ		CLO	PE1K1		1,057.00		1.21		1					<del>                                     </del>
	Physical Collocation - Application Cost - Major Augment	ļ	1	CLO	PE1KJ		2,408.00		1.21		1				-	<del>                                     </del>
Space	Preparation  Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4.52										
	Physical Collocation - Floor Space, per sq feet  Physical Collocation - Space Enclosure, welded wire, first 50		_	CLO	PETPJ	4.52					+					-
	square feet			CLO	PE1BX	144.71										
	Physical Collocation - Space enclosure, welded wire, first 100		<del>                                     </del>	CLO	FLIBA	144.71			+		+				1	+
	square feet			CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each		1	OLO	I LIBW	100.43			+							+
	additional 50 square feet			CLO	PE1CW	15.74										
	Physical Collocation - Space Preparation - C.O. Modification per			020		10.7 1										<u> </u>
	square ft.			CLO	PE1SK	2.01										
	Physical Collocation - Space Preparation, Common Systems															1
	Modifications-Cageless, per square foot			CLO	PE1SL	2.23										
	Physical Collocation - Space Preparation - Common Systems															1
	Modifications-Caged, per cage			CLO	PE1SM	75.61										
	Physical Collocation - Space Preparation - Firm Order															
	Processing		ļ	CLO	PE1SJ		141.10									
	Physical Collocation - Space Availability Report, per Central			0.0	55105											
Dawe	Office Requested		1	CLO	PE1SR		248.75		+		-					<del>                                     </del>
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp		-		1				_		+					<del> </del>
	Requested			CLO	PE1PL	4.78										
	Physical Collocation - Power, 120V AC Power, Single Phase,		1	CLO	FLIFE	4.76					1					<del>                                     </del>
	per Breaker Amp			CLO	PE1FB	5.14										
	Physical Collocation - Power, 240V AC Power, Single Phase,			020		0										
	per Breaker Amp			CLO	PE1FD	10.30										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															1
	Breaker Amp			CLO	PE1FE	15.44										
	Physical Collocation - Power, 277V AC Power, Three Phase, per															Ĭ .
	Breaker Amp			CLO	PE1FG	35.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														1
1		l		UEANL,UEQ,												
1		l		UNCNX, UEA, UCL,												
1	Dhysical Callegation 2 wire areas areast land as in the	l		UAL, UHL, UDN,	DE4D0	0.0407										
	Physical Collocation - 2-wire cross-connect, loop, provisioning	-	1	UNCVX UEA, UHL, UNCVX,	PE1P2	0.0197					1					<del>                                     </del>
1	Physical Collocation - 4-wire cross-connect, loop, provisioning	l		UNCDX, UCL, UDL	PE1P4	0.0393										
	1 Hysical Conocation - 4-wire closs-connect, loop, provisioning	<b>-</b>	<del>                                     </del>	WDS1L, WDS1S,	FE164	0.0393	-		+		+				<del>                                     </del>	<del>                                     </del>
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,	1											
	Collocation, provisioning	l	1	UEPDX	PE1P1	0.3726			I						1	1

COLLOCAT	ION - Georgia												Attachment:	4 Fxh B		T
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			-		+	Rec	Nonre First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	4.06	riisi	Addi	riist	Auu I	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	1.72										
	Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	3.30										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.001										
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0197 0.0393										
Secur				OLFLX, OLFDD	FLIK4	0.0393										
0000	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55								
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.  Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0106										
	Activation, per Card Activation (First), per State  Physical Collocation - Security Access System - New Access			CLO	PE1A1		22.00									-
	Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		5.38									
	Stolen Card, per Card  Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		17.01 13.20									-
CFA	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.20						-			
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.42									
Cable	Records - Note: The rates in the First & Additional columns wi	II actua	IIy be I			ent S" respectiv		0 470 00	105.77		<u> </u>					
	Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		I 743.65 317.60	S 478.06	125.75 177.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.48		5.30							

COLLOCAT	FION - Georgia			·							-		Attachment:	4 Exh B	l	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.22		2.63							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.76		9.19							
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		83.45		73.57							
	Physical Collocation, Cable Records,CAT5/RJ45			CLO	PE1C5		2.22		2.63							
Virtua	l to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,				1											
	per DS3 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per		-	CLO	PE1BR		23.00									
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									
Entra	nce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		736.93		21.51							
	Physical Collocation - Fiber Cable Support Structure, per						730.93		21.51							
	Entrance Cable			CLO	PE1PM	7.21			+ +							
	Physical Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to								1							
				CLO	PE1EE	0.2629			1							
	Collocation Space) Physical Collocation, Entrance Cable Installation, Copper, per		1	CLO	PETEE	0.2629			+ +		<b> </b>					
	Cable (CO Manhole to Collocation Space)			CLO	PE1EF		755.15		21.51							
	Physical Collocation, Entrance Cable Installation, Copper, per			CLO	FLILI		755.15		21.51							
	each 100 pairs or fraction thereof (CO Manhole to Collocation								1							
	Space)			CLO	PE1EG		9.12		1							
	Physical Collocation - Fiber Entrance Cable Installation, per						J.12		<del>                                     </del>							
	Fiber			CLO	PE1ED		3.90									
VIRTUAL COI					1				1							
	cation				1				1							
	Virtual Collocation - Application Fee			AMTFS	EAF		609.52		0.59							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		583.18									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609.52									
Space	Preparation								$\bot$							
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.52			<del>                                     </del>					ļ	ļ	ļ
Powe									<b> </b>							
-	Virtual Collocation - Power, per fused amp	1 - \	ļ	AMTFS	ESPAX	4.78			+ +							
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	ļ	LIEANII LIEA LIEN	<b> </b>				+					<b> </b>	<b> </b>	
	With all Callegation (Cuite and Callegation)			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,	LIEACO	0.0400										
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX UEA, UHL, UCL,	UEAC2	0.0188										
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UDL, UNCVX, UNCDX	UEAC4	0.0375										

COLLOCATI	ON - Georgia												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001441	001111
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.3726	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, UTD3, UXLS1, UE3, UTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, UTTS1, ULDS1, UDLSX, UNLD3	CND3X	4.06										
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.73										
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.45										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0015										
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2 VE1R4	0.0188 0.0375										
CFA	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.42									
Cable F	Records - Note: The rates in the First & Additional columns wi	II actua				t S" respectivel			<u> </u>							
<del>                                     </del>	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BA		743.65	478.06	125.75		1					
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		317.60		177.77							
	100 pair			AMTFS	VE1BC		4.48		5.30							
$\vdash$	Virtual Collocation Cable Records - DS1, per T1TIE  Virtual Collocation Cable Records - DS3, per T3TIE	-	<b>—</b>	AMTFS AMTFS	VE1BD VE1BE	<del>                                     </del>	2.22 7.76		2.63 9.19		1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		83.45		73.57							
Securit	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.22		2.63		1					
Securit	y Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		16.52	10.83								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTFS	SPTOX		21.92	14.19								
Mainte				AMTFS	SPTPX		27.31	17.55								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		26.54	10.83								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.44	14.19								
	Virtual collocation - Maintenance in CO - Premium per half hour ce Cable			AMTFS	SPTPM		44.34	17.55								

COLLOCAT	ION - Georgia												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		736.93		21.51							
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	7.57										
	Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EE	0.23										
	Virtual Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Frame)		-	AMTFS	VE1EF		755.15		21.51		1					
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EG		9.12									
COLLOCATIO	N IN THE REMOTE SITE		-	AWIFS	VETEG	-	9.12				<del>                                     </del>			-		-
	cal Remote Site Collocation										+			-		1
Filysic	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		300.61		132.62		+			-		
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	143.23	300.01		102.02		+					
	Cashier opace in the Nombie one per bay, Nacit			02010		140.20					<del>                                     </del>			<b>-</b>		<b> </b>
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		13.20									
	Report per Premises Requested  Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PE1SR		109.94									
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.04									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		116.64				1					
	Physical Collocation - Security Escort for Basic Time - normally			020110							1			t		
	scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
Adjace	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or adja	cent remote site col	location, the	e Parties will ne	gotiate approp	priate rates.								
Virtua	Remote Site Collocation			V= 400	VE 100				100.00							
<del>                                     </del>	Virtual Collocation in the Remote Site - Application Fee		-	VE1RS	VE1RB	1	300.61		132.62		-			<del>                                     </del>	<b>.</b>	<del>                                     </del>
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	143.23								1		1
$\vdash$	Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report		<b>-</b>	VL INO	VLING	143.23			<u> </u>		+			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	per Premises requested			VE1RS	VE1RR		109.94				1			I		1
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VE 1110	v ⊑ 11\I\	1	103.34		<del>                                     </del>		+			t	<del> </del>	<del>                                     </del>
	Request, per CLLI Code Requested			VE1RS	VE1RL		36.04							1		1
ADJACENT CO						1	00.04							1	İ	1
1	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.164								1	İ	1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.01										
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.0172							<u> </u>	<u> </u>		
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0344										
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.3608								1	ļ	1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	4.73					1			ļ		ļ
$\vdash$	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	1.66								-		-
<b>———</b>	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	3.24	4 000 10		0.50					ļ		<b></b>
$\vdash$	Adjacent Collocation - Application Fee			CLOAC	PE1JB	1	1,382.19		0.50		1			-	ļ	-
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.14										<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.30										

COL	TEGORY RATE ELEMENTS  Interi m  Zone BCS USOC  RATES(\$)  Electronic- Electronic- 1st  Manual Svc Order vs. Electronic- Electronic- Disc														4 Exh B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted					Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 120V, Three Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PE1JN	15.44										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PE1JO	35.65										
		Adjacent Collocation - 240V, Three Phase Standby Power Rate															
		per AC Breaker Amp				PE1JD	35.65										
	Note: F	Rates displaying an "I" in Interim column are interim as a resu	It of a C	ommis	ssion order.												

COLLOCAT	ION - Kentucky												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION				+						<b> </b>					
Applic			1		+				1		1					
7.456.15	Physical Collocation - Initial Application Fee			CLO	PE1BA		3,773.54		1.01							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		3,145.35		1.01							
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		584.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.98		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		834.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment		<u> </u>	CLO	PE1K1		1,059.00		1.21							
	Physical Collocation - Application Cost - Major Augment		<u> </u>	CLO	PE1KJ		2,412.00		1.21		ļ			-	-	
Space	Preparation  Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	7.99					1					
	Physical Collocation - Floor Space, per sq feet  Physical Collocation - Space Enclosure, welded wire, first 50			CLO	PETPJ	7.99					-					
	square feet			CLO	PE1BX	166.83										
+	Physical Collocation - Space enclosure, welded wire, first 100			CLO	FLIDA	100.03										
	square feet			CLO	PE1BW	184.97										
+	Physical Collocation - Space enclosure, welded wire, each			OLO	I LIDW	104.57										
	additional 50 square feet			CLO	PE1CW	18.14										
	Physical Collocation - Space Preparation - C.O. Modification per			020		10					İ					
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation, Common Systems		1													
	Modifications-Cageless, per square foot			CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	110.57										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		1,206.07									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		2,158.67									
Power					1						1					
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	8.06										
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PEIPL	8.06					-					
	per Breaker Amp			CLO	PE1FB	5.44										
+	Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	FLIID	3.44										
	per Breaker Amp			CLO	PE1FD	10.88										
	Physical Collocation - Power, 120V AC Power, Three Phase, per			020		10.00					†					
	Breaker Amp			CLO	PE1FE	16.32										
	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	37.68										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ,												
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Dhysical Callegation Audia areas accept land and identification			UEA, UHL, UNCVX,	DE4D4	0.0005	04.00	00.00	40.77	44.40						
	Physical Collocation - 4-wire cross-connect, loop, provisioning		<del>                                     </del>	UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0.0665	24.88	23.82	12.77	11.46	ļ					
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
1	Physical Collocation -DS1 Cross-Connect for Physical	l		USL. UEPEX.	1	1			1		1			1	1	1

COLLOCA	ATION - Kentucky												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring		L			Rates(\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB,	PE1P3	18.89	41.93	30.51	14.75	11.83						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F2	3.75	41.93	30.51	14.76	11.84						
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.65	51.29	39.87	19.41	16.49						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -								İ							
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0018										
				UEPSE, UEPSB,												
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0665	24.88	23.82	12.77	11.46						
Sec	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54.54	34.09								
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	76.10	54.54	34.09								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.058	55.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64									
	Stolen Card, per Card			CLO	PE1AR		45.74									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		26.29									
	Stolen Key, per Key			CLO	PE1AL		26.29									
CF#	Physical Collocation - CFA Information Resend Request, per				DE4C°											
Cah	premises, per arrangement, per request le Records - Note: The rates in the First & Additional columns wi	ill actus	lly be	CLO hilled as "Initial I" a	PE1C9	ent S" respectiv	77.55									
Cab	Physical Collocation - Cable Records, per request	iii actua	iny be i	CLO	PE1CR	an a respectiv		S 980.01	267.02						<del>                                     </del>	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.37		379.70							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		9.65 4.52		11.84 5.54							

OLLOCAT	ION - Kentucky					-		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			Attachment:	4 Exh B	l	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable			01.0	DE40D		400.00		454.05							
	record (maximum 99 records)  Physical Collocation, Cable Records, CAT5/RJ45			CLO CLO	PE1CB PE1C5		169.63 4.52		154.85 5.54							<b>+</b>
Virtua	to Physical			CLO	PEICS		4.52		5.54							<b>+</b>
Viitua	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23.00									
	DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		23.00									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	ice Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		1,729.11		45.16							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable  Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1PM	19.86										
	Fiber			CLO	PE1ED		7.75									
IRTUAL COL	LOCATION															
Applic																
	Virtual Collocation - Application Fee			AMTFS	EAF		2,419.86		1.01							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTES	VE1CA		584.20									
Snaaa	Virtual Collocation Administrative Only - Application Fee  Preparation		1	AMTFS	VE1AF		742.12									<del>                                     </del>
эрасе	Virtual Collocation - Floor Space, per sq. ft.		<del>                                     </del>	AMTFS	ESPVX	7.99			1		1			<b> </b>	<b> </b>	1
Power			<del>                                     </del>	, uviii U	LOI VA	1.39			<del>                                     </del>							<del>                                     </del>
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.06										<b>—</b>
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95						
	-			UEA, UHL, UCL, UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX ULR, UXTD1, UNC1X, ULDD1,	UEAC4	0.0619	24.88	23.82	12.77	11.46						
	Virtual collocation - Special Access & UNE, cross-connect per DS1			U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
	Virtual collocation - Special Access & UNE, cross-connect per			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,												
	DS3			UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						

CATEGORY	ION - Kentucky												Attachment:		<b></b>	1
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51,29	39.87	19.41	16.49						
-+-	Viltual Collocation - 4-1 iber Cross Connects			OLD 12, OLD46, ODI	CINCHI	7.59	31.29	35.07	15.41	10.49						<del>                                     </del>
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0012										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0018										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0309	04.00	22.00	40.44	40.05						
-+-	Virtual Collocation 2-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R2 VE1R4	0.0309	24.68 24.88	23.68 23.82	12.14 12.77	10.95 11.46						<del> </del>
CFA	Virtual Collocation 4-Ville Closs Collifect, Fort			OLFDD, OLFLX	VL IIX4	0.0019	24.00	25.02	12.77	11.40						<del></del>
	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.55									
Cable I	Records - Note: The rates in the First & Additional columns wil	II actua	lly be b			t S" respectivel										
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.37		379.70							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.65		11.84							
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.81		19.39							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.63		154.85							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		4.52		5.54							
Securit	Virtual collocation - Security escort, basic time, normally															-
	Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.98	21.53								
	normally scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.26	27.81								
	scheduled work day			AMTFS	SPTPX		54.54	34.09								1
Mainte																
-	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53								<del></del>
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
Entran	IVITUAL Collocation - Cable Installation Charge, per cable		ļ	AMTFS	ESPCX		1,729.11		45.16							
-+-	Virtual Collocation - Cable Installation Charge, per cable  Virtual Collocation - Cable Support Structure, per cable		-	AMTFS	ESPSX	17.38	1,729.11		45.16							<del>                                     </del>
OLLOCATION	N IN THE REMOTE SITE			,	201 0/	17.50										
Physic	cal Remote Site Collocation								İ							
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	610.00	617.78		338.89							
_	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
-	Physical Collocation in the Remote Site - Security Access - Key  Physical Collocation in the Remote Site - Space Availability  Report per Premises Requested			CLORS	PE1RD PE1SR		26.29									<del>                                     </del>

COLLOCAT	ΓΙΟΝ - Kentucky												Attachment:	4 Exh B		
	<u>,</u>										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
AILOOKI	NATE ELEMENTO	m		500	0000			Ι(ΑΤΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						 	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42				1	1				1
	Physical Collocation - Security Escort for Basic Time - normally		-	OLOIKO	LIKK		200.42									1
	scheduled work, per half hour			CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort for Overtime - outside of		-	CLUKS	FEIDI		33.90	21.33				-				-
	normally scheduled working hours on a scheduled work day,			0.000	DE 40 E											
	per half hour			CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.54	34.09								
Adjac	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
i						Ì					1					1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essarv	for adia	cent remote site col			gotiate appror	riate rates.								
	Al Remote Site Collocation				1		3									
VIII	Virtual Collocation in the Remote Site - Application Fee		-	VE1RS	VE1RB		615.60		337.70							1
	Virtual Collocation in the Remote Site - Application Fee	-	<del>                                     </del>	VETICO	VETIND		013.00		337.70		<b>†</b>	<b>†</b>			1	+
	Vistoral Collegation in the Bossets City. Box Box/Book of Conse			VE1RS	VE1RC	224.41										
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		1	VETRS	VETRU	224.41										1
	Virtual Collocation in the Remote Site - Space Availability Report			V=450												
	per Premises requested			VE1RS	VE1RR		231.82									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.13									
ADJACENT C	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
1						Ì					1					1
		l		UEANL.UEQ.UEA.U	1									1		
	Adjacent Collocation - 2-Wire Cross-Connects	l		CL, UAL, UHL, UDN	PE1JE	0.0258	24.68	23.68	12.14	10.95				1		
	Adjacent Collocation - 4-Wire Cross-Connects		t		PE1JF	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.37	44.23	31.98	12.81	11.57	1	1				1
	Adjacent Collocation - DS3 Cross-Connects	-	<del>                                     </del>	UE3	PE1JH	18.61	41.93	30.51	14.75	11.83	<b>†</b>	<b>†</b>			1	+
	Adjacent Collocation - 2-Fiber Cross-Connect		-		PE1JJ			30.51	14.76	11.84		-				-
			1	CLOAC		3.15	41.93									1
	Adjacent Collocation - 4-Fiber Cross-Connect	<b>-</b>	<u> </u>	CLOAC	PE1JK	6.02	51.29	39.87	19.41	16.49	1	<del>                                     </del>		ļ	ł	<del> </del>
	Adjacent Collocation - Application Fee	ļ	1	CLOAC	PE1JB		3,165.50				-	<b>.</b>			ļ	<b></b>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	l												1		
	per AC Breaker Amp	ļ	<u> </u>	CLOAC	PE1JL	5.44					1	1				
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	l				1		·	Ι Τ							
1	per AC Breaker Amp	l		CLOAC	PE1JM	10.88								1		1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate					ĺ										
	per AC Breaker Amp	l		CLOAC	PE1JN	16.32								1		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1								1			i	1	i e
	per AC Breaker Amp	l		CLOAC	PE1JO	37.68								1		
		1	1	ssion order.	L 100	51.00					1	1		1	1	1

COLLOCAT	ION - Louisiana												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			ļ		ļ	Rec	Nonrec		Nonrecurring					Rates(\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION		<del> </del>		-						+					-
Applic			1		+						+					
Аррис	Physical Collocation - Initial Application Fee		1	CLO	PE1BA		1,837.24				+					
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,533.41				1					
	Physical Collocation - Co-Carrier Cross Connects/Direct						1,000				1					
	Connect, Application Fee, per application			CLO	PE1DT		583.30									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		596.35		1.22							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		836.18		1.22							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1.22							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,418.00		1.22							
Space	Preparation															
	Physical Collocation - Floor Space, per sq feet		ļ	CLO	PE1PJ	5.30										
	Physical Collocation - Space Enclosure, welded wire, first 50			0.0	55.50	400.40										
	square feet		1	CLO	PE1BX	166.40					-					
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	184.50										
	Physical Collocation - Space enclosure, welded wire, each		1	CLO	PEIBW	184.50					+					
	additional 50 square feet			CLO	PE1CW	18.10										
	Physical Collocation - Space Preparation - C.O. Modification per		1	CLO	PEICW	10.10					+					1
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems		1	OLO	LIOK	2.01					+					
	Modifications-Cageless, per square foot			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems			020		2.70					1					1
	Modifications-Caged, per cage			CLO	PE1SM	91.60										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Availability Report, per Central				Ī											
	Office Requested			CLO	PE1SR		1,044.07									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	8.32										
	Physical Collocation - Power, 120V AC Power, Single Phase,				L											
	per Breaker Amp			CLO	PE1FB	5.45					ļ					
	Physical Collocation - Power, 240V AC Power, Single Phase,	l		CLO	PE1FD	10.92										
	per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	-	-	CLO	FEIFU	10.92										
	Breaker Amp	l		CLO	PE1FE	16.37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per	<del>                                     </del>	1	020		10.37			1		+			l	l	<b>H</b>
	Breaker Amp	l		CLO	PE1FG	37.80										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)			1 0	07.00					1					
				UEANL,UEQ,	1						Ì			l	l	
1		l		UNCNX, UEA, UCL,	1											
		l		UAL, UHL, UDN,	1											
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0318	11.94	11.46								
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0636	12.04	11.53								
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
ı I	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,	1						1					
	Collocation, provisioning	l	1	UEPDX	PE1P1	1.04	21.39	15.47	1		1			1	1	1

COLLO	CATI	ON - Louisiana												Attachment:	4 Evh B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)	I November 1	a Disconnect		Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
$\vdash$				ļ		+	Rec	Nonrec First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	13.21	20.28	14.76	Tillac	Addi	SOMEC	SOMAN	COMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.62	20.28	14.76								
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	4.65	24.81	19.29								
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
		Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0318 0.0636	11.94 12.04	11.46 11.53								
s	ecurit				סבו בא, סבו סס	1 21114	0.0000	12.04	11.00								
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.44	10.42								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.41	13.45								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System			CLO	PE1PT		26.38	16.49								
		Physical Collocation - Security Access System - Security System  Physical Collocation - Security Access System - New Card			CLO	PE1AY	0.0224										
		Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		22.64 13.01									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.01									
	FA	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.43									
	avie f	Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable			CLO	PE1CU	10.97										
		record Recurring Collocation Cable Records - VG/DS0 Cable, per each			CLO	PE1CE	5.29										
		100 pair Recurring Collocation Cable Records - DS1, per T1TIE Recurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1CT PE1C2 PE1C4	0.08 0.04 0.13										

COLLOCAT	ΓΙΟΝ - Louisiana												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs.	Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring							
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber			0.0	55400											
	records Physical Collocation, Cable Records, CAT5/RJ45		-	CLO CLO	PE1CG PE1C6	1.37 0.04					-					
Virtue	al to Physical			CLO	PETC6	0.04			-		+					
VIItua	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									-
	per DS3 Circuit			CLO	PE1BE		37.00									
Entra	nce Cable										<b>_</b>					
	Physical Collocation - Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		841.54									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	18.31										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.88									
VIRTUAL CO				CLO	PETED		3.00		1		1					
	cation										+					
- 1	Virtual Collocation - Application Fee			AMTFS	EAF		1,770.40									
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		583.30									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.97									
Space	e Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20					1					
Powe					50541/											
C====	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32			-		+					
Cross	S Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	<u> </u>	UEANL, UEA, UDN,							<b>+</b>					
				UAL, UHL, UCL,												
				UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46								
				UEA, UHL, UCL,												
				UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0591	12.04	11.53								
				ULR, UXTD1,												
				UNC1X, ULDD1,												
	March all and a Consist Assess O LINE			U1TD1, USLEL,												
	Virtual collocation - Special Access & UNE, cross-connect per			UNLD1, USL,	ONIOAY	4.04	04.00	45.47								
	DS1		-	UEPEX, UEPDX	CNC1X	1.04	21.39	15.47	+		1				-	ļ
				USL, UE3, U1TD3, UXTS1, UXTD3,												
				UNC3X, UNCSX,												
				ULDD3, U1TS1,												
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,												
1	DS3		1	UNLD3	CND3X	13.21	20.28	14.76	1	I	1	1		l	l	1

Virtual Collo  Virtual Collo Fiber Cable  Virtual Collo Copper/Coa  Virtual Collo Virtual Collo Virtual Collo Premises, p Cable Records  Virtual Collo Virtual Collo Virtual Collo 100 pair(LA Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Security  Virtual collo scheduled w Virtual collo normally sch Virtual collo scheduled w Maintenance Virtual colloc	RATE ELEMENTS  Illocation - 2-Fiber Cross Connects  Illocation - 4-Fiber Cross Connects  Illocation - Co-Carrier Cross Connects/Direct Connect -	Interi m	Zone	BCS  UDL12, UDL03, U1T48, U1T12.	USOC	· Rec	Nonrec	RATES(\$)		S	Submitted S Elec	Svc Order Submitted	Attachment: 4 Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svo
Virtual Collo  Virtual Collo Fiber Cable  Virtual Collo Copper/Coa  Virtual Collo Virtual Collo Premises, P  Cable Records  Virtual Collo Virtual Collo Virtual Collo Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Security  Virtual collo scheduled w Virtual collo scheduled w Maintenance Virtual collos	Illocation - 4-Fiber Cross Connects Illocation - Co-Carrier Cross Connects/Direct Connect -					Rec	Nonrec						Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Virtual Collo  Virtual Collo Fiber Cable  Virtual Collo Copper/Coa  Virtual Collo Virtual Collo Premises, Virtual Collo Premises, Virtual Collo Virtual Collo Virtual Collo Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Security Virtual collo scheduled w Virtual collo scheduled w Maintenance Virtual collo	Illocation - 4-Fiber Cross Connects Illocation - Co-Carrier Cross Connects/Direct Connect -					Rec	First		Nonrecurring Di		001450	0011411		Rates(\$)	001441	001141
Virtual Collo Fiber Cable  Virtual Collo Copper/Coa  Virtual Collo Virtual Collo Premises, pi Cable Records  Virtual Collo Fecord(LA or Virtual Collo Security  Virtual collo Scheduled w Virtual collo normally sch Virtual collo scheduled w Maintenance Virtual colloc	Illocation - Co-Carrier Cross Connects/Direct Connect -		ľ	U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.65	20.29	<b>Add'I</b> 14.76	First	Add'I :	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Fiber Cable  Virtual Collo Copper/Coa  Virtual Collo Virtual Collo Premises, p Cable Records  Virtual Collo Virtual Collo Virtual Collo Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Records(LA c Virtual Collo security Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Maintenance Virtual colloc				UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29								
Copper/Coa  Virtual Collo  Virtual Collo  CFA  Virtual Collo Premises, p  Cable Records  Virtual Collo Virtual Collo record(LA or Virtual Collo 100 pair(LA. Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo virtual Collo virtual Collo records(LA or Virtual Collo virtual Collo scheduled w Virtual colloc scheduled w Virtual colloc scheduled w  Maintenance Virtual colloc	le Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
Virtual Collo CFA  Virtual Collo Premises, p. Cable Records  Virtual Collo Virtual Collo record(LA or Virtual Collo 100 pair(LA) Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Security Virtual Collo scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Virtual colloc scheduled w Maintenance Virtual colloc	Illocation - Co-Carrier Cross Connects/Direct Connect - oax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
CFA Virtual Collo Premises, pi Cable Records Virtual Collo Virtual Collo Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Security Virtual collo scheduled w Virtual collo normally sot Virtual collo scheduled w Virtual collo scheduled w Virtual collo vormally sot Virtual collo scheduled w Maintenance Virtual colloc	Illocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0296	11.94	11.46								
Premises, pu Cable Records  Virtual Collo Virtual Collo record(LA or Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo Security  Virtual Collo scheduled w Virtual collo scheduled w Virtual collo scheduled w Virtual collo normally sch Virtual collo scheduled w Maintenance Virtual colloc	Illocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0591	12.04	11.53								
Virtual Collo Virtual Collo Virtual Collo record(LA or Virtual Collo 100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo records(LA or Virtual Collo security Virtual collo scheduled w Virtual collo normally sof Virtual collo scheduled w Maintenance Virtual collo	Illocation - CFA Information Resend Request, per per Arrangement, per request			AMTFS	VE1QR		77.43									
Virtual Collo record(LA or Virtual Collo 100 pair(LA virtual Collo Virtual Collo Virtual Collo Virtual Collo Virtual Collo records(LA or Virtual Collo Security Virtual Collo scheduled with Virtual collo normally schoduled with Virtual collo scheduled with Virtual collo scheduled with Virtual collo scheduled with Virtual collo scheduled with Virtual collo scheduled with Virtual collo virtual virtual virtual virtual collo virtual collo virtual vi	Illocation Cable Records - per request(LA only)	1		AMTFS	VE1BG	10.97							-			
100 pair(LA Virtual Collo Virtual Collo Virtual Collo Virtual Collo records(LA c Virtual Collo Security Virtual collor scheduled w Virtual collor normally sch Virtual collor scheduled w Maintenance Virtual collor	Illocation Cable Records - VG/DS0 Cable, per cable only)			AMTFS	VE1BH	5.29										
Virtual Collo Virtual Collo Virtual Collo records(LA c Virtual Collo Security Virtual colloc scheduled w Virtual colloc normally sch Virtual colloc scheduled w Maintenance Virtual colloc	Illocation Cable Records - VG/DS0 Cable, per each A only) Illocation Cable Records - DS1, per T1TIE(LA only)			AMTFS AMTFS	VE1BJ VE1BK	0.08 0.04										
Virtual Collo records(LA c Virtual Collo records(LA c Virtual Collo Security  Virtual colloo scheduled w Virtual colloo normally sch Virtual colloo scheduled w Maintenance  Virtual colloo Virtual colloo virtual collo	illocation Cable Records - DS1, per TTTE(LA only)	1	1	AMTFS	VE1BL	0.13					+					<b>—</b>
Security Virtual collor scheduled w Virtual collor normally sch Virtual collor scheduled w Maintenance Virtual collor	Illocation Cable Records - Fiber Cable, per 99 fiber A only)			AMTFS	VE1BM	1.37										
Virtual collog scheduled w Virtual collog normally sch Virtual collog scheduled w Maintenance Virtual collog	llocation Cable Records - CAT 5/RJ45 (LA only)			AMTFS	VE1B6	0.04										<b></b>
scheduled w Virtual collor normally sch Virtual collor scheduled w Maintenance Virtual collor	United the Committee of	<u> </u>	<u> </u>													<del></del>
normally sch Virtual collor scheduled w Maintenance Virtual collor	llocation - Security escort, basic time, normally d work hours llocation - Security escort, overtime, outside of			AMTFS	SPTBX		16.44	10.42			$\longrightarrow$					
Maintenance Virtual colloc	scheduled work hours on a normal working day llocation - Security escort, premium time, outside of a			AMTFS	SPTOX		21.41	13.45		-+						
Virtual colloc	d work day	1	<u> </u>	AMTFS	SPTPX		26.38	16.49		$\longrightarrow$			$\longrightarrow$			<del></del>
Virtual colloc	llocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42								
	llocation - Maintenance in CO - Overtime, per half hour	-		AMTFS	SPTOM		35.42	13.45		$\longrightarrow$	$\longrightarrow$					
	location - Maintenance in CO - Premium per half hour	1	ļ	AMTFS	SPTPM		43.72	16.49						,		<b></b>
Entrance Cable	Heaville College College	1	<u> </u>	ANATEO	FORCY		644.5							,		<b>—</b>
	Illocation - Cable Installation Charge, per cable	<del> </del>	<b>!</b>	AMTES	ESPCX	16.02	841.54			$\longrightarrow$	$\longrightarrow$		$\longrightarrow$			<b>——</b>
OLLOCATION IN THE REI	ellocation - Cable Support Structure, per cable	1	<del>                                     </del>	AMTFS	ESPSX	16.02				+	$\longrightarrow$		$\longrightarrow$			<del>                                     </del>
Physical Remote Si		+	<del>                                     </del>		<del>                                     </del>					+	$\longrightarrow$	<del></del>	<del></del>			<del></del>
		1	t	CLORS	PE1RA		298.80			<del></del>	<del></del>					
				CLORS	PE1RB	225.39					=					
Physical Col Physical Col	Collocation in the Remote Site - Application Fee ipace in the Remote Site per Bay/ Rack	<u> </u>		CLORS	PE1RD		13.01				$\longrightarrow$					

COLLOCAT	ΓΙΟΝ - Louisiana												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		1	CLORS	PE1RR		233.21									
	Physical Collocation - Security Escort for Basic Time - normally															1
	scheduled work, per half hour			CLORS	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort for Overtime - outside of															1
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort for Premium Time -															i e
	outside of scheduled work day, per half hour			CLORS	PE1PT		26.38	16.49								
Adiac	ent Remote Site Collocation			020110			20.00	10.10								
,	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								i e
																i e
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Tromoto one riajacom conceanon Troat Estato, per equalo rect		1	020110		0.101			<b>+</b>							<del>                                     </del>
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'I Engineering Fees become nec	occary:	for adi:				antiste annror	riato ratos								<del>                                     </del>
	Remote Site Collocation	cooai y	l auje	l lent remote site cor	I	l aities will lie	gotiate approp	niate rates.								<del>                                     </del>
Viituu	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		614.73		336.08							<del>                                     </del>
	Virtual Collocation in the Remote Site - Application Lee		1	VEIRO	VEIRD		014.73		330.00						1	
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	257.01										
	Virtual Collocation in the Remote Site - Space Availability Report		1	VLING	VLIKC	237.01									1	
	per Premises requested			VE1RS	VE1RR		231.49									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code	-	-	VLING	VLIKK		231.45				-			-		<del> </del>
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.02									
D IACENT C	COLLOCATION			VETRS	VETRL		75.02		+							<del>                                     </del>
DJACENI C	Adjacent Collocation - Space Charge per Sq. Ft.		-	CLOAC	PE1JA	0.0552										<del>                                     </del>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.		-	CLOAC	PE1JA PE1JC	5.61										<del>                                     </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	-		CLUAC	PEIJC	0.01										
		l		LIEANI LIEO LIEA LI	1											
	Adianat Callantina 2 Win Carro Carrotta	l		UEANL,UEQ,UEA,U	DE4 IE	0.0045	44.04	44.40								
<del></del>	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects	-	<b>!</b>	CL, UAL, UHL, UDN UEA.UHL.UDL.UCL		0.0245 0.0491	11.94 12.04	11.46 11.53			-			<del>                                     </del>	1	-
		-														
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.9605	21.39	15.47								<b>.</b>
-+	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	UE3	PE1JH	13.01	20.28	14.76			<b>.</b>				1	
	Adjacent Collocation - 2-Fiber Cross-Connect	<u> </u>	1	CLOAC	PE1JJ	2.20	20.28	14.76	-						ļ	<b></b>
-+	Adjacent Collocation - 4-Fiber Cross-Connect		<u> </u>	CLOAC	PE1JK	4.21	24.81	19.29			<b>.</b>				1	<b>├</b>
	Adjacent Collocation - Application Fee	<u> </u>	1	CLOAC	PE1JB		1,543.20		-						ļ	<b>↓</b>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	l		0.0.0												1
	per AC Breaker Amp	ļ	ļ	CLOAC	PE1JL	5.45					ļ					<b></b>
1	Adjacent Collocation - 240V, Single Phase Standby Power Rate	l			L											1
	per AC Breaker Amp			CLOAC	PE1JM	10.92									ļ	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	l														
	per AC Breaker Amp			CLOAC	PE1JN	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	l			1											
	per AC Breaker Amp			CLOAC	PE1JO	37.80										
Note:	Rates displaying an "I" in Interim column are interim as a resu	ilt of a (	Commi	ssion order.					1			l		I	1	

COLLOCAI	ION - Mississippi												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	N L OCATION										1				-	
Applic			1													<del>                                     </del>
7.66	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38									1
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,575.69									
	Physical Collocation - Co-Carrier Cross Connects/Direct					İ	·									1
	Connect, Application Fee, per application			CLO	PE1DT		583.13									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		597.34		1.22							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		837.57		1.22							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,063.00		1.22							
C	Physical Collocation - Application Cost - Major Augment	-	<del>                                     </del>	CLO	PE1KJ		2,422.00		1.22		<u> </u>				<del>                                     </del>	<del>                                     </del>
Space	Preparation Physical Collocation - Floor Space, per sq feet		<b>!</b>	CLO	PE1PJ	5.74			<u> </u>		<del>                                     </del>				<del>                                     </del>	<del>                                     </del>
	Physical Collocation - Proof Space, per sq feet  Physical Collocation - Space Enclosure, welded wire, first 50			CLO	PEIPJ	5.74					1				-	
	square feet			CLO	PE1BX	165.23										
	Physical Collocation - Space enclosure, welded wire, first 100			OLO	LIDA	100.20										1
	square feet			CLO	PE1BW	183.20										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	17.97										
	Physical Collocation - Space Preparation - C.O. Modification per															ĺ
	square ft.			CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	85.67										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		604.19									
	Physical Collocation - Space Availability Report, per Central															Ī
	Office Requested			CLO	PE1SR		1,081.40									
Power																1
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	7.33										
	Physical Collocation - Power, 120V AC Power, Single Phase,										1				t	<u> </u>
	per Breaker Amp			CLO	PE1FB	5.29										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.58										
	Physical Collocation - Power, 120V AC Power, Three Phase, per					10.56										
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	15.87										ļ
	Breaker Amp			CLO	PE1FG	36.65										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		OLO	12110	00.00										1
0.000				UEANL.UEQ.							1				t	<u> </u>
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning		<u> </u>	UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,											1	
	Collocation, provisioning	l		UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	1				I	

COLLOCA	TION - Mississippi												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		L			Rates(\$)		
			1	LIEG LIATEG			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB,	PE1P3	14.49	21.01	15.29	7.61	6.10						
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F2	2.87	21.01	15.29	7.61	6.10						
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	5.10	25.70	19.97	10.01	8.50						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020	1 2 1 2 0	0.001										
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
				UEPSR, UEPSP, UEPSE, UEPSB,												
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port		-	UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0288 0.0576	12.37 12.47	11.87 11.94	6.04 6.59	5.45 5.91		15.75 15.75			-	
Secu			-	UEPEX, UEPDD	PE IR4	0.0576	12.47	11.94	6.59	5.91		15.75			-	
000	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.32	17.08								
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	75.23	21.32	17.00								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0576	27.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.84									
	Stolen Card, per Card			CLO	PE1AR		22.91									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		13.17									
	Stolen Key, per Key			CLO	PE1AL		13.17									
CFA	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.41									
Cabl	le Records - Note: The rates in the First & Additional columns wi	II actua	illy be			ent S" respectiv									<del>                                     </del>	
	Physical Collocation - Cable Records, per request			CLO	PE1CR		I 763.69	S 490.94	133.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		328.81		190.22							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		4.84 2.27		5.93 2.78							
. 1	Physical Collocation, Cable Records, DS1, per 11 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE		-	CLO	PE1C1		7.92		9.72		1				ļ	<b>↓</b>

COLLOCAT	TON - Mississippi								-	-			Attachment:	4 Exh B		1
ATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable			0.0	55405		0.4.00									
	record (maximum 99 records)		<u> </u>	CLO CLO	PE1CB		84.98		77.58							ļ
V: mt	Physical Collocation, Cable Records, CAT5/RJ45  I to Physical		-	CLO	PE1C5		2.27		2.78							-
virtua	Physical Collocation - Virtual to Physical Collocation Relocation,				-											<del>                                     </del>
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS											
_	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,						33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									<b>.</b>
Entrar	nce Cable		1		-											<del> </del>
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		926.27		22.62							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.42										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.89									
IRTUAL COL	LOCATION															
Applic																
	Virtual Collocation - Application Fee			AMTFS	EAF		1,212.25		0.51							ļ
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		583.13									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		740.76									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74										
Power																
	Virtual Collocation - Power, per fused amp	L.,_		AMTFS	ESPAX	7.33										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX,	UEAC2	0.0268	12.37	11.87		5.45						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning  Virtual Collocation - Special Access & UNE, cross-connect per			UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL,	UEAC4	0.0536	12.47	11.94	6.59	5.91						
	DS1  Virtual collocation - Special Access & UNE, cross-connect per DS3			UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CNC1X  CND3X	1.14	22.16	16.02		5.97						

COLLOCAT	ION - Mississippi												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50						
	Virtual Collection 4 1 Ibol Closs Collinetts			OLD 12, OLD 10, OD1	0110-11	0.02	20.70	10.01	10.01	0.00						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
	No. 10 No			UEPSX, UEPSB, UEPSE, UEPSP,	VE4D0	0.0000	40.07	44.07	0.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSR, UEP2C UEPDD, UEPEX	VE1R2 VE1R4	0.0268 0.0536	12.37 12.47	11.87 11.94	6.04 6.59	5.45 5.91						
CFA	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE IK4	0.0536	12.47	11.94	0.59	5.91						
0.7	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.41									
Cable	Records - Note: The rates in the First & Additional columns wi	II actua	lly be b			t S" respectivel										
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BA		763.69	490.94	133.77							
	virtual Collocation Cable Records - VG/DSU Cable, per cable record  Virtual Collocation Cable Records - VG/DSU Cable, per cable			AMTFS	VE1BB		328.81		190.22							
	100 pair			AMTFS	VE1BC		4.84		5.93							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98		77.58							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.27		2.78							
Securi																
	Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		17.02	10.79								
	normally scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		22.17	13.94								
	scheduled work day			AMTFS	SPTPX		27.32	17.08								
Mainte	enance															
	Virtual collocation - Maintenance in CO - Basic, per half hour		<u> </u>	AMTFS	CTRLX		28.09	10.79			-					ļ
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08	I							
Entran	ice Cable															
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		926.27		22.62							
OLL OCATIO	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	15.24										-
	N IN THE REMOTE SITE cal Remote Site Collocation		-			-			<del>                                     </del>		-					-
FilySic	Physical Collocation in the Remote Site - Application Fee		<b>-</b>	CLORS	PE1RA		309.48		168.63							<del>                                     </del>
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05	303.40		100.03		<b>-</b>					1
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	1.0.00	13.17									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54									

COLLOCAT	ION - Mississippi												Attachment:	4 Exh B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec					
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
															D130 131	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
	Physical Collocation - Security Escort for Basic Time - normally															İ
	scheduled work, per half hour			CLORS	PE1BT		17.02	10.79								
			-	CLORG	FLIDI	-	17.02	10.79			-	-		<b>-</b>	<b>-</b>	<b>-</b>
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		22.17	13.94							<u> </u>	
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.32	17.08				1				1
Adiac	ent Remote Site Collocation															
Aujuo	Remote Site-Adjacent Collocation-Application Fee		<del>                                     </del>	CLORS	PE1RU		755.62	755.62								1
	Remote Site-Adjacent Conocation-Application Fee		1	CLORS	FLIKU		755.02	733.02			-	-		<del>                                     </del>	1	1
				01.000	DE / DE											
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essarv f	or adia	cent remote site col	ocation, the	Parties will ne	gotiate approp	riate rates.						1		
	I Remote Site Collocation		1				9									
VIIItuu	Virtual Collocation in the Remote Site - Application Fee		<u> </u>	VE1RS	VE1RB		309.48		168.63					1		
	Virtual Collocation in the Remote Site - Application ree		-	VLIKS	VLIND		309.40		100.03							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	210.05										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		116.54									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.77									
LA OFNIT O			<u> </u>	VEIRO	VEIKL		31.11								-	-
DJACENI C	OLLOCATION		<u> </u>													
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
1				UEANL.UEQ.UEA.U								1				1
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PF1.IF	0.0223	12.37	11.87	6.04	5.45		1				l
	Adjacent Collocation - 2-Wire Cross-Connects	-	<del>                                     </del>		PE1JF						<del></del>	<del></del>		<del>                                     </del>	<del> </del>	1
			├			0.0446	12.47	11.94	6.59	5.91	-	-		<del>                                     </del>	+	-
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.05	22.16	16.02	6.60	5.97					ļ	ļ
	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	UE3	PE1JH	14.27	21.01	15.29	7.61	6.10	<u> </u>	<u> </u>		<u> </u>	<u> </u>	
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.42	21.01	15.29	7.61	6.10						1
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1.585.83		12.01	2.00		1				
-+	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate	<b>-</b>	<del>                                     </del>	020/10	100		1,000.00		<del>                                     </del>		1			<del> </del>	<del> </del>	<del>                                     </del>
1		1	I	CLOAC	PE1JL	5.29					1					l
	per AC Breaker Amp		<u> </u>	CLUAC	FEIJL	5.29										ļ
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	1	I								1					l
	per AC Breaker Amp		Ш_	CLOAC	PE1JM	10.58					<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JN	15.87						1				1
-+	Adjacent Collocation - 277V, Three Phase Standby Power Rate	<b>-</b>	<b>†</b>		1011	.0.01					l	<b>I</b>			<del> </del>	<del>                                     </del>
				CLOAC	PE1JO	36.65						1				1
	per AC Breaker Amp				PETJU	36.65										
	Rates displaying an "I" in Interim column are interim as a resu	ut of a (	commis	ssion order.	l	i			1 1		1	1	1	1	1	1

COLLOCAT	ION - North Carolina												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
					1	Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO			1		+						+					
Applic	Physical Collocation - Initial Application Fee		1	CLO	PE1BA		2,322.00				+					
	Physical Collocation - Subsequent Application Fee		-	CLO	PE1CA		2,311.00				+					1
+	Physical Collocation - Subsequent Application ree  Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	FLICA		2,311.00				+					1
	Connect, Application Fee, per application			CLO	PE1DT		317.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44				1					1
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		269.83		1.15		1					1
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		493.40		1.15							
	Physical Collocation - Application Cost, Intermediate Augment		1	CLO	PE1K1		1,012.00		1.15							
	Physical Collocation - Application Cost - Major Augment		i –	CLO	PE1KJ		2,343.00		1.15							
Space	Preparation															
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	2.69										
	Physical Collocation - Space Enclosure, welded wire, first 50							-								
	square feet			CLO	PE1BX		534.44									
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW		25.37									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.42										
	Physical Collocation - Space Preparation, Common Systems			01.0	DE 401	0.00										
	Modifications-Cageless, per square foot			CLO	PE1SL	2.88					1					
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	97.98										
	Physical Collocation - Space Preparation - Firm Order			CLO	PETSIVI	97.98					+					-
	Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Availability Report, per Central		-	CLO	FLISS		1,190.00				+					1
	Office Requested			CLO	PE1SR		2,140.00									
Power			1	OLO	LIOK		2,140.00				+					
1 0 11 0 1	Physical Collocation - Power, -48V DC Power - per Fused Amp				1						1					
	Requested			CLO	PE1PL	7.65										
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	5.50										
1	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	11.01								<u> </u>	<u> </u>	
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp		<u> </u>	CLO	PE1FE	16.51										
1	Physical Collocation - Power, 277V AC Power, Three Phase, per				L											
	Breaker Amp		<u> </u>	CLO	PE1FG	38.12										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	<u> </u>	LIEANII LIEO	+						1			<b> </b>	<b> </b>	-
				UEANL,UEQ,	1											
				UNCNX, UEA, UCL,	1											
1	Physical Collocation - 2-wire cross-connect, loop, provisioning			UAL, UHL, UDN, UNCVX	PE1P2	0.0309	19.77	14.95								
+	Emysical Collocation - z-wire cross-connect, loop, provisioning		<del>                                     </del>	UEA, UHL, UNCVX,	r=172	0.0309	19.77	14.95	+		+			<b> </b>	<b> </b>	<del>                                     </del>
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0618	19.95	15.05								
	1 Hydrodi Concoditori - 4-wire cross-corinect, roop, provisioning	<b>-</b>	<b>†</b>	WDS1L, WDS1S,	1 11 -	0.0010	19.93	15.05			<b>†</b>					
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
1	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,	1											
														i	i	1

ATTENDED   No.   AND	COLLOCAT	ION - North Carolina												Attachment:	4 Fxh B	1	
STATE   STAT				Zone	BCS	USOC			.,			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
DES. UPTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS, ULCO, UTTS,							Rec					001150	0011411			001111	001111
Physical Collocation - 2-Fiber Cross-Cornect		Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP	PE1P3	17.62			FIISL	Addi	SOWIEC	SUMAN	SUMAN	SOMAN	SOMAN	SUMAN
LUSAR, UTTO3.   UTT		Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	3.50	38.25	21.94								
Connect - Filer Cable Support Structure, per linear foot, per clable coable.   CLO   FETES   0.0028   CLO   CLO   FETES   0.0028   CLO   FETES   0.0028   CLO   FETES   0.0028   CLO   CLO   FETES   0.0028   CLO   CLO   FETES   0.0028   CLO   CLO   FETES   0.0028   CLO   CLO   FETES   0.0028   CLO					ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F4	6.20	43.96	26.17								
Physical Collocation - Co-Carrier Cross Connect/ Interf Connect Conn		Connect - Fiber Cable Support Structure, per linear foot, per			CLO	DE1ES	0.0028										
Physical Collocation 2-Wire Cross Connect, Port   ULPRSX, LEPSR, UPED   PEIR2   0.0309   19.77   14.95   26.94   12.76		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per															
Security Physical Collocation - Security Escort for Basic Time - normally Scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour CLO PETOT 43.87 27.57 Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour CLO PETOT 43.87 27.57  Physical Collocation - Security Security Escort for Premium Time - outside of scheduled work day, per half hour CLO PETOT 43.87 27.57  Physical Collocation - Security Access System - Repuilty System per Central Office, per Sq. Ft. CLO PETAY 0.0135 Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Change, existing Access Card, per Request, per State, per Card Change, existing Access Card, per Request, per State, per Card Stolen Card, per Card Physical Collocation - Security Access System - Repuest per State, per Card Stolen Card, per Card Physical Collocation - Security Access Initial Key, per Key CLO PETAR 15.00 Physical Collocation - Security Access - Ney, Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Ney, Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Ney, Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Ney, Replace Lost or Stolen Key, per Key CLO PETAR 15.00 PHysical Collocation - Security Access - Ney, Replace Lost or Stolen Key, per Key CLO PETAR 15.00 PHysical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PETCR 11458 S 937.29 245.00 Physical Collocation - Cable Records, ViG/DSO Cable, per cable record (maximum 3600 records) CLO PETCD 8.77 8.77 10.32 10.32 Physical Collocation, Cable Records, ViG/DSO Cable, per cable record (maximum 3600 records) CLO PETCD 8.77 8.77 10.32 10.32 Physical Collocation, Cable Records, St. Per T1 TIE CLO PETCD 8.77 4.78 PACCEDIANC CARDER RECORDS, DESCRIPTION CARD CARD CARD CARD CARD CARD CARD CARD					UEPSE, UEPSB, UEPSX, UEP2C												
Scheduled work, per half hour	Securi				OLI LX, OLI DD	I E IIV4	0.0010	19.95	13.03					20.34	12.70		<b>—</b>
normally scheduled working hours on a scheduled work day, per half hour characteristic per half hour ch		scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
Outside of scheduled work day, per half hour		normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		43.87	27.57								
Der Cantral Office, per Sq. Ft.		outside of scheduled work day, per half hour			CLO	PE1PT		54.06	33.80								
Activation, per Card Activation (First), per State		per Central Office, per Sq. Ft.			CLO	PE1AY	0.0135										
Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1CS Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) CLO PE1CD P		Activation, per Card Activation (First), per State			CLO	PE1A1	0.0622	15.00									
Stolen Card, per Card		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.51									
Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO  PE1C9  PE1C9  77.48  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO  PE1C9  77.48  Physical Collocation - Cable Records, per request  CLO  PE1C9  77.48  Physical Collocation - Cable Records, per request  CLO  PE1CP  77.48  Physical Collocation - Cable Records, vG/DSO Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  CLO  PE1CD  8.77  8.77  10.32  10.32  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1C1  4.35  4.35  5.11  5.11		Stolen Card, per Card															
Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO PE1CR I 1458 S 937.29 245.00 245.00  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CD 622.69 622.69 346.35 346.35  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CO 8.77 8.77 10.32 10.32  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.35 4.35 5.11 5.11		Physical Collocation - Security Access - Key, Replace Lost or															
Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively    Physical Collocation - Cable Records, Per request   CLO   PE1CR   I 1458   S 937.29   245.00   245.00   245.00     Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)   CLO   PE1CD   622.69   622.69   346.35   346.35     Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair   CLO   PE1CD   8.77   8.77   10.32   10.32     Physical Collocation, Cable Records, DS1, per T1 TIE   CLO   PE1C1   4.35   4.35   5.11   5.11		premises, per arrangement, per request						77.48									
Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	Cable		II actua	lly be b			ent S" respectiv										
Physical Collocation, Cable Records, VG/DS0 Cable, per each   100 pair   CLO   PE1CO   8.77   8.77   10.32   10.32     Physical Collocation, Cable Records, DS1, per T1 TIE   CLO   PE1C1   4.35   4.35   5.11   5.11     CLO   PE1C1   CLO		Physical Collocation, Cable Records, VG/DS0 Cable, per cable															
Physical Collocation, Cable Records, DS1, per T1 TIE         CLO         PE1C1         4.35         4.35         5.11         5.11		Physical Collocation, Cable Records, VG/DS0 Cable, per each															

Version: 2Q05 Standard ICA 08/09/05

COLLOCAT	TON - North Carolina												Attachment:	4 Exh B	_	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable			0.0	55405											
	record (maximum 99 records)  Physical Collocation, Cable Records, CAT5/RJ45		-	CLO CLO	PE1CB PE1C5		163.61 2.27	163.61	143.32 2.78	143.32						
Virtuo	Physical Collocation, Cable Records, CA15/RJ45		-	CLO	PETCS		2.21		2.78					-		
Viitua	Physical Collocation - Virtual to Physical Collocation Relocation,		1	<u> </u>	-						1				-	
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	LIDI		20.00		1						1	
	Per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	nce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		1,233.00									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	20.57										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.79									
VIRTUAL COL	LOCATION															
Applic	cation															Ì
	Virtual Collocation - Application Fee			AMTFS	EAF		1,195.00									
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		317.20									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.44									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	2.69										
Power			-	AMTFS	ESPAX	7.65					1			-	1	<del>                                     </del>
Cross	Virtual Collocation - Power, per fused amp  Connects (Cross Connects, Co-Carrier Cross Connects, and P	Orte)	<del>                                     </del>	MINITO	LOPAX	7.05			+		<del>                                     </del>			1	<del>                                     </del>	<del>                                     </del>
0.000	Virtual Collocation - 2-wire cross-connect, loop, provisioning	,		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95								
				UEA, UHL, UCL, UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX ULR, UXTD1,	UEAC4	0.0449	19.95	15.05								
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.4195	39.15	23.20								
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.41	38.25	21.94								

ATEGORY	ON - North Carolina  RATE ELEMENTS	Interi m	Zone	BCS	usoc							Svc Order Submitted	Attachment: Incremental Charge -		Incremental Charge -	Incrementa Charge -
			1			,	Nonred	RATES(\$)	Nonrecurrina	Disser	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic Disc Add'l
					-	Rec	First				COMEC	COMAN			COMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.96	38.25	<b>Add'I</b> 21.94	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.93	43.96	26.17								
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0041										
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSR, UEP2C UEPDD, UEPEX	VE1R2 VE1R4	0.0225	19.77	14.95								
CFA	Virtual Collocation 4-wire Cross Connect, Port  Virtual Collocation - CFA Information Resend Request, per			UEPDD, UEPEX	VE1R4	0.0449	19.95	15.05								
	Premises, per Arrangement, per request		lli. ba b	AMTFS	VE1QR	t Cll naam aatius	77.48									<b>—</b>
Cable R	ecords - Note: The rates in the First & Additional columns will Virtual Collocation Cable Records - per request	actua	ily be b	AMTFS	VE1BA	t 5" respectivel	y 1,458.00	937.29	245.00	245.00		-				<del>                                     </del>
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		622.69	622.69	346.35	346.35						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		8.77 4.35	8.77 4.35	10.32 5.11	10.32						
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS AMTFS	VE1BE VE1BF		15.22	15.22	17.90	17.90 143.32						
Security	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		4.35	4.35	5.11	5.11						
	Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.68	21.34								
	virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		43.87	27.57								
Mainten	scheduled work day			AMTFS	SPTPX		54.06	33.80								<b>—</b>
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.03	21.22								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		69.48	27.81								
Entranc	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		86.94	34.40								<del>                                     </del>
Littrafic	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,233.00									
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	13.28										
	IN THE REMOTE SITE I Remote Site Collocation															<del>                                     </del>
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		589.38		258.38							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	218.07	300.00		200.00							
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD PE1SR		15.00									

COLLOCA	TION - North Carolina												Attachment:			
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.65									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
	Physical Collocation - Security Escort for Basic Time - normally										İ					
	scheduled work, per half hour			CLORS	PE1BT		33.68	21.34								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
Δdiac	cent Remote Site Collocation			ozoo			01.00	00.00			1					
710,00	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Tremete ene rajacent conceanon reprisanen rec			020110			700.02	700.02								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Tremote one rajacent conceation. Treat Estate, per square root			CLOTTO	LIKI	0.104										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	E: If Security Escort and/or Add'I Engineering Fees become nec	occory.	for adia				actiate approp	riato ratos			1				1	
	al Remote Site Collocation	essai y	l auja	Telliote site col	l	raities will lie	gotiate approp	nate rates.			1				1	
VIItue	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		589.38		258.38		1	-			1	-
	Virtual Collocation in the Remote Site - Application Lee	-	-	VLING	VLIND		309.30		230.30		<b>-</b>	-				-
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	218.07										
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report	-		VEIRO	VEIRC	210.07					-				1	
	per Premises requested			VE1RS	VE1RR		215.55									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VEIRO	VEIRK		215.55									
				\/E4D0	VE4DI		70.05									
AD IA OFNE	Request, per CLLI Code Requested	-		VE1RS	VE1RL		70.65									
ADJACENT C	COLLOCATION	-		01.040	DEATA	0.4555										
	Adjacent Collocation - Space Charge per Sq. Ft.	-		CLOAC	PE1JA	0.1555										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects		<b>!</b>	CL, UAL, UHL, UDN		0.0239	19.77	14.95							ļ	
	Adjacent Collocation - 4-Wire Cross-Connects		ļ	UEA,UHL,UDL,UCL		0.0477	19.95	15.05				ļ				
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.28	39.15	23.20			ļ				ļ	
	Adjacent Collocation - DS3 Cross-Connects		L	UE3	PE1JH	17.35	38.25	21.94			1					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.94	38.25	21.94								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	5.62	43.96	26.17								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,266.00		0.5842		1					
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			<u> </u>										l		
	per AC Breaker Amp			CLOAC	PE1JL	5.50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate							_								
	per AC Breaker Amp		L	CLOAC	PE1JM	11.01										<u> </u>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate						İ		İ							
	per AC Breaker Amp			CLOAC	PE1JN	16.51										
İ	Adjacent Collocation - 277V, Three Phase Standby Power Rate			İ	i											
	per AC Breaker Amp			CLOAC	PE1JO	38.12						1				
	Rates displaying an "I" in Interim column are interim as a resu		·		<del> </del>				·		t	t		l	t	

COLLOCAT	ION - South Carolina						I						Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	v Dissonne	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I  Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1		FIISL	Add I	FIISL	Add I	SOIVIEC	SUWAN	SOWAN	SOWAN	SOWAN	SOWAN
PHYSICAL CO	LLOCATION		<u> </u>													
Applic											1					
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,883.67		0.51							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,570.10		0.51							
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application			CLO	PE1DT		584.42									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application Cost, Minor Augment		<u> </u>	CLO	PE1KM		833.26		1.21		<b></b>			<b> </b>	<b> </b>	
	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment		<u> </u>	CLO CLO	PE1K1 PE1KJ		1,058.00 2,409.00		1.21		<del>                                     </del>					
Space	Preparation - Application Cost - Major Augment  Preparation	<b>-</b>	<del>                                     </del>	OLU	FEINJ		∠,409.00		1.21		<b> </b>			<b> </b>	<b> </b>	-
эрасе	Physical Collocation - Floor Space, per sq feet		<del>                                     </del>	CLO	PE1PJ	3.95			1		<del>                                     </del>			l	l	
	Physical Collocation - Thou Space, per squeet  Physical Collocation - Space Enclosure, welded wire, first 50		<del>                                     </del>	0_0		5.35			+		1					
	square feet			CLO	PE1BX	197.69										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	219.19										
	Physical Collocation - Space enclosure, welded wire, each										1					
	additional 50 square feet			CLO	PE1CW	21.50										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.75										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems			0.0	55.01.											
-	Modifications-Caged, per cage			CLO	PE1SM	110.16					1					-
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		602.05									
	Physical Collocation - Space Availability Report, per Central		-	CLO	PEIOJ		602.05				1					
	Office Requested			CLO	PE1SR		1,077.57									
Power			1	OLO	LIOK		1,077.37									
	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	9.19										
	Physical Collocation - Power, 120V AC Power, Single Phase,										1					
	per Breaker Amp			CLO	PE1FB	5.67										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp		<u> </u>	CLO	PE1FD	11.36					ļ					
	Physical Collocation - Power, 120V AC Power, Three Phase, per						$\neg$									
	Breaker Amp		<u> </u>	CLO	PE1FE	17.03					ļ					
	Physical Collocation - Power, 277V AC Power, Three Phase, per			01.0	DE4E0	00.00										
0	Breaker Amp	orts'	<del>                                     </del>	CLO	PE1FG	39.33					<u> </u>					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	<del>                                     </del>	UEANL.UEQ.							<b> </b>					
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
	2 mo cross comics, resp, providenting		t	UEA, UHL, UNCVX,		0.0041	.2.02	00	3.04	3.40						
	Physical Collocation - 4-wire cross-connect, loop, provisioning		1	UNCDX, UCL, UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
1	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,												
	Collocation, provisioning	l		UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80	1			1	1	1

CATEGORY   SATE ELEMENTS   Same   SCS   USOC   SATES																	
ATE SEMBLYS  RATE SEMBLY  RATE SEMBLYS  RATE SEMBLYS  RATE SEMBLYS  RATE SEMBLYS  RATE SEMBLYS  RATE SEMBLYS  RATE SEMBLY  RATE SEMBL	COLLOCAT	ION - South Carolina															
SEC 1977    No.   Pieze   Add   Pieze   Add   Pieze   Add   SOMEO   SOMAN	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
Substitution						1	I	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	1
UNTO 3, UTTS 1							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Build Collection - 2-Flee Cross Connect		Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP	PE1P3	14.21	20.94	15.23	7.39	5.93						
ULDOS, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03, ULD13, ULD03,		Physical Collocation - 2-Fiher Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1E2	2 82	20 94	15 23	7 40	5 93						
Physical Coloration - Co-Carrier Oreas Connects/Direct Connect					ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
Connect - Feer Cable Support Structure, per linear tool, per cable support sup				<b>†</b>	ODI, ODI OX	1 = 11 4	5.01	23.01	13.30	5.13	0.20	<b>-</b>					
Cupper/Coax Cable Support Structure, per linear foot, per cable.   CLO   PEIDS   0.0015		Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
Cable   CLO   PEIDS   0.0015																	
Physical Cellocation 2-Wire Cross Connect, Port   ULPPSX, LEPSB,   ULPPSX, LEPSC   PE1R2   0.0341   12.32   11.83   6.04   5.45   15.69						PE1DS	0.0015										
Security Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Secort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Secort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per half hour Physical Collocation - Security Access System, Security System, Security System, per half hour Physical Collocation - Security Access System - New Card Physical Collocation - Security Access System - New Card Physical Collocation - Security Access System - New Card Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stoten Card, per Card Physical Collocation - Security Access System - Replace Lost or Stoten Card, per Card Physical Collocation - Security Access System - Replace Lost or Stoten Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - CFA Information Resend Request, per Judicial Physical Collocation - CFA Information Resend Request, per Judicial Physical Collocation - CFA Information Resend Request, per Judicial Physical Collocation - CFA Information Resend Request per Judicial Collocation - CFA Information Resend Request per Judicial Collocation - CFA Information Resend Request per Judicial Collocation - CFA Information Resend Request per Judicial Collocation - CFA Information Resend Request per Judicial Collocation - CFA Information Resend					UEPSE, UEPSB, UEPSX, UEP2C												
Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour CLO PETOT 22.10 13.89 Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour CLO PETOT 27.23 17.02 PETOT 27.25 PETOT 27.25 PETOT 27.25 PETOT 27.25					UEPEX, UEPDD	PE1R4	0.0682	12.42	11.90	6.40	5.74		15.69				
scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time- outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Clo PE1AX 74.72 Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - New Card Stolen Card, per Card Physical Collocation - Security Access System - New Card CLO PE1AX 7.81 Physical Collocation - Security Access System - New Card CLO PE1AA 7.81 Physical Collocation - Security Access System - New Card Physical Collocation - Security Access System - New Card CLO PE1AA 7.81 Physical Collocation - Security Access System - New Card Physical Collocation - Security Access System - New Card CLO PE1AA 7.81 Physical Collocation - Security Access System - New Card CLO PE1AA 13.13 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AA 13.13 Physical Collocation - Security Access - Ney, Replace Lost or CLO PE1CO 77.71 Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1CO 327.65 Physical Collocation - Cable Records, per request CLO PE1CO 327.65 Physical Collocation - Cable Records, VGI/DSO Cable, per cable Physical Collocation, Cable Records, VGI/DSO Cable, per cable Physical Collocation, Cable Records, VGI/DSO Cable, per cable Physical Collocation, Cable Records, VGI/DSO Cable, per cable Physical Collocation, Cable Records, School Cable, per cable Physical Collocation, Cable Records,	Secur																
per half hour physical Collocation - Security Escort for Premium Time - CLO PE1DT 22.10 13.89 private and collocation - Security Escort for Premium Time - CLO PE1DT 27.23 17.02 private and scheduled work day, per half hour CLO PE1DT 27.23 17.02 private and collocation - Security Access System, Security System, per Central Office CLO PE1AX 74.72 private CLO PE1AX 7		scheduled work, per half hour			CLO	PE1BT		16.96	10.75								
Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Activation, per Card Activation (First), per State Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.13 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CFA Physical Collocation - CFA Information Resend Request, per CLO PE1AL 13.13 Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records). DSI, per T1 TIE CLO PE1CD PE1CD 2.26 2.77 Physical Collocation, Cable Records, DSI, per T1 TIE CLO PE1CD 2.26 2.77 Physical Collocation Cable Records, DSI, per T1 TIE CLO PE1CD 2.26 2.77 Physical Collocation Cable Records, DSI, per T1 TIE CLO PE1CD 2.26 2.77		normally scheduled working hours on a scheduled work day,			CI O	DEAOT		20.40	42.00								
outside of scheduled work day, per half hour Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per System - New Card Activation, per Card Activation, per State  CLO PE1AA 74.72  Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access - System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 22.83 Physical Collocation - Security Access - New, Replace Lost or Stolen Key, per Key CFA  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair					CLO	PEIOI		22.10	13.89								
per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State  CLO PE1A1 O.0601 27.85  Physical Collocation - Security Access System - Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR 22.83 Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.13 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.13 CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1C9 PF1C9 PF1C9 PF1C9 17.71 PF1C9 327.65 189.54  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1CD PE1CD PE1CD PE1CD PE1CD PE1CD PE1C		outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02								
Activation, per Card Activation (First), per State		per Central Office			CLO	PE1AX	74.72										
Change, existing Access Card, per Request, per State, per Card  CLO  PE1AA  7.81  Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card  CLO  PE1AR  22.83  Physical Collocation - Security Access - Initial Key, per Key  CLO  PE1AR  22.83  Physical Collocation - Security Access - Initial Key, per Key  CLO  PE1AK  13.13  CFA  CLO  PE1AL  13.13  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO  PE1C9  77.71  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1C0  PE1C1  2.26  2.77					CLO	PE1A1	0.0601	27.85									
Stolen Card, per Card		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81									
Physical Collocation - Security Access - Initial Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  CLO  PE1AL  13.13  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO  PE1CS  77.71  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO  PE1CR  1 760.98  S 489.2  133.29  Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1C1  2.26  2.77					CLO	PE1AR		22.83									
Stolen Key, per Key  CEA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO  PE1CD  S27.65  189.54  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO  PE1CD  A82  5.91  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1C1  2.26  2.77		Physical Collocation - Security Access - Initial Key, per Key															
Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO PETCR I 760.98 S 489.2 133.29  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  CLO PETCD 327.65 189.54  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PETCO 4.82 5.91  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PETC1 2.26 2.77					CLO	PE1AL		13.13									
Premises, per arrangement, per request	CFA	Dhysical Collegation CEA Information December 1															
Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively   Physical Collocation - Cable Records, per request   CLO   PE1CR   1 760.98   S 489.2   133.29     Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)   CLO   PE1CD   327.65   189.54     Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair   CLO   PE1CD   4.82   5.91     Physical Collocation, Cable Records, DS1, per T1 TIE   CLO   PE1C1   2.26   2.77		premises, per arrangement, per request						<u>77.</u> 71									
Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	Cable		II actua	lly be l			ent S" respective	/ely	0.400.0	100							
record (maximum 3600 records)				<b> </b>	CLO	PE1CR		ı 760.98	S 489.2	133.29		1					
100 pair		record (maximum 3600 records)			CLO	PE1CD		327.65		189.54							
		100 pair															
		Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO CLO	PE1C1 PE1C3		2.26 7.90		2.77 9.68		1					

Version: 2Q05 Standard ICA 08/09/05

COLLOCAT	ION - South Carolina												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre			Disconnect				Rates(\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.68		77.30							
	Physical Collocation, Cable Records,CAT5/RJ45			CLO	PE1CB PE1C5				2.77					-		
V: atro-			-	CLO	PETC5		2.26		2.11							
VIIIua	to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23.00									
	DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		23.00									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	ce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		794.22		22.54							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	21.33										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.87									
VIRTUAL COL	LOCATION															
Applic																
1	Virtual Collocation - Application Fee			AMTFS	EAF		1,207.95		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		584.42									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.66									ĺ
Space	Preparation				ĺ											
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.95										
Power																
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	9.19										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45						
	virtual collocation - 2-wire cross-connect, loop, provisioning			UEA, UHL, UCL, UDL, UNCVX,	ULAUZ	0.0317	12.32	11.63	0.04	5.45						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74						
	Virtual collocation - Special Access & UNE,cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93						

CATEGORY	ON - South Carolina			l	1	1 1			I .		ı		Attachment:	7 EAII D		
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						11.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
	Virtual Collocation 11 Bot Cross Collinois			025 12, 025 10, 051	0.10	0.7.1	20.01	10.00	0.70	0.20						
<u> </u>	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
.   '	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
,   '	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
				UEPSX, UEPSB,												
,   '	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0634	12.42	11.90	6.40	5.74						
CFA				, , , , , , , , , , , , , , , , , , , ,												
	Virtual Collocation - CFA Information Resend Request, per				VE 4 0 D											
Cable I	Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns will	ll actual	lly ha h	AMTFS	VE1QR	t S" respectively	77.71									
Cable	Virtual Collocation Cable Records - per request	ii actuai	lly be t	AMTFS	VE1BA	l 3 respectiver	760.98	489.20	133.29							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		327.65		189.54							
,   '	Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BC		4.82		5.91							
<del>-                                     </del>	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BC VE1BD		2.26		2.77							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.68		77.30							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.26		2.77							
Securit																
	Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		16.96	10.75								
ļ <sup> </sup>	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		22.10	13.89								
,   '	scheduled work day			AMTFS	SPTPX		27.23	17.02								
Mainte					0.701											
<u> </u>	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89								
	Virtual collocation - Maintenance in CO - Premium per half hour	_		AMTFS	SPTPM		45.12	17.02								
Entrand	ce Cable			AMTEG	FOROV		704.00		00 = 1							
<del></del> '	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS AMTFS	ESPCX ESPSX	18.66	794.22		22.54							
COLLOCATION	N IN THE REMOTE SITE			7 WY 11 G	201 07	10.00										
Physica	al Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	040.41	308.38		168.60							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1RD PE1SR		13.13 116.13									

COLLOCAT	TION - South Carolina												Attachment:	4 Exh B		T
											Svc Order	Svc Order			Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)						l .		
CATEGORI	NATE ELEMENTO	m	20116	500	0000			IVA I EO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>			ı	Nonred	urring	Nonrecurring	Disconnoct		l	088	Rates(\$)		
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI						11100	Addi	7 11 30	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64									
-	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		<del> </del>	CLORS	PE1RR		234.50									+
	Physical Collocation - Security Escort for Basic Time - normally		1	OLONO	LIKK		234.30				<b>†</b>	<b>†</b>			1	+
	scheduled work, per half hour			CLORS	PE1BT		16.96	10.75								
		-	-	CLURS	PEIBI		16.96	10.75				-		-		+
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,			0.000												
	per half hour			CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02								
Adjac	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	: If Security Escort and/or Add'I Engineering Fees become nec	essary	or adja	cent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtua	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		616.76		337.19							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	246.44										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		232.25									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.27									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
																1
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0527	12.42	11.90	6.40	5.74		İ				1
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.08	15.96	6.42	5.80		İ				1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.00	20.94	15.23	7.39	5.93						1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93	1	1		1	1	
<del> </del>	Adjacent Collocation - 2-riber Cross-Connect		t	CLOAC	PE1JK	4.53	25.61	19.90	9.73	8.26	<u> </u>	t				<del>                                     </del>
	Adjacent Collocation - 4-1 iber Cross-Connect  Adjacent Collocation - Application Fee		<del>                                     </del>	CLOAC	PE1JB	7.00	1.580.20	10.00	5.75	0.20	t	t		1	1	+
	Adjacent Collocation - Application 1 ee  Adjacent Collocation - 120V, Single Phase Standby Power Rate		t	020/10	100		1,000.20				<b>-</b>	1		<del> </del>	<del> </del>	+
1	per AC Breaker Amp			CLOAC	PE1JL	5.67										1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	-	<del>                                     </del>	OLONO	1 - 10-	5.07					1	1		<del> </del>	<del> </del>	+
1	per AC Breaker Amp		1	CLOAC	PE1JM	11.36										I
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<b>I</b>	+	OLUAU	F E IJIVI	11.36			-		<del>                                     </del>	<del>                                     </del>		1	1	+
1				01.040	DEAIN	47.00										1
	per AC Breaker Amp		1	CLOAC	PE1JN	17.03					-	<b>.</b>		ļ	ļ	
1	Adjacent Collocation - 277V, Three Phase Standby Power Rate			0.0.0												1
	per AC Breaker Amp			CLOAC	PE1JO	39.33						<b></b>				<b>↓</b>
INote:	Rates displaying an "I" in Interim column are interim as a resu	ılt of a (	Commis	ssion order.		1					1	1		1	1	1

COLLOCA	TION - Tennessee								-				Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			1			Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)	•	
					Î	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					Î					Î				Î		ĺ
PHYSICAL C	OLLOCATION															
Appl	ication															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98									1
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,085.48									1
	Physical Collocation - Co-Carrier Cross Connects/Direct			020			1,000.10									
ı İ	Connect, Application Fee, per application			CLO	PE1DT		585.09									
-	Physical Collocation - Power Reconfiguration Only, Application		1	OLO	1 2101		000.00									<del>                                     </del>
ı l	Fee			CLO	PE1PR		400.10									
	Physical Collocation Administrative Only - Application Fee		-	CLO	PE1BL		743.25				-				-	
Const				CLO	PEIBL		743.23									<del></del>
Spac	e Preparation			01.0	DEAD	5.04										
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.94										<u> </u>
ı l	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet			CLO	PE1BX	197.09										
ı l	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	218.53										
ı l	Physical Collocation - Space enclosure, welded wire, each															
ı I	additional 50 square feet			CLO	PE1CW	21.44										
	Physical Collocation - Space Preparation - C.O. Modification per				1											1
ı l	square ft.			CLO	PE1SK	2.74										
-	Physical Collocation - Space Preparation, Common Systems		1	1												1
ı l	Modifications-Cageless, per square foot			CLO	PE1SL	2.95										
-	Physical Collocation - Space Preparation - Common Systems		1	020	1 2102	2.00										<del>                                     </del>
ı I	Modifications-Caged, per cage			CLO	PE1SM	100.14										
	Physical Collocation - Space Preparation - Firm Order		-	CLO	I L I OIVI	100.14	+				-				-	
ı l				CI O	DE4CI		4 204 00									
	Processing			CLO	PE1SJ		1,204.00									
ı l	Physical Collocation - Space Availability Report, per Central															
	Office Requested	- 1		CLO	PE1SR		2,027.00									
Powe																1
ı l	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	8.87										
ı l	Physical Collocation - Power, 120V AC Power, Single Phase,															
ı İ	per Breaker Amp			CLO	PE1FB	5.60										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
ı l	per Breaker Amp			CLO	PE1FD	11.22										
	Physical Collocation - Power, 120V AC Power, Three Phase, per				1											1
ı I	Breaker Amp			CLO	PE1FE	16.82										
-	Physical Collocation - Power, 277V AC Power, Three Phase, per		1	1												1
ı l	Breaker Amp			CLO	PE1FG	38.84										
Cros	s Connects (Cross Connects, Co-Carrier Cross Connects, and P	orte)		CLO	1 2 11 0	00.04										+
Cios	s Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	-	UEANL,UEQ,	<del> </del>	1	-				-				-	<del></del>
				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
ı İ	District College of the control of t			UNCVX	DE4.D0	0.000	00.00	04.00								
	Physical Collocation - 2-wire cross-connect, loop, provisioning				PE1P2	0.033	33.82	31.92								ļ
ı I				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning		<u> </u>	UNCDX, UCL, UDL	PE1P4	0.066	33.94	31.95			ļ				<b></b>	<b></b>
ı l				WDS1L, WDS1S,												
ı I				UXTD1, ULDD1,												
ı İ				USLEL, UNLD1,												
ı l		1		U1TD1, UNC1X,							I			l	I	
ı l				UEPSR, UEPSB,							1					1
				UEPSE, UEPSP,							1					1
١ ١			1		1	1	1		I	I	1	1		1	1	1
١	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,	I		1									1

COLLOC	ATIO	ON - Tennessee												Attachment:	4 Fxh B		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP	PE1P3	19.26	First 52.37	Add'l 38.89	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per						00.00	55.76	10.51	14.00			2.00	2.03	1.50	1.5
		cable.			CLO	PE1ES	0.0013										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0019										
		Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.033 0.066	33.82 33.94	31.92 31.95					20.35 20.35	10.54 10.54	13.32 13.32	1.40
Sec	curity				OLFLX, OLFDD	FLIK4	0.000	33.54	31.53					20.33	10.54	13.32	1.40
		Physical Collocation - Security Escort for Basic Time - normally															
		scheduled work, per half hour			CLO	PE1BT		33.91	21.49								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.17	27.76								
		Physical Collocation - Security Escort for Premium Time -			CLO	PE1PT		54.42	34.02								
		outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	55.99	54.42	34.02								
		Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.059	55.67									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.61									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.64									
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.24									
CF		Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request ecords			CLO	PE1C9		77.67									
Cal		Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		1,711.00									
		record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		925.06									
		100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		18.05 8.45									
		Physical Collocation, Cable Records, DS1, per T1 TIE	-		CLO	PE1C3		29.57									

Version: 2Q05 Standard ICA 08/09/05

COLLOCAT	ION - Tennessee			·		-	-						Attachment:	4 Exh B	I	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Bhariad Callandia - Calla Bassala Film Calla a canalla						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		279.42									
-	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		8.45									
Virtua	to Physical		1	020	. 2.00		0.10				1					
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23.00									
	DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	ice Cable															
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	19.80										
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,071.00		43.10							
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.29									
RTUAL COL																
Applic	Virtual Collocation - Application Fee		-	AMTFS	EAF	1	2,633.00						2.07	2.81	0.67	1.4
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		585.09						2.07	2.01	0.67	1.4
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.25									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91										
Power				AMTEO	FODAY	0.70										
Cross	Virtual Collocation - Power, per fused amp  Connects (Cross Connects, Co-Carrier Cross Connects, and P	orto)	-	AMTFS	ESPAX	6.79					-					
01033	Virtual Collocation - 2-wire cross-connect, loop, provisioning	ortaj		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
				UEA, UHL, UCL, UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning  Virtual collocation - Special Access & UNE, cross-connect per DS1			UNCDX  ULR, UXTD1,  UNC1X, ULDD1,  U1TD1, USLEL,  UNLD1, USL,  UEPEX, UEPDX	UEAC4  CNC1X	0.57	32.22	17.76	10.44	8.67			2.07	2.81	0.67	1.4
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30		8.75			2.07	2.81	0.67	1.4

COLLOCAT	ION - Tennessee												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC		IN.	RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring	Add'l	Nonrecurring First	Add'l	COMEC	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	First 41.56	29.82	12.96	10.34	SOMEC	SOMAN	2.69	2.69	1.56	1.56
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0013										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0019										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.57	11.62	9.90	10.38	8.66			20.35	10.54	13.32	1.40
CFA	Virtual Collocation 4-Wire Cross Connect, Port  Virtual Collocation - CFA Information Resend Request, per			UEPDD, UEPEX	VE1R4	0.57	11.81	10.04	10.44	8.67			20.35	10.54	13.32	1.40
Cable	Premises, per Arrangement, per request  Records			AMTFS	VE1QR		77.67									
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,711.00 925.06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair  Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		18.05 8.45									
	Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records				VE1BE VE1BF		29.57									
Securi				AMTFS	VE1B5		8.45									
	Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	1.4
	normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a				SPTOX		41.50	25.61					2.07	2.81	0.67	1.4
Mainte	scheduled work day			AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	1.4
- Indiana	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64						2.07	2.81	0.67	1.4
	Virtual collocation - Maintenance in CO - Overtime, per half hour				SPTOM		35.77						2.07	2.81	0.67	1.4
Entrar	Virtual collocation - Maintenance in CO - Premium per half hour nce Cable		<del>                                     </del>	AMTFS	SPTPM		40.90				+		2.07	2.81	0.67	1.4
0011 0017	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS AMTFS	ESPCX ESPSX	17.87	1,749.00						2.07	2.81	0.67	1.4
	N IN THE REMOTE SITE cal Remote Site Collocation															
FilySi	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack			CLORS CLORS	PE1RA PE1RB	220.41	580.20		312.76							
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		24.69									
	Report per Premises Requested			CLORS	PE1SR		218.49									

OLLOCAT	TION - Tennessee												Attachment:	4 Exh B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
AILOOKI	KATE EEEMENTO	m	Zone	500	0000			IVATEO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15				1	1				
	Physical Collocation - Security Escort for Basic Time - normally		<del> </del>	OLOIKO	LIKK		204.10									<u> </u>
	scheduled work, per half hour			CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort for Overtime - outside of		-	CLUKS	FEIDI		33.91	21.49				-				<b> </b>
	normally scheduled working hours on a scheduled work day,			0.000	55105											
	per half hour			CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.42	34.02								
Adjac	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for adja	cent remote site col	location, the	Parties will ne	egotiate approp	riate rates.								
Virtua	I Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		580.20		312.76							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	220.41										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		218.49									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															i e
	Request, per CLLI Code Requested			VE1RS	VE1RL		70.81									
LIACENT C	OLLOCATION	<b>-</b>	<b>-</b>	VETICO	VETICE		70.01									1
DUAULITI U	Adjacent Collocation - Space Charge per Sq. Ft.	<b>-</b>	<b>-</b>	CLOAC	PE1JA	0.0656										1
	Adjacent Collocation - Space Charge per Cq. 1 t.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										<del>                                     </del>
	Aujacent Conocation - Electrical Facility Charge per Elifear Ft.		-	CLOAC	FLIJO	3.33						-				1
				UEANL.UEQ.UEA.U												
	A F				DE4 IE	0.04	44.40	40.40	44.00	40.00			1.77	4 77	4.40	
	Adjacent Collocation - 2-Wire Cross-Connects		-	CL, UAL, UHL, UDN		0.34	11.12	10.18	11.33	10.23	ļ	ļ		1.77		1.1
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.33	11.30	10.31	11.62	10.44			1.77	1.77		1.1
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.70	28.39	16.88	11.65	10.54			1.77	1.77		1.1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	19.03	26.23	15.51	13.40	10.77			1.77	1.77		1.1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	3.49	26.23	15.51	13.41	10.78			1.77	1.77		
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.13
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,973.00		0.95				0.00	0.00	0.00	0.0
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															1
	per AC Breaker Amp	l		CLOAC	PE1JL	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	Ì	Ì		İ											
	per AC Breaker Amp	l		CLOAC	PE1JM	11.64										1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		t								1				1	İ
1	per AC Breaker Amp	l		CLOAC	PE1JN	17.45										1
-	Adjacent Collocation - 277V, Three Phase Standby Power Rate	<u> </u>	+	020/10	1014	17.45					<del> </del>	<del> </del>		<del> </del>	<del> </del>	+
1	per AC Breaker Amp	l	1	CLOAC	PE1JO	40.30										
l l																

# **Attachment 5**

Access to Numbers and Number Portability

Version: 2Q05 Standard ICA

## TABLE OF CONTENTS

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5
4.	LNP In Conjunction with Local Switching	5

Version: 2Q05 Standard ICA

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

## 1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where Freedom Communications is utilizing its own switch, Freedom Communications shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- 1.2 Where BellSouth provides local switching or resold services to Freedom Communications, BellSouth will provide Freedom Communications with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Freedom Communications acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Freedom Communications may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to Freedom Communications) telephone numbers per rate center if the following conditions are met:
- 1.2.1 Freedom Communications must: (1) indicate that all of the intermediate numbers currently held by Freedom Communications in each rate center where Freedom Communications will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where Freedom Communications will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by Freedom Communications in the rate center where Freedom Communications is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by Freedom Communications by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where Freedom Communications will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by Freedom Communications to End Users by the total number of intermediate numbers held by Freedom Communications in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling Freedom Communications's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the

Version: 2Q05 Standard ICA

required numbering request to the national numbering administrator to satisfy Freedom Communications's request for intermediate numbers. BellSouth will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy Freedom Communications's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by Freedom Communications for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 Freedom Communications agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3 above.
- Freedom Communications acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that Freedom Communications cancel all or a portion of its unassigned intermediate numbers. Freedom Communications's consent to BellSouth's request shall not be unreasonably withheld.

# 2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 <u>N-1 Query.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. End Users of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, End Users of each Party may port reserved numbers that the End User has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's End User may reserve additional telephone numbers and include

Version: 2Q05 Standard ICA

them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.

- 2.7 Splitting of Number Groups. The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. BellSouth and Freedom Communications shall permit End Users who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.
- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.11 BellSouth and Freedom Communications will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- Where Freedom Communications utilizes BellSouth's LNP Query Service, BellSouth shall bill and Freedom Communications shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, Freedom Communications shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on BellSouth's Interconnection Web site under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

## 3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

## 4. LNP In Conjunction with Local Switching

4.1 Where Freedom Communications purchases local switching from BellSouth, the Parties shall adhere to the following processes:

Version: 2Q05 Standard ICA

- 4.1.1 When Freedom Communications submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. Freedom Communications shall be responsible for reimbursing BellSouth for any costs or charges imposed on BellSouth by the switch owner resulting from the submission of the LNP LSR. In addition, Freedom Communications shall pay to BellSouth the manual service order charges or electronic service order charges as specified in Exhibit A of Attachment 2 for BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.
- 4.1.2 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

Version: 2Q05 Standard ICA

# **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 2Q05 Standard ICA

# TABLE OF CONTENTS

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair	3
2.	Access to Operations Support Systems	3
3.	Miscellaneous	7

Version: 2Q05 Standard ICA

#### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide to Freedom Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that Freedom Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide Freedom Communications with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of Freedom Communications and other CLECs in the aggregate.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Freedom Communications nondiscriminatory access to its OSS and the necessary information contained therein in order that Freedom Communications can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Freedom Communications to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Freedom Communications's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site.
- 2.1.1 Freedom Communications agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site.

## 2.2 Pre-Ordering

2.2.1 BellSouth will provide electronic access to its OSS and the information contained therein in order that Freedom Communications can perform the following preordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and Freedom

Version: 2005 Standard ICA

Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. Freedom Communications shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. Freedom Communications shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Freedom Communications shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

2.2.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Freedom Communications will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Freedom Communications's access to customer record information. If a BellSouth audit of Freedom Communications's access to customer record information reveals that Freedom Communications is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Freedom Communications may take corrective action, including but not limited to suspending or terminating Freedom Communications's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by Section 7, Proprietary and Confidential Information in General Terms and Conditions.

# 2.3 <u>Ordering</u>

- 2.3.1 BellSouth will make available to Freedom Communications electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and Freedom Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.3.2 Freedom Communications shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill Freedom Communications an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill Freedom Communications a manual service order charge at the rate set forth in the

Version: 2005 Standard ICA

applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.

- 2.3.2.1 Freedom Communications may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, Freedom Communications may submit a list of such End Users if Freedom Communications provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.
- 2.3.2.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

# 2.4 <u>Provisioning</u>

- 2.4.1 BellSouth shall provision services during its regular working hours. To the extent Freedom Communications requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Freedom Communications, BellSouth will not assess Freedom Communications additional charges beyond the rates and charges specified in this Agreement.
- In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Freedom Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Freedom Communications for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 <u>Cancellation Charges.</u> If Freedom Communications cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart

Version: 2Q05 Standard ICA

found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess cancellation charges if Freedom Communications fails to respond within nine (9) business days to a Missed Appointment order notification.

- 2.4.3.1 Notwithstanding the foregoing, if Freedom Communications places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Freedom Communications places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Freedom Communications may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Freedom Communications elect to cancel the entire LSR. cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 2.4.4 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by Freedom Communications, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If Freedom Communications modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by Freedom Communications in accordance with Exhibit A of Attachment 2.

## 2.5 Maintenance and Repair

2.5.1 BellSouth will make available to Freedom Communications electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and Freedom Communications will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and Freedom Communications agree to adhere to BellSouth's Operational Understanding. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.

Version: 2005 Standard ICA

- 2.5.2 If Freedom Communications reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Freedom Communications a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. BellSouth, will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.3 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Freedom Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Freedom Communications for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.6 <u>Billing.</u> BellSouth will provide Freedom Communications nondiscriminatory access to billing information as specified in Attachment 7.
- 2.7 Change Management. BellSouth and Freedom Communications agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and Freedom Communications agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to Freedom Communications at BellSouth's Interconnection Web site.
- 2.8 <u>Rates.</u> Unless otherwise specified herein, charges for the use of BellSouth's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

#### 3. MISCELLANEOUS

Version: 2005 Standard ICA

- 3.1 Pending Orders. To the extent that Freedom Communications submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to Freedom Communications for clarification. Freedom Communications shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If Freedom Communications does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and Freedom Communications shall be required to submit a new LSR, with a new PON.
- 3.2 Single Point of Contact. Freedom Communications will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Freedom Communications to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. Freedom Communications and BellSouth shall each execute a blanket LOA with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Freedom Communications to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify Freedom Communications that such a request has been processed but will not be required to notify Freedom Communications in advance of such processing.
- 3.2.1 Neither BellSouth nor Freedom Communications shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 The Parties shall return a FOC and LSR rejection/clarification in accordance with the intervals specified in Attachment 9.
- 3.2.3 <u>Use of Facilities.</u> When an End User of Freedom Communications elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Freedom Communications by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify Freedom Communications that such a request has been processed after the disconnect order has been completed.
- 3.3 <u>Contact Numbers.</u> The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning

Version: 2Q05 Standard ICA

and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week. BellSouth will close trouble tickets after making a reasonable effort to contact Freedom Communications for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact Freedom Communications to request additional information or to request authorization for additional work deemed necessary by BellSouth.

- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.4.1 When Freedom Communications's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to Freedom Communications, which has the billing relationship with that End User, and Freedom Communications may pass such charge to the End User.

Version: 2Q05 Standard ICA 07/06/05

# **Attachment 7**

**Billing** 

Version: 2Q05 Standard ICA 09/16/05

# TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	10
3.	RAO Hosting	10
Ra	ites	Exhibit A

Version: 2Q05 Standard ICA 09/16/05

#### BILLING

## 1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to Freedom Communications under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from Freedom Communications, Freedom Communications shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of Freedom Communications's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill Freedom Communications in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Freedom Communications, and Freedom Communications will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for Freedom Communications as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, Freedom Communications will provide the appropriate BellSouth

Version: 2Q05 Standard ICA

09/16/05

Local Contract Manager responsible for new CLEC activation, the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, BellSouth's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, Freedom Communications may not order services under a new account established in accordance with this Section until thirty (30) days after all information specified in this Section is received from Freedom Communications.

- 1.2.1 <u>ACNAs.</u> Freedom Communications shall provide BellSouth with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by Freedom Communications to order services pursuant to this Agreement and will not be shared by Freedom Communications with another entity.
- 1.2.2 Company Identifiers. If Freedom Communications needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when Freedom Communications has already been conducting business utilizing those Company Identifiers, Freedom Communications shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of Freedom Communications's End User records and any other changes to BellSouth systems or Freedom Communications records, and will be handled in a separately negotiated agreement or as otherwise required by BellSouth.
- 1.2.3 Tax Exemption. It is the responsibility of Freedom Communications to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual Freedom Communications entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to Freedom Communications will not include those taxes or fees from which Freedom Communications is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and Freedom Communications shall pay all applicable taxes and fees. In the event that Freedom Communications believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to Freedom Communications its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written

Version: 2Q05 Standard ICA

09/16/05

request from Freedom Communications and at Freedom Communications's sole expense, pursue such refund claim on behalf of Freedom Communications, provided that Freedom Communications promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to Freedom Communications. Freedom Communications shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by Freedom Communications to its End Users.

- 1.3 Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, Freedom Communications shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding Freedom Communications's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding Freedom Communications's credit and financial condition, BellSouth reserves the right to require Freedom Communications to provide BellSouth with a suitable form of security deposit for Freedom Communications's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or Freedom Communications's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in Freedom Communications's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by Freedom Communications. Any such security deposit shall in no way release Freedom Communications from its obligation to make complete and timely payments of its bill(s). If BellSouth requires Freedom Communications to provide a security deposit, Freedom Communications shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to Freedom Communications via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if Freedom Communications has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either Freedom Communications or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or

Version: 2Q05 Standard ICA

lower than received in the previous six (6) months, Freedom Communications and BellSouth shall agree on a level of estimated billings based on all relevant information.

- 1.3.3 In the event Freedom Communications fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to Freedom Communications may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to Freedom Communications's final bill for its account(s).
- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by Freedom Communications as security under this Agreement, Freedom Communications shall renew such letter of credit or provide BellSouth with evidence that Freedom Communications has obtained a suitable replacement for the letter of credit. If Freedom Communications fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for Freedom Communications accounts(s). If Freedom Communications provides a security deposit or additional security deposit in the form of a surety bond as required herein, Freedom Communications shall renew the surety bond or provide BellSouth with evidence that Freedom Communications has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If Freedom Communications fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Freedom Communications's account(s). If the credit rating of any bonding company that has provided Freedom Communications with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to Freedom Communications that Freedom Communications must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If Freedom Communications fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for Freedom Communications's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by Freedom Communications as security hereunder if Freedom Communications defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.
- 1.4 <u>Payment Responsibility.</u> Payment of all charges will be the responsibility of Freedom Communications. Freedom Communications shall pay invoices by utilizing wire transfer services or automatic clearing house services. Freedom

Version: 2Q05 Standard ICA

Communications shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between Freedom Communications and Freedom Communications's End User.

- 1.4.1 Payment Due. Payment for services provided by BellSouth, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to Freedom Communications's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.
- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by BellSouth on or before the payment due date as set forth above, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of BellSouth's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the BellSouth intrastate Access Services Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, Freedom Communications may be charged a fee for all returned checks at the rate set forth in Section A2 of BellSouth's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to Freedom Communications.</u> The procedures for discontinuing service to Freedom Communications are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related

Version: 2Q05 Standard ICA

changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.

- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Freedom Communications of the rules and regulations of BellSouth's tariffs.
- 1.5.3 <u>Suspension.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to Freedom Communications that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for Security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to Freedom Communications if payment of such amounts, and all other amounts that

Version: 2Q05 Standard ICA

become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5 below.

- 1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) Freedom Communications has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
  - (1) BellSouth has sent the subject bill(s) to Freedom Communications within seven (7) business days of the bill date(s), verifiable by records maintained by BellSouth:
    - i. in paper or CDROM form via the United States Postal Service (USPS), or
    - ii. in magnetic tape form via overnight delivery, or
    - iii. via electronic transmission; or
  - (2) BellSouth has sent the subject bill(s) to Freedom Communications, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.6 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.7 Freedom Communications is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after Freedom Communications's services have been Discontinued, Freedom Communications pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of BellSouth's GSST, then BellSouth will reestablish service for Freedom Communications.
- 1.5.7.1 <u>Termination.</u> If within seven (7) days after Freedom Communications's service has been Discontinued and Freedom Communications has failed to pay all past due charges as described above, then Freedom Communications's service will be Terminated.

Version: 2Q05 Standard ICA

Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from Freedom Communications, shall be forwarded to the individual and/or address provided by Freedom Communications in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Freedom Communications as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from Freedom Communications to BellSouth's billing organization, the notice of discontinuance of services purchased by Freedom Communications under this Agreement provided for in Section 1.5.4 above shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions.

## 2. Billing Disputes

- 2.1 Freedom Communications shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing dispute, if Freedom Communications is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by Freedom Communications by such sixtieth (60<sup>th</sup>) day, Freedom Communications must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.
- For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by BellSouth. The billing dispute must be clearly explained by Freedom Communications and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by Freedom Communications for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of Freedom Communications, any credits and interest due to Freedom Communications as a result therof shall be applied to Freedom Communications's account by BellSouth upon resolution of the billing dispute.

#### 3. RAO Hosting

Version: 2Q05 Standard ICA

- 3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies (Telcordia) used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.
- 3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).
- 3.3 RAO Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.
- The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e., billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company
- 3.5 The NICS is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- 3.6 RAO Hosting, CATS and NICS services provided to Freedom Communications by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- Freedom Communications shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.

Version: 2Q05 Standard ICA

- 3.8 Charges or credits, as applicable, will be applied by BellSouth to Freedom Communications on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.
- 3.9 Freedom Communications must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Freedom Communications must request that BellSouth establish a unique hosted RAO code for Freedom Communications. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.10 BellSouth will receive messages from Freedom Communications that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a LEC outside the BellSouth region. Freedom Communications shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.11 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Freedom Communications.
- 3.12 All data received from Freedom Communications that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.13 All data received from Freedom Communications that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by Freedom Communications and will forward them to Freedom Communications on a daily basis for processing.
- 3.15 Transmission of message data between BellSouth and Freedom Communications will be distributed via FTP mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move Freedom Communications to CONNECT:Direct file delivery.
- 3.15.1 If Freedom Communications is moved to CONNECT:Direct, data circuits (private line or dial-up) may be required between BellSouth and Freedom Communications for the purpose of data transmission. Where a dedicated line is required, Freedom Communications will be responsible for ordering the circuit, overseeing its

Version: 2Q05 Standard ICA

installation and coordinating the installation with BellSouth. Freedom Communications will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Freedom Communications. Additionally, all message toll charges associated with the use of the dial circuit by Freedom Communications will be the responsibility of Freedom Communications. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Freedom Communications end for the purpose of data transmission will be the responsibility of Freedom Communications.

- 3.15.2 If Freedom Communications utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Freedom Communications.
- 3.16 All messages and related data exchanged between BellSouth and Freedom Communications will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- Freedom Communications will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.18 Should it become necessary for Freedom Communications to send data to BellSouth more than sixty (60) days past the message date(s), Freedom Communications will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Freedom Communications, where necessary, to notify all affected LECs.
- 3.19 In the event that data to be exchanged between the two (2) Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.
- 3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from Freedom Communications, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Freedom Communications of the error. Freedom Communications will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Freedom Communications will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

Version: 2Q05 Standard ICA

- 3.21 In association with message distribution service, BellSouth will provide Freedom Communications with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.23 <u>Intercompany Settlements Messages</u>
- 3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Freedom Communications as a facilities based provider of local exchange telecommunications services.
- 3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of Freedom Communications and will distribute copies of these reports to Freedom Communications on a monthly basis.
- 3.23.3 Through CATS, BellSouth will collect the revenue earned by Freedom Communications from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of Freedom Communications. BellSouth will remit the revenue billed by Freedom Communications to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of Freedom Communications. These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to Freedom Communications via a CABS miscellaneous bill on a monthly basis in arrears.
- Through NICS, BellSouth will collect the revenue earned by Freedom Communications within the BellSouth territory from another LEC also within the BellSouth territory where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Freedom Communications. BellSouth will remit the revenue billed by Freedom Communications within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to Freedom Communications via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.5 BellSouth and Freedom Communications agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.
- 3.24 <u>Rates.</u> Rates for CMDS are as set forth in Exhibit A. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the

Version: 2Q05 Standard ICA

applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

Version: 2Q05 Standard ICA

CI	IDS -	- Alab	ama												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS BCS USOC RATES(\$)												per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
															Electronic-	Electronic-	Electronic-	Electronic-
1st													1st	Add'l	Disc 1st	Disc Add'l		
								Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CN	IDS																	
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																		
CMDS: Message Processing, per message 0.004										•								
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001				·						

CI	MDS	- Flor	ida												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS BCS USOC RATES(\$) per LSR													per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											Electronic-	Electronic-	Electronic-	Electronic-				
1st													Add'l	Disc 1st	Disc Add'l			
								Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CIV	IDS																	
	(	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message 0.004																		
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

CI	MDS	- Geo	rgia												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
C/	ATEGO	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
-	Т				1				Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)	L	l .
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1													
CI	/IDS																	
	0	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
			CMDS: Message Processing, per message		0.004													
	CMDS: Message Processing, per message  CMDS: Data Transmission (CONNECT:DIRECT), per message																	

CI	IDS -	- Kent	tucky												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Submitted		Charge -	Charge -	Charge -
				Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS MEST Zone BCS USOC RATES(\$) per LSR													per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
	1st													Add'l	Disc 1st	Disc Add'l		
								Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CN	DS																	1
	С	ENTR.	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message 0.004																		
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

CI	MDS	- Loui	siana												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS BCS USOC RATES(\$) per LSR per													per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-	
1st													Add'l	Disc 1st	Disc Add'l			
								Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CIV	IDS																	
	(	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message 0.004																		
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

CI	/IDS	- Miss	sissippi												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
				Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS BCS USOC RATES(\$) per L													per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
	1st													1st	Add'l	Disc 1st	Disc Add'l	
								Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CIV	IDS																	i
	(	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message 0.004																		
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

CI	/IDS - I	Nort	h Carolina												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
-								_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	!	<u> </u>
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CN	IDS																	
	CE	ENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
			CMDS: Message Processing, per message				0.004											
	CMDS: Data Transmission (CONNECT:DIRECT), per message 0.001																	

CI	/IDS	- Sou	th Carolina												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
															Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l		
								Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CM	IDS																	i
	(	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message 0.004																		
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

CI	IDS -	- Tenr	nessee												Attachment:	7 Exh A		
													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
				Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CA	TEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Electronic- Elect													Electronic-	Electronic-	Electronic-			
1st Add'I C													Disc 1st	Disc Add'l				
								Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CN	DS																	
	C	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
CMDS: Message Processing, per message 0.004																		
			CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

# **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

Version: 2Q05 Standard ICA

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 2Q05 Standard ICA

# **Attachment 9**

**Performance Measurements** 

Version: 2Q05 Standard ICA

# PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

Version: 2Q05 Standard ICA

# **Attachment 10**

# **BellSouth Disaster Recovery Plan**

<u>CON'</u>	<u>TENTS</u>	<u>5</u>		PAGE
1.0	Purpos	se		2
2.0	Single	Point of C	Contact	2
3.0	_	ying the P		2
	3.1	Site Con	ntrol	3
	3.2	Environ	mental Concerns	4
4.0	The E	mergency	Control Center (ECC)	4
5.0	Recov	ery Proced	lures	5
	5.1	CLEC O	utage	5
	5.2	BellSoutl	h Outage	5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3	Combine	ed Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Ide	entification	n Procedures	7
7.0	Acron	yms		8

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a CLEC, general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following BellSouth Interconnection Services Web site: <a href="http://interconnection.bellsouth.com/products/vertical/tsp.html">http://interconnection.bellsouth.com/products/vertical/tsp.html</a>. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 2Q05 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 2Q05 Standard ICA

#### 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

#### 4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 2Q05 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 2Q05 Standard ICA

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a CO

When BellSouth loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

#### 5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

#### **5.2.3 Loss of a CO with Tandem Functions**

When BellSouth loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally

Version: 2Q05 Standard ICA

found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

#### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

#### **5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)**

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

#### 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 2Q05 Standard ICA

## 7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 2Q05 Standard ICA

## **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/index.html">http://www.interconnection.bellsouth.com/network/disaster/index.html</a>. Information concerning Mechanized Disaster Reports can also be found at this Web site by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html">http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html</a>.

## **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 2Q05 Standard ICA

# **Attachment 11**

**Bona Fide Request and New Business Request Process** 

Version: 2Q05 Standard ICA 07/06/05

## BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

#### 1. **BONA FIDE REQUEST**

- 1.1 The Parties agree that Freedom Communications is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A BFR is to be used when Freedom Communications makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- A BFR shall be submitted in writing by Freedom Communications and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include Freedom Communications's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to Freedom Communications's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Freedom Communications at any time during the processing of the BFR.
- Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to Freedom Communications by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis

Version: 2Q05 Standard ICA

will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to, request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet Freedom Communications's requested date.

1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify Freedom Communications within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If Freedom Communications accepts the complex request evaluation fee proposed by BellSouth, Freedom Communications shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Freedom Communications by providing a preliminary analysis, consistent with Section 1.4 above.

1.7 Freedom Communications may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If

Version: 2Q05 Standard ICA

Freedom Communications cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

- 1.8 Freedom Communications will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If Freedom Communications fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Freedom Communications's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of Freedom Communications's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of Freedom Communications's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 Freedom Communications shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless Freedom Communications agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If Freedom Communications believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.

Version: 2Q05 Standard ICA

Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

## 2 New Business Request

- 2.1 Freedom Communications also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by Freedom Communications to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by Freedom Communications and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to Freedom Communications's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from Freedom Communications at any time during the processing of the NBR.
- 2.4 If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to Freedom Communications by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date

Version: 2Q05 Standard ICA

together with a detailed explanation as to why BellSouth is not able to meet Freedom Communications's requested date.

- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify Freedom Communications within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If Freedom Communications accepts the complex request evaluation fee amount proposed by BellSouth, Freedom Communications shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.
- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to Freedom Communications by providing a preliminary analysis of such Requested NBR Services.
- 2.8 Freedom Communications may cancel an NBR at any time. If Freedom Communications cancels the request more than ten (10) business days after submitting it, Freedom Communications shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 Freedom Communications will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If Freedom Communications fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- 2.11 BellSouth shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of Freedom Communications's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of Freedom Communications's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not

Version: 2Q05 Standard ICA

- exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- Freedom Communications shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit Freedom Communications's account for the difference.
- 2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.

Version: 2Q05 Standard ICA